



**Teck Coal
Environment Office**
Bag Service 2000, 421 Pine Avenue +1 250 425 3352 Tel
Sparwood, B.C. Canada V0B 2G0 www.teck.com

Technical Report Overview

Report: Koochanusa Reservoir Monitoring Program Annual Report, 2019

Overview: This annual report provides an overview of the environmental monitoring activities that were conducted in 2019 in the Canadian portion of Koochanusa Reservoir and a summary of the associated results. This report is required under Permit 107517.

This report was prepared for Teck by Minnow Environmental Inc.

For More Information

If you have questions regarding this report, please:

- Phone toll-free to 1.855.806.6854
- Email feedbackteckcoal@teck.com

Future studies will be made available at teck.com/elkvalley



Koocanusa Reservoir Monitoring Program Annual Report, 2019

Prepared for:
Teck Coal Limited
Sparwood, British Columbia

Prepared by:
Minnow Environmental Inc.
Georgetown, Ontario

June 2020

Koocanusa Reservoir Monitoring Program Annual Report, 2019

Heidi Currier, Ph.D., R.P. Bio.
Project Manager



Paul LePage, M.Sc.
Senior Project Advisor



EXECUTIVE SUMMARY

Background

In 2014, the Elk Valley Water Quality Plan (EVWQP) served as a basis for issuance of Permit 107517 (“the Permit”) from the British Columbia Ministry of Environment and Climate Change Strategy (ENV; formerly Ministry of Environment [MOE]). The Permit specifies water quality limits and site performance objectives (SPOs) for monitoring stations located downstream from the mines and the requirement to implement a Regional Aquatic Effects Monitoring Program (RAEMP). Under the RAEMP, Koochanusa Reservoir is categorized as its own management unit (MU6) based on unique geographic features, hydrodynamic/habitat characteristics, and consideration of potential mine-influences. In 2019, the Koochanusa Reservoir Monitoring Program completed the second year of a comprehensive three-year initiative designed to assess whether physico-chemical and biological conditions in Koochanusa Reservoir differ downstream compared to upstream of the Elk River confluence within the Canadian portion of the reservoir, and whether or not conditions are changing over time. In accordance with this monitoring program and conditions of ENV Permit 107517 (Section 10.8), this annual report provides an overview of environmental monitoring activities conducted in 2019 in the Canadian portion of Koochanusa Reservoir, together with a summary of the associated results. Principal findings are summarized below.

Water Quality

In 2019, average concentrations of the Order constituents dissolved cadmium, nitrate, and sulphate were below respective BC water quality guidelines at permitted stations, including the Order station RG_DSELK. Monthly average concentrations of selenium, the final Order constituent, were below the BC guideline in all months at all permitted stations. All constituents with EWTs had average monthly concentrations below applicable BC water quality guidelines throughout 2019 at all of the permitted water quality stations.

Productivity assessment indicated annual median N:P ratios were consistently 15 or more throughout the water column at all permitted water quality stations in 2019, and thus indicative of phosphorous limitation. Trophic status classification suggested Koochanusa Reservoir was primarily oligotrophic based on assessment using total phosphorus and chlorophyll-a concentrations, whereas assessment using Secchi depth indicated eutrophic conditions in spring and early summer, followed by mesotrophic conditions. Overall, seasonal changes in the trophic status of the reservoir were evident in both 2018 and 2019 beginning in early summer, and likely reflective of the rapid changes in water levels that take place from April to June during freshet.



Estimated monthly nitrate and selenium loadings to the reservoir from both the Elk and Kootenay rivers were highest in June and July, coinciding with freshet. Loadings of both nitrate and selenium to Koochanusa Reservoir were higher from the Elk River than from the Kootenay River on monthly and annual timescales.

Reservoir levels in April 2019 were much higher than those observed in April 2018, whereas similar water levels were observed in the reservoir in June and August in both years. The mixing assessment identified that under spring conditions, the Elk River was confined to the eastern half of the reservoir basin with complete mixing across the reservoir not beginning until near RG_GRASMERE, reflecting the occurrence of higher flows but relatively low reservoir levels during early spring freshet. Under intermediate reservoir levels in June, the Elk River was confined along the east bank of the reservoir, but sank and completely mixed across the width of the basin just downstream of Gold Creek (Station RG_GC). In August, under full-pool conditions, highest specific conductance was occasionally observed at the lower third of the water column compared to shallower and deeper depths in the water column at stations downstream of the Elk River. This inversion-layer appeared to be the result of the Elk River initially following the bottom contours of the reservoir before sitting at mid-column as warmer water from the upper reservoir flowed over cooler water situated along the bottom at the lower portion of the reservoir in 2019, which had also been observed in 2018.

Sediment Quality

Sediment total organic carbon content was similar at transects located downstream and upstream of the Elk River in 2019. Several metals (including selenium) and polycyclic aromatic hydrocarbons (PAHs) occurred at higher concentrations in sediments collected downstream of the Elk River compared to upstream. Of these metals and PAHs, arsenic, manganese, nickel, 2-methylnaphthalene, and phenanthrene were above respective Lowest Effect Levels, but remained below applicable Severe Effect Levels, of the BC sediment quality guidelines.

Selenium concentrations in suspended sediment filtered from reservoir water at Station RG_DSELK, and at stations located in Montana (International Border [LIBBOR] and Forebay [LIBFB]), were above the applicable sediment quality guideline for selenium in 2019. Selenium concentrations in suspended sediment were consistently lower at RG_DSELK than at stations in the Montana portion of the reservoir in 2019.

Zooplankton Community and Tissue Chemistry

Zooplankton community density, lowest practical level (LPL) richness, and density and biomass of all major zooplankton groups, were higher downstream of the Elk River than upstream in June 2019, reflecting a far less established community at the upstream transect. By August 2019,



the zooplankton community was well established both downstream and upstream of the Elk River with both areas being dominated by Copepods. Zooplankton density was higher downstream of the Elk River, as was the overall density and proportion of Rotifera, but the proportion of Cladocerans was lower, than upstream of the Elk River. Temporal comparisons indicated lower zooplankton richness, density, and biomass at areas downstream and upstream of the Elk River in August 2019 compared to previous years.

Mean selenium concentrations in zooplankton tissue samples collected in 2019 were below the interim BCMOE invertebrate tissue guideline, the EVWQP Level 1 benchmarks for dietary effects to fish, and the EVWQP Level 1 benchmark for potential effects to invertebrate reproduction. In August, when sufficient tissue masses were collected from both the downstream and the upstream areas, tissue selenium concentrations were higher downstream. In addition, tissue selenium concentrations increased between June and August downstream of the Elk River. In general, zooplankton selenium concentrations downstream of the Elk River were lower, while concentrations upstream of the Elk River were similar, in 2019 compared to concentrations reported at each respective area in previous years (2014 to 2016, and 2018).

Benthic Invertebrate Tissue Chemistry

In April 2019, composite taxa benthic invertebrate tissue selenium concentrations from both downstream and upstream of the Elk River were greater than the interim BC invertebrate tissue guideline, with concentrations higher in invertebrate tissues collected downstream compared to the upstream area. In contrast, in August 2019, selenium concentrations in invertebrate tissues were below the BCMOE guideline both downstream and upstream of the Elk River, and were lower downstream compared to upstream of the Elk River. Benthic invertebrate tissue selenium concentrations in 2019 were similar to those observed in previous years (2014 to 2016, and 2018) at each respective area within the Canadian portion of the reservoir. With the exception of one sample from RG_T4 in August 2019, benthic invertebrate tissue selenium concentrations were within 95% prediction limits of the regional bioaccumulation model.

Benthic invertebrate tissues collected in the Montana portion of the reservoir in May and September 2019 showed selenium concentrations above the BCMOE guideline for effects to invertebrates, with selenium concentrations in benthic invertebrate tissues at one of the eight stations sampled at Tenmile elevated relative to the EVWQP Level 1 benchmark for potential effects to invertebrates in May, and one of the eight stations sampled in Rexford elevated relative to the EVWQP Level 1 benchmark for fish. In general, benthic invertebrate tissues from Montana had similar selenium concentrations as samples collected from downstream of the Elk River Mouth in the Canadian portion of the reservoir.



Fish Tissue Chemistry

Peamouth chub (PCC), northern pikeminnow (NSC), and redbreasted sunfish (RSC) muscle tissue samples collected in 2019 had mean selenium concentrations below the BCMOE guideline and the US EPA criterion at all areas within the reservoir. Northern pikeminnow muscle selenium concentrations were similar between the Elk River and Sand Creek areas, and were lower further downstream at Gold Creek and Rexford compared to the upstream areas in 2019. Selenium concentrations in muscle tissues collected from fish species at the Koochanusa Reservoir downstream and upstream areas in 2019 were generally within previously observed ranges at the same respective study areas for each species during previous years of monitoring. Measurements of gonadal development (e.g., gonad weight, photographs of gonads) were not collected during 2019 sampling but will be collected during 2020 sampling.

Mean selenium concentrations in PCC ovaries collected downstream at Gold Creek and upstream at Sand Creek were greater than the BC ovary tissue guideline, but below the US EPA criterion and the EVWQP Level 1 benchmark. Mean selenium concentrations in PCC ovaries were lower in 2019 than previous years at the Elk River area, whereas concentrations at all other areas in 2019 were within ranges shown among previous years at each sampling area. Mean selenium concentrations in RSC ovaries were similar among Koochanusa Reservoir areas, and greater than the BC guideline at all areas sampled in 2019. Mean selenium concentrations in RSC ovaries were lower at Elk River and Sand Creek areas in 2019 than previously observed, but were higher at Gold Creek in 2019 compared to previous years. Mean selenium concentrations in ovary tissues of NSC were below applicable guidelines and benchmarks at all areas downstream of the Elk River, and were significantly lower than in NSC ovary tissues upstream of the Elk River at Sand Creek, where concentrations were greater than applicable guidelines and benchmarks. Although NSC ovary selenium concentrations at respective downstream areas in 2019 were similar to concentrations observed previously, higher mean concentrations were indicated at Sand Creek in 2019 compared to previous years.

No significant differences in relative mercury concentrations in muscle tissue of PCC, NSC, or Kokanee (KO) were indicated between areas downstream and upstream of the Elk River in spring 2019, lower mercury concentrations were observed in muscle of RSC at the Elk River area compared to upstream. Mercury concentrations in muscle tissue of rainbow trout (RT) and largescale sucker (LSU) were higher at Rexford than upstream at Kikomun in fall 2019. With the exception of one RSC from RG_ER, mercury concentrations in muscle of all PCC, RSC, and NSC from all areas downstream and upstream of the Elk River were above the BC guideline for the protection of wildlife in 2019. In general, mercury concentrations in muscle of most sport fish



species were above the BC guideline at areas both downstream and upstream of the Elk River in 2019.

Reside Shiner Recruitment

Catch-per-unit-effort for redbase shiners was lower at areas located downstream of the Elk River compared to upstream. However, young-of-year (YOY) constituted the entire RSC catches at each study area, and were all captured in one or two seine hauls at each area indicating that RSC YOY were relatively abundant both downstream and upstream of the Elk River in 2019. These results were comparable to those observed in 2018.

Redside shiner YOY captured at the Elk River area were significantly shorter, but had higher condition, than those captured upstream at Sand Creek. Fork length and body weight of redbase shiner YOY captured downstream at Gold Creek were significantly greater than those captured upstream at Sand Creek, but no significant difference in condition was shown between areas. Differences in RSC YOY endpoints between downstream and upstream areas in 2019 were not consistent with those observed in 2018.



TABLE OF CONTENTS

EXECUTIVE SUMMARY	I
ACRONYMS AND ABBREVIATIONS	X
1 INTRODUCTION.....	1
1.1 Background	1
1.2 Linkages to Teck’s Adaptive Management Plan	4
2 METHODS	6
2.1 General Overview	6
2.2 Water Quality	9
2.2.1 Overview.....	9
2.2.2 Water Chemistry Sampling and Laboratory Analysis	11
2.2.3 Field Parameters and Mixing Assessment	18
2.3 Sediment Quality.....	19
2.3.1 Overview.....	19
2.3.2 Sample Collection.....	21
2.3.3 Laboratory Analysis	22
2.3.4 Data Analysis.....	22
2.4 Zooplankton	24
2.4.1 Overview.....	24
2.4.2 Sample Collection.....	24
2.4.3 Laboratory Analysis	25
2.4.4 Data Analysis.....	26
2.5 Benthic Invertebrates	30
2.5.1 Overview.....	30
2.5.2 Sample Collection.....	30
2.5.3 Laboratory Analysis	31
2.5.4 Data Analysis.....	31
2.6 Fish	31
2.6.1 Overview.....	31
2.6.2 Fish Tissue Sample Collection	32
2.6.3 Laboratory Analysis	34
2.6.4 Fish Recruitment.....	35
2.6.5 Data Analysis.....	35
3 WATER QUALITY, PRODUCTIVITY, AND MIXING.....	38
3.1 Overview	38
3.2 Water Quality	38
3.2.1 Water Chemistry	38
3.2.2 Productivity	39
3.2.3 Loadings	42
3.3 <i>In Situ</i> Water Quality Profiles	42
3.4 Mixing Assessment	46
4 SEDIMENT QUALITY.....	57
4.1 Overview	57
4.2 Sediment Particle Size and Chemistry.....	57
4.3 Suspended Sediment Selenium Concentrations.....	63
5 ZOOPLANKTON	66



5.1 Overview 66
5.2 Community Assessment 66
5.3 Tissue Selenium Concentrations 72
6 BENTHIC INVERTEBRATES..... 80
6.1 Overview 80
6.2 Tissue Selenium Concentrations 80
7 FISH..... 83
7.1 Overview 83
7.2 Tissue Selenium Concentrations 83
 7.2.1 Muscle 83
 7.2.2 Ovary 89
7.3 Tissue Mercury Concentrations 94
7.4 Redside Shiner Recruitment 97
8 SUMMARY..... 105
9 REFERENCES..... 110

APPENDIX A DATA QUALITY REVIEW
APPENDIX B WATER
APPENDIX C SEDIMENT
APPENDIX D PLANKTON
APPENDIX E FISH
APPENDIX F TISSUE

LIST OF FIGURES

Figure 1.1: Location of Teck Coal Mine Operations Relative to Koochanusa Reservoir 2
Figure 2.1: Sampling Locations in Koochanusa Reservoir, 2019 10
Figure 2.2: Koochanusa Reservoir Water Surface (Pool) Elevation, 2014 to 2019 20
Figure 3.1: Ratio of Total Nitrogen to Total Phosphorous at Upstream (Green) and Downstream (Blue) Stations, Koochanusa Reservoir Monitoring Program, 2019 41
Figure 3.2: Mean Across-Transect (n=5 Stations per Transect) *In Situ* Water Quality Profiles Downstream (RG_T4) and Upstream (T2/RG_TN) of the Elk River in Koochanusa Reservoir Measured Annually in August from 2014 to 2019 (except 2017) 45
Figure 3.3: Specific Conductance Profiles Conducted at Koochanusa Reservoir, April 2019 47
Figure 3.4: Water Temperature Profiles Conducted at Koochanusa Reservoir, April 2019 48
Figure 3.5: Turbidity Profiles Conducted at Koochanusa Reservoir, April 2019 49
Figure 3.6: Specific Conductance Profiles Conducted at Koochanusa Reservoir, June 2019 50



Figure 3.7:	Water Temperature Profiles Conducted at Koochanusa Reservoir, June 2019....	51
Figure 3.8:	Specific Conductance Profiles Conducted at Koochanusa Reservoir, August 2019	52
Figure 3.9:	Water Temperature Profiles Conducted at Koochanusa Reservoir, August 2019	54
Figure 3.10:	Turbidity Profiles Conducted at Koochanusa Reservoir, June 2019	55
Figure 3.11:	Turbidity Profiles Conducted at Koochanusa Reservoir, August 2019.....	56
Figure 4.1:	Sediment Particle Size Distribution and Total Organic Carbon (TOC) Content at Koochanusa Reservoir Transect Stations, 2019	58
Figure 4.2:	Parameter Concentrations in Sediment for those Parameters Occurring at Concentrations that Exceeded Sediment Quality Guideline Lowest Effects Level (LEL), Koochanusa Reservoir, 2013 to 2019.....	60
Figure 4.3:	Particulate Selenium Concentrations of Large-Volume Suspended Sediment Samples Collected from the Epilimnion of Canadian (RG_DSELK) and Montana (International Boundary [LIBBOR] and Forebay [LIBFB]) Portions of Koochanusa Reservoir, 2019	64
Figure 5.1:	Relative Density of Major Zooplankton Groups in Koochanusa Reservoir, 2014 to 2019	67
Figure 5.2:	Zooplankton Community Endpoints Upstream (RG_TN) and Downstream (RG_T4) of the Elk River on Koochanusa Reservoir in Spring and Summer, 2018 and 2019	68
Figure 5.3:	Relative Density of Major Zooplankton Taxa in Koochanusa Reservoir, 2014 to 2019	73
Figure 5.4:	NMDS Scores for Zooplankton Community Endpoints, Koochanusa Reservoir Monitoring Program, 2019.....	74
Figure 5.5:	Zooplankton Community Endpoints from Upstream (T2 and TN) and Downstream (T4) of the Elk River on Koochanusa Reservoir Collected in the Summer, 2014 to 2019	75
Figure 5.6:	Concentration of Selenium ($\mu\text{g/g dw}$) in Zooplankton in Koochanusa Reservoir, 2014 to 2019	78
Figure 6.1:	Selenium Concentration in Composite Benthic Invertebrate Tissue Samples in Koochanusa Reservoir, 2014 to 2019	81
Figure 6.2:	Observed and Modelled Selenium Concentrations in Benthic Invertebrate Composite Samples Relative to Aqueous Selenium Concentrations	82
Figure 7.1:	Concentrations of Selenium ($\mu\text{g/g dw}$) in Fish Muscle in Koochanusa Reservoir, 2008 to 2019	84
Figure 7.2:	Concentrations of Selenium ($\mu\text{g/g dw}$) in Fish Muscle in Koochanusa Reservoir, 2008 to 2019	91
Figure 7.3:	Mercury Concentrations ($\mu\text{g/g dw}$) in Fish Tissue Relative to Fork Length (cm) for all Species, Koochanusa Reservoir Monitoring Program, 2019.....	98
Figure 7.4:	Fish Meristics Supporting Statistical Comparisons for Juvenile Redside Shiner Health Endpoints, Koochanusa Reservoir, 2019	104

LIST OF TABLES

Table 2.1:	Summary of Receptors, Assessment Endpoints, Measurement Endpoints, and Evaluation Criteria for Koochanusa Reservoir, 2018 to 2020.....	7
Table 2.2:	Overview of the 2019 Koochanusa Reservoir Monitoring Program Study Design	8
Table 2.3:	Summary of Koochanusa Reservoir Routine Water Quality Monitoring Program.....	12



Table 2.4:	Laboratory Reporting Limits (LRLs) for Water and Sediment Samples.....	13
Table 2.5:	Available Criteria for Trophic Status Classification.....	17
Table 2.6:	Minimum Laboratory Reporting Limits (LRLs) for Tissue Samples	27
Table 3.1:	Comparison of Differences in Parameter Concentrations Among Upstream (RG_KERRRD) and Downstream Water Quality Stations and Water Column Depths, Koochanusa Reservoir Monitoring Program, 2019	40
Table 3.2:	Trophic Level Classification (Nordin 1985) Using Monthly Means for Productivity Parameters Collected at Stations in the Koochanusa Reservoir Study Area, 2019.....	43
Table 3.3:	Average Monthly Nitrate and Selenium Loadings to the Koochanusa Reservoir, 2019	44
Table 4.1:	Statistical Comparisons of Concentrations of Metals and PAHs in Sediment Between Areas Downstream (RG_T4) and Upstream (RG_TN) of the Elk River, August 2019.....	59
Table 4.2:	Profundal Sediment Quality in Koochanusa Reservoir, August 2019	62
Table 4.3:	Large Volume Suspended Sediment and Water Samples Collected at RG_DSELK, Koochanusa Reservoir, 2019.....	65
Table 5.1:	Differences in Zooplankton Community Endpoints Between Upstream (TN) and Downstream (T4) Areas, Koochanusa, August 2019	71
Table 5.2:	Spatial and Temporal Zooplankton Community Tissue Selenium Concentration Comparisons, August 2019.....	79
Table 7.1:	Statistical Summary of Spatial Differences in Fish Tissue Selenium Concentrations at the Downstream Areas (Elk River, Gold Creek and Rexford) Compared to the Upstream Area (Sand Creek) in Koochanusa Reservoir, April to July, 2019	88
Table 7.2:	Statistical Summary of Spatial Differences in Fish Tissue Selenium Concentrations at Rexford Compared to Kikomun Study Areas, Koochanusa Reservoir Monitoring Program, September 2019.....	90
Table 7.3:	Statistical Comparisons of Fish Tissue Mercury Concentrations Relative to Fork Length, Koochanusa Reservoir Monitoring Program, Spring 2019.....	95
Table 7.4:	Statistical Comparisons of Fish Tissue Mercury Concentrations Relative to Fork Length, Koochanusa Reservoir Monitoring Program, Fall 2019.....	96
Table 7.5:	Statistical Comparisons of Juvenile Redside Shiner Health Endpoints at Elk River and Gold Creek (Downstream) Areas Compared to the Sand Creek (Upstream) Area, Koochanusa Reservoir Monitoring Program, 2019.....	103



ACRONYMS AND ABBREVIATIONS

- AMP** – Adaptive Management Plan
- ANOVA** – Analysis of Variance
- ANCOVA** – Analysis of Covariance
- BAL** – Brooks Analytical Laboratory
- BC** – British Columbia
- BCMOE** – British Columbia Ministry of Environment
- BCWQG** – British Columbia Water Quality Guidelines
- CES** – Critical Effect Size
- CRM** – Certified Reference Material
- DELT** - Deformities, Erosions, Lesions, and Tumors
- DO** – Dissolved Oxygen
- DS** – Downstream
- DSS** – Digital Sampling Sensor
- dw** – Dry Weight
- EEM** – Environmental Effects Monitoring
- EMC** – Environmental Monitoring Committee
- ENV** – British Columbia Ministry of Environment and Climate Change Strategy (formerly BCMOE)
- EVWQP** – Elk Valley Water Quality Plan
- EWT** – Early Warning Trigger
- GPS** – Global Positioning System
- HR-ICP-MS** – High Resolution Inductively Coupled Plasma Mass Spectrometry
- HSD** – Honestly Significant Difference
- IS** – Independent Scientist
- KNC** – Ktunaxa Nation Council
- KS** – Kolmogorov-Smirnov
- LEL** – Lowest Effect Level
- LPL** – Lowest Practical Level
- LRL** – Laboratory Reporting Limit
- MAD** – Median Absolute Deviation
- MCT** – Measure of Central Tendency
- MOD** – Magnitude of Difference
- MT DEQ** – Montana Department of Environmental Quality



MU – Management Unit
NMDS – Non-metric Multi-dimensional Scaling
N:P – Nitrogen to Phosphorous Ratio
NSC – Northern Pikeminnow
PAH – Polycyclic Aromatic Hydrocarbon
PCC – Peamouth Chub
PEL – Probable Effect Level
QAPP – Quality Assurance Project Plan
QA/QC – Quality Assurance / Quality Control
RAEMP – Regional Aquatic Effects Monitoring Program
RSC – Redside Shiner
SD – Standard Deviation
SEL – Severe Effect Level
SPO – Site Performance Objective
SRC – Saskatchewan Research Council
TDS – Total Dissolved Solids
TEL – Threshold Effect Level
TOC – Total Organic Carbon
TSI – Trophic Status Index
TSS – Total Suspended Solids
US – Upstream
US ACE – United States Army Corps of Engineers
US EPA – United States Environmental Protection Agency
UTM – Universal Transverse Mercator system
WSC – Water Survey of Canada
WSQG – Working Sediment Quality Guidelines
ww – Wet Weight
YOY – Young-of-the-year




1 INTRODUCTION

1.1 Background

Teck Coal Limited (Teck) owns and operates five steelmaking coal mines within the Elk River watershed of southeastern British Columbia (BC; Figure 1.1). From its headwaters near Elk Lakes, the Elk River flows in a southwesterly direction into Kooacanusa Reservoir approximately 20 kilometres (km; 12 miles) upstream from the border between Canada and the United States (US). Operated by the United States Army Corps of Engineers (US ACE), Kooacanusa Reservoir was created by the construction of Libby Dam in Montana to provide flood protection, hydroelectric power, and recreational benefits. At full pool, the reservoir is 155 km (96 miles) in length, approximately 68 km (42 miles) of which occurs within Canada and the remaining 87 km (54 miles) within the United States (Figure 1.1). In addition to the Elk River, the Kootenay (Kootenai) and the Bull rivers supply the majority of inflow to the reservoir (26%, 62%, and 11%, respectively, of mean annual inflow; Woods 1982; Hamilton et al. 1990). Water levels within Kooacanusa Reservoir are generally lowest in late winter/early spring (March through May) and highest in summer/early fall (August and September). The normal annual pool fluctuation of the reservoir is about 25 m. At maximum drawdown, a reduction in reservoir total length up to 53%, volume up to 85%, mean depth up to 51%, and total surface area up to 69% generally occurs, with the largest relative changes occurring in the Canadian portion of the reservoir (Hamilton et al. 1990). This results in riverine conditions during low-pool for the section of the reservoir that extends to just below Gold Creek.



In 2014, the Elk Valley Water Quality Plan (EVWQP) served as a basis for issuance of Permit 107517 (“the Permit”) from the British Columbia Ministry of Environment and Climate Change Strategy (ENV; formerly Ministry of Environment [MOE]). The Permit specifies water quality limits and site performance objectives (SPOs) for monitoring stations located downstream from the mines and the requirement to implement a Regional Aquatic Effects Monitoring Program (RAEMP). Overarching objectives of the RAEMP are to monitor, assess, and interpret indicators of aquatic ecosystem condition related to mine operations and to inform adaptive management relative to expectations established in approved plans for mine development and the Permit at each of six management units (MUs). These objectives are consistent with the Kooacanusa Reservoir (MU6) Monitoring Program, and will be used to inform adaptive management relative to expectations established in approved plans for mine development and in Permit 107517. In accordance with Permit 107517 and the RAEMP, annual monitoring programs were designed, accepted, and implemented for Kooacanusa Reservoir beginning in 2013, which was followed by the development of a comprehensive three-year monitoring program referred to as the Kooacanusa Reservoir Monitoring Program (Minnow 2014, 2015a, 2016). A second cycle of the three-year





LEGEND
 ■ Libby Dam
 ■ Teck Coal Mine Operation

Location of Teck Coal Mine Operations Relative to Kootenai Reservoir



Projection: North American Datum 1983 UTM Zone 11
 Reproduced under licence from Her Majesty the Queen in Right of Canada, Department of Natural Resources Canada. All rights reserved.

Date: June 2019
 Project 187202.0007



Figure 1.1

monitoring plan was initiated in 2018 (Minnow 2018a,b, 2019). These programs were designed to assess whether physico-chemical and biological conditions in Koochanusa Reservoir differ downstream compared to upstream of the Elk River confluence within the Canadian portion of the reservoir, and whether these conditions are changing over time. Questions specific to the Canadian portion of the reservoir, listed below, were developed to focus the monitoring program:

- Are concentrations of mine-related water quality constituents different downstream of the Elk River compared to upstream?
- Are concentrations of key mine-related water quality constituents (i.e., nitrate, selenium, sulphate, and cadmium) changing over time, are the changes consistent with projections, and are concentrations below respective guidelines and SPOs?
- Is productivity (based on nutrient concentrations in water) different downstream of the Elk River compared to upstream and is productivity changing over time?
- Are concentrations of mine-related constituents in sediment that benthic invertebrates are exposed to different downstream of the Elk River compared to upstream and are concentrations changing over time?
- Do phytoplankton, zooplankton, and/or benthic invertebrate community structure differ downstream of the Elk River compared to upstream, and are the differences changing over time?
- Are selenium concentrations in zooplankton different downstream of the Elk River compared to upstream, and are the differences changing over time?
- Are selenium concentrations in benthic invertebrates greater than guidelines or effect thresholds, do they differ downstream of the Elk River compared to upstream, and are the differences changing over time?
- Is fish health different downstream of the Elk River compared to upstream, and are differences in fish health endpoints changing over time?
- Are there differences in fish recruitment downstream of the Elk River compared to upstream?
- Are selenium concentrations in fish tissue greater than guidelines or effect thresholds, do they differ downstream of the Elk River compared to upstream, and are the differences changing over time?



The Kooacanusa Reservoir Monitoring Program was designed with technical advice and input from an Environmental Monitoring Committee (EMC)¹, whose role included review of submissions and provision of technical advice and input to Teck and the ENV Director as a condition under Permit 107517. In the most recently amended version of the Permit (April 4, 2019; Section 10.8), requirements outlined for the Kooacanusa Reservoir Monitoring Program include:

“The Permittee must prepare on an annual basis a report summarizing activities and monitoring results. The report must be submitted to the Lake Kooacanusa Monitoring and Research Working Group (Lake Kooacanusa Working Group) and the EMC by June 30 of each year.”

Accordingly, this annual report provides an overview of environmental monitoring activities conducted in the Canadian portion of Kooacanusa Reservoir, along with the associated results, in 2019. Data collected from the Montana portion of the reservoir in 2019 were incorporated as in 2018. For cases in which Montana data were excluded from the 2019 analysis, a technical rationale is provided. Based on the final Kooacanusa Reservoir Study Design acceptance letter (ENV 2018), and similar to 2018, additional analyses and data were collected in 2019 including a summary of selenium and nitrate loadings to the Kooacanusa reservoir, turbidity measurements with all *in situ* profiles, dissolved selenium in suspended sediment at Order station RG_DSELK, and additional zooplankton samples in June to assess seasonal changes.

1.2 Linkages to Teck’s Adaptive Management Plan

As required in Permit 107517 Section 11, Teck has developed an Adaptive Management Plan (AMP) to support implementation of the EVWQP to achieve water quality and calcite targets, protect human health and the environment, and where necessary, restored, and to facilitate continuous improvement of water quality in the Elk Valley (Teck 2018a). Following an adaptive management framework, the AMP identifies six Management Questions that are re-evaluated at regular intervals as part of AMP updates throughout EVWQP implementation. The AMP also identifies key uncertainties that need to be reduced to fill gaps in current understanding and support achievement of the EVWQP objectives.

Monitoring data and evaluations conducted within the Kooacanusa Reservoir Monitoring Program are designed primarily to provide supportive information to help answer specific AMP Management Questions. Results from the Kooacanusa Reservoir Monitoring Program will support the evaluation of these AMP questions. Additional investigations or adjustments may be required

¹ The EMC consists of representatives from Teck, ENV, the Ministry of Energy and Mines, the Ktunaxa Nation Council (KNC), Interior Health Authority, and an Independent Scientist (IS).



to support responses under the adaptive management framework. At the conclusion of the 2018 study, no adaptive responses were required.



2 METHODS

2.1 General Overview

The Kooacanusa Reservoir Monitoring Program was designed for the Canadian portion of the reservoir to evaluate changes in water quality, sediment quality, and/or biota in the reservoir downstream relative to upstream of the Elk River confluence, and whether any identified changes can be attributed to influences from mining activities within the Elk River watershed. To address the study questions described in Section 1.1, the 2019 Kooacanusa Reservoir Monitoring Program included evaluation of the following components:

- Water quality (physical and chemical);
- Elk River mixing assessment;
- Sediment quality (physical and chemical);
- Zooplankton (community and tissue);
- Benthic invertebrate tissue; and,
- Fish recruitment assessment and tissue.

Objectives of this annual monitoring report were to provide an overview of environmental monitoring activities conducted in 2019 in the Canadian and US portions of Kooacanusa Reservoir, and the associated results (Table 2.1). Data analyses included statistical evaluations to identify potential differences in key endpoints between areas located downstream and upstream of the Elk River confluence, and qualitative comparisons of the 2019 results to data from previous monitoring. Field sampling was conducted during two spring sampling events and one late summer sampling event in 2019 (Table 2.2). During the initial spring sampling event conducted April 22nd to 26th, water quality, sediment quality, benthic invertebrate tissue, fish health, fish tissue sampling, and specific conductance and turbidity vertical profiling (i.e., Elk River mixing assessment) were completed. The second spring sampling event, conducted June 11th to 15th, included water quality, Elk River mixing assessment, large-volume suspended sediment, zooplankton tissue and community, and fish tissue sampling. The late summer sampling event, conducted August 19th to 23rd, included water quality, Elk River mixing assessment, sediment quality, phytoplankton community, zooplankton and benthic invertebrate tissue, and fish tissue and recruitment sampling. In addition, one large-volume suspended sediment sampling event was conducted on September 12th.

To the extent possible, sampling locations used in 2019 were in the same vicinity as previous monitoring (2014 to 2016; Minnow 2018a, and 2018b; Minnow 2019), and consistent with the



Table 2.1: Summary of Receptors, Assessment Endpoints, Measurement Endpoints, and Evaluation Criteria for Koochanusa Reservoir, 2018 to 2020

Receptor Group	Focal Species (if Relevant)	Assessment Endpoint	Measurement Endpoint	Evaluation Criteria	Indicator Type	
All	Not specific	Not specific	Sediment chemistry	Comparison of results relative to guidelines, between downstream and upstream of the Elk River, and to past observations	Indirect	
			Water chemistry	Comparison of concentrations of mine-related constituents relative to SPOs and guidelines, nutrients relative to trophic classifications, between downstream and upstream of the Elk River, and to past observations	Indirect	
Phytoplankton and Zooplankton	Not applicable	Abundance and assemblage	Density	Comparison of results between downstream and upstream of the Elk River and to past observations	Direct	
			Richness			
Biomass						
		Major community group				
			Tissue selenium concentrations	Comparison of results relative to guidelines and effect benchmarks, between downstream and upstream of the Elk River, and to past observations	Indirect	
Benthic Invertebrates	Not applicable	Abundance and assemblage	Density	Comparison of results between downstream and upstream of the Elk River and to past observations	Direct	
			Richness			
Major community group						
			Tissue selenium concentrations	Comparison of results relative to guidelines and effect benchmarks, between downstream and upstream of the Elk River, and to past observations	Indirect	
Fish	Peamouth chub and reidside shiner	Population health assessment	Survival (age)	Comparison of results between downstream and upstream of the Elk River and to past observations	Direct	
			Growth (body weight against age)			
			Reproduction (gonad weight against body weight)			
			Energy storage (condition - body weight against length and liver weight against body weight)			
				Tissue selenium concentrations	Comparison of results relative to guidelines and effect benchmarks, between downstream and upstream of the Elk River, and to past observations	Indirect
	Redside shiner	Recruitment (non-lethal assessment)	Survival (length frequency distribution)	Comparison of results between downstream and upstream of the Elk River and to past observations	Direct	
			Growth (whole body weight and length)			
			Reproduction (relative abundance / % composition of young-of-the-year)			
Energy storage (condition - body weight against length)						
Northern pikeminnow and sport fish		Fish health, and human health risk from fish consumption	Tissue chemistry	Comparison of results relative to guidelines and effect benchmarks, between downstream and upstream of the Elk River, to past observations, and to human health effect benchmarks (evaluated outside of the monitoring program)	Indirect	

Table 2.2: Overview of the 2019 Kocanusa Reservoir Monitoring Program Study Design

Study Area	Biological Area Code	Biological Area Description	UTMs		Spring 2019 ^{a,b,c}										Summer 2019										
					Water ^{a,b}			Sediment	Benthic Invertebrates ^a	Plankton ^b			Fish			Water			Sediment	Plankton			Benthic Invertebrates	Fish	
					Mixing Study	Chemistry	In Situ Water Quality	Large-Volume Particulate ^{b,c}	Tissue Chemistry	Zooplankton Tissue Chemistry	Zooplankton Community	Surface Invertebrate Tissue Chemistry	Peamouth Chub ^a	Redside Shiner ^a	Sport Fish ^{a,b,d}	Mixing Study	Chemistry	In Situ Water Quality	Quality (Chemistry and Composition)	Large-Volume Particulate	Zooplankton Tissue Chemistry	Zooplankton Community	Surface Invertebrate Tissue Chemistry	Tissue Chemistry	Sport Fish Tissue Chemistry ^d
Upstream of the Elk River	RG_SC	near the mouth of Sand Creek	625624	5457296	1	1	-	-	-	-	-	10	10	up to 8	1	1	1	-	-	-	-	-	-	up to 8	100
	RG_TN	near the RG_KERRRD permitted water quality station	627112	5453380	1	1	-	1	0 ^e	5	-	-	-	-		1	5	5	-	10	5	-	1	-	-
MFWP Canadian Sampling (upstream and downstream of Elk River Confluence)	Kikomun ^f	area encompassing Kikomun Park to below confluence with Elk River	625641	5459945	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	up to 8	-		
Elk River	RG_ER	near the mouth of Elk River	627959	5447572	1	1	-	-	-	-	-	10	10	up to 8	1	1	-	-	-	-	-	-	up to 8	100	
Downstream of the Elk River	RG_DSELK	Order station downstream of the mouth of the Elk River	627017	5445677	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-		
	RG_T4	near the RG_GRASMERE permitted water quality station	629235	5441654	1	1	-	1	5	5	-	-	-	-	1	5	5	-	10	5	-	1	-	-	
	RG_GC	near the mouth of Gold Creek	630926	5436344	1	1	-	-	-	-	-	10	10	up to 8	1	1	-	-	-	-	-	-	up to 8	100	
	Rexford ^g	near Rexford Montana	632993	5418872	-	-	2	8	-	-	1	up to 8	up to 8	up to 8	-	-	-	2	-	-	1	8	up to 8	-	
	Tenmile ^h	near Tenmile Creek Montana	628092	5377582	-	-	2	8	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	

Note: "-" indicates that no sampling is occurring for a specific monitoring component during that time period. "number" indicates number of samples collected.

^a Sampling completed in April.

^b Sampling completed in June.

^c Sampling completed in July.

^d Up to 8 individuals of each sport fish (bull trout, Kokanee, mountain whitefish, rainbow trout, westslope cutthroat trout, yellow perch) species were captured over the course of the sampling year. Sport fish collected by Montana Fish, Wildlife, and Parks (MFWP) were lethally sampled and provided to Minnow for sample collection.

^e Zooplankton could not be sampled at RG_TN in June in sufficient mass for tissue analysis.

^f Fish Tissue samples collected by MFWP and provided to Minnow on up to 15 female northern pikeminnow and 8 females from all other fish species captured.

^g Fish Tissue samples collected by MFWP and provided to Minnow on up to 15 female northern pikeminnow and 8 females from all other fish species captured. Study area encompasses a large portion of the reservoir downstream of the international border. One epilimnion and one hypolimnion (two total) bulk water samples were collected at International Border (LIBBOR) station by US Army Corps of Engineers during May, July, and September 2019.

^h No fish sampling was conducted at Tenmile Area by MFWP in 2019. Study area encompasses a large portion of the reservoir downstream of RG_Rexford down to near the vicinity of Libby Dam. One epilimnion and one hypolimnion (two total) bulk water samples were collected at Forebay (LIBFB) station by US Army Corps of Engineers during May, July, and September 2019.

locations indicated in the approved 2018 to 2020 study design. Sampling (profundal sediment quality, zooplankton community and tissue, and benthic invertebrate tissue) was completed at one transect downstream of the Elk River (RG_T4) and one transect upstream of the Elk River (RG_TN), with each transect including five sampling stations (Figure 2.1). Fish sampling (fish tissue and redbside shiner recruitment) were conducted at two areas downstream from the mouth of the Elk River (Elk River [RG_ER] and Gold Creek [RG_GC]), and one upstream area (Sand Creek [RG_SC]; Figure 2.1). Routine water quality monitoring data that were collected by Teck at permitted downstream water quality monitoring stations (RG_DSELK, RG_GRASMERE, RG_USGOLD, and RG_BORDER, of which RG_DSELK is an Order station) and an upstream water quality monitoring station (RG_KERRRD; Figure 2.1; Teck 2019) were summarized in this annual report. In addition, data collected in Montana in 2019², including large volume suspended sediment chemistry (International Border and Forebay), benthic invertebrate tissue data (Rexford and Tenmile), and fish tissue data from two areas (Rexford and Kikomun; Figure 2.1), were summarized in the report and included in the data evaluations where appropriate.


2.2 Water Quality

2.2.1 Overview

Water quality in 2019 was assessed through the collection of water chemistry samples and *in situ* field measures. Water chemistry data from Teck's permitted water quality monitoring program in the reservoir (RG_KERRRD, RG_DSELK, RG_GRASMERE, RG_USGOLD, and RG_BORDER; see Figure 2.1), as well as data from water samples collected concurrently with biological samples (RG_SC, RG_TN, RG_ER, RG_T4, and RG_GC) were considered in the 2019 analyses. Water chemistry data collected during Teck's routine water quality monitoring was also used to evaluate productivity. In addition, as per the ENV (2018) study design approval letter, a summary of monthly nitrate and selenium loadings to the Kooacanusa reservoir are provided. Routine water quality monitoring data from the Montana portion of the reservoir (International Boundary, Tenmile, and Forebay collected by US ACE; Figure 2.1) were not made available to be evaluated as part of this annual report. Consistent with monitoring completed previously at the Canadian portion of the reservoir, *in situ* water quality (field parameters) data were collected at each biological monitoring area and at the upstream and downstream stations in April, June, and August 2019 (Table 2.2). An assessment of mixing of the Elk River within the Canadian portion of the Kooacanusa Reservoir (based on specific conductance, water temperature, and turbidity

² Sampling for large volume suspended sediment was completed by United States Army Corps of Engineers, sampling for benthic invertebrate tissue was completed by Minnow, and fish were collected by Montana Fish, Wildlife, & Parks, which were processed for tissue samples by Minnow.







LEGEND

- Permitted Water Quality Station
- Order Water Quality Station and Large-volume Suspended Sediment Location
- Profundal Sediment, Plankton (Community and Tissue Chemistry), and Benthic Invertebrate (Community and Tissue Chemistry) Sampling Location
- Montana Fish Sampling Location
- US ACE, Large-volume Suspended Sediment and Water Quality Monitoring Station
- Montana Benthic Invertebrate (Tissue Chemistry) and Fish Sampling Location
- Montana Benthic Invertebrate (Tissue Chemistry) Sampling Location
- Water Chemistry and In Situ Monitoring Station
- Approximate Fish (recruitment and fish tissue) Sampling Area

Sampling Locations in Kocanusa Reservoir, 2019



Projection: North American Datum 1983 UTM Zone 11
 Reproduced under licence from Her Majesty the Queen in Right of Canada, Department of Natural Resources Canada. All rights reserved.

Date: June 2020
 Project 197202.0008



Figure 2.1

measurements) was completed during three separate events in 2019 to capture low, intermediate, and full-pool conditions (i.e., April, June, and August sampling).

2.2.2 Water Chemistry Sampling and Laboratory Analysis

2.2.2.1 Sampling and Laboratory Analysis

Permit 107517 requires the collection of water samples at five permitted stations located within the Canadian portion of the reservoir ('Permitted Water Quality Station' on Figure 2.1). Four of these stations are referred to as receiving water sampling sites (RG_KERRRD, RG_GRASMERE, RG_USGOLD, RG_BORDER), while the fifth station (RG_DSELK; EMS E300230) is an Order station for which SPOs have been established. Water samples were collected weekly from April 1st to July 15th, and monthly during ice-free conditions outside of this period. RG_DSELK was only sampled once in March in 2019 at the permitted location due to ice-cover restrictions. Beginning in 2019, transect data was also collected once a month at each of the five permitted stations to be incorporated into the monthly average data set. Five water quality samples (RG_SC, RG_TN, RG_ER, RG_T4, and RG_GC; 'Water Quality Station' on Figure 2.1) were also collected concurrent with the three biological sampling events (Table 2.2). Methods used for the collection of all water samples were consistent with those outlined in Teck's Koochanusa Reservoir Water Quality Monitoring Plan (Teck 2018b). Because thermal stratification was not observed during any of the sampling events in 2019, three water chemistry samples were collected at each station (depending on total depth), including one sample collected 3 m below the water surface, one sample collected 3 m above the substrate, and one sample collected at the mid-point, of the water column.

Water samples from the five permitted stations were analyzed for conventional parameters, major ions, nutrients, total and dissolved metals, and chlorophyll-a (Table 2.3), and samples associated with the biological monitoring components were also analyzed for polycyclic aromatic hydrocarbons (PAHs; Table 2.4). Water chemistry samples from all Canadian stations were analyzed by ALS Environmental (ALS; at either their Burnaby, BC or Calgary, AB location). The analyses were completed in accordance with procedures described in the most recent edition of the "British Columbia Laboratory Methods Manual for the Analysis of Water, Wastewater, Sediment, Biological Materials, and Discrete Ambient Air" (Province of BC 2015) as per Permit 107517 requirements. Quality Assurance/Quality Control (QA/QC) applied to the laboratory analyses included assessment of the ability to achieve minimum laboratory reporting limits (LRLs; Table 2.4), show undetectable parameter concentrations in blank samples, and evaluation of matrix spikes, certified reference materials (CRMs), and laboratory duplicates, the latter of which was used to assess accuracy and precision of laboratory data (Appendix A).



Table 2.3: Summary of Koocanusa Reservoir Routine Water Quality Monitoring Program

Permitted Station		ENV EMS Number	Sampling Parameter and Associated Monitoring Frequency							
			Field Parameters ^a	Conventional Parameters ^b	Major Ions ^c	Nutrients ^d	Total and Dissolved Metals Scan ^e	Secchi Depth and Chlorophyll-a	Selenium Speciation Sampling ^f	Transect Sampling ^g
Order	RG_DSELK	E300230	M	M/EH	M/EH	M/EH	M/EH	M	Q	M/EH
Receiving	RG_KERRRD	E300095	M	M/EH	M/EH	M/EH	M/EH	M	-	M/EH
	RG_GRASMERE	E300092	M	M/EH	M/EH	M/EH	M/EH	M	-	M/EH
	RG_USGOLD	E300093	M	M/EH	M/EH	M/EH	M/EH	M	-	M/EH
	RG_BORDER	E300094	M	M	M	M	M	M	-	M/EH

Notes: M = Monthly frequency. M/EH = Monthly frequency, unstratified column samples consist of three grabs (3m from surface, 3m from bottom, mid-column). Stratified samples consist of one epilimnetic composite of water sampled from three depths (e.g., 1 m, 5 m, 10 m) and another hypolimnetic composite of water sampled from three depths (e.g., 20 m, 32 m, 45 m). Q = Quarterly frequency. "-" indicates no sampling requirements.

^a Field parameters include specific conductance, dissolved oxygen, temperature, pH, and vertical profiles of dissolved oxygen and temperature.

^b Conventional Parameters include specific conductance, total dissolved solids, total suspended solids, hardness, alkalinity, dissolved organic carbon, total organic carbon, turbidity.

^c Major Ions include bromide, fluoride, calcium, chloride, magnesium, potassium, sodium, sulphate.

^d Nutrients include ammonia, nitrate, nitrite, TKN, orthophosphate, total phosphorous.

^e Metals (dissolved and total) include aluminum, antimony, arsenic, barium, beryllium, bismuth, boron, cadmium, chromium, cobalt, copper, iron, lead, lithium, manganese, mercury, molybdenum, nickel, selenium, silver, strontium, thallium, tin, titanium, uranium, vanadium, and zinc.

^f Additional selenium speciation sampling in support of EVWQP baseline information and to fulfill the requirements of the West Line Creek Active Water Treatment Facility Bypass Approval (February 26, 2018).

^g Additional monthly transect samples collected perpendicular to the five permitted sample locations, 2019 only. Transects include up to 6 additional sampling locations for water quality (using the same sampling process used at the permitted stations), standard field parameters, and an *in situ* water profile of the station at 1 m increments.

Table 2.4: Laboratory Reporting Limits (LRLs) for Water and Sediment Samples

Analyte	Water ^a		Sediment	
	Units	LRL	Units	LRL
Moisture	-	-	%	0.25
pH	-	-	pH	0.10
% Gravel	-	-	%	1.0
% Sand	-	-	%	1.0
% Silt	-	-	%	1.0
% Clay	-	-	%	1.0
Total Organic Carbon (TOC)	mg/L	0.50	%	0.050
Dissolved Organic Carbon (DOC)	mg/L	0.50	-	-
Hardness (as CaCO ₃)	mg/L	0.50	-	-
Turbidity	NTU	0.10		
Alkalinity	mg/L	1.0	-	-
Total Dissolved Solids (TDS)	mg/L	10	-	-
Total Suspended Solids (TSS)	mg/L	1.0	-	-
Ammonia, Total (as N)	mg/L	0.0050	-	-
Bromide (Br)	mg/L	0.050	-	-
Chloride (Cl)	mg/L	0.50	-	-
Fluoride (F)	mg/L	0.020	-	-
Nitrate (as N)	mg/L	0.0050	-	-
Nitrite (as N)	mg/L	0.001	-	-
Total Kjeldahl Nitrogen	mg/L	0.050	-	-
Phosphorous (P)-Total	mg/L	0.0020	-	-
Orthophosphate	mg/L	0.0010	-	-
Sulphate (SO ₄)	mg/L	0.30	-	-
Aluminum (Al)	mg/L	0.0030	mg/kg dw	50
Antimony (Sb)	mg/L	0.00010	mg/kg dw	0.10
Arsenic (As)	mg/L	0.00010	mg/kg dw	0.10
Barium (Ba)	mg/L	0.000050	mg/kg dw	0.50
Beryllium (Be)	mg/L	0.000020	mg/kg dw	0.10
Bismuth (Bi)	mg/L	0.000050	mg/kg dw	0.20
Boron (B)	mg/L	0.010	mg/kg dw	5.0
Cadmium (Cd)	mg/L	0.0000050	mg/kg dw	0.020
Calcium (Ca)	mg/L	0.050	mg/kg dw	50
Chromium (Cr)	mg/L	0.00010	mg/kg dw	0.50
Cobalt (Co)	mg/L	0.00010	mg/kg dw	0.10
Copper (Cu)	mg/L	0.00050	mg/kg dw	0.50
Iron (Fe)	mg/L	0.010	mg/kg dw	50
Lead (Pb)	mg/L	0.000050	mg/kg dw	0.50
Lithium (Li)	mg/L	0.0010	mg/kg dw	2.0
Magnesium (Mg)	mg/L	0.0050	mg/kg dw	20
Manganese (Mn)	mg/L	0.00010	mg/kg dw	1.0
Mercury (Hg)	mg/L	0.0000050	mg/kg dw	0.0050
Molybdenum (Mo)	mg/L	0.000050	mg/kg dw	0.10
Nickel (Ni)	mg/L	0.00050	mg/kg dw	0.50
Phosphorous (P)	-	-	mg/kg dw	50
Potassium (K)	mg/L	0.050	mg/kg dw	100
Selenium (Se)	mg/L	0.000050	mg/kg dw	0.20
Silver (Ag)	mg/L	0.000010	mg/kg dw	0.10
Sodium (Na)	mg/L	0.050	mg/kg dw	50
Strontium (Sr)	mg/L	0.00020	mg/kg dw	0.50
Sulphur (S)	-	-	mg/kg dw	100
Thallium (Tl)	mg/L	0.000010	mg/kg dw	0.050
Tin (Sn)	mg/L	0.00010	mg/kg dw	2.0
Titanium (Ti)	mg/L	0.010	mg/kg dw	1.0
Uranium (U)	mg/L	0.000010	mg/kg dw	0.050
Vanadium (V)	mg/L	0.00050	mg/kg dw	0.20
Zinc (Zn)	mg/L	0.0030	mg/kg dw	2.0
Acenaphthylene	-	-	mg/kg dw	0.0050
Anthracene	-	-	mg/kg dw	0.0040
Benz(a)anthracene	-	-	mg/kg dw	0.010
Benzo(a)pyrene	-	-	mg/kg dw	0.010
Benzo(b)fluoranthene	-	-	mg/kg dw	0.010
Benzo(b+j+k)fluoranthene	-	-	mg/kg dw	0.010
Benzo(g,h,i)perylene	-	-	mg/kg dw	0.010
Benzo(k)fluoranthene	-	-	mg/kg dw	0.010
Chrysene	-	-	mg/kg dw	0.010
Dibenz(a,h)anthracene	-	-	mg/kg dw	0.0050
Fluoranthene	-	-	mg/kg dw	0.010
Fluorene	-	-	mg/kg dw	0.010
Indeno(1,2,3-c,d)pyrene	-	-	mg/kg dw	0.010
2-Methylnaphthalene	-	-	mg/kg dw	0.010
Naphthalene	-	-	mg/kg dw	0.010
Phenanthrene	-	-	mg/kg dw	0.010
Pyrene	-	-	mg/kg dw	0.010

Note: "-" indicates no data available.

^a Total and dissolved metals analyzed in water. Laboratory reporting limits are the same.

2.2.2.2 Data Analysis

The Kooacanusa Reservoir Monitoring Program (Minnow 2018b) was designed to address the following questions specific to water quality:

- Are concentrations of mine-related water quality constituents different downstream of the Elk River compared to upstream?
- Are concentrations of key mine-related water quality constituents changing over time, are the changes consistent with projections, and are concentrations below respective guidelines and SPOs?
- Is productivity (based on nutrient concentrations in water) different downstream of the Elk River compared to upstream, and is productivity changing over time?

Assessment of water quality data included comparison to applicable guidelines and EVWQP benchmarks, spatial comparisons between downstream and upstream stations, and qualitative comparisons to data collected during previous monitoring. The assessment of water chemistry was based on comparisons of monthly mean concentrations of constituents for which Early Warning Triggers (EWTs) have been established (i.e., dissolved cadmium, nitrate, total selenium, sulphate, total antimony, total barium, total boron, dissolved cobalt, total lithium, total manganese, total molybdenum, total nickel, nitrite, total dissolved solids, total uranium, and total zinc) at the Order station (RG_DSELK) and routine water quality monitoring stations (RG_KERRRD, RG_GRASMERE, RG_USGOLD, and RG_BORDER; Teck 2019). Constituents with EWTs were screened against British Columbia Water Quality Guidelines (BCWQG; BCMOE 2017a,b). Plots of average concentrations of these constituents by depth in the water column at each station, together with applicable BCWQGs and SPOs, were prepared as the basis for qualitative comparisons among stations. Monthly averages were also screened against BCWQGs and SPOs. Data from the Montana portion of the reservoir collected prior to 2019 were incorporated into the plots. These data were also compared to United States Environmental Protection Agency (US EPA) criteria for dissolved cadmium and selenium, and total zinc. Water chemistry data from major inflows into Kooacanusa Reservoir, namely the Kootenay River (Station RG_WARDB) and Elk River (Station RG_ELKMOUTH), which are monitored on a regular basis, were also included in the plots. Data for RG_USELK were included for historical reference only³. Water chemistry data collected at biological monitoring stations/areas (RG_SC, RG_TN, RG_ER, RG_T4, and RG_GC) in 2019 were screened relative to BCWQG (where applicable), but were not included in the plots due to small sample sizes.

³ RG_USELK was the upstream station prior to 2015, but due to its proximity to the Elk River, this monitoring station was relocated farther upstream, renamed RG_KERRRD, and sampled as the upstream station thereafter.



For constituents with established EWTs, data were compared statistically between upstream (RG_KERRRD) and downstream (RG_DSELK, RG_GRASMERE, RG_USGOLD, and RG_BORDER) permit stations to evaluate potential mine-related influences on water quality of Koochanusa Reservoir⁴. Pairwise statistical comparisons of monthly mean constituent concentrations between water column depths (surface vs. middle, surface vs. bottom, and middle vs. bottom) was conducted using a paired t-test. If the assumption of normality (Shapiro-Wilks' test with significance level $[\alpha] \geq 0.05$) was not met, a non-parametric Wilcoxon signed rank test was used for these comparisons. A Bonferroni-adjusted α ($0.1/3 = 0.033$) was used for paired t-tests and Wilcoxon signed rank tests to control the Type I error rate for the pairwise comparisons ($n = 3$ for each station). Results of these analyses were used to determine whether water chemistry at each depth in the water column should be analyzed separately or pooled for subsequent spatial (i.e., station-to-station) statistical comparisons. Statistical comparisons were conducted on the mathematical differences in monthly mean concentrations between stations (i.e., mean concentration downstream of the Elk River less the mean concentration upstream of the Elk River) to remove potential the influence associated with differing sampling season.

Data from upstream and downstream stations were tested for whether differences in monthly mean parameter concentrations were different from zero using a one-sample t-test (or Wilcoxon signed rank test for data that were not normally distributed) by testing the hypothesis:

$$H_{01}: \mu_d = 0$$

The magnitude of difference (MOD) in parameter concentrations between stations was calculated if a significant difference was detected between stations as (using RG_USGOLD as an example):

$$\text{MOD} = \frac{(MCT_{RG_USGOLD} - MCT_{RG_KERRRD})}{MCT_{RG_KERRRD}} \times 100\%$$

where MCT_{RG_USGOLD} and MCT_{RG_KERRRD} were the measure of central tendency (MCT) for the downstream and upstream stations, respectively (i.e., mean or median depending on whether the statistical comparison was conducted using a parametric or non-parametric method, respectively). The statistical analyses were conducted using R statistical software (R Core Team 2015).

⁴ The only EWT parameter collected in 2018 at the Montana stations (International Boundary, Tenmile, and Forebay) was sulphate; however, sample replication was insufficient from these stations to allow inclusion of these data in the water chemistry statistical comparisons discussed herein.



The 2019 data for Order constituents and constituents with EWTs were plotted for all stations in the Canadian and the Montana portions of the reservoir, and qualitatively⁵ compared to historical water chemistry data.

Monthly mean total phosphorous, total nitrogen, and chlorophyll-a concentrations, together with Secchi depth measurements, were used to categorize trophic status at permitted water sampling stations in the Canadian portion of Koochanusa Reservoir based on Nordin (1985) classifications for BC freshwaters (Table 2.5). In addition to qualitative comparison of trophic status (i.e., oligo-, meso-, or eutrophic), comparisons of plotted total phosphorous, total nitrogen, chlorophyll-a, Secchi depth, and nitrogen-to-phosphorous ratio⁶ data were conducted to evaluate whether trophic status differed downstream compared to upstream of the Elk River confluence in Koochanusa Reservoir. Because these parameters were not assessed at stations within the Montana portion of the reservoir, categorization of the trophic status of the reservoir was completed only for the Canadian portion of the reservoir.

Nitrate and selenium loadings to the Koochanusa Reservoir were calculated using methods outlined in the “Permit 107517 2017 Report of Monitoring Results in the Koochanusa Reservoir” (Teck 2018d). Briefly, monthly average concentrations of selenium and nitrate measured at RG_ELKMOUTH and flow data pro-rated from applicable Water Survey of Canada (WSC) gauging stations on Elk River were used to estimate loadings into the reservoir. A scaling method derived by Golder Associates Ltd. used WSC hydrometric gauging stations located on the Elk River at Fernie (Station 08NK002; recent data) and at Phillips Bridge (Station 08NK005; historical data) to prorate monthly flow at the mouth of the Elk River as follows: $RG_ELKMOUTH = RG_FERNIE \times 1.53$. The scaling factor was developed by Golder Associates Ltd. from prorated flow based on a relationship between monthly flows as presented in the 2017 Permit 107517 Summary Report for Koochanusa Reservoir (Teck 2018d). Similar scaling methods were used to calculate nitrate and selenium loadings to the reservoir from the Kootenay River at Station RG_WARDB using the WSC Kootenay River hydrometric gauging station located at Fort Steele (Station 08NG065) to prorate monthly flow based on the following relationship: $RG_WARDB = 08NG065 \times 1.18$. Estimated loads of nitrate and selenium (in kg/month) were calculated by multiplying the calculated daily load by the number of days in each month to result in a monthly loading rate using the following formula:

$$\text{Flow (m}^3\text{/s)} * \text{concentration (mg/L)} * 86.4 = \text{kg/day} * \text{number of days in each month}$$

⁵ Statistical comparisons between years will be completed for data collected between 2017 to 2019 for the inclusion in the RAEMP three-year interpretive report.

⁶ The examination of nitrogen to phosphorus ratios among Koochanusa Reservoir study areas/stations was initially included in the analysis of the 2018 data based on recommendation by the EMC (Minnow 2019).



Table 2.5: Available Criteria for Trophic Status Classification

Variable	Source	Ultra-Oligotrophic	Oligotrophic	Mesotrophic	Meso-Eutrophic	Eutrophic	Hyper-Eutrophic
Total Phosphorus (µg/L)	OECD ^{a,h}	<4	<10	10 - 35	-	35 - 100	>100
	Environment Canada ^b	<4	4 - 10	10 - 20	20 - 35	35 - 100	>100
	Quebec ^a	-	4 - 10	10 - 30	-	30 - 100	-
	Sweden ^a	-	<15	15 - 25	-	25 - 100	>100
	Carlson TSI ^{c,d}	<6	6 - 12	12 - 24	-	24 - 96	>96
	Nordin (BC Criteria) ^e	-	1 - 10	10 - 30	-	>30	-
	Nürnberg ^{a,f}	-	<10	10 - 30	-	31 - 100	<100
	Vollenweider and Karekes ^g	-	3 - 18	11 - 96	-	16 - 390	-
Chlorophyll-a (µg/L)	OECD	<1	<2.5	2.5 - 8	-	8 - 25	>25
	Environment Canada	<1	<2.5	2.5 - 8	-	8 - 25	>25
	Quebec	-	1 - 3	3 - 8	-	8 - 25	-
	Sweden	-	>3	3 - 7	-	7 - 40	>40
	Carlson TSI	<0.95	0.95 - 2.6	2.6 - 7.3	-	7.3 - 56	>56
	Nordin (BC Criteria)	-	0 - 2	2 - 7	-	>7	-
	Nürnberg	-	<3.5	3.5 - 9	-	9.1 - 25	>25
	Vollenweider and Karekes	-	0.3 - 4.5	3 - 11	-	2.7 - 78	-
Secchi Depth (m)	OECD	>12	>6	3 - 6	-	1.5 - 3	<1.5
	Environment Canada	>12	>6	3 - 6	-	1.5 - 3	<1.5
	Quebec	-	5 - 12	2.5 - 5	-	1 - 2.5	-
	Sweden	-	>3.96	2.43 - 3.96	-	0.91-2.43	<0.91
	Carlson TSI	>8	4 - 8	2 - 4	-	0.5 - 2	<0.25
	Nordin (BC Criteria)	-	>6	3 - 6	-	<3	-
	Nürnberg	-	-	-	-	-	-
	Vollenweider and Karekes	-	5.4 - 28	1.5 - 8.1	-	0.8 - 7	-
Total Nitrogen (µg/L)	OECD	-	-	-	-	-	-
	Environment Canada	-	-	-	-	-	-
	Quebec	-	-	-	-	-	-
	Sweden	-	<400	400 - 600	-	600 - 1,500	>1,500
	Carlson TSI	-	-	-	-	-	-
	Nordin (BC Criteria)	-	<100	100 - 500	-	500 - 1,000	-
	Nürnberg	-	<350	350 - 650	-	651 - 1,200	>1,200
	Vollenweider and Karekes	-	310 - 1,600	360 - 1,400	-	390 - 6,100	-

Note: "-" indicates no data available.

^a Summarized in Galvez-Cloutier and Sanchez 2007.

^b Environment Canada 2004.

^c Carlson 1977.

^d Values converted from Trophic Status Index (TSI) for comparison to other classifications.

^e Nordin 1985, Criteria used in British Columbia.

^f Nürnberg 2001.

^g Vollenweider and Kerekes 1980.

^h Organisation for Economic Co-operation and Development.

Vertical *in situ* water quality profiles, completed at the time of biological sampling in August, were plotted to determine if thermal stratification or gradients in DO, pH, specific conductance, and/or turbidity occurred at the sampling areas under representative full pool reservoir conditions. The profile data were compared between downstream (RG_T4) and upstream (RG_TN) transects, and to profile data collected in previous years.

2.2.3 Field Parameters and Mixing Assessment

2.2.3.1 Sampling

In situ water quality data were collected from a central location at each of the five zooplankton and benthic invertebrate sampling stations located upstream (Transect Stations RG_TN-1 through RG_TN-5) and downstream of the Elk River (Transect Stations RG_T4-1 through RG_T4-5), as well as at fish sampling areas (Sand Creek, Elk River, and Gold Creek; Figures 2.1). *In situ* measurements of water temperature, dissolved oxygen (DO), pH, specific conductance (i.e., temperature-standardized measurement of conductivity), and turbidity⁷ were collected as vertical profiles conducted at 0.5 to 1 m intervals (0.5 m intervals for stations less than 5 m depth, and 1 m intervals for stations greater than 5 m) during biological monitoring conducted in the Canadian portion of the reservoir in April, June, and August 2018 (Table 2.2). The *in situ* water quality measurements were taken using a calibrated YSI ProDSS (digital sampling system) handheld multi-parameter meter equipped with four DSS sensors (YSI Inc., Yellow Springs, OH), or an InSitu Aquatroll meter. Additional water quality information collected to support interpretation of biological data at each station/area included Secchi depth and observations of water colour and clarity.

To address the concern that the Elk River may be influencing water quality at the upstream Permitted Station RG_KERRRD and to determine whether the Elk River is fully mixed within the reservoir at the downstream Order Station RG_DSELK, a mixing assessment was conducted in Canadian portion of the reservoir under three pool conditions (low [April], intermediate [June], and full [August]) in 2019. Specific conductance of the Elk River (RG_ELKMOUTH) has consistently been greater than that of the Kootenay River (RG_WARDB), and therefore specific conductance measurements served as the primary means to evaluate Elk River mixing within the reservoir. Because temperature-driven differences in water density can also influence mixing features, water temperature data were also considered for the mixing assessment.

An InSitu Aquatroll meter was used to collect profile data across transects under low (late April), intermediate (early June), and full (late August) reservoir levels in 2019. The InSitu unit was used

⁷ Turbidity was not included as a field parameter in the 2018 to 2020 monitoring study design; however, based on the study design approval letter (ENV 2018), turbidity measurements were collected with *in situ* profiles beginning in 2018.



to continuously measure and log specific conductance, temperature, turbidity, and depth data upon being lowered through the water column. Koochanusa Reservoir water levels were considered high in early spring (April and June; Figure 2.2), and therefore the location of *in-situ* transects used downstream of the Elk River were similar between the spring and summer sampling events. Transects were grouped closely together (approximately 250 m apart) near the Elk River confluence, and then at interval distances of approximately 1,000 m for four transects upstream of the Elk River confluence, and for transects located downstream of the Elk River confluence that extended to RG_BORDER. To relate mixing status at each of the permitted stations, transects were established so as to intersect each of the water quality stations. Five to six evenly spaced profile stations were established at each transect during each sampling event.

2.2.3.2 Data Analysis

The evaluation of Elk River mixing in the reservoir included the generation of specific conductance, water temperature, and turbidity profile plots for the Koochanusa Reservoir for each of the April, June, and August sampling events. Field coordinates (Northing ~ Easting) were used to create a linear model that projected the data along a straight transect. Coordinates along the shorelines were not collected in the field, and therefore shoreline locations were estimated by extending the trend line by the mean distance between transect stations in both directions. Once the x- and y-axis coordinates were estimated from the linear model, a depth profile was derived for each transect using a minimum convex polygon around the x- and y-axis locations and the maximum depth at each point, and then extrapolating the values for each parameter (specific conductance, temperature, and turbidity) horizontally between each station across the entire polygon. The parameter values were estimated using a spatial kriging model with a polynomial degree function of 1 and a range parameter (θ) set to the mean Euclidean distance between the points. The kriging spatial model takes into account the observed data and the correlation between data points under an assumed covariance function (exponential decline with distance between points) and was fit with generalized cross validation. The model was derived and extrapolated in R using the Krig and interpolate functions in the fields and raster packages. Visualization of the generated profiles was conducted by placing the interpolated values in ten bins equally spaced between the maximum and minimum values for each month, which were then assigned a unique colour ramp for each parameter.

2.3 Sediment Quality

2.3.1 Overview

Sediment quality was assessed as part of the 2019 monitoring program for the Canadian portion of the reservoir to characterize substrate chemistry and support interpretation of biological data.






Figure 2.2: Kocanusa Reservoir Water Surface (Pool) Elevation, 2014 to 2019

Notes: Shaded area is the historical daily range of water levels from 2005 to 2018. Data from United States Army Corps of Engineers (USACE 2018).

Sediment quality sampling was conducted in August in two profundal⁸ areas (RG_T4 and RG_TN). Large-volume suspended sediment samples were also collected in 2019 to assess total selenium concentrations in suspended sediment at the Order station RG_DSELK as the basis for comparisons to data collected by the USACE in the Montana portion of the Reservoir at International Boundary (LIBBOR) and Forebay (LIBFB).

2.3.2 Sample Collection

Sediment samples for physical and chemical characterization were collected in August using a stainless-steel Petite Ponar (0.023 m² sampling area). At each of the five stations downstream (RG_T4-1 to 5) and upstream of the Elk River (RG_TN-1 to 5), three grabs were collected to create a composite sediment sample consisting of the top three centimetres (cm) of sediment (i.e., the sediment fraction in which most benthic fauna generally reside [Kirchner 1975]). If the grab was not complete to each edge of the sampler, or lacked an intact sediment-water surface layer, it was discarded, and a new grab collected. If the grab was acceptable, the top three centimetres were removed and placed into a separate plastic tub. This procedure was repeated until three acceptable grabs were obtained, after which the sample was homogenized using a stainless-steel spoon. The homogenized sediment was then transferred to a glass jar (for analysis of PAHs) and a labelled polyethylene sealable bag (for analyses of other parameters, as described below). Sampling locations were recorded for each station using a handheld global positioning system (GPS) unit in Universal Transverse Mercator (UTM) coordinates. Following collection of each sediment sample, the sample was placed in a cooler containing ice and later transferred to a refrigerator for storage prior to shipment to an accredited analytical laboratory at the completion of the field study.

Large-volume suspended sediment samples were collected and analyzed from the Canadian portion of the reservoir concurrent with samples collected in Montana. Samples for the large-volume suspended sediment analysis were collected from the Order station RG_DSELK in June, July, and September 2019 according to methods outlined in the Montana Department of Environmental Quality (MT DEQ) Quality Assurance Project Plan (QAPP; MT DEQ 2018). Briefly, samples were collected from a depth of 3 m below the surface using a pre-acid rinsed beta bottle sampler. A sufficient number of grabs were used to retrieve enough sample to fill two 20 L carboys. In addition, water quality samples for the analysis of total and dissolved selenium were collected at a depth of 3 m from the surface, and 3 m from the bottom, at each station. Accompanying *in situ* and Secchi depth measurements were collected concurrently with the large-

⁸ Referring to the sediment collected from a deep basin of a lake/reservoir.



volume suspended sediment samples. All samples were stored on ice until shipment to the designated laboratory later that day.

2.3.3 Laboratory Analysis

Sediment samples (whole sample not field-sieved) were sent to ALS (Calgary, AB) for analysis of moisture content, particle size, total organic carbon (TOC), metals/metalloids (hereafter collectively referred to as metals), and PAHs using analytical methods consistent with ENV laboratory guidance manual (Province of BC 2013, 2015) as specified in Permit 107517. Sediment sampling quality assurance/quality control (QA/QC) included the collection and analysis of field duplicate samples (on a minimum of 10% of the total number of samples collected), as well as an assessment of the accuracy and precision of laboratory data (Province of BC 2015). Data quality was judged based on the ability to achieve minimum LRLs (Table 2.4), and review of the results from laboratory duplicate, spike recovery sample, blank sample, and CRM analyses (see Appendix A).

Large-volume suspended sediment samples were submitted to Georgia State University (Georgia, USA) for de-watering prior to being submitted to Brooks Applied Labs (BAL; Washington, USA) for analysis of total selenium. Water samples collected concurrently with the large-volume samples were sent directly to BAL for the analysis of total and dissolved selenium. Due to laboratory error, September samples from RG_DSELK were misplaced and were not located until April 2020. Although the samples were processed by Georgia State University, the analysis was further delayed due to lyophilizer malfunction. In the end, September samples went well beyond their hold times specified in the QAPP (MT DEQ 2018), and they were not submitted to BAL within sufficient time for the data to be included in this report.

2.3.4 Data Analysis

Sediment quality data from the 2019 Koochanusa Reservoir Monitoring Program were used to address the following question with regard to sediment quality:

- Are concentrations of mine-related constituents in sediment that benthic invertebrates are exposed to different downstream of the Elk River compared to upstream and are concentrations changing over time?

The assessment of sediment data included comparison to applicable guidelines, spatial comparisons between downstream and upstream areas, and qualitative comparisons to data from the previous 2014 to 2016 monitoring period, and from 2018. Sediment particle size distribution data were presented for each sampling event (August and April) using a stacked bar graph with concentrations of TOC plotted on the secondary axis. Sediment chemistry data were compared



to applicable BC Working Sediment Quality Guidelines (WSQGs). The lower WSQGs (i.e., lowest effect level/threshold effect level [LEL/TEL]) represent concentrations below which adverse biological effects would not be expected to occur (BCMOE 2017b). In contrast, the highest sediment quality guidelines (i.e., probable effect level/severe effect level [PEL/SEL]) represent concentrations above which effects to sediment dwelling biota may be observed (BCMOE 2017b). Parameters with mean concentrations that exceeded the lowest WSQG were plotted. Selenium was plotted for all stations, even if concentrations were below the WSQG.

A pairwise t-test was used to evaluate differences in mean sediment chemistry between downstream and upstream areas (RG_T4 and RG_TN, respectively) for data collected in August. Data for both analyses were \log_{10} -transformed as required to meet test assumptions. If test assumptions were not met for the pairwise t-test, a rank transformation for a non-parametric test was used. A more conservative α of 0.5 was used for testing the assumptions to limit the use of the rank transformation in those instances where assumptions were violated. For the Analysis of Variance (ANOVA), a post hoc pair-wise comparisons among the downstream (RG_ER and RG_GC) and upstream (RG_SC) were conducted using Tukey's Honestly Significant Difference (HSD) adjustment and least-squares means with α assessed at 0.1. In instances where normality could not be achieved through data transformation, or the assumption of homogeneity of variance could not be met (Levene's test; $\alpha = 0.05$), the non-parametric Kruskal-Wallis test was used for multiple-group comparisons followed by Dunn's Test for pair-wise multiple comparisons.

A MOD in parameter concentrations was calculated as a percentage difference in the measure of central tendency between the downstream area(s) and the upstream area as:

$$\text{MOD} = \frac{(MCT_{RG_T4} - MCT_{RG_TN})}{MCT_{RG_TN}} \times 100\%$$

where MCT_{RG_T4} and MCT_{RG_TN} were the measures of central tendency for the downstream and upstream areas. Measures of central tendency were reported in the original data units as:

- means when no transformation was used;
- geometric means when a \log_{10} -transformation was used; and
- medians when a rank transformation was used.

Parameters with concentrations above the WSQG LEL guidelines in 2019 were qualitatively compared to values from 2013 to 2018 to identify potential changes in sediment chemistry over time.



Selenium concentrations from the large-volume suspended sediment sample data collected in the Canadian portion of the reservoir in 2019 were compared to applicable BC guidelines, to data collected from reservoir stations located in Montana, and to data collected in 2018 using qualitative analysis.

2.4 Zooplankton

2.4.1 Overview

Zooplankton community (at both RG_TN and RG_T4) and tissue samples (RG_T4 only) were collected in June 2019, and August 2019 (at both RG_TN and RG_T4; Figure 2.1, Table 2.2). Despite increased sampling effort over two different days (June 12th and June 15th) beyond what is outlined in the study design, and utilization of different sampling methods (i.e., vertical hauls and horizontal tows⁹), zooplankton tissue samples could not be collected upstream of the Elk River (RG_TN) in June due to very low zooplankton densities. Zooplankton community and tissue samples were also collected in Montana by US ACE at International Boundary, Tenmile, and Forebay, but were not made available in time for inclusion in the report.

2.4.2 Sample Collection

2.4.2.1 Community Composition

Zooplankton community samples were collected in June and August using a 19 cm diameter, fine mesh (i.e., 60 micrometre [μm]) plankton net, that was hauled vertically through the entire water column at each sampling station based on methods described by Province of BC (2013)¹⁰. The plankton net was lowered to a depth of 1.5 m from the sediment-water interface (to avoid disturbing the sediment, potentially resulting in addition of benthic organisms to the sample). A composite sample, consisting of three vertical hauls, was collected from the entire column at RG_TN (RG_TN-1 to RG_TN-5) and RG_T4 (RG_T4-1 to RG_T4-5). Upon retrieval of each vertical haul, the sample material was transferred into a pre-labelled plastic sampling jar and, following retrieval of the third vertical haul, preserved to a level of 10% buffered formalin in ambient water. Zooplankton community samples were collected along with supporting measures that included an *in situ* water quality profile and Secchi depth (see Section 2.2.3.1.). Zooplankton community samples were stored at room temperature until shipment to the laboratory.

⁹ Horizontal tows were conducted near the surface of the water where the highest densities of zooplankton were anticipated. Horizontal tows consisted of maneuvering the boat in large sweeping circles and towing the net behind for 5 to 10 minutes. Horizontal tows were completed at RG_TN-1, RG_TN-3, and RG_TN-5 in addition to 10 vertical hauls.

¹⁰ Study design requirements to collect samples from 10 m below the surface was removed in 2019 based on recommendations from the EMC.



2.4.2.2 Tissue Chemistry

Zooplankton tissue samples were collected using an 80 µm mesh net (30 cm diameter) so that the sample targeted zooplankton and was not confounded by the presence of phytoplankton (i.e., the mesh size excluded phytoplankton from zooplankton tissue samples). One sample representing a composite of ten vertical hauls through the entire water column (beginning 1.5 m above the sediment-water interface), was collected at each RG_TN and RG_T4 transect station. Upon retrieval of each haul, as much water as possible was removed from the collected material before transferring the sample to a labelled, sterile cryovial. Following the tenth haul, the sample was placed in a cooler on ice and, at the completion of daily field sampling, frozen.

2.4.3 Laboratory Analysis

2.4.3.1 Community Composition

Zooplankton community samples were sent to Salki Consultants Inc. (Winnipeg, MB), where after being allowed to stand undisturbed for 72 hours, were decanted (60 µm filter on vacuum hose, back flushed) to 45 mL glass vials to standardize volume (40 mL) for analyses and long-term storage. Samples were analyzed for species composition, abundance, and biomass of crustaceans and rotifers. Each sample underwent the following three levels of analysis:

- 1/10, 1/20, 1/40, or 1/80 (depending on zooplankton abundance in sample) of each sample was examined under a compound microscope at 63× to 160× magnification, and a minimum of 200 organisms were identified to species (crustaceans) or lowest practical level (LPL; rotifers), and assigned to instar size categories. Additionally, lengths ($\pm 15 \mu\text{m}$) of female and male adult specimens ($n=20$) of dominant species were measured in representative samples for biomass determinations;
- a sub-sample, representing 10 to 20% of the sample volume, was examined under a stereoscope at 12× magnification to identify and enumerate mature and gravid individuals of larger-sized species and rare (i.e., less abundant) species, and to assign these individuals to size classes; and
- the entire sample was examined under a stereoscope at 1/10 magnification to improve abundance/biomass estimates for any large-sized, less abundant species in the sample.

Under a compound microscope, Cyclopoida and Calanoida specimens (mature and immature) were identified to the species level, with the exception of nauplii (N1-N6) which were classified as either Calanoida (small or large) or Cyclopoida (small or large). Cladocera were identified to the species level, while rotifers were identified to genus. Taxonomic identifications were conducted



primarily using Brooks (1957), Wilson (1959), and Yeatman (1959) taxonomic keys. Digital microscopic images of selected specimens were provided with the analytical data.

Zooplankton abundance was reported as individuals per litre (ind/L) based on volumes calculated from net mouth area, sample haul depth, and replication. Biomass estimates for each species were determined from:

- abundances of adults multiplied by mean adult wet weights developed from measured lengths (n=20 per adults of dominant species in representative samples), and length-weight relationships presented in Malley et al. (1989); and,
- abundances of various immature instar categories multiplied by weights of respective size categories determined from length-weight regressions (as per Malley et al. 1989).

Additional size measurements made on less common specimens were factored into the biomass calculations. Zooplankton biomass was reported in micrograms (wet weight) per litre ($\mu\text{g/L}$) of filtered water. Sub-sampling accuracy was assessed by performing replicate counts on 10% of samples. Replicate samples were chosen at random and processed at different times from the original sample to reduce bias.

2.4.3.2 Tissue Chemistry

Zooplankton tissue samples were shipped to Saskatchewan Research Council (SRC; Saskatoon, SK) for analysis of metals (including mercury) and selenium using high-resolution inductively coupled plasma mass spectrometry (HR-ICP-MS) consistent with ENV laboratory guidance as specified in Permit 107517 (Province of BC 2015). At the laboratory, the samples were freeze dried prior to analysis, and thus concentrations were reported on a dry weight basis. Accuracy and precision of data was judged based on ability to achieve minimum LRLs (Table 2.6), review of the results from laboratory duplicate analysis, as well as a comparison to CRMs (Appendix A).

2.4.4 Data Analysis

Data from the zooplankton community and tissue sampling were used to address the following questions:

- Do zooplankton community structure differ downstream of the Elk River compared to upstream and were the differences changing over time?
- Are selenium concentrations in zooplankton different downstream of the Elk River compared to upstream, and were the differences changing over time?



Table 2.6: Minimum Laboratory Reporting Limits (LRLs) for Tissue Samples

Analyte	Units	Plankton, Benthic Invertebrate, and Fish Tissue LRL ^a
Moisture	%	-
Aluminum (Al)	µg/g dw	2
Antimony (Sb)	µg/g dw	0.1
Arsenic (As)	µg/g dw	0.05
Barium (Ba)	µg/g dw	0.05
Beryllium (Be)	µg/g dw	0.01
Boron (B)	µg/g dw	1
Cadmium (Cd)	µg/g dw	0.01
Chromium (Cr)	µg/g dw	0.5
Cobalt (Co)	µg/g dw	0.01
Copper (Cu)	µg/g dw	0.05
Iron (Fe)	µg/g dw	2
Lead (Pb)	µg/g dw	0.01
Manganese (Mn)	µg/g dw	0.1
Mercury (Hg)	µg/g dw	0.005
Molybdenum (Mo)	µg/g dw	0.1
Nickel (Ni)	µg/g dw	0.05
Selenium (Se)	µg/g dw	0.05
Silver (Ag)	µg/g dw	0.01
Strontium (Sr)	µg/g dw	0.1
Thallium (Tl)	µg/g dw	0.05
Tin (Sn)	µg/g dw	0.05
Titanium (Ti)	µg/g dw	0.05
Uranium (U)	µg/g dw	0.005
Vanadium (V)	µg/g dw	0.1
Zinc (Zn)	µg/g dw	0.5

Note: "-" indicates no data available.

^aLaboratory reporting limits provided by SRC in Saskatoon, Saskatchewan.

Zooplankton community data were compared between downstream and upstream study areas, and qualitatively to data from the previous monitoring period (2014 to 2016) using primary metrics of mean taxonomic richness [as identified to lowest practical level (LPL)], mean organism density (average number of organisms per litre), and mean biomass (mass of organisms per litre). Relative density and relative biomass of dominant taxonomic groups were calculated as the density or biomass of each respective group relative to the total number of organisms or biomass in the sample, respectively. Dominant taxa were defined as taxa representing at least 5% of the total organism density at one or more stations. Community endpoints were summarized by reporting the minimum, maximum, mean, median, standard deviation (SD), and sample size for each sampling area. Zooplankton community data were compared between downstream (RG_T4) and upstream areas (RG_TN), and between spring and late-summer, the latter to determine if there were community differences when the reservoir was at half pool compared to full pool (June and August; as per ENV requirement on June 8, 2018).

Zooplankton community data were compared statistically between the downstream and upstream study areas using a pairwise t-test with $\alpha=0.1$. A suite of transformations was applied to each endpoint and then tested to determine the transformation that maximized normality, including: no transformation, \log_{10} (or $\log_{10}[x+1]$ for counts that contain 0), square-root, and fourth-root. The transformation with the highest resulting p-value from a Shapiro-Wilk test was applied to the respective endpoint and carried forward for subsequent tests. In instances where normality could not be achieved through data transformation, the non-parametric Mann-Whitney test was conducted using untransformed data. In instances where the assumption of homogeneity of variances was not met (Levene's test; $\alpha = 0.05$) but data were normally distributed, a two-sample t-test assuming unequal variances was conducted using transformed data (Ruxton 2006).

An observed effect size was calculated for each statistical comparison analyzed using a two-sample t-test as

$$\text{Observed Effect Size} = (\bar{X}_{Downstream} - \bar{X}_{Upstream})/SD$$

where $\bar{X}_{Downstream}$ and $\bar{X}_{Upstream}$ were the downstream and upstream area community endpoint means and the SD is an estimate of the upstream area standard deviation. The estimate of the upstream area standard deviation was either the pooled standard deviation from the two-sample t-test for equal variances, or the upstream area sample standard deviation when the two-sample t-test for unequal variances was applied. The effect size calculations were conducted on the transformed scale when the data were transformed for analysis. When the Mann-Whitney test was used, the observed effect size was estimated using median values instead of means, and the Pooled Median Absolute Deviations (MAD) instead of SD as follows:



$$MAD = \text{median}(|x_{Area}^i - \text{median}(x_{Area})|)$$

where x_{Area}^i was each observation in the dataset, $\text{median}(x_{Area})$ was the median of the area to which x_{Area}^i belongs (i.e. downstream or upstream) and $|f(x)|$ was the absolute value of $f(x)$.

Non-metric multi-dimensional scaling (NMDS) was used to reduce the zooplankton taxonomic data matrices to fewer dimensions. This method is used to visualize the level of similarity of samples based on the rank (e.g. sample A is more similar to Sample B than to Sample C) of the similarities (Clarke 1993). The NMDS takes the N-dimensional (here N = number of taxa) coordinates of each sample (i.e. area) and defines a set of new N dimensional coordinates that reflect the locations (rank distances) among samples. NMDS results of non-transformed data often leads “to shallow interpretation in which only the pattern of a few, very common species is represented” (Clarke 1993). A suite of transformations was applied (\log_{10} , square root, fourth root, power 2, and power 4) and the resultant data matrix was assessed for normality based on the average skewness and kurtosis. The transformation with the lowest average skewness and kurtosis was deemed the preferred transformation to theoretically reduce the influence of dominant taxa. The NMDS was conducted on the lowest practical level taxonomic data matrix using relative abundances, and taxa occurring in fewer than 10% of the samples were removed from the dataset as their exclusion from multivariate analyses reduces ‘noise’ (Bailey et al. 2004). The analysis used the Bray-Curtis distance as the measure of relative community similarity or dissimilarity. A two-dimensional ordination solution was used when stress was < 0.2. Additional dimensions were used only when required to reduce the stress to <0.2. The analysis was conducted using the vegan package (version 2.5-1; Oksanen et al. 2018) in R (R Core Team 2015).

The assessment of zooplankton tissue data included comparison to the closest representative guidelines and benchmarks, and spatial comparisons between downstream and upstream areas of the reservoir. Concentrations of selenium in zooplankton tissues were compared to the interim chronic dietary BC guideline for invertebrate tissue (4 $\mu\text{g/g}$ dry weight [dw]) and EVWQP Level 1 benchmarks for effects to benthic invertebrates (13 $\mu\text{g/g}$ dw) and dietary effects to juvenile fish (11 $\mu\text{g/g}$ dw). Zooplankton tissue data were compared between downstream (RG_T4) and upstream areas (RG_TN) within both the June and August sampling periods, and compared between spring and late-summer to determine if there were temporal differences in selenium concentrations when the reservoir was at half pool compared to full pool within each area (June and August sampling events) using a pairwise t-test (see Section 2.4.4.1). The 2019 data were also plotted and compared qualitatively to data from previous monitoring (2014 to 2018).



2.5 Benthic Invertebrates

2.5.1 Overview

Benthic invertebrate tissue samples were collected from the Canadian portion of the reservoir in April and August 2019 at profundal areas downstream (RG_T4) and upstream (RG_TN) of the Elk River (Table 2.2; Figure 2.1). Additionally, benthic invertebrate tissue samples were collected from eight stations within both the Rexford and Tenmile areas in the Montana portion of the reservoir in May 2019 (Figure 2.1), as well as from the Rexford area in September 2019. Finally, surface invertebrate sampling was conducted in May and September 2019 at Tenmile, and in May, June, and September 2019 at Rexford, resulting in one successful sampling attempt in September at Rexford.

2.5.2 Sample Collection

A single composite benthic invertebrate tissue sample consisting of 20 petite Ponar grabs (i.e., a composite of four grabs from each of the five sampling stations [RG_T4-1 to RG_T4-5 and RG_TN-1 to RG_TN-5] in each study area) was collected in April and August each of 2019. Slightly different methods were employed at the Montana stations whereby samples consisted of a minimum of 4 composited grabs; however, sampling continued until the target tissue volume was achieved. For sampling completed at both the Canadian and Montana portions of the reservoir, each grab was placed into a 500 µm mesh sieve bag and sieved free of material less than the mesh size. The remaining material was transferred to a white enamel tray for removal of benthic organisms using tweezers. Visible organisms were removed from the debris/sediment and rinsed clean using ambient water. Similar to sampling conducted in 2014 to 2016, and 2018, chironomids were targeted for tissue collection, but if chironomids were not present in sufficient numbers, other benthic invertebrates were added to the sample (and noted on field sheets) to achieve sufficient sample weight for analysis (approximately 0.5 grams [g]). The benthic invertebrate tissue samples were transferred to sterile cryovials and frozen. Supporting measures for each sample included *in situ* water quality measurements and Secchi depth measurements.

Surface invertebrate tows were also completed at Tenmile in May and September 2019, and in Rexford in May, June, and September 2019 using methods and gear consistent with that outlined in the QAPP (MT DEQ and FWP 2018a). In brief, samples were collected from each area using a tow net (1.0 m wide by 0.3 m high opening tapered to a 100 mm diameter collar to which a plastic receptacle [cod piece] outfitted with 80 µm mesh was placed), which was pulled for a distance of 600 m. A total of 8 tows were completed per area, which were composited into a single sample. Sampled contents were removed from the plastic receptacle and placed in 125 mL sample bottles on ice. Samples were taken back to the FWP laboratory where they were



sorted on a white tray to remove invertebrates until a 5 to 10 g sample was achieved, which was placed in a labelled vial, frozen, and shipped to Brooks Applied Laboratory. A single sample was successfully collected in September at Rexford.

2.5.3 Laboratory Analysis

Benthic invertebrate tissue samples were shipped to SRC (Saskatoon, SK) for analysis of metals (including mercury) and selenium using HR-ICP-MS consistent with ENV laboratory guidance (Province of BC 2015) as specified in Permit 107517. Samples were freeze dried prior to analysis, and concentrations were reported on a dw basis, along with moisture content to allow for conversion to wet weight (ww) values if required. Accuracy and precision of laboratory data were judged based on ability to achieve minimum LRLs (Table 2.6), review of the results from laboratory duplicate analysis, as well as a comparison to CRMs (Appendix A). Samples from Montana were analyzed by Brooks Applied Laboratory and results provided in wet weight due to insufficient samples size. As a result, selenium concentrations were converted to a dry weight based on an average moisture content from samples collected from the Canadian portion of the reservoir.

2.5.4 Data Analysis

Data from the benthic invertebrate tissue sampling were used to address the following question:

- Are selenium concentrations in benthic invertebrates greater than guidelines or effect thresholds, do they differ downstream of the Elk River compared to upstream, and are the differences changing over time?

Selenium concentrations in benthic invertebrates were plotted and compared to the British Columbia Ministry of Environment (BCMOE 2017a) interim guideline of 4 µg/g dw and to Level 1 benchmarks (Teck 2014) as per the EVWQP (i.e., 15, 13, and 11 µg/g dw for dietary effects on juvenile birds, effects on benthic invertebrate reproduction, and for dietary effects to juvenile fish, respectively). Benthic invertebrate selenium concentrations were also compared qualitatively to data from the 2014 to 2016 monitoring program and to data from 2018.

2.6 Fish

2.6.1 Overview

Fish sampling has been an integral component of the Canadian Koochanusa Reservoir monitoring program (Table 2.2). Peamouth chub (*Mylocheilus caurinus*) and redbside shiner (*Richardsonius balteatus*), which represent a key food source for piscivorous fish (Lotic 2017), were collected near the mouths of Sand Creek, Elk River, and Gold Creek (RG_SC, RG_ER, and RG_GC respectively; Figure 2.1) in spring (April) 2019, prior to fish spawning, to evaluate fish tissue. Because sport fish (e.g., bull trout [BT; *Salvelinus confluentus*]) represent the highest



trophic level in the reservoir and are an important resource for human consumption (Lotic 2017, Ramboll Environ 2016), sport fish muscle tissue samples were collected using non-lethal methods (i.e., muscle plug) for analysis of tissue chemistry. These data were supplemented with fish tissue samples collected in the Montana portion of the reservoir from 2019 (Figure 2.1), as well as samples collected as part of a northern pikeminnow (NSC; *Ptychocheilus oregonensis*) selenium toxicity study in 2019. Redside shiner, which had the highest mean selenium concentrations in ovaries for the 2014 to 2016 monitoring program (Minnow 2018a) were also the focal species for assessment of recruitment as requested and supported by the EMC. Recruitment was assessed in August 2019 at each of the three fishing areas to confirm the presence of young-of-the-year (YOY) redside shiner, among other endpoints (Table 2.1).

2.6.2 Fish Tissue Sample Collection

The targeted species, the number of samples collected, and the timing of collection for the fish tissue assessment were as follows:

- peamouth chub and redside shiner ovary and muscle were collected from up to 10 females per species at each of the three fish study areas in April 2019. These species were targeted in the 2014 to 2016 monitoring cycle and both had mean selenium concentrations in ovaries above the BC guideline; and,
- sport fish muscle (non-lethal muscle plugs) were collected from up to eight individuals per species in each of the three fishing areas in 2019 (Figure 2.1).

Similar to methods used in 2018, peamouth chub and redside shiner were collected using very short-set gill nets (starting with a maximum set time of 15 minutes; Minnow 2019). Gill nets with mesh size specific for targeting peamouth chub (2") and redside shiners (1") were set on the bottom. The location of each net set (UTM coordinates), as well as the time of net deployment and retrieval, was recorded on field sheets. Captured peamouth chub and redside shiner were sacrificed and transported to a dedicated field laboratory for processing as soon as possible following capture (i.e., within hours). At the field laboratory, the peamouth chub and redside shiner were subject to measurement of fork and total lengths to the nearest millimeter using a standard measuring board. Fish weights were measured using appropriately sized spring scales (e.g., 50 g, 100 g, and 300 g) or a digital balance (± 0.001 g). Each fish was opened, and the sex and/or sexual maturity recorded. Whole gonads and livers were removed from each female fish and weighed to the nearest milligram using an analytical balance with a surrounding draft shield. Whole ovaries and a skinless, boneless muscle fillet sample were collected from each sexually mature female and placed in separately labelled, polyethylene (Whirl-Pak®) bags. Following these measurements and tissue collections, age structures (i.e., otoliths) were removed



from each fish. Each age structure was wrapped separately in waxed paper and placed inside a labelled envelope. Internal or external deformities, erosions (fin and gill), lesions, and tumors (DELT) observed during processing (Sanders et al. 1999), as well as the occurrence of any parasites, were recorded on laboratory bench sheets. Samples (i.e., ovaries, muscle, and age structures) were stored frozen prior to shipment to the respective laboratory for analysis.

Sport fish targeted for tissue collection included species previously sampled at Kooconusa Reservoir (i.e., BT, Kokanee [KO; *Oncorhynchus nerka*], mountain whitefish [MWF; *Prosopium williamsoni*], rainbow trout [RT; *Oncorhynchus mykiss*], and westslope cutthroat trout [WCT; *Oncorhynchus clarki lewisii*]; Minnow 2018a). Burbot (*Lota lota*) were not a target species for muscle tissue sampling based on concerns regarding low abundance¹¹ and the cultural importance of this fish species to the KNC. If burbot were caught, they were immediately released. In addition, previous analysis of burbot tissue confirmed that selenium concentrations were below the BC guideline and EVWQP Level 1 benchmarks, and thus were not expected to cause adverse effects in burbot (Minnow 2015b).

Sport fish were collected using multiple methods. Very short-set gill nets (starting with a maximum set time of 15 minutes) were used to minimize adversely harming fish. Three foot-diameter hoop nets, set on the bottom for overnight durations (i.e., approximately 24 hours), were also deployed (Minnow 2018a). Leads were attached to the opening of each net and typically set perpendicular to shore. Angling, although not effective in April as a result of flowing water conditions and high turbidity, was used to target sport fish and supplement catches of other species. Angling was conducted from a boat using a single hook baited with salted salmon roe or earthworms or using fishing lures. The location (UTMs) of each net set or angling site, as well as the time of deployment and the time of retrieval, were recorded on field sheets.

Sport fish were lightly anaesthetized in a dilute clove oil solution prior to processing. Each fish was then weighed using appropriately sized spring scales, near the top of the scale's range so that measurements achieved a resolution of approximately one percent or less. Total length and fork length were determined using a standard measuring board (± 1 mm). External DELT were assessed for each sport fish (Sanders et al. 1999) and recorded on field sheets. A muscle sample was then collected using a biopsy punch (4 mm acu-punch). Following extraction of the biopsy sample, skin was removed from the sample using a scalpel and the remaining muscle placed into a sterile cryovial. Once each fish recovered from the anesthetic in a recovery bin, it was released

¹¹ In recent years, lower Kootenay burbot populations were designated as critically imperiled and red-listed, meaning potentially extirpated, endangered, or threatened (BCMOE 2015).



back into the reservoir near its capture location. The muscle tissue samples were stored frozen until shipment to an accredited laboratory.

Fish collected as part of the Montana program was conducted by Montana Fish, Wildlife, and Parks (MFWP) in alignment with the 2018 Fish Tissue QAPP (Montana DEQ and FWP 2018b). Unlike BC permit requirements, gillnets were set for approximately 24 hrs at Rexford in the spring and fall (mid-May and mid-September 2019) and at Kikomun in the fall (mid-September 2019; Figure 2.1). Fish collected by MFWP were provided to Minnow for onshore processing and tissue sample collection. A total of eight individuals per species were targeted from each study area (except for NSC where 15 individuals were targeted in May) with a preference for sampling mature females. Fish tissue sample preparation was completed using similar processing methods described above, with the exception that sport fish were sampled lethally.

2.6.3 Laboratory Analysis

Fish tissue samples collected from the Canadian portion of the reservoir were submitted to SRC (Saskatoon, SK) for analysis of moisture and metals consistent with ENV laboratory guidance as specified in Permit 107517 (Province of BC 2015). The samples were initially freeze-dried for determination of moisture content and then analyzed for mercury and metals (including selenium) concentrations, the latter using HR-ICP-MS. Results were reported on a dw basis, along with moisture content (based on the difference between wet and freeze-dried sample weights) to allow conversion to wet-weight values. Accuracy and precision of data was judged based on ability to achieve minimum LRLs (Table 2.6), replicate analysis of a minimum of 10% of samples, as well as a comparison to CRMs.

Fish tissue samples collected from the Montana portion of the reservoir were submitted to BAL (Washington), consistent with the 2018 studies (MT DEQ and FWP 2018b), for analyses that conformed to EPA820-F-16-007. Analyses were conducted for moisture content (ASTM D2974A modified dry 60-65 °C) and, following digestion (US EPA method 3050), for metals (including arsenic, cadmium, copper, lead, and selenium) by ICP-MS (method WS6020) with results reported in dry weight. The target detection limit for determination of selenium concentrations was 0.5 µg/g dry weight or lower.

Fish tissues collected for age analysis were submitted to AAE Technical Services (Winnipeg, MB). Otoliths were prepared and then read under a compound microscope using transmitted light. For each structure, the age and edge condition were recorded along with a confidence rating for the age determination. For the purpose of QA/QC, greater than 40% of samples were reassessed by a second individual at the laboratory (Appendix A).



2.6.4 Fish Recruitment

A non-lethal sampling design was used to investigate whether reidside shiner recruitment was occurring, and to evaluate condition (among other non-lethal Environment Effects Monitoring [EEM] endpoints) of YOY shiners at areas downstream of the Elk River (Elk River and Gold Creek) relative to upstream (Sand Creek) in August 2019. Seining was used in littoral areas to collect YOY reidside shiner in each of the three study areas (Figure 2.1). Upon retrieval of the net, captured fish were identified, enumerated, and inspected for external abnormalities (i.e., DELT survey). Non-target fish were released alive at the capture location. Captured reidside shiner were placed in buckets containing aerated water and retained for processing (described below). Fish sampling targeted a minimum of 100 YOY reidside shiner from each fishing area. The recruitment assessment focused on YOY versus non-YOY (mostly expected to be 1+ age category based on previous sampling; Minnow 2018a). Sufficient numbers of the non-YOY age class were not captured (e.g., greater than 100 reidside shiner), so endpoints were not examined separately for non-YOY. Recorded supporting information for the sampling included duration of sampling effort, sampling depth, area/distance sampled, UTM coordinates, and habitat descriptions.

Fish were lightly anaesthetized in a dilute clove oil solution prior to processing. Lengths (fork and total) were measured to the nearest hundredth of a millimetre using digital calipers, fresh body weight was measured to the nearest milligram using an analytical balance with a repeatability (standard deviation) of ± 0.003 g, and external DELT were recorded on field sheets for each individual. Ten reidside shiners of varying sizes were sacrificed at each study area for collection of otoliths according to methods described in Section 2.6.2. With the exception of fish sacrificed for aging, fish were placed into a recovery bucket following processing and released near the point of capture following completion of sampling.

2.6.5 Data Analysis

Data from the tissue sampling and recruitment survey were used to address the following questions:

- Are selenium concentrations in fish tissue greater than guidelines or effect thresholds, do they differ downstream of the Elk River compared to upstream, and are the differences changing over time?
- Are there differences in reidside shiner recruitment downstream of the Elk River compared to upstream?

Selenium concentrations in fish tissues collected in 2019 from downstream areas (RG_ER and RG_GC) were compared statistically to those from the upstream area (RG_SC) for



PCC and RSC. Selenium concentrations in all fish tissues (for both the Canadian and Montana portions of the reservoir) were also plotted and compared to the BCMOE (2017a) guidelines (for muscle [4 µg/g dw] and ovary [11 µg/g dw] tissues), and US EPA (2016) criterion (for muscle [11.3 µg/g dw] and ovary [15.1 µg/g dw] tissues). Westslope cutthroat trout were also compared to a species specific EVWQP Level 1 benchmark for reproduction (25 µg/g dw), and a Level 1 muscle equivalent benchmark to the ovary benchmark, based on the relationship observed between selenium in muscle and ovary (15.5 µg/g dw). Tissue selenium concentrations between areas were compared using ANOVA tests, with the data inspected for normality and homogeneity of variance before applying parametric statistical procedures. In cases where data did not meet the assumptions of ANOVA, the Mann-Whitney test was used to test for differences between areas. Data collected from April to July were analyzed separately from data collected in September from Kikomun (Canadian portion of the reservoir) and Rexford (Montana). The samples collected in September by MFWP from Rexford and Kikomun were compared to each other separately from the spring samples to avoid potential temporal differences between spring and fall samples, and because Kikomun samples could not be defined as either upstream or downstream samples. Nets placed at the Kikomun area were placed within the vicinity of both Sand Creek and the Elk River mouth, but fish were not clearly identified as to which net they were collected from.

Mercury concentrations in fish muscle relative to fish length were compared among study areas using Analysis of Covariates (ANCOVA) to account for potential differences in fish body size/age, and concentrations were compared to the BC tissue residue guideline for the protection of wildlife (0.033 µg/g ww; BCMOE 2017a). The guideline was converted to a dry weight basis using the average moisture content in muscle of all fish collected from Koochanusa Reservoir in 2019.

Data analysis for the redbside shiner recruitment survey included comparing fish health endpoints of fork length, fresh body weight, and Fulton's condition factor ($\text{body weight} / \text{fork length}^3 \times 10^5$), which were summarized by separately reporting mean, median, minimum, maximum, standard deviation, standard error and sample size for each fishing area. These endpoints were used as the basis for evaluating four response categories (survival, growth, reproduction, and energy storage; Table 2.1) according to the procedures outlined for a non-lethal, small-bodied fish assessment in EEM (Gray et al. 2002; Environment Canada 2012). The proportion of YOY fish captured at each area were compared qualitatively. Mean length and body weight for YOY were also compared between the three fishing areas using ANOVA, with the data inspected for normality and homogeneity of variance before applying parametric statistical procedures. In cases where data did not meet the assumptions of ANOVA, the Mann-Whitney test was used to test for differences between areas. Body weight at fork length (condition) was compared using ANCOVA based on the same transformations, scatter plot evaluations, and tests as



described above. Similarly, the magnitude of observed differences and the minimum detectable effect sizes were calculated, and together with critical effect size (CES), compared as described above.



3 WATER QUALITY, PRODUCTIVITY, AND MIXING

3.1 Overview

Water quality was monitored weekly from March 15th to July 15th, and monthly outside of this time period under ice-free conditions (excluding sampling periods that posed safety concerns) in 2019 by Teck at five stations; one location situated upstream from the Elk River (RG_KERRRD) and four downstream from the Elk River (RG_DSELK, RG_GRASMERE, RG_USGOLD, RG_BORDER; Figure 2.1). Water chemistry samples and *in situ* measurements were collected at each station. These data were provided in the 2019 annual report (Teck 2020), and are summarized in this report along with water quality information collected concurrently with biological sampling conducted at downstream (RG_T4) and upstream (RG_TN) transects, as well as fishing areas downstream (RG_ER and RG_GC) and upstream (RG_SC) of the Elk River in the Canadian portion of the reservoir (Figure 2.1). Water quality data from the U.S. portion of the reservoir collected at three stations in 2019 or 2018, International Boundary, Tenmile, and Forebay, were not made available and are not included in the analyses. A summary of monthly nitrate and selenium loadings to Kooacanusa reservoir is provided as required by ENV. Water quality monitoring conducted in the Canadian portion of the reservoir in 2019 also included specific conductance, temperature, and turbidity profiling to evaluate Elk River mixing characteristics in the reservoir under low (late April), intermediate (early June), and full (late August) pool conditions.

3.2 Water Quality

3.2.1 Water Chemistry

In 2019, monthly average concentrations of the Order constituents dissolved cadmium, nitrate, and sulphate were below respective BC water quality guidelines at the Order station RG_DSELK, and at all other permitted water quality stations (RG_KERRRD, RG_GRASMERE, RG_USGOLD, and RG_BORDER; Appendix Figures B.20, B.26, and B.29; Appendix Table B.5). Monthly average selenium concentrations were below the guideline for all months at all stations with the exception of station RG_ELKMOUTH, which was consistently elevated relative to BCWQGs in 2019 (Appendix Figure B.28; Appendix Table B.5). All other constituents with EWTs (including total antimony, total barium, total boron, dissolved cobalt, total lithium, total manganese, total molybdenum, total nickel, nitrite, total dissolved solids, total uranium, and total zinc in addition to the Order constituents) occurred at concentrations below applicable BC water quality guidelines throughout 2019 at all the permitted water quality stations (Appendix Figures B.1 to B.16). Concentrations of constituents with EWTs taken during biological monitoring



downstream (RG_ER, RG_T4, and RG_GC) and upstream (RG_SC and RG_TN) of the Elk River confluence were below applicable BC water quality guidelines (Appendix Table B.4).

Monthly mean concentrations of lithium, manganese, molybdenum, nitrate, phosphorous, and selenium differed significantly among water column depths (surface vs. middle, surface vs. bottom, middle vs. bottom) at various reservoir stations in 2019 (Table 3.1). For this reason, statistical comparisons of water quality between the downstream and upstream areas were conducted separately for each depth in the water column for all water quality constituents to which EWTs are applicable. Concentrations of constituents with EWTs did not differ significantly among the downstream stations (RG_DSELK, RG_GRASMERE, RG_USGOLD, and RG_BORDER; Table 3.1). However, concentrations of barium, lithium, molybdenum, nitrate, nitrite, selenium, and total dissolved solids (TDS) were significantly higher downstream compared to upstream of the Elk River (Table 3.1). Manganese, total phosphorous, and uranium were significantly lower downstream compared to upstream, significantly higher sulphate concentrations were observed downstream at the middle of the column only (Table 3.1). In general, with the exception of sulphate, these differences were observed throughout the entire water column (Table 3.1). Some constituents, including lithium, manganese, nitrate, and phosphorous were significantly higher near the surface than near the bottom (Table 3.1). In general, these results are consistent to what was observed previously in 2018.

Concentrations of all constituents were typically highest in the winter and spring months at all stations in 2019, and generally followed the same seasonal pattern observed in previous years (Appendix Figures B.1 to B.16). This observation is likely reflective of the reservoir drawdown and lower water levels in the winter months. Concentrations of constituents with EWTs observed in 2019 at all permitted water quality stations both downstream and upstream of the Elk River were within the respective seasonal ranges observed from 2014 to 2016 and 2018.

3.2.2 Productivity

Productivity comparisons among the five permitted water quality monitoring stations (RG_KERRRD, RG_DSELK, RG_GRASMERE, RG_USGOLD, and RG_BORDER) were based on evaluation of total nitrogen to total phosphorous concentration (N:P) ratios. Ratios of N:P greater than 15 indicate that phosphorous is limiting, whereas ratios less than 7 indicate that nitrogen is limiting, based on categories defined by McDowell et al. (2009) using mass concentrations. At all permitted water quality stations, annual median N:P ratios were consistently 15 or more throughout the water column in 2019 both downstream and upstream of the Elk River indicating phosphorous limitation (Figure 3.1). These results were consistent with those observed from 2014 to 2016, and in 2018, except for the upstream station RG_KERRRD where the N:P ratio fell between 7 and 15 in 2018. Productivity for RG_WARDB and



Table 3.1: Comparison of Differences in Parameter Concentrations Among Upstream (RG_KERRRD) and Downstream Water Quality Stations and Water Column Depths, Kocanusa Reservoir Monitoring Program, 2019

Parameter	Station	Q1. Does the difference in DS - US vary among DS stations and depths (ANOVA) ^a			Q2. Is there a difference in concentrations downstream compared to RG_KERRRD? ^b			Q3. Does the difference in concentrations downstream of RG_KERRRD vary among depths? ^c					
		Depth	Station	Station x Depth	Surface	Middle	Bottom	S vs B		S vs M		M vs B	
					MOD (%)	MOD (%)	MOD (%)	P.Value	MOD	P.Value	MOD	P.Value	MOD
Total Barium (mg/L)	RG_DSELK	0.514	0.988	0.937	22			ns					
	RG_GRASMERE												
	RG_USGOLD												
	RG_BORDER												
Total Lithium (mg/L)	RG_DSELK	<0.001	0.948	0.897	16	30	44	<0.001	23	0.061	ns	0.131	ns
	RG_GRASMERE												
	RG_USGOLD												
	RG_BORDER												
Total Manganese (mg/L)	RG_DSELK	0.002	0.224	0.789	-31	-16	ns	0.001	46	0.122	ns	0.181	ns
	RG_GRASMERE												
	RG_USGOLD												
	RG_BORDER												
Total Molybdenum (mg/L)	RG_DSELK	0.025	0.717	0.548	3.3	9.0	ns	0.995	ns	0.042	5.5	0.052	ns
	RG_GRASMERE												
	RG_USGOLD												
	RG_BORDER												
Nitrate (NO ₃ mg/L)	RG_DSELK	<0.001	0.907	0.975	54	92	230	<0.001	114	0.002	25	<0.001	72
	RG_GRASMERE												
	RG_USGOLD												
	RG_BORDER												
Nitrite (NO ₂ mg/L)	RG_DSELK	0.019	0.076	0.799	25	15	46	0.158	ns	0.527	ns	0.015	27
	RG_GRASMERE												
	RG_USGOLD												
	RG_BORDER												
Total Phosphorus (mg/L)	RG_DSELK	0.002	0.342	0.999	-28	-25	ns	0.002	44	0.893	ns	0.007	37
	RG_GRASMERE												
	RG_USGOLD												
	RG_BORDER												
Total Selenium (mg/L)	RG_DSELK	0.069	0.999	1.000	269			ns					
	RG_GRASMERE												
	RG_USGOLD												
	RG_BORDER												
Sulphate (mg/L)	RG_DSELK	0.019	0.944	0.722	ns	10	ns	0.981	ns	0.033	11	0.033	-10
	RG_GRASMERE												
	RG_USGOLD												
	RG_BORDER												
Total Dissolved Solids (mg/L)	RG_DSELK	0.315	0.127	0.744	5.0			ns					
	RG_GRASMERE												
	RG_USGOLD												
	RG_BORDER												
Uranium (mg/L)	RG_DSELK	0.229	0.709	0.684	-1.4			ns					
	RG_GRASMERE												
	RG_USGOLD												
	RG_BORDER												

P-value < 0.05.
 Downstream value higher than upstream (deeper depth value greater than shallower depth).
 Downstream value lower than upstream (deeper depth value less than shallower depth).

Notes: "ns" indicates not significant (p-value > 0.05). Insufficient sample size for values above detection limits to complete analyses for dissolved cadmium, antimony, boron, dissolved cobalt, nickel and zinc.

^a ANOVA Conducted on the difference in log₁₀ concentrations Upstream (RG_KERRRD) and Downstream (RG_DSELK, RG_GRASMERE, RG_USGOLD, RG_BORDER) of the Elk River (log₁₀[DS]-log₁₀[US]).

^b Post-hoc contrasts testing the difference in log₁₀(DS)-log₁₀(US) against zero with the magnitude of difference (MOD) calculated as (DS-US)/US*100% and application of geometric means for concentrations. If there were no significant differences among depths and stations a t-test was conducted using the combined differences. Post-hoc tests were adjusted from the number of comparisons using Tukey's Honestly Significant Difference (HSD) tests.

^c Post-hoc contrasts testing the difference in log₁₀(DS)-log₁₀(US) among depths with the MOD calculated as: [difference at lower depth (10^{log₁₀(DS)-log₁₀(US)}) - difference at higher depth(10log₁₀(DS)-log₁₀(US))] / difference at higher depth(10log₁₀(DS)-log₁₀(US)) * 100. Post-hoc tests were adjusted from the number of comparisons using an Tukey's Honestly Significant Difference test (HSD).




Figure 3.1: Ratio of Total Nitrogen to Total Phosphorous at Upstream (Green) and Downstream (Blue) Stations, Kooicanusa Reservoir Monitoring Program, 2019

Notes: Total N:P ratios > 15 (hatched line) are indicative of phosphorous limited systems. Total N:P ratios < 7 (hatched line) are indicative of nitrogen limited systems. Total N:P ratios in between 7 and 15 indicate co-limitation.

RG_ELKMOUTH were also indicative of phosphorous limitation, with the highest N:P ratio for all stations observed at RG_ELKMOUTH (Figure 3.1). Trophic status classification using Nordin (1985) categories for BC freshwaters would suggest Koochanusa Reservoir was primarily oligotrophic most of the year based on assessment using total phosphorous and chlorophyll-a concentrations, whereas assessment using Secchi depth indicated eutrophic conditions in spring and early summer, followed by mesotrophic conditions (Table 3.2). Assessment based on total nitrogen concentrations suggested the reservoir was mesotrophic for the entire year except at RG_ELKMOUTH, which was classified as eutrophic (Table 3.2). The seasonal variability in the trophic status of the reservoir is consistent annually, and may be reflective of the rapid changes in water levels that take place from April to June during freshet. Total phosphorous and Secchi depth both suggested less productivity early summer compared to the spring, but these results were not consistent among all indicators (Table 3.2).

3.2.3 Loadings

Monthly nitrate and selenium loadings estimated based on total monthly flow and monthly average nitrate and selenium concentrations at stations RG_ELKMOUTH (Elk River) and RG_WARDB (Kootenay River) indicated highest average monthly loadings occurred in June and July (coinciding with freshet) for both constituents (Table 3.3). Loadings of both nitrate and selenium to Koochanusa Reservoir were higher from the Elk River than from the Kootenay River on monthly and annual timescales (Table 3.3).

3.3 *In Situ* Water Quality Profiles

In situ profiles conducted in August 2019 (i.e., annual 'full' pool levels) indicated similar temperatures in the epilimnion downstream and upstream of the Elk River, but a deeper established epilimnion downstream of the Elk River (16 to 17 m) compared to upstream (8 to 10 m) and generally reflecting greater overall depth of the reservoir at the downstream transect as observed previously from 2015 to 2018 (Figure 3.2). The pH measurements were slightly higher at the surface downstream of the Elk River compared to upstream, but similar at deeper depths. Both transects showed decreasing pH at greater depths below the epilimnion (Figure 3.2). Specific conductance was noticeably lower downstream of the Elk River compared to upstream at all depths throughout the water column in August 2019 (Figure 3.2). In addition, specific conductance was higher in approximately the lower third of the water column compared to waters found above (both transects) and below (downstream transect only) at each respective transect location (Figure 3.2). The lower specific conductance observed downstream is likely due to the differences in depth between the downstream and upstream stations (26 m compared to 14 m). Dissolved oxygen measurements were not collected in August 2019 at the downstream and upstream locations due to water quality meter malfunction.



Table 3.2: Trophic Level Classification (Nordin 1985) Using Monthly Means for Productivity Parameters Collected at Stations in the Kooacanusa Reservoir Study Area, 2019

Parameter		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total Phosphorous (mg/L)	RG_WARDB	0.011	-	0.018	0.012	0.017	0.037	0.010	0.004	0.010	0.003	0.005	0.007
	RG_KERRRD	-	-	-	0.012	0.013	0.010	0.004	0.003	0.002	0.003	0.009	-
	RG_ELKMOUTH	0.003	-	0.016	0.011	0.043	0.037	0.008	<0.002	<0.002	<0.002	<0.002	0.004
	RG_DSELK	-	-	0.006	0.011	0.011	0.010	0.003	0.003	0.002	0.003	0.003	0.003
	RG_GRASMERE	0.005	-	-	0.010	0.010	0.009	0.003	0.002	0.002	0.003	0.003	0.006
	RG_USGOLD	0.006	-	-	0.007	0.011	0.009	0.003	<0.002	0.002	0.002	0.002	<0.002
	RG_BORDER	0.004	-	-	0.006	0.007	0.007	0.005	<0.002	<0.002	0.003	0.002	<0.002
Chlorophyll-a (mg/L)	RG_WARDB	-	-	-	-	-	-	-	-	-	-	-	-
	RG_KERRRD	-	-	-	0.001	0.001	0.000	0.001	0.002	0.002	0.002	0.002	-
	RG_ELKMOUTH	-	-	-	-	-	-	-	-	-	-	-	-
	RG_DSELK	-	-	0.001	0.002	0.001	0.001	0.001	0.002	0.002	0.002	0.003	0.002
	RG_GRASMERE	0.001	-	-	0.004	0.001	0.001	0.001	0.002	0.001	0.002	0.003	0.003
	RG_USGOLD	0.001	-	-	0.004	0.001	0.002	0.001	0.002	0.002	0.002	0.003	0.003
	RG_BORDER	0.001	-	-	0.004	0.001	0.002	0.001	0.001	0.001	0.002	0.003	0.004
Secchi Depth (m)	RG_WARDB	-	-	-	-	-	-	-	-	-	-	-	-
	RG_KERRRD	-	-	-	0.5	0.6	0.7	2.3	4.7	5.8	5.3	5.0	-
	RG_ELKMOUTH	-	-	-	-	-	-	-	-	-	-	-	-
	RG_DSELK	-	-	-	0.7	0.6	1.0	2.5	4.3	5.9	4.4	4.1	4.8
	RG_GRASMERE	3.5	-	-	0.8	0.8	1.2	2.8	4.5	6.3	4.1	4.4	3.2
	RG_USGOLD	3.5	-	-	1.0	0.8	1.3	3.2	4.8	4.1	4.1	3.8	3.3
	RG_BORDER	4.4	-	-	1.4	1.2	1.5	2.5	4.5	4.1	4.1	3.8	3.3
Total Nitrogen (mg/L)	RG_WARDB	0.27	0.25	0.36	0.28	0.30	0.24	0.20	0.17	0.14	0.13	0.22	0.26
	RG_KERRRD	-	-	-	0.22	0.28	0.19	0.20	0.17	0.18	0.14	0.21	-
	RG_ELKMOUTH	1.26	1.43	1.66	1.08	0.89	1.04	1.13	1.41	1.65	1.75	1.62	1.49
	RG_DSELK	-	-	0.47	0.44	0.41	0.36	0.31	0.35	0.31	0.25	0.40	0.35
	RG_GRASMERE	0.43	-	-	0.43	0.39	0.31	0.33	0.27	0.33	0.38	0.30	0.31
	RG_USGOLD	0.39	-	-	0.45	0.42	0.36	0.35	0.38	0.36	0.25	0.30	0.47
	RG_BORDER	0.41	-	-	0.38	0.41	0.36	0.34	0.34	0.37	0.28	0.30	0.40

- Indicates oligotrophic status based on Nordin (1985) classification for the indicated parameter value.
- Indicates mesotrophic status based on Nordin (1985) classification for the indicated parameter value.
- Indicates eutrophic status based on Nordin (1985) classification for the indicated parameter value.

Notes: Nordin 1985 criteria used in British Columbia for trophic level classification. "-" indicates no data available.

Table 3.3: Average Monthly Nitrate and Selenium Loadings to the Kootenai Reservoir, 2019

Source	Month	Average Nitrate (mg/L)	Average Selenium (mg/L)	Total Volume (m ³)	Nitrate Loadings (kg/day)	Selenium Loadings (kg/day)
Elk River (RG_ELK MOUTH)	January	1.19	0.00666	41,006,976	1,256	7
	February	1.29	0.00743	25,089,073	1,073	6
	March	1.29	0.00721	46,239,045	2,048	11
	April	0.911	0.00562	106,686,508	2,949	18
	May	0.682	0.00384	276,188,619	5,821	32
	June	0.741	0.00357	421,070,214	10,700	51
	July	0.956	0.00464	297,267,032	9,590	46
	August	1.18	0.00592	149,747,763	6,009	30
	September	1.22	0.00610	98,566,165	4,029	20
	October	1.29	0.00662	82,005,592	3,613	19
	November	1.22	0.00654	54,291,842	2,559	14
	December	1.14	0.00657	60,114,499	2,073	12
Kootenay River (RG_WARDB)	January	0.147	0.00014	112,819,052	470	0
	February	0.149	0.00014	77,486,057	284	0
	March	0.151	0.00012	116,675,008	612	0
	April	0.136	0.00011	267,887,635	1,191	1
	May	0.177	0.00009	947,360,464	6,262	3
	June	0.110	0.00008	1,370,615,445	5,448	4
	July	0.129	0.00011	941,856,710	4,223	3
	August	0.059	0.00011	482,055,684	1,093	2
	September	0.082	0.00010	359,498,669	991	1
	October	0.072	0.00010	267,152,361	751	1
	November	0.109	0.00011	171,424,041	765	1
	December	0.162	0.00015	147,008,197	638	1




Figure 3.2: Mean Across-Transsect (n=5 Stations per Transect) *In Situ* Water Quality Profiles Downstream (RG_T4) and Upstream (T2/RG_TN) of the Elk River in Koochanusa Reservoir Measured Annually in August from 2014 to 2019 (except 2017)

Note: Dissolved oxygen data for 2019 unavailable.


Temporal comparison of *in situ* profile data collected in August indicated close similarity in values and generally similar changes with depth in water temperature and pH between the downstream and upstream transects in 2019 compared to previous years (i.e., 2014 to 2016, and 2018; Figure 3.2). Similarly, specific conductance was lower at the downstream transect compared to upstream transect and showed distinct elevation in the lower third of the water column at both transects in 2019 as in previous years (Figure 3.2).

3.4 Mixing Assessment

Reservoir levels in April 2019 were approximately 15 m higher than those observed in April 2018, whereas similar levels were observed in June and August in both years (Figure 2.2). In April 2019, specific conductance profiles indicated the Elk River influence in the reservoir (near RG_ER) downstream to RG_BORDER (Figure 3.3). The Elk River entered the reservoir with a specific conductance ranging from 299 to 362 $\mu\text{S}/\text{cm}$ in the initial mixing zone, approximately 13 to 39 $\mu\text{S}/\text{cm}$ higher than that observed upstream at RG_KERRRD (Figure 3.3). The patterns in specific conductance indicated that Elk River flow was mainly confined to the eastern half of the reservoir basin until RG_GRASMERE and areas downstream, where mixing across the entire width of the basin was observed (Figure 3.3). Temperature profiles showed a similar pattern to that shown for specific conductance, with the colder waters of the Elk River confined to the east bank before sinking to the bottom of the reservoir near RG_GRASMERE (Figure 3.4). No differentiation of the Elk River influence in the Koochanusa Reservoir was indicated by the turbidity profiles conducted in April 2019 (Figure 3.5). Turbidity measurements consistently indicated higher water clarity near the surface with increasing turbidity near the bottom of the water column regardless of whether profiles were conducted downstream or upstream of the Elk River.

In June, the difference in specific conductance between the mouth of the Elk River and upstream (RG_KERRRD) was higher than in April, ranging from 66 to 117 $\mu\text{S}/\text{cm}$ higher at the Elk River than upstream at RG_KERRRD (Figure 3.6). The specific conductance also indicated that Elk River mixing in Koochanusa Reservoir was primarily confined along the east bank of the reservoir before sinking and completely mixing across the width just downstream of RG_GC; however, temperature profiles suggested mixing across the width was apparent just below RG_ER (Figures 3.6 and 3.7). Mixing patterns for both parameters were similar to, but less pronounced in August, which had the lowest specific conductance of the three sampling periods (Figure 3.8). In August, higher specific conductance was occasionally observed at the lower third of the water column at downstream stations compared to shallower and deeper depths. This inversion-layer appeared to be the result of the Elk River initially following the bottom contours of the reservoir before rising to mid-column as warmer water from the upper reservoir flows over cooler water







LEGEND

Specific Conductance (µS/cm)

260-273
273-286
286-299
299-311
311-324
324-337
337-349
349-362
362-374
374-570

- Transect Location
- ⊠ Water Chemistry and In Situ Monitoring Station
- ⊙ Permitted Water Quality Station
- ⋯ Fish (fish health, recruitment, and fish tissue) Sampling Area

Specific Conductance Profiles Conducted at Koocanusa Reservoir, April 2019




Projection: North American Datum 1983 UTM Zone 11
 Reproduced under licence from Her Majesty the Queen in Right of Canada, Department of Natural Resources Canada. All rights reserved.

Date: June 2020
 Project 197202.0008



Figure 3.3

Note: Color scheme set as 10% of the total range for specific conductance.





LEGEND

Temperature (°C)

6.0 - 6.57
6.57 - 7.11
7.11 - 7.64
7.64 - 8.17
8.17 - 8.70
8.70 - 9.24
9.24 - 9.77
9.77 - 10.30
10.30 - 10.83
10.83 - 11.36

- Transect Location
- ⊠ Water Chemistry and In Situ Monitoring Station
- ⊗ Permitted Water Quality Station
- ⋯ Fish (fish health, recruitment, and fish tissue) Sampling Area

Water Temperature Profiles Conducted at Koocanusa Reservoir, April 2019




Projection: North American Datum 1983 UTM Zone 11U
 Reproduced under licence from Her Majesty the Queen in Right of Canada, Department of Natural Resources Canada. All rights reserved.

Date: June 2020
 Project 197202.0008




Figure 3.4

Note: Color scheme set as 10% of the total range for temperature.





LEGEND



- Transect Location
- ⊠ Water Chemistry and In Situ Monitoring Station
- ⊗ Permitted Water Quality Station
- ⋯ Fish (fish health, recruitment, and fish tissue) Sampling Area

Turbidity Profiles Conducted at Koochanusa Reservoir, April 2019




Projection: North American Datum 1983 UTM Zone 11
 Reproduced under licence from Her Majesty the Queen in Right of Canada, Department of Natural Resources Canada. All rights reserved.

Date: June 2020
 Project 197202.0008



Figure 3.5

Note: Color scheme set as 10% of the total range for turbidity.





LEGEND

Specific Conductance ($\mu\text{S}/\text{cm}$)

206-223
223-240
240-257
257-273
273-290
290-307
307-323
323-340
340-356
356-373

- Transect Location
- ⊠ Water Chemistry and In Situ Monitoring Station
- ⊙ Permitted Water Quality Station
- ⋯ Fish (fish health, recruitment, and fish tissue) Sampling Area

Specific Conductance Profiles Conducted at Koocanusa Reservoir, June 2019




Projection: North American Datum 1983 UTM Zone 11
 Reproduced under licence from Her Majesty the Queen in Right of Canada, Department of Natural Resources Canada. All rights reserved.

Date: June 2020
 Project 197202.0008



Figure 3.6

Note: Color scheme set as 10% of the total range for specific conductance.





LEGEND

Temperature (°C)

7.0 - 8.92
8.92 - 9.95
9.95 - 10.99
10.99 - 12.03
12.03 - 13.06
13.06 - 14.10
14.10 - 15.14
15.14 - 16.10
16.10 - 17.21
17.21 - 18.25

- Transect Location
- ⊠ Water Chemistry and In Situ Monitoring Station
- ⊙ Permitted Water Quality Station
- ⋯ Fish (fish health, recruitment, and fish tissue) Sampling Area

Water Temperature Profiles Conducted at Koocanusa Reservoir, June 2019




Projection: North American Datum 1983 UTM Zone 11
 Reproduced under licence from Her Majesty the Queen in Right of Canada, Department of Natural Resources Canada. All rights reserved.

Date: June 2020
 Project 197202.0008



Figure 3.7

Note: Color scheme set as 10% of the total range for temperature.





LEGEND

Specific Conductance ($\mu\text{S}/\text{cm}$)

261-276
276-291
291-306
306-320
320-335
335-349
349-364
364-378
378-393
393-407

- Transect Location
- ☒ Water Chemistry and In Situ Monitoring Station
- ⊙ Permitted Water Quality Station
- ▭ Fish (fish health, recruitment, and fish tissue) Sampling Area

Specific Conductance Profiles Conducted at Koocanusa Reservoir, August 2019



Projection: North American Datum 1983 UTM Zone 11U
 Reproduced under licence from Her Majesty the Queen in Right of Canada, Department of Natural Resources Canada. All rights reserved.

Date: June 2020
 Project 197202.008




Figure 3.8


Note: Color scheme set as 10% of the total range for specific conductance.

situated along the bottom of the lower portion of the reservoir (Figures 3.8 and 3.9). Similar to April, higher water clarity was observed near the surface both downstream and upstream of the Elk River in June and August (Figures 3.10 and 3.11). In general, aside from differences between April 2018 and April 2019 due to differences in reservoir levels, conditions and mixing patterns were similar between 2018 and 2019.







LEGEND



- Transect Location
- ⊠ Water Chemistry and In Situ Monitoring Station
- ⊙ Permitted Water Quality Station
- ⊡ Fish (fish health, recruitment, and fish tissue) Sampling Area

Water Temperature Profiles Conducted at Koocanusa Reservoir, August 2019





Projection: North American Datum 1983 UTM Zone 11U
 Reproduced under licence from Her Majesty the Queen in Right of Canada, Department of Natural Resources Canada. All rights reserved.

Date: June 2020
 Project 197202.008





Figure 3.9

Note: Color scheme set as 10% of the total range for temperature.



- Transect Location
- ⊠ Water Chemistry and In Situ Monitoring Station
- ⊙ Permitted Water Quality Station
- ⋯ Fish (fish health, recruitment, and fish tissue) Sampling Area

Turbidity Profiles Conducted at Koochanusa Reservoir, June 2019




Projection: North American Datum 1983 UTM Zone 11
 Reproduced under licence from Her Majesty the Queen in Right of Canada, Department of Natural Resources Canada. All rights reserved.

Date: June 2020
 Project 197202.0008



Figure 3.10

Note: Color scheme set as 10% of the total range for turbidity.





LEGEND

Turbidity (NTU)

0 - 10
10 - 20
20 - 30
30 - 40
40 - 50
50 - 60
60 - 70
70 - 80
80 - 90
> 90

- Transect Location
- ⊠ Water Chemistry and In Situ Monitoring Station
- ⊗ Permitted Water Quality Station
- ⊡ Fish (fish health, recruitment, and fish tissue) Sampling Area

Turbidity Profiles Conducted at Kocanusa Reservoir, August 2019



Projection: North American Datum 1983 UTM Zone 11U
 Reproduced under licence from Her Majesty the Queen in Right of Canada, Department of Natural Resources Canada. All rights reserved.

Date: June 2020
 Project 197202.008



Figure 3.11

Note: Color scheme set as 10% of the total range for turbidity.

4 SEDIMENT QUALITY

4.1 Overview

Sediment samples were collected from profundal habitat along transects located downstream (RG_T4) and upstream (RG_TN) of the Elk River confluence with Koochanusa Reservoir in August 2019 consistent with the approved monitoring program study design (Minnow 2018b). Large-volume suspended sediment samples were also collected from RG_DSELK in June, July, and September 2019 for the analysis of selenium concentrations in material suspended in the epilimnion.

4.2 Sediment Particle Size and Chemistry

Sediment was composed primarily of silt-sized material at both transects in August 2019 (Figure 4.1), with proportions not significantly different between transects (Table 4.1). A significantly higher and proportion of clay, respectively, were indicated downstream compared to upstream of the Elk River, although the mean incremental difference in sediment clay content between areas was small (i.e., less than 10%; Table 4.1). Sediment TOC content was not significantly different between transects located downstream and upstream of the Elk River (Table 4.1). Sediment TOC content at each of the transects was low and comparable to previous years (2014 to 2016, and 2018) and descriptions provided historically for the reservoir (i.e., sediment TOC of 1.1%; Iskandar and Shukla 1981). Sediment particle size at both transects in 2019 were similar to those observed in 2018; however, sediment TOC content was lower at both transects in 2019 (Figure 4.2).

Several metals (including selenium) and PAHs occurred at significantly higher concentrations in sediment downstream of the Elk River compared to upstream (Table 4.1). Of these metals and PAHs, arsenic, manganese, nickel, 2-methylnaphthalene, and phenanthrene concentrations were elevated above respective Lowest Effect Levels (LEL) of the BC sediment quality guidelines at one or more stations both downstream and upstream of the Elk River (with the exception of phenanthrene, which was only elevated downstream; Table 4.2). Notably, concentrations of all metals and PAHs in sediment at all transect stations located downstream and upstream of the Elk River were below applicable provincial sediment quality Severe Effect Level (SEL) guidelines (Table 4.2). Based on qualitative comparisons, possibly lower concentrations of arsenic in sediment were measured at both the downstream and upstream transects in 2019, whereas all other parameters that were elevated relative to the LEL were within the range of concentrations previously observed (Figure 4.2).






Figure 4.1: Sediment Particle Size Distribution and Total Organic Carbon (TOC) Content at Kooconusa Reservoir Transect Stations, 2019

Table 4.1: Statistical Comparisons of Concentrations of Metals and PAHs in Sediment Between Areas Downstream (RG_T4) and Upstream (RG_TN) of the Elk River, August 2019

Parameter	Units	Test ^a	Summary Statistics	Test P-value	MCT		MOD ^b
					RG_TN	RG_T4	
pH (1:2 soil:water)	pH unit	tequal	Mean	0.00310	8.30	8.17	-1.6
% Gravel	%	nt	-	-	-	-	-
% Sand	%	nt	-	-	-	-	-
% Silt	%	tunequal	Mean	0.181	74.1	78.7	ns
% Clay	%	tequal	Mean	0.0152	13.3	18.4	39
TOC	%	tequal	Mean	0.0680	1.27	1.56	ns
Aluminum	mg/kg	tequal	Mean	0.0736	11,800	12,280	ns
Antimony	mg/kg	tequal	Mean	<0.001	0.258	0.380	47
Arsenic	mg/kg	tequal	Mean	<0.001	5.64	6.29	12
Barium	mg/kg	tunequal	Mean	<0.001	70.8	134	89
Beryllium	mg/kg	tequal	Mean	<0.001	0.382	0.528	38
Bismuth	mg/kg	M-W	Median	0.067	<0.20	0.21	ns
Boron	mg/kg	nt	-	-	-	-	-
Cadmium	mg/kg	tunequal	Mean	<0.001	0.160	0.440	174
Calcium	mg/kg	tequal	Mean	0.0596	107,240	100,600	ns
Chromium	mg/kg	tequal	Mean	0.0465	17.8	19.1	7.2
Cobalt	mg/kg	tequal	Mean	0.147	8.38	8.62	ns
Copper	mg/kg	tequal	Mean	<0.001	13.8	16.0	16
Iron	mg/kg	tequal	Mean	0.790	22,180	22,280	ns
Lead	mg/kg	tequal	Mean	0.468	14.8	15.2	ns
Lithium	mg/kg	tequal	Mean	0.247	24.8	23.9	ns
Magnesium	mg/kg	tequal	Mean	0.00718	23,780	22,480	-5.5
Manganese	mg/kg	tequal	Mean	<0.001	449	538	20
Mercury	mg/kg	tequal	Mean	0.237	0.0266	0.0337	ns
Molybdenum	mg/kg	tequal	Mean	<0.001	0.546	0.788	44
Nickel	mg/kg	tequal	Mean	<0.001	19.4	21.9	13
Phosphorous	mg/kg	tequal	Mean	<0.001	570	709	24
Potassium	mg/kg	tequal	Mean	<0.001	900	1,270	41
Selenium	mg/kg	M-W	Median	0.0075	<0.20	0.65	225
Silver	mg/kg	M-W	Median	0.424	<0.10	0.10	ns
Sodium	mg/kg	M-W	Median	0.344	93.0	99.0	ns
Strontium	mg/kg	tequal	Mean	0.00468	249	210	-16
Sulfur	mg/kg	nt	-	-	-	-	-
Thallium	mg/kg	tequal	Mean	<0.001	0.0830	0.143	72
Tin	mg/kg	nt	-	-	-	-	-
Titanium	mg/kg	tequal	Mean	<0.001	129	74.5	-42
Tungsten	mg/kg	nt	-	-	-	-	-
Uranium	mg/kg	tequal	Mean	0.00702	0.683	0.786	15
Vanadium	mg/kg	tequal	Mean	<0.001	14.0	18.8	35
Zinc	mg/kg	tequal	Mean	<0.001	62.0	73.3	18
Zirconium	mg/kg	M-W	Median	0.123	1.50	1.50	ns
Acenaphthene	mg/kg	nt	-	-	-	-	-
Acenaphthylene	mg/kg	nt	-	-	-	-	-
Acridine	mg/kg	nt	-	-	-	-	-
Anthracene	mg/kg	nt	-	-	-	-	-
Benz(a)anthracene	mg/kg	nt	-	-	-	-	-
Benzo(a)pyrene	mg/kg	nt	-	-	-	-	-
Benzo(b&j)fluoranthene	mg/kg	M-W	Median	0.072	<0.010	0.011	ns
Benzo(e)pyrene	mg/kg	nt	-	-	-	-	-
Benzo(g,h,i)perylene	mg/kg	nt	-	-	-	-	-
Benzo(k)fluoranthene	mg/kg	nt	-	-	-	-	-
Chrysene	mg/kg	M-W	Median	0.072	<0.010	0.011	ns
Dibenz(a,h)anthracene	mg/kg	nt	-	-	-	-	-
Fluoranthene	mg/kg	M-W	Median	0.072	<0.010	0.011	ns
Fluorene	mg/kg	nt	-	-	-	-	-
Indeno(1,2,3-c,d)pyrene	mg/kg	nt	-	-	-	-	-
1-Methylnaphthalene	mg/kg	M-W	Median	0.0075	<0.010	0.018	80
2-Methylnaphthalene	mg/kg	M-W	Median	0.0073	<0.010	0.029	190
Naphthalene	mg/kg	M-W	Median	0.0073	<0.010	0.014	40
Perylene	mg/kg	nt	-	-	-	-	-
Phenanthrene	mg/kg	M-W	Median	0.0075	<0.010	0.025	150
Pyrene	mg/kg	nt	-	-	-	-	-
Quinoline	mg/kg	nt	-	-	-	-	-
d10-Acenaphthene	mg/kg	tequal	Mean	0.0459	76.9	81.3	5.7
d12-Chrysene	mg/kg	tequal	Mean	0.00874	90.5	95.7	5.7
d8-Naphthalene	mg/kg	M-W	Median	0.0593	77.3	81.8	ns
d10-Phenanthrene	mg/kg	tequal	Mean	0.262	90.1	92.8	ns
B(a)P Total Potency Equivalent	mg/kg	nt	-	-	-	-	-
IACR (CCME)	mg/kg	nt	-	-	-	-	-

- Indicates significant difference between study areas at a P-value < 0.05
- Comparison to Upstream (RG_SC) is significant (α = 0.05) and magnitude of difference is positive
- Comparison to Upstream (RG_SC) is significant (α = 0.05) and magnitude of difference is negative

Notes: nt = not tested; ns = not significant; M-W = Mann-Whitney, tequal = t-test equal variance; tunequal = t-test unequal variance. "-" indicates no data available.

^a nt = not tested because more than 80% of the values were below the laboratory detection limit.

^b Magnitude of difference calculated as $(MCT_{\text{Mine-exposed}} - MCT_{\text{Reference}}) / (MCT_{\text{Reference}}) \times 100\%$, where MCT is the measure of central tendency = mean (ANOVA, tunequal, and tequal), geometric mean (ANOVA_{log}), median (Mann-Whitney or KW tests).




Figure 4.2: Parameter Concentrations in Sediment for those Parameters Occurring at Concentrations that Exceeded Sediment Quality Guideline Lowest Effects Level (LEL), Kocanusa Reservoir, 2013 to 2019

Notes: Individual values are plotted. Concentrations below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Means are plotted as horizontal lines when n > 1.

The upstream area was sampled at T2 until April 2015 and this area was relocated further upstream from the mouth of the Elk River (TN) beginning in August 2015.




Figure 4.2: Parameter Concentrations in Sediment for those Parameters Occurring at Concentrations that Exceeded Sediment Quality Guideline Lowest Effects Level (LEL), Kocanusa Reservoir, 2013 to 2019

Notes: Individual values are plotted. Concentrations below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Means are plotted as horizontal lines when n > 1. The upstream area was sampled at T2 until April 2015 and this area was relocated further upstream from the mouth of the Elk River (TN) beginning in August 2015.

Table 4.2: Profundal Sediment Quality in Kocanusa Reservoir, August 2019

	Units	BC Sediment Quality Guidelines ^a	Upstream of Elk River (RG_TN)					Downstream of Elk River (RG_T4)				
			TN-1	TN-2	TN-3	TN-4	TN-5	T4-1	T4-2	T4-3	T4-4	T4-5
Non-metals												
Moisture	%	-	37	37	35	34	34	41	41	39	38	39
pH (1:2 soil:water)	pH	-	8.26	8.23	8.34	8.30	8.36	8.14	8.18	8.20	8.10	8.21
Particle size												
% Gravel (>2mm)	%	-	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
% Sand (2.00mm - 0.063mm)	%	-	5.9	9	5.5	19	23	<1.0	<1.0	2.8	6	3.6
% Silt (0.063mm - 0.004mm)	%	-	80	75	81	68	67	78	78	80	79	78
% Clay (<4um)	%	-	14	15	14	14	9.8	21	22	16	15	18
Carbon												
Total Organic Carbon	%	-	1.26	1.34	1.18	1.31	1.27	1.45	1.40	1.70	2.00	1.24
Metals												
Aluminum (Al)	mg/kg dw	-	11,900	12,400	12,000	11,300	11,400	12,200	12,200	12,700	12,000	12,300
Antimony (Sb)	mg/kg dw	-	0.27	0.26	0.25	0.24	0.27	0.40	0.40	0.39	0.38	0.33
Arsenic (As)	mg/kg dw	5.9 / 17 ^b	5.47	5.71	5.56	5.45	5.99	6.37	6.25	6.47	6.08	6.26
Barium (Ba)	mg/kg dw	-	72.4	76.0	70.5	71.2	64.0	151	148	134	120	115
Beryllium (Be)	mg/kg dw	-	0.39	0.42	0.38	0.36	0.36	0.54	0.57	0.54	0.51	0.48
Bismuth (Bi)	mg/kg dw	-	<0.20	0.20	<0.20	<0.20	<0.20	0.20	0.21	0.21	0.20	0.21
Boron (B)	mg/kg dw	-	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Cadmium (Cd)	mg/kg dw	0.6 / 3.5 ^b	0.168	0.169	0.153	0.155	0.156	0.508	0.496	0.450	0.411	0.333
Calcium (Ca)	mg/kg dw	-	105,000	112,000	109,000	112,000	98,200	98,800	100,000	103,000	96,200	105,000
Chromium (Cr)	mg/kg dw	37.3 / 90 ^b	17.8	18.8	18.3	16.8	17.5	18.9	18.7	20.8	18.6	18.6
Cobalt (Co)	mg/kg dw	-	8.49	8.68	8.49	8.05	8.21	8.40	8.44	8.95	8.69	8.64
Copper (Cu)	mg/kg dw	35.7 / 197 ^b	14.2	14.3	14.0	13.1	13.6	15.6	15.9	16.9	16.8	15.0
Iron (Fe)	mg/kg dw	21,200 / 43,766 ^c	22,000	23,100	22,400	21,500	21,900	22,000	22,100	23,100	21,700	22,500
Lead (Pb)	mg/kg dw	35 / 91 ^b	15.3	15.0	14.6	14.0	15.3	14.2	14.5	16.0	16.0	15.2
Lithium (Li)	mg/kg dw	-	25.9	25.7	24.7	23.6	23.9	22.3	24.0	24.2	24.0	25.2
Magnesium (Mg)	mg/kg dw	-	23,200	24,600	24,100	23,800	23,200	22,000	22,200	23,400	22,500	22,300
Manganese (Mn)	mg/kg dw	460 / 1,100 ^c	468	464	454	443	418	572	550	541	496	529
Mercury (Hg)	mg/kg dw	0.170 / 0.486 ^b	0.023	0.027	0.022	0.045	0.017	0.038	0.039	0.032	0.036	0.023
Molybdenum (Mo)	mg/kg dw	-	0.57	0.57	0.54	0.53	0.52	0.83	0.83	0.84	0.73	0.71
Nickel (Ni)	mg/kg dw	16 / 75 ^c	19.6	20.1	19.7	18.5	19.2	21.8	22.0	23.1	21.6	21.1
Phosphorus (P)	mg/kg dw	-	532	594	557	606	559	724	752	753	690	625
Potassium (K)	mg/kg dw	-	920	1,050	880	840	810	1,330	1,360	1,300	1,160	1,200
Selenium (Se)	mg/kg dw	2.0	<0.20	<0.20	<0.20	<0.20	<0.20	0.68	0.69	0.65	0.56	0.46
Silver (Ag)	mg/kg dw	0.50	<0.10	<0.10	<0.10	<0.10	<0.10	0.11	0.10	0.10	<0.10	<0.10
Sodium (Na)	mg/kg dw	-	91	118	93	93	88	100	102	99	91	97
Strontium (Sr)	mg/kg dw	-	252	265	257	251	221	201	197	216	202	234
Sulfur (S)	mg/kg dw	-	<1000	<1000	<1000	<1000	<1000	<1000	<1000	<1000	<1000	<1000
Thallium (Tl)	mg/kg dw	-	0.088	0.090	0.081	0.077	0.079	0.15	0.16	0.15	0.13	0.12
Tin (Sn)	mg/kg dw	-	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Titanium (Ti)	mg/kg dw	-	118	139	130	127	129	55	64	81	82	91
Tungsten (W)	mg/kg dw	-	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Uranium (U)	mg/kg dw	-	0.739	0.712	0.710	0.647	0.606	0.760	0.755	0.822	0.821	0.770
Vanadium (V)	mg/kg dw	-	13.8	14.8	13.9	13.6	13.7	19.2	19.8	19.5	18.1	17.3
Zinc (Zn)	mg/kg dw	123 / 315 ^b	61.9	64.1	61.6	58.7	63.6	73.5	74.4	76.1	72.7	69.7
Zirconium (Zr)	mg/kg dw	-	1.5	1.5	1.6	2.2	1.5	1.5	1.5	1.5	1.5	1.3
Polycyclic Aromatic Hydrocarbons												
Acenaphthene	mg/kg dw	0.00671 / 0.0889 ^b	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Acenaphthylene	mg/kg dw	0.00587 / 0.128 ^b	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Acridine	mg/kg dw	-	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.010
Anthracene	mg/kg dw	0.0469 / 0.245 ^b	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040
Benz(a)anthracene	mg/kg dw	0.0317 / 0.385 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.011	<0.010	<0.010	<0.010
Benzo(a)pyrene	mg/kg dw	0.0319 / 0.782 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Benzo(b&j)fluoranthene	mg/kg dw	-	<0.010	<0.010	<0.010	<0.010	<0.010	0.012	0.015	<0.010	0.011	<0.010
Benzo(b+j+k)fluoranthene	mg/kg dw	-	<0.015	<0.015	<0.015	<0.015	<0.015	0.015	0.019	<0.015	<0.015	<0.015
Benzo(e)pyrene	mg/kg dw	-	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.010	<0.010	<0.010	<0.010
Benzo(g,h,i)perylene	mg/kg dw	0.17 / 3.2 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Benzo(k)fluoranthene	mg/kg dw	0.24 / 13.4 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Chrysene	mg/kg dw	0.0571 / 0.862 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	0.016	0.019	0.010	0.011	<0.010
Dibenz(a,h)anthracene	mg/kg dw	0.00622 / 0.135 ^b	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Fluoranthene	mg/kg dw	0.111 / 2.355 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	0.013	0.014	<0.010	0.011	<0.010
Fluorene	mg/kg dw	0.021 / 0.144 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Indeno(1,2,3-c,d)pyrene	mg/kg dw	0.2 / 3.2 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
1-Methylnaphthalene	mg/kg dw	-	<0.010	<0.010	<0.010	<0.010	<0.010	0.026	0.030	0.018	0.017	0.016
2-Methylnaphthalene	mg/kg dw	0.0202 / 0.201 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	0.045	0.050	0.029	0.027	0.027
Naphthalene	mg/kg dw	0.0346 / 0.391 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	0.019	0.020	0.013	0.013	0.014
Perylene	mg/kg dw	-	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.010	<0.010	<0.010	<0.010
Phenanthrene	mg/kg dw	0.0419 / 0.515 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	0.037	0.042	0.023	0.022	0.025
Pyrene	mg/kg dw	0.053 / 0.875 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	0.011	0.012	<0.010	<0.010	<0.010
Quinoline	mg/kg dw	-	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
d10-Acenaphthene	%	-	73.0	75.0	79.9	79.4	77.2	82.5	81.6	77.0	80.3	85.0
d12-Chrysene	%	-	88.7	89.2	92.9	92.3	89.4	97.6	96.0	94.1	91.9	98.7
d8-Naphthalene	%	-	69.8	73.3	78.2	78.2	77.3	81.8	82.2	75.1	81.5	82.6
d10-Phenanthrene	%	-	86.4	90.3	90.9	92.6	90.4	91.8	90.2	92.9	88.9	100
B(a)P Total Potency Equivalent	mg/kg dw	-	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
IACR (CCME)	mg/kg dw	-	<0.15	<0.15	<0.15	<0.15	<0.15	0.15	0.2	<0.15	<0.15	<0.15

Note: Shaded values were above the lower guidelines (ISQG^b or LEL^c). No values exceeded the upper (PEL^b or SEL^c) guidelines. "-" indicates no available guidelines.

^a Working Sediment Quality Guidelines (BC MOE 2015).

^b Interim Sediment Quality Guideline (ISQG; or Threshold Effect Level [LEL]/ Probable Effect Level (PEL).

^c Lowest Effect Level (LEL)/ Severe Effect Level (SEL).

4.3 Suspended Sediment Selenium Concentrations

Large-volume suspended sediment samples collected from RG_DSELK in June and July 2019¹² were compared to the BC sediment quality guideline for selenium (2 mg/kg dw), and to samples collected from both the epilimnion and hypolimnion from stations within the Montana portion of the reservoir (LIBBOR and LIBFB; Figure 4.3). Suspended sediment selenium concentrations at all stations (and both depths for Montana samples) on both sides of the border for all sampling events were above the BC sediment quality guideline¹³ (Figure 4.3; Table 4.3). Suspended sediment selenium concentrations at RG_DSELK were similar between June and July, and lower than concentrations at stations located in the Montana portion of the reservoir (Figure 4.3). Water samples collected concurrently with the suspended sediment samples had higher concentrations of total and dissolved selenium in samples collected 3 m from the bottom of the water column in July and September (Table 4.3). Concentrations of total and dissolved selenium in water samples appeared to be higher in July and September compared to June.

¹² Data from samples collected at RG_DSELK in September 2019 were not analyzed prior to preparation of this report.

¹³ September samples from Montana were analyzed well beyond their hold times due to laboratory equipment malfunction; however, this does not appear to have had any effects on the results.






Figure 4.3: Particulate Seleniun Concentrations of Large-Volume Suspended Sediment Samples Collected from the Epilimnion of Canadian (RG_DSELK) and Montana (International Boundary [LIBBOR] and Forebay [LIBFB]) Portions of Koocanusa Reservoir, 2019

Notes: Concentrations presented as averages where applicable duplicates were collected. Koocanusa Reservoir station in Canada (RG_DSELK) is represented by a yellow symbol, and those for Montana stations are represented by grey symbols. Epilimnion samples represented by a square symbol, hypolimnion samples represented by a triangle symbol. September sample for RG_DSELK was misplaced by the laboratory, and although later found, was not processed in time to be included in this report. No hypolimnion sample was collected for LIBFB in September 2019.

Table 4.3: Large Volume Suspended Sediment and Water Samples Collected at RG_DSELK, Koocanusa Reservoir, 2019

Matrix	Analyte		BC Sediment Quality Guideline ^a	BC Long-term Guideline ^b	June ^c	July ^d	September
Sediment	Selenium (mg/kg dw)		2.0	-	3.14	3.15	ND
Water	3 m from Surface	Selenium (µg/L)	-	2.0	0.61	0.80	0.91
		Dissolved Selenium (µg/L)	-	-	0.64	0.59	0.89
	3 m from Bottom	Selenium (µg/L)	-	2.0	0.54	2.02	1.97
		Dissolved Selenium (µg/L)	-	-	0.59	2.00	1.90

Note: Shaded values were above the respective guideline. ND = No data, September samples still outstanding. "-" indicates no available guidelines.

^a Working sediment quality guideline (BC MOE 2015).

^b British Columbia Accepted (BCMOE 2017) Water Quality Guidelines for the Protection of Aquatic Life.

^c Average concentration presented, values for sample and duplicate were 3.58 and 2.69 mg/kg dw respectively.

^d Average concentration presented, values for sample and duplicate were 3.47 and 2.82 mg/kd dw respectively.

5 ZOOPLANKTON

5.1 Overview

In June and August 2019, zooplankton community structure and zooplankton tissue selenium concentrations were assessed downstream and upstream of the Elk River at RG_T4 and RG_TN, respectively. Zooplankton community and tissue chemistry samples were collected as a composite sample through the entire water column depth at five stations along each transect. Despite increased sampling effort that included horizontal tows and additional vertical hauls, sufficient sample mass for zooplankton tissue analysis was not achieved at RG-TN in June, but adequate material was acquired to conduct a community analysis.

5.2 Community Assessment

In June 2019, the zooplankton community was co-dominated by Cladocerans and Rotifers downstream at RG_T4, but no consistent community was apparent across all transect stations upstream at RG_TN (Figure 5.1). Despite the difficulty in collecting samples in June from RG_TN, community samples were still submitted for analysis to represent the conditions of the upstream area at the time. However, the inconsistency in the zooplankton community in these samples was likely indicative that the community was not well-established at that time. Zooplankton density, LPL richness, as well as the density and biomass of Cladocerans, Copepods, and Rotifers were all higher downstream of the Elk River in June than upstream based on qualitative comparisons¹⁴ (Figure 5.2). These differences reflected a less established zooplankton community upstream (RG_TN) compared to downstream (RG_T4) of the Elk River. In August 2019, the zooplankton community was well established both downstream and upstream of the Elk River, with both areas being dominated by Copepods based on relative abundance (Figure 5.1). Overall, zooplankton density, Rotifer density, and Rotifer relative abundance were significantly higher, but cladoceran relative abundance significantly lower downstream compared to upstream of the Elk River (Figure 5.2; Table 5.1). All differences were at or within the CES range of ± 2 standard deviations (SD) of the upstream area (Table 5.1) indicating that the differences were unlikely to be ecologically significant. Temporal comparisons within 2019 indicated that total zooplankton density and biomass were higher in spring (June) than in summer (August) downstream of the Elk River at RG_T4 (Figure 5.2). As such, densities and biomasses of Cladocerans, Copepods, and Rotifers were higher in the spring at RG_T4 as well (Figure 5.2). Commensurate with the poorly established zooplankton community at the upstream area

¹⁴ Due to difficulties in collecting samples for zooplankton community and tissue in June (sufficient sample mass was not achieved for tissue chemical analysis), analyses were based on qualitative comparison only. Statistical comparisons were completed to assess for differences between transects using the August data.






Figure 5.1: Relative Density of Major Zooplankton Groups in Kocanusa Reservoir, 2014 to 2019

Notes: The upstream location RG_T2 was relocated further upstream from the mouth of the Elk River in August 2015 to RG_TN.




Figure 5.2: Zooplankton Community Endpoints Upstream (RG_TN) and Downstream (RG_T4) of the Elk River on Kocanusa Reservoir in Spring and Summer, 2018 and 2019

Notes: Measures of Central Tendency (geometric mean for biomass and density, otherwise mean) are plotted as horizontal lines.




Figure 5.2: Zooplankton Community Endpoints Upstream (RG_TN) and Downstream (RG_T4) of the Elk River on Kocanusa Reservoir in Spring and Summer, 2018 and 2019

Notes: Measures of Central Tendency (geometric mean for biomass and density, otherwise mean) are plotted as horizontal lines.







Figure 5.2: Zooplankton Community Endpoints Upstream (RG_TN) and Downstream (RG_T4) of the Elk River on Kocanusa Reservoir in Spring and Summer, 2018 and 2019

Notes: Measures of Central Tendency (geometric mean for biomass and density, otherwise mean) are plotted as horizontal lines.

Table 5.1: Differences in Zooplankton Community Endpoints Between Upstream (TN) and Downstream (T4) Areas, Kooconusa, August 2019

Endpoint	Transformation	Test	P-Value	Measure of Central Tendency ^a		MOD ^b (SD)
				Upstream	Downstream	
Density (ind/m ³)	log10	tequal	0.074	13.1	18.4	1.3
Biomass (mg/m ³)	log10	tequal	0.954	261	265	ns
Richness (# of taxa)	rank	M-W	0.338	15.0	14.0	ns
Cladocera (ind/L)	none	tequal	0.241	1.48	1.05	ns
Copepoda (ind/L)	log10	tequal	0.202	8.94	11.6	ns
Rotifera (ind/L)	log10	tequal	0.012	2.65	5.48	2.0
Cladocera (% ind)	none	tequal	0.040	10.8	5.76	-1.5
Copepoda (% ind)	none	tequal	0.343	68.5	63.6	ns
Rotifera (% ind)	none	tequal	0.045	20.7	30.6	1.5
Cladocera (µg/L)	log10	tequal	0.999	148	148	ns
Copepoda (µg/L)	log10	tequal	0.926	105	103	ns
Rotifera (µg/L)	log10	tequal	0.186	0.870	1.17	ns
Cladocera (% biomass)	none	tequal	0.963	57.5	58	ns
Copepoda (% biomass)	none	tequal	0.957	42.1	41.5	ns
Rotifera (% biomass)	log10	tequal	0.321	0.333	0.44	ns
NMDS 1	none	tequal	0.008	-0.166	0.166	2.2
NMDS 2	none	tequal	0.554	-0.0225	0.0225	0.39
NMDS 3	none	tequal	0.471	0.0167	-0.0167	-0.48

-  Indicates significant difference between study areas at a P-value < 0.1.
-  Comparison to Upstream (RG_SC) is significant (α = 0.05) and magnitude of difference is positive.
-  Comparison to Upstream (RG_SC) is significant (α = 0.05) and magnitude of difference is negative.

^a For transformed data, the back-transformed mean is reported; for ranked data, the median is reported.

^b Magnitude of Difference (MOD) = $MCT_{\text{downstream}} - MCT_{\text{upstream}} / SD_{\text{pooled}}$, where $MCT_{\text{downstream}}$ and MCT_{upstream} are the measures of central tendency for the downstream and upstream sites respectively, and SD_{pooled} is the standard deviation (SD) for all samples pooled.

(RG_TN) in June, in general community endpoints were lower in the spring relative to the summer at RG_TN (Figure 5.2).

In June 2019, the zooplankton community downstream of the Elk River (RG_T4) was dominated by *Bosmina longirostris* (Cladoceran) and *Kelliocottia* sp. (Rotifer; Figure 5.3), whereas upstream *Eucyclops agilis* (Copepod) was generally the dominant species (Figure 5.3). In August, when the zooplankton community was more established both downstream and upstream of the Elk River, communities were more similar with both areas primarily dominated by Copepods, including *Cyclopid nauplii* and *Cyclops bicuspidatus* (Figure 5.3). Differences were identified between zooplankton communities at the downstream and upstream areas in August by the NMDS analysis, which indicated the areas were separated along NMDS axis 1 driven primarily by weightings of *Polyarthra* spp., which was present predominantly at the upstream community (Figure 5.4) Lower zooplankton richness, density, and biomass was observed in August 2019 at both the downstream and upstream areas compared to 2014 to 2016 and 2018; however, all other endpoints were within respective ranges previously observed (Figure 5.5).

5.3 Tissue Selenium Concentrations

Mean selenium concentrations in zooplankton tissue from June (RG_T4) and August (RG_TN and RG_T4) were below the selenium interim BCMOE guideline for dietary effects to benthic invertebrates (4 µg/g dw), the EVWQP Level 1 benchmarks for dietary effects to fish (11 µg/g dw), and the EVWQP Level 1 benchmark for potential effects to invertebrate reproduction (13 µg/g dw; Teck 2014) both downstream and upstream of the Elk River (Figure 5.6). Zooplankton tissues collected in August showed significantly higher selenium concentrations downstream compared to upstream of the Elk River ($p < 0.001$; Table 5.2). In addition, zooplankton tissue selenium concentrations were significantly higher in August than in June at RG_T4 ($p = 0.0015$; Table 5.2). In general, zooplankton tissue selenium concentrations observed downstream of the Elk River were lower, but those collected upstream of the Elk River were similar, in 2019 compared to concentrations reported at these respective transects in previous years (2014 to 2016, and 2018; Figure 5.6).






Figure 5.3: Relative Density of Major Zooplankton Taxa in Koocanusa Reservoir, 2014 to 2019

Notes: The upstream location RG_T2 was relocated further upstream from the mouth of the Elk River in August 2015 to RG_TN.





Figure 5.4: NMDS Scores for Zooplankton Community Endpoints, Kooconusa Reservoir Monitoring Program, 2019

Notes: Upstream area (RG_TN) plotted in green and downstream area (RG_T4) plotted in blue. Arrows drawn for taxa with a correlation p-value ≤ 0.1.




Figure 5.5: Zooplankton Community Endpoints from Upstream (T2 and TN) and Downstream (T4) of the Elk River on Koocanusa Reservoir Collected in the Summer, 2014 to 2019

Notes: The upstream location was relocated further upstream of the mouth of the Elk River in 2015 to TN. Measures of Central Tendency (geometric mean for biomass and density, otherwise mean) are plotted as horizontal lines.




Figure 5.5: Zooplankton Community Endpoints from Upstream (T2 and TN) and Downstream (T4) of the Elk River on Koocanusa Reservoir Collected in the Summer, 2014 to 2019

Notes: The upstream location was relocated further upstream of the mouth of the Elk River in 2015 to TN. Measures of Central Tendency (geometric mean for biomass and density, otherwise mean) are plotted as horizontal lines.




Figure 5.5: Zooplankton Community Endpoints from Upstream (T2 and TN) and Downstream (T4) of the Elk River on Koocanusa Reservoir Collected in the Summer, 2014 to 2019

Notes: The upstream location was relocated further upstream of the mouth of the Elk River in 2015 to TN. Measures of Central Tendency (geometric mean for biomass and density, otherwise mean) are plotted as horizontal lines.






Figure 5.6: Concentration of Selenium (µg/g dw) in Zooplankton in Kocanusa Reservoir, 2014 to 2019

Notes: Individual values are plotted. Means are plotted as horizontal lines. "EC" refers to sampling the entire water column, 10 m refers to the top 10 meters of the water column. Data from Montana stations for 2016 were reported on a wet weight basis (moisture content not available to convert to dry weight), and therefore excluded from this plot. Montana stations include International Boundary, Tenmile, and Forebay. Sufficient sample sizes could not be collected from upstream of Elk River in June 2019.

Table 5.2: Spatial and Temporal Zooplankton Community Tissue Selenium Concentration Comparisons, August 2019

Comparison		Test P-Value	Mean or Median	MOD ^{a,b}
Area	RG_T4	<0.001	3.56	-15
	RG_TN		3.08	
Temporal	June	0.0015	3.06	16
	August		3.56	

 Indicates significant difference between study areas at a P-value < 0.1.

 Comparison to Upstream (RG_SC) is significant ($\alpha = 0.05$) and magnitude of difference is positive.

 Comparison to Upstream (RG_SC) is significant ($\alpha = 0.05$) and magnitude of difference is negative.

^a Magnitude of difference (MOD) calculated as $(MCT_{Downstream} - MCT_{Upstream}) / (MCT_{Upstream}) \times 100\%$, where MCT is the measure of central tendency = mean (ANOVA), geometric mean (ANOVA_{log}), median (Mann–Whitney or KW tests).

^b Magnitude of difference (MOD) calculated as $(MCT_{June} - MCT_{August}) / (MCT_{August}) \times 100\%$, where MCT is the measure of central tendency = mean (ANOVA), geometric mean (ANOVA_{log}), median (Mann–Whitney or KW tests).

6 BENTHIC INVERTEBRATES

6.1 Overview

Composite taxa benthic invertebrate tissue samples were collected downstream (RG_T4) and upstream (RG_TN) of the Elk River in April and August 2019 for analysis of total metals including selenium. In addition, composite samples were collected from Rexford and Tenmile study areas in the Montana portion of the reservoir in May 2019, and from Rexford in September 2019. In addition, one surface invertebrate tow was successfully collected in September at Rexford.

6.2 Tissue Selenium Concentrations

In April 2019, selenium concentrations in composite taxa benthic invertebrate tissue samples collected downstream (RG_T4) and upstream (RG_TN) of the Elk River were both greater than the interim BCMOE guideline for selenium in invertebrate tissue (4 µg/g dw), and were higher downstream compared to upstream (Figure 6.1). Benthic invertebrate tissues collected in August 2019 showed concentrations of selenium below the BC guideline for invertebrate tissue both downstream and upstream of the Elk River, and unlike in April, were lower downstream compared to upstream (Figure 6.1). Selenium concentrations in benthic invertebrate tissues collected at areas from the Canadian portion of the reservoir in 2019 were within the range of concentrations observed in previous years (2014 to 2016, and 2018) for each respective study area. With the exception of one sample from RG_T4 from August 2019, benthic invertebrate tissue selenium concentrations were within the 95% prediction limits of the regional bioaccumulation model (Figure 6.2).

Selenium concentrations in benthic invertebrate tissues collected at areas from the Montana portion of the reservoir in May 2019 were above the BC interim guideline with the exceptions of at stations RFMU and TMCA in the Rexford and Tenmile areas, respectively (Figure 6.1). Selenium concentration in benthic invertebrate tissue at TMBA was greater than the EVWQP Level 1 benchmark for potential effects to invertebrates (13 µg/g dw; Figure 6.1). In September, samples from Rexford were above the BC guideline except for samples from RFMSO, RFMU, and RFTON (Figure 6.1). Selenium concentrations in benthic invertebrate tissue at RFTO was greater than the EVWQP Level 1 benchmark for fish (11 µg/g dw; Figure 6.1). In general, benthic invertebrate tissue samples from Montana had similar selenium concentrations as observed in samples from downstream of the Elk River in the Canadian portion of the reservoir (Figure 6.1). In addition, one surface invertebrate sample was successfully collected from Rexford in September which had a selenium concentration of 0.27 µg/g dw, which was well below concentrations measured in the benthic invertebrate samples (Figure 6.1).






Figure 6.1: Selenium Concentration in Composite Benthic Invertebrate Tissue Samples in Kocanusa Reservoir, 2014 to 2019

Notes: Means of individual values are plotted as horizontal lines when n > 1. Concentrations below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. The upstream area was sampled at T2 until April 2015, and subsequently relocated further upstream from the mouth of the Elk River (RG_TN) beginning in August 2015. # Sample was inadvertently ruined in the analytical testing process (resampled October 9, 2018). * 15 µg/g Level 1 Benchmark for dietary effects to juvenile birds; 13 µg/g Level 1 Benchmark for growth, reproduction, and survival of benthic invertebrates; 11 µg/g Level 1 Benchmark for dietary effects to juvenile fish (Elk Valley Water Quality Plan [EVWQP]; Golder, 2014); 4 µg/g BC Chronic Interim Guideline for dietary effects to benthic invertebrates (BCMOE 2006). US data converted to dw using a moisture of 73.8% (average from 2019 Canadian samples).




Figure 6.2: Observed and Modelled^a Selenium Concentrations in Benthic Invertebrate Composite Samples Relative to Aqueous Selenium Concentrations

^a Mean benthic invertebrate selenium concentrations (solid black line) were estimated using a one-step water to benthic invertebrate selenium accumulation model: $\log_{10}[\text{Se}]_{\text{benthicinvertebrate}} = 0.696 + 0.184 \times \log_{10}[\text{Se}]_{\text{aq}}$ (Golder 2018). The 95% prediction limits for a single value from the one-step water to benthic invertebrate selenium accumulation model are plotted as dashed red lines. Values at <LRL were replaced with the LRL.

7 FISH

7.1 Overview

Fish tissues were collected from 10 female PCC and 10 female RSC from each of the three fishing areas in April 2019. In addition, muscle tissue samples were collected non-lethally from sport fish in April, June, and August 2019 within the Canadian portion of the reservoir. Fish tissue data were supplemented by tissue samples collected by MFWP at Rexford (May and September 2019) and Kikomun (September 2019 only) areas as part of the Montana monitoring program. In addition, samples collected from the Koochanusa Reservoir as part of a 2019 NSC Selenium Toxicity Study were incorporated into this report.

Fish were sampled in three areas in the Canadian portion of the Koochanusa Reservoir to evaluate population health (reidside shiner recruitment) and tissue chemistry, including two areas located downstream from the Elk River mouth (the Elk River [RG_ER] and Gold Creek [RG_GC]), and one area located upstream from the Elk River (Sand Creek [RG_SC]; Figure 2.1). Recruitment of reidside shiners was assessed in August 2019 at each of the three fishing areas by confirming the presence of young-of-the-year (YOY) reidside shiner and, if applicable, evaluating YOY endpoints of body size and condition.

7.2 Tissue Selenium Concentrations

7.2.1 Muscle

Muscle tissue samples were collected from PCC and RSC, and BT, KO, MWF, NSC, RT, and WCT sport fish in 2019. All PCC and RSC muscle tissue samples collected in 2019 had selenium concentrations less than the BCMOE fish muscle tissue guideline (4 µg/g dw) and the US EPA criterion (11.3 µg/g dw) throughout the reservoir (Figure 7.1). No significant differences in PCC or RSC muscle selenium concentrations were indicated at the downstream areas (Elk River, Gold Creek, and Rexford) compared to the upstream area (Sand Creek) in the spring of 2019 (Table 7.1).

Four NSC muscle samples from Elk River in July 2019 were elevated relative to the BCMOE guideline, but mean concentrations associated with these samples were below the guideline (Figure 7.1). All NSC muscle samples had selenium concentrations less than the US EPA criterion. In June, mean NSC muscle selenium concentrations not significantly different between the Elk River and Sand Creek areas, and were significantly lower downstream at the Gold Creek and Rexford areas compared to the Sand Creek area in 2019 (Table 7.1).

Among the sport fish, only a single WCT sampled at Rexford in May 2019 showed selenium concentrations in muscle that was above the BCMOE guideline, with mean concentrations of






Figure 7.1: Concentrations of Selenium (µg/g dw) in Fish Muscle in Koochanusa Reservoir, 2008 to 2019

Notes: Individual values from muscle or filet are plotted. Concentrations below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Means are plotted as horizontal lines when n > 1. Sand Creek study area is upstream of the Elk River confluence, while the Elk River and Gold Creek study areas are downstream of the Elk River. Sand Creek, Elk River, and Gold Creek samples were collected by Teck, with the exception of some samples for Sand Creek that were collected by MT DEQ. All other sampling areas in the Koochanusa Reservoir are in the United States and samples were collected by MT DEQ. Data from 2019 are indicated by *.




Figure 7.1: Concentrations of Selenium (µg/g dw) in Fish Muscle in Koochanusa Reservoir, 2008 to 2019

Notes: Individual values from muscle or filet are plotted. Concentrations below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Means are plotted as horizontal lines when n > 1. Sand Creek study area is upstream of the Elk River confluence, while the Elk River and Gold Creek study areas are downstream of the Elk River. Sand Creek, Elk River, and Gold Creek samples were collected by Teck, with the exception of some samples for Sand Creek that were collected by MT DEQ. All other sampling areas in the Koochanusa Reservoir are in the United States and samples were collected by MT DEQ. Data from 2019 are indicated by *.




Figure 7.1: Concentrations of Selenium (µg/g dw) in Fish Muscle in Kocanusa Reservoir, 2008 to 2019

Notes: Individual values from muscle or filet are plotted. Concentrations below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Means are plotted as horizontal lines when n > 1. Sand Creek study area is upstream of the Elk River confluence, while the Elk River and Gold Creek study areas are downstream of the Elk River. Sand Creek, Elk River, and Gold Creek samples were collected by Teck, with the exception of some samples for Sand Creek that were collected by MT DEQ. All other sampling areas in the Kocanusa Reservoir are in the United States and samples were collected by MT DEQ. Data from 2019 are indicated by *. The June and July data for Northern Pikeminnow were from the toxicity study




Figure 7.1: Concentrations of Selenium (µg/g dw) in Fish Muscle in Kooconusa Reservoir, 2008 to 2019

Notes: Individual values from muscle or filet are plotted. Concentrations below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Means are plotted as horizontal lines when n > 1. Sand Creek study area is upstream of the Elk River confluence, while the Elk River and Gold Creek study areas are downstream of the Elk River. Sand Creek, Elk River, and Gold Creek samples were collected by Teck, with the exception of some samples for Sand Creek that were collected by MT DEQ. All other sampling areas in the Kooconusa Reservoir are in the United States and samples were collected by MT DEQ. Data from 2019 are indicated by *.

Table 7.1: Statistical Summary of Spatial Differences in Fish Tissue Selenium Concentrations at the Downstream Areas (Elk River, Gold Creek and Rexford) Compared to the Upstream Area (Sand Creek) in Kooconusa Reservoir, April to July, 2019

Fish Species	Tissue Type	Test	MCT ^a				P-Value	Contrasts				Sand Creek vs Elk River		Sand Creek vs Gold Creek		Sand Creek vs Rexford	
			Sand Creek	Elk River	Gold Creek	Rexford		Sand Creek	Elk River	Gold Creek	Rexford	P-Value	MOD ^b	P-Value	MOD	P-Value	MOD
Peamouth Chub	Muscle	ANOVA	2.04	2.02	2.24	2.10	0.827	A	A	A	A	ns	ns	ns	ns	ns	ns
	Ovary	ANOVA	11.8	7.33	12.9	7.15	<0.001	A	B	A	B	0.00353	-38	0.904	9.08	0.004	-39.5
Redside Shiner	Muscle	ANOVA	1.79	1.68	2.32	2.39	0.0221	AB	B	A	A	0.975	-6.0	0.193	29.6	0.145	33.8
	Ovary	ANOVA	13.4	13.7	16.9	16.2	0.418	A	A	A	A	ns	ns	ns	ns	ns	ns
Northern Pikeminnow	Muscle	K-W	2.00	1.90	1.40	1.11	<0.001	A	A	B	C	0.846	-5.0	0.0565	-30.0	<0.001	-44.5
	Ovary	K-W	20.0	5.40	3.00	2.78	<0.001	A	B	C	C	<0.001	-73	<0.001	-85.0	<0.001	-86.1
Kokanee	Muscle	K-W	1.60	1.45	-	1.66	0.332	A	A	-	A	ns	ns	-	-	ns	ns

- Indicates significant difference between study areas at a P-value < 0.1.
- Comparison to upstream (RG_SC) is significant, and magnitude of difference (MOD) is positive.
- Comparison to upstream (RG_SC) is significant, and MOD is negative.

Notes: "-" indicates no data were collected for this species in the given year. "ns" indicates non-significant value across stations. K-W = Kruskal-Wallis test.

^a The measure of central tendency (MCT) reported is based on the applied data-transformation, as follows: mean for no transformation; geometric mean for log₁₀-transformation; and, median for rank-transformation.

^b Magnitude of difference = $(MCT_{Rexford} - MCT_{Kikomun}) / MCT_{Kikomun} * 100$.

selenium in muscle tissue of all other sport fish species sampled in 2019 from all study areas below the BCMOE guideline and the US EPA criterion (Figure 7.1). Sport fish sample sizes sufficient for conducting statistical comparisons of were only available for KO from the spring sampling event, which indicated no significant differences in muscle tissue selenium concentrations in KO captured at the Elk River Mouth and Rexford downstream study areas compared to the Sand Creek upstream area (Table 7.1). In the fall, comparisons between Rexford and Kikomun identified significantly lower selenium muscle concentrations in RT in Rexford fish than Kikomun, but no differences for KO, PCC or sucker (Table 7.2). Because Kikomun includes an area that extends upstream and downstream of the Elk River, no direct evaluation of potential influences on fish tissue selenium concentrations associated with inputs from the Elk River can be conducted using data from Kikomun, therefore data can only be used to interpret differences between the Canadian portion of the Reservoir and Montana.

Mean muscle selenium concentrations in PCC, RSC, and NSC captured at all areas within the reservoir in 2019 were similar to concentrations reported in previous years for each respective species based on the area within which they were collected (Figure 7.1). With the exception of lower mean selenium concentrations in muscle tissue of RT sampled at Gold Creek in 2019 compared to previously in 2018, selenium concentrations in sport fish muscle tissue collected in 2019 were generally similar to concentrations reported in previous years (based on species and area collected; Figure 7.1).

7.2.2 Ovary




Mean selenium concentrations in ovaries of PCC downstream of the Elk River at Gold Creek and upstream at Sand Creek were greater than the BC ovary tissue guideline (11 µg/g dw), but below the US EPA criterion (15.1 µg/g dw) and the EVWQP Level 1 benchmark for reproductive effects to fish (18 µg/g dw; Figure 7.2). Mean selenium concentrations in PCC ovaries at Elk River and further downstream at Rexford were significantly lower than mean concentrations observed upstream at Sand Creek (Table 7.1). The mean selenium concentration in PCC ovaries at Elk River Mouth were lower in 2019 than in previous years (2015 to 2016, and 2018), whereas at all other areas, concentrations in 2019 were within the respective ranges shown previously (Figure 7.2).

Mean selenium concentrations in RSC ovaries were greater than the BC ovary tissue guideline at all areas (RG_SC, RG_ER, RG_GC in Canada, and Rexford in Montana), and greater than the US EPA criterion downstream at RG_GC and Rexford, in 2019 (Figure 7.2). No significant differences in RSC ovary selenium concentrations were indicated between downstream and upstream areas (Table 7.1). Mean selenium concentrations in RSC ovaries appeared to be lower



Table 7.2: Statistical Summary of Spatial Differences in Fish Tissue Selenium Concentrations at Rexford Compared to Kikomun Study Areas, Koocanusa Reservoir Monitoring Program, September 2019

Fish Species	Tissue Type	Test	Sample Size		Mean		P-value	MOD ^a
			Kikomun	Rexford	Kikomun	Rexford		
Peamouth Chub	Muscle	tequal	8	8	2.3	2.5	0.377	10
Largescale Sucker	Muscle	tequal	8	7	3.0	3.9	0.185	32
Rainbow Trout	Muscle	tequal	8	5	3.1	1.8	0.0904	-42
Kokanee	Muscle	tequal	8	8	2.0	2.0	0.474	-2.1
Kokanee	Ovary	tequal	8	8	4.6	3.5	0.0669	-24

-  Indicates significant difference between study areas at a P-value < 0.1.
-  Comparison is significant, and magnitude of difference (MOD) is positive.
-  Comparison is significant, and MOD is negative.

Note: Kikomun cannot be interpreted as upstream of the Elk River as some of the fish were collected from the mouth of the Elk River.

^a Magnitude of difference = $(\text{Mean}_{\text{Rexford}} - \text{Mean}_{\text{Kikomun}}) / \text{Mean}_{\text{Kikomun}} * 100$.




Figure 7.2: Concentrations of Selenium (µg/g dw) in Fish Gonads or Ovary, Koochanusa Reservoir, 2008 to 2019

Notes: Individual values are plotted. Concentrations below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Means are plotted as horizontal lines when n > 1. Sand Creek study area is upstream of the Elk River confluence, while the Elk River and Gold Creek study areas are downstream of the Elk River. Sand Creek, Elk River, and Gold Creek samples were collected by Teck. All other sampling areas in the Koochanusa Reservoir are in the United States and samples were collected by MT DEQ. MT DEQ also collected some samples in Sand Creek (2013 samples). All samples collected by Teck were ovary samples. All samples collected by MT DEQ were labelled as gonads or ovary samples. The new data are indicated by *.




Figure 7.2: Concentrations of Selenium (µg/g dw) in Fish Gonads or Ovary, Kootenai Reservoir, 2008 to 2019

Notes: Individual values are plotted. Concentrations below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Means are plotted as horizontal lines when $n > 1$. Sand Creek study area is upstream of the Elk River confluence, while the Elk River and Gold Creek study areas are downstream of the Elk River. Sand Creek, Elk River, and Gold Creek samples were collected by Teck. All other sampling areas in the Kootenai Reservoir are in the United States and samples were collected by MT DEQ. MT DEQ also collected some samples in Sand Creek (2013 samples). All samples collected by Teck were ovary samples. All samples collected by MT DEQ were labelled as gonads or ovary samples. The new data are indicated by *. The June and July data for the Northern Pike Minnow were from the toxicity study.




Figure 7.2: Concentrations of Selenium (µg/g dw) in Fish Gonads or Ovary, Koochanusa Reservoir, 2008 to 2019

Notes: Individual values are plotted. Concentrations below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Means are plotted as horizontal lines when n > 1. Sand Creek study area is upstream of the Elk River confluence, while the Elk River and Gold Creek study areas are downstream of the Elk River. Sand Creek, Elk River, and Gold Creek samples were collected by Teck. All other sampling areas in the Koochanusa Reservoir are in the United States and samples were collected by MT DEQ. MT DEQ also collected some samples in Sand Creek (2013 samples). All samples collected by Teck were ovary samples. All samples collected by MT DEQ were labelled as gonads or ovary samples. The new data are indicated by *.

at the Elk River Mouth and Sand Creek areas in 2019 than previously observed, but were higher at Gold Creek in 2019 compared to previous years (Figure 7.2).

Mean selenium concentrations in ovary tissues of NSC captured in 2019 were below all applicable guidelines and benchmarks at all areas downstream of the Elk River, but were elevated relative to guidelines and benchmarks at the upstream Sand Creek area (Figure 7.2). Mean selenium concentrations in NSC ovaries were significantly lower at all areas downstream of the Elk River compared to upstream (Table 7.1). Selenium concentrations in NSC ovaries at the Elk River Mouth and Gold Creek downstream areas were similar in 2019 compared to concentrations observed previously for each respective area, whereas at the Sand Creek upstream area, concentrations in 2019 appeared to be higher than in previous years (Figure 7.2). Following 2019 sampling, Brix et al. (2020) conducted a study to evaluate reproductive effects of selenium on NSC and identified the influence of gonadal development stage on ovary selenium concentrations. Current sampling did not measure gonadal development stage; however, future sampling will include collection of field-based gonadal development information (e.g., gonad weight, photographs of gonads).

Non-lethal sampling of sport fish was conducted at Elk River, Gold Creek, and Sand Creek areas precluding analyses of selenium concentration analyses of ovary tissue. However, MFWP employed lethal collection methods at Rexford and Kikomun study areas in 2019 (Rexford in May and September 2019, and Kikomun in September 2019). From the MFWP sampling, only a single WCT captured in May from Rexford showed selenium concentrations in ovary tissue greater than the BC ovary tissue guideline, but below the US EPA criterion (Figure 7.2). A sufficient number of KO ovary samples were collected in September from both Rexford and Kikomun to allow statistical comparisons, which indicated that selenium concentrations in KO captured at Rexford were significantly lower than from those captured at Kikomun (Table 7.2)

7.3 Tissue Mercury Concentrations

No significant differences in relative mercury concentrations in muscle tissue (i.e., mercury concentrations at length relationship) of PCC, NSC, and KO were indicated between downstream and upstream areas of the Elk River in spring 2019 (Table 7.3). RSC did however have significantly lower muscle mercury concentrations at Elk River compared to Sand Creek (Table 7.3). Mercury concentrations in muscle tissue of RT and largescale sucker (LSU) were significantly higher at Rexford than upstream at Kikomun in fall 2019 when factoring in fish length (Table 7.4). With the exception of one RSC from RG_ER, mercury concentrations in muscle of all PCC, RSC, and NSC from all areas downstream and upstream of the Elk River were



Table 7.3: Statistical Comparisons of Fish Tissue Mercury Concentrations Relative to Fork Length, Koocanusa Reservoir Monitoring Program, Spring 2019

Species	Tissue	Sample Size				ANCOVA Model Statistics			Measure of Central Tendency ^b					Pairwise Comparisons ^c					
		Sand Creek	Elk River	Gold Creek	Rexford	Interaction Model	Parallel Slope Model	Covariate Value for Comparisons ^a	Statistic	Sand Creek	Elk River	Gold Creek	Rexford	Sand Creek vs. Elk River		Sand Creek vs. Gold Creek		Sand Creek vs. Rexford	
						Interaction P-value	Covariate P-value							P-value	MOD (%) ^d	P-value	MOD (%) ^d	P-value	MOD (%) ^d
Peamouth Chub	Muscle	10	10	10	-	0.970	0.076	-	Geometric Mean	0.455	0.426	0.526	-	ns	ns	ns	ns	-	-
Redside Shiner	Muscle	10	10	10	-	0.929	0.517	-	Mean	0.371	0.278	0.400	-	0.068	-25	ns	ns	-	-
Northern Pikeminnow	Muscle	11	49	16	15	0.148	0.001	44.6	Adjusted Mean	1.17	1.05	1.20	1.19	ns	ns	ns	ns	ns	ns
Kokanee	Muscle	5	6	-	-	0.272	0.804	-	Mean	0.230	0.195	-	-	ns	ns	-	-	-	-

Significant P-value (Area P-value < 0.1, Interaction P-value < 0.05, Pairwise P-value < 0.1/n contrasts).

Indicates absolute Magnitude of Difference > 25%.

Note: "-" indicates data not available.

^a The mean value of the covariate (that corresponds to the adjusted means for the response variable) for the parallel slope ANCOVA model or the minimum and maximum values of the overlap in covariate values for the interaction ANCOVA model.

^b The predicted means of the regression line equations are reported for minimum and maximum values of the covariate (where the data sets overlap) for ANCOVA when a significant interaction is observed.

^c Pairwise comparisons conducted using Tukey's Honestly Significant Differences (differences in means for parallel slope models; differences in slopes for interaction models).

^d Magnitude of difference. Calculated as the difference in Measure of Central Tendency (MCT) between areas (downstream minus upstream), expressed as a percentage of the upstream area MCT.

Table 7.4: Statistical Comparisons of Fish Tissue Mercury Concentrations Relative to Fork Length, Koocanusa Reservoir Monitoring Program, Fall 2019

Species	Sample Size		ANCOVA Model Statistics			Measure of Central Tendency ^b			Area P-Value	MOD (%) ^{c,d}
	Kikomun	Rexford	Interaction Model	Parallel Slope Model	Covariate Value for Comparisons ^a	Statistic	Kikomun	Rexford		
			Interaction P-value	Covariate P-value						
Peamouth Chub	8	8	0.334	0.095	-	Mean	0.568	0.590	0.760	ns
Largescale Sucker	8	7	0.776	0.001	33.2	Adjusted Mean	0.347	0.555	0.025	60
Kokanee	8	8	0.070	0.401	-	Mean	0.265	0.263	0.896	ns
Rainbow Trout	8	5	0.990	0.027	28.9	Adjusted Mean	0.133	0.281	0.036	112

Significant P-value (Area P-value < 0.1, Interaction P-value < 0.05, Pairwise P-value < 0.1/n contrasts).

Absolute Magnitude of Difference > 25%.

^a The mean value of the covariate (that corresponds to the adjusted means for the response variable) for the parallel slope ANCOVA model or the minimum and maximum values of the overlap in covariate values for the interaction ANCOVA model.

^b The predicted means of the regression line equations are reported for minimum and maximum values of the covariate (where the data sets overlap) for ANCOVA when a significant interaction is observed.

^c Pairwise comparisons conducted using Tukey's Honestly Significant Difference tests (differences in means for parallel slope models; differences in slopes for interaction models).

^d Magnitude of difference (MOD) calculated as the difference in Measure of Central Tendency (MCT) between areas (downstream minus upstream), expressed as a percentage of the upstream area MCT.

above the BC guideline for the protection of wildlife ($0.165 \mu\text{g/g dw}^{15}$) in 2019 (Figure 7.3). In general, mercury concentrations in muscle of most sport fish species were above the BC guideline at areas both downstream and upstream of the Elk River in 2019 as well (Figure 7.3).

7.4 Redside Shiner Recruitment

A total of 1,130, 200, and 279 RSC were captured from the Sand Creek, Elk River, and Gold Creek study areas, respectively, all of which were classified as YOY (Appendix Table E.7). Although the catch-per-unit-effort (CPUE) of RSC was lower at Elk River and Gold Creek downstream areas compared to the Sand Creek upstream area (CPUE of 0.2, 0.2, and 0.9, respectively)¹⁶, YOY sampled for the recruitment survey were all captured in one or two seine hauls at each area, indicating that RSC were plentiful at each of the three study areas (Appendix Table E.7). All RSC captured in each of the three areas during the August sampling were YOY indicating high proportions of YOY both downstream and upstream of the Elk River. Nevertheless, similar to 2019, CPUE of RSC was also lower at both downstream areas relative to upstream in 2018.

In 2019, Elk River Mouth RSC YOY were significantly shorter than those sampled upstream at Sand Creek but had significantly higher condition compared to those captured at the Sand Creek area outside of the effect size of $\pm 10\%$ for condition (Table 7.5; Figure 7.4). Results for Elk River differed from those observed in 2018, which indicated that both fork length and body weight were significantly greater in RSC YOY captured downstream at Elk River compared to upstream at Sand Creek. In addition, Elk River RSC YOY had a significantly lower condition than observed upstream at Sand Creek, which is opposite to the results observed in 2019 (Table 7.5). At Gold Creek, YOY were significantly longer and heavier than those captured at Sand Creek, but no difference in YOY condition was indicated between areas (Table 7.5; Figure 7.4). Similar to 2018, Gold Creek YOY were significantly larger than upstream at Sand Creek; however, no difference in condition was observed in 2019 whereas in 2018 it was significantly lower than Sand Creek.

¹⁵ The BC guideline for the protection of wildlife ($0.033 \mu\text{g/g ww}$) was converted to a dry weight basis using the average moisture content in fish muscle in Kooacanusa Reservoir of approximately 80%.

¹⁶ Confidence intervals of the CPUEs were not practical due to low sampling effort. Only one to three hauls were required per area to catch the required number of fish for sampling (see Appendix Table E.7).








Figure 7.3: Mercury Concentrations ($\mu\text{g/g dw}$) in Fish Tissue Relative to Fork Length (cm) for all Species, Koochanusa Reservoir Monitoring Program, 2019

Notes: Different seasons are plotted with different symbols. Circle = Spring, Diamond = August, Triangle = September. Spring and September data were analyzed separately and August data was excluded from analysis. Red line = BC Guideline for the Protection of Wildlife = $0.165 \mu\text{g/g dw}$.



● RG_SC ● Kikomun ● RG_ER ● RG_GC ● Rexford

Figure 7.3: Mercury Concentrations ($\mu\text{g/g dw}$) in Fish Tissue Relative to Fork Length (cm) for all Species, Kooacanusa Reservoir Monitoring Program, 2019

Notes: Different seasons are plotted with different symbols. Circle = Spring, Diamond = August, Triangle = September. Spring and September data were analyzed separately and August data was excluded from analysis. Red line = BC Guideline for the Protection of Wildlife = $0.165 \mu\text{g/g dw}$.




Figure 7.3: Mercury Concentrations (µg/g dw) in Fish Tissue Relative to Fork Length (cm) for all Species, Kocanusa Reservoir Monitoring Program, 2019

Notes: Different seasons are plotted with different symbols. Circle = Spring, Diamond = August, Triangle = September. Spring and September data were analyzed separately and August data was excluded from analysis. Red line = BC Guideline for the Protection of Wildlife = 0.165 µg/g dw.




Figure 7.3: Mercury Concentrations (µg/g dw) in Fish Tissue Relative to Fork Length (cm) for all Species, Koochanusa Reservoir Monitoring Program, 2019

Notes: Different seasons are plotted with different symbols. Circle = Spring, Diamond = August, Triangle = September. Spring and September data were analyzed separately and August data was excluded from analysis. Red line = BC Guideline for the Protection of Wildlife = 0.165 µg/g dw.







Figure 7.3: Mercury Concentrations ($\mu\text{g/g dw}$) in Fish Tissue Relative to Fork Length (cm) for all Species, Koochanusa Reservoir Monitoring Program, 2019

Notes: Different seasons are plotted with different symbols. Circle = Spring, Diamond = August, Triangle = September. Spring and September data were analyzed separately and August data was excluded from analysis. Red line = BC Guideline for the Protection of Wildlife = $0.165 \mu\text{g/g dw}$.

Table 7.5: Statistical Comparisons of Juvenile Redside Shiner Health Endpoints at Elk River and Gold Creek (Downstream) Areas Compared to the Sand Creek (Upstream) Area, Koocanusa Reservoir Monitoring Program, 2019

Indicator	Endpoint	Variables		Sample Size			Test	ANCOVA Model Statistics			Summary Statistics ^b				Overall Test P-value (Area)	Pairwise Comparisons ^c			
		Response	Covariate	Sand Creek	Elk River	Gold Creek		Interaction Model	Parallel Slope Model	Covariate Value for Comparisons ^a	Statistic	Sand Creek	Elk River	Gold Creek		Elk River vs. Sand Creek		Gold Creek vs. Sand Creek	
								Interaction P-value	Covariate P-value							P-value	Magnitude of Difference (%) ^d	P-value	Magnitude of Difference (%) ^d
Body Size	Fork Length	log ₁₀ [Fork Length (mm)]	-	100	100	100	K-W	-	-	-	Median	2.50	2.40	2.80	<0.001	0.050	-4.0	<0.001	12
	Body Weight	log ₁₀ [Body Weight (g)]	-	100	100	100	K-W	-	-	-	Median	0.142	0.126	0.220	<0.001	0.115	-12	<0.001	55
Energy Storage	Condition	log ₁₀ [Body Weight (g)]	log ₁₀ [Fork Length (mm)]	100	100	100	ANCOVA	<0.001 ^e	<0.001	2.53	Adjusted Mean	0.153	0.166	0.155	0.086	0.088	8.1	0.936	1.3
				99 ^f	98 ^g	100	ANCOVA	<0.001 ^h	<0.001	2.53	Adjusted Mean	0.150	0.170	0.155	<0.001	<0.001	13	0.578	3.1
	Condition ⁱ	log ₁₀ [Body Weight (g)]	log ₁₀ [Fork Length (mm)]	88	100	86	ANCOVA	<0.001 ^j	<0.001	2.42	Adjusted Mean	0.133	0.144	0.136	0.088	0.089	8.7	0.888	2.1
				87 ^k	98 ^l	86	ANCOVA	<0.001 ^m	<0.001	2.42	Adjusted Mean	0.130	0.148	0.135	<0.001	<0.001	14	0.517	3.9

 Indicates area P-value < 0.1 or Interaction P-value < 0.05.
 Indicates Magnitude of Difference > 10% for Condition (EEM effect endpoint).
 Indicates covariate P-value > 0.05.

Note: "-" indicates no data available.

^a The mean value of the covariate (that corresponds to the adjusted means for the response variable) for the parallel slope ANCOVA model or the minimum and maximum values of the overlap in covariate values for the interaction ANCOVA model.

^b The median, mean (geometric mean for log₁₀-transformed variables), and adjusted mean are reported for Kruskal-Wallis, ANOVA and ANCOVA, respectively. The predicted means of the regression line equations are reported for minimum and maximum values of the covariate (where the data sets overlap) for ANCOVA when a significant interaction is observed.

^c Pairwise comparisons conducted using Tukey's honestly significant differences method (ANOVA and ANCOVA) or Dunn's test with Bonferroni adjustment (Kruskal-Wallis test).

^d Magnitude of Difference (MOD) calculated as the difference in measure of central tendency (MCT) between areas (downstream area minus upstream area), expressed as a percentage of the upstream area MCT (except for the K-S test).

^e ANCOVA proceeded under the assumption that the slopes are practically parallel (R2 of interaction model = 0.8979 and R2 of parallel slope model = 0.8921; a difference < 0.02) following Environment Canada (2012).

^f One outlier (Fish ID: RG.SC.RSC.56 Stdnt resid: 10.983) was removed from the analysis.

^g Two outliers (RG.ER.RSC.22 Stdnt resid: -4.631; RG.ER.RSC.23 Stdnt resid: -4.279) were removed from the analysis.

^h ANCOVA proceeded under the assumption that the slopes are practically parallel (R2 of interaction model = 0.9355 and R2 of parallel slope model = 0.9312; a difference < 0.02) following Environment Canada (2012).

ⁱ Only fish where fork length (Fork Length < 3.5 cm) overlapped between all three areas included.

^j ANCOVA proceeded under the assumption that the slopes are practically parallel (R2 of interaction model = 0.8484 and R2 of parallel slope model = 0.8397; a difference < 0.02) following Environment Canada (2012).

^k One outlier (Fish ID: RG.SC.RSC.56 Stdnt resid: 10.574) was removed from the analysis.

^l Two outliers (RG.ER.RSC.22 Stdnt resid: -4.467; RG.ER.RSC.23 Stdnt resid: -4.127) were removed from the analysis.

^m ANCOVA proceeded under the assumption that the slopes are practically parallel (R2 of interaction model = 0.9037 and R2 of parallel slope model = 0.8972; a difference < 0.02) following Environment Canada (2012).




Figure 7.4: Fish Meristics Supporting Statistical Comparisons for Juvenile Redside Shiner Health Endpoints, Kooconusa Reservoir, 2019

Note: Three outliers (marked with an x) were removed from the condition plot: RG-SC-RSC-56, RG-ER-RSC-22, and RG-ER-RSC-23.

8 SUMMARY

In 2019, the Koochanusa Reservoir Monitoring Program was conducted to assess spatial and temporal changes in physico-chemical and biological conditions in Koochanusa Reservoir. In accordance with this monitoring program and conditions of ENV Permit 107517 (Section 10.8), this annual report provides an overview of the environmental monitoring activities conducted in both the Canadian and US portions of Koochanusa Reservoir, together with a summary of the associated results. Principal findings from the Koochanusa Reservoir Monitoring Program in 2019 are summarized below.

Water Quality

In 2019, average concentrations of the Order constituents dissolved cadmium, nitrate, and sulphate were below respective BC water quality guidelines at permitted stations, including the Order station RG_DSELK. Monthly average concentrations of selenium, the final Order constituent, were below the BC guideline in all months at all permitted stations. All constituents with EWTs had average monthly concentrations below applicable BC water quality guidelines throughout 2019 at all of the permitted water quality stations.

Productivity assessment indicated annual median N:P ratios were consistently 15 or more throughout the water column at all permitted water quality stations in 2019, and thus indicative of phosphorous limitation. Trophic status classification using Nordin (1985) categories for BC freshwaters suggested Koochanusa Reservoir was primarily oligotrophic based on assessment using total phosphorus and chlorophyll-a concentrations, whereas assessment using Secchi depth indicated eutrophic conditions in spring and early summer, followed by mesotrophic conditions. Overall, seasonal changes in the trophic status of the reservoir were evident in both 2018 and 2019 beginning in early summer, and likely reflective of the rapid changes in water levels that take place from April to June during freshet.

Estimated monthly nitrate and selenium loadings to the reservoir from both the Elk and Kootenay rivers were highest in June and July, coinciding with freshet. Loadings of both nitrate and selenium to Koochanusa Reservoir were higher from the Elk River than from the Kootenay River on monthly and annual timescales.

Reservoir levels in April 2019 were higher than those observed in April 2018, whereas similar water levels were observed in the reservoir in June and August in both years. The mixing assessment identified that under spring conditions, the Elk River was confined to the eastern half of the reservoir basin with complete mixing across the reservoir not beginning until near RG_GRASMERE, reflecting the occurrence of higher flows but relatively low reservoir levels during early spring freshet. Under intermediate reservoir levels in June, the Elk River was still



confined along the east bank of the reservoir, but sank and completely mixed across the width of the basin just downstream of Gold Creek (Station RG_GC). In August, under full-pool conditions, highest specific conductance was occasionally observed at the lower third of the water column compared to shallower and deeper depths in the water column at stations downstream of the Elk River. This inversion-layer appeared to be the result of the Elk River initially following the bottom contours of the reservoir before sitting at mid-column as warmer water from the upper reservoir flowed over cooler water situated along the bottom at the lower portion of the reservoir in 2019, which had also been observed in 2018.

Sediment Quality

Sediment total organic carbon content was similar at transects located downstream and upstream of the Elk River in 2019. Several metals (including selenium) and PAHs occurred at higher concentrations in sediments collected downstream of the Elk River compared to upstream. Of these metals and PAHs, arsenic, manganese, nickel, 2-methylnaphthalene, and phenanthrene were above respective BC sediment quality guidelines Lowest Effect Levels, but remained below applicable Severe Effect Levels.

Selenium concentrations in suspended sediment filtered from reservoir water at Station RG_DSELK, and at stations located in Montana (International Border [LIBBOR] and Forebay [LIBFB]), were above the applicable sediment quality guideline for selenium in 2019. Selenium concentrations in suspended sediment were consistently lower at RG_DSELK than at stations in the Montana portion of the reservoir in 2019.

Zooplankton Community and Tissue Chemistry

Zooplankton community density, LPL richness, and density and biomass of all major zooplankton groups, were all higher downstream of the Elk River than upstream in June 2019, reflecting a far less established community at the upstream transect. By August 2019, the zooplankton community was well established both downstream and upstream of the Elk River with both areas being dominated by Copepods. Zooplankton density was higher downstream of the Elk River, as was the overall density and proportion of Rotifera, but the proportion of Cladocerans was lower, than upstream of the Elk River. Temporal comparisons indicated lower zooplankton richness, density, and biomass at areas downstream and upstream of the Elk River in August 2019 compared to previous years.

Mean selenium concentrations in zooplankton tissue samples collected in 2019 were below the interim BCMOE invertebrate tissue guideline, the EVWQP Level 1 benchmarks for dietary effects to fish, and the EVWQP Level 1 benchmark for potential effects to invertebrate reproduction. In August, when sufficient tissue masses were collected from both the downstream and the



upstream areas, tissue selenium concentrations were higher downstream. In addition, tissue selenium concentrations increased between June and August downstream of the Elk River. In general, zooplankton selenium concentrations downstream of the Elk River were lower, while concentrations upstream of the Elk River were similar, in 2019 compared to concentrations reported at each respective area in previous years (2014 to 2016, and 2018).

Benthic Invertebrate Tissue Chemistry

In April 2019, composite taxa benthic invertebrate tissue selenium concentrations from both downstream and upstream of the Elk River were greater than the interim BC invertebrate tissue guideline, with concentrations higher in invertebrate tissues collected downstream compared to the upstream area. In contrast, in August 2019, selenium concentrations in invertebrate tissues were below the BCMOE guideline both downstream and upstream of the Elk River, and were lower downstream compared to upstream of the Elk River. Benthic invertebrate tissue selenium concentrations in 2019 were similar to those observed in previous years (2014 to 2016, and 2018) at each respective area within the Canadian portion of the reservoir. With the exception of one sample from RG_T4 in August 2019, benthic invertebrate tissue selenium concentrations were within 95% prediction limits of the regional bioaccumulation model.

Benthic invertebrate tissues collected in the Montana portion of the reservoir in May and September 2019 showed selenium concentrations above the BCMOE guideline for effects to invertebrates, with selenium concentrations in benthic invertebrate tissues at one of the eight stations sampled at Tenmile elevated relative to the EVWQP Level 1 benchmark for potential effects to invertebrates in May, and one of the eight stations sampled in Rexford elevated relative to the EVWQP Level 1 benchmark for fish. In general, benthic invertebrate tissues from Montana had similar selenium concentrations as samples collected from downstream of the Elk River Mouth in the Canadian portion of the reservoir.

Fish Tissue Chemistry

Peamouth chub, NSC, and redbreast shiner muscle tissue samples collected in 2019 had mean selenium concentrations below the BCMOE guideline and the US EPA criterion at all areas within the reservoir. Northern pikeminnow muscle selenium concentrations were similar between the Elk River and Sand Creek areas, and were significantly lower further downstream at Gold Creek and Rexford compared to the upstream areas in 2019. Selenium concentrations in muscle tissues collected from fish species at the Koochanusa Reservoir downstream and upstream areas in 2019 were generally within previously observed ranges at the same respective study areas for each species during previous years of monitoring. Measurements of gonadal development (e.g., gonad weight, photographs of gonads) were not collected during 2019 sampling but will be collected during 2020 sampling.



Mean selenium concentrations in PCC ovaries collected downstream at Gold Creek and upstream at Sand Creek were greater than the BC ovary tissue guideline, but below the US EPA criterion and the EVWQP Level 1 benchmark. Mean selenium concentrations in PCC ovaries were lower in 2019 than previous years at the Elk River area, whereas concentrations at all other areas in 2019 were within ranges shown among previous years at each respective area. Mean selenium concentrations in RSC ovaries were similar among Koochanusa Reservoir areas, and greater than the BC guideline at all areas sampled in 2019. The mean selenium concentrations in RSC ovaries were lower at Elk River and Sand Creek areas in 2019 than previously observed, but were higher at Gold Creek in 2019 compared to previous years. Mean selenium concentrations in ovary tissues of NSC were below applicable guidelines and benchmarks at all areas downstream of the Elk River, and were significantly lower than in NSC ovary tissues upstream of the Elk River at Sand Creek, where concentrations were greater than applicable guidelines and benchmarks. Although NSC ovary selenium concentrations at respective downstream areas in 2019 were similar to concentrations observed previously, higher mean concentrations were indicated at Sand Creek in 2019 compared to previous years. No significant differences in relative mercury concentrations in muscle tissue of PCC, NSC, or KO were indicated between areas downstream and upstream of the Elk River in spring 2019; lower mercury concentrations were observed in muscle of RSC at the Elk River area compared to upstream. Mercury concentrations in muscle tissue of RT and LSU were higher at Rexford than upstream at Kikomun in fall 2019. With the exception of one RSC from RG_ER, mercury concentrations in muscle of all PCC, RSC, and NSC from all areas downstream and upstream of the Elk River were above the BC guideline for the protection of wildlife in 2019. In general, mercury concentrations in muscle of most sport fish species were above the BC guideline at areas both downstream and upstream of the Elk River in 2019.

Reside Shiner Recruitment

Catch-per-unit-effort for redbside shiners was lower at areas located downstream of the Elk River compared to upstream. However, YOY constituted the entire RSC catches at each study area, and were all captured in one or two seine hauls at each area indicating that RSC YOY were relatively abundant both downstream and upstream of the Elk River in 2019. These results were comparable to those observed in 2018.

Redside shiner YOY captured at the Elk River area were significantly shorter, but had higher condition than those captured upstream at Sand Creek. Fork length and body weight of redbside shiner YOY captured downstream at Gold Creek were significantly greater than those captured upstream at Sand Creek, but no significant difference in condition was shown between areas.



The differences in RSC YOY endpoints shown between the downstream and upstream areas in 2019 were not consistent with those observed in 2018.



9 REFERENCES

- BCMOE (British Columbia Ministry of Environment). 2017a. Approved Water Quality Guidelines for British Columbia. Available from <http://www2.gov.bc.ca/gov/content/environment/air-land-water/water/water-quality/water-quality-guidelines/approved-water-quality-guidelines> [Accessed May 2017].
- BCMOE. 2017b. British Columbia Working Water Quality Guidelines: Aquatic Life, Wildlife & Agriculture. Water Protection & Sustainability Branch. Available from http://www2.gov.bc.ca/assets/gov/environment/air-land-water/water/waterquality/wqgs-wqos/bc_env_working_water_quality_guidelines.pdf [Accessed June 2017].
- Bailey, R.C., R.H. Norris, and T.B. Reynoldson. 2004. Bioassessment of Freshwater Ecosystems: Using the Reference Condition Approach. Kluwer Academic Publishers, Massachusetts, USA.
- Brooks, J. L. 1957. The systematics of North American Daphnia. Mem. Conn. Acad. Arts Sci. 13: 1-80.
- Carlson R. 1977. A Trophic State Index for Lakes. Limnol. Oceanogr. 22(2):361-362.
- Clarke, SE. 1993. Non-parametric multivariate analyses of changes in community structure. Aus. J. Ecol. 18: 117:143.
- Brix, K.V., M. Hecker, M. Carr. 2020. Evaluation of Selenium Reproductive Effects on Northern Pikeminnow (*Ptychocheilus oregonesis*), Draft Report. Submitted to Teck Coal Limited. Dated February 2020.
- ENV (British Columbia Ministry of Environment and Climate Change Strategy). 2018. Re: Final Kooacanusa Reservoir Study Design, 2018 – 2020. Received June 8, 2018.
- Environment Canada. 2004. National Guidelines and Standards Office. Water Policy and Coordination Directorate. Canadian Guidance Framework for the Management of Phosphorous in Freshwater system. Report No. 1-18.
- Environment Canada. 2012. Metal Mining Technical Guidance for Environmental Effects Monitoring. ISBN 978-1-100-20496-3.
- Galvez-Cloutier R. and M. Sanchez. 2007. Trophic status evaluation for 154 lakes in Quebec, Canada: Monitoring and recommendations. Water Quality Research Journal of Canada. 42(4). 252-268.
- Gray, M.A., A.R. Curry and K. Munkittrick. 2002. Non-Lethal Sampling Methods for Assessing Environmental Impacts Using a Small-Bodied Sentinel Fish Species. Water Qual. Res. J. Canada. 37(1): 195-211.
- Hamilton, H.R., L.R. Linton, P. Chow-Fraser, B. Taylor, and D. Fernet. 1990. Kooacanusa Reservoir State of the Aquatic Environment 1972-1988. Prepared by HydroQual Canada Limited, Calgary, for Waste Management Branch, B.C. Ministry of Environment, Cranbrook. March.
- Iskandar, I. K., and Shukla, S. S., 1981, Limnological investigations: Lake Kooacanusa, Montana, Part 5: Phosphorous chemistry of sediments: Hanover, New Hampshire, U.S. Army Corps of Engineers, Cold Regions Research and Engineering Laboratory Special Report 81-15, 9 p.



- Kirchner W.B. 1975. The effect of oxidized material on the vertical distribution of freshwater benthic fauna. *Freshwat. Biol.* 5:423-429.
- Lotic (Lotic Environmental Ltd). 2017. Lake Kooacanusa Food Web. Prepared for the B.C. Ministry of Environment by Lotic Environmental Ltd. Cranbrook, B.C. 19 pp.
- Malley, D.F., S.G. Lawrence, M.A. MacIver, and W.J. Findlay. 1989. Range of variation in estimates of dry weight for planktonic Crustacea and Rotifera from temperate North American lakes. *Can. Tech. Rep. Fish. Aquat. Sci.* 1666: iv+49p.
- McDowell, R.W., S.T. Larned, and D.J. Houlbrooke. 2009. Nitrogen and phosphorous in New Zealand streams and rivers: Control and impact of eutrophication and the influence of land management. *New Zeal. J Mar. Fresh.* 43: 985-995.
- Minnow (Minnow Environmental Inc.). 2014. Lake Kooacanusa Sediment Quality Characterization – 2013. Prepared for Teck Coal Limited, Sparwood BC. February. Project #2490.
- Minnow. 2015a. Lake Kooacanusa 2014 Biological Monitoring Program Report. Prepared for Teck. March. Project #2509.
- Minnow. 2015b. Burbot Monitoring in Lake Kooacanusa 2014 and 2015. Prepared for Teck Coal Limited, Sparwood, British Columbia. July. Project #2557.
- Minnow. 2016. Lake Kooacanusa 2015 Biological Monitoring Program Report. Prepared for Teck. March. Project #2564.
- Minnow. 2018a. Kooacanusa Reservoir Monitoring Report, 2014 to 2016. Prepared for Teck Coal Limited, Sparwood, British Columbia. January. Project #167202.0049
- Minnow. 2018b. Kooacanusa Reservoir Monitoring Program Study Design, 2018 to 2020. Prepared for Teck Coal Limited, Sparwood, British Columbia. April. Project #177202.0048.
- Minnow. 2019. Kooacanusa Reservoir Monitoring Program Annual Report, 2018. Prepared for Teck Coal Limited, Sparwood, British Columbia. June 2019. Project #187202.0007
- MT DEQ (Montana Department of Environmental Quality). 2018. Quality Assurance Project Plan for the Collection of Data to Support the Development of Partition Coefficients (Kd). May 2018.
- Montana DEQ and FWP. 2018a. Montana Fish and Wildlife and Parks and Montana Department of Environmental Quality. Benthic and Surface Macroinvertebrate Selenium Concentrations in Lake Kooacanusa (Quality Assurance Project Plan) (WQSMQAP-01) April 2018
- Montana DEQ and FWP. 2018b. Montana Fish Wildlife and Parks and Montana Department of Environmental Quality. Fish Tissue Quality Assurance Project Plan for Lake Kooacanusa (WQSMQAP-02) April, 2018
- Nordin R. N. 1985. Water quality criteria for nutrients and algae (technical appendix). Water Quality Unit, Resource Quality Section, Water Management Branch, B. C. Ministry of Environment, Victoria.
- Nürnberg G. 2001. Eutrophication and Trophic State. *LAKELINE*. pp 29-33.
- Oksanen, J., Blanchet, F.G., Friendly, M., Kindt, R., Legendre, P., McGlinn, D., Minchin, P.R., O'Hara, R.B., Simpson, G.L., Solymos, P., Henry, M., Stevens, H., Szoecs, E., and Wagner, H. 2018. Package “vegan”. Community Ecology Package Version 2.4-6. URL <https://cran.r-project.org/web/packages/vegan/vegan.pdf>



- Province of British Columbia. 2013. British Columbia Field Sampling Manual (complete). Available from <https://www2.gov.bc.ca/gov/content/environment/research-monitoring-reporting/monitoring/laboratory-standards-quality-assurance/bc-field-sampling-manual?keyword=field&keyword=sampling&keyword>manual>. Accessed December 15, 2017.
- Province of British Columbia. 2015. British Columbia Environmental Laboratory Manual (complete). Available from <https://www2.gov.bc.ca/gov/content/environment/research-monitoring-reporting/monitoring/sampling-methods-quality-assurance/bc-environmental-laboratory-manual>. Accessed December 15, 2017.
- R Core Team (2015). R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. <https://www.R-project.org/>.
- Ramboll Environ (Ramboll Environ US Corporation). 2016. Elk Valley Permit 107517. Section 9.9 Human health risk assessment (revision). September 14, 2016 (updates)
- Ruxton, Graeme D. 2006. The unequal variance t-test is an underused alternative to Student's t-test and the Mann–Whitney U test. *Behavioral Ecology* 17.4: 688-690.
- Sanders, R.E., R.J. Miltner, C.O. Yoder, and E.T. Rankin. 1999. The use of external deformities, erosion, lesions, and tumors (DELT anomalies) in fish assemblages for characterizing aquatic resources: A case study of seven Ohio streams. In: T.P. Simon (Ed.), pp: 225-246, *Assessing the sustainability, and biological integrity of water resources using fish communities*. CRC Press, Boca Raton, FL.
- Teck (Teck Coal Limited). 2014. Elk Valley Water Quality Plan. Submitted to the British Columbia Minister of Environment for approval on July 22, 2014.
- Teck (Teck Resources Limited). 2018a. Water Quality Adaptive Management Plan for Teck Coal Operations in the Elk Valley. December
- Teck (Teck Resources Ltd.). 2018b. Koochanusa Reservoir Water Quality Monitoring Plan.
- Teck (Teck Resources Ltd.). 2018c. Permit 107517 Annual Water Quality Monitoring Report. March 31, 2018.
- Teck (Teck Resources Ltd.). 2018d. Permit 107517 2017 Summary Report of Monitoring Results in the Koochanusa Reservoir. June 28, 2018.
- Teck (Teck Coal Limited). 2019. Permit 107517 Annual Water Quality Monitoring Report. Submitted to BCMOE on March 29, 2019.
- Teck (Teck Coal Limited). 2020. Permit 107517 Annual Water Quality Monitoring Report. Submitted to BCMOE on March 31, 2020.
- US EPA. 2016. Aquatic Life Ambient Water Quality Criterion for Selenium - Freshwater. EPA 822-R-16-006
- Vollenweider RA, Kerekes JJ. 1980. Background and summary results of the OECD cooperative program on eutrophication. In: *Proceedings of an International Symposium on Inland Waters and Lake Restoration*, pp. 26-36. U.S. Environmental Protection Agency. EPA 440/5-81-010.
- Wilson, M.S. 1959. Calanoida, p. 738-794. In W.T. Edmondson [ed.] *Freshwater Biology*. 2nd ed. John Wiley & Sons, New York, NY.



Woods, P.F. 1982. Annual nutrient loadings, primary productivity, and trophic state of Lake Koochanusa, Montana and British Columbia, 1972-80. Geological Survey Professional Paper 1283. Prepared for the U.S. Army Corps of Engineers. Seattle District.

Yeatman, H. C. 1959. Cyclopoida, p. 795-815. In W.T. Edmondson [ed.] Freshwater Biology. 2nd ed. John Wiley & Sons, New York, NY.



APPENDIX A
DATA QUALITY REVIEW

APPENDIX A DATA QUALITY ASSESSMENT

A1	INTRODUCTION	1
A1.1	Background.....	1
A1.2	Laboratory Reporting Limits.....	2
A1.3	Quality Control Samples	2
A2	WATER SAMPLES	5
A2.1	Laboratory Reporting Limits.....	5
A2.2	Field and Laboratory Blanks	5
A2.3	Data Precision	6
A2.3.1	Field Duplicate Samples.....	6
A2.3.2	Laboratory Duplicate Samples	7
A2.4	Data Accuracy	7
A3	SEDIMENT SAMPLES	9
A3.1	Laboratory Reporting Limits.....	9
A3.2	Laboratory Blanks	9
A3.3	Data Precision	9
A3.3.1	Field Duplicate Samples.....	9
A3.3.2	Laboratory Duplicate Samples	10
A3.4	Data Accuracy	10
A4	BENTHIC INVERTEBRATE COMMUNITY	11
A5	BENTHIC INVERTEBRATES TISSUE CHEMISTRY	12
A5.1	Laboratory Reporting Limits.....	12
A5.2	Data Precision	12
A5.3	Data Accuracy	12
A6	PLANKTON COMMUNITY AND TISSUE CHEMISTRY	13
A6.1	Laboratory Reporting Limits.....	13
A6.2	Data Precision	13
A6.3	Data Accuracy	13
A6.4	Abundance and Biomass Accuracy	13
A7	FISH TISSUE CHEMISTRY	15
A7.1	Laboratory Reporting Limits.....	15
A7.2	Data Precision	15
A7.3	Data Accuracy	16
A8	FISH AGING	17
A8.1	Data Precision	17
A9	DATA QUALITY STATEMENT	18
A10	REFERENCES	19



A1 INTRODUCTION

A1.1 Background

A variety of factors can influence the chemical and biological measurements made in an environmental study and thus affect the accuracy and/or precision of the data. Inconsistencies in sampling or laboratory methods, use of instruments that are inadequately calibrated or which cannot measure to the desired level of accuracy or precision, and contamination of samples in the field or laboratory are just some of the potential factors that can lead to the reporting of data that do not accurately reflect actual environmental conditions. Depending on their magnitude, inaccuracy or imprecision have the potential to affect the reliability of conclusions made from the data. Therefore, it is important to ensure that monitoring programs incorporate appropriate steps to control the non-natural sources of data variability (i.e., minimize the variability that does not reflect natural spatial and/or temporal variability in the environment).

Data quality, as a concept, is meaningful only when it relates to the intended use of the data. That is, one must know the context in which the data will be interpreted in order to establish a relevant basis for judging whether or not the data set is adequate. A Data Quality Review (DQR) involves comparison of field and laboratory measurement performance to Data Quality Objectives (DQOs) established for a particular study, such as evaluation of Laboratory Reporting Limits (LRLs), blank sample data, data precision (based on field and laboratory duplicate samples), and data accuracy (based on matrix spike recoveries and/or analysis of standards or certified reference materials).

As specified in the Koochanusa Reservoir Monitoring Program study design (Minnow 2018), chemistry analyses were completed by laboratories accredited by the Canadian Association for Laboratory Accreditation (CALA), and DQOs were established at the outset of the field program to reflect reasonable and achievable performance expectations (Appendix Table A.1).¹ Programs involving many samples and analytes usually have some results that exceed the DQOs. This is particularly so for multi-element scans (e.g., ICP scans for metals) because the analytical conditions are not necessarily optimal for every element included in the scan.

¹ Data Quality Objectives (DQOs) set by the analytical laboratories were applied to samples collected in support of the 2019 Koochanusa Reservoir Monitoring Program.



A DQR was conducted on all laboratory data reported in 2018 and 2019 in support of the 2019 Koochanusa Reservoir Monitoring Program Report. The objective of the DQR is to define the overall quality of the data presented in the report, and, by extension, the confidence with which the data can be used to derive conclusions. The intent of the DQR is not to reject measurements that did not meet a DQO, but to ensure that questionable data received more scrutiny to determine what effect, if any, were had on interpretation of results within the context of the project.

A1.2 Laboratory Reporting Limits

An LRL is the lowest concentration of an analyte that can be reported with a reasonable degree of accuracy and precision and is ideally synonymous with the lower limit of quantitation (LLOQ). The LLOQ is the lowest concentration of an analyte that can be reliably measured within specific limits of precision and accuracy during routine operating conditions, as opposed to being detected which, in most cases, is the lowest concentration on the calibration curve. The LRL is typically three to ten times the method detection limit (MDL); however, some guidelines are so low the LRL is equal to the MDL to report the guideline. Achieving satisfactory LRLs is important when comparing concentrations to guidelines for that medium. If the LRL is above the guideline, the data cannot be accurately interpreted. Consistency is also important for LRLs when taking consecutive samples. Changes in LRLs between laboratory reports can affect summary calculations and also introduce confounding factors when assessing trends. For the 2019 Koochanusa Reservoir Monitoring Program Interpretive Report, LRLs were screened against guidelines, Elk Valley Water Quality Plan (EVWQP) benchmarks, and site-specific screening values, as appropriate.

A1.3 Quality Control Samples

Typically, a DQR involves the examination of analytical results associated with several types of Quality Control (QC) samples were assessed based on samples collected (or prepared) in the field and laboratory. These samples, and a description of each, include the following:

- **Blanks** are samples of de-ionized water and/or appropriate reagent(s) that are handled and analyzed the same way as regular samples. These samples will reflect contamination of samples occurring in the field (in the case of field or trip blanks) or the laboratory (in the case of laboratory or method blanks). Concentrations of analytes should not be below the LRL.
- **Field Duplicates** are samples collected from a randomly selected field station that are homogenized to the extent possible, split, and analyzed separately in the laboratory. The duplicate samples are handled and analyzed in an identical manner in the



laboratory. These samples reflect variability introduced during the handling of field samples (e.g., during homogenization), both in the field and laboratory, and therefore provide a measure of field sampling and laboratory precision.

- **Laboratory Duplicates** are replicate sub-samples created in the laboratory from randomly selected field samples which are sub-sampled and then analyzed independently using identical analytical methods. The laboratory duplicate sample results reflect variability introduced during laboratory sample handling and analysis and thus provide a measure of laboratory precision.
- **Spike Recovery Samples** are created in the laboratory by adding a known amount/concentration of a given analyte (or mixture of analytes) to a randomly selected test sample previously divided to create two sub-samples. The spiked and regular sub-samples are then analyzed in an identical manner. The spike recovery represents the difference between the measured spike amount (total amount in spiked sample minus amount in original sample) relative to the known spike amount (as a percentage). Two types of spike recovery samples are commonly analyzed. Spiked blanks are created using laboratory control materials, whereas matrix spikes are created using field-collected samples. The analysis of spiked samples provides an indication of the accuracy of analytical results.
- **Certified Reference Materials** are commercially prepared (or commercially-homogenized) samples containing known chemical concentrations that are processed and analyzed along with batches of environmental samples. The sample results are then compared to target results to provide a measure of analytical accuracy. The results are reported as the percent of the known amount that was recovered in the analysis.

Two additional types of QC, specific to benthic invertebrate and zooplankton community samples, included:

- **Organism Recovery Checks** for benthic invertebrate and zooplankton community samples involve the re-processing of previously sorted material from a randomly selected sample to determine the number of invertebrates and plankton that were not recovered during the original sample processing. The reprocessing is conducted by an analyst not involved during the original processing to reduce any bias. This check allows the determination of accuracy through assessment of recovery efficiency.
- **Sub-Sampling Error** is assessed for studies in which benthic invertebrate and plankton community samples require sub-sampling (due to excessive sample volume and/or invertebrate density). By comparing the numbers of benthic invertebrates or



plankton recovered between at least two sub-samples, this measure provides an evaluation of how effective the sub-sampling method was in evenly dividing the original sample. Therefore, sub-sampling error provides a measure of analytical accuracy and precision. The processing of entire benthic invertebrate community samples in representative sample fractions also allows an evaluation of sub-sampling accuracy.

One additional QC type, specific to fish aging samples, included:

- **Fish aging checks** involve the re-processing of randomly-selected fish aging structures (e.g., otoliths, fin rays, or scales) by a second analyst to determine the precision of fish age estimates. The re-processing is completed by an analyst not involved during the original processing to reduce bias. The original analyst and second analyst both assign a confidence index (e.g., G = good; pattern is clear and age is easily identified) to each age estimate and check.



A2 WATER SAMPLES

A2.1 Laboratory Reporting Limits

The analytical reports from ALS Environmental (ALS) for 2018 and 2019 (Appendix A) were examined to provide an inventory of analytes for which the sample results were equal to or below the target LRL. The LRLs for these analytes were also assessed relative to the working (BCMOE 2017) and approved (BCMOECCS 2019) British Columbia water quality guidelines (BC WQG) for the protection of freshwater aquatic life, EVWQP Level 1 Benchmarks for water quality (Teck 2014), and relevant site-specific benchmarks (Appendix Table A.2).

Several parameters were consistently (i.e., 100% of samples) reported at concentrations less than the LRL in 2018 and 2019; these included: bromide, and dissolved antimony, beryllium, bismuth, boron, cobalt, mercury, nickel, silver, thallium, titanium, and vanadium (Appendix Table A.2). Additionally, dissolved mercury in 2018, orthophosphate, total bismuth, silver, thallium, and titanium, and dissolved copper in 2019 were also consistently below the LRL.

Selenium concentrations were detectable in all samples in 2018 and 2019. The LRLs achieved for water samples were lower than the BC WQG and EVWQP Level 1 benchmarks for all analytes (Appendix Table A.2). Overall, the achieved LRLs were appropriate for this study.

A2.2 Field and Laboratory Blanks

A total of five field blank samples and five trip blank samples were used to assess field sampling contamination (Appendix Table A.3). The DQO used for laboratory blanks were applied to the trip and field blanks (Appendix Table A.1). Of the 656 results that were reported for trip and field blanks, nine were greater than the LRL:

- total suspended solids (TSS) in one sample;
- turbidity in one sample;
- ammonia in three samples;
- dissolved orthophosphate in one sample; and
- total barium, chromium, and tin (one sample).

However, detectable concentrations measured in blank samples are only considered reliable if they are greater than five-times the LRL (Appendix Table A.1). None of the detectable concentrations were greater than five-times the LRL, therefore, these results are expected to have a negligible impact on data interpretability for this particular study.



A total of 301 method blank samples were analyzed by ALS (179 method blank samples from 2018 and 122 samples from 2019; see Appendix A for applicable laboratory reports). Of the 1,655 reported method blank results, 11 had reportable concentrations greater than the LRL:

- total dissolved solids (TDS) in one sample;
- acidity (as CaCO₃) in one sample;
- alkalinity (as CaCO₃) in one sample;
- phosphorus in two samples;
- total molybdenum and manganese (two samples each), and total thallium (one sample); and
- dissolved copper in one sample.

None of the detectable concentrations were greater than five-times the LRL, with the exception of a single dissolved copper concentration (0.00149 milligrams per litre [mg/L]; LRL = 0.00020 mg/L) from laboratory report L2291233 (Appendix A). Overall, the number of detectable concentrations was low and detectable concentrations were within five-times the LRL for all but one sample. In addition, there was no detectable concentrations for selenium, sulphate, cadmium, and nitrate in either the field or laboratory blanks, which have long-term water as part of the EVWQP (Teck 2014). Therefore, the results are expected to have a negligible impact on data interpretability.

A2.3 Data Precision

A2.3.1 Field Duplicate Samples

A total of four field duplicate samples were collected to assess field sampling precision (one sample in 2018 and three samples in 2019; Appendix Table A.4). However, sampling techniques varied; samples were collected as split samples or side-by-side duplicates, the latter of which would be expected to result in greater variability among sample results. Additionally, for split samples, the sample aliquots in the larger “general” bottles would not be considered true splits (i.e., the smaller sample bottles would have been filled from these containers, and then these containers would have been filled directly from the sampling area).

Of the analytes with long-term targets under the EVWQP (i.e., selenium, nitrate, sulphate, and total cadmium; Teck 2014), selenium, nitrate and sulphate had the best field sampling precision (Appendix Table A.4). For selenium, RPDs between paired results were ≤4.4%. For sulphate and nitrate, RPDs between paired samples were ≤1.7% and 5.4%, respectively. For cadmium,



RPDs between paired results were $\leq 11\%$. The higher RPD was based on a pair with one result that was equal to the LRL, and the other that was within the five-times the LRL.²

Field sampling precision was also good for TDS and nickel, both of which have site-specific screening values (Appendix Table A.2). For TDS, RPDs between paired results were consistently less than 7.5% (Appendix Table A.4). For nickel, RPDs between paired concentrations were below the LRL, with the exception of one pair that had an RPD of 6.1% (both results were less than the five-times the LRL; Appendix Table A.4).

For the remaining analytes, the mean and median RPDs for paired concentrations were less than 40%, with the exception of ammonia. For ammonia, the mean RPD was 56%, with one pair of results with an RPD of 98%. The higher RPD was based on both results from each pair concentration being less than the five-times the LRL (Appendix Table A.4).

Field precision and reproducibility are considered good for the analytes with long-term targets under the EVQWP (i.e., selenium, nitrate, sulphate, total cadmium, nickel and TDS; Teck 2014), and fair to good for the remaining analytes. Overall, the field sampling precision is considered acceptable for the purpose of this study.

A2.3.2 Laboratory Duplicate Samples

A total of 53 laboratory duplicate samples were used to evaluate analytical precision ($n = 30$ duplicate samples in 2018 and $n = 23$ samples in 2019; Appendix A). For all paired samples, comparisons were within the laboratory DQO set by the analytical laboratory (Appendix Table A.1). The laboratory analytical precision can therefore be considered excellent.

A2.4 Data Accuracy

Data accuracy was evaluated based on results for Certified Reference Materials (CRM), Laboratory Control Samples (LCS), and Matrix Spike (MS) samples. Specifically, 52 CRM samples, 283 LCS samples, and 30 MS samples were analyzed to produce 52, 1,381, and 433 individual results, respectively (see Appendix A). All CRM and LCS results met the laboratory DQO, except one total bismuth and one dissolved chromium in an LCS (see laboratory report L2333505 and L2112645 in Appendix A). The laboratory DQO was marginally exceeded by less than 10% and therefore are still considered acceptable as per Canadian Council of

² Greater RPDs between paired results for water chemistry are considered more acceptable when concentrations are close to the LRL (e.g., within five-times the LRL; BCMOE 2013).



Ministers of the Environment (CCME). For 58 MS results (i.e., 13% of the total MS results), analyte concentrations were high in the background samples (i.e., the field sample used as the base for the MS sample) and the analytical laboratory was unable to accurately calculate the recovery of the spiked material. Affected analytes in MS samples include the following:

- total aluminum in two samples;
- total manganese in one sample;
- total barium, calcium, magnesium, sodium, and strontium in five samples; and
- dissolved barium, calcium, magnesium, sodium, and strontium in six samples.

None of the long-term water quality targets under the EVWQP (Teck 2014) had DQO exceedances, and few of the remaining analytes exceeded the DQO overall, the accuracy of the laboratory is considered good.



A3 SEDIMENT SAMPLES

A3.1 Laboratory Reporting Limits

The analytical reports from ALS for sediment samples collected in 2018 and 2019 (see Appendix A) were examined to provide an inventory of analytes for which sample results were less than the LRL (Appendix Table A.6). The LRLs for these analytes were assessed relative to existing British Columbia Working Sediment Quality Guidelines (BC WSQG; BCMOE 2017) and the alert concentration for selenium (BCMOECCS 2019).

Few metals were consistently (i.e., 100% of samples) reported at concentrations less than the LRL in 2018 and 2019; these included: boron (2019 only), sulphur, tin, and tungsten (Appendix Table A.5). Several of the polycyclic aromatic hydrocarbons (PAHs) were consistently less than the LRL (i.e., no detectable concentrations), with the greatest number below the LRL in 2019. Acenaphthene, fluorene, and quinoline concentrations were consistently less than the LRL in 2018 and 2019. Additionally, acenaphthylene, benzo(a)pyrene, benzo(g,h,i)perylene, benzo(k)fluoranthene, chrysene, dibenz(a,h)anthracene, fluoranthene, and fluorene were consistently less than the LRL in 2019. For selenium, seven samples in 2018 and five samples in 2019 had concentrations below the LRL (Appendix Table A.5).

The LRLs for metals and PAHs measured in sediment samples from 2018 and 2019 were less than applicable BC WSQG as well as the alert concentration for selenium (Appendix Table A.5). Overall, the achieved LRLs were appropriate for this study.

A3.2 Laboratory Blanks

A total of 23 laboratory method blank samples were analyzed by ALS (17 method blank samples in 2018 and six method blank samples in 2019; see Appendix A). All 291 reported method blank results were below the laboratory DQO (Appendix Table A.1). Thus, the method blank results for this study indicated no inadvertent contamination of samples within the laboratory during analysis.

A3.3 Data Precision

A3.3.1 Field Duplicate Samples

A total of three field duplicate samples were collected to assess the precision of field sampling (Appendix Table A.6). Samples were collected as split samples (i.e., a larger sample was homogenized and split into two duplicate sub-samples); however, some variability is expected, based on the heterogeneity of sediments. For selenium, RPDs between paired results were



≤9.52 (Appendix Table A.6). The mean and median RPDs for paired concentrations were ≤35%, with the exception of mercury which had mean and median RPDs of 52% and 45%, respectively. The greatest variability between paired concentrations (i.e., RPDs greater than 35%) was observed for mercury in two samples, fluoranthene, perylene, and pyrene in one sample each (Appendix Table A.6). Overall, field precision and reproducibility are considered good for selenium and other metals and PAHs; however, results for mercury and the PAHs listed above should be interpreted with caution.

A3.3.2 Laboratory Duplicate Samples

A total of nine laboratory duplicate samples were used to evaluate laboratory precision (see Appendix A). The RPD between all 169 laboratory duplicate measurements were within the laboratory DQO (Appendix Table A.1; Appendix A), indicating that laboratory analytical precision was excellent.

A3.4 Data Accuracy

Data accuracy was evaluated based on the analysis of CRM, LCS, internal reference material (IRM), and MS samples. Specifically, three CRM, 21 LCS, 12 IRM, and two MS were used to produce 69, 201, 76, and 44 results, respectively, for the three laboratory reports (no matrix spike samples were analyzed in 2019; laboratory report L2334973 in Appendix A). All LCS, IRM, and MS results met the laboratory DQO. For CRM, one phosphate marginally exceeded the DQO by less than 10% and therefore are still considered acceptable as per CCME (see laboratory report L2157301 in Appendix A). Since there was only one exceedance of the DQO overall, the accuracy achieved by the laboratory in this study can be considered excellent.



A4 BENTHIC INVERTEBRATE COMMUNITY

The analysis of benthic invertebrate community samples involved concurrent assessment of data quality, including sub-sampling accuracy, precision and percent recovery of organisms. Canadian Aquatic Biomonitoring Network (CABIN) protocols were followed for sub-sampling (i.e., identification of a minimum 300 invertebrates), which often resulted in only 5% of a sample being assessed. The subsampled benthic invertebrate community met the DQO of 20%, having a precision range of 7.8% (Appendix Table A.7). Overall, the subsampling precision was excellent. Sub-sampled fractions range from a whole sample to 1/8 of a sample sorted (Appendix Table A.8).

To measure the effectiveness of the sorters, 10% of samples were selected at random for re-sorting analysis by a different sorter. Sorting efficiency (i.e., percent recovery) of benthic invertebrate samples was average; achieving an average of 88% for the two samples evaluated (Appendix Table A.9). Sorting efficiency was below the DQO of 90% recovery for one of the two re-sorted samples, with a percent recovery of 82% (Appendix Table A.9). Because the average percent recovery was just below the target DQO (i.e., 1.9% below), the benthic invertebrate community sample recovery was considered acceptable.

A detailed report providing discussion related to benthic invertebrate sample processing and QC (prepared by the analytical laboratory, ZEAS Incorporated) is included in Appendix A.



A5 BENTHIC INVERTEBRATES TISSUE CHEMISTRY

A5.1 Laboratory Reporting Limits

The analytical reports from Saskatchewan Research Council Environmental Analytical Laboratory (SRC; Appendix A) were examined to provide an inventory of analytes for which the sample results were less than the LRL. Additionally, LRLs for selenium were assessed relative to the 4 µg/g dw BCMOECCS (2019) guideline and the most conservative (i.e., lowest) EVWQP (i.e., the 11 µg/g dw benchmark for dietary effects to juvenile fish; Golder 2014).

Few metals were consistently (i.e., 100% of samples) reported at concentrations less than the LRL in 2018 including antimony, molybdenum, silver, thallium, and tin (Appendix Table A.10). Selenium concentrations were detectable in all samples, with the exception of two samples in 2018 (see laboratory report 2018-8134 in Appendix A). In addition, achieved LRLs for selenium were below the BCMOECCS guideline and the lowest EVWQP Level 1 Benchmark (Appendix Table A.10). Therefore, the achieved LRLs were considered appropriate for the study.

A5.2 Data Precision

A total of 14 laboratory duplicate samples were analyzed to evaluate laboratory precision within the benthic invertebrate tissue chemistry reports (Appendix A). Of the 360 duplicate pair results, only one titanium sample exceeded the laboratory DQO (Appendix Table A.1; Appendix A). Because only one sample exceeded the laboratory DQO, the laboratory precision and reproducibility were considered acceptable for the study.

A5.3 Data Accuracy

Data accuracy was evaluated based on the Reference Materials and Standards (RMS) within the SRC analytical reports (see Appendix A). A total of 14 RMS samples were used and 168 results were reported. All reported RMS results were within the laboratory DQO (Appendix Table A.1), therefore the accuracy achieved by the laboratory in this study was considered excellent.



A6 PLANKTON COMMUNITY AND TISSUE CHEMISTRY

A6.1 Laboratory Reporting Limits

The analytical reports from SRC (Appendix A) were examined to provide an inventory of analytes for which the sample results were less than the LRL. Selenium concentrations were consistently detectable in all zooplankton tissue chemistry samples (Appendix Table A.11). Additionally, all analytes had one or more detectable concentrations for all 2018 and 2019 samples. Therefore, the achieved LRLs were considered excellent for the study.

A6.2 Data Precision

A total of 14 laboratory duplicate samples were analyzed to evaluate laboratory precision within the zooplankton tissue chemistry reports (Appendix A). Of the 360 duplicate pair results, only one titanium sample exceeded the laboratory DQO (Appendix Table A.1; Appendix A). Because only one duplicate sample exceeded the laboratory DQO, and selenium samples were within the DQO, the laboratory precision and reproducibility were considered acceptable for the study.

A6.3 Data Accuracy

Data accuracy was evaluated based on the results of 12 RMS within all the laboratory reports from SRC (Appendix A). All 142 RMS results were within the laboratory DQO (Appendix Table A.1), and therefore demonstrated excellent analytical accuracy.

A6.4 Abundance and Biomass Accuracy

Zooplankton abundance and biomass were re-measured in a total of five samples (10% of samples) to evaluate sub-sampling accuracy and taxonomic consistency within the zooplankton enumeration and identification laboratory report (Appendix A). There was a high percent of variability between the duplicate pairs for both zooplankton abundance and biomass (Appendix Table A.12). Zooplankton abundance had a mean RPDs of 11% to 46% between the pairs, with DQO exceedances in 0% to 67% of the duplicate pair results (Appendix Table A.12). Zooplankton biomass had average RPDs of 19% to 77% between the pairs, with DQO exceedances in 40% to 100% of the duplicate results (Appendix Table A.13).

Phytoplankton abundance and biomass were re-measured in one sample (10% of samples; Appendix A). There was minimal variability between the duplicate pairs for both abundance and biomass, with mean RPDs of 19% and 12% for abundance and biomass respectively, and DQO exceedances in 25% of the duplicate pair results for both measures (Appendix Table A.13)



Since there is high variability between the duplicate results, and many of the duplicate pairs had RPD exceedances of $\geq 20\%$, the zooplankton community results should be interpreted with caution. Phytoplankton community results can be interpreted with more confidence.



A7 FISH TISSUE CHEMISTRY

A7.1 Laboratory Reporting Limits

The analytical laboratory reports from SRC (Appendix A) were examined to provide an inventory of analytes for which the samples were less than the LRL (Appendix Table A.14). The LRLs for these analytes were assessed relative to appropriate guidelines for small-bodied fish (e.g., redbreasted sunfish [*Lepomis gibbosus*] and peamouth chub [*Mylocheilus caurinus*]) and large-bodied fish (e.g., bull trout [*Salvelinus confluentus*], west cutthroat trout [*Oncorhynchus clarkia*], mountain whitefish [*Prosopium williamsoni*], etc.). Specifically, the Canadian Food Inspection Agency (CFIA) for chemical contaminants and toxins in fish and fish products (for arsenic, lead, mercury, and selenium; CFIA 2015) and the 4 µg/g dw interim selenium guideline for fish muscle (BCMOECCS 2019).

Several metals were consistently (i.e., 100% of samples) reported at concentrations less than the LRL in 2018 and 2019; these included: beryllium, boron, and tin (Appendix Table A.14). Additionally, antimony, chromium, and vanadium were also consistently below the LRL in 2018. Selenium concentrations were detectable in all samples but one from 2018 and were below the applicable BCMOECCS (2019) guideline for fish tissues. In 2018, arsenic concentrations were not detectable in 66% of the samples, and 22% of the arsenic LRLs exceeded the applicable CFIA (2015) guidelines (Appendix Table A.14). Lead concentrations were not detectable in 63% of the samples, and 22% of the lead LRLs exceeded the applicable CFIA (2015) guidelines (Appendix Table A.14). The 48 (22%) LRLs that exceeded the arsenic and lead guidelines in 2018 were the same samples from the laboratory report 2018-8314 (Appendix A). Lastly, 29% of the mercury concentrations were not detectable in the 2018 samples, and one sample exceeded the applicable CFIA (2015) guideline in 2018 (Appendix Table A.14; laboratory report 2018-8314 in Appendix A). All 2019 LRLs were below the applicable CFIA (2015) and BCMOECCS (2019) guidelines (Appendix Table A.14). The LRLs achieved by SRC were considered good for selenium and other metals, however, results from 2018 for arsenic and lead should be interpreted with caution.

A7.2 Data Precision

A total of 31 laboratory duplicate samples were used to evaluate laboratory precision within the fish tissue chemistry reports from SRC (Appendix A). Seven of the 780 duplicate pair results exceeded the laboratory DQO: one barium, one iron, one titanium, one nickel and one strontium.



Because a low number (i.e., 0.9% of the total results) of duplicate samples exceeded the laboratory DQO (Appendix A) the laboratory precision and reproducibility were considered acceptable for the study.

A7.3 Data Accuracy

Data accuracy was evaluated based on the results of 19 RMS within the analytical reports from SRC (see Appendix A). All 226 RMS results were within the laboratory DQO (Appendix Table A.1), the accuracy achieved by the laboratory in this study was therefore considered excellent.



A8 FISH AGING

A8.1 Data Precision

Otoliths were used for the aging of reidside shiner, peamouth chub, yellow perch (*Perca flavescens*), rainbow trout (*Oncorhynchus mykiss*), and northern pikeminnow (*Ptychocheilus oregonensis*) during the 2019 Kooacanusa Reservoir Monitoring Program.

To determine the precision of fish age estimates, a total of 255 aging structures that were analyzed by AAE Technical Service were re-processed by a second analyst (n = 195 in 2018 and n = 60 2019; Appendix Table A.15). The original and second analyst assigned a confidence index to each age estimate and check, respectively. A final age estimate for each fish was assigned based on the outcomes of the original analysis and the re-assessment. For the 195 aging structures analyzed in 2018, original age estimates and age estimates based on the re-assessment were in agreement for 165 samples. The remaining samples were within one year of each other, with the exception of one peamouth chub (sample ID SCKR-PCC-29) which differed by two years (Appendix Table A.15). In 2019, the original age estimate and second age estimates were in agreement for 57 of the n = 60 samples that were re-checked. The age estimates for the remaining three samples were within one year of each other (Appendix Table A.15). Overall, the fish age data can be interpreted with a high level of confidence.



A9 DATA QUALITY STATEMENT

Overall the quality of the data collected for this project was considered acceptable for serving the derivation of conclusions associated with the objectives of the 2019 Kooacanusa Reservoir Monitoring Program Report.



A10 REFERENCES

- BCMOE (British Columbia Ministry of Environment). 2015. B.C. Environmental Laboratory Manual [online]. Available from <https://www2.gov.bc.ca/gov/content/environment/research-monitoring-reporting/monitoring/laboratory-standards-quality-assurance/bc-environmental-laboratory-manual> [accessed 22 April 2020].
- BCMOE. 2017. Working Water Quality Guidelines for British Columbia [online]. Updated June 2017. Available at: https://www2.gov.bc.ca/assets/gov/environment/air-land-water/water/waterquality/wqgs-wqos/bc_env_working_water_quality_guidelines.pdf [accessed 20 April 2020].
- BCMOECCS (British Columbia Ministry of Environment and Climate Change Strategy). 2019. British Columbia Approved Water Quality Guidelines: Aquatic Life, Wildlife and Agriculture. Summary Report. Water and Sustainability Branch. August 2019.
- CFIA (Canadian Food Inspection Agency). 2015. Canadian Food Inspection Agency Fish Products Standards and Methods Manual: Appendix 3, Canadian Guidelines for Chemical Contaminants and Toxins in Fish and Fish Products. Ottawa, ON.
- Golder (Golder Associates Ltd.). 2014. Benchmark Derivation Report for Selenium. Annex E of the Elk Valley Water Quality Plan. Prepared for Teck Coal Limited. July.
- Minnow. 2018. Koochanusa Reservoir Monitoring Program Study Design, 2018 to 2020. Prepared for Teck Coal Ltd. Sparwood, BC. Minnow Project 17-48.
- Teck (Teck Coal Ltd.). 2014. Elk Valley Water Quality Plan. Submitted to the British Columbia Minister of Environment for approval on July 22, 2014.



Table A.1: Data Quality Objectives for Aquatic Ecological Samples in the Kooconusa Reservoir Monitoring Program, 2017 to 2019

Quality Control Measure	Quality Control Sample Type/Check	Study Component				
		Water Chemistry	Sediment Chemistry	Tissue Chemistry	Benthic Invertebrate Community	Zooplankton Community
		ALS	ALS	SRC	ZEAS	Salki
Analytical Laboratory Reporting Limits (LRL)	Comparison actual LRL versus target LRL	LRL for each parameter should be at least as low as applicable guidelines, ideally $\leq 1/10$ th guideline value ^a	LRL for each parameter should be at least as low as applicable guidelines, ideally $\leq 1/10$ th guideline value ^a	LRL for each parameter should be at least as low as applicable guidelines, ideally $\leq 1/10$ th guideline value ^a	n/a	n/a
Blank Analysis	Field or Laboratory Blank	Concentrations measured in blank samples should be $<LRL$ ^b	Concentrations measured in blank samples should be $<LRL$ ^b	n/a	n/a	n/a
Laboratory Precision	Laboratory Duplicates	10% RPD (conductivity) 15% RPD (turbidity) 20% RPD (all remaining analytes)	5% RPD (sand, silt, clay) 20% RPD (moisture) 25% RPD (gravel) 30% RPD (Sb, As, Be, Bi, B, Cd, Ca, Cr, Co, Cu, Fe, Li, Mg, Mn, Ni, P, Se, S, Ti, W, U, V, Zn, Zr) 40% RPD (Al, Ba, Pb, Hg, Mo, K, Ag, Na, Sr, Sn, Ti) 50% RPD (PAHs) Within 2X LRL (pH)	Dependent on the element and the applicable DL. DQOs include 1-4xDL, 4-10xDL, 10-20xDL, 20-100xDL and >100xDL, and are flagged by the laboratory QC protocols.	n/a	n/a
	Organism Sub-Sampling Precision	n/a	n/a	n/a	$\leq 20\%$ difference between sub-samples; minimum of 5% of each sample must be analyzed	$\leq 20\%$ difference between sub-samples; minimum of 5% of each sample must be analyzed
Accuracy	Recovery of Blank Spike	60 to 140% (total silicon) 75 to 125% (TKN) 80 to 120% (orthophosphate, phosphorus, DOC, TOC, total and dissolved metals) 85 to 115% (TSS, TDS, turbidity, alkalinity, ammonia, Br) 90 to 110% (Cl, F, nitrate, nitrite, sulfate)	50 to 130% (naphthalene) 50 to 150% (acridine, 1-methylnaphthalene, perylene, quinoline) 60 to 130% (all PAHs) 80 to 120% (inorganic carbon, total metals) 90 to 110% (moisture, TOC)	n/a	n/a	n/a
	Recovery Matrix Spike	70 to 130% (TKN, orthophosphate, phosphorus, DOC, TOC, total and dissolved metals) 75 to 125% (ammonia, Br, Cl, F, nitrate, nitrite, sulfate)	50 to 150% (PAHs)	n/a	n/a	n/a
	Recovery of Certified Reference Material, QC Standards	80 to 120% (orthophosphate, phosphorus) 85 to 115% (turbidity, alkalinity)	70 to 130% (total metals) ^c	80 to 120%	n/a	n/a
	Organism Recovery	n/a	n/a	n/a	minimum 90% recovery	n/a
	Organism Sub-Sampling Accuracy	n/a	n/a	n/a	80-120%	n/a
	Instrument Accuracy	n/a	n/a	n/a	n/a	n/a

Notes: ALS = ALS Environmental; SRC = Saskatchewan Research Council Environmental Analytical Laboratory; Zeas = Zaranko Environmental Assessment Services Incorporated; AAE = AAE Tech Services Incorporated; n/a = not applicable; RPD = Relative Percent Difference; PAHs = polycyclic aromatic hydrocarbons; 2X = two times; DL = detection limit; TKN = Total Kjeldahl Nitrogen; TOC = total organic carbon; DOC = dissolved organic carbon; Br = bromide; Cl = chloride; F = fluoride; TSS = total suspended solids; TDS = total dissolved solids; QC = quality control.

^a If no guideline or benchmark exists for a substance, the LRL should be less than predictions.

^b Only applies to QC samples at concentrations $<LRL$ or greater than 5X the LRL.

^c The following metals had specific $\mu\text{g/g dw}$ limits: B (0 to 8.2); Se (0.11 to 0.15); Ag (0.13 to 0.33); TI (0.077 to 0.18); Sn (0 to 3.1); W (0 to 0.66); Zr (0 to 1.8).

Table A.2: Laboratory Reporting Limit (LRL) Evaluation for Water Chemistry Analyses, 2018 and 2019

Analyte	Units	BCWQG ^a		EVWQP Level 1 Benchmarks/ Relevant Screening Values ^b	Range of LRLs ^{c,d}		No. LRLs > Guideline ^{c,d}		No. Sample Results < LRL ^d		
		30-d Chronic	Maximum		2018	2019	2018	2019	2018	2019	
Non-metals	Hardness (as CaCO ₃)	mg/L	-	-	-	0.50	0.50	-	-	0	0
	Total Suspended Solids	mg/L	-	-	-	1.0	1.0	-	-	1 (2.94%)	10 (25%)
	Total Dissolved Solids	mg/L	-	-	1,000	13 - 20	13 - 20	0	0	0	0
	Turbidity	NTU	-	-	-	0.10	0.10	-	-	0	0
	Alkalinity	mg/L	>20	-	-	1.0	1.0	0	-	0	0
	Ammonia (as N) ^e	mg/L	0.261	1.92	-	0.0050 - 0.020	0.0050	0	0	1 (2.94%)	4 (10%)
	Bromide (Br)	mg/L	-	-	-	0.050	0.050	-	-	34 (100%)	40 (100%)
	Chloride (Cl)	mg/L	150	600	-	0.10 - 0.50	0.10 - 0.50	0	0	1 (2.94%)	0
	Fluoride (F) ^f	mg/L	-	1.32	-	0.020	0.020	0	0	1 (2.94%)	0
	Nitrate (as N)	mg/L	3.0	32.8	3.0	0.0050	0.0050	0	0	1 (2.94%)	0
	Nitrite (as N) ^g	mg/L	0.020	0.060	-	0.0010	0.0010	0	0	9 (26%)	19 (48%)
	Total Kjeldahl Nitrogen	mg/L	-	-	-	0.050 - 0.10	0.050	-	-	11 (32%)	2 (5.00%)
	Orthophosphate	mg/L	-	-	-	0.0010	0.0010	-	-	17 (50%)	40 (100%)
	Phosphorus (P)-Total	mg/L	-	-	-	0.0010 - 0.010	0.0020	-	-	9 (26%)	13 (32%)
	Total Metals	Sulfate (SO ₄) ^f	mg/L	309	-	429	0.30	0.30	0	0	1 (2.94%)
Dissolved Organic Carbon		mg/L	-	-	-	0.50	0.50	-	-	0	0
Total Organic Carbon		mg/L	-	-	-	0.50	0.50	-	-	0	0
Aluminum (Al)		mg/L	-	-	-	0.0030 - 0.0060	0.0030	-	-	0	0
Antimony (Sb)		mg/L	0.0090	-	-	0.00010 - 0.00020	0.00010	0	0	30 (88%)	38 (95%)
Arsenic (As)		mg/L	-	0.0050	-	0.00010 - 0.00020	0.00010	0	0	0	0
Barium (Ba)		mg/L	1.0	-	-	0.00010 - 0.00020	0.00010	0	0	0	0
Beryllium (Be)		µg/L	0.13	-	-	0.020 - 0.040	0.020	0	0	28 (82%)	39 (98%)
Bismuth (Bi)		mg/L	-	-	-	0.000050 - 0.00010	0.000050	-	-	33 (97%)	40 (100%)
Boron (B)		mg/L	1.2	-	-	0.010 - 0.020	0.010	0	0	33 (97%)	36 (90%)
Cadmium (Cd)		µg/L	-	-	-	0.0050 - 0.010	0.0050	-	-	16 (47%)	18 (45%)
Calcium (Ca)		mg/L	-	-	-	0.050 - 0.10	0.050	-	-	0	0
Chromium (Cr) ^h		mg/L	0.0010	-	-	0.00010 - 0.00020	0.00010	0	0	7 (20%)	2 (5.00%)
Cobalt (Co)		µg/L	4.0	110	-	0.10 - 0.20	0.10	0	0	25 (74%)	27 (68%)
Copper (Cu)		mg/L	0.0020	0.0032	-	0.00050 - 0.0010	0.00050	0	0	20 (59%)	28 (70%)
Iron (Fe)		mg/L	-	1.0	-	0.010 - 0.020	0.010	0	0	6 (18%)	8 (20%)
Lead (Pb) ⁱ		mg/L	0.00640	0.0792	-	0.000050 - 0.00010	0.000050	0	0	12 (35%)	13 (32%)
Lithium (Li)		mg/L	-	-	-	0.0010 - 0.0020	0.0010	-	-	1 (2.94%)	4 (10%)
Magnesium (Mg)		mg/L	-	-	-	0.10	0.10	-	-	0	0
Manganese (Mn)		mg/L	0.750	0.903	-	0.00010 - 0.00020	0.00010	0	0	0	0
Mercury (Hg) ^j		µg/L	0.00125	-	-	0.00050	0.00050 - 0.010	0	0	15 (44%)	19 (48%)
Molybdenum (Mo)		mg/L	1.0	2.0	-	0.000050 - 0.00010	0.000050	0	0	0	0
Nickel (Ni) ^k		mg/L	0.0938	-	0.123	0.00050 - 0.0010	0.00050	0	0	25 (74%)	37 (92%)
Potassium (K)		mg/L	-	-	-	0.050 - 0.10	0.050	-	-	0	0
Selenium (Se)		µg/L	2.0	-	19	0.050 - 0.10	0.050	0	0	0	0
Silicon (Si)		mg/L	-	-	-	0.10 - 0.20	0.10	-	-	0	0
Silver (Ag) ^l		mg/L	0.000050	0.00010	-	0.000010 - 0.000020	0.000010	0	0	33 (97%)	40 (100%)
Sodium (Na)		mg/L	-	-	-	0.050 - 0.10	0.050	-	-	0	0
Strontium (Sr)		mg/L	-	-	-	0.00020 - 0.00040	0.00020	-	-	0	0
Thallium (Tl)		mg/L	0.00080	-	-	0.000010 - 0.000020	0.000010	0	0	28 (82%)	40 (100%)
Tin (Sn)		mg/L	-	-	-	0.00010 - 0.00020	0.00010	-	-	24 (70%)	34 (85%)
Titanium (Ti)		mg/L	-	-	-	0.010	0.010	-	-	31 (91%)	40 (100%)
Uranium (U)	mg/L	0.0085	-	-	0.000010 - 0.000020	0.000010	0	0	0	0	
Vanadium (V)	mg/L	-	-	-	0.00050 - 0.0010	0.00050	-	-	24 (70%)	33 (82%)	
Zinc (Zn) ^m	mg/L	0.0132	0.0387	-	0.0030 - 0.0060	0.0030	0	0	23 (68%)	37 (92%)	
Dissolved Metals	Aluminum (Al)	mg/L	0.050	0.10	-	0.0030	0.0030	0	0	0	0
	Antimony (Sb)	mg/L	-	-	-	0.00010 - 0.00020	0.00010	-	-	34 (100%)	40 (100%)
	Arsenic (As)	mg/L	-	-	-	0.00010 - 0.00020	0.00010	-	-	0	0
	Barium (Ba)	mg/L	-	-	-	0.00010 - 0.00020	0.00010	-	-	0	0
	Beryllium (Be)	µg/L	-	-	-	0.020 - 0.040	0.020	-	-	34 (100%)	40 (100%)
	Bismuth (Bi)	mg/L	-	-	-	0.000050 - 0.00010	0.000050	-	-	34 (100%)	40 (100%)
	Boron (B)	mg/L	-	-	-	0.010 - 0.020	0.010	-	-	34 (100%)	40 (100%)
	Cadmium (Cd) ⁿ	µg/L	0.574	0.208	0.0923	0.0050 - 0.010	0.0050	0	0	29 (85%)	35 (88%)
	Calcium (Ca)	mg/L	-	-	-	0.050 - 0.10	0.050	-	-	0	0
	Chromium (Cr)	mg/L	-	-	-	0.00010 - 0.00020	0.00010	-	-	30 (88%)	33 (82%)
	Cobalt (Co)	µg/L	-	-	-	0.10 - 0.20	0.10	-	-	34 (100%)	40 (100%)
	Copper (Cu)	mg/L	-	-	-	0.00050	0.00050	-	-	30 (88%)	40 (100%)
	Iron (Fe)	mg/L	-	0.35	-	0.010 - 0.020	0.010	0	0	28 (82%)	31 (78%)
	Lead (Pb)	mg/L	-	-	-	0.000050 - 0.00010	0.000050	-	-	29 (85%)	36 (90%)
	Lithium (Li)	mg/L	-	-	-	0.0010	0.0010	-	-	4 (12%)	6 (18%)
	Magnesium (Mg)	mg/L	-	-	-	0.10	0.10	-	-	0	0
	Manganese (Mn)	mg/L	-	-	-	0.00010 - 0.00020	0.00010	-	-	13 (38%)	15 (38%)
	Mercury (Hg)	mg/L	-	-	-	0.0000050	0.0000050	-	-	34 (100%)	39 (98%)
	Molybdenum (Mo)	mg/L	-	-	-	0.000050 - 0.00010	0.000050	-	-	0	0
	Nickel (Ni)	mg/L	-	-	-	0.00050 - 0.0010	0.00050	-	-	34 (100%)	40 (100%)
	Potassium (K)	mg/L	-	-	-	0.050 - 0.10	0.050	-	-	0	0
	Selenium (Se)	µg/L	-	-	-	0.050 - 0.10	0.050	-	-	0	0
	Silicon (Si)	mg/L	-	-	-	0.050 - 0.10	0.050	-	-	0	0
	Silver (Ag)	mg/L	-	-	-	0.000010 - 0.000020	0.000010	-	-	34 (100%)	40 (100%)
	Sodium (Na)	mg/L	-	-	-	0.050 - 0.10	0.050	-	-	0	0
	Strontium (Sr)	mg/L	-	-	-	0.00020 - 0.00040	0.00020	-	-	0	0
	Thallium (Tl)	mg/L	-	-	-	0.000010 - 0.000020	0.000010	-	-	34 (100%)	40 (100%)
	Tin (Sn)	mg/L	-	-	-	0.00010 - 0.00020	0.00010	-	-	24 (70%)	37 (92%)
	Titanium (Ti)	mg/L	-	-	-	0.010	0.010	-	-	34 (100%)	40 (100%)
	Uranium (U)	mg/L	-	-	-	0.000010 - 0.000020	0.000010	-	-	0	0
	Vanadium (V)	mg/L	-	-	-	0.00050 - 0.0010	0.00050	-	-	34 (100%)	40 (100%)
	Zinc (Zn)	mg/L	-	-	-	0.0010 - 0.0020	0.0010	-	-	32 (94%)	37 (92%)

Shading indicates an LRL greater than the lowest EVWQP Level 1 Benchmark (Teck 2014) or relevant, site-specific screening value.

Shading indicates an LRL greater than the lowest BC WQG for the protection of freshwater aquatic life (BCMOE 2017; BCMOEECS 2019).

Notes: BC WQG = British Columbia Water Quality Guidelines; EVWQP = Elk Valley Water Quality Plan; LRL = Laboratory Reporting Limit; - = no data/not applicable; CaCO₃ = calcium carbonate; mg/L = milligrams per litre; NTU = Nephelometric Turbidity Units; µg/L = micrograms per litre.

^a Working (BCMOE 2017) or Accepted (BCMOEECS 2019) BC WQG for the Protection of Aquatic Life.

^b Where more than one EVWQP Level 1 benchmark was applicable, the most conservative (lowest) value was used (Teck 2014).

^c The LRLs for all analytes were consistently less than the applicable BCWQG (BCMOE 2017; BCMOEECS 2019) and EVWQP Level 1 Benchmarks (Teck 2014).

^d The total number of samples in 2018 was n = 34 (n = 33 water samples and n = 1 duplicate samples); in 2019, the total number of samples was n = 40 (n = 37 water samples and n = 3 duplicate samples). Data for field and trip blanks are summarized in Table A.3.

^e Based on most conservative guideline using highest temperature (20) and pH (8.51).

^f Hardness-based guidelines calculated using the minimum hardness observed for all samples (97.6 mg/L)

^g Minimum water quality guidelines for Nitrite (as N) reported in BCMOEECS (2019) for chloride concentrations < 2 mg/L

^h Guideline for Chromium VI (0.001 mg/L) was selected because this is the principal species found in surface waters

ⁱ The most conservative guideline (0.00125 µg/L) was applied.

Table A.3: Field Blank and Trip Blank Results for Water Chemistry Analyses, 2018 and 2019

Analyte	Units	BCWQG ^a		EVWQP Level 1 Benchmarks/ Relevant Screening Values ^b	Range of LRLs ^{c,d}		No. Sample Results < LRL ^d		
		30-d Chronic	Maximum		2018	2019	2018	2019	
Non-metals	Hardness (as CaCO ₃)	mg/L	-	-	-	0.50	0.50	3 (100%)	6 (100%)
	Total Suspended Solids	mg/L	-	-	-	1.0	1.0 - 3.0	3 (75%)	6 (100%)
	Total Dissolved Solids	mg/L	-	-	1,000	10	3.0 - 10	4 (100%)	6 (100%)
	Turbidity	NTU	-	-	-	0.10	0.10	4 (100%)	5 (83%)
	Alkalinity	mg/L	>20	-	-	1.0	1.0	4 (100%)	6 (100%)
	Ammonia (as N) ^e	mg/L	0.261	1.92	-	0.0050	0.0050	2 (50%)	5 (83%)
	Bromide (Br)	mg/L	-	-	-	0.050	0.050	4 (100%)	6 (100%)
	Chloride (Cl)	mg/L	150	600	-	0.10 - 0.50	0.10 - 0.50	4 (100%)	6 (100%)
	Fluoride (F) ^f	mg/L	-	1.32	-	0.020	0.020	4 (100%)	6 (100%)
	Nitrate (as N)	mg/L	3.0	32.8	3.0	0.0050	0.0050	4 (100%)	6 (100%)
	Nitrite (as N) ^g	mg/L	0.020	0.060	-	0.0010	0.0010	4 (100%)	6 (100%)
	Total Kjeldahl Nitrogen	mg/L	-	-	-	0.050	0.050	4 (100%)	6 (100%)
	Orthophosphate	mg/L	-	-	-	0.0010	0.0010	3 (75%)	6 (100%)
	Phosphorus (P)-Total	mg/L	-	-	-	0.0010 - 0.0020	0.0020	4 (100%)	6 (100%)
	Sulfate (SO ₄) ^f	mg/L	309	-	429	0.30	0.30	4 (100%)	6 (100%)
Dissolved Organic Carbon	mg/L	-	-	-	0.50	0.50	2 (100%)	3 (100%)	
Total Organic Carbon	mg/L	-	-	-	0.50	0.50	4 (100%)	6 (100%)	
Total Metals	Aluminum (Al)	mg/L	-	-	-	0.0030	0.0030	4 (100%)	6 (100%)
	Antimony (Sb)	mg/L	0.0090	-	-	0.00010	0.00010	4 (100%)	6 (100%)
	Arsenic (As)	mg/L	-	0.0050	-	0.00010	0.00010	4 (100%)	6 (100%)
	Barium (Ba)	mg/L	1.0	-	-	0.00010	0.00010	3 (75%)	6 (100%)
	Beryllium (Be)	µg/L	0.13	-	-	0.020	0.020	4 (100%)	6 (100%)
	Bismuth (Bi)	mg/L	-	-	-	0.000050	0.000050	4 (100%)	6 (100%)
	Boron (B)	mg/L	1.2	-	-	0.010	0.010	4 (100%)	6 (100%)
	Cadmium (Cd)	µg/L	-	-	-	0.0050	0.0050	4 (100%)	6 (100%)
	Calcium (Ca)	mg/L	-	-	-	0.050	0.050	4 (100%)	6 (100%)
	Chromium (Cr) ^h	mg/L	0.0010	-	-	0.00010	0.00010	4 (100%)	5 (83%)
	Cobalt (Co)	µg/L	4.0	110	-	0.10	0.10	4 (100%)	6 (100%)
	Copper (Cu)	mg/L	0.0020	0.0032	-	0.00050	0.00050	4 (100%)	6 (100%)
	Iron (Fe)	mg/L	-	1.0	-	0.010	0.010	4 (100%)	6 (100%)
	Lead (Pb) ^f	mg/L	0.00640	0.0792	-	0.000050	0.000050	4 (100%)	6 (100%)
	Lithium (Li)	mg/L	-	-	-	0.0010	0.0010	4 (100%)	6 (100%)
	Magnesium (Mg)	mg/L	-	-	-	0.10	0.10	4 (100%)	6 (100%)
	Manganese (Mn)	mg/L	0.750	0.903	-	0.00010	0.00010	4 (100%)	6 (100%)
	Mercury (Hg) ⁱ	µg/L	0.00125	-	-	0.00050	0.00050	4 (100%)	6 (100%)
	Molybdenum (Mo)	mg/L	1.0	2.0	-	0.000050	0.000050	4 (100%)	6 (100%)
	Nickel (Ni) ^f	mg/L	0.0938	-	0.123	0.00050	0.00050	4 (100%)	6 (100%)
	Potassium (K)	mg/L	-	-	-	0.050	0.050	4 (100%)	6 (100%)
	Selenium (Se)	µg/L	2.0	-	19	0.050	0.050	4 (100%)	6 (100%)
	Silicon (Si)	mg/L	-	-	-	0.10	0.10	4 (100%)	6 (100%)
	Silver (Ag) ^f	mg/L	0.000050	0.00010	-	0.000010	0.000010	4 (100%)	6 (100%)
	Sodium (Na)	mg/L	-	-	-	0.050	0.050	4 (100%)	6 (100%)
	Strontium (Sr)	mg/L	-	-	-	0.00020	0.00020	4 (100%)	6 (100%)
	Thallium (Tl)	mg/L	0.00080	-	-	0.000010	0.000010	4 (100%)	6 (100%)
	Tin (Sn)	mg/L	-	-	-	0.00010	0.00010	4 (100%)	5 (83%)
	Titanium (Ti)	mg/L	-	-	-	0.010	0.010	4 (100%)	6 (100%)
	Uranium (U)	mg/L	0.0085	-	-	0.000010	0.000010	4 (100%)	6 (100%)
Vanadium (V)	mg/L	-	-	-	0.00050	0.00050	4 (100%)	6 (100%)	
Zinc (Zn) ^f	mg/L	0.0132	0.0387	-	0.0030	0.0030	4 (100%)	6 (100%)	
Dissolved Metals	Aluminum (Al)	mg/L	0.050	0.10	-	0.0030	0.0030	2 (100%)	3 (100%)
	Antimony (Sb)	mg/L	-	-	-	0.00010	0.00010	2 (100%)	3 (100%)
	Arsenic (As)	mg/L	-	-	-	0.00010	0.00010	2 (100%)	3 (100%)
	Barium (Ba)	mg/L	-	-	-	0.00010	0.00010	2 (100%)	3 (100%)
	Beryllium (Be)	µg/L	-	-	-	0.020	0.020	2 (100%)	3 (100%)
	Bismuth (Bi)	mg/L	-	-	-	0.000050	0.000050	2 (100%)	3 (100%)
	Boron (B)	mg/L	-	-	-	0.010	0.010	2 (100%)	3 (100%)
	Cadmium (Cd) ^f	µg/L	0.574	0.208	0.0923	0.0050	0.0050	2 (100%)	3 (100%)
	Calcium (Ca)	mg/L	-	-	-	0.050	0.050	3 (100%)	5 (100%)
	Chromium (Cr)	mg/L	-	-	-	0.00010	0.00010	2 (100%)	3 (100%)
	Cobalt (Co)	µg/L	-	-	-	0.10	0.10	2 (100%)	3 (100%)
	Copper (Cu)	mg/L	-	-	-	0.00050	0.00050	2 (100%)	3 (100%)
	Iron (Fe)	mg/L	-	0.35	-	0.010	0.010	2 (100%)	3 (100%)
	Lead (Pb)	mg/L	-	-	-	0.000050	0.000050	2 (100%)	3 (100%)
	Lithium (Li)	mg/L	-	-	-	0.0010	0.0010	2 (100%)	3 (100%)
	Magnesium (Mg)	mg/L	-	-	-	0.10	0.005	3 (100%)	5 (100%)
	Manganese (Mn)	mg/L	-	-	-	0.00010	0.00010	2 (100%)	3 (100%)
	Mercury (Hg)	mg/L	-	-	-	0.0000050	0.0000050	2 (100%)	3 (100%)
	Molybdenum (Mo)	mg/L	-	-	-	0.000050	0.000050	2 (100%)	3 (100%)
	Nickel (Ni)	mg/L	-	-	-	0.00050	0.00050	2 (100%)	3 (100%)
	Potassium (K)	mg/L	-	-	-	0.050	0.050	3 (100%)	5 (100%)
	Selenium (Se)	µg/L	-	-	-	0.050	0.050	2 (100%)	3 (100%)
	Silicon (Si)	mg/L	-	-	-	0.050	0.050	2 (100%)	3 (100%)
	Silver (Ag)	mg/L	-	-	-	0.000010	0.000010	2 (100%)	3 (100%)
	Sodium (Na)	mg/L	-	-	-	0.050	0.050	3 (100%)	5 (100%)
	Strontium (Sr)	mg/L	-	-	-	0.00020	0.00020	2 (100%)	3 (100%)
	Thallium (Tl)	mg/L	-	-	-	0.000010	0.000010	2 (100%)	3 (100%)
	Tin (Sn)	mg/L	-	-	-	0.00010	0.00010	2 (100%)	3 (100%)
Titanium (Ti)	mg/L	-	-	-	0.010	0.010	2 (100%)	3 (100%)	
Uranium (U)	mg/L	-	-	-	0.000010	0.000010	2 (100%)	3 (100%)	
Vanadium (V)	mg/L	-	-	-	0.00050	0.00050	2 (100%)	3 (100%)	
Zinc (Zn)	mg/L	-	-	-	0.0010	0.0010	2 (100%)	3 (100%)	

Shading indicates blank concentrations greater than the LRL.

Shading indicates an LRL greater than the lowest EVWQP Level 1 Benchmark (Teck 2014) or relevant, site-specific screening value.

Shading indicates an LRL greater than the lowest BC WQG for the protection of freshwater aquatic life (BCMOE 2017; BCMOEECS 2019).

Notes: BC WQG = British Columbia Water Quality Guidelines; EVWQP = Elk Valley Water Quality Plan; LRL = Laboratory Reporting Limit; - = no data/not applicable; CaCO₃ = calcium carbonate; mg/L = milligrams per litre; NTU = Nephelometric Turbidity Units; µg/L = micrograms per litre.

^a Working (BCMOE 2017) or Accepted (BCMOEECS 2019) BC WQG for the Protection of Aquatic Life.

^b Where more than one EVWQP Level 1 benchmark was applicable, the most conservative (lowest) value was used (Teck 2014).

^c The LRLs for all analytes were consistently less than the applicable BCWQG (BCMOE 2017; BCMOEECS 2019) and EVWQP Level 1 Benchmarks (Teck 2014).

^d Total n = 4 (n = 2 trip blanks and n = 2 field blanks) for 2018 and n = 6 (n = 3 trip blanks and n = 3 field blanks) for 2019. Additionally, some parameters were not consistently analyzed and reported for the blank samples; differences in sample numbers are reflected in the table.

^e Based on most conservative guideline using highest temperature (20) and pH (8.51).

^f Hardness-based guidelines calculated using the minimum hardness observed for all samples (97.6 mg/L).

^g Minimum water quality guidelines for Nitrite (as N) reported in BCMOEECS (2019) for chloride concentrations < 2 mg/L.

^h Guideline for Chromium VI (0.001 mg/L) was selected because this is the principal species found in surface waters.

ⁱ The most conservative guideline (0.00125 µg/L) was applied.

Table A.5: Laboratory Reporting Limit (LRL) Evaluation for Sediment Chemistry Analyses, 2018 and 2019

Analyte	Units	BC WSQGs ^b		Range of LRLs		No. LRLs > ISQG		No. LRLs > PEL		No. Sample Results < LRL ^c		
		ISQG	PEL	2018	2019	2018	2019	2018	2019	2018	2019	
Non-metal	Total Organic Carbon	%	-	-	0.47 to 1.0	0.89 to 1.0	-	-	-	-	0	0
	pH	pH units	-	-	0.10	0.10	-	-	-	-	0	0
	Moisture	%	-	-	0.25	0.25	-	-	-	-	0	0
Particle Size	% Gravel (>2mm)	%	-	-	1.0	1.0	-	-	-	-	24 (89%)	11 (100%)
	% Sand (2.00mm - 1.00mm)	%	-	-	1.0	1.0	-	-	-	-	25 (92%)	11 (100%)
	% Sand (1.00mm - 0.50mm)	%	-	-	1.0	1.0	-	-	-	-	20 (74%)	11 (100%)
	% Sand (0.50mm - 0.25mm)	%	-	-	1.0	1.0	-	-	-	-	17 (63%)	11 (100%)
	% Sand (0.25mm - 0.125mm)	%	-	-	1.0	1.0	-	-	-	-	13 (48%)	9 (82%)
	% Sand (0.125mm - 0.063mm)	%	-	-	1.0	1.0	-	-	-	-	4 (15%)	3 (27%)
	% Silt (0.063mm - 0.0312mm)	%	-	-	1.0	1.0	-	-	-	-	0	0
	% Silt (0.0312mm - 0.004mm)	%	-	-	1.0	1.0	-	-	-	-	0	0
% Clay (<4µm)	%	-	-	1.0	1.0	-	-	-	-	0	0	
Metals	Aluminum (Al)	mg/kg	-	-	50	50	-	-	-	-	0	0
	Antimony (Sb)	mg/kg	-	-	0.10	0.10	-	-	-	-	0	0
	Arsenic (As)	mg/kg	5.9	17	0.10	0.10	0	0	0	0	0	0
	Barium (Ba)	mg/kg	-	-	0.50	0.50	-	-	-	-	0	0
	Beryllium (Be)	mg/kg	-	-	0.10	0.10	-	-	-	-	0	0
	Bismuth (Bi)	mg/kg	-	-	0.20	0.20	-	-	-	-	23 (85%)	4 (36%)
	Boron	mg/kg	-	-	5.0	5.0	-	-	-	-	22 (81%)	11 (100%)
	Cadmium (Cd)	mg/kg	0.60	3.5	0.020	0.020	0	0	0	0	0	0
	Calcium (Ca)	mg/kg	-	-	50	50	-	-	-	-	0	0
	Chromium (Cr)	mg/kg	37.3	90.0	0.50	0.50	0	0	0	0	0	0
	Cobalt (Co)	mg/kg	-	-	0.10	0.10	-	-	-	-	0	0
	Copper (Cu)	mg/kg	35.7	197	0.50	0.50	0	0	0	0	0	0
	Iron (Fe)	mg/kg	21,200	43,766	50	50	0	0	0	0	0	0
	Lead (Pb)	mg/kg	35.0	91.3	0.50	0.50	0	0	0	0	0	0
	Lithium (Li)	mg/kg	-	-	2.0	2.0	-	-	-	-	0	0
	Magnesium (Mg)	mg/kg	-	-	20	20	-	-	-	-	0	0
	Manganese (Mn)	mg/kg	460	1,100	1.0	1.0	0	0	0	0	0	0
	Mercury (Hg)	mg/kg	0.170	0.486	0.0050	0.0050	0	0	0	0	0	0
	Molybdenum (Mo)	mg/kg	-	-	0.10	0.10	-	-	-	-	0	0
	Nickel (Ni)	mg/kg	16.0	75.0	0.50	0.50	0	0	0	0	0	0
	Phosphorus (P)	mg/kg	-	-	50	50	-	-	-	-	0	0
	Potassium (K)	mg/kg	-	-	100	100	-	-	-	-	0	0
	Selenium (Se)	mg/kg	-	2.0 ^b	0.20	0.20	0	0	0	0	7 (26%)	5 (45%)
	Silver (Ag)	mg/kg	0.50	-	0.10	0.10	0	0	0	0	23 (85%)	7 (64%)
	Sodium (Na)	mg/kg	-	-	50	50	-	-	-	-	0	0
	Strontium (Sr)	mg/kg	-	-	0.50	0.50	-	-	-	-	0	0
	Sulphur (S)	mg/kg	-	-	1,000	1,000	-	-	-	-	27 (100%)	11 (100%)
	Thallium (Tl)	mg/kg	-	-	0.050	0.050	-	-	-	-	0	0
Tin (Sn)	mg/kg	-	-	2.0	2.0	-	-	-	-	27 (100%)	11 (100%)	
Titanium (Ti)	mg/kg	-	-	1.0	1.0	-	-	-	-	0	0	
Tungsten (W)	mg/kg	-	-	0.50	0.50	-	-	-	-	27 (100%)	11 (100%)	
Uranium (U)	mg/kg	-	-	0.050	0.050	-	-	-	-	0	0	
Vanadium (V)	mg/kg	-	-	0.20	0.20	-	-	-	-	0	0	
Zinc (Zn)	mg/kg	123	315	2.0	2.0	0	0	0	0	0	0	
Zirconium (Zr)	mg/kg	-	-	1.0	1.0	-	-	-	-	2 (7.41%)	0	
Polycyclic Aromatic Hydrocarbons	Acenaphthene	mg/kg	0.00671	0.0889	0.0050	0.0050	0	0	0	0	27 (100%)	11 (100%)
	Acenaphthylene	mg/kg	0.00587	0.128	0.0050	0.0050	0	0	0	0	26 (96%)	11 (100%)
	Acridine	mg/kg	-	-	0.010	0.010	-	-	-	-	27 (100%)	10 (91%)
	Anthracene	mg/kg	0.0469	0.245	0.0040	0.0040	0	0	0	0	24 (89%)	10 (91%)
	Benz(a)anthracene	mg/kg	0.0317	0.385	0.010	0.010	0	0	0	0	22 (81%)	9 (82%)
	Benzo(a)pyrene	mg/kg	0.0319	0.782	0.010	0.010	0	0	0	0	24 (89%)	11 (100%)
	Benzo(b&j)fluoranthene	mg/kg	-	-	0.010	0.010	-	-	-	-	17 (63%)	7 (64%)
	Benzo(b+j+k)fluoranthene	mg/kg	-	-	-	0.015	-	-	-	-	-	8 (73%)
	Benzo(e)pyrene	mg/kg	-	-	0.010	0.010	-	-	-	-	21 (78%)	10 (91%)
	Benzo(g,h,i)perylene	mg/kg	0.170	3.20	0.010	0.010	0	0	0	0	23 (85%)	11 (100%)
	Benzo(k)fluoranthene	mg/kg	0.240	13.4	0.010	0.010	0	0	0	0	24 (89%)	11 (100%)
	Chrysene	mg/kg	0.0571	0.862	0.010	0.010	0	0	0	0	16 (59%)	6 (54%)
	Dibenz(a,h)anthracene	mg/kg	0.00622	0.135	0.0050	0.0050	0	0	0	0	25 (92%)	11 (100%)
	Fluoranthene	mg/kg	0.111	2.36	0.010	0.010	0	0	0	0	18 (67%)	7 (64%)
	Fluorene	mg/kg	0.0212	0.144	0.010	0.010	0	0	0	0	27 (100%)	11 (100%)
	Indeno(1,2,3-c,d)pyrene	mg/kg	0.200	3.20	0.010	0.010	0	0	0	0	24 (89%)	11 (100%)
	1-Methylnaphthalene	mg/kg	-	-	0.010	0.010	-	-	-	-	17 (63%)	5 (45%)
	2-Methylnaphthalene	mg/kg	0.0202	0.201	0.010	0.010	0	0	0	0	16 (59%)	5 (45%)
	Naphthalene	mg/kg	0.0346	0.391	0.010	0.010	0	0	0	0	17 (63%)	5 (45%)
	Perylene	mg/kg	-	-	0.010	0.010	-	-	-	-	17 (63%)	10 (91%)
	Phenanthrene	mg/kg	0.0419	0.515	0.010	0.010	0	0	0	0	15 (56%)	5 (45%)
	Pyrene	mg/kg	0.0530	0.875	0.010	0.010	0	0	0	0	20 (74%)	8 (73%)
Quinoline	mg/kg	-	-	0.010	0.010	-	-	-	-	27 (100%)	11 (100%)	
B(a)P Total Potency Equivalent	mg/kg	-	-	0.020	0.020	-	-	-	-	24 (89%)	11 (100%)	
IACR (CCME)	mg/kg	-	-	0.15	0.15	-	-	-	-	17 (63%)	8 (73%)	

Shading indicates an LRL greater than the lowest BC WSQG (i.e., the ISQG).

Shading indicates an LRL greater than the both the upper BC WSQG (i.e., the PEL) and the BC WSQG (ISQG).

Notes: BC WSQG = British Columbia Working Sediment Quality Guidelines; LRL = Laboratory Reporting Limit; ISQG = Interim Sediment Quality Guideline; PEL = Probable Effects Level; > = greater than; mm = millimetres; < = less than; µm = micrometres; - = no data/not applicable; mg/kg = milligrams per kilogram; BCMOEECS = British Columbia Ministry of Environment and Climate Change Strategy.

^a BC WSQG for the protection of freshwater aquatic life (BCMOE 2017).

^b The 2 mg/kg alert concentrations from BCMOEECS (2019) was applied; there is currently no BC WSQG for selenium.

^c The total number of samples in 2018 was n = 27 (n = 25 sediment samples and n = 2 duplicate samples); in 2019, the total number of samples was n = 11 (n = 10 sediment samples and n = 1 duplicate samples).


Table A.6: Field Duplicate Results for Sediment Chemistry Samples, 2018 to 2019

Analyte	Units	L2089149			L2157301			L2334973			
		RG_GC_03_SS_20180427-1315			RG_T4_4_SED_20180828-1430			RG_T4_1_SE_20190821-1027			
		RG_GC	DUP	RPD (%)	RG_T4	DUP	RPD (%)	RG_T4	DUP	RPD (%)	
Non-metal	Total Organic Carbon	%	1.28	1.20	6.5	2.20	2.30	4.4	1.45	1.48	2.0
	pH	pH units	8.17	8.18	0.12	8.43	8.45	0.24	8.14	8.18	0.49
	Moisture	%	44.1	44.5	0.90	43.3	42.3	2.3	40.8	40.1	1.7
Metals	Aluminum (Al)	mg/kg	9,640	10,100	4.7	13,500	14,700	8.5	12,200	12,000	1.7
	Antimony (Sb)	mg/kg	0.28	0.26	7.4	0.42	0.44	4.7	0.40	0.40	0
	Arsenic (As)	mg/kg	2.63	2.73	3.7	7.59	8.24	8.2	6.37	6.48	1.7
	Barium (Ba)	mg/kg	103	106	2.9	141	142	0.71	151	149	1.3
	Beryllium (Be)	mg/kg	0.34	0.37	8.5	0.48	0.5	4.1	0.54	0.55	1.8
	Bismuth (Bi)	mg/kg	<0.20	<0.20	-	<0.20	0.21	4.9	0.20	0.21	4.9
	Boron	mg/kg	<5.0	<5.0	-	<5.0	<5.0	-	<5.0	<5.0	-
	Cadmium (Cd)	mg/kg	0.0870	0.0880	1.1	0.462	0.454	1.7	0.508	0.490	3.6
	Calcium (Ca)	mg/kg	24,900	27,900	11	122,000	140,000	14	98,800	99,200	0.40
	Chromium (Cr)	mg/kg	10.3	10.7	3.8	20.4	21.8	6.6	18.9	18.3	3.2
	Cobalt (Co)	mg/kg	6.81	6.65	2.4	10.2	11.2	9.3	8.40	8.49	1.1
	Copper (Cu)	mg/kg	10.4	9.98	4.1	17.5	19.2	9.3	15.6	15.9	1.9
	Iron (Fe)	mg/kg	15,000	14,900	0.67	24,700	26,900	8.5	22,000	22,000	0
	Lead (Pb)	mg/kg	6.05	6.11	1.0	15.9	17.8	11	14.2	14.6	2.8
	Lithium (Li)	mg/kg	13.5	13.8	2.2	25.6	27.7	7.9	22.3	22.6	1.3
	Magnesium (Mg)	mg/kg	11,800	12,300	4.1	26,200	28,400	8.1	22,000	22,300	1.4
	Manganese (Mn)	mg/kg	246	253	2.8	568	629	10	572	573	0.17
	Mercury (Hg)	mg/kg	0.096	0.029	108	0.0291	0.0462	45	0.0382	0.0388	1.6
	Molybdenum (Mo)	mg/kg	0.170	0.190	11	0.940	1.05	11	0.830	0.830	0
	Nickel (Ni)	mg/kg	11.2	11.3	0.89	23.9	25.6	6.9	21.8	21.8	0
	Phosphorus (P)	mg/kg	528	534	1.1	830	876	5.4	724	754	4.1
	Potassium (K)	mg/kg	840	920	9.1	1,160	1,110	4.4	1330	1320	0.75
	Selenium (Se)	mg/kg	0.22	<0.20	9.5	0.510	0.520	1.9	0.680	0.720	5.7
	Silver (Ag)	mg/kg	<0.10	<0.10	-	<0.10	<0.10	-	0.110	0.110	0
	Sodium (Na)	mg/kg	58.0	64.0	9.8	100	105	4.9	100	100	0
	Strontium (Sr)	mg/kg	32.0	39.8	22	250	288	14	201	201	0
	Sulphur (S)	mg/kg	<1,000	<1,000	-	<1,000	<1,000	-	<1,000	<1,000	-
	Thallium (Tl)	mg/kg	0.0580	0.0580	0	0.131	0.132	0.76	0.154	0.153	0.65
Tin (Sn)	mg/kg	<2.0	<2.0	-	<2.0	<2.0	-	<2.0	<2.0	-	
Titanium (Ti)	mg/kg	198	209	5.4	99.6	101	1.4	55.1	57.6	4.4	
Tungsten (W)	mg/kg	<0.50	<0.50	-	<0.50	<0.50	-	<0.50	<0.50	-	
Uranium (U)	mg/kg	0.596	0.593	0.50	0.811	0.907	11	0.760	0.786	3.4	
Vanadium (V)	mg/kg	12.5	13.0	3.9	19.3	19.6	1.5	19.2	19.5	1.6	
Zinc (Zn)	mg/kg	21.7	23.1	6.3	84.4	88.7	5.0	73.5	73.7	0.27	
Zirconium (Zr)	mg/kg	1.8	1.7	5.7	1.3	1.8	32	1.5	1.4	6.9	
Polycyclic Aromatic Hydrocarbons	Acenaphthene	mg/kg	<0.0050	<0.0050	-	<0.0050	<0.0050	-	<0.0050	<0.0050	-
	Acenaphthylene	mg/kg	<0.0050	<0.0050	-	<0.0050	<0.0050	-	<0.0050	<0.0050	-
	Acridine	mg/kg	<0.010	<0.010	-	<0.010	<0.010	-	<0.010	<0.010	-
	Anthracene	mg/kg	<0.0040	<0.0040	-	<0.0040	<0.0040	-	<0.0040	0.0045	12
	Benz(a)anthracene	mg/kg	<0.010	<0.010	-	<0.010	<0.010	-	<0.010	0.010	0
	Benzo(a)pyrene	mg/kg	<0.010	<0.010	-	<0.010	<0.010	-	<0.010	<0.010	-
	Benzo(b&j)fluoranthene	mg/kg	<0.010	<0.010	-	0.015	0.015	0	0.012	0.012	0
	Benzo(e)pyrene	mg/kg	<0.010	<0.010	-	0.010	<0.010	0	<0.010	<0.010	-
	Benzo(g,h,i)perylene	mg/kg	<0.010	<0.010	-	0.014	<0.010	33	<0.010	<0.010	-
	Benzo(k)fluoranthene	mg/kg	<0.010	<0.010	-	<0.010	<0.010	-	<0.010	<0.010	-
	Chrysene	mg/kg	<0.010	<0.010	-	0.018	0.015	18	0.016	0.017	6.1
	Dibenz(a,h)anthracene	mg/kg	<0.0050	<0.0050	-	0.0057	<0.0050	-	<0.0050	<0.0050	-
	Fluoranthene	mg/kg	<0.010	<0.010	-	0.014	0.013	7.4	0.013	0.020	42
	Fluorene	mg/kg	<0.010	<0.010	-	<0.010	<0.010	-	<0.010	<0.010	-
	Indeno(1,2,3-c,d)pyrene	mg/kg	<0.010	<0.010	-	<0.010	<0.010	-	<0.010	<0.010	-
	1-Methylnaphthalene	mg/kg	<0.010	<0.010	-	0.016	0.019	17	0.026	0.022	17
	2-Methylnaphthalene	mg/kg	<0.010	<0.010	-	0.030	0.029	3.4	0.045	0.037	20
	Naphthalene	mg/kg	<0.010	<0.010	-	0.010	0.013	26	0.019	0.016	17
	Perylene	mg/kg	0.011	0.016	37	0.011	0.011	0	<0.010	<0.010	-
	Phenanthrene	mg/kg	<0.010	<0.010	-	0.027	0.028	3.6	0.037	0.036	2.7
Pyrene	mg/kg	<0.010	<0.010	-	0.011	<0.010	9.5	0.011	0.016	37	
Quinoline	mg/kg	<0.010	<0.010	-	<0.010	<0.010	-	<0.010	<0.010	-	

Notes: The RPD was calculated using <LRL results at the LRL if one result in a duplicate pair was below the LRL. The RPD was not calculated if both results were <LRL. RPD = relative percent difference; - = no data/not calculated. LRL = Laboratory Reporting Limit.

Table A.7: Calculation of Benthic Invertebrate Community Subsampling Error, 2018

Station	Whole Organisms	Number of Organisms in Fraction 1	Number of Organisms in Fraction 2	Number of Organisms in Fraction 3	Number of Organisms in Fraction 4	Precision	
						% range	
TN-4	-	125	135	-	-	7.4	-

 Highlighted values did not meet the DQO of <20%.

min = minimum absolute % error.

max = maximum absolute % error.


Table A.8: Benthic Invertebrate Community Sample Fractions Sorted, 2018

Station	Fraction Sorted	Station	Fraction Sorted (500 µm)
TN-1	1/4	T4-2	Whole
TN-2	1/2	T4-3	Whole
TN-3	1/4	T4-4	1/8
TN-4	Whole ^a	T4-5	1/4
TN-5	1/2	T4-6	Whole

^a two halves sorted for subsampling error calculations.

Table A.9: Percent Recovery of Benthic Macroinvertebrates, 2018

Station	Number of Organisms Recovered (initial sort)	Number of Organisms in Re-sort	Percent Recovery
TN-5	123	151	81.5%
T4-2	72	76	94.7%
Average % Recovery			88.1%

 Highlighted values did not meet the DQO of >90%.


QA/QC Notes


Pupae were not counted toward total number of taxa unless they were the sole representative of their taxa group.

Immatures were not counted toward total number of taxa unless they were the sole representative of their taxa group.

Table A.10: Laboratory Reporting Limit (LRL) Evaluation for Benthic Invertebrate Tissue Chemistry Analyses, 2018 and 2019

Analyte	Units	Range of LRLs ^{a,b}		No. Sample Results < LRL ^c	
		2018	2019	2018	2019
Aluminum	µg/g dw	0.5 - 1,000	50	2 (10%)	0
Antimony	µg/g dw	0.02 - 50	0.02 - 0.1	19 (100%)	2 (50%)
Arsenic	µg/g dw	0.01 - 20	0.05 - 0.5	17 (89%)	0
Barium	µg/g dw	0.01 - 20	0.5 - 5	2 (10%)	0
Beryllium	µg/g dw	0.002 - 5	0.02	17 (89%)	0
Boron	µg/g dw	0.2 - 500	5 - 50	18 (95%)	3 (75%)
Cadmium	µg/g dw	0.002 - 5	0.02	9 (47%)	0
Chromium	µg/g dw	0.1 - 200	0.5 - 5	18 (95%)	3 (75%)
Cobalt	µg/g dw	0.002 - 5	0.5 - 5	9 (47%)	3 (75%)
Copper	µg/g dw	0.01 - 20	0.5 - 5	2 (10%)	0
Iron	µg/g dw	0.5 - 1,000	50	1 (5.26%)	0
Lead	µg/g dw	0.002 - 5	0.05 - 0.5	9 (47%)	0
Manganese	µg/g dw	0.02 - 50	0.5 - 5	2 (10%)	0
Mercury	µg/g dw	0.001 - 2	0.01 - 0.02	18 (95%)	1 (25%)
Molybdenum	µg/g dw	0.02 - 50	0.05 - 0.5	19 (100%)	3 (75%)
Nickel	µg/g dw	0.01 - 20	0.5 - 5	11 (58%)	3 (75%)
Selenium	µg/g dw	0.01 - 2	0.05 - 0.5	2 (10%)	0
Silver	µg/g dw	0.002 - 5	0.02	19 (100%)	1 (25%)
Strontium	µg/g dw	0.02 - 50	0.1 - 1	8 (42%)	0
Thallium	µg/g dw	0.01 - 20	0.01 - 0.1	19 (100%)	3 (75%)
Tin	µg/g dw	0.01 - 20	0.2 - 2	19 (100%)	3 (75%)
Titanium	µg/g dw	0.01 - 20	0.5 - 5	2 (10%)	0
Uranium	µg/g dw	0.001 - 2	0.02 - 0.1	14 (74%)	1 (25%)
Vanadium	µg/g dw	0.02 - 50	0.2 - 1	15 (79%)	0
Zinc	µg/g dw	0.1 - 200	5 - 50	7 (37%)	1 (25%)

 Shading indicates an LRL greater than the lowest applicable Level 1 Benchmark from the EVWQP (i.e., 11 µg/g dw Se for dietary effects to juvenile fish; Golder 2014).

 Shading indicates an LRL greater than the BCMOEECS interim selenium guideline for invertebrate tissue (4 µg/g dw; BCMOEECS 2019).

Notes: LRL = Laboratory Reporting Limit; µg/g dw = microgram per gram dry weight; EVWQP = Elk Valley Water Quality Plan; BCMOEECS = British Columbia Ministry of Environment and Climate Change Strategy; SRC = Saskatchewan Research Council Environmental Analytical Laboratory.

^a LRLs from the analytical laboratory (SRC) were reported to one significant digit.

^b The LRLs for selenium were compared to the BCMOEECS interim guideline and EVWQP Level 1 Benchmark for dietary effects to juvenile fish; LRLs were consistently below guidelines/benchmarks. No other analytes had guidelines or EVWQP benchmarks for concentrations in benthic invertebrate tissues.

^c The total number of samples in 2018 was n = 19 samples; in 2019 the total number of samples was n = 4

Table A.11: Laboratory Reporting Limit (LRL) Evaluation for Zooplankton Tissue Chemistry Analyses, 2018 and 2019

Analyte	Units	Range of LRLs ^{a,b}		No. Sample Results < LRL ^b	
		2018	2019	2018	2019
Aluminum	µg/g dw	20 to 200	5 to 50	0	0
Antimony	µg/g dw	0.1 to 1	0.01 to 0.1	9 (30%)	1 (6.67%)
Arsenic	µg/g dw	0.05 to 0.5	0.01 to 0.5	0	0
Barium	µg/g dw	0.05 to 0.5	0.02 to 5	0	0
Beryllium	µg/g dw	0.01 to 0.1	0.01 to 0.02	5 (17%)	0
Boron	µg/g dw	1 to 10	1 to 50	14 (47%)	11 (73%)
Cadmium	µg/g dw	0.01 to 0.1	0.01 to 0.02	0	0
Chromium	µg/g dw	0.5 to 5	0.05 to 5	12 (40%)	2 (13%)
Cobalt	µg/g dw	0.01 to 0.1	0.01 to 5	0	2 (13%)
Copper	µg/g dw	0.05 to 0.5	0.05 to 5	0	0
Iron	µg/g dw	20 to 200	5 to 50	0	0
Lead	µg/g dw	0.01 to 1	0.01 to 0.5	0	0
Manganese	µg/g dw	0.1 to 1	0.1 to 5	0	0
Mercury	µg/g dw	0.005 to 0.05	0.005 to 0.02	10 (33%)	0
Molybdenum	µg/g dw	0.1 to 1	0.02 to 0.5	12 (40%)	2 (13%)
Nickel	µg/g dw	0.05 to 0.5	0.05 to 5	0	1 (6.67%)
Selenium	µg/g dw	0.05 to 0.5	0.01 to 0.5	0	0
Silver	µg/g dw	0.01 to 0.1	0.01 to 0.02	16 (53%)	0
Strontium	µg/g dw	0.1 to 1	0.05 to 1	0	0
Thallium	µg/g dw	0.05 to 0.5	0.005 to 0.1	22 (73%)	2 (13%)
Tin	µg/g dw	0.05 to 0.5	0.05 to 2	2 (6.67%)	2 (13%)
Titanium	µg/g dw	0.05 to 0.5	0.2 to 5	0	0
Uranium	µg/g dw	0.005 to 0.05	0.005 to 0.1	0	0
Vanadium	µg/g dw	0.1 to 1	0.1 to 1	0	0
Zinc	µg/g dw	0.5 to 5	0.5 to 50	0	0

Notes: LRL = Laboratory Reporting Limit; µg/g dw = microgram per gram dry weight; SRC = Saskatchewan Research Council Environmental Analytical Laboratory.

^a LRLs from the analytical laboratory (SRC) were reported to one significant digit.

^b The total number of samples in 2018 was n = 30 samples; in 2019 the total number of samples was n = 15 samples.

Table A.12: Laboratory Recount Results for Zooplankton Samples, 2018 to 2019

Taxonomic Group		RG_TN5			RG_TN4			RG_TN1		
		11-Jun-18			31-Aug-18			4-Sep-18		
		Sample	DUP	RPD	Sample	DUP	RPD	Sample	DUP	RPD
Density	Total Calanoida ind/L	1	2	43	2	3	10	2	2	21
	Total Cyclopoida ind/L	1	1	14	11	9	20	5	6	32
	Total Cladocera ind/L	4	3	36	2	3	19	2	1	72
	Total Rotifera ind/L	2	2	10	8	8	4.6	4	5	19
	Total Zooplankton ind/L	8	8	4.1	24	22	6.9	12	14	16
	Total Count	158	159	0.63	193	187	3.2	165	207	23
Biomass	Total Calanoida ug/L	51.7	55.6	7.2	151	106	35	63.7	74.8	16
	Total Cyclopoida ug/L	11.9	16.1	31	100	78.2	25	34.6	59.3	53
	Total Cladocera ug/L	415	189	75	565	662	16	137	124	10
	Total Rotifera ug/L	0.305	0.325	6.4	2.44	2.19	11	0.918	1.29	34
	Total Zooplankton ug/L	479	261	59	736	807	9.2	221	221	0.074

 Highlighted values did not meet the data quality objective of $\leq 20\%$ RPD.

Note: RPD = relative percent difference.

Table A.12: Laboratory Recount Results for Zooplankton Samples, 2018 to 2019

Taxonomic Group		RG_TN4			RG_T43		
		22-Aug-19			21-Aug-19		
		Sample	DUP	RPD	Sample	DUP	RPD
Density	Total Calanoida ind/L	2	1	19	2	1	18
	Total Cyclopoida ind/L	10	13	23	9	13	32
	Total Cladocera ind/L	2	1	43	2	1	93
	Total Rotifera ind/L	3	4	31	9	4	74
	Total Zooplankton ind/L	17	19	16	21	19	14
	Total Count	169	187	10	226	171	28
Biomass	Total Calanoida ug/L	58.4	65.0	11	53.6	22.4	82
	Total Cyclopoida ug/L	110	127	14	51.9	93.6	57
	Total Cladocera ug/L	229	174	27	361	99.0	114
	Total Rotifera ug/L	0.849	1.32	43	1.81	0.984	59
	Total Zooplankton ug/L	398	366	8.2	468	216	74

 Highlighted values did not meet the data quality objective of $\leq 20\%$ RPD.

Note: RPD = relative percent difference.

Table A.13: Laboratory Recount Results for Phytoplankton Abundance Samples, 2018

Taxonomic Group	Biomass (mg/m ³)			Density (# cells/L)		
	RG_TN-2	Recount	RPD	RG_TN-2	Recount	RPD
Cyanobacteria	0	0	0	0	0	0
Chlorophyte	6.95	4.41	45	144,080	64,856	76
Euglenophyte	0	0	0	0	0	0
Chrysophyte	45.3	35.8	24	395,320	352,216	12
Diatom	1,087	1,027	5.7	4,814,696	4,558,672	5.5
Cryptophyte	81.6	83.6	2.4	383,984	410,120	6.6
Dinoflagellate	14.8	17.4	16	1,000	1,600	46
Total	1,235	1,168	5.6	5,739,080	5,387,464	6.3


 Highlighted values did not meet the data quality objective of $\leq 20\%$ RPD.
 Note: RPD = relative percent difference.

Table A.14: Laboratory Reporting Limit (LRL) Evaluation for Fish Tissue Chemistry Analyses, 2018 and 2019

Analyte	Units	Human Health Guidelines ^a	Range of LRLs ^{b,c}		No. LRLs > Guideline/ Benchmark ^c		No. Sample Results < LRL ^c	
			2018	2019	2018	2019	2018	2019
Aluminum	µg/g dw	-	2 - 1,000	2 - 50	-	-	147 (67%)	72 (46%)
Antimony	µg/g dw	-	0.1 - 50	0.01 - 0.1	-	-	218 (100%)	144 (92%)
Arsenic	µg/g dw	3.5	0.05 - 20	0.01 - 0.5	48 (22%)	0	144 (66%)	35 (22%)
Barium	µg/g dw	-	0.05 - 20	0.02 - 5	-	-	61 (28%)	41 (26%)
Beryllium	µg/g dw	-	0.01 - 5	0.01 - 0.02	-	-	218 (100%)	156 (100%)
Boron	µg/g dw	-	1 - 500	1 - 50	-	-	218 (100%)	156 (100%)
Cadmium	µg/g dw	-	0.01 - 5	0.01 - 0.02	-	-	189 (87%)	109 (70%)
Chromium	µg/g dw	-	0.5 - 200	0.05 - 5	-	-	218 (100%)	124 (79%)
Cobalt	µg/g dw	-	0.01 - 5	0.01 - 5	-	-	139 (64%)	81 (52%)
Copper	µg/g dw	-	0.05 - 20	0.05 - 5	-	-	42 (19%)	36 (23%)
Iron	µg/g dw	-	2 - 1,000	2 - 50	-	-	63 (29%)	33 (21%)
Lead	µg/g dw	0.50	0.01 - 5	0.01 - 0.5	48 (22%)	0	137 (63%)	92 (59%)
Manganese	µg/g dw	-	0.1 - 50	0.1 - 5	-	-	53 (24%)	35 (22%)
Mercury	µg/g dw	0.50	0.005 - 2	0.005 - 0.1	1 (0.5%)	0	64 (29%)	1 (0.6%)
Molybdenum	µg/g dw	-	0.1 - 50	0.02 - 0.5	-	-	194 (89%)	97 (62%)
Nickel	µg/g dw	-	0.05 - 20	0.05 - 5	-	-	210 (96%)	135 (86%)
Selenium	µg/g dw	4.0	0.05 - 2	0.01 - 0.5	0	0	1 (0.5%)	0
Silver	µg/g dw	-	0.01 - 5	0.01 - 0.02	-	-	199 (91%)	105 (67%)
Strontium	µg/g dw	-	0.1 - 50	0.05 - 1	-	-	83 (38%)	30 (19%)
Thallium	µg/g dw	-	0.05 - 20	0.005 - 0.1	-	-	216 (99%)	42 (27%)
Tin	µg/g dw	-	0.05 - 20	0.05 - 2	-	-	217 (100%)	156 (100%)
Titanium	µg/g dw	-	0.05 - 20	0.2 - 5	-	-	124 (57%)	116 (74%)
Uranium	µg/g dw	-	0.005 - 2	0.005 - 0.1	-	-	213 (98%)	152 (97%)
Vanadium	µg/g dw	-	0.1 - 50	0.1 - 1	-	-	218 (100%)	151 (97%)
Zinc	µg/g dw	-	0.5 - 200	0.5 - 50	-	-	43 (20%)	31 (20%)

Shading indicates an LRL greater than the Health Canada human health concentration for muscle tissue in fish (BCMOECCS 2019; CFIA 2015).

^a Health Canada human health guidelines from the CFIA (2015) are reported on a wet weight basis; moisture data for individual samples were used to calculate dry weight guidelines for screening purposes.

^b Samples were analyzed by SRC; LRLs from the analytical laboratory were reported to one significant digit.

^c The total number of samples in 2018 was n = 218 samples (135 muscle, 83 ovaries); in 2019 the total number of samples was n = 156 samples (96 muscle and 60 ovaries).

Table A.15: Fish Aging Verification Results, 2018 and 2019

Year	Sample ID	Initial Age	QA/QC	Difference (years)	Final Age Assigned
2018	ER-NSC-01	10	10	0	10
	ER-NSC-02	9	9	0	9
	ER-NSC-03	10	9	1	10
	ER-NSC-04	12	12	0	12
	ER-NSC-05	11	11	0	11
	ER-NSC-06	6	6	0	6
	GC-NSC-01	9	9	0	9
	GC-NSC-02	9	9	0	9
	GC-NSC-03	15	15	0	15
	SC-NSC-07	17	17	0	17
	ERKR-PCC-03	7	7	0	7
	ERKR-PCC-04	5	5	0	5
	ERKR-PCC-06	5	5	0	5
	ERKR-PCC-07	7	7	0	7
	ERKR-PCC-09	11	11	0	11
	ERKR-PCC-11	11	12	1	11
	ERKR-PCC-12	13	13	0	13
	ERKR-PCC-15	5	5	0	5
	ERKR-PCC-16	15	15	0	15
	ERKR-PCC-19	4	3	1	4
	ERKR-PCC-22	6	5	1	5
	ERKR-PCC-23	6	6	0	6
	ERKR-PCC-25	5	5	0	5
	ERKR-PCC-31	5	5	0	5
	ERKR-PCC-32	14	14	0	14
	ERKR-PCC-35	5	5	0	5
	ERKR-PCC-38	5	5	0	5
	ERKR-PCC-42	6	6	0	6
	ERKR-PCC-47	6	6	0	6
	ERKR-PCC-52	5	5	0	5
	ERKR-PCC-58	5	5	0	5
	GCKR-PCC-18	7	7	0	7
	GCKR-PCC-32	5	5	0	5
	GCKR-PCC-42	7	6	1	7
	GCKR-PCC-43	4	4	0	4
	GCKR-PCC-49	5	5	0	5
	GCKR-PCC-51	4	4	0	4
	GCKR-PCC-53	5	5	0	5
	GCKR-PCC-54	6	6	0	6
	GCKR-PCC-55	6	6	0	6
	GCKR-PCC-56	10	10	0	10
	GCKR-PCC-57	6	6	0	6
	GCKR-PCC-58	6	6	0	6
	GCKR-PCC-59	5	5	0	5
	SCKR-PCC-05	5	5	0	5
	SCKR-PCC-13	7	6	1	7
	SCKR-PCC-21	18	18	0	18
	SCKR-PCC-29	7	5	2	5
	SCKR-PCC-36	5	5	0	5
	SCKR-PCC-45	7	6	1	7
	SCKR-PCC-52	6	6	0	6
	SCKR-PCC-60	6	6	0	6
	ERKR-RSC-17	3	3	0	3
	ERKR-RSC-25	5	5	0	5
	ERKR-RSC-26	4	4	0	4
	ERKR-RSC-28	3	3	0	3
	ERKR-RSC-32	3	3	0	3
	ERKR-RSC-34	4	4	0	4
	ERKR-RSC-35	4	4	0	4
	ERKR-RSC-36	4	4	0	4
	ERKR-RSC-38	2	2	0	2
	ERKR-RSC-39	3	2	1	2
	ERKR-RSC-42	3	3	0	3
	ERKR-RSC-43	3	3	0	3
	ERKR-RSC-44	3	3	0	3
	ERKR-RSC-45	5	5	0	5
	ERKR-RSC-46	3	3	0	3
	ERKR-RSC-47	2	2	0	2
	ERKR-RSC-48	5	4	1	4
	ERKR-RSC-49	4	4	0	4
	ERKR-RSC-50	3	3	0	3
ERKR-RSC-52	4	4	0	4	
ERKR-RSC-53	4	4	0	4	
ERKR-RSC-55	4	4	0	4	
ERKR-RSC-56	4	4	0	4	
ERKR-RSC-57	8	7	1	7	
ERKR-RSC-59	4	4	0	4	
ERKR-RSC-60	5	5	0	5	
ERKR-RSC-62	5	5	0	5	
ERKR-RSC-64	4	4	0	4	
ERKR-RSC-68	4	5	1	4	
ERKR-RSC-71	4	4	0	4	

Table A.15: Fish Aging Verification Results, 2018 and 2019

Year	Sample ID	Initial Age	QA/QC	Difference (years)	Final Age Assigned
2018	ERKR-RSC-72	3	3	0	3
	ERKR-RSC-74	3	3	0	3
	ERKR-RSC-75	4	4	0	4
	ERKR-RSC-76	7	7	0	7
	ERKR-RSC-77	4	4	0	4
	ERKR-RSC-78	4	5	1	5
	ERKR-RSC-79	4	4	0	4
	ERKR-RSC-80	6	5	1	5
	ERKR-RSC-81	4	5	1	5
	ERKR-RSC-82	4	4	0	4
	ERKR-RSC-83	4	4	0	4
	ERKR-RSC-84	3	3	0	3
	ERKR-RSC-85	3	3	0	3
	ERKR-RSC-86	3	3	0	3
	ERKR-RSC-87	3	3	0	3
	GCKR-RSC-01	3	3	0	3
	GCKR-RSC-04	3	3	0	3
	GCKR-RSC-05	3	3	0	3
	GCKR-RSC-06	2	2	0	2
	GCKR-RSC-09	4	4	0	4
	GCKR-RSC-10	3	3	0	3
	GCKR-RSC-13	2	2	0	2
	GCKR-RSC-15	4	4	0	4
	GCKR-RSC-17	5	5	0	5
	GCKR-RSC-18	3	3	0	3
	GCKR-RSC-19	4	4	0	4
	GCKR-RSC-20	3	3	0	3
	GCKR-RSC-21	4	4	0	4
	GCKR-RSC-22	3	3	0	3
	GCKR-RSC-24	3	3	0	3
	GCKR-RSC-25	4	4	0	4
	GCKR-RSC-27	3	3	0	3
	GCKR-RSC-28	3	3	0	3
	GCKR-RSC-31	3	3	0	3
	GCKR-RSC-33	3	3	0	3
	GCKR-RSC-35	2	2	0	2
	GCKR-RSC-36	3	3	0	3
	GCKR-RSC-37	4	5	1	4
	GCKR-RSC-38	2	2	0	2
	GCKR-RSC-64	3	3	0	3
	GCKR-RSC-68	4	4	0	4
	GCKR-RSC-69	3	3	0	3
	GCKR-RSC-70	4	5	1	5
	GCKR-RSC-72	4	4	0	4
	GCKR-RSC-73	3	3	0	3
	GCKR-RSC-75	4	4	0	4
	GCKR-RSC-76	3	3	0	3
	GCKR-RSC-77	5	5	0	5
	GCKR-RSC-78	4	3	1	3
	GCKR-RSC-79	2	2	0	2
	GCKR-RSC-80	3	2	1	2
	GCKR-RSC-82	4	3	1	3
	GCKR-RSC-83	4	4	0	4
	GCKR-RSC-84	3	3	0	3
	GCKR-RSC-85	3	3	0	3
	GCKR-RSC-87	3	3	0	3
	SCKR-RSC-02	4	3	1	3
SCKR-RSC-08	4	3	1	4	
SCKR-RSC-09	3	3	0	3	
SCKR-RSC-22	3	4	1	3	
SCKR-RSC-24	4	4	0	4	
SCKR-RSC-25	3	4	1	4	
SCKR-RSC-28	3	3	0	3	
SCKR-RSC-29	4	4	0	4	
SCKR-RSC-30	5	5	0	5	
SCKR-RSC-31	4	5	1	5	
SCKR-RSC-32	3	4	1	4	
SCKR-RSC-33	3	4	1	4	
SCKR-RSC-34	4	4	0	4	
SCKR-RSC-39	4	4	0	4	
SCKR-RSC-40	5	5	0	5	
SCKR-RSC-41	3	3	0	3	
SCKR-RSC-43	5	5	0	5	
SCKR-RSC-44	3	3	0	3	
SCKR-RSC-46	4	4	0	4	
SCKR-RSC-47	5	5	0	5	
SCKR-RSC-49	4	4	0	4	
SCKR-RSC-52	4	4	0	4	
SCKR-RSC-53	3	3	0	3	
SCKR-RSC-55	3	2	1	3	
SCKR-RSC-56	2	2	0	2	
SCKR-RSC-57	4	3	1	3	

Table A.15: Fish Aging Verification Results, 2018 and 2019

Year	Sample ID	Initial Age	QA/QC	Difference (years)	Final Age Assigned
2018	SCKR-RSC-61	5	5	0	5
	SCKR-RSC-68	4	4	0	4
	SCKR-RSC-69	3	3	0	3
	SCKR-RSC-71	4	4	0	4
	SCKR-RSC-72	5	5	0	5
	SCKR-RSC-76	3	3	0	3
	SCKR-RSC-78	3	3	0	3
	SCKR-RSC-80	3	3	0	3
	SCKR-RSC-82	5	5	0	5
	SCKR-RT-02	3	3	0	3
	GCKR-YP-01	6	7	1	7
	GCKR-YP-03	4	4	0	4
	GCKR-YP-07	5	5	0	5
	GCKR-YP-08	3	3	0	3
	GCKR-YP-09	4	4	0	4
	SCKR-YP-01	5	5	0	5
	SC-RSC-83	1	1	0	1
	SC-RSC-06	0	0	0	0
	SC-RSC-05	0	0	0	0
	SC-RSC-49	0	0	0	0
	SC-RSC-01	0	0	0	0
	ER-RSC-10	0	0	0	0
	ER-RSC-14	0	0	0	0
	ER-RSC-15	0	0	0	0
	ER-RSC-17	0	0	0	0
	ER-RSC-41	0	0	0	0
	GC-RSC-27	0	0	0	0
	GC-RSC-28	0	0	0	0
GC-RSC-32	0	0	0	0	
GC-RSC-34	0	0	0	0	
GC-RSC-47	0	0	0	0	
2019	RG_SC-RSC-02	1	1	0	1
	RG_SC-RSC-31	0	0	0	0
	RG_SC-RSC-32	0	0	0	0
	RG_SC-RSC-41	1	2	1	2
	RG_SC-RSC-47	1	1	0	1
	RG_SC-RSC-49	1	0	1	1
	RG_SC-RSC-52	1	1	0	1
	RG_SC-RSC-53	0	0	0	0
	RG_SC-RSC-54	1	1	0	1
	RG_SC-RSC-55	1	1	0	1
	RG_GC-RSC-01	0	0	0	0
	RG_GC-RSC-04	1	1	0	1
	RG_GC-RSC-06	0	0	0	0
	RG_GC-RSC-08	0	0	0	0
	RG_GC-RSC-10	0	0	0	0
	RG_GC-RSC-12	0	0	0	0
	RG_GC-RSC-15	0	0	0	0
	RG_GC-RSC-16	0	0	0	0
	RG_GC-RSC-23	0	0	0	0
	RG_GC-RSC-42	0	0	0	0
	RG_ER-RSC-02	0	0	0	0
	RG_ER-RSC-08	0	0	0	0
	RG_ER-RSC-10	0	0	0	0
	RG_ER-RSC-13	0	0	0	0
	RG_ER-RSC-14	0	0	0	0
	RG_ER-RSC-15	0	0	0	0
	RG_ER-RSC-16	0	0	0	0
	RG_ER-RSC-17	1	0	1	1
	RG_ER-RSC-18	0	0	0	0
	RG_ER-RSC-72	0	0	0	0
	RG_SC_PCC-02	6	6	0	6
	RG_SC_PCC-04	6	6	0	6
	RG_SC_PCC-06	7	7	0	7
	RG_SC_PCC-08	6	6	0	6
	RG_SC_PCC-10	5	5	0	5
	RG_SC_RSC-02	3	3	0	3
	RG_SC_RSC-04	3	3	0	3
	RG_SC_RSC-06	3	3	0	3
	RG_SC_RSC-08	2	2	0	2
	RG_SC_RSC-10	2	2	0	2
RG_ER_PCC-02	6	6	0	6	
RG_ER_PCC-04	6	6	0	6	
RG_ER_PCC-06	6	6	0	6	
RG_ER_PCC-08	5	5	0	6	
RG_ER_PCC-10	6	6	0	6	
RG_ER_RSC-02	2	2	0	2	
RG_ER_RSC-04	2	2	0	2	
RG_ER_RSC-06	3	3	0	3	
RG_ER_RSC-08	2	2	0	2	
RG_ER_RSC-10	2	2	0	2	
RG_GC_PCC-02	15	15	0	15	

Table A.15: Fish Aging Verification Results, 2018 and 2019

Year	Sample ID	Initial Age	QA/QC	Difference (years)	Final Age Assigned
2019	RG_GC_PCC-04	7	7	0	7
	RG_GC_PCC-06	6	6	0	6
	RG_GC_PCC-08	6	6	0	6
	RG_GC_PCC-10	6	6	0	6
	RG_GC_RSC-02	3	3	0	3
	RG_GC_RSC-04	3	3	0	3
	RG_GC_RSC-06	3	3	0	3
	RG_GC_RSC-08	2	2	0	2
	RG_GC_RSC-10	2	2	0	2

 Highlighted values did not meet the data quality objective of ± 1 year.



Teck Coal Ltd.
ATTN: Lee Wilm
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 28-APR-18
Report Date: 08-MAY-18 11:58 (MT)
Version: FINAL

Client Phone: 250-425-5289

Certificate of Analysis

Lab Work Order #: L2086365
Project P.O. #: VPO00563596
Job Reference: REGIONAL EFFECTS PROGRAM
C of C Numbers: REP-2018-04-27
Legal Site Desc:

Lyudmyla Shvets, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L2086365-1 WS 27-APR-18 09:40 RG_ER_WS_2018 0427-940	L2086365-2 WQ 27-APR-18 09:40 RG_DUP_ER_W Q_20180427-940	L2086365-3 WS 27-APR-18 09:40 RG_ER_WS_2018 0427-940_FB-HG	L2086365-4 WQ 27-APR-18 09:40 RG_DUP_ER_WQ _20180427- 940_FB-HG	L2086365-5 WS 27-APR-18 14:00 RG_GC_WS_2018 0427-1400
Grouping	Analyte					
WATER						
Physical Tests	Conductivity (@ 25C) (uS/cm)	325	323			337
	Hardness (as CaCO3) (mg/L)	175	169			184
	pH (pH)	8.29	8.27			8.22
	ORP (mV)	318	320			293
	Total Suspended Solids (mg/L)	50.1	64.9			43.1
	Total Dissolved Solids (mg/L)	193 ^{DLHC}	191 ^{DLHC}			196 ^{DLHC}
	Turbidity (NTU)	34.2 ^{DLM}	45.1 ^{DLM}			39.2 ^{DLM}
Anions and Nutrients	Acidity (as CaCO3) (mg/L)	<1.0	<1.0			<1.0
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)	120	135			131
	Alkalinity, Carbonate (as CaCO3) (mg/L)	2.6	<1.0			<1.0
	Alkalinity, Hydroxide (as CaCO3) (mg/L)	<1.0	<1.0			<1.0
	Alkalinity, Total (as CaCO3) (mg/L)	122	135			131
	Ammonia as N (mg/L)	0.0106	0.0115			0.0258
	Bromide (Br) (mg/L)	<0.050	<0.050			<0.050
	Chloride (Cl) (mg/L)	4.20	4.20			3.71
	Fluoride (F) (mg/L)	0.100	0.099			0.108
	Ion Balance (%)	113	101			111
	Nitrate (as N) (mg/L)	0.284	0.282			0.457
	Nitrite (as N) (mg/L)	0.0016	0.0015			0.0020
	Total Kjeldahl Nitrogen (mg/L)	0.270	0.245			0.274
	Orthophosphate-Dissolved (as P) (mg/L)	<0.0010	<0.0010			<0.0010
	Phosphorus (P)-Total (mg/L)	0.0261	0.0235			0.0333
	Sulfate (SO4) (mg/L)	36.5	36.6			37.7
	Anion Sum (meq/L)	3.35	3.60			3.54
	Cation Sum (meq/L)	3.77	3.64			3.92
	Cation - Anion Balance (%)	6.0	0.5			5.1
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)	2.25	2.08		
Total Organic Carbon (mg/L)		2.32	2.30			2.98
Total Metals	Aluminum (Al)-Total (mg/L)	0.564	0.633			0.853
	Antimony (Sb)-Total (mg/L)	<0.00010	0.00012			0.00011
	Arsenic (As)-Total (mg/L)	0.00079	0.00083			0.00109
	Barium (Ba)-Total (mg/L)	0.0608	0.0610			0.0767
	Beryllium (Be)-Total (ug/L)	0.031	0.033			0.051
	Bismuth (Bi)-Total (mg/L)	<0.000050	<0.000050			<0.000050
	Boron (B)-Total (mg/L)	0.010	<0.010			<0.010
	Cadmium (Cd)-Total (ug/L)	0.0267	0.0249			0.0378

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2086365-6	L2086365-7	L2086365-8	L2086365-9	L2086365-10
		Description	WS	WQ	WQ	WS	WS
		Sampled Date	27-APR-18	27-APR-18	27-APR-18	27-APR-18	27-APR-18
		Sampled Time	14:00	15:30	15:30	14:30	14:30
		Client ID	RG_GC_WS_2018 0427-1400_FB-HG	RG_FBLANK_WQ_ 20180427-1530	RG_FBLANK_WQ_ 20180427- 1530_FB-HG	RG_SC_WS_2018 0427-1430	RG_SC_WS_2018 0427-1430_FB-HG
Grouping	Analyte						
WATER							
Physical Tests	Conductivity (@ 25C) (uS/cm)			<2.0		311	
	Hardness (as CaCO3) (mg/L)			<0.50		172	
	pH (pH)			5.08		8.24	
	ORP (mV)			468		328	
	Total Suspended Solids (mg/L)			<1.0		265	
	Total Dissolved Solids (mg/L)			<10		176	DLHC
	Turbidity (NTU)			<0.10		88.6	DLM
Anions and Nutrients	Acidity (as CaCO3) (mg/L)			2.0		<1.0	
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)			<1.0		121	
	Alkalinity, Carbonate (as CaCO3) (mg/L)			<1.0		<1.0	
	Alkalinity, Hydroxide (as CaCO3) (mg/L)			<1.0		<1.0	
	Alkalinity, Total (as CaCO3) (mg/L)			<1.0		121	
	Ammonia as N (mg/L)			<0.0050		0.0130	
	Bromide (Br) (mg/L)			<0.050		<0.050	
	Chloride (Cl) (mg/L)			<0.50		4.33	
	Fluoride (F) (mg/L)			<0.020		0.088	
	Ion Balance (%)			0.0		115	
	Nitrate (as N) (mg/L)			<0.0050		0.104	
	Nitrite (as N) (mg/L)			<0.0010		0.0010	
	Total Kjeldahl Nitrogen (mg/L)			<0.050		0.373	
	Orthophosphate-Dissolved (as P) (mg/L)			<0.0010		<0.0010	
	Phosphorus (P)-Total (mg/L)			<0.0010		0.0651	
	Sulfate (SO4) (mg/L)			<0.30		33.0	
	Anion Sum (meq/L)			<0.10		3.23	
	Cation Sum (meq/L)			<0.10		3.71	
	Cation - Anion Balance (%)			0.0		6.9	
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)			<0.50		2.90
Total Organic Carbon (mg/L)				<0.50		3.08	
Total Metals	Aluminum (Al)-Total (mg/L)			<0.0030		1.70	
	Antimony (Sb)-Total (mg/L)			<0.00010		<0.00010	
	Arsenic (As)-Total (mg/L)			<0.00010		0.00126	
	Barium (Ba)-Total (mg/L)			<0.00010		0.0584	
	Beryllium (Be)-Total (ug/L)			<0.020		0.084	
	Bismuth (Bi)-Total (mg/L)			<0.000050		<0.000050	
	Boron (B)-Total (mg/L)			<0.010		<0.010	
	Cadmium (Cd)-Total (ug/L)			<0.0050		0.0335	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID	L2086365-11	L2086365-12			
Description	WQ	WQ			
Sampled Date	27-APR-18	27-APR-18			
Sampled Time	14:30	14:30			
Client ID	RG_TRIP_WQ_201 80427	RG_TRIP_WQ_201 80427-1430_FB- HG			
Grouping	Analyte				
WATER					
Physical Tests	Conductivity (@ 25C) (uS/cm)	<2.0			
	Hardness (as CaCO3) (mg/L)				
	pH (pH)	5.51			
	ORP (mV)	435			
	Total Suspended Solids (mg/L)	1.5			
	Total Dissolved Solids (mg/L)	<10			
	Turbidity (NTU)	<0.10			
Anions and Nutrients	Acidity (as CaCO3) (mg/L)	1.9 ^{DLM}			
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)	<1.0			
	Alkalinity, Carbonate (as CaCO3) (mg/L)	<1.0			
	Alkalinity, Hydroxide (as CaCO3) (mg/L)	<1.0			
	Alkalinity, Total (as CaCO3) (mg/L)	<1.0			
	Ammonia as N (mg/L)	0.0133			
	Bromide (Br) (mg/L)	<0.050			
	Chloride (Cl) (mg/L)	<0.50			
	Fluoride (F) (mg/L)	<0.020			
	Ion Balance (%)	0.0			
	Nitrate (as N) (mg/L)	<0.0050			
	Nitrite (as N) (mg/L)	<0.0010			
	Total Kjeldahl Nitrogen (mg/L)	<0.050			
	Orthophosphate-Dissolved (as P) (mg/L)	<0.0010			
	Phosphorus (P)-Total (mg/L)	<0.0010			
	Sulfate (SO4) (mg/L)	<0.30			
	Anion Sum (meq/L)	<0.10			
	Cation Sum (meq/L)	<0.10			
	Cation - Anion Balance (%)	0.0			
Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)				
	Total Organic Carbon (mg/L)	<0.50			
Total Metals	Aluminum (Al)-Total (mg/L)	<0.0030			
	Antimony (Sb)-Total (mg/L)	<0.00010			
	Arsenic (As)-Total (mg/L)	<0.00010			
	Barium (Ba)-Total (mg/L)	<0.00010			
	Beryllium (Be)-Total (ug/L)	<0.020			
	Bismuth (Bi)-Total (mg/L)	<0.000050			
	Boron (B)-Total (mg/L)	<0.010			
	Cadmium (Cd)-Total (ug/L)	<0.0050			

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L2086365-1 WS 27-APR-18 09:40 RG_ER_WS_2018 0427-940	L2086365-2 WQ 27-APR-18 09:40 RG_DUP_ER_W Q_20180427-940	L2086365-3 WS 27-APR-18 09:40 RG_ER_WS_2018 0427-940_FB-HG	L2086365-4 WQ 27-APR-18 09:40 RG_DUP_ER_WQ _20180427- 940_FB-HG	L2086365-5 WS 27-APR-18 14:00 RG_GC_WS_2018 0427-1400
Grouping	Analyte					
WATER						
Total Metals	Calcium (Ca)-Total (mg/L)	46.0	45.7			45.6
	Chromium (Cr)-Total (mg/L)	0.00086	0.00094			0.00112
	Cobalt (Co)-Total (ug/L)	0.43	0.48			0.61
	Copper (Cu)-Total (mg/L)	0.00115	0.00123			0.00172
	Iron (Fe)-Total (mg/L)	0.838	0.993			1.19
	Lead (Pb)-Total (mg/L)	0.000893	0.000983			0.00124
	Lithium (Li)-Total (mg/L)	0.0038	0.0040			0.0044
	Magnesium (Mg)-Total (mg/L)	13.7	13.3			13.0
	Manganese (Mn)-Total (mg/L)	0.0313	0.0346			0.0548
	Mercury (Hg)-Total (ug/L)	0.00199	0.00196	<0.00050	<0.00050	0.00146
	Molybdenum (Mo)-Total (mg/L)	0.000678	0.000695			0.000740
	Nickel (Ni)-Total (mg/L)	0.00112	0.00119			0.00170
	Potassium (K)-Total (mg/L)	0.819	0.812			0.860
	Selenium (Se)-Total (ug/L)	1.16	1.19			1.83
	Silicon (Si)-Total (mg/L)	3.29	3.43			4.00
	Silver (Ag)-Total (mg/L)	<0.000010	<0.000010			<0.000010
	Sodium (Na)-Total (mg/L)	5.12	5.25			4.27
	Strontium (Sr)-Total (mg/L)	0.159	0.165			0.145
	Thallium (Tl)-Total (mg/L)	0.000013	0.000013			0.000016
	Tin (Sn)-Total (mg/L)	<0.00010	<0.00010			<0.00010
	Titanium (Ti)-Total (mg/L)	<0.010	<0.010			<0.010
	Uranium (U)-Total (mg/L)	0.000840	0.000843			0.000849
	Vanadium (V)-Total (mg/L)	0.00103	0.00114			0.00161
	Zinc (Zn)-Total (mg/L)	0.0041	0.0043			0.0045
Dissolved Metals	Dissolved Mercury Filtration Location	LAB	LAB			LAB
	Dissolved Metals Filtration Location	LAB	LAB			LAB
	Aluminum (Al)-Dissolved (mg/L)	0.0080	0.0112			0.0154
	Antimony (Sb)-Dissolved (mg/L)	<0.00010	<0.00010			<0.00010
	Arsenic (As)-Dissolved (mg/L)	0.00050	0.00046			0.00062
	Barium (Ba)-Dissolved (mg/L)	0.0632	0.0603			0.0831
	Beryllium (Be)-Dissolved (ug/L)	<0.020	<0.020			<0.020
	Bismuth (Bi)-Dissolved (mg/L)	<0.000050	<0.000050			<0.000050
	Boron (B)-Dissolved (mg/L)	<0.010	<0.010			<0.010
	Cadmium (Cd)-Dissolved (ug/L)	<0.0050	0.0059			0.0061
	Calcium (Ca)-Dissolved (mg/L)	46.6	44.4			49.0
	Chromium (Cr)-Dissolved (mg/L)	0.00013	0.00012			<0.00010
	Cobalt (Co)-Dissolved (ug/L)	<0.10	<0.10			<0.10

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2086365-6	L2086365-7	L2086365-8	L2086365-9	L2086365-10
		Description	WS	WQ	WQ	WS	WS
		Sampled Date	27-APR-18	27-APR-18	27-APR-18	27-APR-18	27-APR-18
		Sampled Time	14:00	15:30	15:30	14:30	14:30
		Client ID	RG_GC_WS_2018 0427-1400_FB-HG	RG_FBLANK_WQ_ 20180427-1530	RG_FBLANK_WQ_ 20180427- 1530_FB-HG	RG_SC_WS_2018 0427-1430	RG_SC_WS_2018 0427-1430_FB-HG
Grouping	Analyte						
WATER							
Total Metals	Calcium (Ca)-Total (mg/L)			<0.050		59.6	
	Chromium (Cr)-Total (mg/L)			<0.00010		0.00248	
	Cobalt (Co)-Total (ug/L)			<0.10		1.36	
	Copper (Cu)-Total (mg/L)			<0.00050		0.00263	
	Iron (Fe)-Total (mg/L)			<0.010		2.95	
	Lead (Pb)-Total (mg/L)			<0.000050		0.00257	
	Lithium (Li)-Total (mg/L)			<0.0010		0.0053	
	Magnesium (Mg)-Total (mg/L)			<0.10		14.5	
	Manganese (Mn)-Total (mg/L)			<0.00010		0.0820	
	Mercury (Hg)-Total (ug/L)	<0.00050	<0.00050	<0.00050	<0.00050	0.00288	<0.00050
	Molybdenum (Mo)-Total (mg/L)			<0.000050		0.000639	
	Nickel (Ni)-Total (mg/L)			<0.00050		0.00276	
	Potassium (K)-Total (mg/L)			<0.050		0.875	
	Selenium (Se)-Total (ug/L)			<0.050		0.191	
	Silicon (Si)-Total (mg/L)			<0.10		4.77	
	Silver (Ag)-Total (mg/L)			<0.000010		<0.000010	
	Sodium (Na)-Total (mg/L)			<0.050		5.16	
	Strontium (Sr)-Total (mg/L)			<0.00020		0.200	
	Thallium (Tl)-Total (mg/L)			<0.000010		0.000020	
	Tin (Sn)-Total (mg/L)			<0.00010		<0.00010	
	Titanium (Ti)-Total (mg/L)			<0.010		0.015	
	Uranium (U)-Total (mg/L)			<0.000010		0.000872	
	Vanadium (V)-Total (mg/L)			<0.00050		0.00201	
	Zinc (Zn)-Total (mg/L)			<0.0030		0.0102	
Dissolved Metals	Dissolved Mercury Filtration Location			LAB		LAB	
	Dissolved Metals Filtration Location			LAB		LAB	
	Aluminum (Al)-Dissolved (mg/L)			<0.0030		0.0083	
	Antimony (Sb)-Dissolved (mg/L)			<0.00010		<0.00010	
	Arsenic (As)-Dissolved (mg/L)			<0.00010		0.00045	
	Barium (Ba)-Dissolved (mg/L)			<0.00010		0.0502	
	Beryllium (Be)-Dissolved (ug/L)			<0.020		<0.020	
	Bismuth (Bi)-Dissolved (mg/L)			<0.000050		<0.000050	
	Boron (B)-Dissolved (mg/L)			<0.010		<0.010	
	Cadmium (Cd)-Dissolved (ug/L)			<0.0050		<0.0050	
	Calcium (Ca)-Dissolved (mg/L)			<0.050		46.3	
	Chromium (Cr)-Dissolved (mg/L)			<0.00010		<0.00010	
	Cobalt (Co)-Dissolved (ug/L)			<0.10		<0.10	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID	L2086365-11 WQ 27-APR-18 14:30 RG_TRIP_WQ_201 80427	L2086365-12 WQ 27-APR-18 14:30 RG_TRIP_WQ_201 80427-1430_FB- HG		
Grouping	Analyte				
WATER					
Total Metals	Calcium (Ca)-Total (mg/L)	<0.050			
	Chromium (Cr)-Total (mg/L)	<0.00010			
	Cobalt (Co)-Total (ug/L)	<0.10			
	Copper (Cu)-Total (mg/L)	<0.00050			
	Iron (Fe)-Total (mg/L)	<0.010			
	Lead (Pb)-Total (mg/L)	<0.000050			
	Lithium (Li)-Total (mg/L)	<0.0010			
	Magnesium (Mg)-Total (mg/L)	<0.10			
	Manganese (Mn)-Total (mg/L)	<0.00010			
	Mercury (Hg)-Total (ug/L)	<0.00050	<0.00050		
	Molybdenum (Mo)-Total (mg/L)	<0.000050			
	Nickel (Ni)-Total (mg/L)	<0.00050			
	Potassium (K)-Total (mg/L)	<0.050			
	Selenium (Se)-Total (ug/L)	<0.050			
	Silicon (Si)-Total (mg/L)	<0.10			
	Silver (Ag)-Total (mg/L)	<0.000010			
	Sodium (Na)-Total (mg/L)	<0.050			
	Strontium (Sr)-Total (mg/L)	<0.00020			
	Thallium (Tl)-Total (mg/L)	<0.000010			
	Tin (Sn)-Total (mg/L)	<0.00010			
	Titanium (Ti)-Total (mg/L)	<0.010			
	Uranium (U)-Total (mg/L)	<0.000010			
	Vanadium (V)-Total (mg/L)	<0.00050			
	Zinc (Zn)-Total (mg/L)	<0.0030			
Dissolved Metals	Dissolved Mercury Filtration Location				
	Dissolved Metals Filtration Location				
	Aluminum (Al)-Dissolved (mg/L)				
	Antimony (Sb)-Dissolved (mg/L)				
	Arsenic (As)-Dissolved (mg/L)				
	Barium (Ba)-Dissolved (mg/L)				
	Beryllium (Be)-Dissolved (ug/L)				
	Bismuth (Bi)-Dissolved (mg/L)				
	Boron (B)-Dissolved (mg/L)				
	Cadmium (Cd)-Dissolved (ug/L)				
	Calcium (Ca)-Dissolved (mg/L)				
	Chromium (Cr)-Dissolved (mg/L)				
	Cobalt (Co)-Dissolved (ug/L)				

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID	L2086365-1 WS 27-APR-18 09:40 RG_ER_WS_2018 0427-940	L2086365-2 WQ 27-APR-18 09:40 RG_DUP_ER_W Q_20180427-940	L2086365-3 WS 27-APR-18 09:40 RG_ER_WS_2018 0427-940_FB-HG	L2086365-4 WQ 27-APR-18 09:40 RG_DUP_ER_WQ _20180427- 940_FB-HG	L2086365-5 WS 27-APR-18 14:00 RG_GC_WS_2018 0427-1400
Grouping	Analyte				
WATER					
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)	<0.00050	<0.00050		0.00057
	Iron (Fe)-Dissolved (mg/L)	0.015	0.018		0.023
	Lead (Pb)-Dissolved (mg/L)	<0.000050	0.000056		0.000054
	Lithium (Li)-Dissolved (mg/L)	0.0027	0.0026		0.0031
	Magnesium (Mg)-Dissolved (mg/L)	14.3	14.0		15.1
	Manganese (Mn)-Dissolved (mg/L)	0.00083	0.00080		0.0141
	Mercury (Hg)-Dissolved (mg/L)	<0.0000050	<0.0000050		<0.0000050
	Molybdenum (Mo)-Dissolved (mg/L)	0.000679	0.000655		0.000667
	Nickel (Ni)-Dissolved (mg/L)	<0.00050	<0.00050		<0.00050
	Potassium (K)-Dissolved (mg/L)	0.792	0.762		0.835
	Selenium (Se)-Dissolved (ug/L)	1.26	1.29		1.82
	Silicon (Si)-Dissolved (mg/L)	2.48	2.48		2.70
	Silver (Ag)-Dissolved (mg/L)	<0.000010	<0.000010		<0.000010
	Sodium (Na)-Dissolved (mg/L)	5.73	5.56		4.86
	Strontium (Sr)-Dissolved (mg/L)	0.171	0.165		0.165
	Thallium (Tl)-Dissolved (mg/L)	<0.000010	<0.000010		<0.000010
	Tin (Sn)-Dissolved (mg/L)	<0.00010	<0.00010		<0.00010
	Titanium (Ti)-Dissolved (mg/L)	<0.010	<0.010		<0.010
	Uranium (U)-Dissolved (mg/L)	0.000877	0.000843		0.000877
	Vanadium (V)-Dissolved (mg/L)	<0.00050	<0.00050		<0.00050
	Zinc (Zn)-Dissolved (mg/L)	<0.0010	<0.0010		<0.0010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2086365-6	L2086365-7	L2086365-8	L2086365-9	L2086365-10
		Description	WS	WQ	WQ	WS	WS
		Sampled Date	27-APR-18	27-APR-18	27-APR-18	27-APR-18	27-APR-18
		Sampled Time	14:00	15:30	15:30	14:30	14:30
		Client ID	RG_GC_WS_2018 0427-1400_FB-HG	RG_FBLANK_WQ_ 20180427-1530	RG_FBLANK_WQ_ 20180427- 1530_FB-HG	RG_SC_WS_2018 0427-1430	RG_SC_WS_2018 0427-1430_FB-HG
Grouping	Analyte						
WATER							
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)			<0.00050		<0.00050	
	Iron (Fe)-Dissolved (mg/L)			<0.010		0.017	
	Lead (Pb)-Dissolved (mg/L)			<0.000050		0.000051	
	Lithium (Li)-Dissolved (mg/L)			<0.0010		0.0019	
	Magnesium (Mg)-Dissolved (mg/L)			<0.10		13.6	
	Manganese (Mn)-Dissolved (mg/L)			<0.00010		0.00098	
	Mercury (Hg)-Dissolved (mg/L)			<0.0000050		<0.0000050	
	Molybdenum (Mo)-Dissolved (mg/L)			<0.000050		0.000603	
	Nickel (Ni)-Dissolved (mg/L)			<0.00050		<0.00050	
	Potassium (K)-Dissolved (mg/L)			<0.050		0.790	
	Selenium (Se)-Dissolved (ug/L)			<0.050		0.238	
	Silicon (Si)-Dissolved (mg/L)			<0.050		2.56	
	Silver (Ag)-Dissolved (mg/L)			<0.000010		<0.000010	
	Sodium (Na)-Dissolved (mg/L)			<0.050		5.90	
	Strontium (Sr)-Dissolved (mg/L)			<0.00020		0.168	
	Thallium (Tl)-Dissolved (mg/L)			<0.000010		<0.000010	
	Tin (Sn)-Dissolved (mg/L)			<0.00010		<0.00010	
	Titanium (Ti)-Dissolved (mg/L)			<0.010		<0.010	
	Uranium (U)-Dissolved (mg/L)			<0.000010		0.000838	
	Vanadium (V)-Dissolved (mg/L)			<0.00050		<0.00050	
	Zinc (Zn)-Dissolved (mg/L)			<0.0010		<0.0010	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID	L2086365-11 WQ 27-APR-18 14:30 RG_TRIP_WQ_201 80427	L2086365-12 WQ 27-APR-18 14:30 RG_TRIP_WQ_201 80427-1430_FB- HG		
Grouping	Analyte				
WATER					
Dissolved Metals	Copper (Cu)-Dissolved (mg/L) Iron (Fe)-Dissolved (mg/L) Lead (Pb)-Dissolved (mg/L) Lithium (Li)-Dissolved (mg/L) Magnesium (Mg)-Dissolved (mg/L) Manganese (Mn)-Dissolved (mg/L) Mercury (Hg)-Dissolved (mg/L) Molybdenum (Mo)-Dissolved (mg/L) Nickel (Ni)-Dissolved (mg/L) Potassium (K)-Dissolved (mg/L) Selenium (Se)-Dissolved (ug/L) Silicon (Si)-Dissolved (mg/L) Silver (Ag)-Dissolved (mg/L) Sodium (Na)-Dissolved (mg/L) Strontium (Sr)-Dissolved (mg/L) Thallium (Tl)-Dissolved (mg/L) Tin (Sn)-Dissolved (mg/L) Titanium (Ti)-Dissolved (mg/L) Uranium (U)-Dissolved (mg/L) Vanadium (V)-Dissolved (mg/L) Zinc (Zn)-Dissolved (mg/L)				

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

Qualifiers for Sample Submission Listed:

Qualifier	Description
EXTEMP10	Samples Received with temperature >10 Degrees C - 15C
SFPL	Sample was Filtered and Preserved at the laboratory - DOC, Diss-Metals/Hg

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Method Blank	Molybdenum (Mo)-Total	MB-LOR	L2086365-11
Matrix Spike	Barium (Ba)-Dissolved	MS-B	L2086365-1, -2, -5, -7, -9
Matrix Spike	Calcium (Ca)-Dissolved	MS-B	L2086365-1, -2, -5, -7, -9
Matrix Spike	Magnesium (Mg)-Dissolved	MS-B	L2086365-1, -2, -5, -7, -9
Matrix Spike	Sodium (Na)-Dissolved	MS-B	L2086365-1, -2, -5, -7, -9
Matrix Spike	Strontium (Sr)-Dissolved	MS-B	L2086365-1, -2, -5, -7, -9
Matrix Spike	Aluminum (Al)-Total	MS-B	L2086365-1, -11, -2, -5, -7, -9
Matrix Spike	Arsenic (As)-Total	MS-B	L2086365-11
Matrix Spike	Barium (Ba)-Total	MS-B	L2086365-1, -11, -2, -5, -7, -9
Matrix Spike	Barium (Ba)-Total	MS-B	L2086365-11
Matrix Spike	Boron (B)-Total	MS-B	L2086365-11
Matrix Spike	Calcium (Ca)-Total	MS-B	L2086365-1, -11, -2, -5, -7, -9
Matrix Spike	Calcium (Ca)-Total	MS-B	L2086365-11
Matrix Spike	Cobalt (Co)-Total	MS-B	L2086365-11
Matrix Spike	Magnesium (Mg)-Total	MS-B	L2086365-1, -11, -2, -5, -7, -9
Matrix Spike	Magnesium (Mg)-Total	MS-B	L2086365-11
Matrix Spike	Manganese (Mn)-Total	MS-B	L2086365-1, -11, -2, -5, -7, -9
Matrix Spike	Manganese (Mn)-Total	MS-B	L2086365-11
Matrix Spike	Potassium (K)-Total	MS-B	L2086365-11
Matrix Spike	Sodium (Na)-Total	MS-B	L2086365-1, -11, -2, -5, -7, -9
Matrix Spike	Sodium (Na)-Total	MS-B	L2086365-11
Matrix Spike	Strontium (Sr)-Total	MS-B	L2086365-1, -11, -2, -5, -7, -9
Matrix Spike	Strontium (Sr)-Total	MS-B	L2086365-11
Matrix Spike	Ammonia as N	MS-B	L2086365-1, -11, -2, -5, -7, -9

Qualifiers for Individual Parameters Listed:

Qualifier	Description
DLHC	Detection Limit Raised: Dilution required due to high concentration of test analyte(s).
DLM	Detection Limit Adjusted due to sample matrix effects (e.g. chemical interference, colour, turbidity).
MB-LOR	Method Blank exceeds ALS DQO. Limits of Reporting have been adjusted for samples with positive hits below 5x blank level.
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
ACIDITY-PCT-CL	Water	Acidity by Automatic Titration	APHA 2310 Acidity
This analysis is carried out using procedures adapted from APHA Method 2310 "Acidity". Acidity is determined by potentiometric titration to a specified endpoint.			
ALK-MAN-CL	Water	Alkalinity (Species) by Manual Titration	APHA 2320 ALKALINITY
This analysis is carried out using procedures adapted from APHA Method 2320 "Alkalinity". Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.			
BE-D-L-CCMS-VA	Water	Diss. Be (low) in Water by CRC ICPMS	APHA 3030B/6020A (mod)
Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.			
BE-T-L-CCMS-VA	Water	Total Be (Low) in Water by CRC ICPMS	EPA 200.2/6020A (mod)
Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.			

Reference Information

BR-L-IC-N-CL	Water	Bromide in Water by IC (Low Level)	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
C-DIS-ORG-LOW-CL	Water	Dissolved Organic Carbon	APHA 5310 B-Instrumental
This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.			
The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC. TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.			
C-TOT-ORG-LOW-CL	Water	Total Organic Carbon	APHA 5310 TOTAL ORGANIC CARBON (TOC)
This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.			
The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC. TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.			
CL-IC-N-CL	Water	Chloride in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
EC-L-PCT-CL	Water	Electrical Conductivity (EC)	APHA 2510B
Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water sample. Conductivity measurements are temperature-compensated to 25C.			
F-IC-N-CL	Water	Fluoride in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
HARDNESS-CALC-VA	Water	Hardness	APHA 2340B
Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO ₃ equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.			
HG-D-CVAA-VA	Water	Diss. Mercury in Water by CVAAS or CVAFS	APHA 3030B/EPA 1631E (mod)
Water samples are filtered (0.45 um), preserved with hydrochloric acid, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS or CVAFS.			
HG-T-U-CVAF-VA	Water	Total Mercury in Water by CVAFS (Ultra)	EPA 1631 REV. E
This analysis is carried out using procedures adapted from Method 1631 Rev. E. by the United States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to a purge and trap concentration step and final reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry.			
IONBALANCE-BC-CL	Water	Ion Balance Calculation	APHA 1030E
Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.			
Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:			
Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]			
MET-D-CCMS-VA	Water	Dissolved Metals in Water by CRC ICPMS	APHA 3030B/6020A (mod)
Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.			
Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.			
MET-T-CCMS-VA	Water	Total Metals in Water by CRC ICPMS	EPA 200.2/6020A (mod)
Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.			
Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.			

Reference Information

NH3-L-F-CL	Water	Ammonia, Total (as N)	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC
This analysis is carried out, on sulfuric acid preserved samples, using procedures modified from J. Environ. Monit., 2005, 7, 37 - 42, The Royal Society of Chemistry, "Flow-injection analysis with fluorescence detection for the determination of trace levels of ammonium in seawater", Roslyn J. Waston et al.			
NO2-L-IC-N-CL	Water	Nitrite in Water by IC (Low Level)	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
NO3-L-IC-N-CL	Water	Nitrate in Water by IC (Low Level)	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
ORP-CL	Water	Oxidation redution potential by elect.	ASTM D1498
This analysis is carried out in accordance with the procedure described in the "ASTM" method D1498 "Oxidation-Reduction Potential of Water" published by the American Society for Testing and Materials (ASTM). Results are reported as observed oxidation-reduction potential of the platinum metal-reference electrode employed, in mV.			
It is recommended that this analysis be conducted in the field.			
P-T-L-COL-ED	Water	Total P in Water by Colour	APHA 4500-P PHOSPHORUS
This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorus is determined colourimetrically after persulphate digestion of the sample.			
PH-CL	Water	pH	APHA 4500 H-Electrode
pH is determined in the laboratory using a pH electrode. All samples analyzed by this method for pH will have exceeded the 15 minute recommended hold time from time of sampling (field analysis is recommended for pH where highly accurate results are needed)			
PO4-DO-L-COL-ED	Water	Diss. Orthophosphate in Water by Colour	APHA 4500-P PHOSPHORUS
This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Dissolved Orthophosphate is determined colourimetrically on a sample that has been lab or field filtered through a 0.45 micron membrane filter.			
SO4-IC-N-CL	Water	Sulfate in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
SOLIDS-TDS-CL	Water	Total Dissolved Solids	APHA 2540 C
A well-mixed sample is filtered through a glass fibre filter paper. The filtrate is then evaporated to dryness in a pre-weighed vial and dried at 180 – 2 °C. The increase in vial weight represents the total dissolved solids (TDS).			
TECKCOAL-IONBAL-CL	Water	Ion Balance Calculation	APHA 1030E
Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.			
Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:			
Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]			
TKN-L-F-CL	Water	Total Kjeldahl Nitrogen	APHA 4500-NORG (TKN)
This analysis is carried out using procedures adapted from APHA Method 4500-Norg D. "Block Digestion and Flow Injection Analysis". Total Kjeldahl Nitrogen is determined using block digestion followed by Flow-injection analysis with fluorescence detection.			
TSS-L-CL	Water	Total Suspended Solids	APHA 2540 D-Gravimetric
This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, and by drying the filter at 104 deg. C.			
TURBIDITY-CL	Water	Turbidity	APHA 2130 B-Nephelometer
This analysis is carried out using procedures adapted from APHA Method 2130 "Turbidity". Turbidity is determined by the nephelometric method.			

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
ED	ALS ENVIRONMENTAL - EDMONTON, ALBERTA, CANADA
CL	ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA
VA	ALS ENVIRONMENTAL - VANCOUVER, BRITISH COLUMBIA, CANADA

Reference Information

Chain of Custody Numbers:

REP-2018-04-27

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 1 of 18

Client: Teck Coal Ltd.
 421 Pine Avenue
 Sparwood BC V0B 2G0

Contact: Lee Wilm

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
ACIDITY-PCT-CL								
	Water							
Batch	R4033052							
WG2764828-12	DUP	L2086365-7						
Acidity (as CaCO3)		2.0	1.9		mg/L	4.1	20	03-MAY-18
WG2764828-11	LCS							
Acidity (as CaCO3)			102.9		%		85-115	03-MAY-18
WG2764828-10	MB							
Acidity (as CaCO3)			1.8		mg/L		2	03-MAY-18
ALK-MAN-CL								
	Water							
Batch	R4032387							
WG2764074-8	LCS							
Alkalinity, Total (as CaCO3)			98.5		%		85-115	02-MAY-18
WG2764074-7	MB							
Alkalinity, Total (as CaCO3)			<1.0		mg/L		1	02-MAY-18
BE-D-L-CCMS-VA								
	Water							
Batch	R4035791							
WG2764413-3	DUP	L2086365-5						
Beryllium (Be)-Dissolved		<0.000020	<0.000020	RPD-NA	mg/L	N/A	20	06-MAY-18
WG2764413-2	LCS							
Beryllium (Be)-Dissolved			92.7		%		80-120	06-MAY-18
WG2764413-1	MB	LF						
Beryllium (Be)-Dissolved			<0.000020		mg/L		0.00002	06-MAY-18
WG2764413-4	MS	L2086365-1						
Beryllium (Be)-Dissolved			92.6		%		70-130	06-MAY-18
BE-T-L-CCMS-VA								
	Water							
Batch	R4033943							
WG2764124-3	DUP	L2086365-2						
Beryllium (Be)-Total		0.000032	0.000034		mg/L	5.2	20	05-MAY-18
WG2764124-2	LCS							
Beryllium (Be)-Total			102.1		%		80-120	05-MAY-18
WG2764124-1	MB							
Beryllium (Be)-Total			<0.000020		mg/L		0.00002	05-MAY-18
WG2764124-4	MS	L2086365-1						
Beryllium (Be)-Total			98.3		%		70-130	05-MAY-18
BR-L-IC-N-CL								
	Water							
Batch	R4031083							
WG2763499-31	DUP	L2086365-11						
Bromide (Br)		<0.050	<0.050	RPD-NA	mg/L	N/A	20	28-APR-18
WG2763499-30	LCS							



Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 2 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
BR-L-IC-N-CL								
	Water							
Batch	R4031083							
WG2763499-30	LCS							
Bromide (Br)			100.3		%		85-115	28-APR-18
WG2763499-29	MB							
Bromide (Br)			<0.050		mg/L		0.05	28-APR-18
WG2763499-32	MS	L2086365-11						
Bromide (Br)			87.9		%		75-125	28-APR-18
C-DIS-ORG-LOW-CL								
	Water							
Batch	R4034471							
WG2765468-7	DUP	L2086365-9						
Dissolved Organic Carbon		2.90	1.94	J	mg/L	0.96	1	05-MAY-18
WG2765468-2	LCS							
Dissolved Organic Carbon			104.1		%		80-120	05-MAY-18
WG2765468-6	LCS							
Dissolved Organic Carbon			101.3		%		80-120	05-MAY-18
WG2765468-1	MB							
Dissolved Organic Carbon			<0.50		mg/L		0.5	05-MAY-18
WG2765468-5	MB							
Dissolved Organic Carbon			<0.50		mg/L		0.5	05-MAY-18
WG2765468-8	MS	L2086365-9						
Dissolved Organic Carbon			106.5		%		70-130	05-MAY-18
C-TOT-ORG-LOW-CL								
	Water							
Batch	R4034471							
WG2765468-7	DUP	L2086365-9						
Total Organic Carbon		3.08	3.24		mg/L	5.1	20	05-MAY-18
WG2765468-2	LCS							
Total Organic Carbon			107.8		%		80-120	05-MAY-18
WG2765468-6	LCS							
Total Organic Carbon			104.1		%		80-120	05-MAY-18
WG2765468-1	MB							
Total Organic Carbon			<0.50		mg/L		0.5	05-MAY-18
WG2765468-5	MB							
Total Organic Carbon			<0.50		mg/L		0.5	05-MAY-18
WG2765468-8	MS	L2086365-9						
Total Organic Carbon			108.9		%		70-130	05-MAY-18
CL-IC-N-CL								
	Water							



Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 3 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
CL-IC-N-CL		Water						
Batch R4031083								
WG2763499-31	DUP	L2086365-11						
Chloride (Cl)		<0.50	<0.50	RPD-NA	mg/L	N/A	20	28-APR-18
WG2763499-30	LCS							
Chloride (Cl)			101.0		%		90-110	28-APR-18
WG2763499-29	MB							
Chloride (Cl)			<0.50		mg/L		0.5	28-APR-18
WG2763499-32	MS	L2086365-11						
Chloride (Cl)			88.7		%		75-125	28-APR-18
EC-L-PCT-CL		Water						
Batch R4032387								
WG2764074-8	LCS							
Conductivity (@ 25C)			100.4		%		90-110	02-MAY-18
WG2764074-7	MB							
Conductivity (@ 25C)			<2.0		uS/cm		2	02-MAY-18
F-IC-N-CL		Water						
Batch R4031083								
WG2763499-31	DUP	L2086365-11						
Fluoride (F)		<0.020	<0.020	RPD-NA	mg/L	N/A	20	28-APR-18
WG2763499-30	LCS							
Fluoride (F)			104.2		%		90-110	28-APR-18
WG2763499-29	MB							
Fluoride (F)			<0.020		mg/L		0.02	28-APR-18
WG2763499-32	MS	L2086365-11						
Fluoride (F)			91.9		%		75-125	28-APR-18
HG-D-CVAA-VA		Water						
Batch R4033477								
WG2764909-3	DUP	L2086365-2						
Mercury (Hg)-Dissolved		<0.0000050	<0.0000050	RPD-NA	mg/L	N/A	20	04-MAY-18
WG2764909-2	LCS							
Mercury (Hg)-Dissolved			102.4		%		80-120	04-MAY-18
WG2764909-1	MB	LF						
Mercury (Hg)-Dissolved			<0.0000050		mg/L		0.000005	04-MAY-18
WG2764909-4	MS	L2086365-1						
Mercury (Hg)-Dissolved			102.6		%		70-130	04-MAY-18
HG-T-U-CVAF-VA		Water						



Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 4 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
HG-T-U-CVAF-VA								
	Water							
Batch	R4032847							
WG2764547-2	LCS							
Mercury (Hg)-Total			106.1		%		80-120	03-MAY-18
WG2764547-1	MB							
Mercury (Hg)-Total			<0.00050		ug/L		0.0005	03-MAY-18
WG2764547-4	MS	L2086365-1						
Mercury (Hg)-Total			93.0		%		70-130	03-MAY-18
MET-D-CCMS-VA								
	Water							
Batch	R4035791							
WG2764413-3	DUP	L2086365-5						
Aluminum (Al)-Dissolved		0.0154	0.0156		mg/L	1.5	20	06-MAY-18
Antimony (Sb)-Dissolved		<0.00010	0.00010	RPD-NA	mg/L	N/A	20	06-MAY-18
Arsenic (As)-Dissolved		0.00062	0.00059		mg/L	5.2	20	06-MAY-18
Barium (Ba)-Dissolved		0.0831	0.0775		mg/L	7.0	20	06-MAY-18
Bismuth (Bi)-Dissolved		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	06-MAY-18
Boron (B)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	06-MAY-18
Cadmium (Cd)-Dissolved		0.0000061	<0.0000050	RPD-NA	mg/L	N/A	20	06-MAY-18
Calcium (Ca)-Dissolved		49.0	45.0		mg/L	8.5	20	06-MAY-18
Chromium (Cr)-Dissolved		<0.00010	0.00010	RPD-NA	mg/L	N/A	20	06-MAY-18
Cobalt (Co)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	06-MAY-18
Copper (Cu)-Dissolved		0.00057	0.00053		mg/L	7.4	20	06-MAY-18
Iron (Fe)-Dissolved		0.023	0.024		mg/L	4.5	20	06-MAY-18
Lead (Pb)-Dissolved		0.000054	<0.000050	RPD-NA	mg/L	N/A	20	06-MAY-18
Lithium (Li)-Dissolved		0.0031	0.0030		mg/L	3.2	20	06-MAY-18
Magnesium (Mg)-Dissolved		15.1	14.5		mg/L	4.1	20	06-MAY-18
Manganese (Mn)-Dissolved		0.0141	0.0132		mg/L	6.7	20	06-MAY-18
Molybdenum (Mo)-Dissolved		0.000667	0.000690		mg/L	3.4	20	06-MAY-18
Nickel (Ni)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	06-MAY-18
Potassium (K)-Dissolved		0.835	0.793		mg/L	5.1	20	06-MAY-18
Selenium (Se)-Dissolved		0.00182	0.00219		mg/L	18	20	06-MAY-18
Silicon (Si)-Dissolved		2.70	2.75		mg/L	2.0	20	06-MAY-18
Silver (Ag)-Dissolved		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	06-MAY-18
Sodium (Na)-Dissolved		4.86	4.69		mg/L	3.6	20	06-MAY-18
Strontium (Sr)-Dissolved		0.165	0.155		mg/L	6.5	20	06-MAY-18
Thallium (Tl)-Dissolved		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	06-MAY-18
Tin (Sn)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	06-MAY-18
Titanium (Ti)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	06-MAY-18



Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 5 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4035791							
WG2764413-3	DUP	L2086365-5						
Uranium (U)-Dissolved		0.000877	0.000886		mg/L	0.9	20	06-MAY-18
Vanadium (V)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	06-MAY-18
Zinc (Zn)-Dissolved		<0.0010	<0.0010	RPD-NA	mg/L	N/A	20	06-MAY-18
WG2764413-2	LCS							
Aluminum (Al)-Dissolved			109.5		%		80-120	06-MAY-18
Antimony (Sb)-Dissolved			98.0		%		80-120	06-MAY-18
Arsenic (As)-Dissolved			100.8		%		80-120	06-MAY-18
Barium (Ba)-Dissolved			106.5		%		80-120	06-MAY-18
Bismuth (Bi)-Dissolved			97.3		%		80-120	06-MAY-18
Boron (B)-Dissolved			87.9		%		80-120	06-MAY-18
Cadmium (Cd)-Dissolved			100.2		%		80-120	06-MAY-18
Calcium (Ca)-Dissolved			103.4		%		80-120	06-MAY-18
Chromium (Cr)-Dissolved			102.4		%		80-120	06-MAY-18
Cobalt (Co)-Dissolved			104.7		%		80-120	06-MAY-18
Copper (Cu)-Dissolved			98.9		%		80-120	06-MAY-18
Iron (Fe)-Dissolved			105.0		%		80-120	06-MAY-18
Lead (Pb)-Dissolved			98.9		%		80-120	06-MAY-18
Lithium (Li)-Dissolved			95.3		%		80-120	06-MAY-18
Magnesium (Mg)-Dissolved			105.7		%		80-120	06-MAY-18
Manganese (Mn)-Dissolved			102.0		%		80-120	06-MAY-18
Molybdenum (Mo)-Dissolved			101.7		%		80-120	06-MAY-18
Nickel (Ni)-Dissolved			101.3		%		80-120	06-MAY-18
Potassium (K)-Dissolved			103.6		%		80-120	06-MAY-18
Selenium (Se)-Dissolved			95.5		%		80-120	06-MAY-18
Silicon (Si)-Dissolved			102.9		%		80-120	06-MAY-18
Silver (Ag)-Dissolved			103.7		%		80-120	06-MAY-18
Sodium (Na)-Dissolved			106.0		%		80-120	06-MAY-18
Strontium (Sr)-Dissolved			104.1		%		80-120	06-MAY-18
Thallium (Tl)-Dissolved			100.6		%		80-120	06-MAY-18
Tin (Sn)-Dissolved			98.6		%		80-120	06-MAY-18
Titanium (Ti)-Dissolved			98.4		%		80-120	06-MAY-18
Uranium (U)-Dissolved			99.0		%		80-120	06-MAY-18
Vanadium (V)-Dissolved			103.1		%		80-120	06-MAY-18
Zinc (Zn)-Dissolved			103.9		%		80-120	06-MAY-18
WG2764413-1	MB	LF						



Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 6 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4035791							
WG2764413-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	06-MAY-18
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	06-MAY-18
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	06-MAY-18
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	06-MAY-18
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	06-MAY-18
Boron (B)-Dissolved			<0.010		mg/L		0.01	06-MAY-18
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	06-MAY-18
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	06-MAY-18
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	06-MAY-18
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	06-MAY-18
Copper (Cu)-Dissolved			<0.00020		mg/L		0.0002	06-MAY-18
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	06-MAY-18
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	06-MAY-18
Lithium (Li)-Dissolved			<0.0010		mg/L		0.001	06-MAY-18
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	06-MAY-18
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	06-MAY-18
Molybdenum (Mo)-Dissolved			<0.000050		mg/L		0.00005	06-MAY-18
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	06-MAY-18
Potassium (K)-Dissolved			<0.050		mg/L		0.05	06-MAY-18
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	06-MAY-18
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	06-MAY-18
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	06-MAY-18
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	06-MAY-18
Strontium (Sr)-Dissolved			<0.00020		mg/L		0.0002	06-MAY-18
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	06-MAY-18
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	06-MAY-18
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	06-MAY-18
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	06-MAY-18
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	06-MAY-18
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	06-MAY-18
WG2764413-4	MS	L2086365-1						
Aluminum (Al)-Dissolved			104.1		%		70-130	06-MAY-18
Antimony (Sb)-Dissolved			101.7		%		70-130	06-MAY-18
Arsenic (As)-Dissolved			101.9		%		70-130	06-MAY-18



Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 7 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4035791							
WG2764413-4 MS		L2086365-1						
Barium (Ba)-Dissolved			N/A	MS-B	%		-	06-MAY-18
Bismuth (Bi)-Dissolved			90.4		%		70-130	06-MAY-18
Boron (B)-Dissolved			87.1		%		70-130	06-MAY-18
Cadmium (Cd)-Dissolved			105.6		%		70-130	06-MAY-18
Calcium (Ca)-Dissolved			N/A	MS-B	%		-	06-MAY-18
Chromium (Cr)-Dissolved			102.2		%		70-130	06-MAY-18
Cobalt (Co)-Dissolved			102.1		%		70-130	06-MAY-18
Copper (Cu)-Dissolved			100.7		%		70-130	06-MAY-18
Iron (Fe)-Dissolved			100.4		%		70-130	06-MAY-18
Lead (Pb)-Dissolved			96.2		%		70-130	06-MAY-18
Lithium (Li)-Dissolved			91.5		%		70-130	06-MAY-18
Magnesium (Mg)-Dissolved			N/A	MS-B	%		-	06-MAY-18
Manganese (Mn)-Dissolved			97.3		%		70-130	06-MAY-18
Molybdenum (Mo)-Dissolved			99.6		%		70-130	06-MAY-18
Nickel (Ni)-Dissolved			97.5		%		70-130	06-MAY-18
Potassium (K)-Dissolved			99.2		%		70-130	06-MAY-18
Selenium (Se)-Dissolved			101.0		%		70-130	06-MAY-18
Silicon (Si)-Dissolved			89.5		%		70-130	06-MAY-18
Silver (Ag)-Dissolved			101.9		%		70-130	06-MAY-18
Sodium (Na)-Dissolved			N/A	MS-B	%		-	06-MAY-18
Strontium (Sr)-Dissolved			N/A	MS-B	%		-	06-MAY-18
Thallium (Tl)-Dissolved			95.6		%		70-130	06-MAY-18
Tin (Sn)-Dissolved			99.4		%		70-130	06-MAY-18
Titanium (Ti)-Dissolved			101.2		%		70-130	06-MAY-18
Uranium (U)-Dissolved			95.1		%		70-130	06-MAY-18
Vanadium (V)-Dissolved			103.1		%		70-130	06-MAY-18
Zinc (Zn)-Dissolved			93.8		%		70-130	06-MAY-18
MET-T-CCMS-VA								
	Water							
Batch	R4033943							
WG2764124-3 DUP		L2086365-2						
Aluminum (Al)-Total		0.633	0.642		mg/L	1.3	20	05-MAY-18
Antimony (Sb)-Total		0.00012	<0.00010	RPD-NA	mg/L	N/A	20	05-MAY-18
Arsenic (As)-Total		0.00083	0.00085		mg/L	2.6	20	05-MAY-18
Barium (Ba)-Total		0.0610	0.0606		mg/L	0.7	20	05-MAY-18



Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 8 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4033943							
WG2764124-3	DUP	L2086365-2						
Bismuth (Bi)-Total		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	05-MAY-18
Boron (B)-Total		<0.010	<0.010	RPD-NA	mg/L	N/A	20	05-MAY-18
Cadmium (Cd)-Total		0.0000249	0.0000309	J	mg/L	0.000006	0.00001	05-MAY-18
Calcium (Ca)-Total		45.7	44.2		mg/L	3.2	20	05-MAY-18
Chromium (Cr)-Total		0.00094	0.00092		mg/L	1.8	20	05-MAY-18
Cobalt (Co)-Total		0.00048	0.00049		mg/L	2.4	20	05-MAY-18
Copper (Cu)-Total		0.00123	0.00131		mg/L	6.4	20	05-MAY-18
Iron (Fe)-Total		0.993	0.980		mg/L	1.4	20	05-MAY-18
Lead (Pb)-Total		0.000983	0.000954		mg/L	3.0	20	05-MAY-18
Lithium (Li)-Total		0.0040	0.0038		mg/L	4.2	20	05-MAY-18
Magnesium (Mg)-Total		13.3	13.0		mg/L	2.1	20	05-MAY-18
Manganese (Mn)-Total		0.0346	0.0344		mg/L	0.5	20	05-MAY-18
Molybdenum (Mo)-Total		0.000695	0.000676		mg/L	2.7	20	05-MAY-18
Nickel (Ni)-Total		0.00119	0.00126		mg/L	5.2	20	05-MAY-18
Potassium (K)-Total		0.812	0.825		mg/L	1.6	20	05-MAY-18
Selenium (Se)-Total		0.00119	0.00124		mg/L	4.6	20	05-MAY-18
Silicon (Si)-Total		3.43	3.39		mg/L	1.2	20	05-MAY-18
Silver (Ag)-Total		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	05-MAY-18
Sodium (Na)-Total		5.25	5.17		mg/L	1.5	20	05-MAY-18
Strontium (Sr)-Total		0.165	0.157		mg/L	4.8	20	05-MAY-18
Thallium (Tl)-Total		0.000013	0.000011		mg/L	16	20	05-MAY-18
Tin (Sn)-Total		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	05-MAY-18
Titanium (Ti)-Total		<0.010	<0.010	RPD-NA	mg/L	N/A	20	05-MAY-18
Uranium (U)-Total		0.000843	0.000811		mg/L	3.8	20	05-MAY-18
Vanadium (V)-Total		0.00114	0.00113		mg/L	0.7	20	05-MAY-18
Zinc (Zn)-Total		0.0043	0.0040		mg/L	6.5	20	05-MAY-18
WG2764124-2	LCS							
Aluminum (Al)-Total			101.2		%		80-120	05-MAY-18
Antimony (Sb)-Total			100.2		%		80-120	05-MAY-18
Arsenic (As)-Total			97.2		%		80-120	05-MAY-18
Barium (Ba)-Total			100.2		%		80-120	05-MAY-18
Bismuth (Bi)-Total			98.0		%		80-120	05-MAY-18
Boron (B)-Total			93.5		%		80-120	05-MAY-18
Cadmium (Cd)-Total			101.9		%		80-120	05-MAY-18



Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 9 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4033943							
WG2764124-2 LCS								
Calcium (Ca)-Total			97.3		%		80-120	05-MAY-18
Chromium (Cr)-Total			100.3		%		80-120	05-MAY-18
Cobalt (Co)-Total			99.4		%		80-120	05-MAY-18
Copper (Cu)-Total			100.6		%		80-120	05-MAY-18
Iron (Fe)-Total			94.5		%		80-120	05-MAY-18
Lead (Pb)-Total			100.6		%		80-120	05-MAY-18
Lithium (Li)-Total			99.5		%		80-120	05-MAY-18
Magnesium (Mg)-Total			98.6		%		80-120	05-MAY-18
Manganese (Mn)-Total			94.6		%		80-120	05-MAY-18
Molybdenum (Mo)-Total			98.9		%		80-120	05-MAY-18
Nickel (Ni)-Total			98.8		%		80-120	05-MAY-18
Potassium (K)-Total			98.6		%		80-120	05-MAY-18
Selenium (Se)-Total			95.6		%		80-120	05-MAY-18
Silicon (Si)-Total			100.9		%		80-120	05-MAY-18
Silver (Ag)-Total			94.1		%		80-120	05-MAY-18
Sodium (Na)-Total			99.3		%		80-120	05-MAY-18
Strontium (Sr)-Total			99.3		%		80-120	05-MAY-18
Thallium (Tl)-Total			97.3		%		80-120	05-MAY-18
Tin (Sn)-Total			99.5		%		80-120	05-MAY-18
Titanium (Ti)-Total			96.2		%		80-120	05-MAY-18
Uranium (U)-Total			101.6		%		80-120	05-MAY-18
Vanadium (V)-Total			99.4		%		80-120	05-MAY-18
Zinc (Zn)-Total			95.4		%		80-120	05-MAY-18
WG2764124-1 MB								
Aluminum (Al)-Total			<0.0030		mg/L		0.003	05-MAY-18
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	05-MAY-18
Arsenic (As)-Total			<0.00010		mg/L		0.0001	05-MAY-18
Barium (Ba)-Total			<0.00010		mg/L		0.0001	05-MAY-18
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	05-MAY-18
Boron (B)-Total			<0.010		mg/L		0.01	05-MAY-18
Cadmium (Cd)-Total			<0.0000050		mg/L		0.000005	05-MAY-18
Calcium (Ca)-Total			<0.050		mg/L		0.05	05-MAY-18
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	05-MAY-18
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	05-MAY-18



Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 10 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4033943							
WG2764124-1	MB							
Copper (Cu)-Total			<0.00050		mg/L		0.0005	05-MAY-18
Iron (Fe)-Total			<0.010		mg/L		0.01	05-MAY-18
Lead (Pb)-Total			<0.000050		mg/L		0.00005	05-MAY-18
Lithium (Li)-Total			<0.0010		mg/L		0.001	05-MAY-18
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	05-MAY-18
Manganese (Mn)-Total			<0.00010		mg/L		0.0001	05-MAY-18
Molybdenum (Mo)-Total			<0.000050		mg/L		0.00005	05-MAY-18
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	05-MAY-18
Potassium (K)-Total			<0.050		mg/L		0.05	05-MAY-18
Selenium (Se)-Total			<0.000050		mg/L		0.00005	05-MAY-18
Silicon (Si)-Total			<0.10		mg/L		0.1	05-MAY-18
Silver (Ag)-Total			<0.000010		mg/L		0.00001	05-MAY-18
Sodium (Na)-Total			<0.050		mg/L		0.05	05-MAY-18
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	05-MAY-18
Thallium (Tl)-Total			<0.000010		mg/L		0.00001	05-MAY-18
Tin (Sn)-Total			<0.00010		mg/L		0.0001	05-MAY-18
Titanium (Ti)-Total			<0.00030		mg/L		0.0003	05-MAY-18
Uranium (U)-Total			<0.000010		mg/L		0.00001	05-MAY-18
Vanadium (V)-Total			<0.00050		mg/L		0.0005	05-MAY-18
Zinc (Zn)-Total			<0.0030		mg/L		0.003	05-MAY-18
WG2764124-4	MS	L2086365-1						
Aluminum (Al)-Total			N/A	MS-B	%		-	05-MAY-18
Antimony (Sb)-Total			92.8		%		70-130	05-MAY-18
Arsenic (As)-Total			97.5		%		70-130	05-MAY-18
Barium (Ba)-Total			N/A	MS-B	%		-	05-MAY-18
Bismuth (Bi)-Total			94.1		%		70-130	05-MAY-18
Boron (B)-Total			96.2		%		70-130	05-MAY-18
Cadmium (Cd)-Total			98.6		%		70-130	05-MAY-18
Calcium (Ca)-Total			N/A	MS-B	%		-	05-MAY-18
Chromium (Cr)-Total			98.2		%		70-130	05-MAY-18
Cobalt (Co)-Total			95.2		%		70-130	05-MAY-18
Copper (Cu)-Total			93.9		%		70-130	05-MAY-18
Iron (Fe)-Total			91.5		%		70-130	05-MAY-18
Lead (Pb)-Total			94.2		%		70-130	05-MAY-18



Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 11 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4033943							
WG2764124-4	MS	L2086365-1						
Lithium (Li)-Total			95.8		%		70-130	05-MAY-18
Magnesium (Mg)-Total			N/A	MS-B	%		-	05-MAY-18
Manganese (Mn)-Total			N/A	MS-B	%		-	05-MAY-18
Molybdenum (Mo)-Total			94.8		%		70-130	05-MAY-18
Nickel (Ni)-Total			92.5		%		70-130	05-MAY-18
Potassium (K)-Total			93.0		%		70-130	05-MAY-18
Selenium (Se)-Total			90.2		%		70-130	05-MAY-18
Silicon (Si)-Total			92.8		%		70-130	05-MAY-18
Silver (Ag)-Total			92.3		%		70-130	05-MAY-18
Sodium (Na)-Total			N/A	MS-B	%		-	05-MAY-18
Strontium (Sr)-Total			N/A	MS-B	%		-	05-MAY-18
Thallium (Tl)-Total			92.0		%		70-130	05-MAY-18
Tin (Sn)-Total			96.9		%		70-130	05-MAY-18
Titanium (Ti)-Total			106.9		%		70-130	05-MAY-18
Uranium (U)-Total			96.3		%		70-130	05-MAY-18
Vanadium (V)-Total			96.4		%		70-130	05-MAY-18
Zinc (Zn)-Total			87.9		%		70-130	05-MAY-18
Batch	R4036052							
WG2765995-2	LCS							
Aluminum (Al)-Total			104.8		%		80-120	07-MAY-18
Antimony (Sb)-Total			107.7		%		80-120	07-MAY-18
Arsenic (As)-Total			106.8		%		80-120	07-MAY-18
Barium (Ba)-Total			105.9		%		80-120	07-MAY-18
Bismuth (Bi)-Total			101.7		%		80-120	07-MAY-18
Boron (B)-Total			86.4		%		80-120	07-MAY-18
Cadmium (Cd)-Total			112.1		%		80-120	07-MAY-18
Calcium (Ca)-Total			101.7		%		80-120	07-MAY-18
Chromium (Cr)-Total			101.5		%		80-120	07-MAY-18
Cobalt (Co)-Total			105.8		%		80-120	07-MAY-18
Copper (Cu)-Total			107.0		%		80-120	07-MAY-18
Iron (Fe)-Total			101.8		%		80-120	07-MAY-18
Lead (Pb)-Total			104.5		%		80-120	07-MAY-18
Lithium (Li)-Total			95.0		%		80-120	07-MAY-18
Magnesium (Mg)-Total			97.2		%		80-120	07-MAY-18



Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 12 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4036052							
WG2765995-2	LCS							
Manganese (Mn)-Total			101.9		%		80-120	07-MAY-18
Molybdenum (Mo)-Total			102.1		%		80-120	07-MAY-18
Nickel (Ni)-Total			106.1		%		80-120	07-MAY-18
Potassium (K)-Total			108.9		%		80-120	07-MAY-18
Selenium (Se)-Total			108.0		%		80-120	07-MAY-18
Silicon (Si)-Total			109.3		%		80-120	07-MAY-18
Silver (Ag)-Total			100.5		%		80-120	07-MAY-18
Sodium (Na)-Total			103.7		%		80-120	07-MAY-18
Strontium (Sr)-Total			96.7		%		80-120	07-MAY-18
Thallium (Tl)-Total			102.6		%		80-120	07-MAY-18
Tin (Sn)-Total			98.2		%		80-120	07-MAY-18
Titanium (Ti)-Total			104.3		%		80-120	07-MAY-18
Uranium (U)-Total			101.8		%		80-120	07-MAY-18
Vanadium (V)-Total			107.3		%		80-120	07-MAY-18
Zinc (Zn)-Total			100.8		%		80-120	07-MAY-18
WG2765995-1	MB							
Aluminum (Al)-Total			<0.0030		mg/L		0.003	07-MAY-18
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	07-MAY-18
Arsenic (As)-Total			<0.00010		mg/L		0.0001	07-MAY-18
Barium (Ba)-Total			<0.00010		mg/L		0.0001	07-MAY-18
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	07-MAY-18
Boron (B)-Total			<0.010		mg/L		0.01	07-MAY-18
Cadmium (Cd)-Total			<0.0000050		mg/L		0.000005	07-MAY-18
Calcium (Ca)-Total			<0.050		mg/L		0.05	07-MAY-18
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	07-MAY-18
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	07-MAY-18
Copper (Cu)-Total			<0.00050		mg/L		0.0005	07-MAY-18
Iron (Fe)-Total			<0.010		mg/L		0.01	07-MAY-18
Lead (Pb)-Total			<0.000050		mg/L		0.00005	07-MAY-18
Lithium (Li)-Total			<0.0010		mg/L		0.001	07-MAY-18
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	07-MAY-18
Manganese (Mn)-Total			<0.00010		mg/L		0.0001	07-MAY-18
Molybdenum (Mo)-Total			0.000205	MB-LOR	mg/L		0.00005	07-MAY-18
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	07-MAY-18



Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 13 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4036052							
WG2765995-1	MB							
Potassium (K)-Total			<0.050		mg/L		0.05	07-MAY-18
Selenium (Se)-Total			<0.000050		mg/L		0.00005	07-MAY-18
Silicon (Si)-Total			<0.10		mg/L		0.1	07-MAY-18
Silver (Ag)-Total			<0.000010		mg/L		0.00001	07-MAY-18
Sodium (Na)-Total			<0.050		mg/L		0.05	07-MAY-18
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	07-MAY-18
Thallium (Tl)-Total			<0.000010		mg/L		0.00001	07-MAY-18
Tin (Sn)-Total			<0.00010		mg/L		0.0001	07-MAY-18
Titanium (Ti)-Total			<0.00030		mg/L		0.0003	07-MAY-18
Uranium (U)-Total			<0.000010		mg/L		0.00001	07-MAY-18
Vanadium (V)-Total			<0.00050		mg/L		0.0005	07-MAY-18
Zinc (Zn)-Total			<0.0030		mg/L		0.003	07-MAY-18
NH3-L-F-CL		Water						
Batch	R4033330							
WG2765118-6	LCS							
Ammonia as N			103.9		%		85-115	04-MAY-18
WG2765118-5	MB							
Ammonia as N			<0.0050		mg/L		0.005	04-MAY-18
NO2-L-IC-N-CL		Water						
Batch	R4031083							
WG2763499-31	DUP	L2086365-11						
Nitrite (as N)			<0.0010	RPD-NA	mg/L	N/A	20	28-APR-18
WG2763499-30	LCS							
Nitrite (as N)			105.4		%		90-110	28-APR-18
WG2763499-29	MB							
Nitrite (as N)			<0.0010		mg/L		0.001	28-APR-18
WG2763499-32	MS	L2086365-11						
Nitrite (as N)			92.8		%		75-125	28-APR-18
NO3-L-IC-N-CL		Water						
Batch	R4031083							
WG2763499-31	DUP	L2086365-11						
Nitrate (as N)			<0.0050	RPD-NA	mg/L	N/A	20	28-APR-18
WG2763499-30	LCS							
Nitrate (as N)			101.4		%		90-110	28-APR-18
WG2763499-29	MB							
Nitrate (as N)			<0.0050		mg/L		0.005	28-APR-18



Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 14 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
NO3-L-IC-N-CL								
Water								
Batch	R4031083							
WG2763499-32	MS	L2086365-11						
Nitrate (as N)			89.1		%		75-125	28-APR-18
ORP-CL								
Water								
Batch	R4035889							
WG2765339-1	CRM	CL-ORP						
ORP			221		mV		210-230	04-MAY-18
WG2765339-2	CRM	CL-ORP						
ORP			221		mV		210-230	04-MAY-18
P-T-L-COL-ED								
Water								
Batch	R4036287							
WG2766259-14	LCS							
Phosphorus (P)-Total			105.4		%		80-120	07-MAY-18
WG2766259-16	LCS							
Phosphorus (P)-Total			103.4		%		80-120	07-MAY-18
WG2766259-18	LCS							
Phosphorus (P)-Total			103.8		%		80-120	07-MAY-18
WG2766259-2	LCS							
Phosphorus (P)-Total			105.2		%		80-120	07-MAY-18
WG2766259-1	MB							
Phosphorus (P)-Total			<0.0010		mg/L		0.001	07-MAY-18
WG2766259-13	MB							
Phosphorus (P)-Total			<0.0010		mg/L		0.001	07-MAY-18
WG2766259-15	MB							
Phosphorus (P)-Total			<0.0010		mg/L		0.001	07-MAY-18
WG2766259-17	MB							
Phosphorus (P)-Total			0.0010		mg/L		0.001	07-MAY-18
PH-CL								
Water								
Batch	R4032387							
WG2764074-8	LCS							
pH			7.02		pH		6.9-7.1	02-MAY-18
PO4-DO-L-COL-ED								
Water								
Batch	R4025111							
WG2760976-2	LCS							
Orthophosphate-Dissolved (as P)			95.2		%		80-120	29-APR-18
WG2760976-6	LCS							
Orthophosphate-Dissolved (as P)			103.8		%		80-120	29-APR-18

Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 15 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PO4-DO-L-COL-ED								
	Water							
Batch	R4025111							
WG2760976-1	MB							
	Orthophosphate-Dissolved (as P)		<0.0010		mg/L		0.001	29-APR-18
WG2760976-5	MB							
	Orthophosphate-Dissolved (as P)		<0.0010		mg/L		0.001	29-APR-18
SO4-IC-N-CL								
	Water							
Batch	R4031083							
WG2763499-31	DUP	L2086365-11						
	Sulfate (SO4)	<0.30	<0.30	RPD-NA	mg/L	N/A	20	28-APR-18
WG2763499-30	LCS							
	Sulfate (SO4)		101.6		%		90-110	28-APR-18
WG2763499-29	MB							
	Sulfate (SO4)		<0.30		mg/L		0.3	28-APR-18
WG2763499-32	MS	L2086365-11						
	Sulfate (SO4)		89.6		%		75-125	28-APR-18
SOLIDS-TDS-CL								
	Water							
Batch	R4033264							
WG2763855-5	LCS							
	Total Dissolved Solids		99.6		%		85-115	03-MAY-18
WG2763855-4	MB							
	Total Dissolved Solids		<10		mg/L		10	03-MAY-18
TKN-L-F-CL								
	Water							
Batch	R4029812							
WG2762325-15	DUP	L2086365-2						
	Total Kjeldahl Nitrogen	0.245	0.223		mg/L	9.4	20	01-MAY-18
WG2762325-10	LCS							
	Total Kjeldahl Nitrogen		111.5		%		75-125	01-MAY-18
WG2762325-14	LCS							
	Total Kjeldahl Nitrogen		107.8		%		75-125	01-MAY-18
WG2762325-13	MB							
	Total Kjeldahl Nitrogen		<0.050		mg/L		0.05	01-MAY-18
WG2762325-9	MB							
	Total Kjeldahl Nitrogen		<0.050		mg/L		0.05	01-MAY-18
WG2762325-16	MS	L2086365-5						
	Total Kjeldahl Nitrogen		102.8		%		70-130	01-MAY-18
TSS-L-CL	Water							



Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 16 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
TSS-L-CL	Water							
Batch	R4033361							
WG2764537-8	LCS							
Total Suspended Solids			92.7		%		85-115	03-MAY-18
WG2764537-7	MB							
Total Suspended Solids			<1.0		mg/L		1	03-MAY-18
TURBIDITY-CL	Water							
Batch	R4025066							
WG2760902-11	LCS							
Turbidity			98.5		%		85-115	28-APR-18
WG2760902-10	MB							
Turbidity			<0.10		NTU		0.1	28-APR-18

Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 17 of 18

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
J	Duplicate results and limits are expressed in terms of absolute difference.
MB-LOR	Method Blank exceeds ALS DQO. Limits of Reporting have been adjusted for samples with positive hits below 5x blank level.
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Quality Control Report

Workorder: L2086365

Report Date: 08-MAY-18

Page 18 of 18

Hold Time Exceedances:

ALS Product Description	Sample ID	Sampling Date	Date Processed	Rec. HT	Actual HT	Units	Qualifier
Physical Tests							
pH	1	27-APR-18 09:40	02-MAY-18 11:00	0.25	121	hours	EHTR-FM
	2	27-APR-18 09:40	02-MAY-18 11:00	0.25	121	hours	EHTR-FM
	5	27-APR-18 14:00	02-MAY-18 11:00	0.25	117	hours	EHTR-FM
	7	27-APR-18 15:30	02-MAY-18 11:00	0.25	115	hours	EHTR-FM
	9	27-APR-18 14:30	02-MAY-18 11:00	0.25	116	hours	EHTR-FM
	11	27-APR-18 14:30	02-MAY-18 11:00	0.25	116	hours	EHTR-FM

Legend & Qualifier Definitions:

EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended.
EHTR: Exceeded ALS recommended hold time prior to sample receipt.
EHTL: Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.
EHT: Exceeded ALS recommended hold time prior to analysis.
Rec. HT: ALS recommended hold time (see units).

Notes*:

Where actual sampling date is not provided to ALS, the date (& time) of receipt is used for calculation purposes.

Where actual sampling time is not provided to ALS, the earlier of 12 noon on the sampling date or the time (& date) of receipt is used for calculation purposes. Samples for L2086365 were received on 28-APR-18 13:00.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.



L2086365-COFC

COC ID: REP-2018-04-27

TURNAROUND TIME:

PROJECT/CLIENT INFO				LABORATORY			
Facility Name / Job#	Regional Effects Program			Lab Name	ALS Calgary		
Project Manager	Lee Wilm			Lab Contact	Lyudmyla Shvets		
Email	lee.wilm@teck.com			Email	lyudmyla.shvets@atsglobal.com		
Address	PO Box 1777, 124B Aspen Drive			Address	2559 29 Street NE		
City	Sparwood	Province	BC	City	Calgary	Province	AB
Postal Code	V0B 2G0	Country	Canada	Postal Code	T1Y 7B5	Country	Canada
Phone Number	250-865-5289			Phone Number	1 403 407 1794		

teckcoal@edisonline.com
 carla.fraser@teck.com
 andrew.wright@teck.com
 j.wilson@teck.com
 MINDOUG CA

SAMPLE DETAILS

ANALYSIS REQUESTED

Filtered: F: Field, L: Lab, F1: Field & Lab, N: None

Sample ID	Sample Location	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Comp	# Of Cont.	TECKCOAL-ROUTINE-VA	ALS_Package-DOC	ALS_Package-TKN/TOC	HG-T-U-CVAF-VA	HG-D-CVAF-VA	TECKCOAL-MET-T-VA	TECKCOAL-MET-D-VA
1 RG-ER-WS-20180427-940	RG-ER	WS	NO	April 27.18	0940	G	7	/	/	/	/	/	/	/
2 RG-DUP-ER-WQ-20180427-940	RG-ER	WQ	NO	April 27.18	0940	G	7	/	/	/	/	/	/	/
3 RG-ER-WS-20180427-940 FB-Hg	RG-ER	WS	NO	April 27.18	0940	G	1				/			
4 RG-DUP-ER-WQ-20180427-940 FB-Hg	RG-ER	WQ	NO	April 27.18	0940	G	1				/			
5 RG-GC-WS-20180427-1400	RG-GC	WS	NO	April 27.18	1400	G	7	/	/	/	/	/	/	/
6 RG-GC-WS-20180427-1400 FB-Hg	RG-GC	WS	NO	April 27.18	1400	G	1				/			
7 RG-FBLANK-WQ-20180427-1530	RG-FBLANK	WQ	NO	April 27.18	15:30	G	7	/	/	/	/	/	/	/
8 RG-FBLANK-WQ-20180427-1530 FB-Hg	RG-FBLANK	WQ	NO	April 27.18	15:30	G	1				/			
9 RG-SC-WS-20180427-1430	RG-SC	WS	NO	April 27.18	1430	G	7	/	/	/	/	/	/	/
10 RG-SC-WS-20180427-1430 FB-Hg	RG-SC	WS	NO	April 27.18	1430	G	1				/			
11 RG-TRIP-WQ-20180427-	RG-TRIP	WQ	NO	April 27.18	1430	-	4	/	/	/	/	/	/	/

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS
 (2) RG-TRIP-WQ - FB-Hg
 *HG-T-U rec'd - Burnaby for analysis

All metals samples must be shipped to ALS Burnaby for analysis

RELINQUISHED BY/AFFILIATION: DATE/TIME: 28 Apr/18 15:00
 ACCEPTED BY/AFFILIATION: 15°C 13:00

NB OF BOTTLES RETURNED/DESCRIPTION	Regular (default) x
Priority (2-3 business days) - 50% surcharge	
Emergency (1 Business Day) - 100% surcharge	
For Emergency <1 Day, ASAP or Weekend - Contact ALS	

Sampler's Name	JUSTIN WILSON	Mobile #	519-803-3923
Sampler's Signature	<i>Justin Wilson</i>	Date/Time	April 27.18 / 1700.



Teck Coal Ltd.
ATTN: Lee Wilm
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 01-MAY-18
Report Date: 09-MAY-18 14:37 (MT)
Version: FINAL

Client Phone: 250-425-5289

Certificate of Analysis

Lab Work Order #: L2087338
Project P.O. #: VPO00563596
Job Reference: REGIONAL EFFECTS PROGRAM
C of C Numbers: REP-2018-04-29
Legal Site Desc:

Lyudmyla Shvets, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2087338-1	L2087338-2	L2087338-3	L2087338-4
		Description	Water	Water	Water	Water
		Sampled Date	29-APR-18	29-APR-18	30-APR-18	30-APR-18
		Sampled Time	11:30	11:30	12:30	12:30
		Client ID	RG_T4_WS_20180 429-1130	RG_T4_WS_20180 429-1130-FB-HG	RG_TN_WS_2018 0430-1230	RG_TN_WS_2018 0430-1230-FB-HG
Grouping	Analyte					
WATER						
Physical Tests	Conductivity (@ 25C) (uS/cm)		284		253	
	Hardness (as CaCO3) (mg/L)		137		120	
	pH (pH)		8.20		8.21	
	ORP (mV)		242		288	
	Total Suspended Solids (mg/L)		879		544	
	Total Dissolved Solids (mg/L)		165		151	
	Turbidity (NTU)		19.8		206	
Anions and Nutrients	Acidity (as CaCO3) (mg/L)		<1.0		<1.0	
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)		117		105	
	Alkalinity, Carbonate (as CaCO3) (mg/L)		<1.0		<1.0	
	Alkalinity, Hydroxide (as CaCO3) (mg/L)		<1.0		<1.0	
	Alkalinity, Total (as CaCO3) (mg/L)		117		105	
	Ammonia as N (mg/L)		0.045 ^{DLM}		0.031 ^{DLM}	
	Bromide (Br) (mg/L)		<0.050		<0.050	
	Chloride (Cl) (mg/L)		2.87		3.22	
	Fluoride (F) (mg/L)		0.103		0.079	
	Ion Balance (%)		94.8		96.7	
	Nitrate (as N) (mg/L)		0.463		0.192	
	Nitrite (as N) (mg/L)		0.0025		0.0013	
	Total Kjeldahl Nitrogen (mg/L)		0.603		0.320	
	Orthophosphate-Dissolved (as P) (mg/L)		0.0017		<0.0010	
	Phosphorus (P)-Total (mg/L)		0.370 ^{DLHC}		0.139 ^{DLHC}	
	Sulfate (SO4) (mg/L)		28.8		22.2	
	Anion Sum (meq/L)		3.06		2.67	
	Cation Sum (meq/L)		2.90		2.58	
	Cation - Anion Balance (%)		-2.7		-1.7	
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)		2.59		2.79
Total Organic Carbon (mg/L)			2.84		2.46	
Total Metals	Aluminum (Al)-Total (mg/L)		5.64		3.26	
	Antimony (Sb)-Total (mg/L)		0.00026		<0.00020 ^{DLA}	
	Arsenic (As)-Total (mg/L)		0.00381		0.00238	
	Barium (Ba)-Total (mg/L)		0.121		0.0594	
	Beryllium (Be)-Total (ug/L)		0.267		0.137	
	Bismuth (Bi)-Total (mg/L)		0.00012		<0.00010 ^{DLA}	
	Boron (B)-Total (mg/L)		<0.020		<0.020 ^{DLA}	
	Cadmium (Cd)-Total (ug/L)		0.268		0.074	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID	Description	Sampled Date	Sampled Time	Client ID	L2087338-1	L2087338-2	L2087338-3	L2087338-4	
					L2087338-1 Water 29-APR-18 11:30 RG_T4_WS_20180 429-1130	L2087338-2 Water 29-APR-18 11:30 RG_T4_WS_20180 429-1130-FB-HG	L2087338-3 Water 30-APR-18 12:30 RG_TN_WS_2018 0430-1230	L2087338-4 Water 30-APR-18 12:30 RG_TN_WS_2018 0430-1230-FB-HG	
Grouping	Analyte								
WATER									
Total Metals	Calcium (Ca)-Total (mg/L)				99.3		82.9		
	Chromium (Cr)-Total (mg/L)				0.00820		0.00466		
	Cobalt (Co)-Total (ug/L)				4.41		2.85		
	Copper (Cu)-Total (mg/L)				0.0095		0.0060		
	Iron (Fe)-Total (mg/L)				9.99		6.17		
	Lead (Pb)-Total (mg/L)				0.0101		0.00629		
	Lithium (Li)-Total (mg/L)				0.0136		0.0083		
	Magnesium (Mg)-Total (mg/L)				21.4		17.5		
	Manganese (Mn)-Total (mg/L)				0.291		0.172		
	Mercury (Hg)-Total (ug/L)				0.0196	<0.00050	0.00442	<0.00050	
	Molybdenum (Mo)-Total (mg/L)				0.00103		0.00072		
	Nickel (Ni)-Total (mg/L)				0.0103		0.0059		
	Potassium (K)-Total (mg/L)				1.50		0.97		
	Selenium (Se)-Total (ug/L)				2.46		0.20		
	Silicon (Si)-Total (mg/L)				9.81		6.71		
	Silver (Ag)-Total (mg/L)				0.000065		<0.000020 ^{DLA}		
	Sodium (Na)-Total (mg/L)				3.72		4.04		
	Strontium (Sr)-Total (mg/L)				0.270		0.242		
	Thallium (Tl)-Total (mg/L)				0.000093		0.000035		
	Tin (Sn)-Total (mg/L)				<0.00020 ^{DLA}		<0.00020 ^{DLA}		
	Titanium (Ti)-Total (mg/L)				0.043		0.033		
	Uranium (U)-Total (mg/L)				0.00112		0.000939		
	Vanadium (V)-Total (mg/L)				0.0088		0.0040		
	Zinc (Zn)-Total (mg/L)				0.0424		0.0226		
Dissolved Metals	Dissolved Mercury Filtration Location				LAB		LAB		
	Dissolved Metals Filtration Location				LAB		LAB		
	Aluminum (Al)-Dissolved (mg/L)				0.0147 ^{DLA}		0.0119 ^{DLA}		
	Antimony (Sb)-Dissolved (mg/L)				<0.00020		<0.00020		
	Arsenic (As)-Dissolved (mg/L)				0.00060		0.00048		
	Barium (Ba)-Dissolved (mg/L)				0.0579 ^{DLA}		0.0332 ^{DLA}		
	Beryllium (Be)-Dissolved (ug/L)				<0.040 ^{DLA}		<0.040 ^{DLA}		
	Bismuth (Bi)-Dissolved (mg/L)				<0.00010 ^{DLA}		<0.00010 ^{DLA}		
	Boron (B)-Dissolved (mg/L)				<0.020 ^{DLA}		<0.020 ^{DLA}		
	Cadmium (Cd)-Dissolved (ug/L)				<0.010 ^{DLA}		<0.010 ^{DLA}		
	Calcium (Ca)-Dissolved (mg/L)				36.9		32.6		
	Chromium (Cr)-Dissolved (mg/L)				<0.00020 ^{DLA}		<0.00020 ^{DLA}		
	Cobalt (Co)-Dissolved (ug/L)				<0.20 ^{DLA}		<0.20 ^{DLA}		

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID	Description	Sampled Date	Sampled Time	Client ID	L2087338-1	L2087338-2	L2087338-3	L2087338-4
					Water 29-APR-18 11:30 RG_T4_WS_20180 429-1130	Water 29-APR-18 11:30 RG_T4_WS_20180 429-1130-FB-HG	Water 30-APR-18 12:30 RG_TN_WS_2018 0430-1230	Water 30-APR-18 12:30 RG_TN_WS_2018 0430-1230-FB-HG
Grouping	Analyte							
WATER								
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)	0.00060					<0.00050	
	Iron (Fe)-Dissolved (mg/L)	0.022					0.022	
	Lead (Pb)-Dissolved (mg/L)	<0.00010 ^{DLA}					<0.00010 ^{DLA}	
	Lithium (Li)-Dissolved (mg/L)	0.0026					0.0012	
	Magnesium (Mg)-Dissolved (mg/L)	10.9					9.43	
	Manganese (Mn)-Dissolved (mg/L)	0.00072					0.00060	
	Mercury (Hg)-Dissolved (mg/L)	<0.0000050					<0.0000050	
	Molybdenum (Mo)-Dissolved (mg/L)	0.00065					0.00048	
	Nickel (Ni)-Dissolved (mg/L)	<0.0010 ^{DLA}					<0.0010 ^{DLA}	
	Potassium (K)-Dissolved (mg/L)	0.56					0.53	
	Selenium (Se)-Dissolved (ug/L)	2.06					0.14	
	Silicon (Si)-Dissolved (mg/L)	2.67					2.86	
	Silver (Ag)-Dissolved (mg/L)	<0.000020 ^{DLA}					<0.000020 ^{DLA}	
	Sodium (Na)-Dissolved (mg/L)	3.25					3.58	
	Strontium (Sr)-Dissolved (mg/L)	0.124					0.124	
	Thallium (Tl)-Dissolved (mg/L)	<0.000020 ^{DLA}					<0.000020 ^{DLA}	
	Tin (Sn)-Dissolved (mg/L)	<0.00020 ^{DLA}					<0.00020 ^{DLA}	
	Titanium (Ti)-Dissolved (mg/L)	<0.010					<0.010	
	Uranium (U)-Dissolved (mg/L)	0.000749					0.000673	
	Vanadium (V)-Dissolved (mg/L)	<0.0010 ^{DLA}					<0.0010 ^{DLA}	
	Zinc (Zn)-Dissolved (mg/L)	<0.0020 ^{DLA}					<0.0020 ^{DLA}	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

Qualifiers for Sample Submission Listed:

Qualifier	Description
SFPL	Sample was Filtered and Preserved at the laboratory - DOC and dissolved metals to filtered and preserved in lab; filter code added
UCM	Unknown sample container (non-ALS) submitted for metals analysis (excluding Hg). ALS cannot verify container cleanliness or suitability for trace metals tests.

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Method Blank	Molybdenum (Mo)-Dissolved	MB-LOR	L2087338-1, -3
Method Blank	Total Dissolved Solids	MB-LOR	L2087338-1, -3
Matrix Spike	Barium (Ba)-Dissolved	MS-B	L2087338-1, -3
Matrix Spike	Calcium (Ca)-Dissolved	MS-B	L2087338-1, -3
Matrix Spike	Calcium (Ca)-Dissolved	MS-B	L2087338-1, -3
Matrix Spike	Magnesium (Mg)-Dissolved	MS-B	L2087338-1, -3
Matrix Spike	Magnesium (Mg)-Dissolved	MS-B	L2087338-1, -3
Matrix Spike	Sodium (Na)-Dissolved	MS-B	L2087338-1, -3
Matrix Spike	Strontium (Sr)-Dissolved	MS-B	L2087338-1, -3
Matrix Spike	Strontium (Sr)-Dissolved	MS-B	L2087338-1, -3
Matrix Spike	Calcium (Ca)-Total	MS-B	L2087338-1, -3
Matrix Spike	Magnesium (Mg)-Total	MS-B	L2087338-1, -3
Matrix Spike	Sodium (Na)-Total	MS-B	L2087338-1, -3
Matrix Spike	Strontium (Sr)-Total	MS-B	L2087338-1, -3

Qualifiers for Individual Parameters Listed:

Qualifier	Description
DLA	Detection Limit adjusted for required dilution
DLHC	Detection Limit Raised: Dilution required due to high concentration of test analyte(s).
DLM	Detection Limit Adjusted due to sample matrix effects (e.g. chemical interference, colour, turbidity).
MB-LOR	Method Blank exceeds ALS DQO. Limits of Reporting have been adjusted for samples with positive hits below 5x blank level.
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
ACIDITY-PCT-CL	Water	Acidity by Automatic Titration	APHA 2310 Acidity
This analysis is carried out using procedures adapted from APHA Method 2310 "Acidity". Acidity is determined by potentiometric titration to a specified endpoint.			
ALK-MAN-CL	Water	Alkalinity (Species) by Manual Titration	APHA 2320 ALKALINITY
This analysis is carried out using procedures adapted from APHA Method 2320 "Alkalinity". Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.			
BE-D-L-CCMS-VA	Water	Diss. Be (low) in Water by CRC ICPMS	APHA 3030B/6020A (mod)
Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.			
BE-T-L-CCMS-VA	Water	Total Be (Low) in Water by CRC ICPMS	EPA 200.2/6020A (mod)
Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.			
BR-L-IC-N-CL	Water	Bromide in Water by IC (Low Level)	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
C-DIS-ORG-LOW-CL	Water	Dissolved Organic Carbon	APHA 5310 B-Instrumental
This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.			

Reference Information

The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC.

TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.

C-TOT-ORG-LOW-CL Water Total Organic Carbon APHA 5310 TOTAL ORGANIC CARBON (TOC)

This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.

The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC.

TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.

CL-IC-N-CL Water Chloride in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

EC-L-PCT-CL Water Electrical Conductivity (EC) APHA 2510B

Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water sample. Conductivity measurements are temperature-compensated to 25C.

F-IC-N-CL Water Fluoride in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

HARDNESS-CALC-VA Water Hardness APHA 2340B

Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO₃ equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.

HG-D-CVAA-VA Water Diss. Mercury in Water by CVAAS or CVAFS APHA 3030B/EPA 1631E (mod)

Water samples are filtered (0.45 um), preserved with hydrochloric acid, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS or CVAFS.

HG-T-U-CVAF-VA Water Total Mercury in Water by CVAFS (Ultra) EPA 1631 REV. E

This analysis is carried out using procedures adapted from Method 1631 Rev. E. by the United States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to a purge and trap concentration step and final reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry.

IONBALANCE-BC-CL Water Ion Balance Calculation APHA 1030E

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]

MET-D-CCMS-VA Water Dissolved Metals in Water by CRC ICPMS APHA 3030B/6020A (mod)

Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

MET-T-CCMS-VA Water Total Metals in Water by CRC ICPMS EPA 200.2/6020A (mod)

Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

NH3-L-F-CL Water Ammonia, Total (as N) J. ENVIRON. MONIT., 2005, 7, 37-42, RSC

This analysis is carried out, on sulfuric acid preserved samples, using procedures modified from J. Environ. Monit., 2005, 7, 37 - 42, The Royal Society of Chemistry, "Flow-injection analysis with fluorescence detection for the determination of trace levels of ammonium in seawater", Roslyn J. Waston et al.

NO2-L-IC-N-CL Water Nitrite in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

NO3-L-IC-N-CL Water Nitrate in Water by IC (Low Level) EPA 300.1 (mod)

Reference Information

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

ORP-CL Water Oxidation reduction potential by elect. ASTM D1498

This analysis is carried out in accordance with the procedure described in the "ASTM" method D1498 "Oxidation-Reduction Potential of Water" published by the American Society for Testing and Materials (ASTM). Results are reported as observed oxidation-reduction potential of the platinum metal-reference electrode employed, in mV.

It is recommended that this analysis be conducted in the field.

P-T-L-COL-ED Water Total P in Water by Colour APHA 4500-P PHOSPHORUS

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorus is determined colourimetrically after persulphate digestion of the sample.

PH-CL Water pH APHA 4500 H-Electrode

pH is determined in the laboratory using a pH electrode. All samples analyzed by this method for pH will have exceeded the 15 minute recommended hold time from time of sampling (field analysis is recommended for pH where highly accurate results are needed)

PO4-DO-L-COL-ED Water Diss. Orthophosphate in Water by Colour APHA 4500-P PHOSPHORUS

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Dissolved Orthophosphate is determined colourimetrically on a sample that has been lab or field filtered through a 0.45 micron membrane filter.

SO4-IC-N-CL Water Sulfate in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

SOLIDS-TDS-CL Water Total Dissolved Solids APHA 2540 C

A well-mixed sample is filtered through a glass fibre filter paper. The filtrate is then evaporated to dryness in a pre-weighed vial and dried at 180 – 2 °C. The increase in vial weight represents the total dissolved solids (TDS).

TECKCOAL-IONBAL-CL Water Ion Balance Calculation APHA 1030E

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

$$\text{Ion Balance (\%)} = \frac{[\text{Cation Sum} - \text{Anion Sum}]}{[\text{Cation Sum} + \text{Anion Sum}]}$$

TKN-L-F-CL Water Total Kjeldahl Nitrogen APHA 4500-NORG (TKN)

This analysis is carried out using procedures adapted from APHA Method 4500-Norg D. "Block Digestion and Flow Injection Analysis". Total Kjeldahl Nitrogen is determined using block digestion followed by Flow-injection analysis with fluorescence detection.

TSS-L-CL Water Total Suspended Solids APHA 2540 D-Gravimetric

This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, and by drying the filter at 104 deg. C.

TURBIDITY-CL Water Turbidity APHA 2130 B-Nephelometer

This analysis is carried out using procedures adapted from APHA Method 2130 "Turbidity". Turbidity is determined by the nephelometric method.

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
ED	ALS ENVIRONMENTAL - EDMONTON, ALBERTA, CANADA
CL	ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA
VA	ALS ENVIRONMENTAL - VANCOUVER, BRITISH COLUMBIA, CANADA

Chain of Custody Numbers:

REP-2018-04-29

Reference Information

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Quality Control Report

Workorder: L2087338

Report Date: 09-MAY-18

Page 1 of 13

Client: Teck Coal Ltd.
 421 Pine Avenue
 Sparwood BC V0B 2G0

Contact: Lee Wilm

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
ACIDITY-PCT-CL								
	Water							
Batch	R4037712							
WG2767019-2	LCS							
Acidity (as CaCO3)			103.2		%		85-115	07-MAY-18
WG2767019-1	MB							
Acidity (as CaCO3)			2.0		mg/L		2	07-MAY-18
ALK-MAN-CL								
	Water							
Batch	R4035147							
WG2766144-11	LCS							
Alkalinity, Total (as CaCO3)			101.5		%		85-115	04-MAY-18
WG2766144-20	LCS							
Alkalinity, Total (as CaCO3)			99.0		%		85-115	04-MAY-18
WG2766144-10	MB							
Alkalinity, Total (as CaCO3)			1.0		mg/L		1	04-MAY-18
WG2766144-19	MB							
Alkalinity, Total (as CaCO3)			<1.0		mg/L		1	04-MAY-18
BE-D-L-CCMS-VA								
	Water							
Batch	R4034954							
WG2765591-2	LCS							
Beryllium (Be)-Dissolved			100.5		%		80-120	06-MAY-18
WG2765591-1	MB	LF						
Beryllium (Be)-Dissolved			<0.000020		mg/L		0.00002	06-MAY-18
BE-T-L-CCMS-VA								
	Water							
Batch	R4036388							
WG2765501-2	LCS							
Beryllium (Be)-Total			108.0		%		80-120	07-MAY-18
WG2765501-1	MB							
Beryllium (Be)-Total			<0.000020		mg/L		0.00002	07-MAY-18
BR-L-IC-N-CL								
	Water							
Batch	R4030617							
WG2763063-10	LCS							
Bromide (Br)			103.0		%		85-115	01-MAY-18
WG2763063-9	MB							
Bromide (Br)			<0.050		mg/L		0.05	01-MAY-18
C-DIS-ORG-LOW-CL								
	Water							
Batch	R4034471							
WG2765468-6	LCS							
Dissolved Organic Carbon			101.3		%		80-120	05-MAY-18
WG2765468-5	MB							



Quality Control Report

Workorder: L2087338

Report Date: 09-MAY-18

Page 2 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
C-DIS-ORG-LOW-CL	Water							
Batch	R4034471							
WG2765468-5 MB								
Dissolved Organic Carbon			<0.50		mg/L		0.5	05-MAY-18
C-TOT-ORG-LOW-CL	Water							
Batch	R4034471							
WG2765468-6 LCS								
Total Organic Carbon			104.1		%		80-120	05-MAY-18
WG2765468-5 MB								
Total Organic Carbon			<0.50		mg/L		0.5	05-MAY-18
CL-IC-N-CL	Water							
Batch	R4030617							
WG2763063-10 LCS								
Chloride (Cl)			100.8		%		90-110	01-MAY-18
WG2763063-9 MB								
Chloride (Cl)			<0.50		mg/L		0.5	01-MAY-18
EC-L-PCT-CL	Water							
Batch	R4035147							
WG2766144-11 LCS								
Conductivity (@ 25C)			99.4		%		90-110	04-MAY-18
WG2766144-20 LCS								
Conductivity (@ 25C)			105.2		%		90-110	04-MAY-18
WG2766144-10 MB								
Conductivity (@ 25C)			<2.0		uS/cm		2	04-MAY-18
WG2766144-19 MB								
Conductivity (@ 25C)			<2.0		uS/cm		2	04-MAY-18
F-IC-N-CL	Water							
Batch	R4030617							
WG2763063-10 LCS								
Fluoride (F)			107.1		%		90-110	01-MAY-18
WG2763063-9 MB								
Fluoride (F)			<0.020		mg/L		0.02	01-MAY-18
HG-D-CVAA-VA	Water							
Batch	R4033477							
WG2764912-3 DUP		L2087338-3						
Mercury (Hg)-Dissolved		<0.0000050	<0.0000050	RPD-NA	mg/L	N/A	20	04-MAY-18
WG2764912-2 LCS								
Mercury (Hg)-Dissolved			103.4		%		80-120	04-MAY-18



Quality Control Report

Workorder: L2087338

Report Date: 09-MAY-18

Page 3 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
HG-D-CVAA-VA								
	Water							
Batch	R4033477							
WG2764912-1 MB		LF						
Mercury (Hg)-Dissolved			<0.000005C		mg/L		0.000005	04-MAY-18
WG2764912-4 MS		L2087338-1						
Mercury (Hg)-Dissolved			98.3		%		70-130	04-MAY-18
HG-T-U-CVAF-VA								
	Water							
Batch	R4033793							
WG2765618-2 LCS								
Mercury (Hg)-Total			101.6		%		80-120	05-MAY-18
WG2765618-1 MB								
Mercury (Hg)-Total			<0.00050		ug/L		0.0005	05-MAY-18
MET-D-CCMS-VA								
	Water							
Batch	R4034954							
WG2765591-2 LCS								
Aluminum (Al)-Dissolved			103.1		%		80-120	06-MAY-18
Antimony (Sb)-Dissolved			98.6		%		80-120	06-MAY-18
Arsenic (As)-Dissolved			99.9		%		80-120	06-MAY-18
Barium (Ba)-Dissolved			97.6		%		80-120	06-MAY-18
Bismuth (Bi)-Dissolved			104.6		%		80-120	06-MAY-18
Boron (B)-Dissolved			92.6		%		80-120	06-MAY-18
Cadmium (Cd)-Dissolved			104.1		%		80-120	06-MAY-18
Calcium (Ca)-Dissolved			101.3		%		80-120	06-MAY-18
Chromium (Cr)-Dissolved			99.3		%		80-120	06-MAY-18
Cobalt (Co)-Dissolved			102.0		%		80-120	06-MAY-18
Copper (Cu)-Dissolved			101.3		%		80-120	06-MAY-18
Iron (Fe)-Dissolved			94.3		%		80-120	06-MAY-18
Lead (Pb)-Dissolved			98.4		%		80-120	06-MAY-18
Magnesium (Mg)-Dissolved			106.8		%		80-120	06-MAY-18
Manganese (Mn)-Dissolved			102.2		%		80-120	06-MAY-18
Molybdenum (Mo)-Dissolved			98.8		%		80-120	06-MAY-18
Nickel (Ni)-Dissolved			102.3		%		80-120	06-MAY-18
Potassium (K)-Dissolved			103.8		%		80-120	06-MAY-18
Selenium (Se)-Dissolved			101.4		%		80-120	06-MAY-18
Silicon (Si)-Dissolved			99.1		%		80-120	06-MAY-18
Silver (Ag)-Dissolved			96.2		%		80-120	06-MAY-18
Sodium (Na)-Dissolved			105.4		%		80-120	06-MAY-18
Strontium (Sr)-Dissolved			95.4		%		80-120	06-MAY-18



Quality Control Report

Workorder: L2087338

Report Date: 09-MAY-18

Page 4 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4034954							
WG2765591-2	LCS							
Thallium (Tl)-Dissolved			100.2		%		80-120	06-MAY-18
Tin (Sn)-Dissolved			99.0		%		80-120	06-MAY-18
Titanium (Ti)-Dissolved			102.7		%		80-120	06-MAY-18
Uranium (U)-Dissolved			104.6		%		80-120	06-MAY-18
Vanadium (V)-Dissolved			103.6		%		80-120	06-MAY-18
Zinc (Zn)-Dissolved			97.9		%		80-120	06-MAY-18
WG2765591-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	06-MAY-18
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	06-MAY-18
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	06-MAY-18
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	06-MAY-18
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	06-MAY-18
Boron (B)-Dissolved			<0.010		mg/L		0.01	06-MAY-18
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	06-MAY-18
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	06-MAY-18
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	06-MAY-18
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	06-MAY-18
Copper (Cu)-Dissolved			<0.00020		mg/L		0.0002	06-MAY-18
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	06-MAY-18
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	06-MAY-18
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	06-MAY-18
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	06-MAY-18
Molybdenum (Mo)-Dissolved			<0.000050		mg/L		0.00005	06-MAY-18
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	06-MAY-18
Potassium (K)-Dissolved			<0.050		mg/L		0.05	06-MAY-18
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	06-MAY-18
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	06-MAY-18
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	06-MAY-18
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	06-MAY-18
Strontium (Sr)-Dissolved			<0.00020		mg/L		0.0002	06-MAY-18
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	06-MAY-18
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	06-MAY-18
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	06-MAY-18
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	06-MAY-18



Quality Control Report

Workorder: L2087338

Report Date: 09-MAY-18

Page 5 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4034954							
WG2765591-1	MB	LF						
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	06-MAY-18
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	06-MAY-18
Batch	R4038294							
WG2767160-2	LCS							
Aluminum (Al)-Dissolved			96.8		%		80-120	08-MAY-18
Antimony (Sb)-Dissolved			93.5		%		80-120	08-MAY-18
Arsenic (As)-Dissolved			91.6		%		80-120	08-MAY-18
Barium (Ba)-Dissolved			99.3		%		80-120	08-MAY-18
Bismuth (Bi)-Dissolved			93.4		%		80-120	08-MAY-18
Boron (B)-Dissolved			81.8		%		80-120	08-MAY-18
Cadmium (Cd)-Dissolved			99.4		%		80-120	08-MAY-18
Calcium (Ca)-Dissolved			93.1		%		80-120	08-MAY-18
Chromium (Cr)-Dissolved			95.7		%		80-120	08-MAY-18
Cobalt (Co)-Dissolved			93.9		%		80-120	08-MAY-18
Copper (Cu)-Dissolved			94.0		%		80-120	08-MAY-18
Iron (Fe)-Dissolved			88.8		%		80-120	08-MAY-18
Lead (Pb)-Dissolved			93.6		%		80-120	08-MAY-18
Lithium (Li)-Dissolved			94.7		%		80-120	08-MAY-18
Magnesium (Mg)-Dissolved			102.5		%		80-120	08-MAY-18
Manganese (Mn)-Dissolved			97.9		%		80-120	08-MAY-18
Molybdenum (Mo)-Dissolved			95.7		%		80-120	08-MAY-18
Nickel (Ni)-Dissolved			94.1		%		80-120	08-MAY-18
Potassium (K)-Dissolved			99.6		%		80-120	08-MAY-18
Selenium (Se)-Dissolved			89.0		%		80-120	08-MAY-18
Silicon (Si)-Dissolved			92.1		%		80-120	08-MAY-18
Silver (Ag)-Dissolved			95.0		%		80-120	08-MAY-18
Sodium (Na)-Dissolved			100.9		%		80-120	08-MAY-18
Strontium (Sr)-Dissolved			93.2		%		80-120	08-MAY-18
Thallium (Tl)-Dissolved			92.2		%		80-120	08-MAY-18
Tin (Sn)-Dissolved			95.1		%		80-120	08-MAY-18
Titanium (Ti)-Dissolved			93.7		%		80-120	08-MAY-18
Uranium (U)-Dissolved			89.7		%		80-120	08-MAY-18
Vanadium (V)-Dissolved			96.1		%		80-120	08-MAY-18
Zinc (Zn)-Dissolved			92.9		%		80-120	08-MAY-18
WG2767160-1		LF						



Quality Control Report

Workorder: L2087338

Report Date: 09-MAY-18

Page 6 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4038294							
WG2767160-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	08-MAY-18
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	08-MAY-18
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	08-MAY-18
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	08-MAY-18
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	08-MAY-18
Boron (B)-Dissolved			<0.010		mg/L		0.01	08-MAY-18
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	08-MAY-18
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	08-MAY-18
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	08-MAY-18
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	08-MAY-18
Copper (Cu)-Dissolved			<0.00020		mg/L		0.0002	08-MAY-18
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	08-MAY-18
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	08-MAY-18
Lithium (Li)-Dissolved			<0.0010		mg/L		0.001	08-MAY-18
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	08-MAY-18
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	08-MAY-18
Molybdenum (Mo)-Dissolved			0.000056	MB-LOR	mg/L		0.00005	08-MAY-18
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	08-MAY-18
Potassium (K)-Dissolved			<0.050		mg/L		0.05	08-MAY-18
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	08-MAY-18
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	08-MAY-18
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	08-MAY-18
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	08-MAY-18
Strontium (Sr)-Dissolved			<0.00020		mg/L		0.0002	08-MAY-18
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	08-MAY-18
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	08-MAY-18
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	08-MAY-18
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	08-MAY-18
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	08-MAY-18
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	08-MAY-18
MET-T-CCMS-VA								
	Water							



Quality Control Report

Workorder: L2087338

Report Date: 09-MAY-18

Page 7 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4036388							
WG2765501-2	LCS							
Aluminum (Al)-Total			105.8		%		80-120	07-MAY-18
Antimony (Sb)-Total			105.4		%		80-120	07-MAY-18
Arsenic (As)-Total			101.9		%		80-120	07-MAY-18
Barium (Ba)-Total			102.8		%		80-120	07-MAY-18
Bismuth (Bi)-Total			95.7		%		80-120	07-MAY-18
Boron (B)-Total			100.5		%		80-120	07-MAY-18
Cadmium (Cd)-Total			103.3		%		80-120	07-MAY-18
Calcium (Ca)-Total			105.2		%		80-120	07-MAY-18
Chromium (Cr)-Total			99.2		%		80-120	07-MAY-18
Cobalt (Co)-Total			102.8		%		80-120	07-MAY-18
Copper (Cu)-Total			102.7		%		80-120	07-MAY-18
Iron (Fe)-Total			106.9		%		80-120	07-MAY-18
Lead (Pb)-Total			99.4		%		80-120	07-MAY-18
Lithium (Li)-Total			107.6		%		80-120	07-MAY-18
Magnesium (Mg)-Total			99.0		%		80-120	07-MAY-18
Manganese (Mn)-Total			104.9		%		80-120	07-MAY-18
Molybdenum (Mo)-Total			103.6		%		80-120	07-MAY-18
Nickel (Ni)-Total			103.1		%		80-120	07-MAY-18
Potassium (K)-Total			99.0		%		80-120	07-MAY-18
Selenium (Se)-Total			100.7		%		80-120	07-MAY-18
Silicon (Si)-Total			101.2		%		80-120	07-MAY-18
Silver (Ag)-Total			106.7		%		80-120	07-MAY-18
Sodium (Na)-Total			103.4		%		80-120	07-MAY-18
Strontium (Sr)-Total			103.4		%		80-120	07-MAY-18
Thallium (Tl)-Total			94.2		%		80-120	07-MAY-18
Tin (Sn)-Total			102.9		%		80-120	07-MAY-18
Titanium (Ti)-Total			92.7		%		80-120	07-MAY-18
Uranium (U)-Total			102.7		%		80-120	07-MAY-18
Vanadium (V)-Total			105.4		%		80-120	07-MAY-18
Zinc (Zn)-Total			101.5		%		80-120	07-MAY-18
WG2765501-1		MB						
Aluminum (Al)-Total			<0.0030		mg/L		0.003	07-MAY-18
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	07-MAY-18
Barium (Ba)-Total			<0.00010		mg/L		0.0001	07-MAY-18



Quality Control Report

Workorder: L2087338

Report Date: 09-MAY-18

Page 8 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4036388							
WG2765501-1	MB							
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	07-MAY-18
Boron (B)-Total			<0.010		mg/L		0.01	07-MAY-18
Cadmium (Cd)-Total			<0.0000050		mg/L		0.000005	07-MAY-18
Calcium (Ca)-Total			<0.050		mg/L		0.05	07-MAY-18
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	07-MAY-18
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	07-MAY-18
Copper (Cu)-Total			<0.00050		mg/L		0.0005	07-MAY-18
Iron (Fe)-Total			<0.010		mg/L		0.01	07-MAY-18
Lead (Pb)-Total			<0.000050		mg/L		0.00005	07-MAY-18
Lithium (Li)-Total			<0.0010		mg/L		0.001	07-MAY-18
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	07-MAY-18
Manganese (Mn)-Total			<0.00010		mg/L		0.0001	07-MAY-18
Molybdenum (Mo)-Total			<0.000050		mg/L		0.00005	07-MAY-18
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	07-MAY-18
Potassium (K)-Total			<0.050		mg/L		0.05	07-MAY-18
Selenium (Se)-Total			<0.000050		mg/L		0.00005	07-MAY-18
Silicon (Si)-Total			<0.10		mg/L		0.1	07-MAY-18
Silver (Ag)-Total			<0.000010		mg/L		0.00001	07-MAY-18
Sodium (Na)-Total			<0.050		mg/L		0.05	07-MAY-18
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	07-MAY-18
Thallium (Tl)-Total			<0.000010		mg/L		0.00001	07-MAY-18
Tin (Sn)-Total			<0.00010		mg/L		0.0001	07-MAY-18
Titanium (Ti)-Total			<0.00030		mg/L		0.0003	07-MAY-18
Uranium (U)-Total			<0.000010		mg/L		0.00001	07-MAY-18
Vanadium (V)-Total			<0.00050		mg/L		0.0005	07-MAY-18
Zinc (Zn)-Total			<0.0030		mg/L		0.003	07-MAY-18
Batch	R4036551							
WG2765501-1	MB							
Arsenic (As)-Total			<0.00010		mg/L		0.0001	07-MAY-18
NH3-L-F-CL								
	Water							
Batch	R4035468							
WG2766462-16	DUP	L2087338-1						
Ammonia as N		0.045	0.0446		mg/L	0.0	20	08-MAY-18
WG2766462-14	LCS							



Quality Control Report

Workorder: L2087338

Report Date: 09-MAY-18

Page 10 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
P-T-L-COL-ED		Water						
Batch	R4036287							
WG2766259-13 MB								
Phosphorus (P)-Total			<0.0010		mg/L		0.001	07-MAY-18
WG2766259-15 MB								
Phosphorus (P)-Total			<0.0010		mg/L		0.001	07-MAY-18
WG2766259-17 MB								
Phosphorus (P)-Total			0.0010		mg/L		0.001	07-MAY-18
PH-CL		Water						
Batch	R4035147							
WG2766144-11 LCS								
pH			7.03		pH		6.9-7.1	04-MAY-18
WG2766144-20 LCS								
pH			7.00		pH		6.9-7.1	04-MAY-18
PO4-DO-L-COL-ED		Water						
Batch	R4030926							
WG2762964-10 LCS								
Orthophosphate-Dissolved (as P)			98.2		%		80-120	02-MAY-18
WG2762964-14 LCS								
Orthophosphate-Dissolved (as P)			99.8		%		80-120	02-MAY-18
WG2762964-2 LCS								
Orthophosphate-Dissolved (as P)			98.0		%		80-120	02-MAY-18
WG2762964-6 LCS								
Orthophosphate-Dissolved (as P)			100.2		%		80-120	02-MAY-18
WG2762964-1 MB								
Orthophosphate-Dissolved (as P)			<0.0010		mg/L		0.001	02-MAY-18
WG2762964-13 MB								
Orthophosphate-Dissolved (as P)			<0.0010		mg/L		0.001	02-MAY-18
WG2762964-5 MB								
Orthophosphate-Dissolved (as P)			<0.0010		mg/L		0.001	02-MAY-18
WG2762964-9 MB								
Orthophosphate-Dissolved (as P)			<0.0010		mg/L		0.001	02-MAY-18
SO4-IC-N-CL		Water						
Batch	R4030617							
WG2763063-10 LCS								
Sulfate (SO4)			101.8		%		90-110	01-MAY-18
WG2763063-9 MB								
Sulfate (SO4)			<0.30		mg/L		0.3	01-MAY-18
SOLIDS-TDS-CL		Water						

Quality Control Report

Workorder: L2087338

Report Date: 09-MAY-18

Page 11 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
SOLIDS-TDS-CL								
	Water							
Batch	R4035306							
WG2764840-8	LCS							
Total Dissolved Solids			94.6		%		85-115	04-MAY-18
WG2764840-7	MB							
Total Dissolved Solids			19	MB-LOR	mg/L		10	04-MAY-18
TKN-L-F-CL								
	Water							
Batch	R4037088							
WG2766927-2	LCS							
Total Kjeldahl Nitrogen			99.9		%		75-125	04-MAY-18
WG2766927-1	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	04-MAY-18
TSS-L-CL								
	Water							
Batch	R4035648							
WG2765188-8	LCS							
Total Suspended Solids			96.4		%		85-115	04-MAY-18
WG2765188-7	MB							
Total Suspended Solids			<1.0		mg/L		1	04-MAY-18
TURBIDITY-CL								
	Water							
Batch	R4032594							
WG2762597-8	LCS							
Turbidity			100.0		%		85-115	01-MAY-18
WG2762597-7	MB							
Turbidity			<0.10		NTU		0.1	01-MAY-18

Quality Control Report

Workorder: L2087338

Report Date: 09-MAY-18

Page 12 of 13

Legend:

Limit ALS Control Limit (Data Quality Objectives)
DUP Duplicate
RPD Relative Percent Difference
N/A Not Available
LCS Laboratory Control Sample
SRM Standard Reference Material
MS Matrix Spike
MSD Matrix Spike Duplicate
ADE Average Desorption Efficiency
MB Method Blank
IRM Internal Reference Material
CRM Certified Reference Material
CCV Continuing Calibration Verification
CVS Calibration Verification Standard
LCSD Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
MB-LOR	Method Blank exceeds ALS DQO. Limits of Reporting have been adjusted for samples with positive hits below 5x blank level.
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Quality Control Report

Workorder: L2087338

Report Date: 09-MAY-18

Page 13 of 13

Hold Time Exceedances:

ALS Product Description	Sample ID	Sampling Date	Date Processed	Rec. HT	Actual HT	Units	Qualifier
Physical Tests							
pH	1	29-APR-18 11:30	04-MAY-18 15:00	0.25	124	hours	EHTR-FM
	3	30-APR-18 12:30	04-MAY-18 15:00	0.25	98	hours	EHTR-FM

Legend & Qualifier Definitions:

EHTR-FM:	Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended.
EHTR:	Exceeded ALS recommended hold time prior to sample receipt.
EHTL:	Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.
EHT:	Exceeded ALS recommended hold time prior to analysis.
Rec. HT:	ALS recommended hold time (see units).

Notes*:

Where actual sampling date is not provided to ALS, the date (& time) of receipt is used for calculation purposes.
Where actual sampling time is not provided to ALS, the earlier of 12 noon on the sampling date or the time (& date) of receipt is used for calculation purposes. Samples for L2087338 were received on 01-MAY-18 09:20.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.



L2087338-COFC

COC ID: REP-2018-04-29 TURNAROUND T

PROJECT/CLIENT INFO				Lab Name			Excel	PDF	EDD
Facility Name / Job#	Regional Effects Program			AL					
Project Manager	Lee Wilm			Lab Contact	Lyudmyla Shvets				
Email	lee.wilm@teck.com			Email	lyudmyla.shvets@alsglobal.com				
Address	PO Box 1777, 124B Aspen Drive			Address	2559 29 Street NE				
City	Sparwood	Province	BC	City	Calgary	Province	AB		
Postal Code	V0B 2G0	Country	Canada	Postal Code	T1Y 7B5	Country	Canada		
Phone Number	250-865-5289			Phone Number	1 403 407 1794				

SAMPLE DETAILS								ANALYSIS REQUESTED							Filtered - F: Field, L: Lab, M: Field & Lab, N: None
Sample ID	Sample Location	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Comp	# Of Cont.	TECKCOAL-ROUTINE-VA	ALS_Package-DOC	ALS_Package-TKN/TOC	HG-T-U-CVAF-VA	HG-D-CVAF-VA	TECKCOAL-MET-T-VA	TECKCOAL-MET-D-VA	
1 RG-T4-WS-20180429-1130	RG-T4	Water	NO	April 29, 18	11:30	G	7			x					
2 RG-T4-WS-20180429-1130-FB-Hy	RG-T4	Water	NO	April 29, 18	11:30	G	1								
3 RG-TN-WS-20180430-1230	RG-TN	Water	NO	April 30, 18	12:30	G	7								
4 RG-TN-WQ-20180430-1230-FB-Hy	RG-TN	Water	NO	April 30, 18	12:30	G	1								

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION
All metals samples must be shipped to ALS Burnaby for analysis			Don 5/1 9:20

NB OF BOTTLES RETURNED/DESCRIPTION	Sampler's Name	Mobile #
Regular (default) x Priority (2-3 business days) - 50% surcharge Emergency (1 Business Day) - 100% surcharge For Emergency <1 Day, ASAP or Weekend - Contact ALS	JUSTIN WILSON	519-803-3923
	Sampler's Signature	Date/Time
	<i>[Signature]</i>	April 29, 18 / 10:30 AM

70



Teck Coal Ltd.
ATTN: Cait Good
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 09-JUN-18
Report Date: 06-JUL-18 16:06 (MT)
Version: FINAL

Client Phone: 250-425-8202

Certificate of Analysis

Lab Work Order #: L2109376
Project P.O. #: VPO00563596
Job Reference: REGIONAL EFFECTS PROGRAM
C of C Numbers: REGIONAL Koochanusa
Legal Site Desc:

Lyudmyla Shvets, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2109376-1	L2109376-2	L2109376-3	L2109376-4	L2109376-5
		Description	WS	WS	WS	WS	WS
		Sampled Date	08-JUN-18	08-JUN-18	08-JUN-18	08-JUN-18	08-JUN-18
		Sampled Time	12:00	12:00	12:00	12:00	12:00
		Client ID	RG_T4U1_WS_20 180608-1200	RG_T4U1_WS_20 180608-1200_FB- HG	RG_T4U2_WS_20 180608-1200	RG_T4U2_WS_20 180608-1200_FB- HG	RG_T4U3_WS_20 180608-1200
Grouping	Analyte						
WATER							
Physical Tests	Conductivity (@ 25C) (uS/cm)		217		206		239
	Hardness (as CaCO3) (mg/L)		103		107		122
	pH (pH)		8.06		8.10		8.23
	ORP (mV)		396		399		301
	Total Suspended Solids (mg/L)		2.3		2.1		10.1
	Total Dissolved Solids (mg/L)		129 ^{DLHC}		126 ^{DLHC}		145 ^{DLHC}
	Turbidity (NTU)		2.89		3.24		12.5
Anions and Nutrients	Acidity (as CaCO3) (mg/L)		<1.0		<1.0		<1.0
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)		98.0		96.5		109
	Alkalinity, Carbonate (as CaCO3) (mg/L)		<1.0		<1.0		<1.0
	Alkalinity, Hydroxide (as CaCO3) (mg/L)		<1.0		<1.0		<1.0
	Alkalinity, Total (as CaCO3) (mg/L)		98.0		96.5		109
	Ammonia as N (mg/L)		0.0094		0.0134		0.0087
	Bromide (Br) (mg/L)		<0.050		<0.050		<0.050
	Chloride (Cl) (mg/L)		3.16		2.49		1.41
	Fluoride (F) (mg/L)		0.071		0.069		0.097
	Ion Balance (%)		93.2		96.0		93.0
	Nitrate (as N) (mg/L)		0.187		0.212		0.462
	Nitrite (as N) (mg/L)		0.0016		0.0012		<0.0010
	Total Kjeldahl Nitrogen (mg/L)		<0.050		<0.050		<0.050
	Orthophosphate-Dissolved (as P) (mg/L)		0.0012		<0.0010		0.0023
	Phosphorus (P)-Total (mg/L)		0.0116		0.0074		0.0138
	Sulfate (SO4) (mg/L)		15.1		15.4		22.2
	Anion Sum (meq/L)		2.38		2.34		2.71
	Cation Sum (meq/L)		2.22		2.24		2.52
	Cation - Anion Balance (%)		-3.5		-2.1		-3.6
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)		1.89		1.70	
Total Organic Carbon (mg/L)			2.22		1.96		2.39
Total Metals	Aluminum (Al)-Total (mg/L)		0.0472		0.0549		0.176
	Antimony (Sb)-Total (mg/L)		<0.00010		<0.00010		<0.00010
	Arsenic (As)-Total (mg/L)		0.00040		0.00037		0.00039
	Barium (Ba)-Total (mg/L)		0.0363		0.0334		0.0464
	Beryllium (Be)-Total (ug/L)		<0.020		<0.020		<0.020
	Bismuth (Bi)-Total (mg/L)		<0.000050		<0.000050		<0.000050
	Boron (B)-Total (mg/L)		<0.010		<0.010		<0.010
	Cadmium (Cd)-Total (ug/L)		0.0075		0.0066		0.0200

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2109376-6	L2109376-7	L2109376-8		
		Description	WS	WS	WS		
		Sampled Date	08-JUN-18	08-JUN-18	08-JUN-18		
		Sampled Time	12:00	13:00	13:00		
		Client ID	RG_T4U3_WS_20 180608-1200_FB- HG	RG_GC_WS_2018 0608-1300	RG_GC_WS_2018 0608-1300_FB-HG		
Grouping	Analyte						
WATER							
Physical Tests	Conductivity (@ 25C) (uS/cm)			204			
	Hardness (as CaCO3) (mg/L)			100			
	pH (pH)			8.14			
	ORP (mV)			293			
	Total Suspended Solids (mg/L)			1.9			
	Total Dissolved Solids (mg/L)			117	DLHC		
	Turbidity (NTU)			2.44			
Anions and Nutrients	Acidity (as CaCO3) (mg/L)			<1.0			
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)			98.8			
	Alkalinity, Carbonate (as CaCO3) (mg/L)			<1.0			
	Alkalinity, Hydroxide (as CaCO3) (mg/L)			<1.0			
	Alkalinity, Total (as CaCO3) (mg/L)			98.8			
	Ammonia as N (mg/L)			0.0060			
	Bromide (Br) (mg/L)			<0.050			
	Chloride (Cl) (mg/L)			1.18			
	Fluoride (F) (mg/L)			0.066			
	Ion Balance (%)			90.8			
	Nitrate (as N) (mg/L)			0.168			
	Nitrite (as N) (mg/L)			0.0018			
	Total Kjeldahl Nitrogen (mg/L)			0.422			
	Orthophosphate-Dissolved (as P) (mg/L)			0.0014			
	Phosphorus (P)-Total (mg/L)			0.0053			
	Sulfate (SO4) (mg/L)			13.7			
	Anion Sum (meq/L)			2.31			
	Cation Sum (meq/L)			2.10			
	Cation - Anion Balance (%)			-4.8			
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)			1.77		
Total Organic Carbon (mg/L)				1.83			
Total Metals	Aluminum (Al)-Total (mg/L)			0.0367			
	Antimony (Sb)-Total (mg/L)			<0.00010			
	Arsenic (As)-Total (mg/L)			0.00037			
	Barium (Ba)-Total (mg/L)			0.0374			
	Beryllium (Be)-Total (ug/L)			<0.020			
	Bismuth (Bi)-Total (mg/L)			<0.000050			
	Boron (B)-Total (mg/L)			<0.010			
	Cadmium (Cd)-Total (ug/L)			<0.0050			

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2109376-1	L2109376-2	L2109376-3	L2109376-4	L2109376-5
		Description	WS	WS	WS	WS	WS
		Sampled Date	08-JUN-18	08-JUN-18	08-JUN-18	08-JUN-18	08-JUN-18
		Sampled Time	12:00	12:00	12:00	12:00	12:00
		Client ID	RG_T4U1_WS_20 180608-1200	RG_T4U1_WS_20 180608-1200_FB- HG	RG_T4U2_WS_20 180608-1200	RG_T4U2_WS_20 180608-1200_FB- HG	RG_T4U3_WS_20 180608-1200
Grouping	Analyte						
WATER							
Total Metals	Calcium (Ca)-Total (mg/L)		28.9		28.3		34.2
	Chromium (Cr)-Total (mg/L)		0.00013		0.00013		0.00038
	Cobalt (Co)-Total (ug/L)		<0.10		<0.10		0.14
	Copper (Cu)-Total (mg/L)		0.00065		<0.00050		0.00055
	Iron (Fe)-Total (mg/L)		0.043		0.053		0.212
	Lead (Pb)-Total (mg/L)		0.000170		0.000114		0.000235
	Lithium (Li)-Total (mg/L)		0.0016		0.0015		0.0028
	Magnesium (Mg)-Total (mg/L)		8.38		7.67		10.0
	Manganese (Mn)-Total (mg/L)		0.00263		0.00320		0.0107
	Mercury (Hg)-Total (ug/L)		0.00067	<0.00050	0.00068	<0.00050	0.00086
	Molybdenum (Mo)-Total (mg/L)		0.000536		0.000506		0.000681
	Nickel (Ni)-Total (mg/L)		<0.00050		<0.00050		0.00055
	Potassium (K)-Total (mg/L)		0.595		0.492		0.517
	Selenium (Se)-Total (ug/L)		0.880		0.752		2.23
	Silicon (Si)-Total (mg/L)		2.47		2.40		2.49
	Silver (Ag)-Total (mg/L)		<0.000010		<0.000010		<0.000010
	Sodium (Na)-Total (mg/L)		4.47		2.40		1.64
	Strontium (Sr)-Total (mg/L)		0.0993		0.0980		0.114
	Thallium (Tl)-Total (mg/L)		<0.000010		<0.000010		<0.000010
	Tin (Sn)-Total (mg/L)		0.00057		0.00012		<0.00010
	Titanium (Ti)-Total (mg/L)		<0.010		<0.010		<0.010
	Uranium (U)-Total (mg/L)		0.000612		0.000612		0.000657
	Vanadium (V)-Total (mg/L)		<0.00050		<0.00050		0.00061
	Zinc (Zn)-Total (mg/L)		0.0032		<0.0030		<0.0030
Dissolved Metals	Dissolved Mercury Filtration Location		LAB		LAB		LAB
	Dissolved Metals Filtration Location		LAB		LAB		LAB
	Aluminum (Al)-Dissolved (mg/L)		0.0154		0.0183		0.0130
	Antimony (Sb)-Dissolved (mg/L)		<0.00010		<0.00010		<0.00010
	Arsenic (As)-Dissolved (mg/L)		0.00036		0.00036		0.00030
	Barium (Ba)-Dissolved (mg/L)		0.0375		0.0365		0.0455
	Beryllium (Be)-Dissolved (ug/L)		<0.020		<0.020		<0.020
	Bismuth (Bi)-Dissolved (mg/L)		<0.000050		<0.000050		<0.000050
	Boron (B)-Dissolved (mg/L)		<0.010		<0.010		<0.010
	Cadmium (Cd)-Dissolved (ug/L)		<0.0050		<0.0050		0.0153
	Calcium (Ca)-Dissolved (mg/L)		27.6		29.0		32.5
	Chromium (Cr)-Dissolved (mg/L)		<0.00010		<0.00010		0.00012
	Cobalt (Co)-Dissolved (ug/L)		<0.10		<0.10		<0.10

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2109376-6	L2109376-7	L2109376-8		
		Description	WS	WS	WS		
		Sampled Date	08-JUN-18	08-JUN-18	08-JUN-18		
		Sampled Time	12:00	13:00	13:00		
		Client ID	RG_T4U3_WS_20 180608-1200_FB- HG	RG_GC_WS_2018 0608-1300	RG_GC_WS_2018 0608-1300_FB-HG		
Grouping	Analyte						
WATER							
Total Metals	Calcium (Ca)-Total (mg/L)			28.1			
	Chromium (Cr)-Total (mg/L)			0.00023			
	Cobalt (Co)-Total (ug/L)			<0.10			
	Copper (Cu)-Total (mg/L)			<0.00050			
	Iron (Fe)-Total (mg/L)			0.031			
	Lead (Pb)-Total (mg/L)			<0.000050			
	Lithium (Li)-Total (mg/L)			0.0014			
	Magnesium (Mg)-Total (mg/L)			8.04			
	Manganese (Mn)-Total (mg/L)			0.00230			
	Mercury (Hg)-Total (ug/L)	<0.00050		0.00057	<0.00050		
	Molybdenum (Mo)-Total (mg/L)			0.000477			
	Nickel (Ni)-Total (mg/L)			<0.00050			
	Potassium (K)-Total (mg/L)			0.530			
	Selenium (Se)-Total (ug/L)			0.765			
	Silicon (Si)-Total (mg/L)			2.62			
	Silver (Ag)-Total (mg/L)			<0.000010			
	Sodium (Na)-Total (mg/L)			1.82			
	Strontium (Sr)-Total (mg/L)			0.0917			
	Thallium (Tl)-Total (mg/L)			<0.000010			
	Tin (Sn)-Total (mg/L)			<0.00010			
	Titanium (Ti)-Total (mg/L)			<0.010			
	Uranium (U)-Total (mg/L)			0.000593			
	Vanadium (V)-Total (mg/L)			<0.00050			
	Zinc (Zn)-Total (mg/L)			<0.0030			
Dissolved Metals	Dissolved Mercury Filtration Location			LAB			
	Dissolved Metals Filtration Location			LAB			
	Aluminum (Al)-Dissolved (mg/L)			0.0144			
	Antimony (Sb)-Dissolved (mg/L)			<0.00010			
	Arsenic (As)-Dissolved (mg/L)			0.00033			
	Barium (Ba)-Dissolved (mg/L)			0.0382			
	Beryllium (Be)-Dissolved (ug/L)			<0.020			
	Bismuth (Bi)-Dissolved (mg/L)			<0.000050			
	Boron (B)-Dissolved (mg/L)			<0.010			
	Cadmium (Cd)-Dissolved (ug/L)			<0.0050			
	Calcium (Ca)-Dissolved (mg/L)			27.1			
	Chromium (Cr)-Dissolved (mg/L)			<0.00010			
	Cobalt (Co)-Dissolved (ug/L)			<0.10			

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID	Description	Sampled Date	Sampled Time	Client ID	L2109376-1	L2109376-2	L2109376-3	L2109376-4	L2109376-5
					L2109376-1 WS 08-JUN-18 12:00 RG_T4U1_WS_20 180608-1200	L2109376-2 WS 08-JUN-18 12:00 RG_T4U1_WS_20 180608-1200_FB- HG	L2109376-3 WS 08-JUN-18 12:00 RG_T4U2_WS_20 180608-1200	L2109376-4 WS 08-JUN-18 12:00 RG_T4U2_WS_20 180608-1200_FB- HG	L2109376-5 WS 08-JUN-18 12:00 RG_T4U3_WS_20 180608-1200
Grouping	Analyte								
WATER									
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)	<0.00050	<0.00050	0.00077					
	Iron (Fe)-Dissolved (mg/L)	<0.010	<0.010	<0.010					
	Lead (Pb)-Dissolved (mg/L)	<0.000050	<0.000050	<0.000050					
	Lithium (Li)-Dissolved (mg/L)	0.0014	0.0015	0.0025					
	Magnesium (Mg)-Dissolved (mg/L)	8.27	8.29	9.85					
	Manganese (Mn)-Dissolved (mg/L)	0.00026	0.00068	0.00058					
	Mercury (Hg)-Dissolved (mg/L)	<0.0000050	<0.0000050	<0.0000050					
	Molybdenum (Mo)-Dissolved (mg/L)	0.000483	0.000533	0.000652					
	Nickel (Ni)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050					
	Potassium (K)-Dissolved (mg/L)	0.603	0.556	0.510					
	Selenium (Se)-Dissolved (ug/L)	0.816	0.777	2.26					
	Silicon (Si)-Dissolved (mg/L)	2.33	2.28	2.14					
	Silver (Ag)-Dissolved (mg/L)	<0.000010	<0.000010	<0.000010					
	Sodium (Na)-Dissolved (mg/L)	3.28	2.24	1.69					
	Strontium (Sr)-Dissolved (mg/L)	0.0921	0.0983	0.104					
	Thallium (Tl)-Dissolved (mg/L)	<0.000010	<0.000010	<0.000010					
	Tin (Sn)-Dissolved (mg/L)	0.00046	0.00010	<0.00010					
	Titanium (Ti)-Dissolved (mg/L)	<0.010	<0.010	<0.010					
	Uranium (U)-Dissolved (mg/L)	0.000573	0.000583	0.000588					
	Vanadium (V)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050					
	Zinc (Zn)-Dissolved (mg/L)	0.0019	<0.0010	<0.0010					

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2109376-6	L2109376-7	L2109376-8		
		Description	WS	WS	WS		
		Sampled Date	08-JUN-18	08-JUN-18	08-JUN-18		
		Sampled Time	12:00	13:00	13:00		
		Client ID	RG_T4U3_WS_20 180608-1200_FB- HG	RG_GC_WS_2018 0608-1300	RG_GC_WS_2018 0608-1300_FB-HG		
Grouping	Analyte						
WATER							
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)			<0.00050			
	Iron (Fe)-Dissolved (mg/L)			<0.010			
	Lead (Pb)-Dissolved (mg/L)			<0.000050			
	Lithium (Li)-Dissolved (mg/L)			0.0013			
	Magnesium (Mg)-Dissolved (mg/L)			7.90			
	Manganese (Mn)-Dissolved (mg/L)			0.00027			
	Mercury (Hg)-Dissolved (mg/L)			<0.0000050			
	Molybdenum (Mo)-Dissolved (mg/L)			0.000465			
	Nickel (Ni)-Dissolved (mg/L)			<0.00050			
	Potassium (K)-Dissolved (mg/L)			0.538			
	Selenium (Se)-Dissolved (ug/L)			0.807			
	Silicon (Si)-Dissolved (mg/L)			2.50			
	Silver (Ag)-Dissolved (mg/L)			<0.000010			
	Sodium (Na)-Dissolved (mg/L)			1.79			
	Strontium (Sr)-Dissolved (mg/L)			0.0870			
	Thallium (Tl)-Dissolved (mg/L)			<0.000010			
	Tin (Sn)-Dissolved (mg/L)			<0.00010			
	Titanium (Ti)-Dissolved (mg/L)			<0.010			
	Uranium (U)-Dissolved (mg/L)			0.000571			
	Vanadium (V)-Dissolved (mg/L)			<0.00050			
	Zinc (Zn)-Dissolved (mg/L)			<0.0010			

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

Qualifiers for Sample Submission Listed:

Qualifier	Description
SFPL	Sample was Filtered and Preserved at the laboratory - DOC, DIS METALS LAB FILTER/PRESERVE

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Matrix Spike	Aluminum (Al)-Dissolved	MS-B	L2109376-1, -3, -5, -7
Matrix Spike	Barium (Ba)-Dissolved	MS-B	L2109376-1, -3, -5, -7
Matrix Spike	Calcium (Ca)-Dissolved	MS-B	L2109376-1, -3, -5, -7
Matrix Spike	Magnesium (Mg)-Dissolved	MS-B	L2109376-1, -3, -5, -7
Matrix Spike	Strontium (Sr)-Dissolved	MS-B	L2109376-1, -3, -5, -7
Matrix Spike	Aluminum (Al)-Total	MS-B	L2109376-1, -3, -5, -7
Matrix Spike	Barium (Ba)-Total	MS-B	L2109376-1, -3, -5, -7
Matrix Spike	Calcium (Ca)-Total	MS-B	L2109376-1, -3, -5, -7
Matrix Spike	Magnesium (Mg)-Total	MS-B	L2109376-1, -3, -5, -7
Matrix Spike	Strontium (Sr)-Total	MS-B	L2109376-1, -3, -5, -7

Qualifiers for Individual Parameters Listed:

Qualifier	Description
DLHC	Detection Limit Raised: Dilution required due to high concentration of test analyte(s).
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
ACIDITY-PCT-CL	Water	Acidity by Automatic Titration	APHA 2310 Acidity
This analysis is carried out using procedures adapted from APHA Method 2310 "Acidity". Acidity is determined by potentiometric titration to a specified endpoint.			
ALK-MAN-CL	Water	Alkalinity (Species) by Manual Titration	APHA 2320 ALKALINITY
This analysis is carried out using procedures adapted from APHA Method 2320 "Alkalinity". Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.			
BE-D-L-CCMS-VA	Water	Diss. Be (low) in Water by CRC ICPMS	APHA 3030B/6020A (mod)
Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.			
BE-T-L-CCMS-VA	Water	Total Be (Low) in Water by CRC ICPMS	EPA 200.2/6020A (mod)
Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.			
BR-L-IC-N-CL	Water	Bromide in Water by IC (Low Level)	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
C-DIS-ORG-LOW-CL	Water	Dissolved Organic Carbon	APHA 5310 B-Instrumental
This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.			
The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC. TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.			
C-TOT-ORG-LOW-CL	Water	Total Organic Carbon	APHA 5310 TOTAL ORGANIC CARBON (TOC)
This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.			

Reference Information

The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC.

TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.

CL-IC-N-CL Water Chloride in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

EC-L-PCT-CL Water Electrical Conductivity (EC) APHA 2510B

Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water sample. Conductivity measurements are temperature-compensated to 25C.

F-IC-N-CL Water Fluoride in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

HARDNESS-CALC-VA Water Hardness APHA 2340B

Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO₃ equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.

HG-D-CVAA-VA Water Diss. Mercury in Water by CVAAS or CVAFS APHA 3030B/EPA 1631E (mod)

Water samples are filtered (0.45 um), preserved with hydrochloric acid, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS or CVAFS.

HG-T-U-CVAF-VA Water Total Mercury in Water by CVAFS (Ultra) EPA 1631 REV. E

This analysis is carried out using procedures adapted from Method 1631 Rev. E. by the United States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to a purge and trap concentration step and final reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry.

IONBALANCE-BC-CL Water Ion Balance Calculation APHA 1030E

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]

MET-D-CCMS-VA Water Dissolved Metals in Water by CRC ICPMS APHA 3030B/6020A (mod)

Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

MET-T-CCMS-VA Water Total Metals in Water by CRC ICPMS EPA 200.2/6020A (mod)

Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

NH3-L-F-CL Water Ammonia, Total (as N) J. ENVIRON. MONIT., 2005, 7, 37-42, RSC

This analysis is carried out, on sulfuric acid preserved samples, using procedures modified from J. Environ. Monit., 2005, 7, 37 - 42, The Royal Society of Chemistry, "Flow-injection analysis with fluorescence detection for the determination of trace levels of ammonium in seawater", Roslyn J. Waston et al.

NO2-L-IC-N-CL Water Nitrite in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

NO3-L-IC-N-CL Water Nitrate in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

ORP-CL Water Oxidation reduction potential by elect. ASTM D1498

This analysis is carried out in accordance with the procedure described in the "ASTM" method D1498 "Oxidation-Reduction Potential of Water" published by the American Society for Testing and Materials (ASTM). Results are reported as observed oxidation-reduction potential of the platinum metal-reference electrode employed, in mV.

It is recommended that this analysis be conducted in the field.

P-T-L-COL-ED Water Total P in Water by Colour APHA 4500-P PHOSPHORUS

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorus is determined colourimetrically after persulphate digestion of the sample.

Reference Information

PH-CL	Water	pH	APHA 4500 H-Electrode
pH is determined in the laboratory using a pH electrode. All samples analyzed by this method for pH will have exceeded the 15 minute recommended hold time from time of sampling (field analysis is recommended for pH where highly accurate results are needed)			
PO4-DO-L-COL-CL	Water	Orthophosphate-Dissolved (as P)	APHA 4500-P PHOSPHORUS
This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Dissolved Orthophosphate is determined colourimetrically on a sample that has been lab or field filtered through a 0.45 micron membrane filter.			
SO4-IC-N-CL	Water	Sulfate in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
SOLIDS-TDS-CL	Water	Total Dissolved Solids	APHA 2540 C
A well-mixed sample is filtered through a glass fibre filter paper. The filtrate is then evaporated to dryness in a pre-weighed vial and dried at 180 – 2 °C. The increase in vial weight represents the total dissolved solids (TDS).			
TECKCOAL-IONBAL-CL	Water	Ion Balance Calculation	APHA 1030E
Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.			
Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:			
Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]			
TKN-L-F-CL	Water	Total Kjeldahl Nitrogen	APHA 4500-NORG (TKN)
This analysis is carried out using procedures adapted from APHA Method 4500-Norg D. "Block Digestion and Flow Injection Analysis". Total Kjeldahl Nitrogen is determined using block digestion followed by Flow-injection analysis with fluorescence detection.			
TSS-L-CL	Water	Total Suspended Solids	APHA 2540 D-Gravimetric
This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, and by drying the filter at 104 deg. C.			
TURBIDITY-CL	Water	Turbidity	APHA 2130 B-Nephelometer
This analysis is carried out using procedures adapted from APHA Method 2130 "Turbidity". Turbidity is determined by the nephelometric method.			

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
ED	ALS ENVIRONMENTAL - EDMONTON, ALBERTA, CANADA
CL	ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA
VA	ALS ENVIRONMENTAL - VANCOUVER, BRITISH COLUMBIA, CANADA

Chain of Custody Numbers:

REGIONAL Kooconusa

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Quality Control Report

Workorder: L2109376

Report Date: 06-JUL-18

Page 1 of 11

Client: Teck Coal Ltd.
 421 Pine Avenue
 Sparwood BC V0B 2G0

Contact: Cait Good

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
ACIDITY-PCT-CL								
	Water							
Batch	R4095288							
WG2804457-18 DUP		L2109376-5						
Acidity (as CaCO3)		<1.0	<1.0	RPD-NA	mg/L	N/A	20	21-JUN-18
WG2804457-17 LCS								
Acidity (as CaCO3)			101.4		%		85-115	21-JUN-18
WG2804457-16 MB								
Acidity (as CaCO3)			2.0		mg/L		2	21-JUN-18
ALK-MAN-CL								
	Water							
Batch	R4095370							
WG2804813-17 LCS								
Alkalinity, Total (as CaCO3)			99.98		%		85-115	22-JUN-18
WG2804813-16 MB								
Alkalinity, Total (as CaCO3)			<1.0		mg/L		1	22-JUN-18
BE-D-L-CCMS-VA								
	Water							
Batch	R4087847							
WG2797795-2 LCS								
Beryllium (Be)-Dissolved			101.1		%		80-120	16-JUN-18
WG2797795-1 MB		LF						
Beryllium (Be)-Dissolved			<0.000020		mg/L		0.00002	16-JUN-18
BE-T-L-CCMS-VA								
	Water							
Batch	R4086554							
WG2796596-2 LCS								
Beryllium (Be)-Total			109.3		%		80-120	16-JUN-18
WG2796596-1 MB								
Beryllium (Be)-Total			<0.000020		mg/L		0.00002	16-JUN-18
BR-L-IC-N-CL								
	Water							
Batch	R4078430							
WG2794005-6 LCS								
Bromide (Br)			101.1		%		85-115	09-JUN-18
WG2794005-5 MB								
Bromide (Br)			<0.050		mg/L		0.05	09-JUN-18
C-DIS-ORG-LOW-CL								
	Water							
Batch	R4095942							
WG2805554-2 LCS								
Dissolved Organic Carbon			91.2		%		80-120	23-JUN-18
WG2805554-1 MB								
Dissolved Organic Carbon			<0.50		mg/L		0.5	23-JUN-18
C-TOT-ORG-LOW-CL								
	Water							



Quality Control Report

Workorder: L2109376

Report Date: 06-JUL-18

Page 2 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
C-TOT-ORG-LOW-CL	Water							
Batch	R4095942							
WG2805554-1 MB								
Total Organic Carbon			<0.50		mg/L		0.5	23-JUN-18
CL-IC-N-CL	Water							
Batch	R4078430							
WG2794005-6 LCS								
Chloride (Cl)			99.1		%		90-110	09-JUN-18
WG2794005-5 MB								
Chloride (Cl)			<0.50		mg/L		0.5	09-JUN-18
EC-L-PCT-CL	Water							
Batch	R4095370							
WG2804813-17 LCS								
Conductivity (@ 25C)			99.9		%		90-110	22-JUN-18
WG2804813-16 MB								
Conductivity (@ 25C)			<2.0		uS/cm		2	22-JUN-18
F-IC-N-CL	Water							
Batch	R4078430							
WG2794005-6 LCS								
Fluoride (F)			104.6		%		90-110	09-JUN-18
WG2794005-5 MB								
Fluoride (F)			<0.020		mg/L		0.02	09-JUN-18
HG-D-CVAA-VA	Water							
Batch	R4083873							
WG2797456-2 LCS								
Mercury (Hg)-Dissolved			99.2		%		80-120	15-JUN-18
WG2797456-1 MB		LF						
Mercury (Hg)-Dissolved			<0.000005C		mg/L		0.000005	15-JUN-18
HG-T-U-CVAF-VA	Water							
Batch	R4084136							
WG2798627-2 LCS								
Mercury (Hg)-Total			100.3		%		80-120	15-JUN-18
WG2798627-1 MB								
Mercury (Hg)-Total			<0.00050		ug/L		0.0005	15-JUN-18
MET-D-CCMS-VA	Water							



Quality Control Report

Workorder: L2109376

Report Date: 06-JUL-18

Page 3 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4087847							
WG2797795-2	LCS							
Aluminum (Al)-Dissolved			101.3		%		80-120	16-JUN-18
Antimony (Sb)-Dissolved			97.2		%		80-120	16-JUN-18
Arsenic (As)-Dissolved			99.7		%		80-120	16-JUN-18
Barium (Ba)-Dissolved			102.4		%		80-120	16-JUN-18
Bismuth (Bi)-Dissolved			97.2		%		80-120	16-JUN-18
Boron (B)-Dissolved			95.5		%		80-120	16-JUN-18
Cadmium (Cd)-Dissolved			99.6		%		80-120	16-JUN-18
Calcium (Ca)-Dissolved			96.4		%		80-120	16-JUN-18
Chromium (Cr)-Dissolved			96.2		%		80-120	16-JUN-18
Cobalt (Co)-Dissolved			100.8		%		80-120	16-JUN-18
Copper (Cu)-Dissolved			100.6		%		80-120	16-JUN-18
Iron (Fe)-Dissolved			97.0		%		80-120	16-JUN-18
Lead (Pb)-Dissolved			98.5		%		80-120	16-JUN-18
Lithium (Li)-Dissolved			100.2		%		80-120	16-JUN-18
Magnesium (Mg)-Dissolved			102.1		%		80-120	16-JUN-18
Manganese (Mn)-Dissolved			100.5		%		80-120	16-JUN-18
Molybdenum (Mo)-Dissolved			99.8		%		80-120	16-JUN-18
Nickel (Ni)-Dissolved			100.8		%		80-120	16-JUN-18
Potassium (K)-Dissolved			102.7		%		80-120	16-JUN-18
Selenium (Se)-Dissolved			95.7		%		80-120	16-JUN-18
Silicon (Si)-Dissolved			102.2		%		80-120	16-JUN-18
Silver (Ag)-Dissolved			98.0		%		80-120	16-JUN-18
Sodium (Na)-Dissolved			103.3		%		80-120	16-JUN-18
Strontium (Sr)-Dissolved			98.2		%		80-120	16-JUN-18
Thallium (Tl)-Dissolved			98.5		%		80-120	16-JUN-18
Tin (Sn)-Dissolved			99.6		%		80-120	16-JUN-18
Titanium (Ti)-Dissolved			98.0		%		80-120	16-JUN-18
Uranium (U)-Dissolved			97.7		%		80-120	16-JUN-18
Vanadium (V)-Dissolved			102.6		%		80-120	16-JUN-18
Zinc (Zn)-Dissolved			94.9		%		80-120	16-JUN-18
WG2797795-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	16-JUN-18
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	16-JUN-18
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	16-JUN-18



Quality Control Report

Workorder: L2109376

Report Date: 06-JUL-18

Page 4 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4087847							
WG2797795-1	MB	LF						
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	16-JUN-18
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	16-JUN-18
Boron (B)-Dissolved			<0.010		mg/L		0.01	16-JUN-18
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	16-JUN-18
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	16-JUN-18
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	16-JUN-18
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	16-JUN-18
Copper (Cu)-Dissolved			<0.00020		mg/L		0.0002	16-JUN-18
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	16-JUN-18
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	16-JUN-18
Lithium (Li)-Dissolved			<0.0010		mg/L		0.001	16-JUN-18
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	16-JUN-18
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	16-JUN-18
Molybdenum (Mo)-Dissolved			<0.000050		mg/L		0.00005	16-JUN-18
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	16-JUN-18
Potassium (K)-Dissolved			<0.050		mg/L		0.05	16-JUN-18
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	16-JUN-18
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	16-JUN-18
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	16-JUN-18
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	16-JUN-18
Strontium (Sr)-Dissolved			<0.00020		mg/L		0.0002	16-JUN-18
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	16-JUN-18
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	16-JUN-18
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	16-JUN-18
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	16-JUN-18
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	16-JUN-18
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	16-JUN-18
MET-T-CCMS-VA								
	Water							
Batch	R4086554							
WG2796596-2	LCS							
Aluminum (Al)-Total			104.1		%		80-120	16-JUN-18
Antimony (Sb)-Total			105.2		%		80-120	16-JUN-18
Arsenic (As)-Total			101.0		%		80-120	16-JUN-18
Barium (Ba)-Total			101.2		%		80-120	16-JUN-18



Quality Control Report

Workorder: L2109376

Report Date: 06-JUL-18

Page 5 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4086554							
WG2796596-2	LCS							
Bismuth (Bi)-Total			99.9		%		80-120	16-JUN-18
Boron (B)-Total			103.1		%		80-120	16-JUN-18
Cadmium (Cd)-Total			101.4		%		80-120	16-JUN-18
Calcium (Ca)-Total			103.0		%		80-120	16-JUN-18
Chromium (Cr)-Total			97.6		%		80-120	16-JUN-18
Cobalt (Co)-Total			98.8		%		80-120	16-JUN-18
Copper (Cu)-Total			101.7		%		80-120	16-JUN-18
Iron (Fe)-Total			101.7		%		80-120	16-JUN-18
Lead (Pb)-Total			103.1		%		80-120	16-JUN-18
Lithium (Li)-Total			106.1		%		80-120	16-JUN-18
Magnesium (Mg)-Total			103.4		%		80-120	16-JUN-18
Manganese (Mn)-Total			102.1		%		80-120	16-JUN-18
Molybdenum (Mo)-Total			104.9		%		80-120	16-JUN-18
Nickel (Ni)-Total			102.0		%		80-120	16-JUN-18
Potassium (K)-Total			104.1		%		80-120	16-JUN-18
Selenium (Se)-Total			109.0		%		80-120	16-JUN-18
Silicon (Si)-Total			108.2		%		80-120	16-JUN-18
Silver (Ag)-Total			103.6		%		80-120	16-JUN-18
Sodium (Na)-Total			103.4		%		80-120	16-JUN-18
Strontium (Sr)-Total			104.4		%		80-120	16-JUN-18
Thallium (Tl)-Total			103.3		%		80-120	16-JUN-18
Tin (Sn)-Total			100.3		%		80-120	16-JUN-18
Titanium (Ti)-Total			103.4		%		80-120	16-JUN-18
Uranium (U)-Total			104.1		%		80-120	16-JUN-18
Vanadium (V)-Total			103.9		%		80-120	16-JUN-18
Zinc (Zn)-Total			94.3		%		80-120	16-JUN-18
WG2796596-1	MB							
Aluminum (Al)-Total			<0.0030		mg/L		0.003	16-JUN-18
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	16-JUN-18
Arsenic (As)-Total			<0.00010		mg/L		0.0001	16-JUN-18
Barium (Ba)-Total			<0.00010		mg/L		0.0001	16-JUN-18
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	16-JUN-18
Boron (B)-Total			<0.010		mg/L		0.01	16-JUN-18
Cadmium (Cd)-Total			<0.000005C		mg/L		0.000005	16-JUN-18

Quality Control Report

Workorder: L2109376

Report Date: 06-JUL-18

Page 6 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4086554							
WG2796596-1	MB							
Calcium (Ca)-Total			<0.050		mg/L		0.05	16-JUN-18
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	16-JUN-18
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	16-JUN-18
Copper (Cu)-Total			<0.00050		mg/L		0.0005	16-JUN-18
Iron (Fe)-Total			<0.010		mg/L		0.01	16-JUN-18
Lead (Pb)-Total			<0.000050		mg/L		0.00005	16-JUN-18
Lithium (Li)-Total			<0.0010		mg/L		0.001	16-JUN-18
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	16-JUN-18
Manganese (Mn)-Total			<0.00010		mg/L		0.0001	16-JUN-18
Molybdenum (Mo)-Total			<0.000050		mg/L		0.00005	16-JUN-18
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	16-JUN-18
Potassium (K)-Total			<0.050		mg/L		0.05	16-JUN-18
Selenium (Se)-Total			<0.000050		mg/L		0.00005	16-JUN-18
Silicon (Si)-Total			<0.10		mg/L		0.1	16-JUN-18
Silver (Ag)-Total			<0.000010		mg/L		0.00001	16-JUN-18
Sodium (Na)-Total			<0.050		mg/L		0.05	16-JUN-18
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	16-JUN-18
Thallium (Tl)-Total			<0.000010		mg/L		0.00001	16-JUN-18
Tin (Sn)-Total			<0.00010		mg/L		0.0001	16-JUN-18
Titanium (Ti)-Total			<0.00030		mg/L		0.0003	16-JUN-18
Uranium (U)-Total			<0.000010		mg/L		0.00001	16-JUN-18
Vanadium (V)-Total			<0.00050		mg/L		0.0005	16-JUN-18
Zinc (Zn)-Total			<0.0030		mg/L		0.003	16-JUN-18
NH3-L-F-CL		Water						
Batch	R4091552							
WG2802250-14	LCS							
Ammonia as N			99.5		%		85-115	20-JUN-18
WG2802250-13	MB							
Ammonia as N			<0.0050		mg/L		0.005	20-JUN-18
NO2-L-IC-N-CL		Water						
Batch	R4078430							
WG2794005-6	LCS							
Nitrite (as N)			104.0		%		90-110	09-JUN-18
WG2794005-5	MB							
Nitrite (as N)			<0.0010		mg/L		0.001	09-JUN-18

Quality Control Report

Workorder: L2109376

Report Date: 06-JUL-18

Page 7 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
NO3-L-IC-N-CL	Water							
Batch	R4078430							
WG2794005-6	LCS							
Nitrate (as N)			100.0		%		90-110	09-JUN-18
WG2794005-5	MB							
Nitrate (as N)			<0.0050		mg/L		0.005	09-JUN-18
ORP-CL	Water							
Batch	R4109595							
WG2812061-3	CRM	CL-ORP						
ORP			230		mV		210-230	02-JUL-18
WG2812061-4	DUP	L2109376-7						
ORP		293	294	J	mV	1.0	15	02-JUL-18
P-T-L-COL-ED	Water							
Batch	R4112778							
WG2812806-19	DUP	L2109376-1						
Phosphorus (P)-Total		0.0116	0.0106		mg/L	9.0	20	04-JUL-18
WG2812806-10	LCS							
Phosphorus (P)-Total			104.2		%		80-120	04-JUL-18
WG2812806-14	LCS							
Phosphorus (P)-Total			106.0		%		80-120	04-JUL-18
WG2812806-18	LCS							
Phosphorus (P)-Total			107.4		%		80-120	04-JUL-18
WG2812806-2	LCS							
Phosphorus (P)-Total			107.0		%		80-120	04-JUL-18
WG2812806-22	LCS							
Phosphorus (P)-Total			105.4		%		80-120	04-JUL-18
WG2812806-6	LCS							
Phosphorus (P)-Total			106.4		%		80-120	04-JUL-18
WG2812806-1	MB							
Phosphorus (P)-Total			<0.0010		mg/L		0.001	04-JUL-18
WG2812806-13	MB							
Phosphorus (P)-Total			<0.0010		mg/L		0.001	04-JUL-18
WG2812806-17	MB							
Phosphorus (P)-Total			<0.0010		mg/L		0.001	04-JUL-18
WG2812806-21	MB							
Phosphorus (P)-Total			<0.0010		mg/L		0.001	04-JUL-18
WG2812806-5	MB							
Phosphorus (P)-Total			<0.0010		mg/L		0.001	04-JUL-18
WG2812806-9	MB							
Phosphorus (P)-Total			<0.0010		mg/L		0.001	04-JUL-18

Quality Control Report

Workorder: L2109376

Report Date: 06-JUL-18

Page 8 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
P-T-L-COL-ED	Water							
Batch	R4112778							
WG2812806-20 MS		L2109376-1						
Phosphorus (P)-Total			107.6		%		70-130	04-JUL-18
PH-CL	Water							
Batch	R4095370							
WG2804813-17 LCS								
pH			7.01		pH		6.9-7.1	22-JUN-18
PO4-DO-L-COL-CL	Water							
Batch	R4077060							
WG2793135-6 LCS								
Orthophosphate-Dissolved (as P)			107.6		%		80-120	09-JUN-18
WG2793135-3 MB								
Orthophosphate-Dissolved (as P)			<0.0010		mg/L		0.001	09-JUN-18
SO4-IC-N-CL	Water							
Batch	R4078430							
WG2794005-6 LCS								
Sulfate (SO4)			100.3		%		90-110	09-JUN-18
WG2794005-5 MB								
Sulfate (SO4)			<0.30		mg/L		0.3	09-JUN-18
SOLIDS-TDS-CL	Water							
Batch	R4086468							
WG2798118-3 DUP		L2109376-7						
Total Dissolved Solids		117	118		mg/L	0.6	20	15-JUN-18
WG2798118-2 LCS								
Total Dissolved Solids			96.5		%		85-115	15-JUN-18
WG2798118-1 MB								
Total Dissolved Solids			<10		mg/L		10	15-JUN-18
TKN-L-F-CL	Water							
Batch	R4095550							
WG2805054-6 LCS								
Total Kjeldahl Nitrogen			83.5		%		75-125	21-JUN-18
WG2805054-5 MB								
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	21-JUN-18
TSS-L-CL	Water							



Quality Control Report

Workorder: L2109376

Report Date: 06-JUL-18

Page 9 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
TSS-L-CL								
	Water							
Batch	R4084710							
WG2798782-3	DUP	L2109376-5						
Total Suspended Solids		10.1	11.9		mg/L	16	20	15-JUN-18
WG2798782-2	LCS							
Total Suspended Solids			94.0		%		85-115	15-JUN-18
WG2798782-1	MB							
Total Suspended Solids			<1.0		mg/L		1	15-JUN-18
TURBIDITY-CL								
	Water							
Batch	R4076873							
WG2792948-14	LCS							
Turbidity			98.5		%		85-115	09-JUN-18
WG2792948-13	MB							
Turbidity			<0.10		NTU		0.1	09-JUN-18

Quality Control Report

Workorder: L2109376

Report Date: 06-JUL-18

Page 10 of 11

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
J	Duplicate results and limits are expressed in terms of absolute difference.
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Quality Control Report

Workorder: L2109376

Report Date: 06-JUL-18

Page 11 of 11

Hold Time Exceedances:

ALS Product Description	Sample ID	Sampling Date	Date Processed	Rec. HT	Actual HT	Units	Qualifier
Physical Tests							
pH	1	08-JUN-18 12:00	22-JUN-18 08:00	0.25	332	hours	EHTR-FM
	3	08-JUN-18 12:00	22-JUN-18 08:00	0.25	332	hours	EHTR-FM
	5	08-JUN-18 12:00	22-JUN-18 08:00	0.25	332	hours	EHTR-FM
	7	08-JUN-18 13:00	22-JUN-18 08:00	0.25	331	hours	EHTR-FM

Legend & Qualifier Definitions:

EHTR-FM:	Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended.
EHTR:	Exceeded ALS recommended hold time prior to sample receipt.
EHTL:	Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.
EHT:	Exceeded ALS recommended hold time prior to analysis.
Rec. HT:	ALS recommended hold time (see units).

Notes*:

Where actual sampling date is not provided to ALS, the date (& time) of receipt is used for calculation purposes.
Where actual sampling time is not provided to ALS, the earlier of 12 noon on the sampling date or the time (& date) of receipt is used for calculation purposes. Samples for L2109376 were received on 09-JUN-18 08:30.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

Teck

COC ID:		REGIONAL Koochanusa Reservoir		TURNAROUND TIME:		Regular					
PROJECT/CLIENT INFO				LABORATORY				OTHER INFO			
Facility Name / Job# FRO LAEMP				Lab Name ALS Burnaby				Report Format / Distribution			
Project Manager Cait Good				Lab Contact Can Dang				Email 1: <input type="checkbox"/> Excel <input checked="" type="checkbox"/> PDF <input checked="" type="checkbox"/> EDD			
Email				Email can.dang@alsglobal.com				Email 2: <input checked="" type="checkbox"/> X <input checked="" type="checkbox"/> X <input checked="" type="checkbox"/> X			
Address 421 Pine Avenue				Address 8081 Loughheed Hwy				Email 3: <input checked="" type="checkbox"/> X <input checked="" type="checkbox"/> X <input checked="" type="checkbox"/> X			
City Sparwood Province BC				City Burnaby Province BC				Email 4: <input checked="" type="checkbox"/> X <input checked="" type="checkbox"/> X <input checked="" type="checkbox"/> X			
Postal Code V0B 2G0 Country Canada				Postal Code V5A 1W9 Country Canada				Email 5: <input checked="" type="checkbox"/> X <input checked="" type="checkbox"/> X <input checked="" type="checkbox"/> X			
Phone Number 250-425-8202				Phone Number 604-253-4188				PO number		VPO00563596	

SAMPLE DETAILS ANALYSIS REQUESTED



L2109376-COFC

Sample ID	Sample Location (sys loc code)	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Com p	# Of Cont.	RESERVED FILE	ANALYSIS	RESERVED FILE	ANALYSIS	RESERVED FILE	ANALYSIS	RESERVED FILE	ANALYSIS	RESERVED FILE	ANALYSIS	RESERVED FILE	ANALYSIS
RG_T4U1_WS_20180608-1200	RG_T4U1	Water		8-Jun-18	12:00:00 PM	G	7	N	None	N	H2SO4	N	None	N	None	N	None	N	None
RG_T4U1_WS_20180608-1200_FB-HG	RG_T4U1	Water		8-Jun-18	12:00:00 PM	G	1	N	None	N	None	N	None	N	None	N	None	N	None
RG_T4U2_WS_20180608-1200	RG_T4U2	Water		8-Jun-18	12:00:00 PM	G	7	N	None	N	None	N	None	N	None	N	None	N	None
RG_T4U2_WS_20180608-1200_FB-HG	RG_T4U2	Water		8-Jun-18	12:00:00 PM	G	1	N	None	N	None	N	None	N	None	N	None	N	None
RG_T4U3_WS_20180608-1200	RG_T4U3	Water		8-Jun-18	12:00:00 PM	G	7	N	None	N	None	N	None	N	None	N	None	N	None
RG_T4U3_WS_20180608-1200_FB-HG	RG_T4U3	Water		8-Jun-18	12:00:00 PM	G	1	N	None	N	None	N	None	N	None	N	None	N	None
RG_GC_WS_20180608-1300	RG_GC	Water		8-Jun-18	13:00:00 PM	G	7	N	None	N	None	N	None	N	None	N	None	N	None
RG_GC_WS_20180608-1300_FB-HG	RG_GC	Water		8-Jun-18	13:00:00 PM	G	1	N	None	N	None	N	None	N	None	N	None	N	None

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS		RELINQUISHED BY/AFFILIATION		DATE/TIME		ACCEPTED BY/AFFILIATION		DATE/TIME	
Koochanusa - VPO00563596								6/7 5:30	

SERVICE REQUEST (rush - subject to availability)		Regular (default) <input checked="" type="checkbox"/>	
Priority (2-3 business days) - 50% surcharge		Emergency (1 Business Day) - 100% surcharge	
For Emergency <1 Day, ASAP or Weekend - Contact ALS			
Sampler's Name		Justin Wilson	
Sampler's Signature			
Mobile #		519-803-3923	
Date/Time		June 8, 2018	

Handwritten mark



Teck Coal Ltd.
ATTN: Cait Good
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 12-JUN-18
Report Date: 06-JUL-18 20:22 (MT)
Version: FINAL

Client Phone: 250-425-8202

Certificate of Analysis

Lab Work Order #: L2110751
Project P.O. #: VPO00563596
Job Reference: REGIONAL EFFECTS PROGRAM
C of C Numbers: REGIONAL Koochanusa
Legal Site Desc:

Lyudmyla Shvets, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L2110751-1 WS 11-JUN-18 10:30 RG_TNU1_WS_20 180611-1030	L2110751-2 WS 11-JUN-18 10:30 RG_TNU1_WS_20 180611-1030_FB- HG	L2110751-3 WS 11-JUN-18 10:30 RG_TNU2_WS_20 180611-1030	L2110751-4 WS 11-JUN-18 10:30 RG_TNU2_WS_20 180611-1030_FB- HG	L2110751-5 WS 11-JUN-18 10:30 RG_TNU3_WS_20 180611-1030
Grouping	Analyte					
WATER						
Physical Tests	Conductivity (@ 25C) (uS/cm)	199		193		195
	Hardness (as CaCO3) (mg/L)	97.0		95.7		94.8
	pH (pH)	8.01		8.08		7.99
	ORP (mV)	287		265		262
	Total Suspended Solids (mg/L)	6.5		6.9		3.3
	Total Dissolved Solids (mg/L)	120	DLHC	119	DLHC	115
	Turbidity (NTU)	5.47		7.04		5.98
Anions and Nutrients	Acidity (as CaCO3) (mg/L)	<1.0		1.0		<1.0
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)	87.2		89.9		87.8
	Alkalinity, Carbonate (as CaCO3) (mg/L)	<1.0		<1.0		<1.0
	Alkalinity, Hydroxide (as CaCO3) (mg/L)	<1.0		<1.0		<1.0
	Alkalinity, Total (as CaCO3) (mg/L)	87.2		89.9		87.8
	Ammonia as N (mg/L)	0.0067		0.0080		0.0073
	Bromide (Br) (mg/L)	<0.050		<0.050		<0.050
	Chloride (Cl) (mg/L)	1.54		1.51		1.48
	Fluoride (F) (mg/L)	0.063		0.067		0.063
	Ion Balance (%)	96.1		92.6		93.5
	Nitrate (as N) (mg/L)	0.0879		0.0880		0.0880
	Nitrite (as N) (mg/L)	<0.0010		<0.0010		<0.0010
	Total Kjeldahl Nitrogen (mg/L)	<0.050		<0.050		<0.10
	Orthophosphate-Dissolved (as P) (mg/L)	0.0018		0.0011		0.0021
	Phosphorus (P)-Total (mg/L)	0.0066		0.0066		0.0069
	Sulfate (SO4) (mg/L)	15.9		15.8		15.9
	Anion Sum (meq/L)	2.13		2.18		2.14
	Cation Sum (meq/L)	2.04		2.02		2.00
	Cation - Anion Balance (%)	-2.0		-3.9		-3.4
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)	1.06		0.88	
Total Organic Carbon (mg/L)		1.20		1.16		0.83
Total Metals	Aluminum (Al)-Total (mg/L)	0.0944		0.0917		0.0854
	Antimony (Sb)-Total (mg/L)	<0.00010		<0.00010		<0.00010
	Arsenic (As)-Total (mg/L)	0.00036		0.00035		0.00040
	Barium (Ba)-Total (mg/L)	0.0272		0.0264		0.0259
	Beryllium (Be)-Total (ug/L)	<0.020		<0.020		<0.020
	Bismuth (Bi)-Total (mg/L)	<0.000050		<0.000050		<0.000050
	Boron (B)-Total (mg/L)	<0.010		<0.010		<0.010
	Cadmium (Cd)-Total (ug/L)	0.0056		0.0079		0.0160

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID	L2110751-6			
		WS			
		11-JUN-18			
		10:30			
		RG_TNU3_WS_20			
		180611-1030_FB-			
		HG			
Grouping	Analyte				
WATER					
Physical Tests	Conductivity (@ 25C) (uS/cm) Hardness (as CaCO3) (mg/L) pH (pH) ORP (mV) Total Suspended Solids (mg/L) Total Dissolved Solids (mg/L) Turbidity (NTU)				
Anions and Nutrients	Acidity (as CaCO3) (mg/L) Alkalinity, Bicarbonate (as CaCO3) (mg/L) Alkalinity, Carbonate (as CaCO3) (mg/L) Alkalinity, Hydroxide (as CaCO3) (mg/L) Alkalinity, Total (as CaCO3) (mg/L) Ammonia as N (mg/L) Bromide (Br) (mg/L) Chloride (Cl) (mg/L) Fluoride (F) (mg/L) Ion Balance (%) Nitrate (as N) (mg/L) Nitrite (as N) (mg/L) Total Kjeldahl Nitrogen (mg/L) Orthophosphate-Dissolved (as P) (mg/L) Phosphorus (P)-Total (mg/L) Sulfate (SO4) (mg/L) Anion Sum (meq/L) Cation Sum (meq/L) Cation - Anion Balance (%)				
Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L) Total Organic Carbon (mg/L)				
Total Metals	Aluminum (Al)-Total (mg/L) Antimony (Sb)-Total (mg/L) Arsenic (As)-Total (mg/L) Barium (Ba)-Total (mg/L) Beryllium (Be)-Total (ug/L) Bismuth (Bi)-Total (mg/L) Boron (B)-Total (mg/L) Cadmium (Cd)-Total (ug/L)				

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2110751-1	L2110751-2	L2110751-3	L2110751-4	L2110751-5
		Description	WS	WS	WS	WS	WS
		Sampled Date	11-JUN-18	11-JUN-18	11-JUN-18	11-JUN-18	11-JUN-18
		Sampled Time	10:30	10:30	10:30	10:30	10:30
		Client ID	RG_TNU1_WS_20 180611-1030	RG_TNU1_WS_20 180611-1030_FB- HG	RG_TNU2_WS_20 180611-1030	RG_TNU2_WS_20 180611-1030_FB- HG	RG_TNU3_WS_20 180611-1030
Grouping	Analyte						
WATER							
Total Metals	Calcium (Ca)-Total (mg/L)		27.9		27.0		28.2
	Chromium (Cr)-Total (mg/L)		0.00016		0.00017		0.00021
	Cobalt (Co)-Total (ug/L)		<0.10		<0.10		<0.10
	Copper (Cu)-Total (mg/L)		<0.00050		0.00052		0.00102
	Iron (Fe)-Total (mg/L)		0.123		0.121		0.117
	Lead (Pb)-Total (mg/L)		0.000176		0.000195		0.00134
	Lithium (Li)-Total (mg/L)		0.0010		0.0010		<0.0010
	Magnesium (Mg)-Total (mg/L)		7.80		7.69		7.74
	Manganese (Mn)-Total (mg/L)		0.00728		0.00686		0.00792
	Mercury (Hg)-Total (ug/L)		0.00070	<0.00050	0.00065	<0.00050	0.00063
	Molybdenum (Mo)-Total (mg/L)		0.000504		0.000494		0.000547
	Nickel (Ni)-Total (mg/L)		<0.00050		<0.00050		<0.00050
	Potassium (K)-Total (mg/L)		0.474		0.464		0.470
	Selenium (Se)-Total (ug/L)		0.135		0.138		0.124
	Silicon (Si)-Total (mg/L)		2.30		2.29		2.21
	Silver (Ag)-Total (mg/L)		<0.000010		<0.000010		<0.000010
	Sodium (Na)-Total (mg/L)		2.03		1.99		2.03
	Strontium (Sr)-Total (mg/L)		0.101		0.101		0.0982
	Thallium (Tl)-Total (mg/L)		<0.000010		<0.000010		<0.000010
	Tin (Sn)-Total (mg/L)		0.00015		0.00012		0.00013
	Titanium (Ti)-Total (mg/L)		<0.010		<0.010		<0.010
	Uranium (U)-Total (mg/L)		0.000572		0.000555		0.000532
	Vanadium (V)-Total (mg/L)		<0.00050		<0.00050		<0.00050
	Zinc (Zn)-Total (mg/L)		<0.0030		<0.0030		0.0803
Dissolved Metals	Dissolved Mercury Filtration Location		LAB		LAB		LAB
	Dissolved Metals Filtration Location		LAB		LAB		LAB
	Aluminum (Al)-Dissolved (mg/L)		0.0135		0.0142		0.0137
	Antimony (Sb)-Dissolved (mg/L)		<0.00010		<0.00010		<0.00010
	Arsenic (As)-Dissolved (mg/L)		0.00032		0.00027		0.00031
	Barium (Ba)-Dissolved (mg/L)		0.0266		0.0268		0.0265
	Beryllium (Be)-Dissolved (ug/L)		<0.020		<0.020		<0.020
	Bismuth (Bi)-Dissolved (mg/L)		<0.000050		<0.000050		<0.000050
	Boron (B)-Dissolved (mg/L)		<0.010		<0.010		<0.010
	Cadmium (Cd)-Dissolved (ug/L)		<0.0050		<0.0050		<0.0050
	Calcium (Ca)-Dissolved (mg/L)		26.3		25.8		25.6
	Chromium (Cr)-Dissolved (mg/L)		<0.00010		<0.00010		<0.00010
	Cobalt (Co)-Dissolved (ug/L)		<0.10		<0.10		<0.10

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID				
	L2110751-6 WS 11-JUN-18 10:30 RG_TNU3_WS_20 180611-1030_FB- HG				
Grouping	Analyte				
WATER					
Total Metals	Calcium (Ca)-Total (mg/L) Chromium (Cr)-Total (mg/L) Cobalt (Co)-Total (ug/L) Copper (Cu)-Total (mg/L) Iron (Fe)-Total (mg/L) Lead (Pb)-Total (mg/L) Lithium (Li)-Total (mg/L) Magnesium (Mg)-Total (mg/L) Manganese (Mn)-Total (mg/L) Mercury (Hg)-Total (ug/L) Molybdenum (Mo)-Total (mg/L) Nickel (Ni)-Total (mg/L) Potassium (K)-Total (mg/L) Selenium (Se)-Total (ug/L) Silicon (Si)-Total (mg/L) Silver (Ag)-Total (mg/L) Sodium (Na)-Total (mg/L) Strontium (Sr)-Total (mg/L) Thallium (Tl)-Total (mg/L) Tin (Sn)-Total (mg/L) Titanium (Ti)-Total (mg/L) Uranium (U)-Total (mg/L) Vanadium (V)-Total (mg/L) Zinc (Zn)-Total (mg/L)	<0.00050			
Dissolved Metals	Dissolved Mercury Filtration Location Dissolved Metals Filtration Location Aluminum (Al)-Dissolved (mg/L) Antimony (Sb)-Dissolved (mg/L) Arsenic (As)-Dissolved (mg/L) Barium (Ba)-Dissolved (mg/L) Beryllium (Be)-Dissolved (ug/L) Bismuth (Bi)-Dissolved (mg/L) Boron (B)-Dissolved (mg/L) Cadmium (Cd)-Dissolved (ug/L) Calcium (Ca)-Dissolved (mg/L) Chromium (Cr)-Dissolved (mg/L) Cobalt (Co)-Dissolved (ug/L)				

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID	Description	Sampled Date	Sampled Time	Client ID	L2110751-1	L2110751-2	L2110751-3	L2110751-4	L2110751-5
					WS	WS	WS	WS	WS
		11-JUN-18	10:30	RG_TNU1_WS_20 180611-1030	11-JUN-18 10:30	11-JUN-18 10:30	11-JUN-18 10:30	11-JUN-18 10:30	11-JUN-18 10:30
					RG_TNU1_WS_20 180611-1030	RG_TNU1_WS_20 180611-1030_FB- HG	RG_TNU2_WS_20 180611-1030	RG_TNU2_WS_20 180611-1030_FB- HG	RG_TNU3_WS_20 180611-1030
Grouping	Analyte								
WATER									
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)	<0.00050			<0.00050		<0.00050		<0.00050
	Iron (Fe)-Dissolved (mg/L)	<0.010			<0.010		<0.010		<0.010
	Lead (Pb)-Dissolved (mg/L)	<0.000050			<0.000050		<0.000050		0.000144
	Lithium (Li)-Dissolved (mg/L)	<0.0010			<0.0010		<0.0010		<0.0010
	Magnesium (Mg)-Dissolved (mg/L)	7.62			7.59		7.48		7.48
	Manganese (Mn)-Dissolved (mg/L)	0.00259			0.00237		0.00244		0.00244
	Mercury (Hg)-Dissolved (mg/L)	<0.0000050			<0.0000050		<0.0000050		<0.0000050
	Molybdenum (Mo)-Dissolved (mg/L)	0.000536			0.000526		0.000528		0.000528
	Nickel (Ni)-Dissolved (mg/L)	<0.00050			<0.00050		<0.00050		<0.00050
	Potassium (K)-Dissolved (mg/L)	0.476			0.469		0.476		0.476
	Selenium (Se)-Dissolved (ug/L)	0.130			0.110		0.110		0.110
	Silicon (Si)-Dissolved (mg/L)	2.16			2.21		2.15		2.15
	Silver (Ag)-Dissolved (mg/L)	<0.000010			<0.000010		<0.000010		<0.000010
	Sodium (Na)-Dissolved (mg/L)	2.10			2.09		2.07		2.07
	Strontium (Sr)-Dissolved (mg/L)	0.100			0.100		0.0997		0.0997
	Thallium (Tl)-Dissolved (mg/L)	<0.000010			<0.000010		<0.000010		<0.000010
	Tin (Sn)-Dissolved (mg/L)	0.00014			0.00010		<0.00010		<0.00010
	Titanium (Ti)-Dissolved (mg/L)	<0.010			<0.010		<0.010		<0.010
	Uranium (U)-Dissolved (mg/L)	0.000560			0.000547		0.000545		0.000545
	Vanadium (V)-Dissolved (mg/L)	<0.00050			<0.00050		<0.00050		<0.00050
	Zinc (Zn)-Dissolved (mg/L)	<0.0010			<0.0010		<0.0010		<0.0010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID				
	L2110751-6 WS 11-JUN-18 10:30 RG_TNU3_WS_20 180611-1030_FB- HG				
Grouping	Analyte				
WATER					
Dissolved Metals	Copper (Cu)-Dissolved (mg/L) Iron (Fe)-Dissolved (mg/L) Lead (Pb)-Dissolved (mg/L) Lithium (Li)-Dissolved (mg/L) Magnesium (Mg)-Dissolved (mg/L) Manganese (Mn)-Dissolved (mg/L) Mercury (Hg)-Dissolved (mg/L) Molybdenum (Mo)-Dissolved (mg/L) Nickel (Ni)-Dissolved (mg/L) Potassium (K)-Dissolved (mg/L) Selenium (Se)-Dissolved (ug/L) Silicon (Si)-Dissolved (mg/L) Silver (Ag)-Dissolved (mg/L) Sodium (Na)-Dissolved (mg/L) Strontium (Sr)-Dissolved (mg/L) Thallium (Tl)-Dissolved (mg/L) Tin (Sn)-Dissolved (mg/L) Titanium (Ti)-Dissolved (mg/L) Uranium (U)-Dissolved (mg/L) Vanadium (V)-Dissolved (mg/L) Zinc (Zn)-Dissolved (mg/L)				

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

Qualifiers for Sample Submission Listed:

Qualifier	Description
SFPL	Sample was Filtered and Preserved at the laboratory - DOC, DISSOLVED METALS

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Matrix Spike	Aluminum (Al)-Dissolved	MS-B	L2110751-1, -3, -5
Matrix Spike	Barium (Ba)-Dissolved	MS-B	L2110751-1, -3, -5
Matrix Spike	Calcium (Ca)-Dissolved	MS-B	L2110751-1, -3, -5
Matrix Spike	Magnesium (Mg)-Dissolved	MS-B	L2110751-1, -3, -5
Matrix Spike	Strontium (Sr)-Dissolved	MS-B	L2110751-1, -3, -5
Matrix Spike	Calcium (Ca)-Total	MS-B	L2110751-1, -3, -5
Matrix Spike	Magnesium (Mg)-Total	MS-B	L2110751-1, -3, -5
Matrix Spike	Strontium (Sr)-Total	MS-B	L2110751-1, -3, -5

Qualifiers for Individual Parameters Listed:

Qualifier	Description
DLHC	Detection Limit Raised: Dilution required due to high concentration of test analyte(s).
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
ACIDITY-PCT-CL	Water	Acidity by Automatic Titration	APHA 2310 Acidity
This analysis is carried out using procedures adapted from APHA Method 2310 "Acidity". Acidity is determined by potentiometric titration to a specified endpoint.			
ALK-MAN-CL	Water	Alkalinity (Species) by Manual Titration	APHA 2320 ALKALINITY
This analysis is carried out using procedures adapted from APHA Method 2320 "Alkalinity". Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.			
BE-D-L-CCMS-VA	Water	Diss. Be (low) in Water by CRC ICPMS	APHA 3030B/6020A (mod)
Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.			
BE-T-L-CCMS-VA	Water	Total Be (Low) in Water by CRC ICPMS	EPA 200.2/6020A (mod)
Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.			
BR-L-IC-N-CL	Water	Bromide in Water by IC (Low Level)	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
C-DIS-ORG-LOW-CL	Water	Dissolved Organic Carbon	APHA 5310 B-Instrumental
This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.			
The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC. TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.			
C-TOT-ORG-LOW-CL	Water	Total Organic Carbon	APHA 5310 TOTAL ORGANIC CARBON (TOC)
This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.			
The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC. TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.			

Reference Information

CL-IC-N-CL	Water	Chloride in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
EC-L-PCT-CL	Water	Electrical Conductivity (EC)	APHA 2510B
Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water sample. Conductivity measurements are temperature-compensated to 25C.			
F-IC-N-CL	Water	Fluoride in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
HARDNESS-CALC-VA	Water	Hardness	APHA 2340B
Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO ₃ equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.			
HG-D-CVAA-VA	Water	Diss. Mercury in Water by CVAAS or CVAFS	APHA 3030B/EPA 1631E (mod)
Water samples are filtered (0.45 um), preserved with hydrochloric acid, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS or CVAFS.			
HG-T-U-CVAF-VA	Water	Total Mercury in Water by CVAFS (Ultra)	EPA 1631 REV. E
This analysis is carried out using procedures adapted from Method 1631 Rev. E. by the United States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to a purge and trap concentration step and final reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry.			
IONBALANCE-BC-CL	Water	Ion Balance Calculation	APHA 1030E
Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.			
Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:			
Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]			
MET-D-CCMS-VA	Water	Dissolved Metals in Water by CRC ICPMS	APHA 3030B/6020A (mod)
Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.			
Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.			
MET-T-CCMS-VA	Water	Total Metals in Water by CRC ICPMS	EPA 200.2/6020A (mod)
Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.			
Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.			
NH3-L-F-CL	Water	Ammonia, Total (as N)	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC
This analysis is carried out, on sulfuric acid preserved samples, using procedures modified from J. Environ. Monit., 2005, 7, 37 - 42, The Royal Society of Chemistry, "Flow-injection analysis with fluorescence detection for the determination of trace levels of ammonium in seawater", Roslyn J. Waston et al.			
NO2-L-IC-N-CL	Water	Nitrite in Water by IC (Low Level)	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
NO3-L-IC-N-CL	Water	Nitrate in Water by IC (Low Level)	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
ORP-CL	Water	Oxidation reduction potential by elect.	ASTM D1498
This analysis is carried out in accordance with the procedure described in the "ASTM" method D1498 "Oxidation-Reduction Potential of Water" published by the American Society for Testing and Materials (ASTM). Results are reported as observed oxidation-reduction potential of the platinum metal-reference electrode employed, in mV.			
It is recommended that this analysis be conducted in the field.			
P-T-L-COL-ED	Water	Total P in Water by Colour	APHA 4500-P PHOSPHORUS
This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorus is determined colourimetrically after persulphate digestion of the sample.			
PH-CL	Water	pH	APHA 4500 H-Electrode
pH is determined in the laboratory using a pH electrode. All samples analyzed by this method for pH will have exceeded the 15 minute recommended hold time from time of sampling (field analysis is recommended for pH where highly accurate results are needed)			

Reference Information

PO4-DO-L-COL-CL Water Orthophosphate-Dissolved (as P) APHA 4500-P PHOSPHORUS
 This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Dissolved Orthophosphate is determined colourimetrically on a sample that has been lab or field filtered through a 0.45 micron membrane filter.

SO4-IC-N-CL Water Sulfate in Water by IC EPA 300.1 (mod)
 Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

SOLIDS-TDS-CL Water Total Dissolved Solids APHA 2540 C
 A well-mixed sample is filtered through a glass fibre filter paper. The filtrate is then evaporated to dryness in a pre-weighed vial and dried at 180 – 2 °C. The increase in vial weight represents the total dissolved solids (TDS).

TECKCOAL-IONBAL-CL Water Ion Balance Calculation APHA 1030E
 Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

$$\text{Ion Balance (\%)} = \frac{[\text{Cation Sum} - \text{Anion Sum}]}{[\text{Cation Sum} + \text{Anion Sum}]}$$

TKN-L-F-CL Water Total Kjeldahl Nitrogen APHA 4500-NORG (TKN)
 This analysis is carried out using procedures adapted from APHA Method 4500-Norg D. "Block Digestion and Flow Injection Analysis". Total Kjeldahl Nitrogen is determined using block digestion followed by Flow-injection analysis with fluorescence detection.

TSS-L-CL Water Total Suspended Solids APHA 2540 D-Gravimetric
 This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, and by drying the filter at 104 deg. C.

TURBIDITY-CL Water Turbidity APHA 2130 B-Nephelometer
 This analysis is carried out using procedures adapted from APHA Method 2130 "Turbidity". Turbidity is determined by the nephelometric method.

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
ED	ALS ENVIRONMENTAL - EDMONTON, ALBERTA, CANADA
CL	ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA
VA	ALS ENVIRONMENTAL - VANCOUVER, BRITISH COLUMBIA, CANADA

Chain of Custody Numbers:

REGIONAL Kooconusa

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.

Quality Control Report

Workorder: L2110751

Report Date: 06-JUL-18

Page 1 of 11

Client: Teck Coal Ltd.
421 Pine Avenue
Sparwood BC V0B 2G0

Contact: Cait Good

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
ACIDITY-PCT-CL								
	Water							
Batch	R4097683							
WG2807344-6	DUP	L2110751-3						
Acidity (as CaCO3)		1.0	2.3	J	mg/L	1.3	2	25-JUN-18
WG2807344-2	LCS							
Acidity (as CaCO3)			96.4		%		85-115	25-JUN-18
WG2807344-5	LCS							
Acidity (as CaCO3)			92.9		%		85-115	25-JUN-18
WG2807344-1	MB							
Acidity (as CaCO3)			<1.0		mg/L		2	25-JUN-18
WG2807344-4	MB							
Acidity (as CaCO3)			1.2		mg/L		2	25-JUN-18
ALK-MAN-CL								
	Water							
Batch	R4097665							
WG2806978-12	DUP	L2110751-1						
Alkalinity, Total (as CaCO3)		87.2	86.6		mg/L	0.7	20	25-JUN-18
WG2806978-11	LCS							
Alkalinity, Total (as CaCO3)			100.5		%		85-115	25-JUN-18
WG2806978-2	LCS							
Alkalinity, Total (as CaCO3)			95.4		%		85-115	25-JUN-18
WG2806978-1	MB							
Alkalinity, Total (as CaCO3)			<1.0		mg/L		1	25-JUN-18
WG2806978-10	MB							
Alkalinity, Total (as CaCO3)			<1.0		mg/L		1	26-JUN-18
BE-D-L-CCMS-VA								
	Water							
Batch	R4087847							
WG2797795-2	LCS							
Beryllium (Be)-Dissolved			101.1		%		80-120	16-JUN-18
WG2797795-1	MB	LF						
Beryllium (Be)-Dissolved			<0.000020		mg/L		0.00002	16-JUN-18
BE-T-L-CCMS-VA								
	Water							
Batch	R4087951							
WG2797807-2	LCS							
Beryllium (Be)-Total			98.0		%		80-120	17-JUN-18
WG2797807-1	MB							
Beryllium (Be)-Total			<0.000020		mg/L		0.00002	17-JUN-18
BR-L-IC-N-CL								
	Water							

Quality Control Report

Workorder: L2110751

Report Date: 06-JUL-18

Page 2 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
BR-L-IC-N-CL	Water							
Batch	R4081998							
WG2796060-14 LCS								
Bromide (Br)			100.3		%		85-115	12-JUN-18
WG2796060-13 MB								
Bromide (Br)			<0.050		mg/L		0.05	12-JUN-18
C-DIS-ORG-LOW-CL	Water							
Batch	R4095939							
WG2805547-2 LCS								
Dissolved Organic Carbon			101.8		%		80-120	23-JUN-18
WG2805547-1 MB								
Dissolved Organic Carbon			<0.50		mg/L		0.5	23-JUN-18
C-TOT-ORG-LOW-CL	Water							
Batch	R4095939							
WG2805547-2 LCS								
Total Organic Carbon			99.95		%		80-120	23-JUN-18
WG2805547-1 MB								
Total Organic Carbon			<0.50		mg/L		0.5	23-JUN-18
CL-IC-N-CL	Water							
Batch	R4081998							
WG2796060-14 LCS								
Chloride (Cl)			101.8		%		90-110	12-JUN-18
WG2796060-13 MB								
Chloride (Cl)			<0.50		mg/L		0.5	12-JUN-18
EC-L-PCT-CL	Water							
Batch	R4097665							
WG2806978-12 DUP		L2110751-1						
Conductivity (@ 25C)		199	196		uS/cm	1.3	10	25-JUN-18
WG2806978-11 LCS								
Conductivity (@ 25C)			103.0		%		90-110	25-JUN-18
WG2806978-2 LCS								
Conductivity (@ 25C)			101.3		%		90-110	25-JUN-18
WG2806978-1 MB								
Conductivity (@ 25C)			<2.0		uS/cm		2	25-JUN-18
WG2806978-10 MB								
Conductivity (@ 25C)			<2.0		uS/cm		2	26-JUN-18
F-IC-N-CL	Water							



Quality Control Report

Workorder: L2110751

Report Date: 06-JUL-18

Page 3 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
F-IC-N-CL								
Water								
Batch	R4081998							
WG2796060-14	LCS							
Fluoride (F)			107.4		%		90-110	12-JUN-18
WG2796060-13	MB							
Fluoride (F)			<0.020		mg/L		0.02	12-JUN-18
HG-D-CVAA-VA								
Water								
Batch	R4083841							
WG2797836-6	LCS							
Mercury (Hg)-Dissolved			95.2		%		80-120	15-JUN-18
WG2797836-5	MB	LF						
Mercury (Hg)-Dissolved			<0.000005C		mg/L		0.000005	15-JUN-18
HG-T-U-CVAF-VA								
Water								
Batch	R4084703							
WG2799225-2	LCS							
Mercury (Hg)-Total			102.4		%		80-120	16-JUN-18
WG2799225-1	MB							
Mercury (Hg)-Total			<0.00050		ug/L		0.0005	16-JUN-18
Batch	R4084704							
WG2799229-2	LCS							
Mercury (Hg)-Total			95.9		%		80-120	16-JUN-18
WG2799229-1	MB							
Mercury (Hg)-Total			<0.00050		ug/L		0.0005	16-JUN-18
MET-D-CCMS-VA								
Water								
Batch	R4087847							
WG2797795-2	LCS							
Aluminum (Al)-Dissolved			101.3		%		80-120	16-JUN-18
Antimony (Sb)-Dissolved			97.2		%		80-120	16-JUN-18
Arsenic (As)-Dissolved			99.7		%		80-120	16-JUN-18
Barium (Ba)-Dissolved			102.4		%		80-120	16-JUN-18
Bismuth (Bi)-Dissolved			97.2		%		80-120	16-JUN-18
Boron (B)-Dissolved			95.5		%		80-120	16-JUN-18
Cadmium (Cd)-Dissolved			99.6		%		80-120	16-JUN-18
Calcium (Ca)-Dissolved			96.4		%		80-120	16-JUN-18
Chromium (Cr)-Dissolved			96.2		%		80-120	16-JUN-18
Cobalt (Co)-Dissolved			100.8		%		80-120	16-JUN-18
Copper (Cu)-Dissolved			100.6		%		80-120	16-JUN-18
Iron (Fe)-Dissolved			97.0		%		80-120	16-JUN-18



Quality Control Report

Workorder: L2110751

Report Date: 06-JUL-18

Page 4 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4087847							
WG2797795-2	LCS							
Lead (Pb)-Dissolved			98.5		%		80-120	16-JUN-18
Lithium (Li)-Dissolved			100.2		%		80-120	16-JUN-18
Magnesium (Mg)-Dissolved			102.1		%		80-120	16-JUN-18
Manganese (Mn)-Dissolved			100.5		%		80-120	16-JUN-18
Molybdenum (Mo)-Dissolved			99.8		%		80-120	16-JUN-18
Nickel (Ni)-Dissolved			100.8		%		80-120	16-JUN-18
Potassium (K)-Dissolved			102.7		%		80-120	16-JUN-18
Selenium (Se)-Dissolved			95.7		%		80-120	16-JUN-18
Silicon (Si)-Dissolved			102.2		%		80-120	16-JUN-18
Silver (Ag)-Dissolved			98.0		%		80-120	16-JUN-18
Sodium (Na)-Dissolved			103.3		%		80-120	16-JUN-18
Strontium (Sr)-Dissolved			98.2		%		80-120	16-JUN-18
Thallium (Tl)-Dissolved			98.5		%		80-120	16-JUN-18
Tin (Sn)-Dissolved			99.6		%		80-120	16-JUN-18
Titanium (Ti)-Dissolved			98.0		%		80-120	16-JUN-18
Uranium (U)-Dissolved			97.7		%		80-120	16-JUN-18
Vanadium (V)-Dissolved			102.6		%		80-120	16-JUN-18
Zinc (Zn)-Dissolved			94.9		%		80-120	16-JUN-18
WG2797795-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	16-JUN-18
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	16-JUN-18
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	16-JUN-18
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	16-JUN-18
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	16-JUN-18
Boron (B)-Dissolved			<0.010		mg/L		0.01	16-JUN-18
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	16-JUN-18
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	16-JUN-18
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	16-JUN-18
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	16-JUN-18
Copper (Cu)-Dissolved			<0.00020		mg/L		0.0002	16-JUN-18
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	16-JUN-18
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	16-JUN-18
Lithium (Li)-Dissolved			<0.0010		mg/L		0.001	16-JUN-18
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	16-JUN-18



Quality Control Report

Workorder: L2110751

Report Date: 06-JUL-18

Page 5 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4087847							
WG2797795-1	MB	LF						
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	16-JUN-18
Molybdenum (Mo)-Dissolved			<0.000050		mg/L		0.00005	16-JUN-18
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	16-JUN-18
Potassium (K)-Dissolved			<0.050		mg/L		0.05	16-JUN-18
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	16-JUN-18
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	16-JUN-18
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	16-JUN-18
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	16-JUN-18
Strontium (Sr)-Dissolved			<0.00020		mg/L		0.0002	16-JUN-18
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	16-JUN-18
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	16-JUN-18
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	16-JUN-18
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	16-JUN-18
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	16-JUN-18
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	16-JUN-18
MET-T-CCMS-VA								
	Water							
Batch	R4087951							
WG2797807-2	LCS							
Aluminum (Al)-Total			107.7		%		80-120	17-JUN-18
Antimony (Sb)-Total			103.2		%		80-120	17-JUN-18
Arsenic (As)-Total			104.4		%		80-120	17-JUN-18
Barium (Ba)-Total			106.4		%		80-120	17-JUN-18
Bismuth (Bi)-Total			101.5		%		80-120	17-JUN-18
Boron (B)-Total			96.2		%		80-120	17-JUN-18
Cadmium (Cd)-Total			104.0		%		80-120	17-JUN-18
Calcium (Ca)-Total			101.9		%		80-120	17-JUN-18
Chromium (Cr)-Total			104.7		%		80-120	17-JUN-18
Cobalt (Co)-Total			105.3		%		80-120	17-JUN-18
Copper (Cu)-Total			103.5		%		80-120	17-JUN-18
Iron (Fe)-Total			105.4		%		80-120	17-JUN-18
Lead (Pb)-Total			100.2		%		80-120	17-JUN-18
Lithium (Li)-Total			99.4		%		80-120	17-JUN-18
Magnesium (Mg)-Total			108.0		%		80-120	17-JUN-18
Manganese (Mn)-Total			106.7		%		80-120	17-JUN-18



Quality Control Report

Workorder: L2110751

Report Date: 06-JUL-18

Page 6 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4087951							
WG2797807-2	LCS							
Molybdenum (Mo)-Total			99.2		%		80-120	17-JUN-18
Nickel (Ni)-Total			105.8		%		80-120	17-JUN-18
Potassium (K)-Total			107.0		%		80-120	17-JUN-18
Selenium (Se)-Total			98.8		%		80-120	17-JUN-18
Silicon (Si)-Total			102.7		%		80-120	17-JUN-18
Silver (Ag)-Total			96.5		%		80-120	17-JUN-18
Sodium (Na)-Total			105.8		%		80-120	17-JUN-18
Strontium (Sr)-Total			100.1		%		80-120	17-JUN-18
Thallium (Tl)-Total			99.7		%		80-120	17-JUN-18
Tin (Sn)-Total			101.2		%		80-120	17-JUN-18
Titanium (Ti)-Total			101.6		%		80-120	17-JUN-18
Uranium (U)-Total			99.9		%		80-120	17-JUN-18
Vanadium (V)-Total			106.4		%		80-120	17-JUN-18
Zinc (Zn)-Total			100.1		%		80-120	17-JUN-18
WG2797807-1	MB							
Aluminum (Al)-Total			<0.0030		mg/L		0.003	17-JUN-18
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	17-JUN-18
Arsenic (As)-Total			<0.00010		mg/L		0.0001	17-JUN-18
Barium (Ba)-Total			<0.00010		mg/L		0.0001	17-JUN-18
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	17-JUN-18
Boron (B)-Total			<0.010		mg/L		0.01	17-JUN-18
Cadmium (Cd)-Total			<0.0000050		mg/L		0.000005	17-JUN-18
Calcium (Ca)-Total			<0.050		mg/L		0.05	17-JUN-18
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	17-JUN-18
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	17-JUN-18
Copper (Cu)-Total			<0.00050		mg/L		0.0005	17-JUN-18
Iron (Fe)-Total			<0.010		mg/L		0.01	17-JUN-18
Lead (Pb)-Total			<0.000050		mg/L		0.00005	17-JUN-18
Lithium (Li)-Total			<0.0010		mg/L		0.001	17-JUN-18
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	17-JUN-18
Manganese (Mn)-Total			<0.00010		mg/L		0.0001	17-JUN-18
Molybdenum (Mo)-Total			<0.000050		mg/L		0.00005	17-JUN-18
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	17-JUN-18
Potassium (K)-Total			<0.050		mg/L		0.05	17-JUN-18



Quality Control Report

Workorder: L2110751

Report Date: 06-JUL-18

Page 7 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4087951							
WG2797807-1	MB							
Selenium (Se)-Total			<0.000050		mg/L		0.00005	17-JUN-18
Silicon (Si)-Total			<0.10		mg/L		0.1	17-JUN-18
Silver (Ag)-Total			<0.000010		mg/L		0.00001	17-JUN-18
Sodium (Na)-Total			<0.050		mg/L		0.05	17-JUN-18
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	17-JUN-18
Thallium (Tl)-Total			<0.000010		mg/L		0.00001	17-JUN-18
Tin (Sn)-Total			<0.00010		mg/L		0.0001	17-JUN-18
Titanium (Ti)-Total			<0.00030		mg/L		0.0003	17-JUN-18
Uranium (U)-Total			<0.000010		mg/L		0.00001	17-JUN-18
Vanadium (V)-Total			<0.00050		mg/L		0.0005	17-JUN-18
Zinc (Zn)-Total			<0.0030		mg/L		0.003	17-JUN-18
NH3-L-F-CL								
	Water							
Batch	R4091552							
WG2802250-26	LCS							
Ammonia as N			106.6		%		85-115	20-JUN-18
WG2802250-25	MB							
Ammonia as N			<0.0050		mg/L		0.005	20-JUN-18
NO2-L-IC-N-CL								
	Water							
Batch	R4081998							
WG2796060-14	LCS							
Nitrite (as N)			107.2		%		90-110	12-JUN-18
WG2796060-13	MB							
Nitrite (as N)			<0.0010		mg/L		0.001	12-JUN-18
NO3-L-IC-N-CL								
	Water							
Batch	R4081998							
WG2796060-14	LCS							
Nitrate (as N)			100.4		%		90-110	12-JUN-18
WG2796060-13	MB							
Nitrate (as N)			<0.0050		mg/L		0.005	12-JUN-18
ORP-CL								
	Water							
Batch	R4112750							
WG2814039-4	CRM	CL-ORP						
ORP			230		mV		210-230	04-JUL-18
WG2814039-5	CRM	CL-ORP						
ORP			218		mV		210-230	04-JUL-18



Quality Control Report

Workorder: L2110751

Report Date: 06-JUL-18

Page 8 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
P-T-L-COL-ED								
	Water							
Batch	R4113733							
WG2813996-10	LCS							
Phosphorus (P)-Total			116.2		%		80-120	05-JUL-18
WG2813996-6	LCS							
Phosphorus (P)-Total			111.0		%		80-120	05-JUL-18
WG2813996-7	LCS							
Phosphorus (P)-Total			114.2		%		80-120	05-JUL-18
WG2813996-8	LCS							
Phosphorus (P)-Total			116.8		%		80-120	05-JUL-18
WG2813996-9	LCS							
Phosphorus (P)-Total			118.6		%		80-120	05-JUL-18
WG2813996-1	MB							
Phosphorus (P)-Total			<0.0010		mg/L		0.001	05-JUL-18
WG2813996-2	MB							
Phosphorus (P)-Total			<0.0010		mg/L		0.001	05-JUL-18
WG2813996-3	MB							
Phosphorus (P)-Total			<0.0010		mg/L		0.001	05-JUL-18
WG2813996-4	MB							
Phosphorus (P)-Total			<0.0010		mg/L		0.001	05-JUL-18
WG2813996-5	MB							
Phosphorus (P)-Total			<0.0010		mg/L		0.001	05-JUL-18
PH-CL								
	Water							
Batch	R4097665							
WG2806978-12	DUP	L2110751-1						
pH		8.01	8.03	J	pH	0.02	0.2	25-JUN-18
WG2806978-11	LCS							
pH			6.97		pH		6.9-7.1	25-JUN-18
WG2806978-2	LCS							
pH			7.01		pH		6.9-7.1	25-JUN-18
PO4-DO-L-COL-CL								
	Water							
Batch	R4082874							
WG2796136-6	LCS							
Orthophosphate-Dissolved (as P)			97.4		%		80-120	13-JUN-18
WG2796136-5	MB							
Orthophosphate-Dissolved (as P)			<0.0010		mg/L		0.001	13-JUN-18
SO4-IC-N-CL								
	Water							

Quality Control Report

Workorder: L2110751

Report Date: 06-JUL-18

Page 9 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
SO4-IC-N-CL	Water							
Batch	R4081998							
WG2796060-14 LCS								
Sulfate (SO4)			100.1		%		90-110	12-JUN-18
WG2796060-13 MB								
Sulfate (SO4)			<0.30		mg/L		0.3	12-JUN-18
SOLIDS-TDS-CL	Water							
Batch	R4086468							
WG2798118-5 LCS								
Total Dissolved Solids			99.6		%		85-115	15-JUN-18
WG2798118-4 MB								
Total Dissolved Solids			<10		mg/L		10	15-JUN-18
TKN-L-F-CL	Water							
Batch	R4095550							
WG2805054-10 LCS								
Total Kjeldahl Nitrogen			87.6		%		75-125	21-JUN-18
WG2805054-9 MB								
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	21-JUN-18
TSS-L-CL	Water							
Batch	R4086473							
WG2799502-5 LCS								
Total Suspended Solids			90.0		%		85-115	17-JUN-18
WG2799502-4 MB								
Total Suspended Solids			<1.0		mg/L		1	17-JUN-18
TURBIDITY-CL	Water							
Batch	R4083327							
WG2796138-11 LCS								
Turbidity			99.0		%		85-115	13-JUN-18
WG2796138-10 MB								
Turbidity			<0.10		NTU		0.1	13-JUN-18

Quality Control Report

Workorder: L2110751

Report Date: 06-JUL-18

Page 10 of 11

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
J	Duplicate results and limits are expressed in terms of absolute difference.

Quality Control Report

Workorder: L2110751

Report Date: 06-JUL-18

Page 11 of 11

Hold Time Exceedances:

ALS Product Description	Sample ID	Sampling Date	Date Processed	Rec. HT	Actual HT	Units	Qualifier
Physical Tests							
pH	1	11-JUN-18 10:30	25-JUN-18 13:00	0.25	338	hours	EHTR-FM
	3	11-JUN-18 10:30	25-JUN-18 13:00	0.25	338	hours	EHTR-FM
	5	11-JUN-18 10:30	25-JUN-18 13:00	0.25	338	hours	EHTR-FM

Legend & Qualifier Definitions:

EHTR-FM:	Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended.
EHTR:	Exceeded ALS recommended hold time prior to sample receipt.
EHTL:	Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.
EHT:	Exceeded ALS recommended hold time prior to analysis.
Rec. HT:	ALS recommended hold time (see units).

Notes*:

Where actual sampling date is not provided to ALS, the date (& time) of receipt is used for calculation purposes.
Where actual sampling time is not provided to ALS, the earlier of 12 noon on the sampling date or the time (& date) of receipt is used for calculation purposes. Samples for L2110751 were received on 12-JUN-18 09:45.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

COC ID: REGIONAL Koochanusa Reservoir		TURNAROUND TIME: Regular									
PROJECT/CLIENT INFO				LABORATORY				OTHER INFO			
Facility Name / Job# FRO LAEMP		Lab Name ALS Calgary		Report Format / Distribution		Excel	PDF	EDD			
Project Manager Cait Good		Lab Contact Lynda Shvets		Email 1:		X	X	X			
Email		Email Lyndmyla.Shvets@ALSglobal.com		Email 2:		carla.fraser@teck.com	X	X	X		
Address 421 Pine Avenue		Address 2559 29 Street NE		Email 3:		andrew.wight@teck.com	X	X	X		
City Sparwood		Province BC		City Calgary		Province AB		Email 4:		teckcost@equisonline.com	
Postal Code V0B 2G0		Country Canada		Postal Code T1Y 7B5		Country Canada		Email 5:		wilson@minnow.ca	
Phone Number 250-425-8202				Phone Number 403-407-1800		PO number		VPO00563596			

SAMPLE DETAILS							ANALYSIS REQUESTED								
Sample ID	Sample Location (sys_loc_code)	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Com p	# Of Cont.	PH	PRESEV.	ANALYSIS	Filtered - F: Field, L: Lab, FL: Field & Lab, N: None				
								N	N	N	N	N	N	N	N
								NONE	NONE	H2SO4	NONE	NONE	HNO3	NONE	
								HG-TU-CVAF-VA	ALS Package-DOC	ALS Package-TKN/TOC	HG-D-CVAF-VA	TECKCOAL-MET-D-VA	TECKCOAL-MET-T-VA	TECKCOAL-ROUTINE-VA	
RG_TNU1_WS_20180611-1030	RG_TNU1	Water	No	11-Jun-18	10:30:00 AM	G	7	1	1	1	1	1	1	1	
RG_TNU1_WS_20180611-1030_FB-HG	RG_TNU1	Water	No	11-Jun-18	10:30:00 AM	G	1	1							
RG_TNU2_WS_20180611-1030	RG_TNU2	Water	No	11-Jun-18	10:30:00 AM	G	7	1	1	1	1	1	1	1	
RG_TNU2_WS_20180611-1030_FB-HG	RG_TNU2	Water	No	11-Jun-18	10:30:00 AM	G	1	1							
RG_TNU3_WS_20180611-1030	RG_TNU3	Water	No	11-Jun-18	10:30:00 AM	G	7	1	1	1	1	1	1	1	
RG_TNU3_WS_20180611-1030_FB-HG	RG_TNU3	Water	No	11-Jun-18	10:30:00 AM	G	1	1							

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS Koochanusa - VPO00563596	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
			<i>[Signature]</i>	6/12 9:45

SERVICE REQUEST (rush - subject to availability)			
Regular (default) X	Priority (2-3 business days) - 50% surcharge	Emergency (1 Business Day) - 100% surcharge	For Emergency <1 Day, ASAP or Weekend - Contact ALS
Sampler's Name	Justin Wilson	Mobile #	519-803-3923
Sampler's Signature		Date/Time	June 11, 2018

[Handwritten mark]



Teck Coal Ltd.
ATTN: Cait Good
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 14-JUN-18
Report Date: 12-JUL-18 08:48 (MT)
Version: FINAL

Client Phone: 250-425-8202

Certificate of Analysis

Lab Work Order #: L2112645
Project P.O. #: VPO00563596
Job Reference: REGIONAL EFFECTS PROGRAM
C of C Numbers: Regional Effects
Legal Site Desc:

Lyudmyla Shvets, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2112645-1	L2112645-2	L2112645-3	L2112645-4
		Description	WS	WS	WS	WS
		Sampled Date	13-JUN-18	13-JUN-18	13-JUN-18	13-JUN-18
		Sampled Time	10:00	10:00	11:30	11:30
		Client ID	RG_ER_WS_2018 0613-1000	RG_ER_WS_2018 0613-1000_FB-HG	RG_SC_WS_2018 0613-1130	RG_SC_WS_2018 0613-1130_FB-HG
Grouping	Analyte					
WATER						
Physical Tests	Conductivity (@ 25C) (uS/cm)		195		181	
	Hardness (as CaCO3) (mg/L)		103		93.2	
	pH (pH)		8.25		8.24	
	ORP (mV)		262		252	
	Total Suspended Solids (mg/L)		2.5		9.8	
	Total Dissolved Solids (mg/L)		111 ^{DLHC}		104 ^{DLHC}	
	Turbidity (NTU)		4.74		10.5	
Anions and Nutrients	Acidity (as CaCO3) (mg/L)		<1.0		1.2	
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)		84.5		77.5	
	Alkalinity, Carbonate (as CaCO3) (mg/L)		<1.0		<1.0	
	Alkalinity, Hydroxide (as CaCO3) (mg/L)		<1.0		<1.0	
	Alkalinity, Total (as CaCO3) (mg/L)		84.5		77.5	
	Ammonia as N (mg/L)		0.0073		<0.0050	
	Bromide (Br) (mg/L)		<0.050		<0.050	
	Chloride (Cl) (mg/L)		<0.50		1.08	
	Fluoride (F) (mg/L)		<0.020		0.057	
	Ion Balance (%)		128		105	
	Nitrate (as N) (mg/L)		<0.0050		0.0756	
	Nitrite (as N) (mg/L)		<0.0010		<0.0010	
	Total Kjeldahl Nitrogen (mg/L)		0.077		<0.050	
	Orthophosphate-Dissolved (as P) (mg/L)		0.0010		0.0012	
	Phosphorus (P)-Total (mg/L)		0.0118		0.0061	
	Sulfate (SO4) (mg/L)		<0.30		13.7	
	Anion Sum (meq/L)		1.69		1.87	
	Cation Sum (meq/L)		2.16		1.96	
	Cation - Anion Balance (%)		12.3		2.4	
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)		1.30		1.18
Total Organic Carbon (mg/L)			1.64		1.13	
Total Metals	Aluminum (Al)-Total (mg/L)		0.0772		0.132	
	Antimony (Sb)-Total (mg/L)		0.00021		<0.00010	
	Arsenic (As)-Total (mg/L)		0.00039		0.00038	
	Barium (Ba)-Total (mg/L)		0.0279		0.0242	
	Beryllium (Be)-Total (ug/L)		<0.020		<0.020	
	Bismuth (Bi)-Total (mg/L)		<0.000050		<0.000050	
	Boron (B)-Total (mg/L)		<0.010		<0.010	
	Cadmium (Cd)-Total (ug/L)		0.0269		0.0057	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID	L2112645-1 WS 13-JUN-18 10:00 RG_ER_WS_2018 0613-1000	L2112645-2 WS 13-JUN-18 10:00 RG_ER_WS_2018 0613-1000_FB-HG	L2112645-3 WS 13-JUN-18 11:30 RG_SC_WS_2018 0613-1130	L2112645-4 WS 13-JUN-18 11:30 RG_SC_WS_2018 0613-1130_FB-HG
Grouping	Analyte				
WATER					
Total Metals	Calcium (Ca)-Total (mg/L)	27.1		25.3	
	Chromium (Cr)-Total (mg/L)	0.00023		0.00022	
	Cobalt (Co)-Total (ug/L)	<0.10		0.11	
	Copper (Cu)-Total (mg/L)	0.00100		<0.00050	
	Iron (Fe)-Total (mg/L)	0.094		0.187	
	Lead (Pb)-Total (mg/L)	0.00382		0.000229	
	Lithium (Li)-Total (mg/L)	0.0012		0.0011	
	Magnesium (Mg)-Total (mg/L)	7.71		6.96	
	Manganese (Mn)-Total (mg/L)	0.00642		0.00813	
	Mercury (Hg)-Total (ug/L)	0.00056	<0.00050	0.00080	<0.00050
	Molybdenum (Mo)-Total (mg/L)	0.000521		0.000522	
	Nickel (Ni)-Total (mg/L)	<0.00050		<0.00050	
	Potassium (K)-Total (mg/L)	0.510		0.442	
	Selenium (Se)-Total (ug/L)	0.319		0.081	
	Silicon (Si)-Total (mg/L)	2.31		2.31	
	Silver (Ag)-Total (mg/L)	<0.000010		<0.000010	
	Sodium (Na)-Total (mg/L)	2.14		1.96	
	Strontium (Sr)-Total (mg/L)	0.0998		0.0961	
	Thallium (Tl)-Total (mg/L)	<0.000010		<0.000010	
	Tin (Sn)-Total (mg/L)	<0.00010		<0.00010	
	Titanium (Ti)-Total (mg/L)	<0.010		<0.010	
	Uranium (U)-Total (mg/L)	0.000561		0.000554	
	Vanadium (V)-Total (mg/L)	0.00053		0.00052	
	Zinc (Zn)-Total (mg/L)	0.0049		<0.0030	
Dissolved Metals	Dissolved Mercury Filtration Location	LAB		LAB	
	Dissolved Metals Filtration Location	LAB		LAB	
	Aluminum (Al)-Dissolved (mg/L)	0.0172		0.0165	
	Antimony (Sb)-Dissolved (mg/L)	<0.00010		<0.00010	
	Arsenic (As)-Dissolved (mg/L)	0.00034		0.00031	
	Barium (Ba)-Dissolved (mg/L)	0.0306		0.0253	
	Beryllium (Be)-Dissolved (ug/L)	<0.020		<0.020	
	Bismuth (Bi)-Dissolved (mg/L)	<0.000050		<0.000050	
	Boron (B)-Dissolved (mg/L)	<0.010		<0.010	
	Cadmium (Cd)-Dissolved (ug/L)	0.0116		<0.0050	
	Calcium (Ca)-Dissolved (mg/L)	27.7		25.4	
	Chromium (Cr)-Dissolved (mg/L)	<0.00010		<0.00010	
	Cobalt (Co)-Dissolved (ug/L)	<0.10		<0.10	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID	L2112645-1	L2112645-2	L2112645-3	L2112645-4	
Description	WS	WS	WS	WS	
Sampled Date	13-JUN-18	13-JUN-18	13-JUN-18	13-JUN-18	
Sampled Time	10:00	10:00	11:30	11:30	
Client ID	RG_ER_WS_2018 0613-1000	RG_ER_WS_2018 0613-1000_FB-HG	RG_SC_WS_2018 0613-1130	RG_SC_WS_2018 0613-1130_FB-HG	
Grouping	Analyte				
WATER					
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)	<0.00050	<0.00050		
	Iron (Fe)-Dissolved (mg/L)	<0.010	<0.010		
	Lead (Pb)-Dissolved (mg/L)	0.000533	<0.000050		
	Lithium (Li)-Dissolved (mg/L)	0.0011	<0.0010		
	Magnesium (Mg)-Dissolved (mg/L)	8.14	7.24		
	Manganese (Mn)-Dissolved (mg/L)	0.00033	0.00246		
	Mercury (Hg)-Dissolved (mg/L)	<0.0000050	<0.0000050		
	Molybdenum (Mo)-Dissolved (mg/L)	0.000543	0.000508		
	Nickel (Ni)-Dissolved (mg/L)	<0.00050	<0.00050		
	Potassium (K)-Dissolved (mg/L)	0.507	0.456		
	Selenium (Se)-Dissolved (ug/L)	0.326	0.102		
	Silicon (Si)-Dissolved (mg/L)	2.19	2.08		
	Silver (Ag)-Dissolved (mg/L)	<0.000010	<0.000010		
	Sodium (Na)-Dissolved (mg/L)	2.18	2.05		
	Strontium (Sr)-Dissolved (mg/L)	0.103	0.100		
	Thallium (Tl)-Dissolved (mg/L)	<0.000010	<0.000010		
	Tin (Sn)-Dissolved (mg/L)	<0.00010	<0.00010		
	Titanium (Ti)-Dissolved (mg/L)	<0.010	<0.010		
	Uranium (U)-Dissolved (mg/L)	0.000587	0.000566		
	Vanadium (V)-Dissolved (mg/L)	<0.00050	<0.00050		
	Zinc (Zn)-Dissolved (mg/L)	<0.0010	<0.0010		

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

Qualifiers for Sample Submission Listed:

Qualifier	Description
SFPL	Sample was Filtered and Preserved at the laboratory - DOC, DIS METALS LAB FILTER/PRESERVE

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Laboratory Control Sample	Chromium (Cr)-Dissolved	MES	L2112645-1, -3
Matrix Spike	Barium (Ba)-Total	MS-B	L2112645-1, -3
Matrix Spike	Calcium (Ca)-Total	MS-B	L2112645-1, -3
Matrix Spike	Magnesium (Mg)-Total	MS-B	L2112645-1, -3
Matrix Spike	Strontium (Sr)-Total	MS-B	L2112645-1, -3

Qualifiers for Individual Parameters Listed:

Qualifier	Description
DLHC	Detection Limit Raised: Dilution required due to high concentration of test analyte(s).
MES	Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
ACIDITY-PCT-CL	Water	Acidity by Automatic Titration	APHA 2310 Acidity
This analysis is carried out using procedures adapted from APHA Method 2310 "Acidity". Acidity is determined by potentiometric titration to a specified endpoint.			
ALK-MAN-CL	Water	Alkalinity (Species) by Manual Titration	APHA 2320 ALKALINITY
This analysis is carried out using procedures adapted from APHA Method 2320 "Alkalinity". Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.			
BE-D-L-CCMS-VA	Water	Diss. Be (low) in Water by CRC ICPMS	APHA 3030B/6020A (mod)
Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.			
BE-T-L-CCMS-VA	Water	Total Be (Low) in Water by CRC ICPMS	EPA 200.2/6020A (mod)
Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.			
BR-L-IC-N-CL	Water	Bromide in Water by IC (Low Level)	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
C-DIS-ORG-LOW-CL	Water	Dissolved Organic Carbon	APHA 5310 B-Instrumental
This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.			
The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC. TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.			
C-TOT-ORG-LOW-CL	Water	Total Organic Carbon	APHA 5310 TOTAL ORGANIC CARBON (TOC)
This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.			
The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC. TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.			
CL-IC-N-CL	Water	Chloride in Water by IC	EPA 300.1 (mod)

Reference Information

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

EC-L-PCT-CL Water Electrical Conductivity (EC) APHA 2510B

Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water sample. Conductivity measurements are temperature-compensated to 25C.

F-IC-N-CL Water Fluoride in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

HARDNESS-CALC-VA Water Hardness APHA 2340B

Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO₃ equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.

HG-D-CVAA-VA Water Diss. Mercury in Water by CVAAS or CVAFS APHA 3030B/EPA 1631E (mod)

Water samples are filtered (0.45 um), preserved with hydrochloric acid, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS or CVAFS.

HG-T-U-CVAF-VA Water Total Mercury in Water by CVAFS (Ultra) EPA 1631 REV. E

This analysis is carried out using procedures adapted from Method 1631 Rev. E. by the United States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to a purge and trap concentration step and final reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry.

IONBALANCE-BC-CL Water Ion Balance Calculation APHA 1030E

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

$$\text{Ion Balance (\%)} = \frac{[\text{Cation Sum} - \text{Anion Sum}]}{[\text{Cation Sum} + \text{Anion Sum}]}$$

MET-D-CCMS-VA Water Dissolved Metals in Water by CRC ICPMS APHA 3030B/6020A (mod)

Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

MET-T-CCMS-VA Water Total Metals in Water by CRC ICPMS EPA 200.2/6020A (mod)

Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

NH3-L-F-CL Water Ammonia, Total (as N) J. ENVIRON. MONIT., 2005, 7, 37-42, RSC

This analysis is carried out, on sulfuric acid preserved samples, using procedures modified from J. Environ. Monit., 2005, 7, 37 - 42, The Royal Society of Chemistry, "Flow-injection analysis with fluorescence detection for the determination of trace levels of ammonium in seawater", Roslyn J. Waston et al.

NO2-L-IC-N-CL Water Nitrite in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

NO3-L-IC-N-CL Water Nitrate in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

ORP-CL Water Oxidation reduction potential by elect. ASTM D1498

This analysis is carried out in accordance with the procedure described in the "ASTM" method D1498 "Oxidation-Reduction Potential of Water" published by the American Society for Testing and Materials (ASTM). Results are reported as observed oxidation-reduction potential of the platinum metal-reference electrode employed, in mV.

It is recommended that this analysis be conducted in the field.

P-T-L-COL-ED Water Total P in Water by Colour APHA 4500-P PHOSPHORUS

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorus is determined colourimetrically after persulphate digestion of the sample.

PH-CL Water pH APHA 4500 H-Electrode

pH is determined in the laboratory using a pH electrode. All samples analyzed by this method for pH will have exceeded the 15 minute recommended hold time from time of sampling (field analysis is recommended for pH where highly accurate results are needed)

Reference Information

PO4-DO-L-COL-CL	Water	Orthophosphate-Dissolved (as P)	APHA 4500-P PHOSPHORUS
This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Dissolved Orthophosphate is determined colourimetrically on a sample that has been lab or field filtered through a 0.45 micron membrane filter.			
SO4-IC-N-CL	Water	Sulfate in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
SOLIDS-TDS-CL	Water	Total Dissolved Solids	APHA 2540 C
A well-mixed sample is filtered through a glass fibre filter paper. The filtrate is then evaporated to dryness in a pre-weighed vial and dried at 180 – 2 °C. The increase in vial weight represents the total dissolved solids (TDS).			
TECKCOAL-IONBAL-CL	Water	Ion Balance Calculation	APHA 1030E
Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.			
Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:			
Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]			
TKN-L-F-CL	Water	Total Kjeldahl Nitrogen	APHA 4500-NORG (TKN)
This analysis is carried out using procedures adapted from APHA Method 4500-Norg D. "Block Digestion and Flow Injection Analysis". Total Kjeldahl Nitrogen is determined using block digestion followed by Flow-injection analysis with fluorescence detection.			
TSS-L-CL	Water	Total Suspended Solids	APHA 2540 D-Gravimetric
This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, and by drying the filter at 104 deg. C.			
TURBIDITY-CL	Water	Turbidity	APHA 2130 B-Nephelometer
This analysis is carried out using procedures adapted from APHA Method 2130 "Turbidity". Turbidity is determined by the nephelometric method.			

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
ED	ALS ENVIRONMENTAL - EDMONTON, ALBERTA, CANADA
CL	ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA
VA	ALS ENVIRONMENTAL - VANCOUVER, BRITISH COLUMBIA, CANADA

Chain of Custody Numbers:

Regional Effects

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Quality Control Report

Workorder: L2112645

Report Date: 12-JUL-18

Page 1 of 10

Client: Teck Coal Ltd.
 421 Pine Avenue
 Sparwood BC V0B 2G0
 Contact: Cait Good

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
ACIDITY-PCT-CL								
	Water							
Batch	R4098728							
WG2808164-32	LCS							
Acidity (as CaCO3)			101.1		%		85-115	26-JUN-18
WG2808164-31	MB							
Acidity (as CaCO3)			1.4		mg/L		2	26-JUN-18
ALK-MAN-CL								
	Water							
Batch	R4098803							
WG2808901-14	LCS							
Alkalinity, Total (as CaCO3)			98.3		%		85-115	27-JUN-18
WG2808901-13	MB							
Alkalinity, Total (as CaCO3)			<1.0		mg/L		1	27-JUN-18
BE-D-L-CCMS-VA								
	Water							
Batch	R4090282							
WG2800455-2	LCS							
Beryllium (Be)-Dissolved			103.1		%		80-120	19-JUN-18
WG2800455-1	MB	LF						
Beryllium (Be)-Dissolved			<0.000020		mg/L		0.00002	19-JUN-18
BE-T-L-CCMS-VA								
	Water							
Batch	R4090279							
WG2800351-2	LCS							
Beryllium (Be)-Total			101.5		%		80-120	19-JUN-18
WG2800351-1	MB							
Beryllium (Be)-Total			<0.000020		mg/L		0.00002	19-JUN-18
BR-L-IC-N-CL								
	Water							
Batch	R4090194							
WG2801503-10	LCS							
Bromide (Br)			100.4		%		85-115	15-JUN-18
WG2801503-9	MB							
Bromide (Br)			<0.050		mg/L		0.05	15-JUN-18
C-DIS-ORG-LOW-CL								
	Water							
Batch	R4115648							
WG2817137-6	LCS							
Dissolved Organic Carbon			92.9		%		80-120	07-JUL-18
WG2817137-5	MB							
Dissolved Organic Carbon			<0.50		mg/L		0.5	07-JUL-18
C-TOT-ORG-LOW-CL								
	Water							



Quality Control Report

Workorder: L2112645

Report Date: 12-JUL-18

Page 2 of 10

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
C-TOT-ORG-LOW-CL	Water							
Batch	R4115648							
WG2817137-6	LCS							
Total Organic Carbon			106.6		%		80-120	07-JUL-18
WG2817137-5	MB							
Total Organic Carbon			<0.50		mg/L		0.5	07-JUL-18
CL-IC-N-CL	Water							
Batch	R4090194							
WG2801503-10	LCS							
Chloride (Cl)			100.5		%		90-110	15-JUN-18
WG2801503-9	MB							
Chloride (Cl)			<0.50		mg/L		0.5	15-JUN-18
EC-L-PCT-CL	Water							
Batch	R4098803							
WG2808901-14	LCS							
Conductivity (@ 25C)			104.4		%		90-110	27-JUN-18
WG2808901-13	MB							
Conductivity (@ 25C)			<2.0		uS/cm		2	27-JUN-18
F-IC-N-CL	Water							
Batch	R4090194							
WG2801503-10	LCS							
Fluoride (F)			102.5		%		90-110	15-JUN-18
WG2801503-9	MB							
Fluoride (F)			<0.020		mg/L		0.02	15-JUN-18
HG-D-CVAA-VA	Water							
Batch	R4089054							
WG2800620-3	DUP	L2112645-1						
Mercury (Hg)-Dissolved		<0.0000050	<0.0000050	RPD-NA	mg/L	N/A	20	19-JUN-18
WG2800620-2	LCS							
Mercury (Hg)-Dissolved			101.3		%		80-120	19-JUN-18
WG2800620-1	MB	LF						
Mercury (Hg)-Dissolved			<0.0000050		mg/L		0.000005	19-JUN-18
HG-T-U-CVAF-VA	Water							
Batch	R4094481							
WG2803711-2	LCS							
Mercury (Hg)-Total			99.3		%		80-120	21-JUN-18
WG2803711-1	MB							
Mercury (Hg)-Total			<0.00050		ug/L		0.0005	21-JUN-18
MET-D-CCMS-VA	Water							



Quality Control Report

Workorder: L2112645

Report Date: 12-JUL-18

Page 3 of 10

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4090282							
WG2800455-2	LCS							
Aluminum (Al)-Dissolved			112.7		%		80-120	19-JUN-18
Antimony (Sb)-Dissolved			102.4		%		80-120	19-JUN-18
Arsenic (As)-Dissolved			109.4		%		80-120	19-JUN-18
Barium (Ba)-Dissolved			113.2		%		80-120	19-JUN-18
Bismuth (Bi)-Dissolved			97.6		%		80-120	19-JUN-18
Boron (B)-Dissolved			96.5		%		80-120	19-JUN-18
Cadmium (Cd)-Dissolved			110.8		%		80-120	19-JUN-18
Calcium (Ca)-Dissolved			101.1		%		80-120	19-JUN-18
Chromium (Cr)-Dissolved			129.2	MES	%		80-120	19-JUN-18
Cobalt (Co)-Dissolved			112.0		%		80-120	19-JUN-18
Copper (Cu)-Dissolved			109.5		%		80-120	19-JUN-18
Lead (Pb)-Dissolved			100.3		%		80-120	19-JUN-18
Lithium (Li)-Dissolved			99.8		%		80-120	19-JUN-18
Magnesium (Mg)-Dissolved			109.9		%		80-120	19-JUN-18
Manganese (Mn)-Dissolved			112.0		%		80-120	19-JUN-18
Molybdenum (Mo)-Dissolved			105.0		%		80-120	19-JUN-18
Nickel (Ni)-Dissolved			109.7		%		80-120	19-JUN-18
Potassium (K)-Dissolved			112.5		%		80-120	19-JUN-18
Selenium (Se)-Dissolved			101.8		%		80-120	19-JUN-18
Silicon (Si)-Dissolved			105.3		%		80-120	19-JUN-18
Silver (Ag)-Dissolved			100.8		%		80-120	19-JUN-18
Sodium (Na)-Dissolved			112.2		%		80-120	19-JUN-18
Strontium (Sr)-Dissolved			104.3		%		80-120	19-JUN-18
Thallium (Tl)-Dissolved			98.8		%		80-120	19-JUN-18
Tin (Sn)-Dissolved			103.9		%		80-120	19-JUN-18
Titanium (Ti)-Dissolved			109.6		%		80-120	19-JUN-18
Uranium (U)-Dissolved			103.9		%		80-120	19-JUN-18
Vanadium (V)-Dissolved			110.9		%		80-120	19-JUN-18
Zinc (Zn)-Dissolved			108.6		%		80-120	19-JUN-18
WG2800455-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	19-JUN-18
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	19-JUN-18
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	19-JUN-18
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	19-JUN-18



Quality Control Report

Workorder: L2112645

Report Date: 12-JUL-18

Page 4 of 10

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4090282							
WG2800455-1	MB	LF						
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	19-JUN-18
Boron (B)-Dissolved			<0.010		mg/L		0.01	19-JUN-18
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	19-JUN-18
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	19-JUN-18
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	19-JUN-18
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	19-JUN-18
Copper (Cu)-Dissolved			<0.00020		mg/L		0.0002	19-JUN-18
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	19-JUN-18
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	19-JUN-18
Lithium (Li)-Dissolved			<0.0010		mg/L		0.001	19-JUN-18
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	19-JUN-18
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	19-JUN-18
Molybdenum (Mo)-Dissolved			<0.000050		mg/L		0.00005	19-JUN-18
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	19-JUN-18
Potassium (K)-Dissolved			<0.050		mg/L		0.05	19-JUN-18
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	19-JUN-18
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	19-JUN-18
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	19-JUN-18
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	19-JUN-18
Strontium (Sr)-Dissolved			<0.00020		mg/L		0.0002	19-JUN-18
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	19-JUN-18
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	19-JUN-18
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	19-JUN-18
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	19-JUN-18
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	19-JUN-18
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	19-JUN-18
Batch	R4093147							
WG2800455-2	LCS							
Iron (Fe)-Dissolved			100.2		%		80-120	20-JUN-18
MET-T-CCMS-VA								
	Water							
Batch	R4090279							
WG2800351-2	LCS							
Aluminum (Al)-Total			106.4		%		80-120	19-JUN-18
Antimony (Sb)-Total			102.0		%		80-120	19-JUN-18



Quality Control Report

Workorder: L2112645

Report Date: 12-JUL-18

Page 5 of 10

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4090279							
WG2800351-2	LCS							
Arsenic (As)-Total			103.1		%		80-120	19-JUN-18
Barium (Ba)-Total			101.8		%		80-120	19-JUN-18
Bismuth (Bi)-Total			98.6		%		80-120	19-JUN-18
Boron (B)-Total			98.2		%		80-120	19-JUN-18
Cadmium (Cd)-Total			101.4		%		80-120	19-JUN-18
Calcium (Ca)-Total			100.3		%		80-120	19-JUN-18
Chromium (Cr)-Total			102.7		%		80-120	19-JUN-18
Cobalt (Co)-Total			105.3		%		80-120	19-JUN-18
Copper (Cu)-Total			103.8		%		80-120	19-JUN-18
Iron (Fe)-Total			102.3		%		80-120	19-JUN-18
Lead (Pb)-Total			98.6		%		80-120	19-JUN-18
Lithium (Li)-Total			99.4		%		80-120	19-JUN-18
Magnesium (Mg)-Total			101.1		%		80-120	19-JUN-18
Manganese (Mn)-Total			107.1		%		80-120	19-JUN-18
Molybdenum (Mo)-Total			99.9		%		80-120	19-JUN-18
Nickel (Ni)-Total			102.3		%		80-120	19-JUN-18
Potassium (K)-Total			108.1		%		80-120	19-JUN-18
Selenium (Se)-Total			96.0		%		80-120	19-JUN-18
Silicon (Si)-Total			103.8		%		80-120	19-JUN-18
Silver (Ag)-Total			96.5		%		80-120	19-JUN-18
Sodium (Na)-Total			108.6		%		80-120	19-JUN-18
Strontium (Sr)-Total			99.4		%		80-120	19-JUN-18
Thallium (Tl)-Total			98.9		%		80-120	19-JUN-18
Tin (Sn)-Total			98.5		%		80-120	19-JUN-18
Titanium (Ti)-Total			99.9		%		80-120	19-JUN-18
Uranium (U)-Total			102.0		%		80-120	19-JUN-18
Vanadium (V)-Total			104.0		%		80-120	19-JUN-18
Zinc (Zn)-Total			104.6		%		80-120	19-JUN-18
WG2800351-1	MB							
Aluminum (Al)-Total			<0.0030		mg/L		0.003	19-JUN-18
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	19-JUN-18
Arsenic (As)-Total			<0.00010		mg/L		0.0001	19-JUN-18
Barium (Ba)-Total			<0.00010		mg/L		0.0001	19-JUN-18
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	19-JUN-18



Quality Control Report

Workorder: L2112645

Report Date: 12-JUL-18

Page 6 of 10

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4090279							
WG2800351-1	MB							
Boron (B)-Total			<0.010		mg/L		0.01	19-JUN-18
Cadmium (Cd)-Total			<0.0000050		mg/L		0.000005	19-JUN-18
Calcium (Ca)-Total			<0.050		mg/L		0.05	19-JUN-18
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	19-JUN-18
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	19-JUN-18
Copper (Cu)-Total			<0.00050		mg/L		0.0005	19-JUN-18
Iron (Fe)-Total			<0.010		mg/L		0.01	19-JUN-18
Lead (Pb)-Total			<0.000050		mg/L		0.00005	19-JUN-18
Lithium (Li)-Total			<0.0010		mg/L		0.001	19-JUN-18
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	19-JUN-18
Manganese (Mn)-Total			<0.00010		mg/L		0.0001	19-JUN-18
Molybdenum (Mo)-Total			<0.000050		mg/L		0.00005	19-JUN-18
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	19-JUN-18
Potassium (K)-Total			<0.050		mg/L		0.05	19-JUN-18
Selenium (Se)-Total			<0.000050		mg/L		0.00005	19-JUN-18
Silicon (Si)-Total			<0.10		mg/L		0.1	19-JUN-18
Silver (Ag)-Total			<0.000010		mg/L		0.00001	19-JUN-18
Sodium (Na)-Total			<0.050		mg/L		0.05	19-JUN-18
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	19-JUN-18
Thallium (Tl)-Total			<0.000010		mg/L		0.00001	19-JUN-18
Tin (Sn)-Total			<0.00010		mg/L		0.0001	19-JUN-18
Titanium (Ti)-Total			<0.00030		mg/L		0.0003	19-JUN-18
Uranium (U)-Total			<0.000010		mg/L		0.00001	19-JUN-18
Vanadium (V)-Total			<0.00050		mg/L		0.0005	19-JUN-18
Zinc (Zn)-Total			<0.0030		mg/L		0.003	19-JUN-18
NH3-L-F-CL		Water						
Batch	R4095891							
WG2805500-2	LCS							
Ammonia as N			100.3		%		85-115	23-JUN-18
WG2805500-1	MB							
Ammonia as N			<0.0050		mg/L		0.005	23-JUN-18
NO2-L-IC-N-CL		Water						



Quality Control Report

Workorder: L2112645

Report Date: 12-JUL-18

Page 7 of 10

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
NO2-L-IC-N-CL	Water							
Batch	R4090194							
WG2801503-10	LCS							
Nitrite (as N)			104.4		%		90-110	15-JUN-18
WG2801503-9	MB							
Nitrite (as N)			<0.0010		mg/L		0.001	15-JUN-18
NO3-L-IC-N-CL	Water							
Batch	R4090194							
WG2801503-10	LCS							
Nitrate (as N)			102.0		%		90-110	15-JUN-18
WG2801503-9	MB							
Nitrate (as N)			<0.0050		mg/L		0.005	15-JUN-18
ORP-CL	Water							
Batch	R4114092							
WG2815703-13	CRM	CL-ORP						
ORP			229		mV		210-230	05-JUL-18
WG2815703-14	CRM	CL-ORP						
ORP			229		mV		210-230	05-JUL-18
P-T-L-COL-ED	Water							
Batch	R4121968							
WG2817683-14	LCS							
Phosphorus (P)-Total			101.4		%		80-120	10-JUL-18
WG2817683-13	MB							
Phosphorus (P)-Total			<0.0010		mg/L		0.001	10-JUL-18
PH-CL	Water							
Batch	R4098803							
WG2808901-14	LCS							
pH			7.03		pH		6.9-7.1	27-JUN-18
PO4-DO-L-COL-CL	Water							
Batch	R4086159							
WG2798751-6	LCS							
Orthophosphate-Dissolved (as P)			102.0		%		80-120	15-JUN-18
WG2798751-5	MB							
Orthophosphate-Dissolved (as P)			<0.0010		mg/L		0.001	15-JUN-18
SO4-IC-N-CL	Water							



Quality Control Report

Workorder: L2112645

Report Date: 12-JUL-18

Page 8 of 10

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
SO4-IC-N-CL								
Batch	R4090194							
WG2801503-10	LCS							
Sulfate (SO4)			99.0		%		90-110	15-JUN-18
WG2801503-9	MB							
Sulfate (SO4)			<0.30		mg/L		0.3	15-JUN-18
SOLIDS-TDS-CL								
Batch	R4094138							
WG2802049-2	LCS							
Total Dissolved Solids			98.7		%		85-115	20-JUN-18
WG2802049-1	MB							
Total Dissolved Solids			<10		mg/L		10	20-JUN-18
TKN-L-F-CL								
Batch	R4098762							
WG2808821-10	LCS							
Total Kjeldahl Nitrogen			79.4		%		75-125	27-JUN-18
WG2808821-9	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	27-JUN-18
TSS-L-CL								
Batch	R4091718							
WG2801473-5	LCS							
Total Suspended Solids			92.2		%		85-115	19-JUN-18
WG2801473-4	MB							
Total Suspended Solids			<1.0		mg/L		1	19-JUN-18
Batch	R4094140							
WG2802775-8	LCS							
Total Suspended Solids			110.2		%		85-115	20-JUN-18
WG2802775-7	MB							
Total Suspended Solids			<1.0		mg/L		1	20-JUN-18
TURBIDITY-CL								
Batch	R4084774							
WG2798217-14	LCS							
Turbidity			99.0		%		85-115	15-JUN-18
WG2798217-13	MB							
Turbidity			<0.10		NTU		0.1	15-JUN-18

Quality Control Report

Workorder: L2112645

Report Date: 12-JUL-18

Page 9 of 10

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
MES	Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Quality Control Report

Workorder: L2112645

Report Date: 12-JUL-18

Page 10 of 10

Hold Time Exceedances:

ALS Product Description	Sample ID	Sampling Date	Date Processed	Rec. HT	Actual HT	Units	Qualifier
Physical Tests							
pH	1	13-JUN-18 10:00	27-JUN-18 13:00	0.25	339	hours	EHTR-FM
	3	13-JUN-18 11:30	27-JUN-18 13:00	0.25	337	hours	EHTR-FM

Legend & Qualifier Definitions:

EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended.
EHTR: Exceeded ALS recommended hold time prior to sample receipt.
EHTL: Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.
EHT: Exceeded ALS recommended hold time prior to analysis.
Rec. HT: ALS recommended hold time (see units).

Notes*:

Where actual sampling date is not provided to ALS, the date (& time) of receipt is used for calculation purposes.
Where actual sampling time is not provided to ALS, the earlier of 12 noon on the sampling date or the time (& date) of receipt is used for calculation purposes. Samples for L2112645 were received on 14-JUN-18 09:00.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

Teck

COG ID:		Regional Effects Program		TURNAROUND TIME:		Regular						
PROJECT/CLIENT INFO				LABORATORY				OTHER INFO				
Facility Name / Job#		Regional Effects Program		Lab Name		ALS Calgary		Report Format / Distribution		Excel	PDF	EDD
Project Manager		Cait Good		Lab Contact		Lyuda Shvets		Email 1:		X	X	X
Email				Email		Lyudmyla.Shvets@ALSGlobal.com		Email 2:		X	X	X
Address		421 Pine Avenue		Address		2559 29 Street NE		Email 3:		X	X	X
City		Sparwood		City		Calgary		Email 4:				X
Postal Code		VOB 2G0		Postal Code		T1Y 7B5		Email 5:		X	X	X
Phone Number		250-425-8202		Phone Number		403-407-1800		PO number		VPO00563596		

SAMPLE DETAILS							ANALYSIS REQUESTED								
Sample ID	Sample Location (sys loc code)	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Com p	# Of Cont.	PH	PH	PH	PH	PH	PH	PH	PH
RG_ER_WS_20180613-1000	RG_ER	WS	No	13-Jun-18	10:00:00 AM	G	7	NONE	NONE	H2SO4	NONE	NONE	HNO3	NONE	
RG_ER_WS_20180613-1000_FB-HG	RG_ER	WS	No	13-Jun-18	10:00:00 AM	G	1	HG-T-U-CVAF-VA	ALS_Package-DOC	ALS_Package-TKN/TOC	HG-D-CVAF-VA	TECKCOAL-MET-D-VA	TECKCOAL-MET-T-VA	TECKCOAL-ROUTINE-VA	
RG_SC_WS_20180613-1130	RG_SC	WS	No	13-Jun-18	11:30:00 AM	G	7	1	1	1	1	1	1	1	
RG_SC_WS_20180613-1130_FB-HG	RG_SC	WS	No	13-Jun-18	11:30:00 AM	G	1	1							

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS		RELINQUISHED BY/AFFILIATION		DATE/TIME		ACCEPTED BY/AFFILIATION		DATE/TIME	
Kooconusa - VPO00563596						Brien,		6/14 9:00	

SERVICE REQUEST (rush - subject to availability)		SAMPLER'S NAME		MOBILE #	
Regular (default) <input checked="" type="checkbox"/>		Justin Wilson		519-803-3923	
Priority (2-3 business days) - 50% surcharge		SAMPLER'S SIGNATURE		DATE/TIME	
Emergency (1 Business Day) - 100% surcharge				June 13, 2018	
For Emergency <1 Day, ASAP or Weekend - Contact ALS					



L2112645-COFC

goc



Teck Coal Ltd.
ATTN: Cait Good
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 31-AUG-18
Report Date: 27-SEP-18 12:00 (MT)
Version: FINAL

Client Phone: 250-425-8202

Certificate of Analysis

Lab Work Order #: L2157222
Project P.O. #: VPO00563596
Job Reference: REGIONAL EFFECTS PROGRAM
C of C Numbers: REGIONAL Kooacanusa
Legal Site Desc:

Comments: Samples L2157222-1, -3, -5, -7, -9 expired for Nitrate and Nitrite and samples L2157222-3 and -5 expired for Acidity prior to analysis.

Lyudmyla Shvets, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157222-1	L2157222-2	L2157222-3	L2157222-4	L2157222-5
		Description	WS	WS	WS	WS	WS
		Sampled Date	29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18
		Sampled Time	13:00	13:00	13:30	13:30	14:00
		Client ID	RG_SCU1_WS_20 180829-1300	RG_SCU1_WS_20 180829-1300_FB- HG	RG_SCU2_WS_20 180829-1330	RG_SCU2_WS_20 180829-1330_FB- HG	RG_SCU3_WS_20 180829-1400
Grouping	Analyte						
WATER							
Physical Tests	Conductivity (uS/cm)		264		268		301
	Hardness (as CaCO3) (mg/L)		124		119		132
	pH (pH)		8.33		8.32		8.36
	ORP (mV)		422		412		333
	Total Suspended Solids (mg/L)		<1.0		1.5		2.9
	Total Dissolved Solids (mg/L)		146 ^{DLHC}		143 ^{DLHC}		168 ^{DLHC}
	Turbidity (NTU)		1.20		0.98		3.05
Anions and Nutrients	Acidity (as CaCO3) (mg/L)		<1.0		<1.0		<1.0
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)		111		110		117
	Alkalinity, Carbonate (as CaCO3) (mg/L)		<1.0		<1.0		<1.0
	Alkalinity, Hydroxide (as CaCO3) (mg/L)		<1.0		<1.0		<1.0
	Alkalinity, Total (as CaCO3) (mg/L)		111		110		117
	Ammonia as N (mg/L)		0.0107		0.0146		0.0173
	Bromide (Br) (mg/L)		<0.050		<0.050		<0.050
	Chloride (Cl) (mg/L)		2.54		2.65		4.25
	Fluoride (F) (mg/L)		0.093		0.092		0.094
	Ion Balance (%)		92.4		89.3		92.4
	Nitrate (as N) (mg/L)		0.0703		0.0590		0.0345
	Nitrite (as N) (mg/L)		0.0014		<0.0010		<0.0010
	Total Kjeldahl Nitrogen (mg/L)		0.082		0.057		0.062
	Orthophosphate-Dissolved (as P) (mg/L)		<0.0010		<0.0010		<0.0010
	Phosphorus (P)-Total (mg/L)		0.0023		<0.0020		0.0037
	Sulfate (SO4) (mg/L)		26.4		26.5		31.9
	Anion Sum (meq/L)		2.86		2.84		3.13
	Cation Sum (meq/L)		2.64		2.54		2.89
	Cation - Anion Balance (%)		-4.0		-5.7		-3.9
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)		1.33		1.48	
Total Organic Carbon (mg/L)			1.81		1.48		1.27
Total Metals	Aluminum (Al)-Total (mg/L)		0.0100		0.0100		0.0349
	Antimony (Sb)-Total (mg/L)		<0.00010		<0.00010		<0.00010
	Arsenic (As)-Total (mg/L)		0.00038		0.00037		0.00048
	Barium (Ba)-Total (mg/L)		0.0376		0.0373		0.0392
	Beryllium (Be)-Total (ug/L)		<0.020		<0.020		<0.020
	Bismuth (Bi)-Total (mg/L)		<0.000050		<0.000050		<0.000050
	Boron (B)-Total (mg/L)		<0.010		<0.010		<0.010
	Cadmium (Cd)-Total (ug/L)		<0.0050		<0.0050		<0.0050

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157222-6	L2157222-7	L2157222-8	L2157222-9	L2157222-10
		Description	WS	WS	WS	WS	WS
		Sampled Date	29-AUG-18	30-AUG-18	30-AUG-18	30-AUG-18	30-AUG-18
		Sampled Time	14:00	08:45	08:45	09:00	09:00
		Client ID	RG_SCU3_WS_20 180829-1400_FB- HG	RG_ERU1_WS_20 180830-0845	RG_ERU1_WS_20 180830-0845_FB- HG	RG_ERU2_WS_20 180830-0900	RG_ERU2_WS_20 180830-0900_FB- HG
Grouping	Analyte						
WATER							
Physical Tests	Conductivity (uS/cm)			259		255	
	Hardness (as CaCO3) (mg/L)			119		116	
	pH (pH)			8.36		8.31	
	ORP (mV)			428		382	
	Total Suspended Solids (mg/L)			2.2		1.3	
	Total Dissolved Solids (mg/L)			151	DLHC	152	DLHC
	Turbidity (NTU)			0.84		1.13	
Anions and Nutrients	Acidity (as CaCO3) (mg/L)			<1.0		<1.0	
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)			105		111	
	Alkalinity, Carbonate (as CaCO3) (mg/L)			3.6		<1.0	
	Alkalinity, Hydroxide (as CaCO3) (mg/L)			<1.0		<1.0	
	Alkalinity, Total (as CaCO3) (mg/L)			109		111	
	Ammonia as N (mg/L)			0.0201		0.0179	
	Bromide (Br) (mg/L)			<0.050		<0.050	
	Chloride (Cl) (mg/L)			2.13		2.13	
	Fluoride (F) (mg/L)			0.092		0.092	
	Ion Balance (%)			91.0		87.5	
	Nitrate (as N) (mg/L)			0.118		0.117	
	Nitrite (as N) (mg/L)			0.0018		0.0018	
	Total Kjeldahl Nitrogen (mg/L)			0.089		0.241	
	Orthophosphate-Dissolved (as P) (mg/L)			<0.0010		<0.0010	
	Phosphorus (P)-Total (mg/L)			<0.0020		<0.0020	
	Sulfate (SO4) (mg/L)			24.9		25.0	
	Anion Sum (meq/L)			2.77		2.81	
	Cation Sum (meq/L)			2.52		2.46	
	Cation - Anion Balance (%)			-4.7		-6.6	
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)			1.42		1.71
Total Organic Carbon (mg/L)				1.45		1.53	
Total Metals	Aluminum (Al)-Total (mg/L)			0.0103		0.0113	
	Antimony (Sb)-Total (mg/L)			<0.00010		<0.00010	
	Arsenic (As)-Total (mg/L)			0.00034		0.00036	
	Barium (Ba)-Total (mg/L)			0.0396		0.0400	
	Beryllium (Be)-Total (ug/L)			<0.020		<0.020	
	Bismuth (Bi)-Total (mg/L)			<0.000050		<0.000050	
	Boron (B)-Total (mg/L)			<0.010		<0.010	
	Cadmium (Cd)-Total (ug/L)			<0.0050		<0.0050	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L2157222-1 WS 29-AUG-18 13:00 RG_SCU1_WS_20 180829-1300	L2157222-2 WS 29-AUG-18 13:00 RG_SCU1_WS_20 180829-1300_FB- HG	L2157222-3 WS 29-AUG-18 13:30 RG_SCU2_WS_20 180829-1330	L2157222-4 WS 29-AUG-18 13:30 RG_SCU2_WS_20 180829-1330_FB- HG	L2157222-5 WS 29-AUG-18 14:00 RG_SCU3_WS_20 180829-1400
Grouping	Analyte					
WATER						
Total Metals	Calcium (Ca)-Total (mg/L)	33.1		33.5		37.0
	Chromium (Cr)-Total (mg/L)	<0.00010		0.00016		0.00012
	Cobalt (Co)-Total (ug/L)	<0.10		<0.10		<0.10
	Copper (Cu)-Total (mg/L)	<0.00050		0.00067		<0.00050
	Iron (Fe)-Total (mg/L)	0.011		0.044		0.057
	Lead (Pb)-Total (mg/L)	<0.000050		<0.000050		0.000096
	Lithium (Li)-Total (mg/L)	0.0018		0.0017		0.0016
	Magnesium (Mg)-Total (mg/L)	9.70		9.86		11.3
	Manganese (Mn)-Total (mg/L)	0.00125		0.00176		0.00475
	Mercury (Hg)-Total (ug/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Molybdenum (Mo)-Total (mg/L)	0.000667		0.000777		0.000764
	Nickel (Ni)-Total (mg/L)	<0.00050		0.00133		<0.00050
	Potassium (K)-Total (mg/L)	0.503		0.501		0.597
	Selenium (Se)-Total (ug/L)	0.837		0.712		0.180
	Silicon (Si)-Total (mg/L)	1.12		1.14		1.86
	Silver (Ag)-Total (mg/L)	<0.000010		<0.000010		<0.000010
	Sodium (Na)-Total (mg/L)	3.11		3.21		5.26
	Strontium (Sr)-Total (mg/L)	0.130		0.132		0.156
	Thallium (Tl)-Total (mg/L)	<0.000010		<0.000010		<0.000010
	Tin (Sn)-Total (mg/L)	<0.00010		<0.00010		0.00019
	Titanium (Ti)-Total (mg/L)	<0.010		<0.010		<0.010
	Uranium (U)-Total (mg/L)	0.000679		0.000693		0.000786
	Vanadium (V)-Total (mg/L)	<0.00050		<0.00050		<0.00050
	Zinc (Zn)-Total (mg/L)	<0.0030		<0.0030		<0.0030
Dissolved Metals	Dissolved Mercury Filtration Location	LAB		LAB		LAB
	Dissolved Metals Filtration Location	LAB		LAB		LAB
	Aluminum (Al)-Dissolved (mg/L)	0.0039		0.0040		0.0042
	Antimony (Sb)-Dissolved (mg/L)	<0.00010		<0.00010		<0.00010
	Arsenic (As)-Dissolved (mg/L)	0.00037		0.00038		0.00043
	Barium (Ba)-Dissolved (mg/L)	0.0373		0.0372		0.0385
	Beryllium (Be)-Dissolved (ug/L)	<0.020		<0.020		<0.020
	Bismuth (Bi)-Dissolved (mg/L)	<0.000050		<0.000050		<0.000050
	Boron (B)-Dissolved (mg/L)	<0.010		<0.010		<0.010
	Cadmium (Cd)-Dissolved (ug/L)	<0.0050		<0.0050		<0.0050
	Calcium (Ca)-Dissolved (mg/L)	32.9		31.2		34.7
	Chromium (Cr)-Dissolved (mg/L)	<0.00010		<0.00010		<0.00010
	Cobalt (Co)-Dissolved (ug/L)	<0.10		<0.10		<0.10

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157222-6	L2157222-7	L2157222-8	L2157222-9	L2157222-10
		Description	WS	WS	WS	WS	WS
		Sampled Date	29-AUG-18	30-AUG-18	30-AUG-18	30-AUG-18	30-AUG-18
		Sampled Time	14:00	08:45	08:45	09:00	09:00
		Client ID	RG_SCU3_WS_20 180829-1400_FB- HG	RG_ERU1_WS_20 180830-0845	RG_ERU1_WS_20 180830-0845_FB- HG	RG_ERU2_WS_20 180830-0900	RG_ERU2_WS_20 180830-0900_FB- HG
Grouping	Analyte						
WATER							
Total Metals	Calcium (Ca)-Total (mg/L)			33.2		33.5	
	Chromium (Cr)-Total (mg/L)			<0.00010		<0.00010	
	Cobalt (Co)-Total (ug/L)			<0.10		<0.10	
	Copper (Cu)-Total (mg/L)			<0.00050		<0.00050	
	Iron (Fe)-Total (mg/L)			<0.010		<0.010	
	Lead (Pb)-Total (mg/L)			<0.000050		<0.000050	
	Lithium (Li)-Total (mg/L)			0.0019		0.0019	
	Magnesium (Mg)-Total (mg/L)			9.42		9.65	
	Manganese (Mn)-Total (mg/L)			0.00125		0.00119	
	Mercury (Hg)-Total (ug/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Molybdenum (Mo)-Total (mg/L)			0.000671		0.000687	
	Nickel (Ni)-Total (mg/L)			<0.00050		<0.00050	
	Potassium (K)-Total (mg/L)			0.493		0.501	
	Selenium (Se)-Total (ug/L)			1.16		1.13	
	Silicon (Si)-Total (mg/L)			1.16		1.10	
	Silver (Ag)-Total (mg/L)			<0.000010		<0.000010	
	Sodium (Na)-Total (mg/L)			2.65		2.69	
	Strontium (Sr)-Total (mg/L)			0.123		0.123	
	Thallium (Tl)-Total (mg/L)			<0.000010		<0.000010	
	Tin (Sn)-Total (mg/L)			0.00023		<0.00010	
	Titanium (Ti)-Total (mg/L)			<0.010		<0.010	
	Uranium (U)-Total (mg/L)			0.000686		0.000675	
	Vanadium (V)-Total (mg/L)			<0.00050		<0.00050	
	Zinc (Zn)-Total (mg/L)			<0.0030		<0.0030	
Dissolved Metals	Dissolved Mercury Filtration Location			LAB		LAB	
	Dissolved Metals Filtration Location			LAB		LAB	
	Aluminum (Al)-Dissolved (mg/L)			0.0042		0.0040	
	Antimony (Sb)-Dissolved (mg/L)			<0.00010		<0.00010	
	Arsenic (As)-Dissolved (mg/L)			0.00036		0.00031	
	Barium (Ba)-Dissolved (mg/L)			0.0404		0.0404	
	Beryllium (Be)-Dissolved (ug/L)			<0.020		<0.020	
	Bismuth (Bi)-Dissolved (mg/L)			<0.000050		<0.000050	
	Boron (B)-Dissolved (mg/L)			<0.010		<0.010	
	Cadmium (Cd)-Dissolved (ug/L)			<0.0050		<0.0050	
	Calcium (Ca)-Dissolved (mg/L)			31.9		30.7	
	Chromium (Cr)-Dissolved (mg/L)			<0.00010		<0.00010	
	Cobalt (Co)-Dissolved (ug/L)			<0.10		<0.10	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID	Description	Sampled Date	Sampled Time	Client ID	L2157222-1	L2157222-2	L2157222-3	L2157222-4	L2157222-5
					WS	WS	WS	WS	WS
		29-AUG-18	13:00		29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18
					13:00	13:00	13:30	13:30	14:00
					RG_SCU1_WS_20	RG_SCU1_WS_20	RG_SCU2_WS_20	RG_SCU2_WS_20	RG_SCU3_WS_20
					180829-1300	180829-1300_FB-HG	180829-1330	180829-1330_FB-HG	180829-1400
Grouping	Analyte								
WATER									
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)	<0.00050			<0.00050		<0.00050		<0.00050
	Iron (Fe)-Dissolved (mg/L)	<0.010			<0.010		<0.010		<0.010
	Lead (Pb)-Dissolved (mg/L)	<0.000050			<0.000050		<0.000050		<0.000050
	Lithium (Li)-Dissolved (mg/L)	0.0017			0.0017		0.0017		0.0015
	Magnesium (Mg)-Dissolved (mg/L)	10.1			9.85		9.85		11.0
	Manganese (Mn)-Dissolved (mg/L)	<0.00010			<0.00010		<0.00010		0.00010
	Mercury (Hg)-Dissolved (mg/L)	<0.0000050			<0.0000050		<0.0000050		<0.0000050
	Molybdenum (Mo)-Dissolved (mg/L)	0.000684			0.000652		0.000652		0.000725
	Nickel (Ni)-Dissolved (mg/L)	<0.00050			<0.00050		<0.00050		<0.00050
	Potassium (K)-Dissolved (mg/L)	0.530			0.539		0.539		0.591
	Selenium (Se)-Dissolved (ug/L)	0.807			0.690		0.690		0.140
	Silicon (Si)-Dissolved (mg/L)	1.09			1.14		1.14		1.81
	Silver (Ag)-Dissolved (mg/L)	<0.000010			<0.000010		<0.000010		<0.000010
	Sodium (Na)-Dissolved (mg/L)	3.46			3.53		3.53		5.54
	Strontium (Sr)-Dissolved (mg/L)	0.129			0.127		0.127		0.151
	Thallium (Tl)-Dissolved (mg/L)	<0.000010			<0.000010		<0.000010		<0.000010
	Tin (Sn)-Dissolved (mg/L)	<0.00010			<0.00010		<0.00010		0.00018
	Titanium (Ti)-Dissolved (mg/L)	<0.010			<0.010		<0.010		<0.010
	Uranium (U)-Dissolved (mg/L)	0.000670			0.000687		0.000687		0.000788
	Vanadium (V)-Dissolved (mg/L)	<0.00050			<0.00050		<0.00050		<0.00050
	Zinc (Zn)-Dissolved (mg/L)	<0.0010			<0.0010		<0.0010		<0.0010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157222-6	L2157222-7	L2157222-8	L2157222-9	L2157222-10
		Description	WS	WS	WS	WS	WS
		Sampled Date	29-AUG-18	30-AUG-18	30-AUG-18	30-AUG-18	30-AUG-18
		Sampled Time	14:00	08:45	08:45	09:00	09:00
		Client ID	RG_SCU3_WS_20 180829-1400_FB- HG	RG_ERU1_WS_20 180830-0845	RG_ERU1_WS_20 180830-0845_FB- HG	RG_ERU2_WS_20 180830-0900	RG_ERU2_WS_20 180830-0900_FB- HG
Grouping	Analyte						
WATER							
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)			<0.00050		<0.00050	
	Iron (Fe)-Dissolved (mg/L)			<0.010		<0.010	
	Lead (Pb)-Dissolved (mg/L)			<0.000050		<0.000050	
	Lithium (Li)-Dissolved (mg/L)			0.0018		0.0018	
	Magnesium (Mg)-Dissolved (mg/L)			9.63		9.61	
	Manganese (Mn)-Dissolved (mg/L)			<0.00010		<0.00010	
	Mercury (Hg)-Dissolved (mg/L)			<0.0000050		<0.0000050	
	Molybdenum (Mo)-Dissolved (mg/L)			0.000655		0.000630	
	Nickel (Ni)-Dissolved (mg/L)			<0.00050		<0.00050	
	Potassium (K)-Dissolved (mg/L)			0.511		0.507	
	Selenium (Se)-Dissolved (ug/L)			1.17		1.16	
	Silicon (Si)-Dissolved (mg/L)			1.16		1.08	
	Silver (Ag)-Dissolved (mg/L)			<0.000010		<0.000010	
	Sodium (Na)-Dissolved (mg/L)			2.88		2.83	
	Strontium (Sr)-Dissolved (mg/L)			0.121		0.119	
	Thallium (Tl)-Dissolved (mg/L)			<0.000010		<0.000010	
	Tin (Sn)-Dissolved (mg/L)			0.00012		0.00014	
	Titanium (Ti)-Dissolved (mg/L)			<0.010		<0.010	
	Uranium (U)-Dissolved (mg/L)			0.000700		0.000669	
	Vanadium (V)-Dissolved (mg/L)			<0.00050		<0.00050	
	Zinc (Zn)-Dissolved (mg/L)			<0.0010		<0.0010	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

Qualifiers for Sample Submission Listed:

Qualifier	Description
SFPL	Sample was Filtered and Preserved at the laboratory - DOC and dissolved metals to be filtered and preserve in lab; filter code added

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Method Blank	Manganese (Mn)-Total	MB-LOR	L2157222-1, -3, -5, -7, -9
Matrix Spike	Barium (Ba)-Dissolved	MS-B	L2157222-1, -3, -5, -7, -9
Matrix Spike	Calcium (Ca)-Dissolved	MS-B	L2157222-1, -3, -5, -7, -9
Matrix Spike	Magnesium (Mg)-Dissolved	MS-B	L2157222-1, -3, -5, -7, -9
Matrix Spike	Sodium (Na)-Dissolved	MS-B	L2157222-1, -3, -5, -7, -9
Matrix Spike	Strontium (Sr)-Dissolved	MS-B	L2157222-1, -3, -5, -7, -9
Matrix Spike	Arsenic (As)-Total	MS-B	L2157222-1, -3, -5, -7, -9
Matrix Spike	Barium (Ba)-Total	MS-B	L2157222-1, -3, -5, -7, -9
Matrix Spike	Calcium (Ca)-Total	MS-B	L2157222-1, -3, -5, -7, -9
Matrix Spike	Iron (Fe)-Total	MS-B	L2157222-1, -3, -5, -7, -9
Matrix Spike	Magnesium (Mg)-Total	MS-B	L2157222-1, -3, -5, -7, -9
Matrix Spike	Manganese (Mn)-Total	MS-B	L2157222-1, -3, -5, -7, -9
Matrix Spike	Molybdenum (Mo)-Total	MS-B	L2157222-1, -3, -5, -7, -9
Matrix Spike	Sodium (Na)-Total	MS-B	L2157222-1, -3, -5, -7, -9
Matrix Spike	Strontium (Sr)-Total	MS-B	L2157222-1, -3, -5, -7, -9

Qualifiers for Individual Parameters Listed:

Qualifier	Description
DLHC	Detection Limit Raised: Dilution required due to high concentration of test analyte(s).
MB-LOR	Method Blank exceeds ALS DQO. Limits of Reporting have been adjusted for samples with positive hits below 5x blank level.
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
ACY-PCT-VA	Water	Acidity by Automatic Titration	APHA 2310 Acidity
<p>This analysis is carried out using procedures adapted from APHA Method 2310 "Acidity". Acidity is determined by potentiometric titration to a specified endpoint.</p> <p>Samples of industrial wastes, acid mine drainage, or other solutions that contain appreciable amounts of hydrolyzable metal ions such as aluminum, iron, and manganese may require hot peroxide treatment to ensure oxidation and hydrolysis of reduced forms of polyvalent cations. Acidity results may be highly variable if this procedure is not followed. Results in this report for 'Acidity (as CaCO₃)' have not been peroxide treated.</p>			
ALK-TITR-VA	Water	Alkalinity Species by Titration	APHA 2320 Alkalinity
<p>This analysis is carried out using procedures adapted from APHA Method 2320 "Alkalinity". Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.</p>			
BE-D-L-CCMS-VA	Water	Diss. Be (low) in Water by CRC ICPMS	APHA 3030B/6020A (mod)
<p>Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.</p>			
BE-T-L-CCMS-VA	Water	Total Be (Low) in Water by CRC ICPMS	EPA 200.2/6020A (mod)
<p>Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.</p>			
BR-L-IC-N-VA	Water	Bromide in Water by IC (Low Level)	EPA 300.1 (mod)
<p>Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.</p>			
C-DIS-ORG-LOW-CL	Water	Dissolved Organic Carbon	APHA 5310 B-Instrumental
<p>This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.</p>			

Reference Information

The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC.

TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.

C-TOT-ORG-LOW-CL Water Total Organic Carbon APHA 5310 TOTAL ORGANIC CARBON (TOC)

This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.

The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC.

TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.

CL-L-IC-N-VA Water Chloride in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

EC-PCT-VA Water Conductivity (Automated) APHA 2510 Auto. Conduc.

This analysis is carried out using procedures adapted from APHA Method 2510 "Conductivity". Conductivity is determined using a conductivity electrode.

F-IC-N-VA Water Fluoride in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

HARDNESS-CALC-VA Water Hardness APHA 2340B

Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO₃ equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.

HG-D-CVAA-VA Water Diss. Mercury in Water by CVAAS or CVAFS APHA 3030B/EPA 1631E (mod)

Water samples are filtered (0.45 um), preserved with hydrochloric acid, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS or CVAFS.

HG-T-U-CVAF-VA Water Total Mercury in Water by CVAFS (Ultra) EPA 1631 REV. E

This analysis is carried out using procedures adapted from Method 1631 Rev. E. by the United States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to a purge and trap concentration step and final reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry.

IONBALANCE-BC-CL Water Ion Balance Calculation APHA 1030E

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]

MET-D-CCMS-VA Water Dissolved Metals in Water by CRC ICPMS APHA 3030B/6020A (mod)

Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

MET-T-CCMS-VA Water Total Metals in Water by CRC ICPMS EPA 200.2/6020A (mod)

Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

NH3-L-F-CL Water Ammonia, Total (as N) J. ENVIRON. MONIT., 2005, 7, 37-42, RSC

This analysis is carried out, on sulfuric acid preserved samples, using procedures modified from J. Environ. Monit., 2005, 7, 37 - 42, The Royal Society of Chemistry, "Flow-injection analysis with fluorescence detection for the determination of trace levels of ammonium in seawater", Roslyn J. Waston et al.

NO2-L-IC-N-VA Water Nitrite in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

NO3-L-IC-N-VA Water Nitrate in Water by IC (Low Level) EPA 300.1 (mod)

Reference Information

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

ORP-CL	Water	Oxidation reduction potential by elect.	ASTM D1498
This analysis is carried out in accordance with the procedure described in the "ASTM" method D1498 "Oxidation-Reduction Potential of Water" published by the American Society for Testing and Materials (ASTM). Results are reported as observed oxidation-reduction potential of the platinum metal-reference electrode employed, in mV.			
It is recommended that this analysis be conducted in the field.			
P-T-L-COL-CL	Water	Phosphorus (P)-Total	APHA 4500-P PHOSPHORUS
This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorus is determined colourimetrically after persulphate digestion of the sample.			
PH-PCT-VA	Water	pH by Meter (Automated)	APHA 4500-H pH Value
This analysis is carried out using procedures adapted from APHA Method 4500-H "pH Value". The pH is determined in the laboratory using a pH electrode			
It is recommended that this analysis be conducted in the field.			
PO4-DO-L-COL-CL	Water	Orthophosphate-Dissolved (as P)	APHA 4500-P PHOSPHORUS
This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Dissolved Orthophosphate is determined colourimetrically on a sample that has been lab or field filtered through a 0.45 micron membrane filter.			
SO4-IC-N-VA	Water	Sulfate in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
SOLIDS-TDS-CL	Water	Total Dissolved Solids	APHA 2540 C
A well-mixed sample is filtered through a glass fibre filter paper. The filtrate is then evaporated to dryness in a pre-weighed vial and dried at 180 – 2 °C. The increase in vial weight represents the total dissolved solids (TDS).			
TECKCOAL-IONBAL-CL	Water	Ion Balance Calculation	APHA 1030E
Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.			
Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:			
Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]			
TKN-L-F-CL	Water	Total Kjeldahl Nitrogen	APHA 4500-NORG (TKN)
This analysis is carried out using procedures adapted from APHA Method 4500-Norg D. "Block Digestion and Flow Injection Analysis". Total Kjeldahl Nitrogen is determined using block digestion followed by Flow-injection analysis with fluorescence detection.			
TSS-L-CL	Water	Total Suspended Solids	APHA 2540 D-Gravimetric
This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, and by drying the filter at 104 deg. C.			
TSS-LOW-VA	Water	Total Suspended Solids by Grav. (1 mg/L)	APHA 2540D
This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, TSS is determined by drying the filter at 104 degrees celsius. Samples containing very high dissolved solid content (i.e. seawaters, brackish waters) may produce a positive bias by this method. Alternate analysis methods are available for these types of samples.			
TURBIDITY-CL	Water	Turbidity	APHA 2130 B-Nephelometer
This analysis is carried out using procedures adapted from APHA Method 2130 "Turbidity". Turbidity is determined by the nephelometric method.			

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
CL	ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA
VA	ALS ENVIRONMENTAL - VANCOUVER, BRITISH COLUMBIA, CANADA

Chain of Custody Numbers:

REGIONAL Kooconusa

Reference Information

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Quality Control Report

Workorder: L2157222

Report Date: 27-SEP-18

Page 1 of 11

Client: Teck Coal Ltd.
 421 Pine Avenue
 Sparwood BC V0B 2G0

Contact: Cait Good

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
ACY-PCT-VA								
	Water							
Batch	R4214521							
WG2872644-3 CRM		VA-ACY-CONTROL						
Acidity (as CaCO3)			101.8		%		85-115	12-SEP-18
WG2872644-1 MB								
Acidity (as CaCO3)			1.4		mg/L		2	12-SEP-18
ALK-TITR-VA								
	Water							
Batch	R4211237							
WG2872116-3 CRM		VA-ALK-TITR-CONTROL						
Alkalinity, Total (as CaCO3)			101.5		%		85-115	11-SEP-18
WG2872116-1 MB								
Alkalinity, Total (as CaCO3)			<1.0		mg/L		1	11-SEP-18
BE-D-L-CCMS-VA								
	Water							
Batch	R4200768							
WG2867389-2 LCS								
Beryllium (Be)-Dissolved			83.0		%		80-120	04-SEP-18
WG2867389-1 MB		LF						
Beryllium (Be)-Dissolved			<0.000020		mg/L		0.00002	04-SEP-18
BE-T-L-CCMS-VA								
	Water							
Batch	R4201797							
WG2867375-2 LCS								
Beryllium (Be)-Total			94.4		%		80-120	05-SEP-18
WG2867375-1 MB								
Beryllium (Be)-Total			<0.000020		mg/L		0.00002	05-SEP-18
BR-L-IC-N-VA								
	Water							
Batch	R4211850							
WG2872638-2 LCS								
Bromide (Br)			99.2		%		85-115	10-SEP-18
WG2872638-1 MB								
Bromide (Br)			<0.050		mg/L		0.05	10-SEP-18
C-DIS-ORG-LOW-CL								
	Water							
Batch	R4214062							
WG2874366-11 DUP		L2157222-9						
Dissolved Organic Carbon		1.71	1.72		mg/L	0.2	20	11-SEP-18
WG2874366-10 LCS								
Dissolved Organic Carbon			101.2		%		80-120	11-SEP-18
WG2874366-9 MB								
Dissolved Organic Carbon			<0.50		mg/L		0.5	11-SEP-18
WG2874366-12 MS		L2157222-9						



Quality Control Report

Workorder: L2157222

Report Date: 27-SEP-18

Page 2 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
C-DIS-ORG-LOW-CL Water								
Batch	R4214062							
WG2874366-12 MS		L2157222-9						
Dissolved Organic Carbon			92.5		%		70-130	11-SEP-18
C-TOT-ORG-LOW-CL Water								
Batch	R4214062							
WG2874366-11 DUP		L2157222-9						
Total Organic Carbon		1.53	1.72		mg/L	12	20	11-SEP-18
WG2874366-10 LCS								
Total Organic Carbon			100.4		%		80-120	11-SEP-18
WG2874366-9 MB								
Total Organic Carbon			<0.50		mg/L		0.5	11-SEP-18
WG2874366-12 MS		L2157222-9						
Total Organic Carbon			96.1		%		70-130	11-SEP-18
CL-L-IC-N-VA Water								
Batch	R4211850							
WG2872638-2 LCS								
Chloride (Cl)			99.8		%		90-110	10-SEP-18
WG2872638-1 MB								
Chloride (Cl)			<0.10		mg/L		0.1	10-SEP-18
EC-PCT-VA Water								
Batch	R4214521							
WG2872644-4 CRM		VA-EC-PCT-CONTROL						
Conductivity			101.2		%		90-110	12-SEP-18
WG2872644-1 MB								
Conductivity			<2.0		uS/cm		2	12-SEP-18
F-IC-N-VA Water								
Batch	R4211850							
WG2872638-2 LCS								
Fluoride (F)			99.96		%		90-110	10-SEP-18
WG2872638-1 MB								
Fluoride (F)			<0.020		mg/L		0.02	10-SEP-18
HG-D-CVAA-VA Water								
Batch	R4203031							
WG2867841-3 DUP		L2157222-3						
Mercury (Hg)-Dissolved		<0.0000050	<0.0000050	RPD-NA	mg/L	N/A	20	05-SEP-18
WG2867841-2 LCS								
Mercury (Hg)-Dissolved			99.7		%		80-120	05-SEP-18



Quality Control Report

Workorder: L2157222

Report Date: 27-SEP-18

Page 3 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
HG-D-CVAA-VA								
Water								
Batch	R4203031							
WG2867841-1	MB	LF						
Mercury (Hg)-Dissolved			<0.000005C		mg/L		0.000005	05-SEP-18
WG2867841-4	MS	L2157222-1						
Mercury (Hg)-Dissolved			84.0		%		70-130	05-SEP-18
HG-T-U-CVAF-VA								
Water								
Batch	R4204226							
WG2869430-6	DUP	L2157222-9						
Mercury (Hg)-Total		<0.00050	<0.00050	RPD-NA	ug/L	N/A	20	06-SEP-18
WG2869430-2	LCS							
Mercury (Hg)-Total			106.0		%		80-120	06-SEP-18
WG2869430-1	MB							
Mercury (Hg)-Total			<0.00050		ug/L		0.0005	06-SEP-18
WG2869430-5	MS	L2157222-5						
Mercury (Hg)-Total			92.0		%		70-130	06-SEP-18
MET-D-CCMS-VA								
Water								
Batch	R4200768							
WG2867389-2	LCS							
Aluminum (Al)-Dissolved			95.0		%		80-120	04-SEP-18
Antimony (Sb)-Dissolved			97.7		%		80-120	04-SEP-18
Arsenic (As)-Dissolved			100.4		%		80-120	04-SEP-18
Barium (Ba)-Dissolved			91.3		%		80-120	04-SEP-18
Bismuth (Bi)-Dissolved			92.4		%		80-120	04-SEP-18
Boron (B)-Dissolved			89.6		%		80-120	04-SEP-18
Cadmium (Cd)-Dissolved			93.1		%		80-120	04-SEP-18
Calcium (Ca)-Dissolved			89.9		%		80-120	04-SEP-18
Chromium (Cr)-Dissolved			93.1		%		80-120	04-SEP-18
Cobalt (Co)-Dissolved			93.8		%		80-120	04-SEP-18
Copper (Cu)-Dissolved			91.3		%		80-120	04-SEP-18
Iron (Fe)-Dissolved			97.3		%		80-120	04-SEP-18
Lead (Pb)-Dissolved			94.5		%		80-120	04-SEP-18
Lithium (Li)-Dissolved			83.6		%		80-120	04-SEP-18
Magnesium (Mg)-Dissolved			94.0		%		80-120	04-SEP-18
Manganese (Mn)-Dissolved			95.8		%		80-120	04-SEP-18
Molybdenum (Mo)-Dissolved			93.3		%		80-120	04-SEP-18
Nickel (Ni)-Dissolved			92.2		%		80-120	04-SEP-18
Potassium (K)-Dissolved			95.5		%		80-120	04-SEP-18



Quality Control Report

Workorder: L2157222

Report Date: 27-SEP-18

Page 4 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4200768							
WG2867389-2	LCS							
Selenium (Se)-Dissolved			97.4		%		80-120	04-SEP-18
Silicon (Si)-Dissolved			96.5		%		60-140	04-SEP-18
Silver (Ag)-Dissolved			94.4		%		80-120	04-SEP-18
Sodium (Na)-Dissolved			97.3		%		80-120	04-SEP-18
Strontium (Sr)-Dissolved			91.8		%		80-120	04-SEP-18
Thallium (Tl)-Dissolved			95.4		%		80-120	04-SEP-18
Tin (Sn)-Dissolved			97.1		%		80-120	04-SEP-18
Titanium (Ti)-Dissolved			93.3		%		80-120	04-SEP-18
Uranium (U)-Dissolved			96.9		%		80-120	04-SEP-18
Vanadium (V)-Dissolved			94.3		%		80-120	04-SEP-18
Zinc (Zn)-Dissolved			92.3		%		80-120	04-SEP-18
WG2867389-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	04-SEP-18
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	04-SEP-18
Boron (B)-Dissolved			<0.010		mg/L		0.01	04-SEP-18
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	04-SEP-18
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	04-SEP-18
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Copper (Cu)-Dissolved			<0.00020		mg/L		0.0002	04-SEP-18
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	04-SEP-18
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	04-SEP-18
Lithium (Li)-Dissolved			<0.0010		mg/L		0.001	04-SEP-18
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	04-SEP-18
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Molybdenum (Mo)-Dissolved			<0.000050		mg/L		0.00005	04-SEP-18
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	04-SEP-18
Potassium (K)-Dissolved			<0.050		mg/L		0.05	04-SEP-18
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	04-SEP-18
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	04-SEP-18
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	04-SEP-18



Quality Control Report

Workorder: L2157222

Report Date: 27-SEP-18

Page 5 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4200768							
WG2867389-1	MB	LF						
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	04-SEP-18
Strontium (Sr)-Dissolved			<0.00020		mg/L		0.0002	04-SEP-18
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	04-SEP-18
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	04-SEP-18
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	04-SEP-18
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	04-SEP-18
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	04-SEP-18
MET-T-CCMS-VA								
	Water							
Batch	R4201797							
WG2867375-2	LCS							
Aluminum (Al)-Total			92.5		%		80-120	05-SEP-18
Antimony (Sb)-Total			95.9		%		80-120	05-SEP-18
Arsenic (As)-Total			92.9		%		80-120	05-SEP-18
Barium (Ba)-Total			91.9		%		80-120	05-SEP-18
Bismuth (Bi)-Total			92.9		%		80-120	05-SEP-18
Boron (B)-Total			88.0		%		80-120	05-SEP-18
Cadmium (Cd)-Total			93.8		%		80-120	05-SEP-18
Calcium (Ca)-Total			92.7		%		80-120	05-SEP-18
Chromium (Cr)-Total			95.1		%		80-120	05-SEP-18
Cobalt (Co)-Total			93.3		%		80-120	05-SEP-18
Copper (Cu)-Total			93.5		%		80-120	05-SEP-18
Iron (Fe)-Total			94.8		%		80-120	05-SEP-18
Lead (Pb)-Total			96.5		%		80-120	05-SEP-18
Lithium (Li)-Total			91.3		%		80-120	05-SEP-18
Magnesium (Mg)-Total			92.6		%		80-120	05-SEP-18
Manganese (Mn)-Total			92.1		%		80-120	05-SEP-18
Molybdenum (Mo)-Total			94.7		%		80-120	05-SEP-18
Nickel (Ni)-Total			91.8		%		80-120	05-SEP-18
Potassium (K)-Total			91.6		%		80-120	05-SEP-18
Selenium (Se)-Total			93.3		%		80-120	05-SEP-18
Silicon (Si)-Total			92.9		%		80-120	05-SEP-18
Silver (Ag)-Total			92.5		%		80-120	05-SEP-18
Sodium (Na)-Total			93.0		%		80-120	05-SEP-18



Quality Control Report

Workorder: L2157222

Report Date: 27-SEP-18

Page 6 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4201797							
WG2867375-2 LCS								
Strontium (Sr)-Total			91.3		%		80-120	05-SEP-18
Thallium (Tl)-Total			93.6		%		80-120	05-SEP-18
Tin (Sn)-Total			96.2		%		80-120	05-SEP-18
Titanium (Ti)-Total			90.0		%		80-120	05-SEP-18
Uranium (U)-Total			102.3		%		80-120	05-SEP-18
Vanadium (V)-Total			94.8		%		80-120	05-SEP-18
Zinc (Zn)-Total			91.6		%		80-120	05-SEP-18
WG2867375-1 MB								
Aluminum (Al)-Total			<0.0030		mg/L		0.003	05-SEP-18
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Arsenic (As)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Barium (Ba)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	05-SEP-18
Boron (B)-Total			<0.010		mg/L		0.01	05-SEP-18
Cadmium (Cd)-Total			<0.0000050		mg/L		0.000005	05-SEP-18
Calcium (Ca)-Total			<0.050		mg/L		0.05	05-SEP-18
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Copper (Cu)-Total			<0.00050		mg/L		0.0005	05-SEP-18
Iron (Fe)-Total			<0.010		mg/L		0.01	05-SEP-18
Lead (Pb)-Total			<0.000050		mg/L		0.00005	05-SEP-18
Lithium (Li)-Total			<0.0010		mg/L		0.001	05-SEP-18
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	05-SEP-18
Manganese (Mn)-Total			0.00013	MB-LOR	mg/L		0.0001	05-SEP-18
Molybdenum (Mo)-Total			<0.000050		mg/L		0.00005	05-SEP-18
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	05-SEP-18
Potassium (K)-Total			<0.050		mg/L		0.05	05-SEP-18
Selenium (Se)-Total			<0.000050		mg/L		0.00005	05-SEP-18
Silicon (Si)-Total			<0.10		mg/L		0.1	05-SEP-18
Silver (Ag)-Total			<0.000010		mg/L		0.00001	05-SEP-18
Sodium (Na)-Total			<0.050		mg/L		0.05	05-SEP-18
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	05-SEP-18
Thallium (Tl)-Total			<0.000010		mg/L		0.00001	05-SEP-18
Tin (Sn)-Total			<0.00010		mg/L		0.0001	05-SEP-18



Quality Control Report

Workorder: L2157222

Report Date: 27-SEP-18

Page 7 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
Water								
Batch R4201797								
WG2867375-1 MB								
			Titanium (Ti)-Total		<0.00030		mg/L	0.0003 05-SEP-18
			Uranium (U)-Total		<0.000010		mg/L	0.00001 05-SEP-18
			Vanadium (V)-Total		<0.00050		mg/L	0.0005 05-SEP-18
			Zinc (Zn)-Total		<0.0030		mg/L	0.003 05-SEP-18
NH3-L-F-CL								
Water								
Batch R4214247								
WG2874603-2 LCS								
			Ammonia as N		101.2		%	85-115 12-SEP-18
WG2874603-6 LCS								
			Ammonia as N		102.1		%	85-115 12-SEP-18
WG2874603-1 MB								
			Ammonia as N		<0.0050		mg/L	0.005 12-SEP-18
WG2874603-5 MB								
			Ammonia as N		<0.0050		mg/L	0.005 12-SEP-18
NO2-L-IC-N-VA								
Water								
Batch R4211850								
WG2872638-2 LCS								
			Nitrite (as N)		99.6		%	90-110 10-SEP-18
WG2872638-1 MB								
			Nitrite (as N)		<0.0010		mg/L	0.001 10-SEP-18
NO3-L-IC-N-VA								
Water								
Batch R4211850								
WG2872638-2 LCS								
			Nitrate (as N)		100.3		%	90-110 10-SEP-18
WG2872638-1 MB								
			Nitrate (as N)		<0.0050		mg/L	0.005 10-SEP-18
ORP-CL								
Water								
Batch R4207627								
			WG2872339-7 CRM	CL-ORP				
			ORP		224		mV	210-230 10-SEP-18
P-T-L-COL-CL								
Water								
Batch R4218310								
WG2879315-2 LCS								
			Phosphorus (P)-Total		95.8		%	80-120 17-SEP-18
WG2879315-1 MB								



Quality Control Report

Workorder: L2157222

Report Date: 27-SEP-18

Page 9 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
TSS-L-CL								
Water								
Batch	R4202812							
WG2867552-7	MB							
Total Suspended Solids			<1.0		mg/L		1	04-SEP-18
Batch	R4203976							
WG2868851-8	LCS							
Total Suspended Solids			95.1		%		85-115	05-SEP-18
WG2868851-7	MB							
Total Suspended Solids			<1.0		mg/L		1	05-SEP-18
TSS-LOW-VA								
Water								
Batch	R4203669							
WG2867937-2	LCS							
Total Suspended Solids			105.6		%		85-115	05-SEP-18
WG2867937-1	MB							
Total Suspended Solids			<1.0		mg/L		1	05-SEP-18
TURBIDITY-CL								
Water								
Batch	R4200147							
WG2866363-3	DUP	L2157222-1						
Turbidity		1.20	1.14		NTU	5.1	15	01-SEP-18
WG2866363-2	LCS							
Turbidity			98.5		%		85-115	01-SEP-18
WG2866363-5	LCS							
Turbidity			99.0		%		85-115	01-SEP-18
WG2866363-1	MB							
Turbidity			<0.10		NTU		0.1	01-SEP-18
WG2866363-4	MB							
Turbidity			<0.10		NTU		0.1	01-SEP-18

Quality Control Report

Workorder: L2157222

Report Date: 27-SEP-18

Page 10 of 11

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
MB-LOR	Method Blank exceeds ALS DQO. Limits of Reporting have been adjusted for samples with positive hits below 5x blank level.
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Quality Control Report

Workorder: L2157222

Report Date: 27-SEP-18

Page 11 of 11

Hold Time Exceedances:

ALS Product Description	Sample ID	Sampling Date	Date Processed	Rec. HT	Actual HT	Units	Qualifier
Physical Tests							
Oxidation reduction potential by elect.							
	1	29-AUG-18 13:00	10-SEP-18 00:00	0.25	275	hours	EHTR-FM
	3	29-AUG-18 13:30	10-SEP-18 00:00	0.25	275	hours	EHTR-FM
	5	29-AUG-18 14:00	10-SEP-18 00:00	0.25	274	hours	EHTR-FM
	7	30-AUG-18 08:45	10-SEP-18 00:00	0.25	255	hours	EHTR-FM
	9	30-AUG-18 09:00	10-SEP-18 00:00	0.25	255	hours	EHTR-FM
pH by Meter (Automated)							
	1	29-AUG-18 13:00	12-SEP-18 14:06	0.25	337	hours	EHTR-FM
	3	29-AUG-18 13:30	13-SEP-18 09:31	0.25	356	hours	EHTR-FM
	5	29-AUG-18 14:00	13-SEP-18 09:31	0.25	355	hours	EHTR-FM
	7	30-AUG-18 08:45	13-SEP-18 09:31	0.25	337	hours	EHTR-FM
	9	30-AUG-18 09:00	12-SEP-18 14:06	0.25	317	hours	EHTR-FM
Anions and Nutrients							
Acidity by Automatic Titration							
	3	29-AUG-18 13:30	13-SEP-18 09:31	14	15	days	EHT
	5	29-AUG-18 14:00	13-SEP-18 09:31	14	15	days	EHT
Nitrate in Water by IC (Low Level)							
	1	29-AUG-18 13:00	10-SEP-18 11:34	3	12	days	EHT
	3	29-AUG-18 13:30	10-SEP-18 11:34	3	12	days	EHT
	5	29-AUG-18 14:00	10-SEP-18 11:34	3	12	days	EHT
	7	30-AUG-18 08:45	10-SEP-18 11:34	3	11	days	EHT
	9	30-AUG-18 09:00	10-SEP-18 11:34	3	11	days	EHT
Nitrite in Water by IC (Low Level)							
	1	29-AUG-18 13:00	10-SEP-18 11:34	3	12	days	EHT
	3	29-AUG-18 13:30	10-SEP-18 11:34	3	12	days	EHT
	5	29-AUG-18 14:00	10-SEP-18 11:34	3	12	days	EHT
	7	30-AUG-18 08:45	10-SEP-18 11:34	3	11	days	EHT
	9	30-AUG-18 09:00	10-SEP-18 11:34	3	11	days	EHT

Legend & Qualifier Definitions:

EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended.
 EHTR: Exceeded ALS recommended hold time prior to sample receipt.
 EHTL: Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.
 EHT: Exceeded ALS recommended hold time prior to analysis.
 Rec. HT: ALS recommended hold time (see units).

Notes*:

Where actual sampling date is not provided to ALS, the date (& time) of receipt is used for calculation purposes.
 Where actual sampling time is not provided to ALS, the earlier of 12 noon on the sampling date or the time (& date) of receipt is used for calculation purposes. Samples for L2157222 were received on 31-AUG-18 10:40.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

Teck

COC ID: REGIONAL Kooacanusa Reservoir TURNAI



L2157222-COFC

PROJECT/CLIENT INFO			
Facility Name / Job#	Regional Kooacanusa		
Project Manager	Cait Good		
Email			
Address	421 Pine Avenue		
City	Sparwood	Province	BC
Postal Code	V0B 2G0	Country	Canada
Phone Number	250-425-8202		

OTHER INFO			
distribution	Excel	PDF	EDD
	X	X	X
	X	X	X
Email 3:			
Email 4:	techcoal@equisonline.com		
Email 5:	wilson@minnow.ca		
PO number	VPO00563596		

Sample ID	Sample Location (sys loc code)	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Com p	# Of Cont.
1 RG_SCU1_WS_20180829-1300	RG_SCU1	WS		29-Aug-18	1:00:00 PM	G	7
2 RG_SCU1_WS_20180829-1300_FB-HG	RG_SCU1	WS		29-Aug-18	1:00:00 PM	G	1
3 RG_SCU2_WS_20180829-1330	RG_SCU2	WS		29-Aug-18	1:30:00 PM	G	7
4 RG_SCU2_WS_20180829-1330_FB-HG	RG_SCU2	WS		29-Aug-18	1:30:00 PM	G	1
5 RG_SCU3_WS_20180829-1400	RG_SCU3	WS		29-Aug-18	2:00:00 PM	G	7
6 RG_SCU3_WS_20180829-1400_FB-HG	RG_SCU3	WS		29-Aug-18	2:00:00 PM	G	1
7 RG_ERU1_WS_20180830-0845	RG_ERU1	WS		30-Aug-18	8:45:00 AM	G	7
8 RG_ERU1_WS_20180830-0845_FB-HG	RG_ERU1	WS		30-Aug-18	8:45:00 AM	G	1
9 RG_ERU2_WS_20180830-0900	RG_ERU2	WS		30-Aug-18	9:00:00 AM	G	7
10 RG_ERU2_WS_20180830-0900_FB-HG	RG_ERU2	WS		30-Aug-18	9:00:00 AM	G	1

ANALYSIS REQUESTED							
ANALYSIS	PRELIM	RESERVE	PHYS	CHEM	TOC	TOX	OTHER
HG-T-U-CVAF-VA	N	N	N	N	N	N	N
ALS_Package-DOC	NONE	NONE	H2504	NONE	NONE	HNO3	NONE
ALS_Package-TKN/TOC							
HG-D-CVAF-VA							
TECKCOAL-MET-D-VA							
TECKCOAL-MET-T-VA							
TECKCOAL-ROUTINE-VA							

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
Kooacanusa - VPO00563596			<i>[Signature]</i>	08/31 1040

SERVICE REQUEST (rush - subject to availability)	Sampler's Name	Mobile #
Regular (default) <input checked="" type="checkbox"/>	Justin Wilson	519-803-3923
Priority (2-3 business days) - 50% surcharge	Sampler's Signature	Date/Time
Emergency (1 Business Day) - 100% surcharge		August 30, 2018
For Emergency <1 Day, ASAP or Weekend - Contact ALS		



Teck Coal Ltd.
ATTN: Cait Good
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 31-AUG-18
Report Date: 05-JUN-19 14:46 (MT)
Version: FINAL REV. 2

Client Phone: 250-425-8202

Certificate of Analysis

Lab Work Order #: L2157225
Project P.O. #: VPO00563596
Job Reference: REGIONAL EFFECTS PROGRAM
C of C Numbers: REGIONAL Kooacanusa
Legal Site Desc:

Lyudmyla Shvets, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID	L2157225-1 WQ 29-AUG-18 18:30 RG_TRIP_WQ_201 80829-1830	L2157225-2 WQ 30-AUG-18 09:30 RG_FBLANK_WQ_ 20180830-0930		
Grouping	Analyte				
WATER					
Physical Tests	Conductivity (uS/cm)	<2.0	<2.0		
	Hardness (as CaCO3) (mg/L)	<0.50	<0.50		
	pH (pH)	6.09	5.85		
	ORP (mV)	437	496		
	Total Suspended Solids (mg/L)	<1.0	<1.0		
	Total Dissolved Solids (mg/L)	<10	<10		
	Turbidity (NTU)	<0.10	<0.10		
Anions and Nutrients	Acidity (as CaCO3) (mg/L)	1.9	2.0		
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)	<1.0	<1.0		
	Alkalinity, Carbonate (as CaCO3) (mg/L)	<1.0	<1.0		
	Alkalinity, Hydroxide (as CaCO3) (mg/L)	<1.0	<1.0		
	Alkalinity, Total (as CaCO3) (mg/L)	<1.0	<1.0		
	Ammonia as N (mg/L)	0.0231 ^{RRV}	<0.0050		
	Bromide (Br) (mg/L)	<0.050	<0.050		
	Chloride (Cl) (mg/L)	<0.10	<0.10		
	Fluoride (F) (mg/L)	<0.020	<0.020		
	Ion Balance (%)	0.0	0.0		
	Nitrate (as N) (mg/L)	<0.0050	<0.0050		
	Nitrite (as N) (mg/L)	<0.0010	<0.0010		
	Total Kjeldahl Nitrogen (mg/L)	<0.050	<0.050		
	Orthophosphate-Dissolved (as P) (mg/L)	0.0010	<0.0010		
	Phosphorus (P)-Total (mg/L)	<0.0020	<0.0020		
	Sulfate (SO4) (mg/L)	<0.30	<0.30		
	Anion Sum (meq/L)	<0.10	<0.10		
	Cation Sum (meq/L)	<0.10	<0.10		
	Cation - Anion Balance (%)	0.0	0.0		
Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)		<0.50		
	Total Organic Carbon (mg/L)	<0.50	<0.50		
Total Metals	Aluminum (Al)-Total (mg/L)	<0.0030	<0.0030		
	Antimony (Sb)-Total (mg/L)	<0.00010	<0.00010		
	Arsenic (As)-Total (mg/L)	<0.00010	<0.00010		
	Barium (Ba)-Total (mg/L)	0.00018	<0.00010		
	Beryllium (Be)-Total (ug/L)	<0.020	<0.020		
	Bismuth (Bi)-Total (mg/L)	<0.000050	<0.000050		
	Boron (B)-Total (mg/L)	<0.010	<0.010		
	Cadmium (Cd)-Total (ug/L)	<0.0050	<0.0050		

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID	L2157225-1 WQ 29-AUG-18 18:30 RG_TRIP_WQ_201 80829-1830	L2157225-2 WQ 30-AUG-18 09:30 RG_FBLANK_WQ_ 20180830-0930		
Grouping	Analyte				
WATER					
Total Metals	Calcium (Ca)-Total (mg/L)	<0.050	<0.050		
	Chromium (Cr)-Total (mg/L)	<0.00010	<0.00010		
	Cobalt (Co)-Total (ug/L)	<0.10	<0.10		
	Copper (Cu)-Total (mg/L)	<0.00050	<0.00050		
	Iron (Fe)-Total (mg/L)	<0.010	<0.010		
	Lead (Pb)-Total (mg/L)	<0.000050	<0.000050		
	Lithium (Li)-Total (mg/L)	<0.0010	<0.0010		
	Magnesium (Mg)-Total (mg/L)	<0.10	<0.10		
	Manganese (Mn)-Total (mg/L)	<0.00010	<0.00010		
	Mercury (Hg)-Total (ug/L)	<0.00050	<0.00050		
	Molybdenum (Mo)-Total (mg/L)	<0.000050	<0.000050		
	Nickel (Ni)-Total (mg/L)	<0.00050	<0.00050		
	Potassium (K)-Total (mg/L)	<0.050	<0.050		
	Selenium (Se)-Total (ug/L)	<0.050	<0.050		
	Silicon (Si)-Total (mg/L)	<0.10	<0.10		
	Silver (Ag)-Total (mg/L)	<0.000010	<0.000010		
	Sodium (Na)-Total (mg/L)	<0.050	<0.050		
	Strontium (Sr)-Total (mg/L)	<0.00020	<0.00020		
	Thallium (Tl)-Total (mg/L)	<0.000010	<0.000010		
	Tin (Sn)-Total (mg/L)	<0.00010	<0.00010		
	Titanium (Ti)-Total (mg/L)	<0.010	<0.010		
	Uranium (U)-Total (mg/L)	<0.000010	<0.000010		
	Vanadium (V)-Total (mg/L)	<0.00050	<0.00050		
	Zinc (Zn)-Total (mg/L)	<0.0030	<0.0030		
Dissolved Metals	Dissolved Mercury Filtration Location		LAB		
	Dissolved Metals Filtration Location	LAB	LAB		
	Aluminum (Al)-Dissolved (mg/L)		<0.0030		
	Antimony (Sb)-Dissolved (mg/L)		<0.00010		
	Arsenic (As)-Dissolved (mg/L)		<0.00010		
	Barium (Ba)-Dissolved (mg/L)		<0.00010		
	Beryllium (Be)-Dissolved (ug/L)		<0.020		
	Bismuth (Bi)-Dissolved (mg/L)		<0.000050		
	Boron (B)-Dissolved (mg/L)		<0.010		
	Cadmium (Cd)-Dissolved (ug/L)		<0.0050		
	Calcium (Ca)-Dissolved (mg/L)	<0.050	<0.050		
	Chromium (Cr)-Dissolved (mg/L)		<0.00010		
	Cobalt (Co)-Dissolved (ug/L)		<0.10		

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID	L2157225-1 WQ 29-AUG-18 18:30 RG_TRIP_WQ_201 80829-1830	L2157225-2 WQ 30-AUG-18 09:30 RG_FBLANK_WQ_ 20180830-0930		
Grouping	Analyte				
WATER					
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)		<0.00050		
	Iron (Fe)-Dissolved (mg/L)		<0.010		
	Lead (Pb)-Dissolved (mg/L)		<0.000050		
	Lithium (Li)-Dissolved (mg/L)		<0.0010		
	Magnesium (Mg)-Dissolved (mg/L)	<0.0050	<0.10		
	Manganese (Mn)-Dissolved (mg/L)		<0.00010		
	Mercury (Hg)-Dissolved (mg/L)		<0.0000050		
	Molybdenum (Mo)-Dissolved (mg/L)		<0.000050		
	Nickel (Ni)-Dissolved (mg/L)		<0.00050		
	Potassium (K)-Dissolved (mg/L)	<0.050	<0.050		
	Selenium (Se)-Dissolved (ug/L)		<0.050		
	Silicon (Si)-Dissolved (mg/L)		<0.050		
	Silver (Ag)-Dissolved (mg/L)		<0.000010		
	Sodium (Na)-Dissolved (mg/L)	<0.050	<0.050		
	Strontium (Sr)-Dissolved (mg/L)		<0.00020		
	Thallium (Tl)-Dissolved (mg/L)		<0.000010		
	Tin (Sn)-Dissolved (mg/L)		<0.00010		
	Titanium (Ti)-Dissolved (mg/L)		<0.010		
	Uranium (U)-Dissolved (mg/L)		<0.000010		
	Vanadium (V)-Dissolved (mg/L)		<0.00050		
	Zinc (Zn)-Dissolved (mg/L)		<0.0010		

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

Qualifiers for Sample Submission Listed:

Qualifier	Description
SFPL	Sample was Filtered and Preserved at the laboratory - DOC and dissolved metals to be filtered and preserved in lab; filter code added

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Matrix Spike	Sodium (Na)-Dissolved	MS-B	L2157225-1
Matrix Spike	Barium (Ba)-Dissolved	MS-B	L2157225-2
Matrix Spike	Boron (B)-Dissolved	MS-B	L2157225-2
Matrix Spike	Calcium (Ca)-Dissolved	MS-B	L2157225-2
Matrix Spike	Magnesium (Mg)-Dissolved	MS-B	L2157225-2
Matrix Spike	Manganese (Mn)-Dissolved	MS-B	L2157225-2
Matrix Spike	Molybdenum (Mo)-Dissolved	MS-B	L2157225-2
Matrix Spike	Potassium (K)-Dissolved	MS-B	L2157225-2
Matrix Spike	Sodium (Na)-Dissolved	MS-B	L2157225-2
Matrix Spike	Barium (Ba)-Total	MS-B	L2157225-1, -2
Matrix Spike	Calcium (Ca)-Total	MS-B	L2157225-1, -2
Matrix Spike	Magnesium (Mg)-Total	MS-B	L2157225-1, -2
Matrix Spike	Strontium (Sr)-Total	MS-B	L2157225-1, -2

Qualifiers for Individual Parameters Listed:

Qualifier	Description
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.
RRV	Reported Result Verified By Repeat Analysis

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
ACY-PCT-VA	Water	Acidity by Automatic Titration	APHA 2310 Acidity
<p>This analysis is carried out using procedures adapted from APHA Method 2310 "Acidity". Acidity is determined by potentiometric titration to a specified endpoint.</p> <p>Samples of industrial wastes, acid mine drainage, or other solutions that contain appreciable amounts of hydrolyzable metal ions such as aluminum, iron, and manganese may require hot peroxide treatment to ensure oxidation and hydrolysis of reduced forms of polyvalent cations. Acidity results may be highly variable if this procedure is not followed. Results in this report for 'Acidity (as CaCO3)' have not been peroxide treated.</p>			
ALK-TITR-VA	Water	Alkalinity Species by Titration	APHA 2320 Alkalinity
<p>This analysis is carried out using procedures adapted from APHA Method 2320 "Alkalinity". Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.</p>			
BE-D-L-CCMS-VA	Water	Diss. Be (low) in Water by CRC ICPMS	APHA 3030B/6020A (mod)
<p>Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.</p>			
BE-T-L-CCMS-VA	Water	Total Be (Low) in Water by CRC ICPMS	EPA 200.2/6020A (mod)
<p>Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.</p>			
BR-L-IC-N-VA	Water	Bromide in Water by IC (Low Level)	EPA 300.1 (mod)
<p>Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.</p>			
C-DIS-ORG-LOW-CL	Water	Dissolved Organic Carbon	APHA 5310 B-Instrumental
<p>This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.</p> <p>The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC. TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.</p>			
Total Organic Carbon			APHA 5310 TOTAL ORGANIC CARBON (TOC)

Reference Information

C-TOT-ORG-LOW-CL Water

This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.

The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC.

TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.

CL-L-IC-N-VA Water Chloride in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

EC-PCT-VA Water Conductivity (Automated) APHA 2510 Auto. Conduc.

This analysis is carried out using procedures adapted from APHA Method 2510 "Conductivity". Conductivity is determined using a conductivity electrode.

EC-SCREEN-VA Water Conductivity Screen (Internal Use Only) APHA 2510

Qualitative analysis of conductivity where required during preparation of other tests - e.g. TDS, metals, etc.

F-IC-N-VA Water Fluoride in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

HARDNESS-CALC-CL Water Hardness APHA 2340 B

Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO₃ equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.

HARDNESS-CALC-VA Water Hardness APHA 2340B

Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO₃ equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.

HG-D-CVAA-VA Water Diss. Mercury in Water by CVAAS or CVAFS APHA 3030B/EPA 1631E (mod)

Water samples are filtered (0.45 um), preserved with hydrochloric acid, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS or CVAFS.

HG-T-U-CVAF-VA Water Total Mercury in Water by CVAFS (Ultra) EPA 1631 REV. E

This analysis is carried out using procedures adapted from Method 1631 Rev. E. by the United States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to a purge and trap concentration step and final reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry.

IONBALANCE-BC-CL Water Ion Balance Calculation APHA 1030E

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]

MET-D-CCMS-CL Water Dissolved Metals in Water by CRC ICPMS APHA 3030B/6020A (mod)

Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

MET-D-CCMS-VA Water Dissolved Metals in Water by CRC ICPMS APHA 3030B/6020A (mod)

Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

MET-T-CCMS-VA Water Total Metals in Water by CRC ICPMS EPA 200.2/6020A (mod)

Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

NH3-L-F-CL Water Ammonia, Total (as N) J. ENVIRON. MONIT., 2005, 7, 37-42, RSC

Reference Information

This analysis is carried out, on sulfuric acid preserved samples, using procedures modified from J. Environ. Monit., 2005, 7, 37 - 42, The Royal Society of Chemistry, "Flow-injection analysis with fluorescence detection for the determination of trace levels of ammonium in seawater", Roslyn J. Waston et al.

NO2-L-IC-N-VA Water Nitrite in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

NO3-L-IC-N-VA Water Nitrate in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

ORP-CL Water Oxidation reduction potential by elect. ASTM D1498

This analysis is carried out in accordance with the procedure described in the "ASTM" method D1498 "Oxidation-Reduction Potential of Water" published by the American Society for Testing and Materials (ASTM). Results are reported as observed oxidation-reduction potential of the platinum metal-reference electrode employed, in mV.

It is recommended that this analysis be conducted in the field.

P-T-L-COL-CL Water Phosphorus (P)-Total APHA 4500-P PHOSPHORUS

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorus is determined colourimetrically after persulphate digestion of the sample.

PH-PCT-VA Water pH by Meter (Automated) APHA 4500-H pH Value

This analysis is carried out using procedures adapted from APHA Method 4500-H "pH Value". The pH is determined in the laboratory using a pH electrode

It is recommended that this analysis be conducted in the field.

PO4-DO-L-COL-CL Water Orthophosphate-Dissolved (as P) APHA 4500-P PHOSPHORUS

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Dissolved Orthophosphate is determined colourimetrically on a sample that has been lab or field filtered through a 0.45 micron membrane filter.

SO4-IC-N-VA Water Sulfate in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

SOLIDS-TDS-CL Water Total Dissolved Solids APHA 2540 C

A well-mixed sample is filtered through a glass fibre filter paper. The filtrate is then evaporated to dryness in a pre-weighed vial and dried at 180 – 2 °C. The increase in vial weight represents the total dissolved solids (TDS).

TECKCOAL-IONBAL-CL Water Ion Balance Calculation APHA 1030E

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

$$\text{Ion Balance (\%)} = \frac{[\text{Cation Sum} - \text{Anion Sum}]}{[\text{Cation Sum} + \text{Anion Sum}]}$$

TKN-L-F-CL Water Total Kjeldahl Nitrogen APHA 4500-NORG (TKN)

This analysis is carried out using procedures adapted from APHA Method 4500-Norg D. "Block Digestion and Flow Injection Analysis". Total Kjeldahl Nitrogen is determined using block digestion followed by Flow-injection analysis with fluorescence detection.

TSS-L-CL Water Total Suspended Solids APHA 2540 D-Gravimetric

This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, and by drying the filter at 104 deg. C.

TSS-LOW-VA Water Total Suspended Solids by Grav. (1 mg/L) APHA 2540D

This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, TSS is determined by drying the filter at 104 degrees celsius.

Samples containing very high dissolved solid content (i.e. seawaters, brackish waters) may produce a positive bias by this method. Alternate analysis methods are available for these types of samples.

TURBIDITY-CL Water Turbidity APHA 2130 B-Nephelometer

This analysis is carried out using procedures adapted from APHA Method 2130 "Turbidity". Turbidity is determined by the nephelometric method.

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Reference Information

Laboratory Definition Code	Laboratory Location
CL	ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA
VA	ALS ENVIRONMENTAL - VANCOUVER, BRITISH COLUMBIA, CANADA

Chain of Custody Numbers:

REGIONAL Kooocanusa

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Quality Control Report

Workorder: L2157225

Report Date: 05-JUN-19

Page 1 of 14

Client: Teck Coal Ltd.
 421 Pine Avenue
 Sparwood BC V0B 2G0
 Contact: Cait Good

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
ACY-PCT-VA								
Water								
Batch	R4214521							
WG2872644-3 CRM		VA-ACY-CONTROL						
Acidity (as CaCO3)			101.8		%		85-115	12-SEP-18
WG2872644-1 MB								
Acidity (as CaCO3)			1.4		mg/L		2	12-SEP-18
ALK-TITR-VA								
Water								
Batch	R4211237							
WG2872116-3 CRM		VA-ALK-TITR-CONTROL						
Alkalinity, Total (as CaCO3)			101.5		%		85-115	11-SEP-18
WG2872116-1 MB								
Alkalinity, Total (as CaCO3)			<1.0		mg/L		1	11-SEP-18
BE-D-L-CCMS-VA								
Water								
Batch	R4200610							
WG2867559-2 LCS								
Beryllium (Be)-Dissolved			93.6		%		80-120	04-SEP-18
WG2867559-1 MB		LF						
Beryllium (Be)-Dissolved			<0.000020		mg/L		0.00002	04-SEP-18
BE-T-L-CCMS-VA								
Water								
Batch	R4203396							
WG2867549-2 LCS								
Beryllium (Be)-Total			93.1		%		80-120	05-SEP-18
WG2867549-1 MB								
Beryllium (Be)-Total			<0.000020		mg/L		0.00002	05-SEP-18
BR-L-IC-N-VA								
Water								
Batch	R4214491							
WG2872646-2 LCS								
Bromide (Br)			106.4		%		85-115	11-SEP-18
WG2872646-1 MB								
Bromide (Br)			<0.050		mg/L		0.05	11-SEP-18
C-DIS-ORG-LOW-CL								
Water								
Batch	R4216218							
WG2876863-2 LCS								
Dissolved Organic Carbon			101.6		%		80-120	13-SEP-18
WG2876863-1 MB								
Dissolved Organic Carbon			<0.50		mg/L		0.5	13-SEP-18
C-TOT-ORG-LOW-CL								
Water								



Quality Control Report

Workorder: L2157225

Report Date: 05-JUN-19

Page 2 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
C-TOT-ORG-LOW-CL	Water							
Batch	R4216218							
WG2876863-2	LCS							
Total Organic Carbon			99.5		%		80-120	13-SEP-18
WG2876863-1	MB							
Total Organic Carbon			<0.50		mg/L		0.5	13-SEP-18
CL-L-IC-N-VA	Water							
Batch	R4214491							
WG2872646-2	LCS							
Chloride (Cl)			104.2		%		90-110	11-SEP-18
WG2872646-1	MB							
Chloride (Cl)			<0.10		mg/L		0.1	11-SEP-18
EC-PCT-VA	Water							
Batch	R4214521							
WG2872644-4	CRM	VA-EC-PCT-CONTROL						
Conductivity			101.2		%		90-110	12-SEP-18
WG2872644-1	MB							
Conductivity			<2.0		uS/cm		2	12-SEP-18
F-IC-N-VA	Water							
Batch	R4214491							
WG2872646-2	LCS							
Fluoride (F)			101.6		%		90-110	11-SEP-18
WG2872646-1	MB							
Fluoride (F)			<0.020		mg/L		0.02	11-SEP-18
HG-D-CVAA-VA	Water							
Batch	R4203031							
WG2867841-2	LCS							
Mercury (Hg)-Dissolved			99.7		%		80-120	05-SEP-18
WG2867841-1	MB	LF						
Mercury (Hg)-Dissolved			<0.0000050		mg/L		0.000005	05-SEP-18
HG-T-U-CVAF-VA	Water							
Batch	R4204226							
WG2869430-2	LCS							
Mercury (Hg)-Total			106.0		%		80-120	06-SEP-18
WG2869430-1	MB							
Mercury (Hg)-Total			<0.00050		ug/L		0.0005	06-SEP-18
MET-D-CCMS-CL	Water							



Quality Control Report

Workorder: L2157225

Report Date: 05-JUN-19

Page 3 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-CL								
	Water							
Batch	R4204096							
WG2869757-10	LCS	TMRM						
Calcium (Ca)-Dissolved			104.2		%		80-120	06-SEP-18
Magnesium (Mg)-Dissolved			112.8		%		80-120	06-SEP-18
Potassium (K)-Dissolved			108.7		%		80-120	06-SEP-18
Sodium (Na)-Dissolved			102.4		%		80-120	06-SEP-18
WG2869757-2	LCS	TMRM						
Calcium (Ca)-Dissolved			97.0		%		80-120	06-SEP-18
Magnesium (Mg)-Dissolved			107.6		%		80-120	06-SEP-18
Potassium (K)-Dissolved			98.5		%		80-120	06-SEP-18
Sodium (Na)-Dissolved			99.0		%		80-120	06-SEP-18
WG2869757-6	LCS	TMRM						
Calcium (Ca)-Dissolved			95.8		%		80-120	06-SEP-18
Magnesium (Mg)-Dissolved			102.9		%		80-120	06-SEP-18
Potassium (K)-Dissolved			96.0		%		80-120	06-SEP-18
Sodium (Na)-Dissolved			96.2		%		80-120	06-SEP-18
WG2869757-1	MB							
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	06-SEP-18
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	06-SEP-18
Potassium (K)-Dissolved			<0.050		mg/L		0.05	06-SEP-18
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	06-SEP-18
WG2869757-5	MB							
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	06-SEP-18
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	06-SEP-18
Potassium (K)-Dissolved			<0.050		mg/L		0.05	06-SEP-18
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	06-SEP-18
WG2869757-9	MB							
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	06-SEP-18
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	06-SEP-18
Potassium (K)-Dissolved			<0.050		mg/L		0.05	06-SEP-18
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	06-SEP-18
WG2869757-8	MS	L2157225-1						
Calcium (Ca)-Dissolved			99.5		%		70-130	06-SEP-18
Magnesium (Mg)-Dissolved			101.4		%		70-130	06-SEP-18
Potassium (K)-Dissolved			99.0		%		70-130	06-SEP-18
Sodium (Na)-Dissolved			102.1		%		70-130	06-SEP-18

MET-D-CCMS-VA **Water**



Quality Control Report

Workorder: L2157225

Report Date: 05-JUN-19

Page 4 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4200610							
WG2867559-2	LCS							
Aluminum (Al)-Dissolved			95.6		%		80-120	04-SEP-18
Antimony (Sb)-Dissolved			97.3		%		80-120	04-SEP-18
Arsenic (As)-Dissolved			101.5		%		80-120	04-SEP-18
Barium (Ba)-Dissolved			92.0		%		80-120	04-SEP-18
Bismuth (Bi)-Dissolved			85.1		%		80-120	04-SEP-18
Boron (B)-Dissolved			93.4		%		80-120	04-SEP-18
Cadmium (Cd)-Dissolved			97.0		%		80-120	04-SEP-18
Calcium (Ca)-Dissolved			91.7		%		80-120	04-SEP-18
Chromium (Cr)-Dissolved			94.9		%		80-120	04-SEP-18
Cobalt (Co)-Dissolved			95.4		%		80-120	04-SEP-18
Copper (Cu)-Dissolved			94.9		%		80-120	04-SEP-18
Iron (Fe)-Dissolved			92.4		%		80-120	04-SEP-18
Lead (Pb)-Dissolved			91.2		%		80-120	04-SEP-18
Lithium (Li)-Dissolved			94.7		%		80-120	04-SEP-18
Magnesium (Mg)-Dissolved			95.0		%		80-120	04-SEP-18
Manganese (Mn)-Dissolved			96.6		%		80-120	04-SEP-18
Molybdenum (Mo)-Dissolved			98.4		%		80-120	04-SEP-18
Nickel (Ni)-Dissolved			95.8		%		80-120	04-SEP-18
Potassium (K)-Dissolved			98.8		%		80-120	04-SEP-18
Selenium (Se)-Dissolved			103.1		%		80-120	04-SEP-18
Silicon (Si)-Dissolved			99.8		%		60-140	04-SEP-18
Silver (Ag)-Dissolved			90.3		%		80-120	04-SEP-18
Sodium (Na)-Dissolved			93.8		%		80-120	04-SEP-18
Thallium (Tl)-Dissolved			89.3		%		80-120	04-SEP-18
Tin (Sn)-Dissolved			98.0		%		80-120	04-SEP-18
Titanium (Ti)-Dissolved			94.7		%		80-120	04-SEP-18
Uranium (U)-Dissolved			90.4		%		80-120	04-SEP-18
Vanadium (V)-Dissolved			97.8		%		80-120	04-SEP-18
Zinc (Zn)-Dissolved			95.0		%		80-120	04-SEP-18
WG2867559-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	04-SEP-18
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18



Quality Control Report

Workorder: L2157225

Report Date: 05-JUN-19

Page 5 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4200610							
WG2867559-1	MB	LF						
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	04-SEP-18
Boron (B)-Dissolved			<0.010		mg/L		0.01	04-SEP-18
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	04-SEP-18
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	04-SEP-18
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Copper (Cu)-Dissolved			<0.00020		mg/L		0.0002	04-SEP-18
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	04-SEP-18
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	04-SEP-18
Lithium (Li)-Dissolved			<0.0010		mg/L		0.001	04-SEP-18
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	04-SEP-18
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Molybdenum (Mo)-Dissolved			<0.000050		mg/L		0.00005	04-SEP-18
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	04-SEP-18
Potassium (K)-Dissolved			<0.050		mg/L		0.05	04-SEP-18
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	04-SEP-18
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	04-SEP-18
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	04-SEP-18
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	04-SEP-18
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	04-SEP-18
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	04-SEP-18
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	04-SEP-18
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	04-SEP-18
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	04-SEP-18
Batch	R4203376							
WG2868184-3	DUP	L2157225-2						
Aluminum (Al)-Dissolved		<0.0030	<0.0030	RPD-NA	mg/L	N/A	20	05-SEP-18
Antimony (Sb)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	05-SEP-18
Arsenic (As)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	05-SEP-18
Barium (Ba)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	05-SEP-18
Bismuth (Bi)-Dissolved		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	05-SEP-18
Boron (B)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	05-SEP-18
Cadmium (Cd)-Dissolved		<0.0000050	<0.0000050	RPD-NA	mg/L	N/A	20	05-SEP-18



Quality Control Report

Workorder: L2157225

Report Date: 05-JUN-19

Page 6 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4203376							
WG2868184-3	DUP	L2157225-2						
Calcium (Ca)-Dissolved		<0.050	<0.050	RPD-NA	mg/L	N/A	20	05-SEP-18
Chromium (Cr)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	05-SEP-18
Cobalt (Co)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	05-SEP-18
Copper (Cu)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	05-SEP-18
Iron (Fe)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	05-SEP-18
Lead (Pb)-Dissolved		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	05-SEP-18
Lithium (Li)-Dissolved		<0.0010	<0.0010	RPD-NA	mg/L	N/A	20	05-SEP-18
Magnesium (Mg)-Dissolved		<0.10	<0.10	RPD-NA	mg/L	N/A	20	05-SEP-18
Manganese (Mn)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	05-SEP-18
Molybdenum (Mo)-Dissolved		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	05-SEP-18
Nickel (Ni)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	05-SEP-18
Potassium (K)-Dissolved		<0.050	<0.050	RPD-NA	mg/L	N/A	20	05-SEP-18
Selenium (Se)-Dissolved		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	05-SEP-18
Silicon (Si)-Dissolved		<0.050	<0.050	RPD-NA	mg/L	N/A	20	05-SEP-18
Silver (Ag)-Dissolved		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	05-SEP-18
Sodium (Na)-Dissolved		<0.050	<0.050	RPD-NA	mg/L	N/A	20	05-SEP-18
Strontium (Sr)-Dissolved		<0.00020	<0.00020	RPD-NA	mg/L	N/A	20	05-SEP-18
Thallium (Tl)-Dissolved		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	05-SEP-18
Tin (Sn)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	05-SEP-18
Titanium (Ti)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	05-SEP-18
Uranium (U)-Dissolved		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	05-SEP-18
Vanadium (V)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	05-SEP-18
Zinc (Zn)-Dissolved		<0.0010	<0.0010	RPD-NA	mg/L	N/A	20	05-SEP-18
WG2868184-2	LCS							
Aluminum (Al)-Dissolved			98.9		%		80-120	05-SEP-18
Antimony (Sb)-Dissolved			97.4		%		80-120	05-SEP-18
Arsenic (As)-Dissolved			101.1		%		80-120	05-SEP-18
Barium (Ba)-Dissolved			99.7		%		80-120	05-SEP-18
Bismuth (Bi)-Dissolved			93.8		%		80-120	05-SEP-18
Boron (B)-Dissolved			97.0		%		80-120	05-SEP-18
Cadmium (Cd)-Dissolved			96.6		%		80-120	05-SEP-18
Calcium (Ca)-Dissolved			93.2		%		80-120	05-SEP-18
Chromium (Cr)-Dissolved			96.6		%		80-120	05-SEP-18
Cobalt (Co)-Dissolved			93.2		%		80-120	05-SEP-18



Quality Control Report

Workorder: L2157225

Report Date: 05-JUN-19

Page 7 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4203376							
WG2868184-2	LCS							
Copper (Cu)-Dissolved			93.6		%		80-120	05-SEP-18
Iron (Fe)-Dissolved			91.4		%		80-120	05-SEP-18
Lead (Pb)-Dissolved			95.0		%		80-120	05-SEP-18
Lithium (Li)-Dissolved			92.0		%		80-120	05-SEP-18
Magnesium (Mg)-Dissolved			93.2		%		80-120	05-SEP-18
Manganese (Mn)-Dissolved			95.0		%		80-120	05-SEP-18
Molybdenum (Mo)-Dissolved			97.4		%		80-120	05-SEP-18
Nickel (Ni)-Dissolved			92.7		%		80-120	05-SEP-18
Potassium (K)-Dissolved			93.2		%		80-120	05-SEP-18
Selenium (Se)-Dissolved			94.7		%		80-120	05-SEP-18
Silicon (Si)-Dissolved			93.7		%		60-140	05-SEP-18
Silver (Ag)-Dissolved			91.0		%		80-120	05-SEP-18
Sodium (Na)-Dissolved			94.0		%		80-120	05-SEP-18
Strontium (Sr)-Dissolved			96.0		%		80-120	05-SEP-18
Thallium (Tl)-Dissolved			89.8		%		80-120	05-SEP-18
Tin (Sn)-Dissolved			97.2		%		80-120	05-SEP-18
Titanium (Ti)-Dissolved			95.4		%		80-120	05-SEP-18
Uranium (U)-Dissolved			98.7		%		80-120	05-SEP-18
Vanadium (V)-Dissolved			96.7		%		80-120	05-SEP-18
Zinc (Zn)-Dissolved			90.4		%		80-120	05-SEP-18
WG2868184-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	05-SEP-18
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	05-SEP-18
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	05-SEP-18
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	05-SEP-18
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	05-SEP-18
Boron (B)-Dissolved			<0.010		mg/L		0.01	05-SEP-18
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	05-SEP-18
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	05-SEP-18
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	05-SEP-18
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	05-SEP-18
Copper (Cu)-Dissolved			<0.00020		mg/L		0.0002	05-SEP-18
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	05-SEP-18
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	05-SEP-18



Quality Control Report

Workorder: L2157225

Report Date: 05-JUN-19

Page 8 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4203376							
WG2868184-1	MB	LF						
Lithium (Li)-Dissolved			<0.0010		mg/L		0.001	05-SEP-18
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	05-SEP-18
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	05-SEP-18
Molybdenum (Mo)-Dissolved			<0.000050		mg/L		0.00005	05-SEP-18
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	05-SEP-18
Potassium (K)-Dissolved			<0.050		mg/L		0.05	05-SEP-18
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	05-SEP-18
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	05-SEP-18
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	05-SEP-18
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	05-SEP-18
Strontium (Sr)-Dissolved			<0.00020		mg/L		0.0002	05-SEP-18
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	05-SEP-18
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	05-SEP-18
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	05-SEP-18
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	05-SEP-18
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	05-SEP-18
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	05-SEP-18
MET-T-CCMS-VA								
	Water							
Batch	R4203396							
WG2867549-2	LCS							
Aluminum (Al)-Total			94.5		%		80-120	05-SEP-18
Antimony (Sb)-Total			93.9		%		80-120	05-SEP-18
Arsenic (As)-Total			96.8		%		80-120	05-SEP-18
Barium (Ba)-Total			91.6		%		80-120	05-SEP-18
Bismuth (Bi)-Total			88.1		%		80-120	05-SEP-18
Boron (B)-Total			90.4		%		80-120	05-SEP-18
Cadmium (Cd)-Total			93.2		%		80-120	05-SEP-18
Calcium (Ca)-Total			90.0		%		80-120	05-SEP-18
Chromium (Cr)-Total			94.0		%		80-120	05-SEP-18
Cobalt (Co)-Total			92.0		%		80-120	05-SEP-18
Copper (Cu)-Total			89.2		%		80-120	05-SEP-18
Iron (Fe)-Total			94.0		%		80-120	05-SEP-18
Lead (Pb)-Total			89.8		%		80-120	05-SEP-18
Lithium (Li)-Total			91.8		%		80-120	05-SEP-18



Quality Control Report

Workorder: L2157225

Report Date: 05-JUN-19

Page 9 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4203396							
WG2867549-2 LCS								
Magnesium (Mg)-Total			93.5		%		80-120	05-SEP-18
Manganese (Mn)-Total			93.7		%		80-120	05-SEP-18
Molybdenum (Mo)-Total			93.4		%		80-120	05-SEP-18
Nickel (Ni)-Total			90.1		%		80-120	05-SEP-18
Potassium (K)-Total			91.9		%		80-120	05-SEP-18
Selenium (Se)-Total			94.6		%		80-120	05-SEP-18
Silicon (Si)-Total			101.7		%		80-120	05-SEP-18
Silver (Ag)-Total			89.4		%		80-120	05-SEP-18
Sodium (Na)-Total			93.5		%		80-120	05-SEP-18
Strontium (Sr)-Total			96.1		%		80-120	05-SEP-18
Thallium (Tl)-Total			89.9		%		80-120	05-SEP-18
Tin (Sn)-Total			97.4		%		80-120	05-SEP-18
Titanium (Ti)-Total			94.5		%		80-120	05-SEP-18
Uranium (U)-Total			94.7		%		80-120	05-SEP-18
Vanadium (V)-Total			91.4		%		80-120	05-SEP-18
Zinc (Zn)-Total			86.2		%		80-120	05-SEP-18
WG2867549-1 MB								
Aluminum (Al)-Total			<0.0030		mg/L		0.003	05-SEP-18
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Barium (Ba)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	05-SEP-18
Boron (B)-Total			<0.010		mg/L		0.01	05-SEP-18
Cadmium (Cd)-Total			<0.0000050		mg/L		0.000005	05-SEP-18
Calcium (Ca)-Total			<0.050		mg/L		0.05	05-SEP-18
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Copper (Cu)-Total			<0.00050		mg/L		0.0005	05-SEP-18
Iron (Fe)-Total			<0.010		mg/L		0.01	05-SEP-18
Lead (Pb)-Total			<0.000050		mg/L		0.00005	05-SEP-18
Lithium (Li)-Total			<0.0010		mg/L		0.001	05-SEP-18
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	05-SEP-18
Manganese (Mn)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Molybdenum (Mo)-Total			<0.000050		mg/L		0.00005	05-SEP-18
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	05-SEP-18



Quality Control Report

Workorder: L2157225

Report Date: 05-JUN-19

Page 10 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch R4203396								
WG2867549-1 MB								
Potassium (K)-Total			<0.050		mg/L		0.05	05-SEP-18
Selenium (Se)-Total			<0.000050		mg/L		0.00005	05-SEP-18
Silicon (Si)-Total			<0.10		mg/L		0.1	05-SEP-18
Silver (Ag)-Total			<0.000010		mg/L		0.00001	05-SEP-18
Sodium (Na)-Total			<0.050		mg/L		0.05	05-SEP-18
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	05-SEP-18
Thallium (Tl)-Total			<0.000010		mg/L		0.00001	05-SEP-18
Tin (Sn)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Titanium (Ti)-Total			<0.00030		mg/L		0.0003	05-SEP-18
Uranium (U)-Total			<0.000010		mg/L		0.00001	05-SEP-18
Vanadium (V)-Total			<0.00050		mg/L		0.0005	05-SEP-18
Zinc (Zn)-Total			<0.0030		mg/L		0.003	05-SEP-18
Batch R4203418								
WG2867549-1 MB								
Arsenic (As)-Total			<0.00010		mg/L		0.0001	05-SEP-18
NH3-L-F-CL		Water						
Batch R4215488								
WG2875984-2 LCS								
Ammonia as N			101.5		%		85-115	13-SEP-18
WG2875984-1 MB								
Ammonia as N			<0.0050		mg/L		0.005	13-SEP-18
NO2-L-IC-N-VA		Water						
Batch R4214491								
WG2872646-2 LCS								
Nitrite (as N)			100.9		%		90-110	11-SEP-18
WG2872646-1 MB								
Nitrite (as N)			<0.0010		mg/L		0.001	11-SEP-18
NO3-L-IC-N-VA		Water						
Batch R4214491								
WG2872646-2 LCS								
Nitrate (as N)			104.4		%		90-110	11-SEP-18
WG2872646-1 MB								
Nitrate (as N)			<0.0050		mg/L		0.005	11-SEP-18
ORP-CL		Water						



Quality Control Report

Workorder: L2157225

Report Date: 05-JUN-19

Page 12 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
TKN-L-F-CL	Water							
Batch	R4207713							
WG2870103-9 MB								
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	09-SEP-18
TSS-L-CL	Water							
Batch	R4202812							
WG2867552-11 LCS								
Total Suspended Solids			95.8		%		85-115	04-SEP-18
WG2867552-10 MB								
Total Suspended Solids			<1.0		mg/L		1	04-SEP-18
TSS-LOW-VA	Water							
Batch	R4204527							
WG2869011-2 LCS								
Total Suspended Solids			98.5		%		85-115	06-SEP-18
WG2869011-1 MB								
Total Suspended Solids			<1.0		mg/L		1	06-SEP-18
TURBIDITY-CL	Water							
Batch	R4200147							
WG2866363-12 DUP		L2157225-2						
Turbidity		<0.10	<0.10	RPD-NA	NTU	N/A	15	01-SEP-18
WG2866363-11 LCS								
Turbidity			98.0		%		85-115	01-SEP-18
WG2866363-10 MB								
Turbidity			<0.10		NTU		0.1	01-SEP-18

Quality Control Report

Workorder: L2157225

Report Date: 05-JUN-19

Page 13 of 14

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Quality Control Report

Workorder: L2157225

Report Date: 05-JUN-19

Page 14 of 14

Hold Time Exceedances:

ALS Product Description	Sample ID	Sampling Date	Date Processed	Rec. HT	Actual HT	Units	Qualifier
Physical Tests							
Oxidation reduction potential by elect.	1	29-AUG-18 18:30	10-SEP-18 00:00	0.25	270	hours	EHTR-FM
	2	30-AUG-18 09:30	10-SEP-18 00:00	0.25	254	hours	EHTR-FM
pH by Meter (Automated)	1	29-AUG-18 18:30	12-SEP-18 14:06	0.25	332	hours	EHTR-FM
	2	30-AUG-18 09:30	12-SEP-18 14:06	0.25	317	hours	EHTR-FM
Anions and Nutrients							
Nitrate in Water by IC (Low Level)	1	29-AUG-18 18:30	11-SEP-18 07:05	3	13	days	EHT
	2	30-AUG-18 09:30	11-SEP-18 07:05	3	12	days	EHT
Nitrite in Water by IC (Low Level)	1	29-AUG-18 18:30	11-SEP-18 07:05	3	13	days	EHT
	2	30-AUG-18 09:30	11-SEP-18 07:05	3	12	days	EHT

Legend & Qualifier Definitions:

- EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended.
- EHTR: Exceeded ALS recommended hold time prior to sample receipt.
- EHTL: Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.
- EHT: Exceeded ALS recommended hold time prior to analysis.
- Rec. HT: ALS recommended hold time (see units).

Notes*:
 Where actual sampling date is not provided to ALS, the date (& time) of receipt is used for calculation purposes.
 Where actual sampling time is not provided to ALS, the earlier of 12 noon on the sampling date or the time (& date) of receipt is used for calculation purposes. Samples for L2157225 were received on 31-AUG-18 10:40.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

Teck

COC ID: REGIONAL Kooacanusa Reservoir TU



L2157225-COFC

PROJECT/CLIENT INFO			
Facility Name / Job#	Regional Kooacanusa		
Project Manager	Cait Good		
Email	caite.good@teck.com		
Address	421 Pine Avenue		
City	Sparwood	Province	BC
Postal Code	V0B 2G0	Country	Canada
Phone Number	250-425-8202		

Address	2559 29 Street NE		
City	Calgary	Province	AB
Postal Code	T1Y7B5	Country	Canada
Phone Number	14034071794		

OTHER INFO			
nat / Distribution	Excel	PDF	EDD
caite.freser@teck.com	X	X	X
teckcoal@equisonline.com	X	X	X
wilson@mimnow.ca	X	X	X

SAMPLE DETAILS						
Sample ID	Sample Location (sys loc code)	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	# Of Cont.
RG_TRIP_WQ_20180829-1830	RG_TRIP	WQ		29-Aug-18	6:30:00 PM	4
RG_FBLANK_WQ_20180830-0930	RG_FBLANK	WQ		30-Aug-18	9:30:00 AM	7
RG_FBLANK_WQ_20180830-0930_FR-HG	RG_FBLANK	WQ		30-Aug-18	9:30:00 AM	1

ANALYSIS REQUESTED											
Lab	1	2	3	4	5	6	7	8	9	10	11
PREPARE	NONE	NONE	H2SO4	NONE	NONE	HNO3	NONE				
ANALYSIS	HG-T-U-CVAF-VA	ALS_Package-DOC	ALS_Package-TKN/TOC	HG-D-CVAF-VA	TECKCOAL-MET-D-VA	TECKCOAL-MET-T-VA	TECKCOAL-ROUTINE-VA				

321

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
Kooacanusa - VPO00563596				08/31 10:40

SERVICE REQUEST (rush - subject to availability)	Sampler's Name	Mobile #
Regular (default) <input checked="" type="checkbox"/>	Justin Wilson	519-803-3923
Priority (2-3 business days) - 50% surcharge	Sampler's Signature	Date/Time
Emergency (1 Business Day) - 100% surcharge		August 30, 2018
For Emergency <1 Day, ASAP or Weekend - Contact ALS		

7



Teck Coal Ltd.
ATTN: Cait Good
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 31-AUG-18
Report Date: 05-JUN-19 13:05 (MT)
Version: FINAL REV. 2

Client Phone: 250-425-8202

Certificate of Analysis

Lab Work Order #: L2157230
Project P.O. #: VPO00563596
Job Reference: REGIONAL EFFECTS PROGRAM
C of C Numbers: REGIONAL Kooacanusa
Legal Site Desc:

Lyudmyla Shvets, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L2157230-1 WS 29-AUG-18 09:30 RG_T4U1_WS_20 180829-0930	L2157230-2 WS 29-AUG-18 09:30 RG_T4U1_WS_20 180829-0930_FB- HG	L2157230-3 WS 29-AUG-18 09:30 RG_T4U2_WS_20 180829-0930	L2157230-4 WS 29-AUG-18 09:30 RG_T4U2_WS_20 180829-0930_FB- HG	L2157230-5 WS 29-AUG-18 09:30 RG_T4U3_WS_20 180829-0930
Grouping	Analyte					
WATER						
Physical Tests	Conductivity (uS/cm)	228		232		279
	Hardness (as CaCO3) (mg/L)	116		118		143
	pH (pH)	8.27		8.30		8.24
	ORP (mV)	430		476		459
	Total Suspended Solids (mg/L)	1.3		1.1		3.1
	Total Dissolved Solids (mg/L)	140	DLHC	111	DLHC	212
	Turbidity (NTU)	0.81		0.77		2.40
Anions and Nutrients	Acidity (as CaCO3) (mg/L)	<1.0		<1.0		<1.0
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)	99.6		98.8		113
	Alkalinity, Carbonate (as CaCO3) (mg/L)	<1.0		2.4		<1.0
	Alkalinity, Hydroxide (as CaCO3) (mg/L)	<1.0		<1.0		<1.0
	Alkalinity, Total (as CaCO3) (mg/L)	99.6		101		113
	Ammonia as N (mg/L)	0.0127		0.0181		0.0259
	Bromide (Br) (mg/L)	<0.050		<0.050		<0.050
	Chloride (Cl) (mg/L)	2.00		2.11		2.56
	Fluoride (F) (mg/L)	0.093		0.093		0.114
	Ion Balance (%)	95.8		95.4		98.9
	Nitrate (as N) (mg/L)	0.116		0.124		0.386
	Nitrite (as N) (mg/L)	0.0022		0.0019		0.0052
	Total Kjeldahl Nitrogen (mg/L)	0.098		0.086		0.114
	Orthophosphate-Dissolved (as P) (mg/L)	0.0011		<0.0010		<0.0010
	Phosphorus (P)-Total (mg/L)	<0.0020		<0.0020		0.0035
	Sulfate (SO4) (mg/L)	23.9		24.7		33.4
	Anion Sum (meq/L)	2.56		2.61		3.06
	Cation Sum (meq/L)	2.45		2.49		3.02
	Cation - Anion Balance (%)	-2.2		-2.3		-0.5
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)	1.91		1.71	
Total Organic Carbon (mg/L)		1.85		1.72		1.19
Total Metals	Aluminum (Al)-Total (mg/L)	0.0138		0.0122		0.0262
	Antimony (Sb)-Total (mg/L)	<0.00010		<0.00010		<0.00010
	Arsenic (As)-Total (mg/L)	0.00036		0.00039		0.00041
	Barium (Ba)-Total (mg/L)	0.0408		0.0400		0.0514
	Beryllium (Be)-Total (ug/L)	<0.020		<0.020		<0.020
	Bismuth (Bi)-Total (mg/L)	<0.000050		<0.000050		<0.000050
	Boron (B)-Total (mg/L)	<0.010		<0.010		<0.010
	Cadmium (Cd)-Total (ug/L)	<0.0050		<0.0050		0.0056

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157230-6	L2157230-7	L2157230-8	L2157230-9	L2157230-10
		Description	WS	WS	WS	WS	WS
		Sampled Date	29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18
		Sampled Time	09:30	11:30	11:30	11:30	11:30
		Client ID	RG_T4U3_WS_20 180829-0930_FB- HG	RG_TNS1_WS_20 180829-1130	RG_TNS1_WS_20 180829-1130_FB- HG	RG_TNS2_WS_20 180829-1130	RG_TNS2_WS_20 180829-1130_FB- HG
Grouping	Analyte						
WATER							
Physical Tests	Conductivity (uS/cm)			243		276	
	Hardness (as CaCO3) (mg/L)			121		128	
	pH (pH)			8.43		8.28	
	ORP (mV)			387		415	
	Total Suspended Solids (mg/L)			1.5		3.1	
	Total Dissolved Solids (mg/L)			222	DLHC	231	DLHC
	Turbidity (NTU)			1.12		2.61	
Anions and Nutrients	Acidity (as CaCO3) (mg/L)			<1.0		<1.0	
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)			97.4		110	
	Alkalinity, Carbonate (as CaCO3) (mg/L)			5.2		<1.0	
	Alkalinity, Hydroxide (as CaCO3) (mg/L)			<1.0		<1.0	
	Alkalinity, Total (as CaCO3) (mg/L)			103		110	
	Ammonia as N (mg/L)			0.0073		0.0198	
	Bromide (Br) (mg/L)			<0.050		<0.050	
	Chloride (Cl) (mg/L)			2.39		4.10	
	Fluoride (F) (mg/L)			0.095		0.096	
	Ion Balance (%)			95.5		94.3	
	Nitrate (as N) (mg/L)			0.102		0.0368	
	Nitrite (as N) (mg/L)			0.0022		0.0012	
	Total Kjeldahl Nitrogen (mg/L)			0.086		<0.050	
	Orthophosphate-Dissolved (as P) (mg/L)			<0.0010		<0.0010	
	Phosphorus (P)-Total (mg/L)			<0.0020		0.0041	
	Sulfate (SO4) (mg/L)			26.5		31.5	
	Anion Sum (meq/L)			2.68		2.97	
	Cation Sum (meq/L)			2.56		2.80	
	Cation - Anion Balance (%)			-2.3		-3.0	
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)			1.14		0.99
Total Organic Carbon (mg/L)				1.22		1.08	
Total Metals	Aluminum (Al)-Total (mg/L)			0.0100		0.0329	
	Antimony (Sb)-Total (mg/L)			<0.00010		<0.00010	
	Arsenic (As)-Total (mg/L)			0.00037		0.00049	
	Barium (Ba)-Total (mg/L)			0.0383		0.0381	
	Beryllium (Be)-Total (ug/L)			<0.020		<0.020	
	Bismuth (Bi)-Total (mg/L)			<0.000050		<0.000050	
	Boron (B)-Total (mg/L)			<0.010		<0.010	
	Cadmium (Cd)-Total (ug/L)			<0.0050		<0.0050	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157230-1	L2157230-2	L2157230-3	L2157230-4	L2157230-5
		Description	WS	WS	WS	WS	WS
		Sampled Date	29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18
		Sampled Time	09:30	09:30	09:30	09:30	09:30
		Client ID	RG_T4U1_WS_20 180829-0930	RG_T4U1_WS_20 180829-0930_FB- HG	RG_T4U2_WS_20 180829-0930	RG_T4U2_WS_20 180829-0930_FB- HG	RG_T4U3_WS_20 180829-0930
Grouping	Analyte						
WATER							
Total Metals	Calcium (Ca)-Total (mg/L)		31.1		31.8		37.3
	Chromium (Cr)-Total (mg/L)		<0.00010		<0.00010		0.00016
	Cobalt (Co)-Total (ug/L)		<0.10		<0.10		<0.10
	Copper (Cu)-Total (mg/L)		<0.00050		<0.00050		<0.00050
	Iron (Fe)-Total (mg/L)		<0.010		<0.010		0.040
	Lead (Pb)-Total (mg/L)		<0.000050		<0.000050		0.000080
	Lithium (Li)-Total (mg/L)		0.0019		0.0020		0.0031
	Magnesium (Mg)-Total (mg/L)		9.38		9.70		11.6
	Manganese (Mn)-Total (mg/L)		0.00123		0.00138		0.00778
	Mercury (Hg)-Total (ug/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Molybdenum (Mo)-Total (mg/L)		0.000677		0.000648		0.000798
	Nickel (Ni)-Total (mg/L)		<0.00050		<0.00050		<0.00050
	Potassium (K)-Total (mg/L)		0.484		0.489		0.545
	Selenium (Se)-Total (ug/L)		1.15		1.15		2.16
	Silicon (Si)-Total (mg/L)		1.15		1.23		1.96
	Silver (Ag)-Total (mg/L)		<0.000010		<0.000010		<0.000010
	Sodium (Na)-Total (mg/L)		2.66		2.74		3.23
	Strontium (Sr)-Total (mg/L)		0.122		0.124		0.149
	Thallium (Tl)-Total (mg/L)		<0.000010		<0.000010		<0.000010
	Tin (Sn)-Total (mg/L)		<0.00010		<0.00010		<0.00010
	Titanium (Ti)-Total (mg/L)		<0.010		<0.010		<0.010
	Uranium (U)-Total (mg/L)		0.000726		0.000665		0.000789
	Vanadium (V)-Total (mg/L)		<0.00050		<0.00050		<0.00050
	Zinc (Zn)-Total (mg/L)		<0.0030		<0.0030		0.0035
Dissolved Metals	Dissolved Mercury Filtration Location		LAB		LAB		LAB
	Dissolved Metals Filtration Location		LAB		LAB		LAB
	Aluminum (Al)-Dissolved (mg/L)		0.0044		0.0045		0.0034
	Antimony (Sb)-Dissolved (mg/L)		<0.00010		<0.00010		<0.00010
	Arsenic (As)-Dissolved (mg/L)		0.00032		0.00033		0.00040
	Barium (Ba)-Dissolved (mg/L)		0.0398		0.0388		0.0502
	Beryllium (Be)-Dissolved (ug/L)		<0.020		<0.020		<0.020
	Bismuth (Bi)-Dissolved (mg/L)		<0.000050		<0.000050		<0.000050
	Boron (B)-Dissolved (mg/L)		<0.010		<0.010		<0.010
	Cadmium (Cd)-Dissolved (ug/L)		<0.0050		<0.0050		<0.0050
	Calcium (Ca)-Dissolved (mg/L)		31.1		31.7		37.9
	Chromium (Cr)-Dissolved (mg/L)		<0.00010		<0.00010		<0.00010
	Cobalt (Co)-Dissolved (ug/L)		<0.10		<0.10		<0.10

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157230-6	L2157230-7	L2157230-8	L2157230-9	L2157230-10
		Description	WS	WS	WS	WS	WS
		Sampled Date	29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18
		Sampled Time	09:30	11:30	11:30	11:30	11:30
		Client ID	RG_T4U3_WS_20 180829-0930_FB- HG	RG_TNS1_WS_20 180829-1130	RG_TNS1_WS_20 180829-1130_FB- HG	RG_TNS2_WS_20 180829-1130	RG_TNS2_WS_20 180829-1130_FB- HG
Grouping	Analyte						
WATER							
Total Metals	Calcium (Ca)-Total (mg/L)			32.6		35.2	
	Chromium (Cr)-Total (mg/L)			0.00011		0.00011	
	Cobalt (Co)-Total (ug/L)			<0.10		<0.10	
	Copper (Cu)-Total (mg/L)			<0.00050		<0.00050	
	Iron (Fe)-Total (mg/L)			<0.010		0.051	
	Lead (Pb)-Total (mg/L)			<0.000050		0.000090	
	Lithium (Li)-Total (mg/L)			0.0020		0.0017	
	Magnesium (Mg)-Total (mg/L)			10.1		11.0	
	Manganese (Mn)-Total (mg/L)			0.00099		0.00392	
	Mercury (Hg)-Total (ug/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Molybdenum (Mo)-Total (mg/L)			0.000652		0.000679	
	Nickel (Ni)-Total (mg/L)			<0.00050		<0.00050	
	Potassium (K)-Total (mg/L)			0.506		0.569	
	Selenium (Se)-Total (ug/L)			1.07		0.229	
	Silicon (Si)-Total (mg/L)			1.14		1.85	
	Silver (Ag)-Total (mg/L)			<0.000010		<0.000010	
	Sodium (Na)-Total (mg/L)			3.06		5.17	
	Strontium (Sr)-Total (mg/L)			0.131		0.156	
	Thallium (Tl)-Total (mg/L)			<0.000010		<0.000010	
	Tin (Sn)-Total (mg/L)			<0.00010		<0.00010	
	Titanium (Ti)-Total (mg/L)			<0.010		<0.010	
	Uranium (U)-Total (mg/L)			0.000689		0.000777	
	Vanadium (V)-Total (mg/L)			<0.00050		<0.00050	
	Zinc (Zn)-Total (mg/L)			<0.0030		<0.0030	
Dissolved Metals	Dissolved Mercury Filtration Location			LAB		LAB	
	Dissolved Metals Filtration Location			LAB		LAB	
	Aluminum (Al)-Dissolved (mg/L)			0.0037		0.0041	
	Antimony (Sb)-Dissolved (mg/L)			<0.00010		<0.00010	
	Arsenic (As)-Dissolved (mg/L)			0.00034		0.00044	
	Barium (Ba)-Dissolved (mg/L)			0.0390		0.0371	
	Beryllium (Be)-Dissolved (ug/L)			<0.020		<0.020	
	Bismuth (Bi)-Dissolved (mg/L)			<0.000050		<0.000050	
	Boron (B)-Dissolved (mg/L)			<0.010		<0.010	
	Cadmium (Cd)-Dissolved (ug/L)			<0.0050		<0.0050	
	Calcium (Ca)-Dissolved (mg/L)			32.0		33.6	
	Chromium (Cr)-Dissolved (mg/L)			<0.00010		<0.00010	
	Cobalt (Co)-Dissolved (ug/L)			<0.10		<0.10	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID	L2157230-1 WS 29-AUG-18 09:30 RG_T4U1_WS_20 180829-0930	L2157230-2 WS 29-AUG-18 09:30 RG_T4U1_WS_20 180829-0930_FB- HG	L2157230-3 WS 29-AUG-18 09:30 RG_T4U2_WS_20 180829-0930	L2157230-4 WS 29-AUG-18 09:30 RG_T4U2_WS_20 180829-0930_FB- HG	L2157230-5 WS 29-AUG-18 09:30 RG_T4U3_WS_20 180829-0930
Grouping	Analyte					
WATER						
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)	<0.00050		<0.00050		<0.00050
	Iron (Fe)-Dissolved (mg/L)	<0.010		<0.010		<0.010
	Lead (Pb)-Dissolved (mg/L)	<0.000050		<0.000050		<0.000050
	Lithium (Li)-Dissolved (mg/L)	0.0019		0.0018		0.0029
	Magnesium (Mg)-Dissolved (mg/L)	9.33		9.42		11.8
	Manganese (Mn)-Dissolved (mg/L)	<0.00010		<0.00010		<0.00010
	Mercury (Hg)-Dissolved (mg/L)	<0.0000050		<0.0000050		<0.0000050
	Molybdenum (Mo)-Dissolved (mg/L)	0.000623		0.000609		0.000819
	Nickel (Ni)-Dissolved (mg/L)	<0.00050		<0.00050		<0.00050
	Potassium (K)-Dissolved (mg/L)	0.520		0.514		0.590
	Selenium (Se)-Dissolved (ug/L)	1.01		1.00		2.11
	Silicon (Si)-Dissolved (mg/L)	1.16		1.20		1.84
	Silver (Ag)-Dissolved (mg/L)	<0.000010		<0.000010		<0.000010
	Sodium (Na)-Dissolved (mg/L)	2.67		2.83		3.45
	Strontium (Sr)-Dissolved (mg/L)	0.118		0.117		0.151
	Thallium (Tl)-Dissolved (mg/L)	<0.000010		<0.000010		<0.000010
	Tin (Sn)-Dissolved (mg/L)	<0.00010		<0.00010		<0.00010
	Titanium (Ti)-Dissolved (mg/L)	<0.010		<0.010		<0.010
	Uranium (U)-Dissolved (mg/L)	0.000663		0.000670		0.000809
	Vanadium (V)-Dissolved (mg/L)	<0.00050		<0.00050		<0.00050
	Zinc (Zn)-Dissolved (mg/L)	<0.0010		<0.0010		<0.0010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID	L2157230-6 WS 29-AUG-18 09:30 RG_T4U3_WS_20 180829-0930_FB- HG	L2157230-7 WS 29-AUG-18 11:30 RG_TNS1_WS_20 180829-1130	L2157230-8 WS 29-AUG-18 11:30 RG_TNS1_WS_20 180829-1130_FB- HG	L2157230-9 WS 29-AUG-18 11:30 RG_TNS2_WS_20 180829-1130	L2157230-10 WS 29-AUG-18 11:30 RG_TNS2_WS_20 180829-1130_FB- HG
Grouping	Analyte				
WATER					
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)		<0.00050		<0.00050
	Iron (Fe)-Dissolved (mg/L)		<0.010		<0.010
	Lead (Pb)-Dissolved (mg/L)		<0.000050		<0.000050
	Lithium (Li)-Dissolved (mg/L)		0.0018		0.0015
	Magnesium (Mg)-Dissolved (mg/L)		9.84		10.8
	Manganese (Mn)-Dissolved (mg/L)		<0.00010		<0.00010
	Mercury (Hg)-Dissolved (mg/L)		<0.0000050		<0.0000050
	Molybdenum (Mo)-Dissolved (mg/L)		0.000655		0.000691
	Nickel (Ni)-Dissolved (mg/L)		<0.00050		<0.00050
	Potassium (K)-Dissolved (mg/L)		0.535		0.575
	Selenium (Se)-Dissolved (ug/L)		1.04		0.204
	Silicon (Si)-Dissolved (mg/L)		1.06		1.86
	Silver (Ag)-Dissolved (mg/L)		<0.000010		<0.000010
	Sodium (Na)-Dissolved (mg/L)		3.22		5.12
	Strontium (Sr)-Dissolved (mg/L)		0.126		0.151
	Thallium (Tl)-Dissolved (mg/L)		<0.000010		<0.000010
	Tin (Sn)-Dissolved (mg/L)		<0.00010		<0.00010
	Titanium (Ti)-Dissolved (mg/L)		<0.010		<0.010
	Uranium (U)-Dissolved (mg/L)		0.000700		0.000760
	Vanadium (V)-Dissolved (mg/L)		<0.00050		<0.00050
	Zinc (Zn)-Dissolved (mg/L)		<0.0010		<0.0010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

Qualifiers for Sample Submission Listed:

Qualifier	Description
SFPL	Sample was Filtered and Preserved at the laboratory - DOC and dissolved metals to be filtered and preserved in lab; filter code added

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Matrix Spike	Barium (Ba)-Dissolved	MS-B	L2157230-1, -3, -5, -7, -9
Matrix Spike	Calcium (Ca)-Dissolved	MS-B	L2157230-1, -3, -5, -7, -9
Matrix Spike	Magnesium (Mg)-Dissolved	MS-B	L2157230-1, -3, -5, -7, -9
Matrix Spike	Sodium (Na)-Dissolved	MS-B	L2157230-1, -3, -5, -7, -9
Matrix Spike	Strontium (Sr)-Dissolved	MS-B	L2157230-1, -3, -5, -7, -9
Matrix Spike	Barium (Ba)-Total	MS-B	L2157230-1, -3, -5, -7, -9
Matrix Spike	Calcium (Ca)-Total	MS-B	L2157230-1, -3, -5, -7, -9
Matrix Spike	Magnesium (Mg)-Total	MS-B	L2157230-1, -3, -5, -7, -9
Matrix Spike	Sodium (Na)-Total	MS-B	L2157230-1, -3, -5, -7, -9
Matrix Spike	Strontium (Sr)-Total	MS-B	L2157230-1, -3, -5, -7, -9

Qualifiers for Individual Parameters Listed:

Qualifier	Description
DLHC	Detection Limit Raised: Dilution required due to high concentration of test analyte(s).
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
ACY-PCT-VA	Water	Acidity by Automatic Titration	APHA 2310 Acidity
<p>This analysis is carried out using procedures adapted from APHA Method 2310 "Acidity". Acidity is determined by potentiometric titration to a specified endpoint.</p> <p>Samples of industrial wastes, acid mine drainage, or other solutions that contain appreciable amounts of hydrolyzable metal ions such as aluminum, iron, and manganese may require hot peroxide treatment to ensure oxidation and hydrolysis of reduced forms of polyvalent cations. Acidity results may be highly variable if this procedure is not followed. Results in this report for 'Acidity (as CaCO3)' have not been peroxide treated.</p>			
ALK-TITR-VA	Water	Alkalinity Species by Titration	APHA 2320 Alkalinity
<p>This analysis is carried out using procedures adapted from APHA Method 2320 "Alkalinity". Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.</p>			
BE-D-L-CCMS-VA	Water	Diss. Be (low) in Water by CRC ICPMS	APHA 3030B/6020A (mod)
<p>Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.</p>			
BE-T-L-CCMS-VA	Water	Total Be (Low) in Water by CRC ICPMS	EPA 200.2/6020A (mod)
<p>Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.</p>			
BR-L-IC-N-VA	Water	Bromide in Water by IC (Low Level)	EPA 300.1 (mod)
<p>Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.</p>			
C-DIS-ORG-LOW-CL	Water	Dissolved Organic Carbon	APHA 5310 B-Instrumental
<p>This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.</p> <p>The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC. TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.</p>			
C-TOT-ORG-LOW-CL	Water	Total Organic Carbon	APHA 5310 TOTAL ORGANIC CARBON (TOC)
<p>This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a</p>			

Reference Information

halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.

The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC.

TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.

CL-L-IC-N-VA Water Chloride in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

EC-PCT-VA Water Conductivity (Automated) APHA 2510 Auto. Conduc.

This analysis is carried out using procedures adapted from APHA Method 2510 "Conductivity". Conductivity is determined using a conductivity electrode.

F-IC-N-VA Water Fluoride in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

HARDNESS-CALC-VA Water Hardness APHA 2340B

Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO₃ equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.

HG-D-CVAA-VA Water Diss. Mercury in Water by CVAAS or CVAFS APHA 3030B/EPA 1631E (mod)

Water samples are filtered (0.45 um), preserved with hydrochloric acid, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS or CVAFS.

HG-T-U-CVAF-VA Water Total Mercury in Water by CVAFS (Ultra) EPA 1631 REV. E

This analysis is carried out using procedures adapted from Method 1631 Rev. E. by the United States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to a purge and trap concentration step and final reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry.

IONBALANCE-BC-CL Water Ion Balance Calculation APHA 1030E

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]

MET-D-CCMS-VA Water Dissolved Metals in Water by CRC ICPMS APHA 3030B/6020A (mod)

Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

MET-T-CCMS-VA Water Total Metals in Water by CRC ICPMS EPA 200.2/6020A (mod)

Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

NH3-L-F-CL Water Ammonia, Total (as N) J. ENVIRON. MONIT., 2005, 7, 37-42, RSC

This analysis is carried out, on sulfuric acid preserved samples, using procedures modified from J. Environ. Monit., 2005, 7, 37 - 42, The Royal Society of Chemistry, "Flow-injection analysis with fluorescence detection for the determination of trace levels of ammonium in seawater", Roslyn J. Waston et al.

NO2-L-IC-N-VA Water Nitrite in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

NO3-L-IC-N-VA Water Nitrate in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

ORP-CL Water Oxidation reduction potential by elect. ASTM D1498

This analysis is carried out in accordance with the procedure described in the "ASTM" method D1498 "Oxidation-Reduction Potential of Water" published by the American Society for Testing and Materials (ASTM). Results are reported as observed oxidation-reduction potential of the platinum metal-reference electrode employed, in mV.

It is recommended that this analysis be conducted in the field.

Reference Information

P-T-L-COL-CL	Water	Phosphorus (P)-Total	APHA 4500-P PHOSPHORUS
This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorus is determined colourimetrically after persulfate digestion of the sample.			
PH-PCT-VA	Water	pH by Meter (Automated)	APHA 4500-H pH Value
This analysis is carried out using procedures adapted from APHA Method 4500-H "pH Value". The pH is determined in the laboratory using a pH electrode			
It is recommended that this analysis be conducted in the field.			
PO4-DO-L-COL-CL	Water	Orthophosphate-Dissolved (as P)	APHA 4500-P PHOSPHORUS
This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Dissolved Orthophosphate is determined colourimetrically on a sample that has been lab or field filtered through a 0.45 micron membrane filter.			
SO4-IC-N-VA	Water	Sulfate in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
SOLIDS-TDS-CL	Water	Total Dissolved Solids	APHA 2540 C
A well-mixed sample is filtered through a glass fibre filter paper. The filtrate is then evaporated to dryness in a pre-weighed vial and dried at 180 – 2 °C. The increase in vial weight represents the total dissolved solids (TDS).			
TECKCOAL-IONBAL-CL	Water	Ion Balance Calculation	APHA 1030E
Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.			
Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:			
Ion Balance (%) = $[\text{Cation Sum} - \text{Anion Sum}] / [\text{Cation Sum} + \text{Anion Sum}]$			
TKN-L-F-CL	Water	Total Kjeldahl Nitrogen	APHA 4500-NORG (TKN)
This analysis is carried out using procedures adapted from APHA Method 4500-Norg D. "Block Digestion and Flow Injection Analysis". Total Kjeldahl Nitrogen is determined using block digestion followed by Flow-injection analysis with fluorescence detection.			
TSS-L-CL	Water	Total Suspended Solids	APHA 2540 D-Gravimetric
This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, and by drying the filter at 104 deg. C.			
TURBIDITY-CL	Water	Turbidity	APHA 2130 B-Nephelometer
This analysis is carried out using procedures adapted from APHA Method 2130 "Turbidity". Turbidity is determined by the nephelometric method.			

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
CL	ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA
VA	ALS ENVIRONMENTAL - VANCOUVER, BRITISH COLUMBIA, CANADA

Chain of Custody Numbers:

REGIONAL Koocanusa

Reference Information

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Quality Control Report

Workorder: L2157230

Report Date: 05-JUN-19

Page 2 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
BR-L-IC-N-VA Water								
Batch R4205777								
WG2870656-1 MB								
Bromide (Br)								
			<0.050		mg/L		0.05	07-SEP-18
C-DIS-ORG-LOW-CL Water								
Batch R4215207								
WG2875706-2 LCS								
Dissolved Organic Carbon								
			102.5		%		80-120	12-SEP-18
WG2875706-1 MB								
Dissolved Organic Carbon								
			<0.50		mg/L		0.5	12-SEP-18
Batch R4216038								
WG2876683-2 LCS								
Dissolved Organic Carbon								
			98.6		%		80-120	13-SEP-18
WG2876683-1 MB								
Dissolved Organic Carbon								
			<0.50		mg/L		0.5	13-SEP-18
C-TOT-ORG-LOW-CL Water								
Batch R4215207								
WG2875706-2 LCS								
Total Organic Carbon								
			103.2		%		80-120	12-SEP-18
WG2875706-1 MB								
Total Organic Carbon								
			<0.50		mg/L		0.5	12-SEP-18
Batch R4216038								
WG2876683-2 LCS								
Total Organic Carbon								
			109.6		%		80-120	13-SEP-18
WG2876683-1 MB								
Total Organic Carbon								
			<0.50		mg/L		0.5	13-SEP-18
CL-L-IC-N-VA Water								
Batch R4205777								
WG2870656-3 DUP								
Chloride (Cl)								
		L2157230-1	2.00		mg/L	0.2	20	07-SEP-18
WG2870656-2 LCS								
Chloride (Cl)								
			99.9		%		90-110	07-SEP-18
WG2870656-1 MB								
Chloride (Cl)								
			<0.10		mg/L		0.1	07-SEP-18
EC-PCT-VA Water								



Quality Control Report

Workorder: L2157230

Report Date: 05-JUN-19

Page 3 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
EC-PCT-VA		Water						
Batch	R4205784							
WG2870664-4	CRM	VA-EC-PCT-CONTROL						
Conductivity			99.6		%		90-110	08-SEP-18
WG2870664-1	MB							
Conductivity			<2.0		uS/cm		2	08-SEP-18
F-IC-N-VA		Water						
Batch	R4205777							
WG2870656-3	DUP	L2157230-1						
Fluoride (F)		0.093	0.092		mg/L	1.5	20	07-SEP-18
WG2870656-2	LCS							
Fluoride (F)			100.5		%		90-110	07-SEP-18
WG2870656-1	MB							
Fluoride (F)			<0.020		mg/L		0.02	07-SEP-18
HG-D-CVAA-VA		Water						
Batch	R4203031							
WG2867841-2	LCS							
Mercury (Hg)-Dissolved			99.7		%		80-120	05-SEP-18
WG2867841-1	MB	LF						
Mercury (Hg)-Dissolved			<0.000005C		mg/L		0.000005	05-SEP-18
HG-T-U-CVAF-VA		Water						
Batch	R4204226							
WG2869430-3	DUP	L2157230-1						
Mercury (Hg)-Total		<0.00050	<0.00050	RPD-NA	ug/L	N/A	20	06-SEP-18
WG2869430-2	LCS							
Mercury (Hg)-Total			106.0		%		80-120	06-SEP-18
WG2869430-1	MB							
Mercury (Hg)-Total			<0.00050		ug/L		0.0005	06-SEP-18
MET-D-CCMS-VA		Water						
Batch	R4200768							
WG2867389-3	DUP	L2157230-3						
Aluminum (Al)-Dissolved		0.0045	0.0048		mg/L	6.4	20	04-SEP-18
Antimony (Sb)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	04-SEP-18
Arsenic (As)-Dissolved		0.00033	0.00032		mg/L	3.4	20	04-SEP-18
Barium (Ba)-Dissolved		0.0388	0.0400		mg/L	3.1	20	04-SEP-18
Bismuth (Bi)-Dissolved		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	04-SEP-18
Boron (B)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	04-SEP-18
Cadmium (Cd)-Dissolved		<0.0000050	<0.000005C	RPD-NA	mg/L	N/A	20	04-SEP-18
Calcium (Ca)-Dissolved		31.7	31.6		mg/L	0.2	20	04-SEP-18



Quality Control Report

Workorder: L2157230

Report Date: 05-JUN-19

Page 4 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4200768							
WG2867389-3	DUP	L2157230-3						
Chromium (Cr)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	04-SEP-18
Cobalt (Co)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	04-SEP-18
Copper (Cu)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	04-SEP-18
Lead (Pb)-Dissolved		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	04-SEP-18
Lithium (Li)-Dissolved		0.0018	0.0019		mg/L	4.8	20	04-SEP-18
Magnesium (Mg)-Dissolved		9.42	9.55		mg/L	1.4	20	04-SEP-18
Manganese (Mn)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	04-SEP-18
Molybdenum (Mo)-Dissolved		0.000609	0.000669		mg/L	9.3	20	04-SEP-18
Nickel (Ni)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	04-SEP-18
Potassium (K)-Dissolved		0.514	0.534		mg/L	3.7	20	04-SEP-18
Silver (Ag)-Dissolved		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	04-SEP-18
Sodium (Na)-Dissolved		2.83	2.83		mg/L	0.1	20	04-SEP-18
Strontium (Sr)-Dissolved		0.117	0.121		mg/L	3.2	20	04-SEP-18
Thallium (Tl)-Dissolved		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	04-SEP-18
Tin (Sn)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	04-SEP-18
Titanium (Ti)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	04-SEP-18
Uranium (U)-Dissolved		0.000670	0.000670		mg/L	0.1	20	04-SEP-18
Vanadium (V)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	04-SEP-18
Zinc (Zn)-Dissolved		<0.0010	<0.0010	RPD-NA	mg/L	N/A	20	04-SEP-18
WG2867389-2	LCS							
Aluminum (Al)-Dissolved			95.0		%		80-120	04-SEP-18
Antimony (Sb)-Dissolved			97.7		%		80-120	04-SEP-18
Arsenic (As)-Dissolved			100.4		%		80-120	04-SEP-18
Barium (Ba)-Dissolved			91.3		%		80-120	04-SEP-18
Bismuth (Bi)-Dissolved			92.4		%		80-120	04-SEP-18
Boron (B)-Dissolved			89.6		%		80-120	04-SEP-18
Cadmium (Cd)-Dissolved			93.1		%		80-120	04-SEP-18
Calcium (Ca)-Dissolved			89.9		%		80-120	04-SEP-18
Chromium (Cr)-Dissolved			93.1		%		80-120	04-SEP-18
Cobalt (Co)-Dissolved			93.8		%		80-120	04-SEP-18
Copper (Cu)-Dissolved			91.3		%		80-120	04-SEP-18
Iron (Fe)-Dissolved			97.3		%		80-120	04-SEP-18
Lead (Pb)-Dissolved			94.5		%		80-120	04-SEP-18
Lithium (Li)-Dissolved			83.6		%		80-120	04-SEP-18

Quality Control Report

Workorder: L2157230

Report Date: 05-JUN-19

Page 5 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4200768							
WG2867389-2	LCS							
Magnesium (Mg)-Dissolved			94.0		%		80-120	04-SEP-18
Manganese (Mn)-Dissolved			95.8		%		80-120	04-SEP-18
Molybdenum (Mo)-Dissolved			93.3		%		80-120	04-SEP-18
Nickel (Ni)-Dissolved			92.2		%		80-120	04-SEP-18
Potassium (K)-Dissolved			95.5		%		80-120	04-SEP-18
Selenium (Se)-Dissolved			97.4		%		80-120	04-SEP-18
Silicon (Si)-Dissolved			96.5		%		60-140	04-SEP-18
Silver (Ag)-Dissolved			94.4		%		80-120	04-SEP-18
Sodium (Na)-Dissolved			97.3		%		80-120	04-SEP-18
Strontium (Sr)-Dissolved			91.8		%		80-120	04-SEP-18
Thallium (Tl)-Dissolved			95.4		%		80-120	04-SEP-18
Tin (Sn)-Dissolved			97.1		%		80-120	04-SEP-18
Titanium (Ti)-Dissolved			93.3		%		80-120	04-SEP-18
Uranium (U)-Dissolved			96.9		%		80-120	04-SEP-18
Vanadium (V)-Dissolved			94.3		%		80-120	04-SEP-18
Zinc (Zn)-Dissolved			92.3		%		80-120	04-SEP-18
WG2867389-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	04-SEP-18
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	04-SEP-18
Boron (B)-Dissolved			<0.010		mg/L		0.01	04-SEP-18
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	04-SEP-18
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	04-SEP-18
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Copper (Cu)-Dissolved			<0.00020		mg/L		0.0002	04-SEP-18
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	04-SEP-18
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	04-SEP-18
Lithium (Li)-Dissolved			<0.0010		mg/L		0.001	04-SEP-18
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	04-SEP-18
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Molybdenum (Mo)-Dissolved			<0.000050		mg/L		0.00005	04-SEP-18



Quality Control Report

Workorder: L2157230

Report Date: 05-JUN-19

Page 6 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4200768							
WG2867389-1	MB	LF						
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	04-SEP-18
Potassium (K)-Dissolved			<0.050		mg/L		0.05	04-SEP-18
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	04-SEP-18
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	04-SEP-18
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	04-SEP-18
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	04-SEP-18
Strontium (Sr)-Dissolved			<0.00020		mg/L		0.0002	04-SEP-18
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	04-SEP-18
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	04-SEP-18
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	04-SEP-18
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	04-SEP-18
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	04-SEP-18
WG2867389-4	MS	L2157230-1						
Aluminum (Al)-Dissolved			98.6		%		70-130	04-SEP-18
Antimony (Sb)-Dissolved			100.2		%		70-130	04-SEP-18
Arsenic (As)-Dissolved			99.7		%		70-130	04-SEP-18
Barium (Ba)-Dissolved			N/A	MS-B	%		-	04-SEP-18
Bismuth (Bi)-Dissolved			94.7		%		70-130	04-SEP-18
Boron (B)-Dissolved			92.8		%		70-130	04-SEP-18
Cadmium (Cd)-Dissolved			96.3		%		70-130	04-SEP-18
Calcium (Ca)-Dissolved			N/A	MS-B	%		-	04-SEP-18
Chromium (Cr)-Dissolved			93.8		%		70-130	04-SEP-18
Cobalt (Co)-Dissolved			94.5		%		70-130	04-SEP-18
Copper (Cu)-Dissolved			92.2		%		70-130	04-SEP-18
Iron (Fe)-Dissolved			91.1		%		70-130	04-SEP-18
Lead (Pb)-Dissolved			96.8		%		70-130	04-SEP-18
Lithium (Li)-Dissolved			89.4		%		70-130	04-SEP-18
Magnesium (Mg)-Dissolved			N/A	MS-B	%		-	04-SEP-18
Manganese (Mn)-Dissolved			96.2		%		70-130	04-SEP-18
Molybdenum (Mo)-Dissolved			94.7		%		70-130	04-SEP-18
Nickel (Ni)-Dissolved			91.4		%		70-130	04-SEP-18
Potassium (K)-Dissolved			94.3		%		70-130	04-SEP-18
Selenium (Se)-Dissolved			102.6		%		70-130	04-SEP-18



Quality Control Report

Workorder: L2157230

Report Date: 05-JUN-19

Page 7 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4200768							
WG2867389-4	MS	L2157230-1						
Silicon (Si)-Dissolved			99.0		%		70-130	04-SEP-18
Silver (Ag)-Dissolved			99.0		%		70-130	04-SEP-18
Sodium (Na)-Dissolved			N/A	MS-B	%		-	04-SEP-18
Strontium (Sr)-Dissolved			N/A	MS-B	%		-	04-SEP-18
Thallium (Tl)-Dissolved			100.1		%		70-130	04-SEP-18
Tin (Sn)-Dissolved			96.1		%		70-130	04-SEP-18
Titanium (Ti)-Dissolved			96.8		%		70-130	04-SEP-18
Uranium (U)-Dissolved			100.6		%		70-130	04-SEP-18
Vanadium (V)-Dissolved			94.6		%		70-130	04-SEP-18
Zinc (Zn)-Dissolved			91.2		%		70-130	04-SEP-18
Batch	R4203410							
WG2867389-3	DUP	L2157230-3						
Iron (Fe)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	05-SEP-18
Selenium (Se)-Dissolved		0.00100	0.000953		mg/L	4.8	20	05-SEP-18
Silicon (Si)-Dissolved		1.20	1.22		mg/L	1.3	20	05-SEP-18
MET-T-CCMS-VA								
	Water							
Batch	R4203396							
WG2867444-2	LCS							
Aluminum (Al)-Total			100.6		%		80-120	05-SEP-18
Antimony (Sb)-Total			96.0		%		80-120	05-SEP-18
Arsenic (As)-Total			101.7		%		80-120	05-SEP-18
Barium (Ba)-Total			92.3		%		80-120	05-SEP-18
Bismuth (Bi)-Total			93.4		%		80-120	05-SEP-18
Boron (B)-Total			93.6		%		80-120	05-SEP-18
Cadmium (Cd)-Total			96.4		%		80-120	05-SEP-18
Calcium (Ca)-Total			92.6		%		80-120	05-SEP-18
Chromium (Cr)-Total			94.9		%		80-120	05-SEP-18
Cobalt (Co)-Total			94.4		%		80-120	05-SEP-18
Copper (Cu)-Total			92.8		%		80-120	05-SEP-18
Iron (Fe)-Total			98.0		%		80-120	05-SEP-18
Lead (Pb)-Total			94.6		%		80-120	05-SEP-18
Lithium (Li)-Total			93.8		%		80-120	05-SEP-18
Magnesium (Mg)-Total			98.8		%		80-120	05-SEP-18
Manganese (Mn)-Total			96.1		%		80-120	05-SEP-18



Quality Control Report

Workorder: L2157230

Report Date: 05-JUN-19

Page 8 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4203396							
WG2867444-2	LCS							
Molybdenum (Mo)-Total			96.7		%		80-120	05-SEP-18
Nickel (Ni)-Total			93.0		%		80-120	05-SEP-18
Potassium (K)-Total			95.3		%		80-120	05-SEP-18
Selenium (Se)-Total			101.5		%		80-120	05-SEP-18
Silicon (Si)-Total			103.4		%		80-120	05-SEP-18
Silver (Ag)-Total			92.9		%		80-120	05-SEP-18
Sodium (Na)-Total			97.7		%		80-120	05-SEP-18
Strontium (Sr)-Total			96.8		%		80-120	05-SEP-18
Thallium (Tl)-Total			94.0		%		80-120	05-SEP-18
Tin (Sn)-Total			100.8		%		80-120	05-SEP-18
Titanium (Ti)-Total			97.4		%		80-120	05-SEP-18
Uranium (U)-Total			100.9		%		80-120	05-SEP-18
Vanadium (V)-Total			96.4		%		80-120	05-SEP-18
Zinc (Zn)-Total			89.2		%		80-120	05-SEP-18
WG2867444-1		MB						
Aluminum (Al)-Total			<0.0030		mg/L		0.003	05-SEP-18
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Arsenic (As)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Barium (Ba)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	05-SEP-18
Boron (B)-Total			<0.010		mg/L		0.01	05-SEP-18
Cadmium (Cd)-Total			<0.0000050		mg/L		0.000005	05-SEP-18
Calcium (Ca)-Total			<0.050		mg/L		0.05	05-SEP-18
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Copper (Cu)-Total			<0.00050		mg/L		0.0005	05-SEP-18
Iron (Fe)-Total			<0.010		mg/L		0.01	05-SEP-18
Lead (Pb)-Total			<0.000050		mg/L		0.00005	05-SEP-18
Lithium (Li)-Total			<0.0010		mg/L		0.001	05-SEP-18
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	05-SEP-18
Manganese (Mn)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Molybdenum (Mo)-Total			<0.000050		mg/L		0.00005	05-SEP-18
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	05-SEP-18
Potassium (K)-Total			<0.050		mg/L		0.05	05-SEP-18



Quality Control Report

Workorder: L2157230

Report Date: 05-JUN-19

Page 9 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4203396							
WG2867444-1 MB								
Selenium (Se)-Total			<0.000050		mg/L		0.00005	05-SEP-18
Silicon (Si)-Total			<0.10		mg/L		0.1	05-SEP-18
Silver (Ag)-Total			<0.000010		mg/L		0.00001	05-SEP-18
Sodium (Na)-Total			<0.050		mg/L		0.05	05-SEP-18
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	05-SEP-18
Thallium (Tl)-Total			<0.000010		mg/L		0.00001	05-SEP-18
Tin (Sn)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Titanium (Ti)-Total			<0.00030		mg/L		0.0003	05-SEP-18
Uranium (U)-Total			<0.000010		mg/L		0.00001	05-SEP-18
Vanadium (V)-Total			<0.00050		mg/L		0.0005	05-SEP-18
Zinc (Zn)-Total			<0.0030		mg/L		0.003	05-SEP-18
WG2867444-4 MS		L2157230-1						
Aluminum (Al)-Total			87.4		%		70-130	05-SEP-18
Antimony (Sb)-Total			92.9		%		70-130	05-SEP-18
Arsenic (As)-Total			92.4		%		70-130	05-SEP-18
Barium (Ba)-Total			N/A	MS-B	%		-	05-SEP-18
Bismuth (Bi)-Total			88.4		%		70-130	05-SEP-18
Boron (B)-Total			85.0		%		70-130	05-SEP-18
Cadmium (Cd)-Total			92.8		%		70-130	05-SEP-18
Calcium (Ca)-Total			N/A	MS-B	%		-	05-SEP-18
Chromium (Cr)-Total			87.9		%		70-130	05-SEP-18
Cobalt (Co)-Total			88.7		%		70-130	05-SEP-18
Copper (Cu)-Total			88.0		%		70-130	05-SEP-18
Iron (Fe)-Total			90.2		%		70-130	05-SEP-18
Lead (Pb)-Total			88.6		%		70-130	05-SEP-18
Lithium (Li)-Total			84.2		%		70-130	05-SEP-18
Magnesium (Mg)-Total			N/A	MS-B	%		-	05-SEP-18
Manganese (Mn)-Total			87.8		%		70-130	05-SEP-18
Molybdenum (Mo)-Total			86.2		%		70-130	05-SEP-18
Nickel (Ni)-Total			87.7		%		70-130	05-SEP-18
Potassium (K)-Total			86.6		%		70-130	05-SEP-18
Selenium (Se)-Total			97.3		%		70-130	05-SEP-18
Silicon (Si)-Total			87.8		%		70-130	05-SEP-18
Silver (Ag)-Total			94.3		%		70-130	05-SEP-18



Quality Control Report

Workorder: L2157230

Report Date: 05-JUN-19

Page 10 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4203396							
WG2867444-4	MS	L2157230-1						
Sodium (Na)-Total			N/A	MS-B	%		-	05-SEP-18
Strontium (Sr)-Total			N/A	MS-B	%		-	05-SEP-18
Thallium (Tl)-Total			89.0		%		70-130	05-SEP-18
Tin (Sn)-Total			93.4		%		70-130	05-SEP-18
Titanium (Ti)-Total			88.6		%		70-130	05-SEP-18
Uranium (U)-Total			91.4		%		70-130	05-SEP-18
Vanadium (V)-Total			89.2		%		70-130	05-SEP-18
Zinc (Zn)-Total			81.9		%		70-130	05-SEP-18
NH3-L-F-CL								
	Water							
Batch	R4215488							
WG2875984-2	LCS							
Ammonia as N			101.5		%		85-115	13-SEP-18
WG2875984-1	MB							
Ammonia as N			<0.0050		mg/L		0.005	13-SEP-18
NO2-L-IC-N-VA								
	Water							
Batch	R4205777							
WG2870656-3	DUP	L2157230-1						
Nitrite (as N)		0.0022	0.0022		mg/L	1.2	20	07-SEP-18
WG2870656-2	LCS							
Nitrite (as N)			99.7		%		90-110	07-SEP-18
WG2870656-1	MB							
Nitrite (as N)			<0.0010		mg/L		0.001	07-SEP-18
NO3-L-IC-N-VA								
	Water							
Batch	R4205777							
WG2870656-3	DUP	L2157230-1						
Nitrate (as N)		0.116	0.116		mg/L	0.0	20	07-SEP-18
WG2870656-2	LCS							
Nitrate (as N)			100.5		%		90-110	07-SEP-18
WG2870656-1	MB							
Nitrate (as N)			<0.0050		mg/L		0.005	07-SEP-18
ORP-CL								
	Water							
Batch	R4207627							
WG2872339-9	CRM	CL-ORP						
ORP			227		mV		210-230	10-SEP-18
P-T-L-COL-CL								
	Water							

Quality Control Report

Workorder: L2157230

Report Date: 05-JUN-19

Page 11 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
P-T-L-COL-CL	Water							
Batch	R4218310							
WG2879315-2 LCS								
Phosphorus (P)-Total			95.8		%		80-120	17-SEP-18
WG2879315-1 MB								
Phosphorus (P)-Total			<0.0020		mg/L		0.002	17-SEP-18
PH-PCT-VA	Water							
Batch	R4205784							
WG2870664-2 CRM		VA-PH7-BUF						
pH			6.94		pH		6.9-7.1	08-SEP-18
PO4-DO-L-COL-CL	Water							
Batch	R4196670							
WG2866156-22 LCS								
Orthophosphate-Dissolved (as P)			96.6		%		80-120	01-SEP-18
WG2866156-21 MB								
Orthophosphate-Dissolved (as P)			<0.0010		mg/L		0.001	01-SEP-18
SO4-IC-N-VA	Water							
Batch	R4205777							
WG2870656-3 DUP		L2157230-1						
Sulfate (SO4)		23.9	23.9		mg/L	0.0	20	07-SEP-18
WG2870656-2 LCS								
Sulfate (SO4)			100.8		%		90-110	07-SEP-18
WG2870656-1 MB								
Sulfate (SO4)			<0.30		mg/L		0.3	07-SEP-18
SOLIDS-TDS-CL	Water							
Batch	R4202808							
WG2866943-12 DUP		L2157230-7						
Total Dissolved Solids		222	215		mg/L	3.2	20	04-SEP-18
WG2866943-11 LCS								
Total Dissolved Solids			97.7		%		85-115	04-SEP-18
WG2866943-8 LCS								
Total Dissolved Solids			102.2		%		85-115	04-SEP-18
WG2866943-10 MB								
Total Dissolved Solids			<10		mg/L		10	04-SEP-18
WG2866943-7 MB								
Total Dissolved Solids			<10		mg/L		10	04-SEP-18
TKN-L-F-CL	Water							



Quality Control Report

Workorder: L2157230

Report Date: 05-JUN-19

Page 12 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
TKN-L-F-CL	Water							
Batch	R4207713							
WG2870103-15 LCS								
Total Kjeldahl Nitrogen			95.1		%		75-125	09-SEP-18
WG2870103-13 MB								
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	09-SEP-18
TSS-L-CL	Water							
Batch	R4202812							
WG2867552-11 LCS								
Total Suspended Solids			95.8		%		85-115	04-SEP-18
WG2867552-10 MB								
Total Suspended Solids			<1.0		mg/L		1	04-SEP-18
TURBIDITY-CL	Water							
Batch	R4200147							
WG2866363-11 LCS								
Turbidity			98.0		%		85-115	01-SEP-18
WG2866363-10 MB								
Turbidity			<0.10		NTU		0.1	01-SEP-18

Quality Control Report

Workorder: L2157230

Report Date: 05-JUN-19

Page 13 of 14

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Quality Control Report

Workorder: L2157230

Report Date: 05-JUN-19

Page 14 of 14

Hold Time Exceedances:

ALS Product Description	Sample ID	Sampling Date	Date Processed	Rec. HT	Actual HT	Units	Qualifier
Physical Tests							
Oxidation reduction potential by elect.							
	1	29-AUG-18 09:30	10-SEP-18 00:00	0.25	278	hours	EHTR-FM
	3	29-AUG-18 09:30	10-SEP-18 00:00	0.25	278	hours	EHTR-FM
	5	29-AUG-18 09:30	10-SEP-18 00:00	0.25	278	hours	EHTR-FM
	7	29-AUG-18 11:30	10-SEP-18 00:00	0.25	276	hours	EHTR-FM
	9	29-AUG-18 11:30	10-SEP-18 00:00	0.25	276	hours	EHTR-FM
pH by Meter (Automated)							
	1	29-AUG-18 09:30	09-SEP-18 11:11	0.25	266	hours	EHTR-FM
	3	29-AUG-18 09:30	09-SEP-18 11:11	0.25	266	hours	EHTR-FM
	5	29-AUG-18 09:30	09-SEP-18 11:11	0.25	266	hours	EHTR-FM
	7	29-AUG-18 11:30	09-SEP-18 11:11	0.25	264	hours	EHTR-FM
	9	29-AUG-18 11:30	09-SEP-18 11:11	0.25	264	hours	EHTR-FM
Anions and Nutrients							
Nitrate in Water by IC (Low Level)							
	1	29-AUG-18 09:30	07-SEP-18 13:12	3	9	days	EHTL
	3	29-AUG-18 09:30	07-SEP-18 13:12	3	9	days	EHTL
	5	29-AUG-18 09:30	07-SEP-18 13:12	3	9	days	EHTL
	7	29-AUG-18 11:30	07-SEP-18 13:12	3	9	days	EHT
	9	29-AUG-18 11:30	07-SEP-18 13:12	3	9	days	EHT
Nitrite in Water by IC (Low Level)							
	1	29-AUG-18 09:30	07-SEP-18 13:12	3	9	days	EHTL
	3	29-AUG-18 09:30	07-SEP-18 13:12	3	9	days	EHTL
	5	29-AUG-18 09:30	07-SEP-18 13:12	3	9	days	EHTL
	7	29-AUG-18 11:30	07-SEP-18 13:12	3	9	days	EHT
	9	29-AUG-18 11:30	07-SEP-18 13:12	3	9	days	EHT

Legend & Qualifier Definitions:

- EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended.
- EHTR: Exceeded ALS recommended hold time prior to sample receipt.
- EHTL: Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.
- EHT: Exceeded ALS recommended hold time prior to analysis.
- Rec. HT: ALS recommended hold time (see units).

Notes*:
 Where actual sampling date is not provided to ALS, the date (& time) of receipt is used for calculation purposes.
 Where actual sampling time is not provided to ALS, the earlier of 12 noon on the sampling date or the time (& date) of receipt is used for calculation purposes. Samples for L2157230 were received on 31-AUG-18 11:00.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

COC ID: **REGIONAL Kooecanusa Reservoir**



L2157230-COFC

PROJECT/CLIENT INFO			
Facility Name / Job#	Regional Kooecanusa		
Project Manager	Cait Good		
Email	caite.good@teck.com		
Address	421 Pine Avenue		
City	Sparwood	Province	BC
Postal Code	V0B 2G0	Country	Canada
Phone Number	250-425-8202		

OTHER INFO			
1 Format / Distribution	Excel	PDF	EDD
1:	X	X	X
2:	X	X	X
3:			
Email 4:	teckcoal@equisonline.com		
Email 5:	wilson@mhnow.ca		
PO number	VPO00563596		

SAMPLE DETAILS						
Sample ID	Sample Location (sys loc code)	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	# Of Cont.
1 RG_T4U1_WS_20180829-0930	RG_T4U1	WS		29-Aug-18	9:30:00 AM	G 7
2 RG_T4U1_WS_20180829-0930_FB-HG	RG_T4U1	WS		29-Aug-18	9:30:00 AM	G 1
3 RG_T4U2_WS_20180829-0930	RG_T4U2	WS		29-Aug-18	9:30:00 AM	G 7
4 RG_T4U2_WS_20180829-0930_FB-HG	RG_T4U2	WS		29-Aug-18	9:30:00 AM	G 1
5 RG_T4U3_WS_20180829-0930	RG_T4U3	WS		29-Aug-18	9:30:00 AM	G 7
6 RG_T4U3_WS_20180829-0930_FB-HG	RG_T4U3	WS		29-Aug-18	9:30:00 AM	G 1
7 RG_TNS1_WS_20180829-1130	RG_TNS1	WS		29-Aug-18	11:30:00 AM	G 7
8 RG_TNS1_WS_20180829-1130_FB-HG	RG_TNS1	WS		29-Aug-18	11:30:00 AM	G 1
9 RG_TNS2_WS_20180829-1130	RG_TNS2	WS		29-Aug-18	11:30:00 AM	G 7
10 RG_TNS2_WS_20180829-1130_FB-HG	RG_TNS2	WS		29-Aug-18	11:30:00 AM	G 1

ANALYSIS REQUESTED						
ANALYSIS	RESERVED	1	2	3	4	5
HG-T-U-CVAF-VA	NONE	N	N	N	N	N
ALS_Package-DOC	NONE	N	N	N	N	N
ALS_Package-TKN/TOC	H2SO4	N	N	N	N	N
HG-D-CVAF-VA	NONE	N	N	N	N	N
TECKCOAL-MET-D-VA	NONE	N	N	N	N	N
TECKCOAL-MET-T-VA	HNO3	N	N	N	N	N
TECKCOAL-ROUTINE-VA	NONE	N	N	N	N	N

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
Kooecanusa - VPO00563596			<i>[Signature]</i>	08/31 11:00

SERVICE REQUEST (rush - subject to availability)			
Regular (default)	<input checked="" type="checkbox"/>	Sampler's Name	Justin Wilson
Priority (2-3 business days) - 50% surcharge	<input type="checkbox"/>	Sampler's Signature	
Emergency (1 Business Day) - 100% surcharge	<input type="checkbox"/>	Mobile #	519-803-3923
For Emergency <1 Day, ASAP or Weekend - Contact ALS	<input type="checkbox"/>	Date/Time	August 30, 2018

9



Teck Coal Ltd.
ATTN: Cait Good
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 31-AUG-18
Report Date: 21-SEP-18 13:36 (MT)
Version: FINAL

Client Phone: 250-425-8202

Certificate of Analysis

Lab Work Order #: L2157237
Project P.O. #: VPO00563596
Job Reference: REGIONAL KOOCANUSA
C of C Numbers: REGIONAL Kooacanusa
Legal Site Desc:

Comments: Samples L2157237-1, -3, -5, -7 and -9 exceeded hold time for Nitrite and Nitrate prior analysis.

Lyudmyla Shvets, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157237-1	L2157237-2	L2157237-3	L2157237-4	L2157237-5
		Description	WS	WS	WS	WS	WS
		Sampled Date	30-AUG-18	30-AUG-18	30-AUG-18	30-AUG-18	30-AUG-18
		Sampled Time	09:30	09:30	09:30	09:30	09:30
		Client ID	RG_GCU1_WS_20 180830-0930	RG_GCU1_WS_20 180830-0930_FB- HG	RG_GCU2_WS_20 180830-0930	RG_GCU2_WS_20 180830-0930_FB- HG	RG_GCU3_WS_20 180830-0930
Grouping	Analyte						
WATER							
Physical Tests	Conductivity (uS/cm)		234		232		265
	Hardness (as CaCO3) (mg/L)		114		117		132
	pH (pH)		8.40		8.42		8.23
	ORP (mV)		448		414		478
	Total Suspended Solids (mg/L)		1.5		1.3		1.3
	Total Dissolved Solids (mg/L)		149 ^{DLHC}		152 ^{DLHC}		169 ^{DLHC}
	Turbidity (NTU)		0.94		1.15		2.25
Anions and Nutrients	Acidity (as CaCO3) (mg/L)		<1.0		<1.0		<1.0
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)		97.0		96.1		111
	Alkalinity, Carbonate (as CaCO3) (mg/L)		4.0		4.6		<1.0
	Alkalinity, Hydroxide (as CaCO3) (mg/L)		<1.0		<1.0		<1.0
	Alkalinity, Total (as CaCO3) (mg/L)		101		101		111
	Ammonia as N (mg/L)		0.0229		0.0166		0.0216
	Bromide (Br) (mg/L)		<0.050		<0.050		<0.050
	Chloride (Cl) (mg/L)		1.92		1.96		2.93
	Fluoride (F) (mg/L)		0.090		0.090		0.103
	Ion Balance (%)		93.9		96.4		95.6
	Nitrate (as N) (mg/L)		0.114		0.117		0.222
	Nitrite (as N) (mg/L)		0.0022		0.0022		0.0044
	Total Kjeldahl Nitrogen (mg/L)		0.081		0.130		0.082
	Orthophosphate-Dissolved (as P) (mg/L)		0.0018		0.0018		<0.0010
	Phosphorus (P)-Total (mg/L)		0.0028		<0.0020		0.0032
	Sulfate (SO4) (mg/L)		23.0		23.4		30.4
	Anion Sum (meq/L)		2.57		2.57		2.96
	Cation Sum (meq/L)		2.41		2.47		2.83
	Cation - Anion Balance (%)		-3.2		-1.8		-2.2
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)		1.63		1.70	
Total Organic Carbon (mg/L)			1.46		1.43		1.02
Total Metals	Aluminum (Al)-Total (mg/L)		0.0104		0.0113		0.0225
	Antimony (Sb)-Total (mg/L)		<0.00010		<0.00010		<0.00010
	Arsenic (As)-Total (mg/L)		0.00036		0.00034		0.00043
	Barium (Ba)-Total (mg/L)		0.0405		0.0391		0.0437
	Beryllium (Be)-Total (ug/L)		<0.020		<0.020		<0.020
	Bismuth (Bi)-Total (mg/L)		<0.000050		<0.000050		<0.000050
	Boron (B)-Total (mg/L)		<0.010		<0.010		<0.010
	Cadmium (Cd)-Total (ug/L)		<0.0050		<0.0050		<0.0050

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157237-6	L2157237-7	L2157237-8	L2157237-9	L2157237-10
		Description	WS	WS	WS	WS	WS
		Sampled Date	30-AUG-18	30-AUG-18	30-AUG-18	30-AUG-18	30-AUG-18
		Sampled Time	09:30	09:30	09:30	09:15	09:15
		Client ID	RG_GCU3_WS_20 180830-0930_FB- HG	RG_ERU3_WS_20 180830-0930	RG_ERU3_WS_20 180830-0930_FB- HG	RG_ERU2_WS_20 180830-0915	RG_ERU2_WS_20 180830-0915_FB- HG
Grouping	Analyte						
WATER							
Physical Tests	Conductivity (uS/cm)			280		240	
	Hardness (as CaCO3) (mg/L)			131		120	
	pH (pH)			8.30		8.33	
	ORP (mV)			433		442	
	Total Suspended Solids (mg/L)			2.6		1.1	
	Total Dissolved Solids (mg/L)			178	DLHC	156	DLHC
	Turbidity (NTU)			2.02		0.97	
Anions and Nutrients	Acidity (as CaCO3) (mg/L)			<1.0		<1.0	
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)			115		98.3	
	Alkalinity, Carbonate (as CaCO3) (mg/L)			<1.0		3.4	
	Alkalinity, Hydroxide (as CaCO3) (mg/L)			<1.0		<1.0	
	Alkalinity, Total (as CaCO3) (mg/L)			115		102	
	Ammonia as N (mg/L)			0.0204		0.0207	
	Bromide (Br) (mg/L)			<0.050		<0.050	
	Chloride (Cl) (mg/L)			3.87		2.14	
	Fluoride (F) (mg/L)			0.092		0.094	
	Ion Balance (%)			92.7		96.5	
	Nitrate (as N) (mg/L)			0.0463		0.119	
	Nitrite (as N) (mg/L)			0.0014		0.0021	
	Total Kjeldahl Nitrogen (mg/L)			0.055		0.117	
	Orthophosphate-Dissolved (as P) (mg/L)			0.0013		0.0015	
	Phosphorus (P)-Total (mg/L)			<0.0020		<0.0020	
	Sulfate (SO4) (mg/L)			31.5		25.2	
	Anion Sum (meq/L)			3.07		2.63	
	Cation Sum (meq/L)			2.85		2.54	
	Cation - Anion Balance (%)			-3.8		-1.8	
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)			0.98		1.53
Total Organic Carbon (mg/L)				0.97		1.33	
Total Metals	Aluminum (Al)-Total (mg/L)			0.0220		0.0119	
	Antimony (Sb)-Total (mg/L)			<0.00010		<0.00010	
	Arsenic (As)-Total (mg/L)			0.00047		0.00035	
	Barium (Ba)-Total (mg/L)			0.0385		0.0386	
	Beryllium (Be)-Total (ug/L)			<0.020		<0.020	
	Bismuth (Bi)-Total (mg/L)			<0.000050		<0.000050	
	Boron (B)-Total (mg/L)			<0.010		<0.010	
	Cadmium (Cd)-Total (ug/L)			<0.0050		<0.0050	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157237-1	L2157237-2	L2157237-3	L2157237-4	L2157237-5
		Description	WS	WS	WS	WS	WS
		Sampled Date	30-AUG-18	30-AUG-18	30-AUG-18	30-AUG-18	30-AUG-18
		Sampled Time	09:30	09:30	09:30	09:30	09:30
		Client ID	RG_GCU1_WS_20 180830-0930	RG_GCU1_WS_20 180830-0930_FB- HG	RG_GCU2_WS_20 180830-0930	RG_GCU2_WS_20 180830-0930_FB- HG	RG_GCU3_WS_20 180830-0930
Grouping	Analyte						
WATER							
Total Metals	Calcium (Ca)-Total (mg/L)		31.6		31.7		37.1
	Chromium (Cr)-Total (mg/L)		0.00014		<0.00010		<0.00010
	Cobalt (Co)-Total (ug/L)		<0.10		<0.10		<0.10
	Copper (Cu)-Total (mg/L)		<0.00050		<0.00050		<0.00050
	Iron (Fe)-Total (mg/L)		0.013		<0.010		0.026
	Lead (Pb)-Total (mg/L)		<0.000050		<0.000050		0.000106
	Lithium (Li)-Total (mg/L)		0.0018		0.0018		0.0022
	Magnesium (Mg)-Total (mg/L)		9.26		9.09		10.9
	Manganese (Mn)-Total (mg/L)		0.00115		0.00117		0.00400
	Mercury (Hg)-Total (ug/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Molybdenum (Mo)-Total (mg/L)		0.000641		0.000647		0.000735
	Nickel (Ni)-Total (mg/L)		<0.00050		<0.00050		<0.00050
	Potassium (K)-Total (mg/L)		0.491		0.477		0.545
	Selenium (Se)-Total (ug/L)		1.06		1.10		1.11
	Silicon (Si)-Total (mg/L)		1.22		1.21		1.85
	Silver (Ag)-Total (mg/L)		<0.000010		<0.000010		<0.000010
	Sodium (Na)-Total (mg/L)		2.43		2.43		3.59
	Strontium (Sr)-Total (mg/L)		0.116		0.115		0.142
	Thallium (Tl)-Total (mg/L)		<0.000010		<0.000010		<0.000010
	Tin (Sn)-Total (mg/L)		<0.00010		<0.00010		<0.00010
	Titanium (Ti)-Total (mg/L)		<0.010		<0.010		<0.010
	Uranium (U)-Total (mg/L)		0.000666		0.000673		0.000763
	Vanadium (V)-Total (mg/L)		<0.00050		<0.00050		<0.00050
	Zinc (Zn)-Total (mg/L)		<0.0030		<0.0030		<0.0030
Dissolved Metals	Dissolved Mercury Filtration Location		LAB		LAB		LAB
	Dissolved Metals Filtration Location		LAB		LAB		LAB
	Aluminum (Al)-Dissolved (mg/L)		0.0043		0.0042		0.0031
	Antimony (Sb)-Dissolved (mg/L)		<0.00010		<0.00010		<0.00010
	Arsenic (As)-Dissolved (mg/L)		0.00037		0.00035		0.00043
	Barium (Ba)-Dissolved (mg/L)		0.0406		0.0408		0.0441
	Beryllium (Be)-Dissolved (ug/L)		<0.020		<0.020		<0.020
	Bismuth (Bi)-Dissolved (mg/L)		<0.000050		<0.000050		<0.000050
	Boron (B)-Dissolved (mg/L)		<0.010		<0.010		<0.010
	Cadmium (Cd)-Dissolved (ug/L)		<0.0050		<0.0050		<0.0050
	Calcium (Ca)-Dissolved (mg/L)		30.5		31.8		34.9
	Chromium (Cr)-Dissolved (mg/L)		<0.00010		<0.00010		<0.00010
	Cobalt (Co)-Dissolved (ug/L)		<0.10		<0.10		<0.10

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157237-6	L2157237-7	L2157237-8	L2157237-9	L2157237-10
		Description	WS	WS	WS	WS	WS
		Sampled Date	30-AUG-18	30-AUG-18	30-AUG-18	30-AUG-18	30-AUG-18
		Sampled Time	09:30	09:30	09:30	09:15	09:15
		Client ID	RG_GCU3_WS_20 180830-0930_FB- HG	RG_ERU3_WS_20 180830-0930	RG_ERU3_WS_20 180830-0930_FB- HG	RG_ERU2_WS_20 180830-0915	RG_ERU2_WS_20 180830-0915_FB- HG
Grouping	Analyte						
WATER							
Total Metals	Calcium (Ca)-Total (mg/L)			35.9		32.3	
	Chromium (Cr)-Total (mg/L)			0.00011		0.00011	
	Cobalt (Co)-Total (ug/L)			<0.10		<0.10	
	Copper (Cu)-Total (mg/L)			<0.00050		<0.00050	
	Iron (Fe)-Total (mg/L)			0.032		0.021	
	Lead (Pb)-Total (mg/L)			0.000065		<0.000050	
	Lithium (Li)-Total (mg/L)			0.0016		0.0018	
	Magnesium (Mg)-Total (mg/L)			10.7		9.30	
	Manganese (Mn)-Total (mg/L)			0.00372		0.00131	
	Mercury (Hg)-Total (ug/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Molybdenum (Mo)-Total (mg/L)			0.000756		0.000702	
	Nickel (Ni)-Total (mg/L)			<0.00050		<0.00050	
	Potassium (K)-Total (mg/L)			0.564		0.490	
	Selenium (Se)-Total (ug/L)			0.309		1.11	
	Silicon (Si)-Total (mg/L)			1.74		1.09	
	Silver (Ag)-Total (mg/L)			<0.000010		<0.000010	
	Sodium (Na)-Total (mg/L)			4.61		2.63	
	Strontium (Sr)-Total (mg/L)			0.151		0.121	
	Thallium (Tl)-Total (mg/L)			<0.000010		<0.000010	
	Tin (Sn)-Total (mg/L)			<0.00010		0.00033	
	Titanium (Ti)-Total (mg/L)			<0.010		<0.010	
	Uranium (U)-Total (mg/L)			0.000766		0.000682	
	Vanadium (V)-Total (mg/L)			<0.00050		<0.00050	
	Zinc (Zn)-Total (mg/L)			<0.0030		<0.0030	
Dissolved Metals	Dissolved Mercury Filtration Location			LAB		LAB	
	Dissolved Metals Filtration Location			LAB		LAB	
	Aluminum (Al)-Dissolved (mg/L)			0.0040		0.0040	
	Antimony (Sb)-Dissolved (mg/L)			<0.00010		<0.00010	
	Arsenic (As)-Dissolved (mg/L)			0.00045		0.00034	
	Barium (Ba)-Dissolved (mg/L)			0.0385		0.0397	
	Beryllium (Be)-Dissolved (ug/L)			<0.020		<0.020	
	Bismuth (Bi)-Dissolved (mg/L)			<0.000050		<0.000050	
	Boron (B)-Dissolved (mg/L)			<0.010		<0.010	
	Cadmium (Cd)-Dissolved (ug/L)			<0.0050		<0.0050	
	Calcium (Ca)-Dissolved (mg/L)			34.7		32.2	
	Chromium (Cr)-Dissolved (mg/L)			<0.00010		<0.00010	
	Cobalt (Co)-Dissolved (ug/L)			<0.10		<0.10	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID	Description	Sampled Date	Sampled Time	Client ID	L2157237-1	L2157237-2	L2157237-3	L2157237-4	L2157237-5
					WS	WS	WS	WS	WS
		30-AUG-18	09:30	RG_GCU1_WS_20 180830-0930	30-AUG-18 09:30	30-AUG-18 09:30	30-AUG-18 09:30	30-AUG-18 09:30	30-AUG-18 09:30
					RG_GCU1_WS_20 180830-0930	RG_GCU1_WS_20 180830-0930_FB- HG	RG_GCU2_WS_20 180830-0930	RG_GCU2_WS_20 180830-0930_FB- HG	RG_GCU3_WS_20 180830-0930
Grouping	Analyte								
WATER									
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Iron (Fe)-Dissolved (mg/L)	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
	Lead (Pb)-Dissolved (mg/L)	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Lithium (Li)-Dissolved (mg/L)	0.0017	0.0017	0.0021	0.0017	0.0017	0.0017	0.0021	0.0021
	Magnesium (Mg)-Dissolved (mg/L)	9.19	9.24	11.0	9.19	9.24	9.24	11.0	11.0
	Manganese (Mn)-Dissolved (mg/L)	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Mercury (Hg)-Dissolved (mg/L)	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050
	Molybdenum (Mo)-Dissolved (mg/L)	0.000642	0.000632	0.000762	0.000642	0.000632	0.000632	0.000762	0.000762
	Nickel (Ni)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Potassium (K)-Dissolved (mg/L)	0.505	0.505	0.567	0.505	0.505	0.505	0.567	0.567
	Selenium (Se)-Dissolved (ug/L)	0.920	1.09	1.06	0.920	1.09	1.09	1.06	1.06
	Silicon (Si)-Dissolved (mg/L)	1.22	1.18	1.95	1.22	1.18	1.18	1.95	1.95
	Silver (Ag)-Dissolved (mg/L)	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Sodium (Na)-Dissolved (mg/L)	2.63	2.62	3.81	2.63	2.62	2.62	3.81	3.81
	Strontium (Sr)-Dissolved (mg/L)	0.113	0.114	0.141	0.113	0.114	0.114	0.141	0.141
	Thallium (Tl)-Dissolved (mg/L)	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Tin (Sn)-Dissolved (mg/L)	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Titanium (Ti)-Dissolved (mg/L)	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
	Uranium (U)-Dissolved (mg/L)	0.000662	0.000671	0.000756	0.000662	0.000671	0.000671	0.000756	0.000756
	Vanadium (V)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Zinc (Zn)-Dissolved (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID	Description	Sampled Date	Sampled Time	Client ID	L2157237-6	L2157237-7	L2157237-8	L2157237-9	L2157237-10
					WS	WS	WS	WS	WS
		30-AUG-18	09:30		30-AUG-18	30-AUG-18	30-AUG-18	30-AUG-18	30-AUG-18
					09:30	09:30	09:30	09:15	09:15
					RG_GCU3_WS_20	RG_ERU3_WS_20	RG_ERU3_WS_20	RG_ERU2_WS_20	RG_ERU2_WS_20
					180830-0930_FB-HG	180830-0930	180830-0930_FB-HG	180830-0915	180830-0915_FB-HG
Grouping	Analyte								
WATER									
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)					<0.00050		<0.00050	
	Iron (Fe)-Dissolved (mg/L)					<0.010		<0.010	
	Lead (Pb)-Dissolved (mg/L)					<0.000050		<0.000050	
	Lithium (Li)-Dissolved (mg/L)					0.0015		0.0018	
	Magnesium (Mg)-Dissolved (mg/L)					10.8		9.64	
	Manganese (Mn)-Dissolved (mg/L)					0.00013		<0.00010	
	Mercury (Hg)-Dissolved (mg/L)					<0.0000050		<0.0000050	
	Molybdenum (Mo)-Dissolved (mg/L)					0.000897		0.000654	
	Nickel (Ni)-Dissolved (mg/L)					<0.00050		<0.00050	
	Potassium (K)-Dissolved (mg/L)					0.593		0.515	
	Selenium (Se)-Dissolved (ug/L)					0.316		1.10	
	Silicon (Si)-Dissolved (mg/L)					1.68		1.16	
	Silver (Ag)-Dissolved (mg/L)					<0.000010		<0.000010	
	Sodium (Na)-Dissolved (mg/L)					4.85		2.89	
	Strontium (Sr)-Dissolved (mg/L)					0.147		0.121	
	Thallium (Tl)-Dissolved (mg/L)					<0.000010		<0.000010	
	Tin (Sn)-Dissolved (mg/L)					<0.00010		0.00032	
	Titanium (Ti)-Dissolved (mg/L)					<0.010		<0.010	
	Uranium (U)-Dissolved (mg/L)					0.000772		0.000700	
	Vanadium (V)-Dissolved (mg/L)					<0.00050		<0.00050	
	Zinc (Zn)-Dissolved (mg/L)					<0.0010		<0.0010	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

Qualifiers for Sample Submission Listed:

Qualifier	Description
SFPL	Sample was Filtered and Preserved at the laboratory - DOC and dissolved metals to be filtered and preserved in lab; filter code added

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Method Blank	Manganese (Mn)-Total	MB-LOR	L2157237-1, -3, -5, -7, -9
Matrix Spike	Barium (Ba)-Dissolved	MS-B	L2157237-1, -3, -5, -7, -9
Matrix Spike	Calcium (Ca)-Dissolved	MS-B	L2157237-1, -3, -5, -7, -9
Matrix Spike	Magnesium (Mg)-Dissolved	MS-B	L2157237-1, -3, -5, -7, -9
Matrix Spike	Sodium (Na)-Dissolved	MS-B	L2157237-1, -3, -5, -7, -9
Matrix Spike	Strontium (Sr)-Dissolved	MS-B	L2157237-1, -3, -5, -7, -9
Matrix Spike	Arsenic (As)-Total	MS-B	L2157237-1, -3, -5, -7, -9
Matrix Spike	Barium (Ba)-Total	MS-B	L2157237-1, -3, -5, -7, -9
Matrix Spike	Calcium (Ca)-Total	MS-B	L2157237-1, -3, -5, -7, -9
Matrix Spike	Iron (Fe)-Total	MS-B	L2157237-1, -3, -5, -7, -9
Matrix Spike	Magnesium (Mg)-Total	MS-B	L2157237-1, -3, -5, -7, -9
Matrix Spike	Manganese (Mn)-Total	MS-B	L2157237-1, -3, -5, -7, -9
Matrix Spike	Molybdenum (Mo)-Total	MS-B	L2157237-1, -3, -5, -7, -9
Matrix Spike	Sodium (Na)-Total	MS-B	L2157237-1, -3, -5, -7, -9
Matrix Spike	Strontium (Sr)-Total	MS-B	L2157237-1, -3, -5, -7, -9

Qualifiers for Individual Parameters Listed:

Qualifier	Description
DLHC	Detection Limit Raised: Dilution required due to high concentration of test analyte(s).
MB-LOR	Method Blank exceeds ALS DQO. Limits of Reporting have been adjusted for samples with positive hits below 5x blank level.
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
ACY-PCT-VA	Water	Acidity by Automatic Titration	APHA 2310 Acidity
<p>This analysis is carried out using procedures adapted from APHA Method 2310 "Acidity". Acidity is determined by potentiometric titration to a specified endpoint.</p> <p>Samples of industrial wastes, acid mine drainage, or other solutions that contain appreciable amounts of hydrolyzable metal ions such as aluminum, iron, and manganese may require hot peroxide treatment to ensure oxidation and hydrolysis of reduced forms of polyvalent cations. Acidity results may be highly variable if this procedure is not followed. Results in this report for 'Acidity (as CaCO3)' have not been peroxide treated.</p>			
ALK-TITR-VA	Water	Alkalinity Species by Titration	APHA 2320 Alkalinity
<p>This analysis is carried out using procedures adapted from APHA Method 2320 "Alkalinity". Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.</p>			
BE-D-L-CCMS-VA	Water	Diss. Be (low) in Water by CRC ICPMS	APHA 3030B/6020A (mod)
<p>Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.</p>			
BE-T-L-CCMS-VA	Water	Total Be (Low) in Water by CRC ICPMS	EPA 200.2/6020A (mod)
<p>Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.</p>			
BR-L-IC-N-VA	Water	Bromide in Water by IC (Low Level)	EPA 300.1 (mod)
<p>Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.</p>			
C-DIS-ORG-LOW-CL	Water	Dissolved Organic Carbon	APHA 5310 B-Instrumental
<p>This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.</p>			

Reference Information

The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC.

TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.

C-TOT-ORG-LOW-CL Water Total Organic Carbon APHA 5310 TOTAL ORGANIC CARBON (TOC)

This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.

The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC.

TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.

CL-L-IC-N-VA Water Chloride in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

EC-PCT-VA Water Conductivity (Automated) APHA 2510 Auto. Conduc.

This analysis is carried out using procedures adapted from APHA Method 2510 "Conductivity". Conductivity is determined using a conductivity electrode.

EC-SCREEN-VA Water Conductivity Screen (Internal Use Only) APHA 2510

Qualitative analysis of conductivity where required during preparation of other tests - e.g. TDS, metals, etc.

F-IC-N-VA Water Fluoride in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

HARDNESS-CALC-VA Water Hardness APHA 2340B

Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO₃ equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.

HG-D-CVAA-VA Water Diss. Mercury in Water by CVAAS or CVAFS APHA 3030B/EPA 1631E (mod)

Water samples are filtered (0.45 um), preserved with hydrochloric acid, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS or CVAFS.

HG-T-U-CVAF-VA Water Total Mercury in Water by CVAFS (Ultra) EPA 1631 REV. E

This analysis is carried out using procedures adapted from Method 1631 Rev. E. by the United States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to a purge and trap concentration step and final reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry.

IONBALANCE-BC-CL Water Ion Balance Calculation APHA 1030E

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]

MET-D-CCMS-VA Water Dissolved Metals in Water by CRC ICPMS APHA 3030B/6020A (mod)

Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

MET-T-CCMS-VA Water Total Metals in Water by CRC ICPMS EPA 200.2/6020A (mod)

Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

NH3-L-F-CL Water Ammonia, Total (as N) J. ENVIRON. MONIT., 2005, 7, 37-42, RSC

This analysis is carried out, on sulfuric acid preserved samples, using procedures modified from J. Environ. Monit., 2005, 7, 37 - 42, The Royal Society of Chemistry, "Flow-injection analysis with fluorescence detection for the determination of trace levels of ammonium in seawater", Roslyn J. Waston et al.

NO2-L-IC-N-VA Water Nitrite in Water by IC (Low Level) EPA 300.1 (mod)

Reference Information

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

NO3-L-IC-N-VA Water Nitrate in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

ORP-CL Water Oxidation reduction potential by elect. ASTM D1498

This analysis is carried out in accordance with the procedure described in the "ASTM" method D1498 "Oxidation-Reduction Potential of Water" published by the American Society for Testing and Materials (ASTM). Results are reported as observed oxidation-reduction potential of the platinum metal-reference electrode employed, in mV.

It is recommended that this analysis be conducted in the field.

P-T-L-COL-CL Water Phosphorus (P)-Total APHA 4500-P PHOSPHORUS

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorus is determined colourimetrically after persulphate digestion of the sample.

PH-PCT-VA Water pH by Meter (Automated) APHA 4500-H pH Value

This analysis is carried out using procedures adapted from APHA Method 4500-H "pH Value". The pH is determined in the laboratory using a pH electrode

It is recommended that this analysis be conducted in the field.

PO4-DO-L-COL-CL Water Orthophosphate-Dissolved (as P) APHA 4500-P PHOSPHORUS

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Dissolved Orthophosphate is determined colourimetrically on a sample that has been lab or field filtered through a 0.45 micron membrane filter.

SO4-IC-N-VA Water Sulfate in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

SOLIDS-TDS-CL Water Total Dissolved Solids APHA 2540 C

A well-mixed sample is filtered through a glass fibre filter paper. The filtrate is then evaporated to dryness in a pre-weighed vial and dried at 180 – 2 °C. The increase in vial weight represents the total dissolved solids (TDS).

TECKCOAL-IONBAL-CL Water Ion Balance Calculation APHA 1030E

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]

TKN-L-F-CL Water Total Kjeldahl Nitrogen APHA 4500-NORG (TKN)

This analysis is carried out using procedures adapted from APHA Method 4500-Norg D. "Block Digestion and Flow Injection Analysis". Total Kjeldahl Nitrogen is determined using block digestion followed by Flow-injection analysis with fluorescence detection.

TSS-L-CL Water Total Suspended Solids APHA 2540 D-Gravimetric

This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, and by drying the filter at 104 deg. C.

TSS-LOW-VA Water Total Suspended Solids by Grav. (1 mg/L) APHA 2540D

This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, TSS is determined by drying the filter at 104 degrees celsius.

Samples containing very high dissolved solid content (i.e. seawaters, brackish waters) may produce a positive bias by this method. Alternate analysis methods are available for these types of samples.

TURBIDITY-CL Water Turbidity APHA 2130 B-Nephelometer

This analysis is carried out using procedures adapted from APHA Method 2130 "Turbidity". Turbidity is determined by the nephelometric method.

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
CL	ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA
VA	ALS ENVIRONMENTAL - VANCOUVER, BRITISH COLUMBIA, CANADA

Reference Information

Chain of Custody Numbers:

REGIONAL Kooacanusa

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.

Quality Control Report

Workorder: L2157237

Report Date: 21-SEP-18

Page 1 of 12

Client: Teck Coal Ltd.
 421 Pine Avenue
 Sparwood BC V0B 2G0

Contact: Cait Good

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
ACY-PCT-VA		Water						
Batch	R4205784							
WG2870664-3 CRM		VA-ACY-CONTROL						
Acidity (as CaCO3)			102.0		%		85-115	08-SEP-18
WG2870664-1 MB								
Acidity (as CaCO3)			1.5		mg/L		2	08-SEP-18
Batch	R4214521							
WG2872644-3 CRM		VA-ACY-CONTROL						
Acidity (as CaCO3)			101.8		%		85-115	12-SEP-18
WG2872644-1 MB								
Acidity (as CaCO3)			1.4		mg/L		2	12-SEP-18
ALK-TITR-VA		Water						
Batch	R4205790							
WG2870671-3 CRM		VA-ALK-TITR-CONTROL						
Alkalinity, Total (as CaCO3)			97.5		%		85-115	09-SEP-18
WG2870671-5 DUP		L2157237-5						
Alkalinity, Total (as CaCO3)		111	111		mg/L	0.5	20	09-SEP-18
WG2870671-1 MB								
Alkalinity, Total (as CaCO3)			<1.0		mg/L		1	09-SEP-18
Batch	R4211237							
WG2872116-3 CRM		VA-ALK-TITR-CONTROL						
Alkalinity, Total (as CaCO3)			101.5		%		85-115	11-SEP-18
WG2872116-1 MB								
Alkalinity, Total (as CaCO3)			<1.0		mg/L		1	11-SEP-18
BE-D-L-CCMS-VA		Water						
Batch	R4200768							
WG2867389-2 LCS								
Beryllium (Be)-Dissolved			83.0		%		80-120	04-SEP-18
WG2867389-1 MB		LF						
Beryllium (Be)-Dissolved			<0.000020		mg/L		0.00002	04-SEP-18
BE-T-L-CCMS-VA		Water						
Batch	R4201797							
WG2867375-2 LCS								
Beryllium (Be)-Total			94.4		%		80-120	05-SEP-18
WG2867375-1 MB								
Beryllium (Be)-Total			<0.000020		mg/L		0.00002	05-SEP-18
BR-L-IC-N-VA		Water						

Quality Control Report

Workorder: L2157237

Report Date: 21-SEP-18

Page 2 of 12

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
BR-L-IC-N-VA								
Water								
Batch	R4205777							
WG2870656-2	LCS							
Bromide (Br)			102.5		%		85-115	07-SEP-18
WG2870656-1	MB							
Bromide (Br)			<0.050		mg/L		0.05	07-SEP-18
WG2870656-4	MS	L2157237-3						
Bromide (Br)			102.7		%		75-125	07-SEP-18
Batch								
R4214491								
WG2872646-2	LCS							
Bromide (Br)			106.4		%		85-115	11-SEP-18
WG2872646-1	MB							
Bromide (Br)			<0.050		mg/L		0.05	11-SEP-18
C-DIS-ORG-LOW-CL								
Water								
Batch	R4216038							
WG2876683-3	DUP	L2157237-3						
Dissolved Organic Carbon		1.70	1.53		mg/L	11	20	13-SEP-18
WG2876683-2	LCS							
Dissolved Organic Carbon			98.6		%		80-120	13-SEP-18
WG2876683-1	MB							
Dissolved Organic Carbon			<0.50		mg/L		0.5	13-SEP-18
WG2876683-4	MS	L2157237-3						
Dissolved Organic Carbon			105.9		%		70-130	13-SEP-18
C-TOT-ORG-LOW-CL								
Water								
Batch	R4216038							
WG2876683-3	DUP	L2157237-3						
Total Organic Carbon		1.43	1.34		mg/L	6.5	20	13-SEP-18
WG2876683-2	LCS							
Total Organic Carbon			109.6		%		80-120	13-SEP-18
WG2876683-1	MB							
Total Organic Carbon			<0.50		mg/L		0.5	13-SEP-18
WG2876683-4	MS	L2157237-3						
Total Organic Carbon			97.3		%		70-130	13-SEP-18
CL-L-IC-N-VA								
Water								
Batch	R4205777							
WG2870656-2	LCS							
Chloride (Cl)			99.9		%		90-110	07-SEP-18
WG2870656-1	MB							
Chloride (Cl)			<0.10		mg/L		0.1	07-SEP-18
WG2870656-4	MS	L2157237-3						

Quality Control Report

Workorder: L2157237

Report Date: 21-SEP-18

Page 3 of 12

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
CL-L-IC-N-VA								
Water								
Batch	R4205777							
WG2870656-4	MS	L2157237-3						
Chloride (Cl)			98.7		%		75-125	07-SEP-18
Batch	R4214491							
WG2872646-2	LCS							
Chloride (Cl)			104.2		%		90-110	11-SEP-18
WG2872646-1	MB							
Chloride (Cl)			<0.10		mg/L		0.1	11-SEP-18
EC-PCT-VA								
Water								
Batch	R4205784							
WG2870664-4	CRM	VA-EC-PCT-CONTROL						
Conductivity			99.6		%		90-110	08-SEP-18
WG2870664-1	MB							
Conductivity			<2.0		uS/cm		2	08-SEP-18
Batch	R4214521							
WG2872644-4	CRM	VA-EC-PCT-CONTROL						
Conductivity			101.2		%		90-110	12-SEP-18
WG2872644-1	MB							
Conductivity			<2.0		uS/cm		2	12-SEP-18
F-IC-N-VA								
Water								
Batch	R4205777							
WG2870656-2	LCS							
Fluoride (F)			100.5		%		90-110	07-SEP-18
WG2870656-1	MB							
Fluoride (F)			<0.020		mg/L		0.02	07-SEP-18
WG2870656-4	MS	L2157237-3						
Fluoride (F)			99.1		%		75-125	07-SEP-18
Batch	R4214491							
WG2872646-2	LCS							
Fluoride (F)			101.6		%		90-110	11-SEP-18
WG2872646-1	MB							
Fluoride (F)			<0.020		mg/L		0.02	11-SEP-18
HG-D-CVAA-VA								
Water								
Batch	R4203031							
WG2867841-2	LCS							
Mercury (Hg)-Dissolved			99.7		%		80-120	05-SEP-18
WG2867841-1	MB	LF						
Mercury (Hg)-Dissolved			<0.000005C		mg/L		0.000005	05-SEP-18

Quality Control Report

Workorder: L2157237

Report Date: 21-SEP-18

Page 4 of 12

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
HG-T-U-CVAF-VA								
	Water							
Batch	R4204226							
WG2869430-2	LCS							
Mercury (Hg)-Total			106.0		%		80-120	06-SEP-18
WG2869430-1	MB							
Mercury (Hg)-Total			<0.00050		ug/L		0.0005	06-SEP-18
WG2869430-4	MS	L2157237-1						
Mercury (Hg)-Total			88.7		%		70-130	06-SEP-18
MET-D-CCMS-VA								
	Water							
Batch	R4200768							
WG2867389-2	LCS							
Aluminum (Al)-Dissolved			95.0		%		80-120	04-SEP-18
Antimony (Sb)-Dissolved			97.7		%		80-120	04-SEP-18
Arsenic (As)-Dissolved			100.4		%		80-120	04-SEP-18
Barium (Ba)-Dissolved			91.3		%		80-120	04-SEP-18
Bismuth (Bi)-Dissolved			92.4		%		80-120	04-SEP-18
Boron (B)-Dissolved			89.6		%		80-120	04-SEP-18
Cadmium (Cd)-Dissolved			93.1		%		80-120	04-SEP-18
Calcium (Ca)-Dissolved			89.9		%		80-120	04-SEP-18
Chromium (Cr)-Dissolved			93.1		%		80-120	04-SEP-18
Cobalt (Co)-Dissolved			93.8		%		80-120	04-SEP-18
Copper (Cu)-Dissolved			91.3		%		80-120	04-SEP-18
Iron (Fe)-Dissolved			97.3		%		80-120	04-SEP-18
Lead (Pb)-Dissolved			94.5		%		80-120	04-SEP-18
Lithium (Li)-Dissolved			83.6		%		80-120	04-SEP-18
Magnesium (Mg)-Dissolved			94.0		%		80-120	04-SEP-18
Manganese (Mn)-Dissolved			95.8		%		80-120	04-SEP-18
Molybdenum (Mo)-Dissolved			93.3		%		80-120	04-SEP-18
Nickel (Ni)-Dissolved			92.2		%		80-120	04-SEP-18
Potassium (K)-Dissolved			95.5		%		80-120	04-SEP-18
Selenium (Se)-Dissolved			97.4		%		80-120	04-SEP-18
Silicon (Si)-Dissolved			96.5		%		60-140	04-SEP-18
Silver (Ag)-Dissolved			94.4		%		80-120	04-SEP-18
Sodium (Na)-Dissolved			97.3		%		80-120	04-SEP-18
Strontium (Sr)-Dissolved			91.8		%		80-120	04-SEP-18
Thallium (Tl)-Dissolved			95.4		%		80-120	04-SEP-18
Tin (Sn)-Dissolved			97.1		%		80-120	04-SEP-18
Titanium (Ti)-Dissolved			93.3		%		80-120	04-SEP-18



Quality Control Report

Workorder: L2157237

Report Date: 21-SEP-18

Page 5 of 12

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4200768							
WG2867389-2	LCS							
Uranium (U)-Dissolved			96.9		%		80-120	04-SEP-18
Vanadium (V)-Dissolved			94.3		%		80-120	04-SEP-18
Zinc (Zn)-Dissolved			92.3		%		80-120	04-SEP-18
WG2867389-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	04-SEP-18
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	04-SEP-18
Boron (B)-Dissolved			<0.010		mg/L		0.01	04-SEP-18
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	04-SEP-18
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	04-SEP-18
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Copper (Cu)-Dissolved			<0.00020		mg/L		0.0002	04-SEP-18
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	04-SEP-18
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	04-SEP-18
Lithium (Li)-Dissolved			<0.0010		mg/L		0.001	04-SEP-18
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	04-SEP-18
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Molybdenum (Mo)-Dissolved			<0.000050		mg/L		0.00005	04-SEP-18
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	04-SEP-18
Potassium (K)-Dissolved			<0.050		mg/L		0.05	04-SEP-18
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	04-SEP-18
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	04-SEP-18
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	04-SEP-18
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	04-SEP-18
Strontium (Sr)-Dissolved			<0.00020		mg/L		0.0002	04-SEP-18
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	04-SEP-18
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	04-SEP-18
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	04-SEP-18
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	04-SEP-18
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	04-SEP-18
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	04-SEP-18



Quality Control Report

Workorder: L2157237

Report Date: 21-SEP-18

Page 6 of 12

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4201797							
WG2867375-2	LCS							
Aluminum (Al)-Total			92.5		%		80-120	05-SEP-18
Antimony (Sb)-Total			95.9		%		80-120	05-SEP-18
Arsenic (As)-Total			92.9		%		80-120	05-SEP-18
Barium (Ba)-Total			91.9		%		80-120	05-SEP-18
Bismuth (Bi)-Total			92.9		%		80-120	05-SEP-18
Boron (B)-Total			88.0		%		80-120	05-SEP-18
Cadmium (Cd)-Total			93.8		%		80-120	05-SEP-18
Calcium (Ca)-Total			92.7		%		80-120	05-SEP-18
Chromium (Cr)-Total			95.1		%		80-120	05-SEP-18
Cobalt (Co)-Total			93.3		%		80-120	05-SEP-18
Copper (Cu)-Total			93.5		%		80-120	05-SEP-18
Iron (Fe)-Total			94.8		%		80-120	05-SEP-18
Lead (Pb)-Total			96.5		%		80-120	05-SEP-18
Lithium (Li)-Total			91.3		%		80-120	05-SEP-18
Magnesium (Mg)-Total			92.6		%		80-120	05-SEP-18
Manganese (Mn)-Total			92.1		%		80-120	05-SEP-18
Molybdenum (Mo)-Total			94.7		%		80-120	05-SEP-18
Nickel (Ni)-Total			91.8		%		80-120	05-SEP-18
Potassium (K)-Total			91.6		%		80-120	05-SEP-18
Selenium (Se)-Total			93.3		%		80-120	05-SEP-18
Silicon (Si)-Total			92.9		%		80-120	05-SEP-18
Silver (Ag)-Total			92.5		%		80-120	05-SEP-18
Sodium (Na)-Total			93.0		%		80-120	05-SEP-18
Strontium (Sr)-Total			91.3		%		80-120	05-SEP-18
Thallium (Tl)-Total			93.6		%		80-120	05-SEP-18
Tin (Sn)-Total			96.2		%		80-120	05-SEP-18
Titanium (Ti)-Total			90.0		%		80-120	05-SEP-18
Uranium (U)-Total			102.3		%		80-120	05-SEP-18
Vanadium (V)-Total			94.8		%		80-120	05-SEP-18
Zinc (Zn)-Total			91.6		%		80-120	05-SEP-18
WG2867375-1	MB							
Aluminum (Al)-Total			<0.0030		mg/L		0.003	05-SEP-18
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Arsenic (As)-Total			<0.00010		mg/L		0.0001	05-SEP-18



Quality Control Report

Workorder: L2157237

Report Date: 21-SEP-18

Page 7 of 12

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4201797							
WG2867375-1	MB							
Barium (Ba)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	05-SEP-18
Boron (B)-Total			<0.010		mg/L		0.01	05-SEP-18
Cadmium (Cd)-Total			<0.0000050		mg/L		0.000005	05-SEP-18
Calcium (Ca)-Total			<0.050		mg/L		0.05	05-SEP-18
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Copper (Cu)-Total			<0.00050		mg/L		0.0005	05-SEP-18
Iron (Fe)-Total			<0.010		mg/L		0.01	05-SEP-18
Lead (Pb)-Total			<0.000050		mg/L		0.00005	05-SEP-18
Lithium (Li)-Total			<0.0010		mg/L		0.001	05-SEP-18
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	05-SEP-18
Manganese (Mn)-Total			0.00013	MB-LOR	mg/L		0.0001	05-SEP-18
Molybdenum (Mo)-Total			<0.000050		mg/L		0.00005	05-SEP-18
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	05-SEP-18
Potassium (K)-Total			<0.050		mg/L		0.05	05-SEP-18
Selenium (Se)-Total			<0.000050		mg/L		0.00005	05-SEP-18
Silicon (Si)-Total			<0.10		mg/L		0.1	05-SEP-18
Silver (Ag)-Total			<0.000010		mg/L		0.00001	05-SEP-18
Sodium (Na)-Total			<0.050		mg/L		0.05	05-SEP-18
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	05-SEP-18
Thallium (Tl)-Total			<0.000010		mg/L		0.00001	05-SEP-18
Tin (Sn)-Total			<0.00010		mg/L		0.0001	05-SEP-18
Titanium (Ti)-Total			<0.00030		mg/L		0.0003	05-SEP-18
Uranium (U)-Total			<0.000010		mg/L		0.00001	05-SEP-18
Vanadium (V)-Total			<0.00050		mg/L		0.0005	05-SEP-18
Zinc (Zn)-Total			<0.0030		mg/L		0.003	05-SEP-18
NH3-L-F-CL		Water						
Batch	R4215488							
WG2875984-2	LCS							
Ammonia as N			101.5		%		85-115	13-SEP-18
WG2875984-1	MB							
Ammonia as N			<0.0050		mg/L		0.005	13-SEP-18
NO2-L-IC-N-VA		Water						

Quality Control Report

Workorder: L2157237

Report Date: 21-SEP-18

Page 8 of 12

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
NO2-L-IC-N-VA Water								
Batch	R4205777							
WG2870656-2	LCS							
Nitrite (as N)			99.7		%		90-110	07-SEP-18
WG2870656-1	MB							
Nitrite (as N)			<0.0010		mg/L		0.001	07-SEP-18
WG2870656-4	MS	L2157237-3						
Nitrite (as N)			97.1		%		75-125	07-SEP-18
Batch	R4214491							
WG2872646-2	LCS							
Nitrite (as N)			100.9		%		90-110	11-SEP-18
WG2872646-1	MB							
Nitrite (as N)			<0.0010		mg/L		0.001	11-SEP-18
NO3-L-IC-N-VA Water								
Batch	R4205777							
WG2870656-2	LCS							
Nitrate (as N)			100.5		%		90-110	07-SEP-18
WG2870656-1	MB							
Nitrate (as N)			<0.0050		mg/L		0.005	07-SEP-18
WG2870656-4	MS	L2157237-3						
Nitrate (as N)			99.2		%		75-125	07-SEP-18
Batch	R4214491							
WG2872646-2	LCS							
Nitrate (as N)			104.4		%		90-110	11-SEP-18
WG2872646-1	MB							
Nitrate (as N)			<0.0050		mg/L		0.005	11-SEP-18
ORP-CL Water								
Batch	R4207627							
WG2872339-9	CRM	CL-ORP						
ORP			227		mV		210-230	10-SEP-18
P-T-L-COL-CL Water								
Batch	R4218310							
WG2879315-2	LCS							
Phosphorus (P)-Total			95.8		%		80-120	17-SEP-18
WG2879315-1	MB							
Phosphorus (P)-Total			<0.0020		mg/L		0.002	17-SEP-18
PH-PCT-VA Water								



Quality Control Report

Workorder: L2157237

Report Date: 21-SEP-18

Page 9 of 12

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PH-PCT-VA								
Water								
Batch	R4205784							
WG2870664-2	CRM	VA-PH7-BUF						
pH			6.94		pH		6.9-7.1	08-SEP-18
Batch	R4214521							
WG2872644-2	CRM	VA-PH7-BUF						
pH			7.00		pH		6.9-7.1	12-SEP-18
PO4-DO-L-COL-CL								
Water								
Batch	R4196670							
WG2866156-22	LCS							
Orthophosphate-Dissolved (as P)			96.6		%		80-120	01-SEP-18
WG2866156-26	LCS							
Orthophosphate-Dissolved (as P)			88.2		%		80-120	01-SEP-18
WG2866156-21	MB							
Orthophosphate-Dissolved (as P)			<0.0010		mg/L		0.001	01-SEP-18
WG2866156-25	MB							
Orthophosphate-Dissolved (as P)			<0.0010		mg/L		0.001	01-SEP-18
SO4-IC-N-VA								
Water								
Batch	R4205777							
WG2870656-2	LCS							
Sulfate (SO4)			100.8		%		90-110	07-SEP-18
WG2870656-1	MB							
Sulfate (SO4)			<0.30		mg/L		0.3	07-SEP-18
WG2870656-4	MS	L2157237-3						
Sulfate (SO4)			97.8		%		75-125	07-SEP-18
Batch	R4214491							
WG2872646-2	LCS							
Sulfate (SO4)			104.9		%		90-110	11-SEP-18
WG2872646-1	MB							
Sulfate (SO4)			<0.30		mg/L		0.3	11-SEP-18
SOLIDS-TDS-CL								
Water								
Batch	R4203973							
WG2868271-9	LCS							
Total Dissolved Solids			96.1		%		85-115	05-SEP-18
WG2868271-7	MB							
Total Dissolved Solids			<10		mg/L		10	05-SEP-18
TKN-L-F-CL								
Water								

Quality Control Report

Workorder: L2157237

Report Date: 21-SEP-18

Page 10 of 12

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
TKN-L-F-CL								
Water								
Batch	R4207713							
WG2870103-16	DUP	L2157237-7						
Total Kjeldahl Nitrogen		0.055	0.059		mg/L	7.0	20	09-SEP-18
WG2870103-15	LCS							
Total Kjeldahl Nitrogen			95.1		%		75-125	09-SEP-18
WG2870103-13	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	09-SEP-18
WG2870103-14	MS	L2157237-7						
Total Kjeldahl Nitrogen			99.4		%		70-130	09-SEP-18
TSS-L-CL								
Water								
Batch	R4203976							
WG2868851-8	LCS							
Total Suspended Solids			95.1		%		85-115	05-SEP-18
WG2868851-7	MB							
Total Suspended Solids			<1.0		mg/L		1	05-SEP-18
TSS-LOW-VA								
Water								
Batch	R4203669							
WG2867937-2	LCS							
Total Suspended Solids			105.6		%		85-115	05-SEP-18
WG2867937-1	MB							
Total Suspended Solids			<1.0		mg/L		1	05-SEP-18
TURBIDITY-CL								
Water								
Batch	R4202009							
WG2866714-2	LCS							
Turbidity			97.5		%		85-115	02-SEP-18
WG2866714-1	MB							
Turbidity			<0.10		NTU		0.1	02-SEP-18

Quality Control Report

Workorder: L2157237

Report Date: 21-SEP-18

Page 11 of 12

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
MB-LOR	Method Blank exceeds ALS DQO. Limits of Reporting have been adjusted for samples with positive hits below 5x blank level.

Quality Control Report

Workorder: L2157237

Report Date: 21-SEP-18

Page 12 of 12

Hold Time Exceedances:

ALS Product Description	Sample ID	Sampling Date	Date Processed	Rec. HT	Actual HT	Units	Qualifier
Physical Tests							
Oxidation reduction potential by elect.							
	1	30-AUG-18 09:30	10-SEP-18 00:00	0.25	254	hours	EHTR-FM
	3	30-AUG-18 09:30	10-SEP-18 00:00	0.25	254	hours	EHTR-FM
	5	30-AUG-18 09:30	10-SEP-18 00:00	0.25	254	hours	EHTR-FM
	7	30-AUG-18 09:30	10-SEP-18 00:00	0.25	254	hours	EHTR-FM
	9	30-AUG-18 09:15	10-SEP-18 00:00	0.25	255	hours	EHTR-FM
pH by Meter (Automated)							
	1	30-AUG-18 09:30	09-SEP-18 11:11	0.25	242	hours	EHTR-FM
	3	30-AUG-18 09:30	09-SEP-18 11:11	0.25	242	hours	EHTR-FM
	5	30-AUG-18 09:30	09-SEP-18 11:11	0.25	242	hours	EHTR-FM
	7	30-AUG-18 09:30	12-SEP-18 14:06	0.25	317	hours	EHTR-FM
	9	30-AUG-18 09:15	09-SEP-18 11:11	0.25	242	hours	EHTR-FM
Anions and Nutrients							
Nitrate in Water by IC (Low Level)							
	1	30-AUG-18 09:30	07-SEP-18 13:12	3	8	days	EHT
	3	30-AUG-18 09:30	07-SEP-18 13:12	3	8	days	EHT
	5	30-AUG-18 09:30	07-SEP-18 13:12	3	8	days	EHT
	7	30-AUG-18 09:30	11-SEP-18 07:05	3	12	days	EHT
	9	30-AUG-18 09:15	07-SEP-18 13:12	3	8	days	EHT
Nitrite in Water by IC (Low Level)							
	1	30-AUG-18 09:30	07-SEP-18 13:12	3	8	days	EHT
	3	30-AUG-18 09:30	07-SEP-18 13:12	3	8	days	EHT
	5	30-AUG-18 09:30	07-SEP-18 13:12	3	8	days	EHT
	7	30-AUG-18 09:30	11-SEP-18 07:05	3	12	days	EHT
	9	30-AUG-18 09:15	07-SEP-18 13:12	3	8	days	EHT

Legend & Qualifier Definitions:

- EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended.
- EHTR: Exceeded ALS recommended hold time prior to sample receipt.
- EHTL: Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.
- EHT: Exceeded ALS recommended hold time prior to analysis.
- Rec. HT: ALS recommended hold time (see units).

Notes*:

Where actual sampling date is not provided to ALS, the date (& time) of receipt is used for calculation purposes.
 Where actual sampling time is not provided to ALS, the earlier of 12 noon on the sampling date or the time (& date) of receipt is used for calculation purposes. Samples for L2157237 were received on 31-AUG-18 10:40.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.



L2157237-COFC

COC ID: REGIONAL Kooacanusa Reservoir TURNAROUND

PROJECT/CLIENT INFO				LAB INFO			
Facility Name / Job#	Regional Kooacanusa			Lab Name	L		
Project Manager	Cait Good			Lab Contact	L		
Email	[redacted]			Email	Lyudmyla.Shvets@ALSGlobal.com		
Address	421 Pine Avenue			Address	2559 29 Street NE		
City	Sparwood	Province	BC	City	Calgary	Province	AB
Postal Code	V0B 2G0	Country	Canada	Postal Code	T1Y7B5	Country	Canada
Phone Number	250-425-8202			Phone Number	14034071794		
				PO number	VPO00563596		

Sample ID	Sample Location (sys loc code)	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Com p	# Of Cont.	ANALYSIS REQUESTED											
								PH	N	N	N	N	N	N					
1 RG_GCU1_WS_20180830-0930	RG_GCU1	WS		30-Aug-18	9:30:00 AM	G	7	1	1	1	1	1	1	1	1				
2 RG_GCU1_WS_20180830-0930_FB-HG	RG_GCU1	WS		30-Aug-18	9:30:00 AM	G	1	1											
3 RG_GCU2_WS_20180830-0930	RG_GCU2	WS		30-Aug-18	9:30:00 AM	G	7	1	1	1	1	1	1	1	1				
4 RG_GCU2_WS_20180830-0930_FB-HG	RG_GCU2	WS		30-Aug-18	9:30:00 AM	G	1	1											
5 RG_GCU3_WS_20180830-0930	RG_GCU3	WS		30-Aug-18	9:30:00 AM	G	7	1	1	1	1	1	1	1	1				
6 RG_GCU3_WS_20180830-0930_FB-HG	RG_GCU3	WS		30-Aug-18	9:30:00 AM	G	1	1											
7 RG_ERU3_WS_20180830-0930	RG_ERU3	WS		30-Aug-18	9:30:00 AM	G	7	1	1	1	1	1	1	1	1				
8 RG_ERU3_WS_20180830-0930_FB-HG	RG_ERU3	WS		30-Aug-18	9:30:00 AM	G	1	1											
9 RG_ERU2_WS_20180830-0915	RG_ERU2	WS		30-Aug-18	9:15:00 AM	G	7	1	1	1	1	1	1	1	1				
10 RG_ERU2_WS_20180830-0915_FB-HG	RG_ERU2	WS		30-Aug-18	9:15:00 AM	G	1	1											

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
Kooacanusa - VPO00563596			<i>[Signature]</i>	08/31 10:40

SERVICE REQUEST (rush - subject to availability)	Sampler's Name	Mobile #
Regular (default) <input checked="" type="checkbox"/>	Justin Wilson	519-803-3923
Priority (2-3 business days) - 50% surcharge	Sampler's Signature	Date/Time
Emergency (1 Business Day) - 100% surcharge		August 30, 2018
For Emergency <1 Day, ASAP or Weekend - Contact ALS		



Teck Coal Ltd.
ATTN: Cait Good
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 31-AUG-18
Report Date: 05-JUN-19 14:47 (MT)
Version: FINAL REV. 2

Client Phone: 250-425-8202

Certificate of Analysis

Lab Work Order #: L2157301
Project P.O. #: VPO00563596
Job Reference: REGIONAL EFFECTS PROGRAM
C of C Numbers: Regional Koochanusa
Legal Site Desc:

Lyudmyla Shvets, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157301-1	L2157301-2	L2157301-3	L2157301-4	L2157301-5
		Description	Sediment	Sediment	Sediment	Sediment	Sediment
		Sampled Date	29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18
		Sampled Time	15:15	14:45	11:30	12:30	14:00
		Client ID	RG_TN_1_SED_20 180829-1515	RG_TN_2_SED_20 180829-1445	RG_TN_3_SED_20 180829-1130	RG_TN_4_SED_20 180829-1230	RG_TN_5_SED_20 180829-1400
Grouping	Analyte						
SOIL							
Physical Tests	Moisture (%)		41.5	38.7	41.6	33.2	35.8
	pH (1:2 soil:water) (pH)		8.40	8.59	8.35	8.83	8.77
Particle Size	% Gravel (>2mm) (%)		<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (2.00mm - 1.00mm) (%)		<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (1.00mm - 0.50mm) (%)		<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (0.50mm - 0.25mm) (%)		<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (0.25mm - 0.125mm) (%)		<1.0	<1.0	<1.0	15.3	2.7
	% Sand (0.125mm - 0.063mm) (%)		<1.0	6.7	2.0	29.6	28.0
	% Silt (0.063mm - 0.0312mm) (%)		30.1	29.5	34.1	19.4	26.8
	% Silt (0.0312mm - 0.004mm) (%)		57.1	52.1	53.8	28.0	35.0
	% Clay (<4um) (%)		12.5	11.6	10.1	7.4	7.4
	Texture		Silt	Silt	Silt	Sandy loam	Silt loam
Organic / Inorganic Carbon	Total Organic Carbon (%)		2.00	1.99	2.4	1.83	1.91
Metals	Aluminum (Al) (mg/kg)		12100	12300	12100	9220	9860
	Antimony (Sb) (mg/kg)		0.29	0.30	0.34	0.26	0.29
	Arsenic (As) (mg/kg)		7.13	6.77	7.23	6.33	6.76
	Barium (Ba) (mg/kg)		71.1	71.7	73.8	57.3	59.5
	Beryllium (Be) (mg/kg)		0.37	0.35	0.37	0.27	0.32
	Bismuth (Bi) (mg/kg)		<0.20	<0.20	<0.20	<0.20	<0.20
	Boron (B) (mg/kg)		<5.0	<5.0	<5.0	<5.0	<5.0
	Cadmium (Cd) (mg/kg)		0.176	0.171	0.202	0.144	0.138
	Calcium (Ca) (mg/kg)		106000	115000	103000	111000	114000
	Chromium (Cr) (mg/kg)		17.1	16.8	18.0	15.1	15.9
	Cobalt (Co) (mg/kg)		8.98	8.88	9.52	7.98	8.40
	Copper (Cu) (mg/kg)		16.3	15.2	17.5	12.1	13.1
	Iron (Fe) (mg/kg)		22000	21900	22500	19700	20900
	Lead (Pb) (mg/kg)		16.5	15.5	18.0	14.2	14.7
	Lithium (Li) (mg/kg)		25.1	24.5	24.5	20.1	22.5
	Magnesium (Mg) (mg/kg)		22200	24600	23500	24900	26100
	Manganese (Mn) (mg/kg)		423	430	429	382	402
	Mercury (Hg) (mg/kg)		0.0196	0.0150	0.0202	0.0141	0.0126
	Molybdenum (Mo) (mg/kg)		0.58	0.61	0.65	0.55	0.59
	Nickel (Ni) (mg/kg)		18.9	19.0	20.2	16.8	17.9
	Phosphorus (P) (mg/kg)		617	641	675	633	682
	Potassium (K) (mg/kg)		800	740	800	610	630
	Selenium (Se) (mg/kg)		<0.20	<0.20	0.23	<0.20	<0.20
	Silver (Ag) (mg/kg)		<0.10	<0.10	<0.10	<0.10	<0.10

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157301-6	L2157301-7	L2157301-8	L2157301-9	L2157301-10
		Description	Sediment	Sediment	Sediment	Sediment	Sediment
		Sampled Date	28-AUG-18	28-AUG-18	28-AUG-18	28-AUG-18	28-AUG-18
		Sampled Time	10:00	12:00	13:30	14:30	15:30
		Client ID	RG_T4_1_SED_20 180828-1000	RG_T4_2_SED_20 180828-1200	RG_T4_3_SED_20 180828-1330	RG_T4_4_SED_20 180828-1430	RG_T4_5_SED_20 180828-1530
Grouping	Analyte						
SOIL							
Physical Tests	Moisture (%)		40.0	42.3	41.0	43.3	39.2
	pH (1:2 soil:water) (pH)		8.53	8.42	8.42	8.43	8.49
Particle Size	% Gravel (>2mm) (%)		<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (2.00mm - 1.00mm) (%)		<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (1.00mm - 0.50mm) (%)		<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (0.50mm - 0.25mm) (%)		<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (0.25mm - 0.125mm) (%)		<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (0.125mm - 0.063mm) (%)		<1.0	<1.0	2.2	1.9	2.9
	% Silt (0.063mm - 0.0312mm) (%)		19.4	18.5	21.6	14.8	16.0
	% Silt (0.0312mm - 0.004mm) (%)		60.8	62.2	58.8	62.8	61.2
	% Clay (<4um) (%)		19.7	19.1	17.2	20.5	19.8
	Texture		Silt	Silt	Silt	Silt	Silt
Organic / Inorganic Carbon	Total Organic Carbon (%)		2.15	2.19	2.20	2.2	1.94
Metals	Aluminum (Al) (mg/kg)		10500	13200	12000	13500	13400
	Antimony (Sb) (mg/kg)		0.46	0.48	0.41	0.42	0.42
	Arsenic (As) (mg/kg)		7.25	7.69	7.17	7.59	7.14
	Barium (Ba) (mg/kg)		161	166	135	141	116
	Beryllium (Be) (mg/kg)		0.50	0.55	0.47	0.48	0.45
	Bismuth (Bi) (mg/kg)		<0.20	<0.20	<0.20	<0.20	<0.20
	Boron (B) (mg/kg)		5.0	<5.0	<5.0	<5.0	<5.0
	Cadmium (Cd) (mg/kg)		0.586	0.573	0.486	0.462	0.336
	Calcium (Ca) (mg/kg)		117000	119000	115000	122000	120000
	Chromium (Cr) (mg/kg)		17.6	20.0	18.7	20.4	19.6
	Cobalt (Co) (mg/kg)		9.08	10.3	9.45	10.2	9.83
	Copper (Cu) (mg/kg)		16.4	18.0	16.4	17.5	16.1
	Iron (Fe) (mg/kg)		22200	24500	22800	24700	23900
	Lead (Pb) (mg/kg)		14.0	15.4	15.0	15.9	15.8
	Lithium (Li) (mg/kg)		24.1	26.1	24.2	25.6	24.8
	Magnesium (Mg) (mg/kg)		24100	26700	24000	26200	24300
	Manganese (Mn) (mg/kg)		589	596	539	568	528
	Mercury (Hg) (mg/kg)		0.0323	0.0336	0.0286	0.0291	0.0208
	Molybdenum (Mo) (mg/kg)		1.03	1.01	0.94	0.94	0.85
	Nickel (Ni) (mg/kg)		22.4	24.8	22.5	23.9	22.0
	Phosphorus (P) (mg/kg)		912	979	812	830	734
	Potassium (K) (mg/kg)		950	1110	1020	1160	1010
	Selenium (Se) (mg/kg)		0.61	0.53	0.47	0.51	0.40
	Silver (Ag) (mg/kg)		0.11	0.11	<0.10	<0.10	<0.10

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID	L2157301-11 Sediment 28-AUG-18 14:35 RG_T4_4_SED_20 180828-1435			
Grouping	Analyte				
SOIL					
Physical Tests	Moisture (%)	42.3			
	pH (1:2 soil:water) (pH)	8.45			
Particle Size	% Gravel (>2mm) (%)	<1.0			
	% Sand (2.00mm - 1.00mm) (%)	<1.0			
	% Sand (1.00mm - 0.50mm) (%)	<1.0			
	% Sand (0.50mm - 0.25mm) (%)	<1.0			
	% Sand (0.25mm - 0.125mm) (%)	<1.0			
	% Sand (0.125mm - 0.063mm) (%)	1.4			
	% Silt (0.063mm - 0.0312mm) (%)	17.4			
	% Silt (0.0312mm - 0.004mm) (%)	61.6			
	% Clay (<4um) (%)	19.6			
	Texture	Silt			
Organic / Inorganic Carbon	Total Organic Carbon (%)	2.3			
Metals	Aluminum (Al) (mg/kg)	14700			
	Antimony (Sb) (mg/kg)	0.44			
	Arsenic (As) (mg/kg)	8.24			
	Barium (Ba) (mg/kg)	142			
	Beryllium (Be) (mg/kg)	0.50			
	Bismuth (Bi) (mg/kg)	0.21			
	Boron (B) (mg/kg)	<5.0			
	Cadmium (Cd) (mg/kg)	0.454			
	Calcium (Ca) (mg/kg)	140000			
	Chromium (Cr) (mg/kg)	21.8			
	Cobalt (Co) (mg/kg)	11.2			
	Copper (Cu) (mg/kg)	19.2			
	Iron (Fe) (mg/kg)	26900			
	Lead (Pb) (mg/kg)	17.8			
	Lithium (Li) (mg/kg)	27.7			
	Magnesium (Mg) (mg/kg)	28400			
	Manganese (Mn) (mg/kg)	629			
	Mercury (Hg) (mg/kg)	0.0462			
	Molybdenum (Mo) (mg/kg)	1.05			
	Nickel (Ni) (mg/kg)	25.6			
	Phosphorus (P) (mg/kg)	876			
	Potassium (K) (mg/kg)	1110			
	Selenium (Se) (mg/kg)	0.52			
	Silver (Ag) (mg/kg)	<0.10			

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L2157301-1 Sediment 29-AUG-18 15:15 RG_TN_1_SED_20 180829-1515	L2157301-2 Sediment 29-AUG-18 14:45 RG_TN_2_SED_20 180829-1445	L2157301-3 Sediment 29-AUG-18 11:30 RG_TN_3_SED_20 180829-1130	L2157301-4 Sediment 29-AUG-18 12:30 RG_TN_4_SED_20 180829-1230	L2157301-5 Sediment 29-AUG-18 14:00 RG_TN_5_SED_20 180829-1400
Grouping	Analyte					
SOIL						
Metals	Sodium (Na) (mg/kg)	81	84	89	81	82
	Strontium (Sr) (mg/kg)	238	250	229	231	237
	Sulfur (S) (mg/kg)	<1000	<1000	<1000	<1000	<1000
	Thallium (Tl) (mg/kg)	0.087	0.078	0.085	0.066	0.067
	Tin (Sn) (mg/kg)	<2.0	<2.0	<2.0	<2.0	<2.0
	Titanium (Ti) (mg/kg)	142	140	143	129	123
	Tungsten (W) (mg/kg)	<0.50	<0.50	<0.50	<0.50	<0.50
	Uranium (U) (mg/kg)	0.794	0.729	0.881	0.582	0.576
	Vanadium (V) (mg/kg)	13.4	13.4	13.9	12.0	12.5
	Zinc (Zn) (mg/kg)	69.4	66.9	73.6	61.8	64.0
	Zirconium (Zr) (mg/kg)	<1.0	<1.0	1.5	1.3	1.4
Polycyclic Aromatic Hydrocarbons	Acenaphthene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
	Acenaphthylene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
	Acridine (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Anthracene (mg/kg)	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040
	Benz(a)anthracene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Benzo(a)pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Benzo(b&j)fluoranthene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Benzo(e)pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Benzo(g,h,i)perylene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Benzo(k)fluoranthene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Chrysene (mg/kg)	0.022	<0.010	<0.010	<0.010	<0.010
	Dibenz(a,h)anthracene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
	Fluoranthene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Fluorene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Indeno(1,2,3-c,d)pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	1-Methylnaphthalene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	2-Methylnaphthalene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Naphthalene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Perylene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Phenanthrene (mg/kg)	<0.010	0.011	<0.010	<0.010	<0.010
	Pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Quinoline (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Surrogate: d10-Acenaphthene (%)	94.4	91.6	85.2	73.8	82.5
	Surrogate: d12-Chrysene (%)	103.9	104.2	105.8	101.4	104.4
	Surrogate: d8-Naphthalene (%)	92.6	88.9	80.5	69.6	79.5

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L2157301-6 Sediment 28-AUG-18 10:00 RG_T4_1_SED_20 180828-1000	L2157301-7 Sediment 28-AUG-18 12:00 RG_T4_2_SED_20 180828-1200	L2157301-8 Sediment 28-AUG-18 13:30 RG_T4_3_SED_20 180828-1330	L2157301-9 Sediment 28-AUG-18 14:30 RG_T4_4_SED_20 180828-1430	L2157301-10 Sediment 28-AUG-18 15:30 RG_T4_5_SED_20 180828-1530
Grouping	Analyte					
SOIL						
Metals	Sodium (Na) (mg/kg)	92	100	91	100	103
	Strontium (Sr) (mg/kg)	216	227	226	250	263
	Sulfur (S) (mg/kg)	<1000	<1000	<1000	<1000	<1000
	Thallium (Tl) (mg/kg)	0.136	0.144	0.128	0.131	0.113
	Tin (Sn) (mg/kg)	<2.0	<2.0	<2.0	<2.0	<2.0
	Titanium (Ti) (mg/kg)	54.8	76.9	84.1	99.6	102
	Tungsten (W) (mg/kg)	<0.50	<0.50	<0.50	<0.50	<0.50
	Uranium (U) (mg/kg)	0.758	0.788	0.850	0.811	0.784
	Vanadium (V) (mg/kg)	18.0	20.2	17.9	19.3	17.2
	Zinc (Zn) (mg/kg)	81.6	88.7	79.8	84.4	77.2
	Zirconium (Zr) (mg/kg)	1.7	1.7	1.5	1.3	1.4
Polycyclic Aromatic Hydrocarbons	Acenaphthene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
	Acenaphthylene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
	Acridine (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Anthracene (mg/kg)	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040
	Benz(a)anthracene (mg/kg)	0.012	0.013	<0.010	<0.010	<0.010
	Benzo(a)pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Benzo(b&j)fluoranthene (mg/kg)	0.020	0.020	0.014	0.015	<0.010
	Benzo(e)pyrene (mg/kg)	0.013	0.013	<0.010	0.010	<0.010
	Benzo(g,h,i)perylene (mg/kg)	<0.010	<0.010	<0.010	0.014	<0.010
	Benzo(k)fluoranthene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Chrysene (mg/kg)	0.025	0.026	0.018	0.018	<0.010
	Dibenz(a,h)anthracene (mg/kg)	<0.0050	<0.0050	<0.0050	0.0057	<0.0050
	Fluoranthene (mg/kg)	0.017	0.019	0.014	0.014	<0.010
	Fluorene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Indeno(1,2,3-c,d)pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	1-Methylnaphthalene (mg/kg)	0.026	0.023	0.025	0.016	<0.010
	2-Methylnaphthalene (mg/kg)	0.047	0.041	0.040	0.030	0.016
	Naphthalene (mg/kg)	0.019	0.016	0.014	0.010	<0.010
	Perylene (mg/kg)	0.015	0.015	<0.010	0.011	<0.010
	Phenanthrene (mg/kg)	0.045	0.039	0.041	0.027	0.017
	Pyrene (mg/kg)	0.013	0.014	0.011	0.011	<0.010
	Quinoline (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Surrogate: d10-Acenaphthene (%)	87.8	88.0	87.2	84.2	79.8
	Surrogate: d12-Chrysene (%)	106.7	116.9	104.8	104.9	104.2
	Surrogate: d8-Naphthalene (%)	84.1	84.5	84.9	81.4	75.3

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID	L2157301-11 Sediment 28-AUG-18 14:35 RG_T4_4_SED_20 180828-1435				
Grouping	Analyte				
SOIL					
Metals	Sodium (Na) (mg/kg)	105			
	Strontium (Sr) (mg/kg)	288			
	Sulfur (S) (mg/kg)	<1000			
	Thallium (Tl) (mg/kg)	0.132			
	Tin (Sn) (mg/kg)	<2.0			
	Titanium (Ti) (mg/kg)	101			
	Tungsten (W) (mg/kg)	<0.50			
	Uranium (U) (mg/kg)	0.907			
	Vanadium (V) (mg/kg)	19.6			
	Zinc (Zn) (mg/kg)	88.7			
	Zirconium (Zr) (mg/kg)	1.8			
Polycyclic Aromatic Hydrocarbons	Acenaphthene (mg/kg)	<0.0050			
	Acenaphthylene (mg/kg)	<0.0050			
	Acridine (mg/kg)	<0.010			
	Anthracene (mg/kg)	<0.0040			
	Benzo(a)anthracene (mg/kg)	<0.010			
	Benzo(a)pyrene (mg/kg)	<0.010			
	Benzo(b&j)fluoranthene (mg/kg)	0.015			
	Benzo(e)pyrene (mg/kg)	<0.010			
	Benzo(g,h,i)perylene (mg/kg)	<0.010			
	Benzo(k)fluoranthene (mg/kg)	<0.010			
	Chrysene (mg/kg)	0.015			
	Dibenz(a,h)anthracene (mg/kg)	<0.0050			
	Fluoranthene (mg/kg)	0.013			
	Fluorene (mg/kg)	<0.010			
	Indeno(1,2,3-c,d)pyrene (mg/kg)	<0.010			
	1-Methylnaphthalene (mg/kg)	0.019			
	2-Methylnaphthalene (mg/kg)	0.029			
	Naphthalene (mg/kg)	0.013			
	Perylene (mg/kg)	0.011			
	Phenanthrene (mg/kg)	0.028			
	Pyrene (mg/kg)	<0.010			
	Quinoline (mg/kg)	<0.010			
	Surrogate: d10-Acenaphthene (%)	90.4			
	Surrogate: d12-Chrysene (%)	109.9			
	Surrogate: d8-Naphthalene (%)	89.5			

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157301-1	L2157301-2	L2157301-3	L2157301-4	L2157301-5
		Description	Sediment	Sediment	Sediment	Sediment	Sediment
		Sampled Date	29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18
		Sampled Time	15:15	14:45	11:30	12:30	14:00
		Client ID	RG_TN_1_SED_20 180829-1515	RG_TN_2_SED_20 180829-1445	RG_TN_3_SED_20 180829-1130	RG_TN_4_SED_20 180829-1230	RG_TN_5_SED_20 180829-1400
Grouping	Analyte						
SOIL							
Polycyclic Aromatic Hydrocarbons	Surrogate: d10-Phenanthrene (%)	95.9	93.9	92.5	84.5	88.6	
	B(a)P Total Potency Equivalent (mg/kg)	<0.020	<0.020	<0.020	<0.020	<0.020	
	IACR (CCME) (mg/kg)	<0.15	<0.15	<0.15	<0.15	<0.15	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157301-6	L2157301-7	L2157301-8	L2157301-9	L2157301-10
		Description	Sediment	Sediment	Sediment	Sediment	Sediment
		Sampled Date	28-AUG-18	28-AUG-18	28-AUG-18	28-AUG-18	28-AUG-18
		Sampled Time	10:00	12:00	13:30	14:30	15:30
		Client ID	RG_T4_1_SED_20 180828-1000	RG_T4_2_SED_20 180828-1200	RG_T4_3_SED_20 180828-1330	RG_T4_4_SED_20 180828-1430	RG_T4_5_SED_20 180828-1530
Grouping	Analyte						
SOIL							
Polycyclic Aromatic Hydrocarbons	Surrogate: d10-Phenanthrene (%)	94.7	94.7	91.4	90.2	87.7	
	B(a)P Total Potency Equivalent (mg/kg)	<0.020	<0.020	<0.020	<0.020	<0.020	
	IACR (CCME) (mg/kg)	0.23	0.23	0.17	0.19	<0.15	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID				
	L2157301-11 Sediment 28-AUG-18 14:35 RG_T4_4_SED_20 180828-1435				
Grouping	Analyte				
SOIL					
Polycyclic Aromatic Hydrocarbons	Surrogate: d10-Phenanthrene (%)	94.6			
	B(a)P Total Potency Equivalent (mg/kg)	<0.020			
	IACR (CCME) (mg/kg)	0.17			

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Certified Reference Material	Phosphorus (P)	MES	L2157301-1, -10, -11, -2, -3, -4, -5, -6, -7, -8, -9

Qualifiers for Individual Parameters Listed:

Qualifier	Description
MES	Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
C-TIC-PCT-SK	Soil	Total Inorganic Carbon in Soil	CSSS (2008) P216-217
A known quantity of acetic acid is consumed by reaction with carbonates in the soil. The pH of the resulting solution is measured and compared against a standard curve relating pH to weight of carbonate.			
C-TOC-CALC-SK	Soil	Total Organic Carbon Calculation	CSSS (2008) 21.2
Total Organic Carbon (TOC) is calculated by the difference between total carbon (TC) and total inorganic carbon. (TIC)			
C-TOT-LECO-SK	Soil	Total Carbon by combustion method	CSSS (2008) 21.2
The sample is ignited in a combustion analyzer where carbon in the reduced CO2 gas is determined using a thermal conductivity detector.			
HG-200.2-CVAA-CL	Soil	Mercury in Soil by CVAAS	EPA 200.2/1631E (mod)
Soil samples are digested with nitric and hydrochloric acids, followed by analysis by CVAAS.			
IC-CACO3-CALC-SK	Soil	Inorganic Carbon as CaCO3 Equivalent	Calculation
MET-200.2-CCMS-CL	Soil	Metals in Soil by CRC ICPMS	EPA 200.2/6020A (mod)
Soil/sediment is dried, disaggregated, and sieved (2 mm). Strong Acid Leachable Metals in the <2mm fraction are solubilized by heated digestion with nitric and hydrochloric acids. Instrumental analysis is by Collision / Reaction Cell ICPMS.			
Limitations: This method is intended to liberate environmentally available metals. Silicate minerals are not solubilized. Some metals may be only partially recovered (matrix dependent), including Al, Ba, Be, Cr, S, Sr, Ti, Tl, V, W, and Zr. Elemental Sulfur may be poorly recovered by this method. Volatile forms of sulfur (e.g. sulfide, H2S) may be excluded if lost during sampling, storage, or digestion.			
MOISTURE-CL	Soil	% Moisture	CCME PHC in Soil - Tier 1 (mod)
This analysis is carried out gravimetrically by drying the sample at 105 C			
PAH-TMB-D/A-MS-CL	Soil	PAH by Tumbler Extraction (DCM/Acetone)	EPA 3570/8270
Polycyclic Aromatic Hydrocarbons in Sediment/Soil This analysis is carried out using procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846, Methods 3570 & 8270, published by the United States Environmental Protection Agency (EPA). The procedure uses a mechanical shaking technique to extract a subsample of the sediment/soil with a 1:1 mixture of DCM and acetone. The extract is then solvent exchanged to toluene. The final extract is analysed by capillary column gas chromatography with mass spectrometric detection (GC/MS). Surrogate recoveries may not be reported in cases where interferences from the sample matrix prevent accurate quantitation. Because the two isomers cannot be readily chromatographically separated, benzo(j)fluoranthene is reported as part of the benzo(b)fluoranthene parameter.			
PH-1:2-CL	Soil	pH in soil (1:2 Soil:Water Extraction)	CSSS Ch. 16
Soil and de-ionized water (by volume) are mixed in a defined ratio. The slurry is allowed to stand, shaken, and then allowed to stand again prior to taking measurements. After equilibration, the pH of the liquid portion of the extract is measured by a pH meter. Field Measurement is recommended where accurate pH measurements are required, due to the 15 minute recommended hold time.			
PSA-PIPET-DETAIL-SK	Soil	Particle size - Sieve and Pipette	SSIR-51 METHOD 3.2.1
Particle size distribution is determined by a combination of techniques. Dry sieving is performed for coarse particles, wet sieving for sand particles and the pipette sedimentation method for clay particles.			

Reference:

Burt, R. (2009). Soil Survey Field and Laboratory Methods Manual. Soil Survey Investigations Report No. 5. Method 3.2.1.2.2. United States Department of Agriculture Natural Resources Conservation Service.

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
----------------------------	---------------------

Reference Information

SK ALS ENVIRONMENTAL - SASKATOON, SASKATCHEWAN, CANADA
CL ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA

Chain of Custody Numbers:

Regional Kooacanusa

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Quality Control Report

Workorder: L2157301

Report Date: 05-JUN-19

Page 1 of 11

Client: Teck Coal Ltd.
 421 Pine Avenue
 Sparwood BC V0B 2G0
 Contact: Cait Good

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
C-TIC-PCT-SK								
	Soil							
Batch	R4207675							
WG2869426-2	LCS							
Inorganic Carbon			97.8		%		80-120	10-SEP-18
WG2869426-3	MB							
Inorganic Carbon			<0.050		%		0.05	10-SEP-18
Batch	R4210968							
WG2869424-1	DUP	L2157301-6						
Inorganic Carbon		2.73	2.69		%	1.4	20	11-SEP-18
WG2869424-2	LCS							
Inorganic Carbon			96.9		%		80-120	11-SEP-18
WG2869424-3	MB							
Inorganic Carbon			<0.050		%		0.05	11-SEP-18
C-TOT-LECO-SK								
	Soil							
Batch	R4205562							
WG2867622-2	IRM	08-109_SOIL						
Total Carbon by Combustion			106.5		%		80-120	07-SEP-18
WG2867622-4	LCS	SULFADIAZINE						
Total Carbon by Combustion			101.0		%		90-110	07-SEP-18
WG2867622-3	MB							
Total Carbon by Combustion			<0.05		%		0.05	07-SEP-18
Batch	R4205816							
WG2868854-2	IRM	08-109_SOIL						
Total Carbon by Combustion			97.8		%		80-120	08-SEP-18
WG2868854-4	LCS	SULFADIAZINE						
Total Carbon by Combustion			100.0		%		90-110	08-SEP-18
WG2868854-3	MB							
Total Carbon by Combustion			<0.05		%		0.05	08-SEP-18
HG-200.2-CVAA-CL								
	Soil							
Batch	R4204124							
WG2869457-9	CRM	TILL-1						
Mercury (Hg)			109.2		%		70-130	07-SEP-18
WG2869457-8	LCS							
Mercury (Hg)			103.0		%		80-120	07-SEP-18
WG2869457-6	MB							
Mercury (Hg)			<0.0050		mg/kg		0.005	07-SEP-18
MET-200.2-CCMS-CL								
	Soil							



Quality Control Report

Workorder: L2157301

Report Date: 05-JUN-19

Page 2 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-200.2-CCMS-CL	Soil							
Batch	R4204992							
WG2869457-9	CRM	TILL-1						
Aluminum (Al)			129.0		%		70-130	07-SEP-18
Antimony (Sb)			120.4		%		70-130	07-SEP-18
Arsenic (As)			122.1		%		70-130	07-SEP-18
Barium (Ba)			114.7		%		70-130	07-SEP-18
Beryllium (Be)			117.4		%		70-130	07-SEP-18
Bismuth (Bi)			98.6		%		70-130	07-SEP-18
Boron (B)			3.4		mg/kg		0-8.2	07-SEP-18
Cadmium (Cd)			121.6		%		70-130	07-SEP-18
Calcium (Ca)			122.7		%		70-130	07-SEP-18
Chromium (Cr)			118.6		%		70-130	07-SEP-18
Cobalt (Co)			119.5		%		70-130	07-SEP-18
Copper (Cu)			114.1		%		70-130	07-SEP-18
Iron (Fe)			120.0		%		70-130	07-SEP-18
Lead (Pb)			117.5		%		70-130	07-SEP-18
Lithium (Li)			120.3		%		70-130	07-SEP-18
Magnesium (Mg)			127.0		%		70-130	07-SEP-18
Manganese (Mn)			127.8		%		70-130	07-SEP-18
Molybdenum (Mo)			128.8		%		70-130	07-SEP-18
Nickel (Ni)			117.3		%		70-130	07-SEP-18
Phosphorus (P)			130.2	MES	%		70-130	07-SEP-18
Potassium (K)			110.0		%		70-130	07-SEP-18
Selenium (Se)			0.36		mg/kg		0.11-0.51	07-SEP-18
Silver (Ag)			0.24		mg/kg		0.13-0.33	07-SEP-18
Sodium (Na)			109.4		%		70-130	07-SEP-18
Strontium (Sr)			109.1		%		70-130	07-SEP-18
Thallium (Tl)			0.131		mg/kg		0.077-0.18	07-SEP-18
Tin (Sn)			1.2		mg/kg		0-3.1	07-SEP-18
Titanium (Ti)			121.8		%		70-130	07-SEP-18
Tungsten (W)			0.18		mg/kg		0-0.66	07-SEP-18
Uranium (U)			103.2		%		70-130	07-SEP-18
Vanadium (V)			116.7		%		70-130	07-SEP-18
Zinc (Zn)			116.2		%		70-130	07-SEP-18
Zirconium (Zr)			0.8		mg/kg		0-1.8	07-SEP-18
WG2869457-8	LCS							



Quality Control Report

Workorder: L2157301

Report Date: 05-JUN-19

Page 3 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-200.2-CCMS-CL		Soil						
Batch	R4204992							
WG2869457-8	LCS							
Aluminum (Al)			101.4		%		80-120	11-SEP-18
Antimony (Sb)			93.5		%		80-120	11-SEP-18
Arsenic (As)			96.1		%		80-120	11-SEP-18
Barium (Ba)			99.5		%		80-120	11-SEP-18
Beryllium (Be)			95.8		%		80-120	11-SEP-18
Bismuth (Bi)			96.0		%		80-120	11-SEP-18
Boron (B)			93.9		%		80-120	11-SEP-18
Cadmium (Cd)			99.8		%		80-120	11-SEP-18
Calcium (Ca)			96.7		%		80-120	11-SEP-18
Chromium (Cr)			98.2		%		80-120	11-SEP-18
Cobalt (Co)			98.0		%		80-120	11-SEP-18
Copper (Cu)			96.3		%		80-120	11-SEP-18
Iron (Fe)			98.0		%		80-120	11-SEP-18
Lead (Pb)			94.0		%		80-120	11-SEP-18
Lithium (Li)			94.9		%		80-120	11-SEP-18
Magnesium (Mg)			102.4		%		80-120	11-SEP-18
Manganese (Mn)			98.5		%		80-120	11-SEP-18
Molybdenum (Mo)			99.4		%		80-120	11-SEP-18
Nickel (Ni)			96.2		%		80-120	11-SEP-18
Potassium (K)			100.3		%		80-120	11-SEP-18
Selenium (Se)			97.0		%		80-120	11-SEP-18
Silver (Ag)			96.8		%		80-120	11-SEP-18
Sodium (Na)			100.5		%		80-120	11-SEP-18
Strontium (Sr)			96.8		%		80-120	11-SEP-18
Sulfur (S)			98.5		%		80-120	11-SEP-18
Thallium (Tl)			93.8		%		80-120	11-SEP-18
Tin (Sn)			95.6		%		80-120	11-SEP-18
Titanium (Ti)			96.9		%		80-120	11-SEP-18
Tungsten (W)			98.5		%		80-120	11-SEP-18
Uranium (U)			95.5		%		80-120	11-SEP-18
Vanadium (V)			99.0		%		80-120	11-SEP-18
Zinc (Zn)			97.8		%		80-120	11-SEP-18
Zirconium (Zr)			97.9		%		80-120	11-SEP-18
WG2869457-6	MB							



Quality Control Report

Workorder: L2157301

Report Date: 05-JUN-19

Page 4 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-200.2-CCMS-CL	Soil							
Batch	R4204992							
WG2869457-6	MB							
Aluminum (Al)			<50		mg/kg		50	07-SEP-18
Antimony (Sb)			<0.10		mg/kg		0.1	07-SEP-18
Arsenic (As)			<0.10		mg/kg		0.1	07-SEP-18
Barium (Ba)			<0.50		mg/kg		0.5	07-SEP-18
Beryllium (Be)			<0.10		mg/kg		0.1	07-SEP-18
Bismuth (Bi)			<0.20		mg/kg		0.2	07-SEP-18
Boron (B)			<5.0		mg/kg		5	07-SEP-18
Cadmium (Cd)			<0.020		mg/kg		0.02	07-SEP-18
Calcium (Ca)			<50		mg/kg		50	07-SEP-18
Chromium (Cr)			<0.50		mg/kg		0.5	07-SEP-18
Cobalt (Co)			<0.10		mg/kg		0.1	07-SEP-18
Copper (Cu)			<0.50		mg/kg		0.5	07-SEP-18
Iron (Fe)			<50		mg/kg		50	07-SEP-18
Lead (Pb)			<0.50		mg/kg		0.5	07-SEP-18
Lithium (Li)			<2.0		mg/kg		2	07-SEP-18
Magnesium (Mg)			<20		mg/kg		20	07-SEP-18
Manganese (Mn)			<1.0		mg/kg		1	07-SEP-18
Molybdenum (Mo)			<0.10		mg/kg		0.1	07-SEP-18
Nickel (Ni)			<0.50		mg/kg		0.5	07-SEP-18
Phosphorus (P)			<50		mg/kg		50	07-SEP-18
Potassium (K)			<100		mg/kg		100	07-SEP-18
Selenium (Se)			<0.20		mg/kg		0.2	07-SEP-18
Silver (Ag)			<0.10		mg/kg		0.1	07-SEP-18
Sodium (Na)			<50		mg/kg		50	07-SEP-18
Strontium (Sr)			<0.50		mg/kg		0.5	07-SEP-18
Sulfur (S)			<1000		mg/kg		1000	07-SEP-18
Thallium (Tl)			<0.050		mg/kg		0.05	07-SEP-18
Tin (Sn)			<2.0		mg/kg		2	07-SEP-18
Titanium (Ti)			<1.0		mg/kg		1	07-SEP-18
Tungsten (W)			<0.50		mg/kg		0.5	07-SEP-18
Uranium (U)			<0.050		mg/kg		0.05	07-SEP-18
Vanadium (V)			<0.20		mg/kg		0.2	07-SEP-18
Zinc (Zn)			<2.0		mg/kg		2	07-SEP-18
Zirconium (Zr)			<1.0		mg/kg		1	07-SEP-18



Quality Control Report

Workorder: L2157301

Report Date: 05-JUN-19

Page 5 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MOISTURE-CL		Soil						
Batch	R4201553							
WG2867497-2	LCS							
Moisture			105.3		%		90-110	04-SEP-18
WG2867497-1	MB							
Moisture			<0.25		%		0.25	04-SEP-18
Batch	R4203606							
WG2868175-3	DUP	L2157301-3						
Moisture		41.6	43.5		%	4.4	20	05-SEP-18
WG2868175-2	LCS							
Moisture			104.8		%		90-110	05-SEP-18
WG2868175-1	MB							
Moisture			<0.25		%		0.25	05-SEP-18
PAH-TMB-D/A-MS-CL		Soil						
Batch	R4204772							
WG2870492-3	DUP	L2157301-3						
Acenaphthene		<0.0050	<0.0050	RPD-NA	mg/kg	N/A	50	06-SEP-18
Acenaphthylene		<0.0050	<0.0050	RPD-NA	mg/kg	N/A	50	06-SEP-18
Acridine		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Anthracene		<0.0040	<0.0040	RPD-NA	mg/kg	N/A	50	06-SEP-18
Benz(a)anthracene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Benzo(a)pyrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Benzo(b&j)fluoranthene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Benzo(g,h,i)perylene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Benzo(k)fluoranthene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Benzo(e)pyrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Chrysene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Dibenz(a,h)anthracene		<0.0050	<0.0050	RPD-NA	mg/kg	N/A	50	06-SEP-18
Fluoranthene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Fluorene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Indeno(1,2,3-c,d)pyrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
1-Methylnaphthalene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
2-Methylnaphthalene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Naphthalene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Perylene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Phenanthrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Pyrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Quinoline		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18

Quality Control Report

Workorder: L2157301

Report Date: 05-JUN-19

Page 6 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL		Soil						
Batch	R4204772							
WG2870492-1	LCS							
Acenaphthene			95.2		%		60-130	06-SEP-18
Acenaphthylene			91.4		%		60-130	06-SEP-18
Acridine			103.3		%		60-130	06-SEP-18
Anthracene			92.6		%		60-130	06-SEP-18
Benz(a)anthracene			95.2		%		60-130	06-SEP-18
Benzo(a)pyrene			93.6		%		60-130	06-SEP-18
Benzo(b&j)fluoranthene			95.9		%		60-130	06-SEP-18
Benzo(g,h,i)perylene			103.3		%		60-130	06-SEP-18
Benzo(k)fluoranthene			99.1		%		60-130	06-SEP-18
Benzo(e)pyrene			104.9		%		60-130	06-SEP-18
Chrysene			101.1		%		60-130	06-SEP-18
Dibenz(a,h)anthracene			101.4		%		60-130	06-SEP-18
Fluoranthene			90.1		%		60-130	06-SEP-18
Fluorene			95.2		%		60-130	06-SEP-18
Indeno(1,2,3-c,d)pyrene			100.4		%		60-130	06-SEP-18
1-Methylnaphthalene			105.7		%		60-130	06-SEP-18
2-Methylnaphthalene			95.7		%		60-130	06-SEP-18
Naphthalene			95.7		%		50-130	06-SEP-18
Perylene			107.1		%		60-130	06-SEP-18
Phenanthrene			94.5		%		60-130	06-SEP-18
Pyrene			91.3		%		60-130	06-SEP-18
Quinoline			97.4		%		60-130	06-SEP-18
WG2870492-5	LCS							
Acenaphthene			83.0		%		60-130	06-SEP-18
Acenaphthylene			82.3		%		60-130	06-SEP-18
Acridine			99.9		%		60-130	06-SEP-18
Anthracene			85.0		%		60-130	06-SEP-18
Benz(a)anthracene			100.4		%		60-130	06-SEP-18
Benzo(a)pyrene			98.9		%		60-130	06-SEP-18
Benzo(b&j)fluoranthene			100.7		%		60-130	06-SEP-18
Benzo(g,h,i)perylene			100.6		%		60-130	06-SEP-18
Benzo(k)fluoranthene			105.4		%		60-130	06-SEP-18
Benzo(e)pyrene			113.0		%		60-130	06-SEP-18
Chrysene			110.8		%		60-130	06-SEP-18

Quality Control Report

Workorder: L2157301

Report Date: 05-JUN-19

Page 7 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL		Soil						
Batch	R4204772							
WG2870492-5 LCS								
Dibenz(a,h)anthracene			97.7		%		60-130	06-SEP-18
Fluoranthene			96.6		%		60-130	06-SEP-18
Fluorene			83.8		%		60-130	06-SEP-18
Indeno(1,2,3-c,d)pyrene			100.0		%		60-130	06-SEP-18
1-Methylnaphthalene			91.8		%		60-130	06-SEP-18
2-Methylnaphthalene			82.9		%		60-130	06-SEP-18
Naphthalene			83.7		%		50-130	06-SEP-18
Perylene			113.3		%		60-130	06-SEP-18
Phenanthrene			85.9		%		60-130	06-SEP-18
Pyrene			98.1		%		60-130	06-SEP-18
Quinoline			84.8		%		60-130	06-SEP-18
WG2870492-2 MB								
Acenaphthene			<0.0050		mg/kg		0.005	06-SEP-18
Acenaphthylene			<0.0050		mg/kg		0.005	06-SEP-18
Acridine			<0.010		mg/kg		0.01	06-SEP-18
Anthracene			<0.0040		mg/kg		0.004	06-SEP-18
Benz(a)anthracene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(a)pyrene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(b&j)fluoranthene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(g,h,i)perylene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(k)fluoranthene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(e)pyrene			<0.010		mg/kg		0.01	06-SEP-18
Chrysene			<0.010		mg/kg		0.01	06-SEP-18
Dibenz(a,h)anthracene			<0.0050		mg/kg		0.005	06-SEP-18
Fluoranthene			<0.010		mg/kg		0.01	06-SEP-18
Fluorene			<0.010		mg/kg		0.01	06-SEP-18
Indeno(1,2,3-c,d)pyrene			<0.010		mg/kg		0.01	06-SEP-18
1-Methylnaphthalene			<0.010		mg/kg		0.01	06-SEP-18
2-Methylnaphthalene			<0.010		mg/kg		0.01	06-SEP-18
Naphthalene			<0.010		mg/kg		0.01	06-SEP-18
Perylene			<0.010		mg/kg		0.01	06-SEP-18
Phenanthrene			<0.010		mg/kg		0.01	06-SEP-18
Pyrene			<0.010		mg/kg		0.01	06-SEP-18
Quinoline			<0.010		mg/kg		0.01	06-SEP-18



Quality Control Report

Workorder: L2157301

Report Date: 05-JUN-19

Page 8 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL								
	Soil							
Batch	R4204772							
WG2870492-2	MB							
Surrogate: d8-Naphthalene			102.6		%		50-130	06-SEP-18
Surrogate: d10-Acenaphthene			106.0		%		60-130	06-SEP-18
Surrogate: d10-Phenanthrene			102.4		%		60-130	06-SEP-18
Surrogate: d12-Chrysene			123.2		%		60-130	06-SEP-18
WG2870492-6	MB							
Acenaphthene			<0.0050		mg/kg		0.005	06-SEP-18
Acenaphthylene			<0.0050		mg/kg		0.005	06-SEP-18
Acridine			<0.010		mg/kg		0.01	06-SEP-18
Anthracene			<0.0040		mg/kg		0.004	06-SEP-18
Benz(a)anthracene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(a)pyrene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(b&j)fluoranthene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(g,h,i)perylene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(k)fluoranthene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(e)pyrene			<0.010		mg/kg		0.01	06-SEP-18
Chrysene			<0.010		mg/kg		0.01	06-SEP-18
Dibenz(a,h)anthracene			<0.0050		mg/kg		0.005	06-SEP-18
Fluoranthene			<0.010		mg/kg		0.01	06-SEP-18
Fluorene			<0.010		mg/kg		0.01	06-SEP-18
Indeno(1,2,3-c,d)pyrene			<0.010		mg/kg		0.01	06-SEP-18
1-Methylnaphthalene			<0.010		mg/kg		0.01	06-SEP-18
2-Methylnaphthalene			<0.010		mg/kg		0.01	06-SEP-18
Naphthalene			<0.010		mg/kg		0.01	06-SEP-18
Perylene			<0.010		mg/kg		0.01	06-SEP-18
Phenanthrene			<0.010		mg/kg		0.01	06-SEP-18
Pyrene			<0.010		mg/kg		0.01	06-SEP-18
Quinoline			<0.010		mg/kg		0.01	06-SEP-18
Surrogate: d8-Naphthalene			82.5		%		50-130	06-SEP-18
Surrogate: d10-Acenaphthene			84.7		%		60-130	06-SEP-18
Surrogate: d10-Phenanthrene			83.1		%		60-130	06-SEP-18
Surrogate: d12-Chrysene			113.0		%		60-130	06-SEP-18
WG2870492-4	MS	L2157301-4						
Acenaphthene			81.0		%		50-150	06-SEP-18
Acenaphthylene			77.0		%		50-150	06-SEP-18
Acridine			100.9		%		50-150	06-SEP-18

Quality Control Report

Workorder: L2157301

Report Date: 05-JUN-19

Page 9 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL								
	Soil							
Batch	R4204772							
WG2870492-4 MS		L2157301-4						
Anthracene			88.7		%		50-150	06-SEP-18
Benz(a)anthracene			103.1		%		50-150	06-SEP-18
Benzo(a)pyrene			98.3		%		50-150	06-SEP-18
Benzo(b&j)fluoranthene			102.0		%		50-150	06-SEP-18
Benzo(g,h,i)perylene			97.4		%		50-150	06-SEP-18
Benzo(k)fluoranthene			106.5		%		50-150	06-SEP-18
Benzo(e)pyrene			112.9		%		50-150	06-SEP-18
Chrysene			109.1		%		50-150	06-SEP-18
Dibenz(a,h)anthracene			100.1		%		50-150	06-SEP-18
Fluoranthene			100.9		%		50-150	06-SEP-18
Fluorene			85.5		%		50-150	06-SEP-18
Indeno(1,2,3-c,d)pyrene			97.9		%		50-150	06-SEP-18
1-Methylnaphthalene			87.3		%		50-150	06-SEP-18
2-Methylnaphthalene			79.8		%		50-150	06-SEP-18
Naphthalene			78.2		%		50-150	06-SEP-18
Perylene			107.5		%		50-150	06-SEP-18
Phenanthrene			92.4		%		50-150	06-SEP-18
Pyrene			102.5		%		50-150	06-SEP-18
Quinoline			79.3		%		50-150	06-SEP-18
PH-1:2-CL								
	Soil							
Batch	R4205885							
WG2871863-2 DUP		L2157301-1						
pH (1:2 soil:water)		8.40	8.37	J	pH	0.03	0.2	09-SEP-18
PSA-PIPET-DETAIL-SK								
	Soil							
Batch	R4205718							
WG2869283-1 DUP		L2157301-6						
% Gravel (>2mm)		<1.0	<1.0	RPD-NA	%	N/A	25	08-SEP-18
% Sand (2.00mm - 1.00mm)		<1.0	<1.0	RPD-NA	%	N/A	5	08-SEP-18
% Sand (1.00mm - 0.50mm)		<1.0	<1.0	RPD-NA	%	N/A	5	08-SEP-18
% Sand (0.50mm - 0.25mm)		<1.0	<1.0	RPD-NA	%	N/A	5	08-SEP-18
% Sand (0.25mm - 0.125mm)		<1.0	<1.0	RPD-NA	%	N/A	5	08-SEP-18
% Sand (0.125mm - 0.063mm)		<1.0	<1.0	RPD-NA	%	N/A	5	08-SEP-18
% Silt (0.063mm - 0.0312mm)		19.4	18.9	J	%	0.5	5	08-SEP-18
% Silt (0.0312mm - 0.004mm)		60.8	60.5	J	%	0.4	5	08-SEP-18

Quality Control Report

Workorder: L2157301

Report Date: 05-JUN-19

Page 10 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PSA-PIPET-DETAIL-SK	Soil							
Batch	R4205718							
WG2869283-1	DUP	L2157301-6						
% Clay (<4um)		19.7	20.4	J	%	0.7	5	08-SEP-18
WG2869283-2	IRM	2017-PSA						
% Sand (2.00mm - 1.00mm)			3.0		%		0-7.6	08-SEP-18
% Sand (1.00mm - 0.50mm)			3.8		%		0-8.9	08-SEP-18
% Sand (0.50mm - 0.25mm)			9.0		%		5.3-15.3	08-SEP-18
% Sand (0.25mm - 0.125mm)			14.7		%		10-20	08-SEP-18
% Sand (0.125mm - 0.063mm)			14.7		%		7.3-17.3	08-SEP-18
% Silt (0.063mm - 0.0312mm)			13.5		%		9.9-19.9	08-SEP-18
% Silt (0.0312mm - 0.004mm)			22.5		%		17.6-27.6	08-SEP-18
% Clay (<4um)			18.9		%		13.4-23.4	08-SEP-18

Quality Control Report

Workorder: L2157301

Report Date: 05-JUN-19

Page 11 of 11

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
J	Duplicate results and limits are expressed in terms of absolute difference.
MES	Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Hold Time Exceedances:

All test results reported with this submission were conducted within ALS recommended hold times.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

COC ID: REGIONAL Koochanusa Reservoir TURNAROUND TIME: Regular

PROJECT/CLIENT INFO				LABORATORY				OTHER INFO		
Facility Name / Job# Regional Koochanusa				Lab Name ALS Burnaby		Report Format / Distribution		Excel	PDF	EDD
Project Manager Cait Good				Lab Contact Lyudmyla Shvets		Email 1:		X	X	X
Email				Email Lyudmyla.Shvets@ALSGlobal.com		Email 2:		X	X	X
Address 421 Pine Avenue				Address 2559 29 Street NE		Email 3:				
City Sparwood Province BC				City Calgary Province AB		Email 4:				
Postal Code V0B 2G0 Country Canada				Postal Code T1Y7B5 Country Canada		Email 5:		X	X	X
Phone Number 250-425-8202				Phone Number 14034071794		PO number		VPO00563596		

SAMPLE DETAILS ANALYSIS REQUESTED Filtered: F: Field, L: Lab, FL: Field & Lab, N: None



L2157301-COFC

Sample ID	Sample Location (sys loc code)	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Com p	# Of Cont.	ANALYSIS REQUESTED											
								Particle Size	TOC	PAH	Total Metals (including Hg)	Moisture							
RG_TN_1_SED_20180829-1515	RG_TN_1	Sediment		29-Aug-18	3:15:00 PM	G	2	X	X	X	X	X							
RG_TN_2_SED_20180829-1445	RG_TN_2	Sediment		29-Aug-18	2:45:00 PM	G	2	X	X	X	X	X							
RG_TN_3_SED_20180829-1130	RG_TN_3	Sediment		29-Aug-18	11:30:00 AM	G	2	X	X	X	X	X							
RG_TN_4_SED_20180829-1230	RG_TN_4	Sediment		29-Aug-18	12:30:00 PM	G	2	X	X	X	X	X							
RG_TN_5_SED_20180829-1400	RG_TN_5	Sediment		29-Aug-18	2:00:00 PM	G	2	X	X	X	X	X							
RG_T4_1_SED_20180828-1000	RG_T4_1	Sediment		28-Aug-18	10:00:00 AM	G	2	X	X	X	X	X							
RG_T4_2_SED_20180828-1200	RG_T4_2	Sediment		28-Aug-18	12:00:00 PM	G	2	X	X	X	X	X							
RG_T4_3_SED_20180828-1330	RG_T4_3	Sediment		28-Aug-18	1:30:00 PM	G	2	X	X	X	X	X							
RG_T4_4_SED_20180828-1430	RG_T4_4	Sediment		28-Aug-18	2:30:00 PM	G	2	X	X	X	X	X							
RG_T4_5_SED_20180828-1530	RG_T4_5	Sediment		28-Aug-18	3:30:00 PM	G	2	X	X	X	X	X							
RG_T4_4_SED_20180828-1435	RG_T4_4	Sediment		28-Aug-18	2:35:00 PM	G	2	X	X	X	X	X							

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
Koochanusa - VPO00563596 1 jar for PAHs and 1 bag for everything else			<i>[Signature]</i>	8/31 10:10

SERVICE REQUEST (rush subject to availability)	Sampler's Name	Mobile #	Sampler's Signature	Date/Time
Regular (default) X Priority (2-3 business days) - 50% surcharge Emergency (1 Business Day) - 100% surcharge For Emergency <1 Day, ASAP or Weekend - Contact ALS	Justin Wilson	519-803-3923		August 30, 2018

50



Teck Coal Ltd.
ATTN: Lee Wilm
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 02-MAY-18
Report Date: 11-MAY-18 12:48 (MT)
Version: FINAL

Client Phone: 250-425-5289

Certificate of Analysis

Lab Work Order #: L2089149
Project P.O. #: VPO00563596
Job Reference: REGIONAL EFFECTS PROGRAM
C of C Numbers: REP-2018-05-01
Legal Site Desc:

Lyudmyla Shvets, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2089149-1	L2089149-2	L2089149-3	L2089149-4	L2089149-5
		Description	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT
		Sampled Date	27-APR-18	27-APR-18	27-APR-18	27-APR-18	28-APR-18
		Sampled Time	13:00	13:45	14:30	15:45	12:30
		Client ID	RG_SC_01_SS_20 180427-1300	RG_SC_02_SS_20 180427-1345	RG_SC_03_SS_20 180427-1430	RG_SC_04_SS_20 180427-1545	RG_SC_05_SS_20 180428-1230
Grouping	Analyte						
SOIL							
Physical Tests	Moisture (%)		29.6	31.9	37.1	42.6	40.9
	pH (1:2 soil:water) (pH)		8.45	8.31	8.05	8.25	8.16
Particle Size	% Gravel (>2mm) (%)		<1.0	1.3	2.8	1.4	<1.0
	% Sand (2.00mm - 1.00mm) (%)		<1.0	<1.0	<1.0	1.8	<1.0
	% Sand (1.00mm - 0.50mm) (%)		1.3	6.6	1.6	9.3	<1.0
	% Sand (0.50mm - 0.25mm) (%)		3.7	11.1	5.2	22.7	3.0
	% Sand (0.25mm - 0.125mm) (%)		25.0	2.6	8.1	7.7	<1.0
	% Sand (0.125mm - 0.063mm) (%)		13.2	9.3	12.4	5.7	2.8
	% Silt (0.063mm - 0.0312mm) (%)		14.0	15.1	22.4	14.3	16.2
	% Silt (0.0312mm - 0.004mm) (%)		32.1	40.5	37.3	28.6	57.2
	% Clay (<4um) (%)		10.6	13.2	9.8	8.6	19.7
	Texture		Sandy loam	Silt loam	Silt loam	Sandy loam	Silt
Organic / Inorganic Carbon	Total Organic Carbon (%)		1.76	1.07	1.67	1.18	1.1
Metals	Aluminum (Al) (mg/kg)		9820	9760	10500	10500	13000
	Antimony (Sb) (mg/kg)		0.23	0.24	0.36	0.29	0.30
	Arsenic (As) (mg/kg)		4.73	4.53	6.09	5.70	5.68
	Barium (Ba) (mg/kg)		61.3	70.5	68.9	71.5	97.0
	Beryllium (Be) (mg/kg)		0.33	0.34	0.38	0.41	0.46
	Bismuth (Bi) (mg/kg)		<0.20	<0.20	0.22	<0.20	<0.20
	Boron (B) (mg/kg)		<5.0	<5.0	<5.0	<5.0	<5.0
	Cadmium (Cd) (mg/kg)		0.136	0.147	0.198	0.187	0.196
	Calcium (Ca) (mg/kg)		105000	107000	102000	105000	122000
	Chromium (Cr) (mg/kg)		14.0	14.6	15.3	16.0	18.0
	Cobalt (Co) (mg/kg)		6.97	6.97	7.63	7.98	9.09
	Copper (Cu) (mg/kg)		10.9	10.6	13.4	13.2	14.7
	Iron (Fe) (mg/kg)		18100	17900	19900	19200	22300
	Lead (Pb) (mg/kg)		10.9	13.2	22.1	14.0	15.1
	Lithium (Li) (mg/kg)		20.5	20.4	21.8	22.0	26.9
	Magnesium (Mg) (mg/kg)		20300	20400	21700	20500	24000
	Manganese (Mn) (mg/kg)		376	422	447	435	530
	Mercury (Hg) (mg/kg)		0.0110	0.0120	0.0140	0.0148	0.0151
	Molybdenum (Mo) (mg/kg)		0.51	0.54	0.56	0.59	0.63
	Nickel (Ni) (mg/kg)		15.7	15.9	17.1	17.5	20.5
	Phosphorus (P) (mg/kg)		468	406	534	528	515
	Potassium (K) (mg/kg)		660	770	800	890	1150
	Selenium (Se) (mg/kg)		<0.20	<0.20	0.22	0.20	0.21
	Silver (Ag) (mg/kg)		<0.10	<0.10	<0.10	<0.10	<0.10

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2089149-6	L2089149-7	L2089149-8	L2089149-9	L2089149-10
		Description	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT
		Sampled Date	27-APR-18	27-APR-18	27-APR-18	27-APR-18	27-APR-18
		Sampled Time	12:00	13:00	13:10	14:30	15:30
		Client ID	RG_ER_01_SS_20 180427-1200	RG_ER_02_SS_20 180427-1300	RG_ER_03_SS_20 180427-1310	RG_ER_04_SS_20 180427-1430	RG_ER_05_SS_20 180427-1530
Grouping	Analyte						
SOIL							
Physical Tests	Moisture (%)		49.9	40.5	39.4	41.3	39.9
	pH (1:2 soil:water) (pH)		8.19	8.49	8.35	8.17	8.21
Particle Size	% Gravel (>2mm) (%)		<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (2.00mm - 1.00mm) (%)		<1.0	1.9	<1.0	<1.0	<1.0
	% Sand (1.00mm - 0.50mm) (%)		<1.0	4.0	<1.0	1.3	1.2
	% Sand (0.50mm - 0.25mm) (%)		<1.0	25.5	3.1	2.0	1.2
	% Sand (0.25mm - 0.125mm) (%)		1.5	24.9	22.3	3.6	<1.0
	% Sand (0.125mm - 0.063mm) (%)		7.7	16.5	28.1	3.9	1.4
	% Silt (0.063mm - 0.0312mm) (%)		22.6	11.8	20.8	16.3	19.7
	% Silt (0.0312mm - 0.004mm) (%)		50.8	12.0	21.1	52.7	56.2
	% Clay (<4um) (%)		15.7	3.2	4.6	19.2	18.0
	Texture		Silt loam / Silt	Loamy sand	Sandy loam	Silt loam	Silt
Organic / Inorganic Carbon	Total Organic Carbon (%)		1.83	1.98	1.99	1.90	1.7
Metals	Aluminum (Al) (mg/kg)		11000	8260	7440	9830	12100
	Antimony (Sb) (mg/kg)		0.46	0.40	0.41	0.36	0.39
	Arsenic (As) (mg/kg)		5.64	4.62	4.59	4.82	5.55
	Barium (Ba) (mg/kg)		206	131	166	137	151
	Beryllium (Be) (mg/kg)		0.61	0.47	0.47	0.48	0.51
	Bismuth (Bi) (mg/kg)		<0.20	<0.20	<0.20	<0.20	<0.20
	Boron (B) (mg/kg)		6.9	5.8	5.4	<5.0	5.1
	Cadmium (Cd) (mg/kg)		0.688	0.457	0.516	0.438	0.447
	Calcium (Ca) (mg/kg)		84200	55600	57700	91400	102000
	Chromium (Cr) (mg/kg)		16.3	11.5	11.8	14.9	16.6
	Cobalt (Co) (mg/kg)		7.33	4.46	4.75	7.07	7.97
	Copper (Cu) (mg/kg)		15.1	8.91	9.94	13.4	14.9
	Iron (Fe) (mg/kg)		17600	12900	12600	16900	19100
	Lead (Pb) (mg/kg)		11.5	7.15	7.43	12.1	12.8
	Lithium (Li) (mg/kg)		20.0	14.4	13.4	20.1	23.3
	Magnesium (Mg) (mg/kg)		21100	13200	14600	19600	22000
	Manganese (Mn) (mg/kg)		502	264	310	457	525
	Mercury (Hg) (mg/kg)		0.0330	0.0214	0.0221	0.0265	0.0238
	Molybdenum (Mo) (mg/kg)		0.87	0.70	0.78	0.69	0.77
	Nickel (Ni) (mg/kg)		19.2	13.2	14.0	17.4	19.5
	Phosphorus (P) (mg/kg)		922	874	967	619	690
	Potassium (K) (mg/kg)		1650	1170	1160	1210	1390
	Selenium (Se) (mg/kg)		0.96	0.56	0.65	0.52	0.64
	Silver (Ag) (mg/kg)		0.13	<0.10	<0.10	<0.10	0.10

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2089149-11	L2089149-12	L2089149-13	L2089149-14	L2089149-15
		Description	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT
		Sampled Date	27-APR-18	27-APR-18	27-APR-18	27-APR-18	28-APR-18
		Sampled Time	12:45	13:00	13:15	13:16	13:30
		Client ID	RG_GC_01_SS_20 180427-1245	RG_GC_02_SS_20 180427-1300	RG_GC_03_SS_20 180427-1315	RG_GC_03_SS_20 180427-1316	RG_GC_04_SS_20 180428-1330
Grouping	Analyte						
SOIL							
Physical Tests	Moisture (%)	40.3	41.8	44.1	44.5	38.6	
	pH (1:2 soil:water) (pH)	8.08	8.04	8.17	8.18	8.23	
Particle Size	% Gravel (>2mm) (%)	<1.0	<1.0	<1.0	<1.0	<1.0	
	% Sand (2.00mm - 1.00mm) (%)	<1.0	<1.0	<1.0	<1.0	<1.0	
	% Sand (1.00mm - 0.50mm) (%)	<1.0	<1.0	<1.0	<1.0	<1.0	
	% Sand (0.50mm - 0.25mm) (%)	1.4	<1.0	<1.0	<1.0	<1.0	
	% Sand (0.25mm - 0.125mm) (%)	1.6	<1.0	4.7	<1.0	4.6	
	% Sand (0.125mm - 0.063mm) (%)	4.4	1.6	31.7	<1.0	25.2	
	% Silt (0.063mm - 0.0312mm) (%)	25.6	20.4	27.5	11.5	29.8	
	% Silt (0.0312mm - 0.004mm) (%)	51.7	57.2	28.0	63.1	33.2	
	% Clay (<4um) (%)	15.1	20.1	6.3	24.9	6.3	
	Texture	Silt	Silt loam	Silt loam	Silt loam	Silt loam	
Organic / Inorganic Carbon	Total Organic Carbon (%)	1.76	1.69	1.28	1.20	1.66	
Metals	Aluminum (Al) (mg/kg)	11100	14200	9640	10100	14000	
	Antimony (Sb) (mg/kg)	0.28	0.34	0.28	0.26	0.36	
	Arsenic (As) (mg/kg)	4.09	5.52	2.63	2.73	5.40	
	Barium (Ba) (mg/kg)	117	157	103	106	138	
	Beryllium (Be) (mg/kg)	0.48	0.57	0.34	0.37	0.53	
	Bismuth (Bi) (mg/kg)	<0.20	0.21	<0.20	<0.20	0.21	
	Boron (B) (mg/kg)	<5.0	<5.0	<5.0	<5.0	<5.0	
	Cadmium (Cd) (mg/kg)	0.145	0.216	0.087	0.088	0.270	
	Calcium (Ca) (mg/kg)	48300	76200	24900	27900	106000	
	Chromium (Cr) (mg/kg)	12.8	16.9	10.3	10.7	18.5	
	Cobalt (Co) (mg/kg)	7.51	8.74	6.81	6.65	9.28	
	Copper (Cu) (mg/kg)	12.5	15.2	10.4	9.98	15.3	
	Iron (Fe) (mg/kg)	17700	20700	15000	14900	22500	
	Lead (Pb) (mg/kg)	7.90	10.9	6.05	6.11	13.3	
	Lithium (Li) (mg/kg)	17.2	22.0	13.5	13.8	25.9	
	Magnesium (Mg) (mg/kg)	14100	17900	11800	12300	21100	
	Manganese (Mn) (mg/kg)	460	601	246	253	556	
	Mercury (Hg) (mg/kg)	0.0412	0.0347	0.0960	0.0286	0.0257	
	Molybdenum (Mo) (mg/kg)	0.33	0.51	0.17	0.19	0.68	
	Nickel (Ni) (mg/kg)	13.7	17.8	11.2	11.3	20.8	
	Phosphorus (P) (mg/kg)	546	696	528	534	567	
	Potassium (K) (mg/kg)	1170	1560	840	920	1640	
	Selenium (Se) (mg/kg)	0.38	0.38	0.22	<0.20	0.38	
	Silver (Ag) (mg/kg)	<0.10	<0.10	<0.10	<0.10	<0.10	

ALS ENVIRONMENTAL ANALYTICAL REPORT

Grouping	Analyte	Sample ID	Description	Sampled Date	Sampled Time	Client ID
		L2089149-16	SEDIMENT	28-APR-18	13:45	RG_GC_05_SS_20 180428-1345
SOIL						
Physical Tests	Moisture (%)					43.2
	pH (1:2 soil:water) (pH)					8.12
Particle Size	% Gravel (>2mm) (%)					<1.0
	% Sand (2.00mm - 1.00mm) (%)					<1.0
	% Sand (1.00mm - 0.50mm) (%)					<1.0
	% Sand (0.50mm - 0.25mm) (%)					<1.0
	% Sand (0.25mm - 0.125mm) (%)					1.6
	% Sand (0.125mm - 0.063mm) (%)					4.5
	% Silt (0.063mm - 0.0312mm) (%)					19.6
	% Silt (0.0312mm - 0.004mm) (%)					55.7
	% Clay (<4um) (%)					17.9
	Texture					Silt
Organic / Inorganic Carbon	Total Organic Carbon (%)					1.90
Metals	Aluminum (Al) (mg/kg)					12900
	Antimony (Sb) (mg/kg)					0.31
	Arsenic (As) (mg/kg)					5.20
	Barium (Ba) (mg/kg)					135
	Beryllium (Be) (mg/kg)					0.51
	Bismuth (Bi) (mg/kg)					<0.20
	Boron (B) (mg/kg)					<5.0
	Cadmium (Cd) (mg/kg)					0.164
	Calcium (Ca) (mg/kg)					51500
	Chromium (Cr) (mg/kg)					14.1
	Cobalt (Co) (mg/kg)					8.43
	Copper (Cu) (mg/kg)					13.7
	Iron (Fe) (mg/kg)					19900
	Lead (Pb) (mg/kg)					8.93
	Lithium (Li) (mg/kg)					19.0
	Magnesium (Mg) (mg/kg)					16100
	Manganese (Mn) (mg/kg)					455
	Mercury (Hg) (mg/kg)					0.0388
	Molybdenum (Mo) (mg/kg)					0.35
	Nickel (Ni) (mg/kg)					15.6
	Phosphorus (P) (mg/kg)					637
	Potassium (K) (mg/kg)					1290
	Selenium (Se) (mg/kg)					0.40
	Silver (Ag) (mg/kg)					<0.10

ALS ENVIRONMENTAL ANALYTICAL REPORT

11-MAY-18 12:48 (MT)

Version: FINAL

		Sample ID	L2089149-1	L2089149-2	L2089149-3	L2089149-4	L2089149-5
		Description	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT
		Sampled Date	27-APR-18	27-APR-18	27-APR-18	27-APR-18	28-APR-18
		Sampled Time	13:00	13:45	14:30	15:45	12:30
		Client ID	RG_SC_01_SS_20 180427-1300	RG_SC_02_SS_20 180427-1345	RG_SC_03_SS_20 180427-1430	RG_SC_04_SS_20 180427-1545	RG_SC_05_SS_20 180428-1230
Grouping	Analyte						
SOIL							
Metals	Sodium (Na) (mg/kg)	100	152	97	108	118	
	Strontium (Sr) (mg/kg)	257	252	220	204	306	
	Sulfur (S) (mg/kg)	<1000	<1000	<1000	<1000	<1000	
	Thallium (Tl) (mg/kg)	0.067	0.066	0.080	0.089	0.086	
	Tin (Sn) (mg/kg)	<2.0	<2.0	<2.0	<2.0	<2.0	
	Titanium (Ti) (mg/kg)	102	100	109	188	135	
	Tungsten (W) (mg/kg)	<0.50	<0.50	<0.50	<0.50	<0.50	
	Uranium (U) (mg/kg)	0.552	0.519	0.586	0.679	0.731	
	Vanadium (V) (mg/kg)	11.5	11.5	12.9	13.6	14.6	
	Zinc (Zn) (mg/kg)	47.7	52.4	61.7	59.5	63.6	
	Zirconium (Zr) (mg/kg)	1.5	1.6	1.7	1.6	1.9	
	Polycyclic Aromatic Hydrocarbons	Acenaphthene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Acenaphthylene (mg/kg)		<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	
Acridine (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Anthracene (mg/kg)		<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	
Benz(a)anthracene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Benzo(a)pyrene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Benzo(b&j)fluoranthene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Benzo(e)pyrene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Benzo(g,h,i)perylene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Benzo(k)fluoranthene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Chrysene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Dibenz(a,h)anthracene (mg/kg)		<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	
Fluoranthene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Fluorene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Indeno(1,2,3-c,d)pyrene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
1-Methylnaphthalene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
2-Methylnaphthalene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Naphthalene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Perylene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Phenanthrene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Pyrene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Quinoline (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Surrogate: d10-Acenaphthene (%)		67.4	63.4	72.6	64.5	70.4	
Surrogate: d12-Chrysene (%)		86.2	88.3	85.6	76.7	93.2	
Surrogate: d8-Naphthalene (%)		63.8	61.0	69.3	60.4	66.4	

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2089149-6	L2089149-7	L2089149-8	L2089149-9	L2089149-10
		Description	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT
		Sampled Date	27-APR-18	27-APR-18	27-APR-18	27-APR-18	27-APR-18
		Sampled Time	12:00	13:00	13:10	14:30	15:30
		Client ID	RG_ER_01_SS_20 180427-1200	RG_ER_02_SS_20 180427-1300	RG_ER_03_SS_20 180427-1310	RG_ER_04_SS_20 180427-1430	RG_ER_05_SS_20 180427-1530
Grouping	Analyte						
SOIL							
Metals	Sodium (Na) (mg/kg)	129	144	87	140	120	
	Strontium (Sr) (mg/kg)	151	74.2	78.8	185	216	
	Sulfur (S) (mg/kg)	<1000	<1000	<1000	<1000	<1000	
	Thallium (Tl) (mg/kg)	0.179	0.122	0.141	0.129	0.137	
	Tin (Sn) (mg/kg)	<2.0	<2.0	<2.0	<2.0	<2.0	
	Titanium (Ti) (mg/kg)	65.8	33.6	39.1	72.6	76.7	
	Tungsten (W) (mg/kg)	<0.50	<0.50	<0.50	<0.50	<0.50	
	Uranium (U) (mg/kg)	0.820	0.708	0.718	0.698	0.671	
	Vanadium (V) (mg/kg)	22.1	18.3	19.6	16.8	18.0	
	Zinc (Zn) (mg/kg)	67.3	50.1	54.4	62.5	66.7	
	Zirconium (Zr) (mg/kg)	1.5	1.5	1.4	1.6	1.2	
Polycyclic Aromatic Hydrocarbons	Acenaphthene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	
	Acenaphthylene (mg/kg)	<0.0050	0.0054	<0.0050	<0.0050	<0.0050	
	Acridine (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Anthracene (mg/kg)	0.0057	0.0071	0.0064	<0.0040	<0.0040	
	Benz(a)anthracene (mg/kg)	0.028	0.073	0.027	<0.010	<0.010	
	Benzo(a)pyrene (mg/kg)	0.026	0.089	0.025	<0.010	<0.010	
	Benzo(b&j)fluoranthene (mg/kg)	0.044	0.131	0.043	0.012	0.014	
	Benzo(e)pyrene (mg/kg)	0.022	0.061	0.022	<0.010	<0.010	
	Benzo(g,h,i)perylene (mg/kg)	0.014	0.038	0.012	<0.010	<0.010	
	Benzo(k)fluoranthene (mg/kg)	0.015	0.040	0.012	<0.010	<0.010	
	Chrysene (mg/kg)	0.037	0.077	0.034	0.012	0.012	
	Dibenz(a,h)anthracene (mg/kg)	<0.0050	0.0143	<0.0050	<0.0050	<0.0050	
	Fluoranthene (mg/kg)	0.033	0.040	0.029	<0.010	0.011	
	Fluorene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Indeno(1,2,3-c,d)pyrene (mg/kg)	0.013	0.040	0.012	<0.010	<0.010	
	1-Methylnaphthalene (mg/kg)	0.030	0.032	0.036	0.014	0.013	
	2-Methylnaphthalene (mg/kg)	0.051	0.054	0.060	0.026	0.025	
	Naphthalene (mg/kg)	0.021	0.027	0.025	0.011	0.011	
	Perylene (mg/kg)	0.019	0.037	0.018	0.013	<0.010	
	Phenanthrene (mg/kg)	0.054	0.047	0.058	0.020	0.023	
	Pyrene (mg/kg)	0.029	0.040	0.024	<0.010	<0.010	
	Quinoline (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Surrogate: d10-Acenaphthene (%)	64.0	62.0	66.6	84.7	69.6	
Surrogate: d12-Chrysene (%)	88.5	79.3	92.5	95.5	84.5		
Surrogate: d8-Naphthalene (%)	57.6	57.3	62.0	83.3	65.4		

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2089149-11	L2089149-12	L2089149-13	L2089149-14	L2089149-15
		Description	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT
		Sampled Date	27-APR-18	27-APR-18	27-APR-18	27-APR-18	28-APR-18
		Sampled Time	12:45	13:00	13:15	13:16	13:30
		Client ID	RG_GC_01_SS_20 180427-1245	RG_GC_02_SS_20 180427-1300	RG_GC_03_SS_20 180427-1315	RG_GC_03_SS_20 180427-1316	RG_GC_04_SS_20 180428-1330
Grouping	Analyte						
SOIL							
Metals	Sodium (Na) (mg/kg)	103	157	58	64	157	
	Strontium (Sr) (mg/kg)	151	141	32.0	39.8	233	
	Sulfur (S) (mg/kg)	<1000	<1000	<1000	<1000	<1000	
	Thallium (Tl) (mg/kg)	0.077	0.112	0.058	0.058	0.122	
	Tin (Sn) (mg/kg)	<2.0	<2.0	<2.0	<2.0	<2.0	
	Titanium (Ti) (mg/kg)	190	191	198	209	152	
	Tungsten (W) (mg/kg)	<0.50	<0.50	<0.50	<0.50	<0.50	
	Uranium (U) (mg/kg)	0.623	0.769	0.596	0.593	0.766	
	Vanadium (V) (mg/kg)	14.5	18.4	12.5	13.0	18.1	
	Zinc (Zn) (mg/kg)	32.9	47.3	21.7	23.1	62.6	
	Zirconium (Zr) (mg/kg)	1.5	2.2	1.8	1.7	2.2	
	Polycyclic Aromatic Hydrocarbons	Acenaphthene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Acenaphthylene (mg/kg)		<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	
Acridine (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Anthracene (mg/kg)		<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	
Benz(a)anthracene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Benzo(a)pyrene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Benzo(b&j)fluoranthene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Benzo(e)pyrene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Benzo(g,h,i)perylene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Benzo(k)fluoranthene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Chrysene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Dibenz(a,h)anthracene (mg/kg)		<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	
Fluoranthene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Fluorene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Indeno(1,2,3-c,d)pyrene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
1-Methylnaphthalene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
2-Methylnaphthalene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Naphthalene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Perylene (mg/kg)		<0.010	<0.010	0.011	0.016	<0.010	
Phenanthrene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Pyrene (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Quinoline (mg/kg)		<0.010	<0.010	<0.010	<0.010	<0.010	
Surrogate: d10-Acenaphthene (%)		68.6	64.8	67.8	67.2	65.7	
Surrogate: d12-Chrysene (%)		89.4	80.9	91.5	89.3	89.2	
Surrogate: d8-Naphthalene (%)		64.4	61.5	63.9	63.9	62.7	

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID	L2089149-16 SEDIMENT 28-APR-18 13:45 RG_GC_05_SS_20 180428-1345				
Grouping	Analyte				
SOIL					
Metals	Sodium (Na) (mg/kg)	109			
	Strontium (Sr) (mg/kg)	93.6			
	Sulfur (S) (mg/kg)	<1000			
	Thallium (Tl) (mg/kg)	0.084			
	Tin (Sn) (mg/kg)	<2.0			
	Titanium (Ti) (mg/kg)	180			
	Tungsten (W) (mg/kg)	<0.50			
	Uranium (U) (mg/kg)	0.641			
	Vanadium (V) (mg/kg)	15.5			
	Zinc (Zn) (mg/kg)	37.9			
	Zirconium (Zr) (mg/kg)	1.8			
Polycyclic Aromatic Hydrocarbons	Acenaphthene (mg/kg)	<0.0050			
	Acenaphthylene (mg/kg)	<0.0050			
	Acridine (mg/kg)	<0.010			
	Anthracene (mg/kg)	<0.0040			
	Benzo(a)anthracene (mg/kg)	<0.010			
	Benzo(a)pyrene (mg/kg)	<0.010			
	Benzo(b&j)fluoranthene (mg/kg)	<0.010			
	Benzo(e)pyrene (mg/kg)	<0.010			
	Benzo(g,h,i)perylene (mg/kg)	<0.010			
	Benzo(k)fluoranthene (mg/kg)	<0.010			
	Chrysene (mg/kg)	<0.010			
	Dibenz(a,h)anthracene (mg/kg)	<0.0050			
	Fluoranthene (mg/kg)	<0.010			
	Fluorene (mg/kg)	<0.010			
	Indeno(1,2,3-c,d)pyrene (mg/kg)	<0.010			
	1-Methylnaphthalene (mg/kg)	<0.010			
	2-Methylnaphthalene (mg/kg)	<0.010			
	Naphthalene (mg/kg)	<0.010			
	Perylene (mg/kg)	<0.010			
	Phenanthrene (mg/kg)	<0.010			
	Pyrene (mg/kg)	<0.010			
	Quinoline (mg/kg)	<0.010			
	Surrogate: d10-Acenaphthene (%)	76.6			
	Surrogate: d12-Chrysene (%)	90.4			
	Surrogate: d8-Naphthalene (%)	73.8			

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2089149-1	L2089149-2	L2089149-3	L2089149-4	L2089149-5
		Description	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT
		Sampled Date	27-APR-18	27-APR-18	27-APR-18	27-APR-18	28-APR-18
		Sampled Time	13:00	13:45	14:30	15:45	12:30
		Client ID	RG_SC_01_SS_20 180427-1300	RG_SC_02_SS_20 180427-1345	RG_SC_03_SS_20 180427-1430	RG_SC_04_SS_20 180427-1545	RG_SC_05_SS_20 180428-1230
Grouping	Analyte						
SOIL							
Polycyclic Aromatic Hydrocarbons	Surrogate: d10-Phenanthrene (%)	77.0	76.0	77.3	66.1	82.4	
	B(a)P Total Potency Equivalent (mg/kg)	<0.020	<0.020	<0.020	<0.020	<0.020	
	IACR (CCME) (mg/kg)	<0.15	<0.15	<0.15	<0.15	<0.15	

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2089149-6	L2089149-7	L2089149-8	L2089149-9	L2089149-10
		Description	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT
		Sampled Date	27-APR-18	27-APR-18	27-APR-18	27-APR-18	27-APR-18
		Sampled Time	12:00	13:00	13:10	14:30	15:30
		Client ID	RG_ER_01_SS_20 180427-1200	RG_ER_02_SS_20 180427-1300	RG_ER_03_SS_20 180427-1310	RG_ER_04_SS_20 180427-1430	RG_ER_05_SS_20 180427-1530
Grouping	Analyte						
SOIL							
Polycyclic Aromatic Hydrocarbons	Surrogate: d10-Phenanthrene (%)	79.0	67.2	81.9	80.8	77.3	
	B(a)P Total Potency Equivalent (mg/kg)	0.039	0.133	0.037	<0.020	<0.020	
	IACR (CCME) (mg/kg)	0.56	1.65	0.52	0.15	0.16	

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2089149-11	L2089149-12	L2089149-13	L2089149-14	L2089149-15
		Description	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT
		Sampled Date	27-APR-18	27-APR-18	27-APR-18	27-APR-18	28-APR-18
		Sampled Time	12:45	13:00	13:15	13:16	13:30
		Client ID	RG_GC_01_SS_20 180427-1245	RG_GC_02_SS_20 180427-1300	RG_GC_03_SS_20 180427-1315	RG_GC_03_SS_20 180427-1316	RG_GC_04_SS_20 180428-1330
Grouping	Analyte						
SOIL							
Polycyclic Aromatic Hydrocarbons	Surrogate: d10-Phenanthrene (%)	82.4	68.9	79.8	76.5	71.5	
	B(a)P Total Potency Equivalent (mg/kg)	<0.020	<0.020	<0.020	<0.020	<0.020	
	IACR (CCME) (mg/kg)	<0.15	<0.15	<0.15	<0.15	<0.15	

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L2089149-16 SEDIMENT 28-APR-18 13:45 RG_GC_05_SS_20 180428-1345				
Grouping	Analyte					
SOIL						
Polycyclic Aromatic Hydrocarbons	Surrogate: d10-Phenanthrene (%)	86.7				
	B(a)P Total Potency Equivalent (mg/kg)	<0.020				
	IACR (CCME) (mg/kg)	<0.15				

Reference Information

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
C-TIC-PCT-SK	Soil	Total Inorganic Carbon in Soil	CSSS (2008) P216-217
A known quantity of acetic acid is consumed by reaction with carbonates in the soil. The pH of the resulting solution is measured and compared against a standard curve relating pH to weight of carbonate.			
C-TOC-CALC-SK	Soil	Total Organic Carbon Calculation	CSSS (2008) 21.2
Total Organic Carbon (TOC) is calculated by the difference between total carbon (TC) and total inorganic carbon. (TIC)			
C-TOT-LECO-SK	Soil	Total Carbon by combustion method	CSSS (2008) 21.2
The sample is ignited in a combustion analyzer where carbon in the reduced CO2 gas is determined using a thermal conductivity detector.			
HG-200.2-CVAA-CL	Soil	Mercury in Soil by CVAAS	EPA 200.2/1631E (mod)
Soil samples are digested with nitric and hydrochloric acids, followed by analysis by CVAAS.			
IC-CACO3-CALC-SK	Soil	Inorganic Carbon as CaCO3 Equivalent	Calculation
MET-200.2-CCMS-CL	Soil	Metals in Soil by CRC ICPMS	EPA 200.2/6020A (mod)
Soil samples are digested with nitric and hydrochloric acids, followed by analysis by CRC ICPMS.			
Method Limitation: This method is not a total digestion technique. It is a very strong acid digestion that is intended to dissolve those metals that may be environmentally available. This method does not dissolve all silicate materials and may result in a partial extraction. depending on the sample matrix, for some metals, including, but not limited to Al, Ba, Be, Cr, Sr, Ti, Tl, and V.			
MOISTURE-CL	Soil	% Moisture	CWS for PHC in Soil - Tier 1
This analysis is carried out gravimetrically by drying the sample at 105 C			
PAH-TMB-D/A-MS-CL	Soil	PAH by Tumbler Extraction (DCM/Acetone)	EPA 3570/8270
Polycyclic Aromatic Hydrocarbons in Sediment/Soil This analysis is carried out using procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846, Methods 3570 & 8270, published by the United States Environmental Protection Agency (EPA). The procedure uses a mechanical shaking technique to extract a subsample of the sediment/soil with a 1:1 mixture of DCM and acetone. The extract is then solvent exchanged to toluene. The final extract is analysed by capillary column gas chromatography with mass spectrometric detection (GC/MS). Surrogate recoveries may not be reported in cases where interferences from the sample matrix prevent accurate quantitation. Because the two isomers cannot be readily chromatographically separated, benzo(j)fluoranthene is reported as part of the benzo(b)fluoranthene parameter.			
PH-1:2-CL	Soil	pH in soil (1:2 Soil:Water Extraction)	CSSS Ch. 16
Soil and de-ionized water (by volume) are mixed in a defined ratio. The slurry is allowed to stand, shaken, and then allowed to stand again prior to taking measurements. After equilibration, the pH of the liquid portion of the extract is measured by a pH meter. Field Measurement is recommended where accurate pH measurements are required, due to the 15 minute recommended hold time.			
PSA-PIPET-DETAIL-SK	Soil	Particle size - Sieve and Pipette	SSIR-51 METHOD 3.2.1
Particle size distribution is determined by a combination of techniques. Dry sieving is performed for coarse particles, wet sieving for sand particles and the pipette sedimentation method for clay particles.			

Reference:

Burt, R. (2009). Soil Survey Field and Laboratory Methods Manual. Soil Survey Investigations Report No. 5. Method 3.2.1.2.2. United States Department of Agriculture Natural Resources Conservation Service.

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
SK	ALS ENVIRONMENTAL - SASKATOON, SASKATCHEWAN, CANADA
CL	ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA

Chain of Custody Numbers:

REP-2018-05-01

Reference Information

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.

Quality Control Report

Workorder: L2089149

Report Date: 11-MAY-18

Page 1 of 14

Client: Teck Coal Ltd.
 421 Pine Avenue
 Sparwood BC V0B 2G0

Contact: Lee Wilm

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
C-TIC-PCT-SK								
	Soil							
Batch	R4037981							
WG2765607-1	DUP	L2089149-8						
Inorganic Carbon		2.02	2.07		%	2.3	20	08-MAY-18
WG2765607-2	LCS							
Inorganic Carbon			95.4		%		80-120	08-MAY-18
WG2765607-3	MB							
Inorganic Carbon			<0.050		%		0.05	08-MAY-18
C-TOT-LECO-SK								
	Soil							
Batch	R4038126							
WG2765502-1	DUP	L2089149-8						
Total Carbon by Combustion		4.01	3.98		%	0.8	20	08-MAY-18
WG2765502-2	IRM	08-109_SOIL						
Total Carbon by Combustion			93.8		%		80-120	08-MAY-18
WG2765502-3	MB							
Total Carbon by Combustion			<0.05		%		0.05	08-MAY-18
HG-200.2-CVAA-CL								
	Soil							
Batch	R4039234							
WG2768129-4	CRM	TILL-1						
Mercury (Hg)			85.5		%		70-130	10-MAY-18
WG2768129-5	DUP	L2089149-7						
Mercury (Hg)		0.0214	0.0210		mg/kg	1.7	40	10-MAY-18
WG2768129-3	LCS							
Mercury (Hg)			82.4		%		80-120	10-MAY-18
WG2768129-1	MB							
Mercury (Hg)			<0.0050		mg/kg		0.005	10-MAY-18
MET-200.2-CCMS-CL								
	Soil							
Batch	R4039135							
WG2768129-4	CRM	TILL-1						
Aluminum (Al)			107.9		%		70-130	09-MAY-18
Antimony (Sb)			107.7		%		70-130	09-MAY-18
Arsenic (As)			102.7		%		70-130	09-MAY-18
Barium (Ba)			106.0		%		70-130	09-MAY-18
Beryllium (Be)			107.2		%		70-130	09-MAY-18
Bismuth (Bi)			102.2		%		70-130	09-MAY-18
Boron (B)			6.4		mg/kg		0-8.2	09-MAY-18
Cadmium (Cd)			115.8		%		70-130	09-MAY-18
Calcium (Ca)			104.5		%		70-130	09-MAY-18
Chromium (Cr)			105.5		%		70-130	09-MAY-18

Quality Control Report

Workorder: L2089149

Report Date: 11-MAY-18

Page 2 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-200.2-CCMS-CL		Soil						
Batch	R4039135							
WG2768129-4	CRM	TILL-1						
Cobalt (Co)			103.9		%		70-130	09-MAY-18
Copper (Cu)			105.0		%		70-130	09-MAY-18
Iron (Fe)			104.5		%		70-130	09-MAY-18
Lead (Pb)			106.5		%		70-130	09-MAY-18
Lithium (Li)			108.4		%		70-130	09-MAY-18
Magnesium (Mg)			109.6		%		70-130	09-MAY-18
Manganese (Mn)			108.7		%		70-130	09-MAY-18
Molybdenum (Mo)			107.7		%		70-130	09-MAY-18
Nickel (Ni)			104.2		%		70-130	09-MAY-18
Phosphorus (P)			100.1		%		70-130	09-MAY-18
Potassium (K)			105.5		%		70-130	09-MAY-18
Selenium (Se)			0.31		mg/kg		0.11-0.51	09-MAY-18
Silver (Ag)			0.25		mg/kg		0.13-0.33	09-MAY-18
Sodium (Na)			119.2		%		70-130	09-MAY-18
Strontium (Sr)			124.7		%		70-130	09-MAY-18
Thallium (Tl)			0.133		mg/kg		0.077-0.18	09-MAY-18
Tin (Sn)			1.1		mg/kg		0-3.1	09-MAY-18
Titanium (Ti)			119.4		%		70-130	09-MAY-18
Tungsten (W)			0.15		mg/kg		0-0.66	09-MAY-18
Uranium (U)			106.6		%		70-130	09-MAY-18
Vanadium (V)			105.9		%		70-130	09-MAY-18
Zinc (Zn)			95.5		%		70-130	09-MAY-18
Zirconium (Zr)			0.9		mg/kg		0-1.8	09-MAY-18
WG2768129-5	DUP	L2089149-7						
Aluminum (Al)		8260	8190		mg/kg	0.9	40	09-MAY-18
Antimony (Sb)		0.40	0.42		mg/kg	4.9	30	09-MAY-18
Arsenic (As)		4.62	4.98		mg/kg	7.4	30	09-MAY-18
Barium (Ba)		131	145		mg/kg	11	40	09-MAY-18
Beryllium (Be)		0.47	0.48		mg/kg	3.0	30	09-MAY-18
Bismuth (Bi)		<0.20	<0.20	RPD-NA	mg/kg	N/A	30	09-MAY-18
Boron (B)		5.8	6.1		mg/kg	5.5	30	09-MAY-18
Cadmium (Cd)		0.457	0.464		mg/kg	1.7	30	09-MAY-18
Calcium (Ca)		55600	59100		mg/kg	6.1	30	09-MAY-18
Chromium (Cr)		11.5	12.5		mg/kg	7.9	30	09-MAY-18



Quality Control Report

Workorder: L2089149

Report Date: 11-MAY-18

Page 3 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-200.2-CCMS-CL		Soil						
Batch	R4039135							
WG2768129-5	DUP	L2089149-7						
Cobalt (Co)		4.46	4.70		mg/kg	5.4	30	09-MAY-18
Copper (Cu)		8.91	9.45		mg/kg	5.8	30	09-MAY-18
Iron (Fe)		12900	13500		mg/kg	4.4	30	09-MAY-18
Lead (Pb)		7.15	7.46		mg/kg	4.3	40	09-MAY-18
Lithium (Li)		14.4	15.2		mg/kg	5.6	30	09-MAY-18
Magnesium (Mg)		13200	13800		mg/kg	4.5	30	09-MAY-18
Manganese (Mn)		264	296		mg/kg	11	30	09-MAY-18
Molybdenum (Mo)		0.70	0.79		mg/kg	11	40	09-MAY-18
Nickel (Ni)		13.2	14.0		mg/kg	5.7	30	09-MAY-18
Phosphorus (P)		874	899		mg/kg	2.8	30	09-MAY-18
Potassium (K)		1170	1240		mg/kg	5.8	40	09-MAY-18
Selenium (Se)		0.56	0.60		mg/kg	6.2	30	09-MAY-18
Silver (Ag)		<0.10	<0.10	RPD-NA	mg/kg	N/A	40	09-MAY-18
Sodium (Na)		144	109		mg/kg	28	40	09-MAY-18
Strontium (Sr)		74.2	74.4		mg/kg	0.4	40	09-MAY-18
Sulfur (S)		<1000	<1000	RPD-NA	mg/kg	N/A	30	09-MAY-18
Thallium (Tl)		0.122	0.129		mg/kg	5.4	30	09-MAY-18
Tin (Sn)		<2.0	<2.0	RPD-NA	mg/kg	N/A	40	09-MAY-18
Titanium (Ti)		33.6	39.9		mg/kg	17	40	09-MAY-18
Tungsten (W)		<0.50	<0.50	RPD-NA	mg/kg	N/A	30	09-MAY-18
Uranium (U)		0.708	0.734		mg/kg	3.6	30	09-MAY-18
Vanadium (V)		18.3	19.4		mg/kg	5.8	30	09-MAY-18
Zinc (Zn)		50.1	53.2		mg/kg	5.8	30	09-MAY-18
Zirconium (Zr)		1.5	1.5		mg/kg	0.7	30	09-MAY-18
WG2768129-3	LCS							
Aluminum (Al)			99.4		%		80-120	09-MAY-18
Antimony (Sb)			102.5		%		80-120	09-MAY-18
Arsenic (As)			98.2		%		80-120	09-MAY-18
Barium (Ba)			104.0		%		80-120	09-MAY-18
Beryllium (Be)			100.6		%		80-120	09-MAY-18
Bismuth (Bi)			95.0		%		80-120	09-MAY-18
Boron (B)			93.0		%		80-120	09-MAY-18
Cadmium (Cd)			103.4		%		80-120	09-MAY-18
Calcium (Ca)			89.1		%		80-120	09-MAY-18



Quality Control Report

Workorder: L2089149

Report Date: 11-MAY-18

Page 4 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-200.2-CCMS-CL		Soil						
Batch	R4039135							
WG2768129-3	LCS							
Chromium (Cr)			96.5		%		80-120	09-MAY-18
Cobalt (Co)			97.8		%		80-120	09-MAY-18
Copper (Cu)			96.7		%		80-120	09-MAY-18
Iron (Fe)			98.5		%		80-120	09-MAY-18
Lead (Pb)			94.0		%		80-120	09-MAY-18
Lithium (Li)			97.8		%		80-120	09-MAY-18
Magnesium (Mg)			102.1		%		80-120	09-MAY-18
Manganese (Mn)			98.4		%		80-120	09-MAY-18
Molybdenum (Mo)			96.8		%		80-120	09-MAY-18
Nickel (Ni)			96.4		%		80-120	09-MAY-18
Potassium (K)			95.9		%		80-120	09-MAY-18
Selenium (Se)			99.4		%		80-120	09-MAY-18
Silver (Ag)			99.96		%		80-120	09-MAY-18
Sodium (Na)			97.4		%		80-120	09-MAY-18
Strontium (Sr)			98.3		%		80-120	09-MAY-18
Sulfur (S)			87.7		%		80-120	09-MAY-18
Thallium (Tl)			91.5		%		80-120	09-MAY-18
Tin (Sn)			100.6		%		80-120	09-MAY-18
Titanium (Ti)			107.0		%		80-120	09-MAY-18
Tungsten (W)			95.5		%		80-120	09-MAY-18
Uranium (U)			96.1		%		80-120	09-MAY-18
Vanadium (V)			100.3		%		80-120	09-MAY-18
Zinc (Zn)			86.6		%		80-120	09-MAY-18
Zirconium (Zr)			94.8		%		80-120	09-MAY-18
WG2768129-1	MB							
Aluminum (Al)			<50		mg/kg		50	09-MAY-18
Antimony (Sb)			<0.10		mg/kg		0.1	09-MAY-18
Arsenic (As)			<0.10		mg/kg		0.1	09-MAY-18
Barium (Ba)			<0.50		mg/kg		0.5	09-MAY-18
Beryllium (Be)			<0.10		mg/kg		0.1	09-MAY-18
Bismuth (Bi)			<0.20		mg/kg		0.2	09-MAY-18
Boron (B)			<5.0		mg/kg		5	09-MAY-18
Cadmium (Cd)			<0.020		mg/kg		0.02	09-MAY-18
Calcium (Ca)			<50		mg/kg		50	09-MAY-18



Quality Control Report

Workorder: L2089149

Report Date: 11-MAY-18

Page 5 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-200.2-CCMS-CL		Soil						
Batch R4039135								
WG2768129-1 MB								
Chromium (Cr)			<0.50		mg/kg		0.5	09-MAY-18
Cobalt (Co)			<0.10		mg/kg		0.1	09-MAY-18
Copper (Cu)			<0.50		mg/kg		0.5	09-MAY-18
Iron (Fe)			<50		mg/kg		50	09-MAY-18
Lead (Pb)			<0.50		mg/kg		0.5	09-MAY-18
Lithium (Li)			<2.0		mg/kg		2	09-MAY-18
Magnesium (Mg)			<20		mg/kg		20	09-MAY-18
Manganese (Mn)			<1.0		mg/kg		1	09-MAY-18
Molybdenum (Mo)			<0.10		mg/kg		0.1	09-MAY-18
Nickel (Ni)			<0.50		mg/kg		0.5	09-MAY-18
Phosphorus (P)			<50		mg/kg		50	09-MAY-18
Potassium (K)			<100		mg/kg		100	09-MAY-18
Selenium (Se)			<0.20		mg/kg		0.2	09-MAY-18
Silver (Ag)			<0.10		mg/kg		0.1	09-MAY-18
Sodium (Na)			<50		mg/kg		50	09-MAY-18
Strontium (Sr)			<0.50		mg/kg		0.5	09-MAY-18
Sulfur (S)			<1000		mg/kg		1000	09-MAY-18
Thallium (Tl)			<0.050		mg/kg		0.05	09-MAY-18
Tin (Sn)			<2.0		mg/kg		2	09-MAY-18
Titanium (Ti)			<1.0		mg/kg		1	09-MAY-18
Tungsten (W)			<0.50		mg/kg		0.5	09-MAY-18
Uranium (U)			<0.050		mg/kg		0.05	09-MAY-18
Vanadium (V)			<0.20		mg/kg		0.2	09-MAY-18
Zinc (Zn)			<2.0		mg/kg		2	09-MAY-18
Zirconium (Zr)			<1.0		mg/kg		1	09-MAY-18
MOISTURE-CL		Soil						
Batch R4038658								
WG2767007-2 LCS								
Moisture			106.9		%		90-110	08-MAY-18
WG2767007-1 MB								
Moisture			<0.25		%		0.25	08-MAY-18
PAH-TMB-D/A-MS-CL		Soil						

Quality Control Report

Workorder: L2089149

Report Date: 11-MAY-18

Page 6 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL								
	Soil							
Batch	R4035894							
WG2766584-13	DUP	L2089149-1						
Acenaphthene		<0.0050	<0.0050	RPD-NA	mg/kg	N/A	50	08-MAY-18
Acenaphthylene		<0.0050	<0.0050	RPD-NA	mg/kg	N/A	50	08-MAY-18
Acridine		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
Anthracene		<0.0040	<0.0040	RPD-NA	mg/kg	N/A	50	08-MAY-18
Benz(a)anthracene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
Benzo(a)pyrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
Benzo(b&j)fluoranthene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
Benzo(g,h,i)perylene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
Benzo(k)fluoranthene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
Benzo(e)pyrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
Chrysene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
Dibenz(a,h)anthracene		<0.0050	<0.0050	RPD-NA	mg/kg	N/A	50	08-MAY-18
Fluoranthene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
Fluorene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
Indeno(1,2,3-c,d)pyrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
1-Methylnaphthalene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
2-Methylnaphthalene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
Naphthalene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
Perylene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
Phenanthrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
Pyrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
Quinoline		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	08-MAY-18
WG2766584-1	LCS							
Acenaphthene			71.7		%		60-130	07-MAY-18
Acenaphthylene			75.4		%		60-130	07-MAY-18
Acridine			103.5		%		50-150	07-MAY-18
Anthracene			88.7		%		60-130	07-MAY-18
Benz(a)anthracene			100.8		%		60-130	07-MAY-18
Benzo(a)pyrene			100.1		%		60-130	07-MAY-18
Benzo(b&j)fluoranthene			94.0		%		60-130	07-MAY-18
Benzo(g,h,i)perylene			100.9		%		60-130	07-MAY-18
Benzo(k)fluoranthene			101.5		%		60-130	07-MAY-18
Benzo(e)pyrene			98.6		%		50-150	07-MAY-18
Chrysene			101.7		%		60-130	07-MAY-18

Quality Control Report

Workorder: L2089149

Report Date: 11-MAY-18

Page 7 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL		Soil						
Batch	R4035894							
WG2766584-1 LCS								
Dibenz(a,h)anthracene			97.7		%		60-130	07-MAY-18
Fluoranthene			94.4		%		60-130	07-MAY-18
Fluorene			77.8		%		60-130	07-MAY-18
Indeno(1,2,3-c,d)pyrene			83.9		%		60-130	07-MAY-18
1-Methylnaphthalene			70.2		%		50-150	07-MAY-18
2-Methylnaphthalene			69.7		%		60-130	07-MAY-18
Naphthalene			71.3		%		50-130	07-MAY-18
Perylene			106.0		%		50-150	07-MAY-18
Phenanthrene			80.4		%		60-130	07-MAY-18
Pyrene			96.8		%		60-130	07-MAY-18
Quinoline			78.7		%		50-150	07-MAY-18
WG2766584-10 LCS								
Acenaphthene			77.7		%		60-130	08-MAY-18
Acenaphthylene			79.0		%		60-130	08-MAY-18
Acridine			104.6		%		50-150	08-MAY-18
Anthracene			95.9		%		60-130	08-MAY-18
Benz(a)anthracene			110.5		%		60-130	08-MAY-18
Benzo(a)pyrene			120.9		%		60-130	08-MAY-18
Benzo(b&j)fluoranthene			112.7		%		60-130	08-MAY-18
Benzo(g,h,i)perylene			97.5		%		60-130	08-MAY-18
Benzo(k)fluoranthene			113.0		%		60-130	08-MAY-18
Benzo(e)pyrene			109.0		%		50-150	08-MAY-18
Chrysene			99.7		%		60-130	08-MAY-18
Dibenz(a,h)anthracene			98.7		%		60-130	08-MAY-18
Fluoranthene			91.6		%		60-130	08-MAY-18
Fluorene			85.6		%		60-130	08-MAY-18
Indeno(1,2,3-c,d)pyrene			94.8		%		60-130	08-MAY-18
1-Methylnaphthalene			75.4		%		50-150	08-MAY-18
2-Methylnaphthalene			75.0		%		60-130	08-MAY-18
Naphthalene			73.8		%		50-130	08-MAY-18
Perylene			116.7		%		50-150	08-MAY-18
Phenanthrene			86.3		%		60-130	08-MAY-18
Pyrene			95.5		%		60-130	08-MAY-18
Quinoline			83.2		%		50-150	08-MAY-18
WG2766584-15 LCS								

Quality Control Report

Workorder: L2089149

Report Date: 11-MAY-18

Page 8 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL		Soil						
Batch	R4035894							
WG2766584-15 LCS								
Acenaphthene			73.1		%		60-130	08-MAY-18
Acenaphthylene			74.4		%		60-130	08-MAY-18
Acridine			94.6		%		50-150	08-MAY-18
Anthracene			78.6		%		60-130	08-MAY-18
Benz(a)anthracene			101.2		%		60-130	08-MAY-18
Benzo(a)pyrene			112.2		%		60-130	08-MAY-18
Benzo(b&j)fluoranthene			103.8		%		60-130	08-MAY-18
Benzo(g,h,i)perylene			87.6		%		60-130	08-MAY-18
Benzo(k)fluoranthene			104.2		%		60-130	08-MAY-18
Benzo(e)pyrene			100.6		%		50-150	08-MAY-18
Chrysene			90.2		%		60-130	08-MAY-18
Dibenz(a,h)anthracene			90.0		%		60-130	08-MAY-18
Fluoranthene			79.3		%		60-130	08-MAY-18
Fluorene			71.2		%		60-130	08-MAY-18
Indeno(1,2,3-c,d)pyrene			86.1		%		60-130	08-MAY-18
1-Methylnaphthalene			68.3		%		50-150	08-MAY-18
2-Methylnaphthalene			71.2		%		60-130	08-MAY-18
Naphthalene			71.6		%		50-130	08-MAY-18
Perylene			110.8		%		50-150	08-MAY-18
Phenanthrene			68.3		%		60-130	08-MAY-18
Pyrene			83.0		%		60-130	08-MAY-18
Quinoline			80.2		%		50-150	08-MAY-18
WG2766584-11 MB								
Acenaphthene			<0.0050		mg/kg		0.005	08-MAY-18
Acenaphthylene			<0.0050		mg/kg		0.005	08-MAY-18
Acridine			<0.010		mg/kg		0.01	08-MAY-18
Anthracene			<0.0040		mg/kg		0.004	08-MAY-18
Benz(a)anthracene			<0.010		mg/kg		0.01	08-MAY-18
Benzo(a)pyrene			<0.010		mg/kg		0.01	08-MAY-18
Benzo(b&j)fluoranthene			<0.010		mg/kg		0.01	08-MAY-18
Benzo(g,h,i)perylene			<0.010		mg/kg		0.01	08-MAY-18
Benzo(k)fluoranthene			<0.010		mg/kg		0.01	08-MAY-18
Benzo(e)pyrene			<0.010		mg/kg		0.01	08-MAY-18
Chrysene			<0.010		mg/kg		0.01	08-MAY-18

Quality Control Report

Workorder: L2089149

Report Date: 11-MAY-18

Page 9 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL		Soil						
Batch	R4035894							
WG2766584-11 MB								
Dibenz(a,h)anthracene			<0.0050		mg/kg		0.005	08-MAY-18
Fluoranthene			<0.010		mg/kg		0.01	08-MAY-18
Fluorene			<0.010		mg/kg		0.01	08-MAY-18
Indeno(1,2,3-c,d)pyrene			<0.010		mg/kg		0.01	08-MAY-18
1-Methylnaphthalene			<0.010		mg/kg		0.01	08-MAY-18
2-Methylnaphthalene			<0.010		mg/kg		0.01	08-MAY-18
Naphthalene			<0.010		mg/kg		0.01	08-MAY-18
Perylene			<0.010		mg/kg		0.01	08-MAY-18
Phenanthrene			<0.010		mg/kg		0.01	08-MAY-18
Pyrene			<0.010		mg/kg		0.01	08-MAY-18
Quinoline			<0.010		mg/kg		0.01	08-MAY-18
Surrogate: d8-Naphthalene			67.9		%		50-130	08-MAY-18
Surrogate: d10-Acenaphthene			69.5		%		50-150	08-MAY-18
Surrogate: d10-Phenanthrene			72.1		%		60-130	08-MAY-18
Surrogate: d12-Chrysene			92.0		%		50-150	08-MAY-18
WG2766584-17 MB								
Acenaphthene			<0.0050		mg/kg		0.005	09-MAY-18
Acenaphthylene			<0.0050		mg/kg		0.005	09-MAY-18
Acridine			<0.010		mg/kg		0.01	09-MAY-18
Anthracene			<0.0040		mg/kg		0.004	09-MAY-18
Benz(a)anthracene			<0.010		mg/kg		0.01	09-MAY-18
Benzo(a)pyrene			<0.010		mg/kg		0.01	09-MAY-18
Benzo(b&j)fluoranthene			<0.010		mg/kg		0.01	09-MAY-18
Benzo(g,h,i)perylene			<0.010		mg/kg		0.01	09-MAY-18
Benzo(k)fluoranthene			<0.010		mg/kg		0.01	09-MAY-18
Benzo(e)pyrene			<0.010		mg/kg		0.01	09-MAY-18
Chrysene			<0.010		mg/kg		0.01	09-MAY-18
Dibenz(a,h)anthracene			<0.0050		mg/kg		0.005	09-MAY-18
Fluoranthene			<0.010		mg/kg		0.01	09-MAY-18
Fluorene			<0.010		mg/kg		0.01	09-MAY-18
Indeno(1,2,3-c,d)pyrene			<0.010		mg/kg		0.01	09-MAY-18
1-Methylnaphthalene			<0.010		mg/kg		0.01	09-MAY-18
2-Methylnaphthalene			<0.010		mg/kg		0.01	09-MAY-18
Naphthalene			<0.010		mg/kg		0.01	09-MAY-18

Quality Control Report

Workorder: L2089149

Report Date: 11-MAY-18

Page 10 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL	Soil							
Batch	R4035894							
WG2766584-17 MB								
Perylene			<0.010		mg/kg		0.01	09-MAY-18
Phenanthrene			<0.010		mg/kg		0.01	09-MAY-18
Pyrene			<0.010		mg/kg		0.01	09-MAY-18
Quinoline			<0.010		mg/kg		0.01	09-MAY-18
Surrogate: d8-Naphthalene			76.0		%		50-130	09-MAY-18
Surrogate: d10-Acenaphthene			76.2		%		50-150	09-MAY-18
Surrogate: d10-Phenanthrene			80.4		%		60-130	09-MAY-18
Surrogate: d12-Chrysene			92.8		%		50-150	09-MAY-18
WG2766584-2 MB								
Acenaphthene			<0.0050		mg/kg		0.005	07-MAY-18
Acenaphthylene			<0.0050		mg/kg		0.005	07-MAY-18
Acridine			<0.010		mg/kg		0.01	07-MAY-18
Anthracene			<0.0040		mg/kg		0.004	07-MAY-18
Benz(a)anthracene			<0.010		mg/kg		0.01	07-MAY-18
Benzo(a)pyrene			<0.010		mg/kg		0.01	07-MAY-18
Benzo(b&j)fluoranthene			<0.010		mg/kg		0.01	07-MAY-18
Benzo(g,h,i)perylene			<0.010		mg/kg		0.01	07-MAY-18
Benzo(k)fluoranthene			<0.010		mg/kg		0.01	07-MAY-18
Benzo(e)pyrene			<0.010		mg/kg		0.01	07-MAY-18
Chrysene			<0.010		mg/kg		0.01	07-MAY-18
Dibenz(a,h)anthracene			<0.0050		mg/kg		0.005	07-MAY-18
Fluoranthene			<0.010		mg/kg		0.01	07-MAY-18
Fluorene			<0.010		mg/kg		0.01	07-MAY-18
Indeno(1,2,3-c,d)pyrene			<0.010		mg/kg		0.01	07-MAY-18
1-Methylnaphthalene			<0.010		mg/kg		0.01	07-MAY-18
2-Methylnaphthalene			<0.010		mg/kg		0.01	07-MAY-18
Naphthalene			<0.010		mg/kg		0.01	07-MAY-18
Perylene			<0.010		mg/kg		0.01	07-MAY-18
Phenanthrene			<0.010		mg/kg		0.01	07-MAY-18
Pyrene			<0.010		mg/kg		0.01	07-MAY-18
Quinoline			<0.010		mg/kg		0.01	07-MAY-18
Surrogate: d8-Naphthalene			78.8		%		50-130	07-MAY-18
Surrogate: d10-Acenaphthene			79.9		%		50-150	07-MAY-18
Surrogate: d10-Phenanthrene			86.3		%		60-130	07-MAY-18



Quality Control Report

Workorder: L2089149

Report Date: 11-MAY-18

Page 11 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL								
	Soil							
Batch	R4035894							
WG2766584-2 MB								
Surrogate: d12-Chrysene			87.0		%		50-150	07-MAY-18
WG2766584-7 MB								
Acenaphthene			<0.0050		mg/kg		0.005	08-MAY-18
Acenaphthylene			<0.0050		mg/kg		0.005	08-MAY-18
Acridine			<0.010		mg/kg		0.01	08-MAY-18
Anthracene			<0.0040		mg/kg		0.004	08-MAY-18
Benz(a)anthracene			<0.010		mg/kg		0.01	08-MAY-18
Benzo(a)pyrene			<0.010		mg/kg		0.01	08-MAY-18
Benzo(b&j)fluoranthene			<0.010		mg/kg		0.01	08-MAY-18
Benzo(g,h,i)perylene			<0.010		mg/kg		0.01	08-MAY-18
Benzo(k)fluoranthene			<0.010		mg/kg		0.01	08-MAY-18
Benzo(e)pyrene			<0.010		mg/kg		0.01	08-MAY-18
Chrysene			<0.010		mg/kg		0.01	08-MAY-18
Dibenz(a,h)anthracene			<0.0050		mg/kg		0.005	08-MAY-18
Fluoranthene			<0.010		mg/kg		0.01	08-MAY-18
Fluorene			<0.010		mg/kg		0.01	08-MAY-18
Indeno(1,2,3-c,d)pyrene			<0.010		mg/kg		0.01	08-MAY-18
1-Methylnaphthalene			<0.010		mg/kg		0.01	08-MAY-18
2-Methylnaphthalene			<0.010		mg/kg		0.01	08-MAY-18
Naphthalene			<0.010		mg/kg		0.01	08-MAY-18
Perylene			<0.010		mg/kg		0.01	08-MAY-18
Phenanthrene			<0.010		mg/kg		0.01	08-MAY-18
Pyrene			<0.010		mg/kg		0.01	08-MAY-18
Quinoline			<0.010		mg/kg		0.01	08-MAY-18
Surrogate: d8-Naphthalene			97.9		%		50-130	08-MAY-18
Surrogate: d10-Acenaphthene			97.6		%		50-150	08-MAY-18
Surrogate: d10-Phenanthrene			90.5		%		60-130	08-MAY-18
Surrogate: d12-Chrysene			98.3		%		50-150	08-MAY-18
WG2766584-16 MS		L2089149-2						
Acenaphthene			65.4		%		50-150	08-MAY-18
Acenaphthylene			69.1		%		50-150	08-MAY-18
Acridine			90.5		%		50-150	08-MAY-18
Anthracene			78.9		%		50-150	08-MAY-18
Benz(a)anthracene			99.1		%		50-150	08-MAY-18
Benzo(a)pyrene			106.7		%		50-150	08-MAY-18



Quality Control Report

Workorder: L2089149

Report Date: 11-MAY-18

Page 12 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL								
Soil								
Batch	R4035894							
WG2766584-16 MS		L2089149-2						
Benzo(b&j)fluoranthene			100.6		%		50-150	08-MAY-18
Benzo(g,h,i)perylene			85.4		%		50-150	08-MAY-18
Benzo(k)fluoranthene			99.7		%		50-150	08-MAY-18
Benzo(e)pyrene			97.1		%		50-150	08-MAY-18
Chrysene			90.0		%		50-150	08-MAY-18
Dibenz(a,h)anthracene			86.1		%		50-150	08-MAY-18
Fluoranthene			79.1		%		50-150	08-MAY-18
Fluorene			70.0		%		50-150	08-MAY-18
Indeno(1,2,3-c,d)pyrene			80.3		%		50-150	08-MAY-18
1-Methylnaphthalene			62.9		%		50-150	08-MAY-18
2-Methylnaphthalene			65.6		%		50-150	08-MAY-18
Naphthalene			62.6		%		50-150	08-MAY-18
Perylene			106.4		%		50-150	08-MAY-18
Phenanthrene			71.8		%		50-150	08-MAY-18
Pyrene			83.4		%		50-150	08-MAY-18
Quinoline			69.9		%		50-150	08-MAY-18
PH-1:2-CL								
Soil								
Batch	R4039107							
WG2768503-2 DUP		L2089149-8						
pH (1:2 soil:water)		8.35	8.37	J	pH	0.02	0.2	09-MAY-18
WG2768503-1 IRM		SAL-STD9						
pH (1:2 soil:water)			7.94		pH		7.7-8.3	09-MAY-18
PSA-PIPET-DETAIL-SK								
Soil								
Batch	R4038134							
WG2766112-1 DUP		L2089149-8						
% Gravel (>2mm)		<1.0	<1.0	RPD-NA	%	N/A	25	08-MAY-18
% Sand (2.00mm - 1.00mm)		<1.0	<1.0	RPD-NA	%	N/A	5	08-MAY-18
% Sand (1.00mm - 0.50mm)		<1.0	<1.0	RPD-NA	%	N/A	5	08-MAY-18
% Sand (0.50mm - 0.25mm)		3.1	3.0	J	%	0.1	5	08-MAY-18
% Sand (0.25mm - 0.125mm)		22.3	24.3	J	%	2.0	5	08-MAY-18
% Sand (0.125mm - 0.063mm)		28.1	26.4	J	%	1.7	5	08-MAY-18
% Silt (0.063mm - 0.0312mm)		20.8	20.7	J	%	0.1	5	08-MAY-18
% Silt (0.0312mm - 0.004mm)		21.1	21.1	J	%	0.0	5	08-MAY-18
% Clay (<4um)		4.6	4.4	J	%	0.2	5	08-MAY-18
WG2766112-2 IRM		2017-PSA						



Quality Control Report

Workorder: L2089149

Report Date: 11-MAY-18

Page 13 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PSA-PIPET-DETAIL-SK	Soil							
Batch	R4038134							
WG2766112-2	IRM	2017-PSA						
% Sand (2.00mm - 1.00mm)			2.6		%		0-7.6	08-MAY-18
% Sand (1.00mm - 0.50mm)			3.7		%		0-8.9	08-MAY-18
% Sand (0.50mm - 0.25mm)			10.1		%		5.3-15.3	08-MAY-18
% Sand (0.25mm - 0.125mm)			14.0		%		10-20	08-MAY-18
% Sand (0.125mm - 0.063mm)			12.7		%		7.3-17.3	08-MAY-18
% Silt (0.063mm - 0.0312mm)			14.8		%		9.9-19.9	08-MAY-18
% Silt (0.0312mm - 0.004mm)			23.2		%		17.6-27.6	08-MAY-18
% Clay (<4um)			19.0		%		13.4-23.4	08-MAY-18

Quality Control Report

Workorder: L2089149

Report Date: 11-MAY-18

Page 14 of 14

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
J	Duplicate results and limits are expressed in terms of absolute difference.
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Hold Time Exceedances:

All test results reported with this submission were conducted within ALS recommended hold times.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

COC ID: REP-2018-05-01

TURNAROUND TIME:

PROJECT/CLIENT INFO				LABORATORY			
Facility Name / Job#	Regional Effects Program			Lab Name	ALS Calgary		
Project Manager	Lee Wilm			Lab Contact	Lyudmyla Shvets		
Email	lee.wilm@teck.com			Email	lyudmyla.shvets@alsglobal.com		
Address	PO Box 1777, 124B Aspen Drive			Address	2559 29 Street NE		
City	Sparwood	Province	BC	City	Calgary	Province	AB
Postal Code	V0B 2G0	Country	Canada	Postal Code	T1Y 7B5	Country	Canada
Phone Number	250-865-5289			Phone Number	1 403 407 1794		

	Excel	PDF	EDD
lee.wilm@teck.com	x	x	x
teckcoi@equionline.com			x
carla.fraser@teck.com	x	x	x
andrew.wright@teck.com	x	x	x

Julian @ Arrow.ca

SAMPLE DETAILS

ANALYSIS REQUESTED

Filtered - F: Field, L: Lab, FL: Field & Lab, N: None



L2089149-COFC

Sample ID	Sample Location	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Comp	# Of Cont.	TECKCOAL-ROUTINE-VA	ALS_Package-DOC	ALS_Package-TKN/TOC	HG-T-U-CVAF-VA	HG-D-CVAF-VA	TECKCOAL-MET-T-VA	TECKCOAL-MET-D-VA TOC	PAHs	Metals (incl. Hg)	Moisture	Particle Size
RG-SC-01-SS-20180427-1300	RG-SC-01	Sediment	NO	Apr. 27. 18	1300	G	2											
RG-SC-02-SS-20180427-1345	RG-SC-02	Sediment	NO	Apr. 27. 18	1345	G	2											
RG-SC-03-SS-20180427-1430	RG-SC-03	Sediment		Apr. 27. 18	1430	G	2											
RG-SC-04-SS-20180427-1545	RG-SC-04	Sediment		Apr. 27. 18	1545	G	2											
RG-SC-05-SS-20180428-1230	RG-SC-05	Sediment		April 28. 18	1230	G	2											
RG-ER-01-SS-20180427-1200	RG-ER-01	Sediment		Apr. 27. 18	1200	G	2											
RG-ER-02-SS-20180427-1300	RG-ER-02	Sediment		Apr. 27. 18	1300	G	2											
RG-ER-03-SS-20180427-1310	RG-ER-03	Sediment		Apr. 27. 18	1310	G	2											
RG-ER-04-SS-20180427-1430	RG-ER-04	Sediment		Apr. 27. 18	1430	G	2											
RG-ER-05-SS-20180427-1530	RG-ER-05	Sediment		Apr. 27. 18	1530	G	2											
RG-GC-01-SS-20180427-1245	RG-GC-01	Sediment		Apr. 27. 18	1245	G	2											

1
2
3
4
5
6
7
8
9
10
11

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS

RELINQUISHED BY/AFFILIATION

DATE/TIME

ACCEPTED BY/AFFILIATION

All metals samples must be shipped to ALS Burnaby for analysis

Justin Wilson 5/29/18

NR OF BOTTLES RETURNED/DESCRIPTION

Regular (default) x	Sampler's Name	Justin Wilson	Mobile #	519-803-3923
Priority (2-3 business days) - 50% surcharge	Sampler's Signature	<i>Justin Wilson</i>	Date/Time	May 1, 2018 / 11:30 am
Emergency (1 Business Day) - 100% surcharge				
For Emergency <1 Day, ASAP or Weekend - Contact ALS				

* 1 jar #1 plastic bag for PAH + 1 plastic bag for everything else.

Justin Wilson

COC ID:

REP-2018-05-01

TURNAROUND TIME:

PROJECT/CLIENT INFO				LABORATORY			
Facility Name / Job#	Regional Effects Program			Lab Name	ALS Calgary		
Project Manager	Lee Wilm			Lab Contact	Lyudmyla Shvets		
Email	lee.wilm@teck.com			Email	lyudmyla.shvets@alsglobal.com		
Address	PO Box 1777, 124B Aspen Drive			Address	2559 29 Street NE		
City	Sparwood	Province	BC	City	Calgary	Province	AB
Postal Code	V0B 2G0	Country	Canada	Postal Code	T1Y 7B5	Country	Canada
Phone Number	250-865-5289			Phone Number	1 403 407 1794		

lee.wilm@teck.com
teckcoals@equilonline.com
carla.frasar@teck.com
andrew.wright@teck.com

Justin Wilson

SAMPLE DETAILS

ANALYSIS REQUESTED


Filtered - F; Field; L; Lab; FL: Field & Lab; N; None



L2089149-COFC

Sample ID	Sample Location	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Comp	# Of Cont.	TECKCOAL-ROUTINE-VA	ALS_Package-DOC	ALS_Package-TKN/TOC	HG-T-U-CVAF-VA	HG-D-CVAF-VA	TECKCOAL-MET-T-VA	TECKCOAL-MET-D-VA	TOC	PAHs	Metals (including Hg)	Moisture	Particle Size
12 RG-GC-02-SS-20180427-1300	RG-GC-02	Sediment	NO	April 27.18	1300	G	2			*									
13 RG-GC-03-SS-20180427-1315	RG-GC-03	Sediment	NO	April 27.18	1315	G	2												
14 RG-GC-03-SS-20180427-1316	RG-GC-03	Sediment		Apr. 27.18	1316	G	2												
15 RG-GC-04-SS-20180428-1330	RG-GC-04	Sediment		April 28.18	1330	G	2												
16 RG-GC-05-SS-20180428-1345	RG-GC-05	Sediment		April 28.18	1345	G	2												

12
13
14
15
16



ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS

RELIQUISHED BY/AFFILIATION

DATE/TIME

ACCEPTED BY/AFFILIATION

All metals samples must be shipped to ALS Burnaby for analysis

NO OF BOTTLES RETURNED/DESCRIPTION

Regular (default) x	Sampler's Name	Justin Wilson	Mobile #	519-803-3923
Priority (2-3 business days) - 50% surcharge	Sampler's Signature	<i>[Signature]</i>	Date/Time	April May 1, 2018
Emergency (1 Business Day) - 100% surcharge				
For Emergency <1 Day, ASAP or Weekend - Contact ALS				

* 1 jar for PAH & 1 plastic bag for everything else

11:30am



Teck Coal Ltd.
ATTN: Cait Good
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 31-AUG-18
Report Date: 11-SEP-18 13:59 (MT)
Version: FINAL

Client Phone: 250-425-8202

Certificate of Analysis

Lab Work Order #: L2157301
Project P.O. #: VPO00563596
Job Reference: REGIONAL KOOCANUSA
C of C Numbers: Regional Kooacanusa
Legal Site Desc:

Lyudmyla Shvets, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157301-1	L2157301-2	L2157301-3	L2157301-4	L2157301-5
		Description	Sediment	Sediment	Sediment	Sediment	Sediment
		Sampled Date	29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18
		Sampled Time	15:15	14:45	11:30	12:30	14:00
		Client ID	RG_TN_1_SED_20 180829-1515	RG_TN_2_SED_20 180829-1445	RG_TN_3_SED_20 180829-1130	RG_TN_4_SED_20 180829-1230	RG_TN_5_SED_20 180829-1400
Grouping	Analyte						
SOIL							
Physical Tests	Moisture (%)		41.5	38.7	41.6	33.2	35.8
	pH (1:2 soil:water) (pH)		8.40	8.59	8.35	8.83	8.77
Particle Size	% Gravel (>2mm) (%)		<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (2.00mm - 1.00mm) (%)		<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (1.00mm - 0.50mm) (%)		<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (0.50mm - 0.25mm) (%)		<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (0.25mm - 0.125mm) (%)		<1.0	<1.0	<1.0	15.3	2.7
	% Sand (0.125mm - 0.063mm) (%)		<1.0	6.7	2.0	29.6	28.0
	% Silt (0.063mm - 0.0312mm) (%)		30.1	29.5	34.1	19.4	26.8
	% Silt (0.0312mm - 0.004mm) (%)		57.1	52.1	53.8	28.0	35.0
	% Clay (<4um) (%)		12.5	11.6	10.1	7.4	7.4
	Texture		Silt	Silt	Silt	Sandy loam	Silt loam
Organic / Inorganic Carbon	Total Organic Carbon (%)		2.00	1.99	2.4	1.83	1.91
Metals	Aluminum (Al) (mg/kg)		12100	12300	12100	9220	9860
	Antimony (Sb) (mg/kg)		0.29	0.30	0.34	0.26	0.29
	Arsenic (As) (mg/kg)		7.13	6.77	7.23	6.33	6.76
	Barium (Ba) (mg/kg)		71.1	71.7	73.8	57.3	59.5
	Beryllium (Be) (mg/kg)		0.37	0.35	0.37	0.27	0.32
	Bismuth (Bi) (mg/kg)		<0.20	<0.20	<0.20	<0.20	<0.20
	Boron (B) (mg/kg)		<5.0	<5.0	<5.0	<5.0	<5.0
	Cadmium (Cd) (mg/kg)		0.176	0.171	0.202	0.144	0.138
	Calcium (Ca) (mg/kg)		106000	115000	103000	111000	114000
	Chromium (Cr) (mg/kg)		17.1	16.8	18.0	15.1	15.9
	Cobalt (Co) (mg/kg)		8.98	8.88	9.52	7.98	8.40
	Copper (Cu) (mg/kg)		16.3	15.2	17.5	12.1	13.1
	Iron (Fe) (mg/kg)		22000	21900	22500	19700	20900
	Lead (Pb) (mg/kg)		16.5	15.5	18.0	14.2	14.7
	Lithium (Li) (mg/kg)		25.1	24.5	24.5	20.1	22.5
	Magnesium (Mg) (mg/kg)		22200	24600	23500	24900	26100
	Manganese (Mn) (mg/kg)		423	430	429	382	402
	Mercury (Hg) (mg/kg)		0.0196	0.0150	0.0202	0.0141	0.0126
	Molybdenum (Mo) (mg/kg)		0.58	0.61	0.65	0.55	0.59
	Nickel (Ni) (mg/kg)		18.9	19.0	20.2	16.8	17.9
	Phosphorus (P) (mg/kg)		617	641	675	633	682
	Potassium (K) (mg/kg)		800	740	800	610	630
	Selenium (Se) (mg/kg)		<0.20	<0.20	0.23	<0.20	<0.20
	Silver (Ag) (mg/kg)		<0.10	<0.10	<0.10	<0.10	<0.10

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID	L2157301-6 Sediment 28-AUG-18 10:00 RG_T4_1_SED_20 180828-1000	L2157301-7 Sediment 28-AUG-18 12:00 RG_T4_2_SED_20 180828-1200	L2157301-8 Sediment 28-AUG-18 13:30 RG_T4_3_SED_20 180828-1330	L2157301-9 Sediment 28-AUG-18 14:30 RG_T4_4_SED_20 180828-1430	L2157301-10 Sediment 28-AUG-18 15:30 RG_T4_5_SED_20 180828-1530	
Grouping	Analyte					
SOIL						
Physical Tests	Moisture (%)	40.0	42.3	41.0	43.3	39.2
	pH (1:2 soil:water) (pH)	8.53	8.42	8.42	8.43	8.49
Particle Size	% Gravel (>2mm) (%)	<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (2.00mm - 1.00mm) (%)	<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (1.00mm - 0.50mm) (%)	<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (0.50mm - 0.25mm) (%)	<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (0.25mm - 0.125mm) (%)	<1.0	<1.0	<1.0	<1.0	<1.0
	% Sand (0.125mm - 0.063mm) (%)	<1.0	<1.0	2.2	1.9	2.9
	% Silt (0.063mm - 0.0312mm) (%)	19.4	18.5	21.6	14.8	16.0
	% Silt (0.0312mm - 0.004mm) (%)	60.8	62.2	58.8	62.8	61.2
	% Clay (<4um) (%)	19.7	19.1	17.2	20.5	19.8
	Texture	Silt	Silt	Silt	Silt	Silt
Organic / Inorganic Carbon	Total Organic Carbon (%)	2.15	2.19	2.20	2.2	1.94
Metals	Aluminum (Al) (mg/kg)	10500	13200	12000	13500	13400
	Antimony (Sb) (mg/kg)	0.46	0.48	0.41	0.42	0.42
	Arsenic (As) (mg/kg)	7.25	7.69	7.17	7.59	7.14
	Barium (Ba) (mg/kg)	161	166	135	141	116
	Beryllium (Be) (mg/kg)	0.50	0.55	0.47	0.48	0.45
	Bismuth (Bi) (mg/kg)	<0.20	<0.20	<0.20	<0.20	<0.20
	Boron (B) (mg/kg)	5.0	<5.0	<5.0	<5.0	<5.0
	Cadmium (Cd) (mg/kg)	0.586	0.573	0.486	0.462	0.336
	Calcium (Ca) (mg/kg)	117000	119000	115000	122000	120000
	Chromium (Cr) (mg/kg)	17.6	20.0	18.7	20.4	19.6
	Cobalt (Co) (mg/kg)	9.08	10.3	9.45	10.2	9.83
	Copper (Cu) (mg/kg)	16.4	18.0	16.4	17.5	16.1
	Iron (Fe) (mg/kg)	22200	24500	22800	24700	23900
	Lead (Pb) (mg/kg)	14.0	15.4	15.0	15.9	15.8
	Lithium (Li) (mg/kg)	24.1	26.1	24.2	25.6	24.8
	Magnesium (Mg) (mg/kg)	24100	26700	24000	26200	24300
	Manganese (Mn) (mg/kg)	589	596	539	568	528
	Mercury (Hg) (mg/kg)	0.0323	0.0336	0.0286	0.0291	0.0208
	Molybdenum (Mo) (mg/kg)	1.03	1.01	0.94	0.94	0.85
	Nickel (Ni) (mg/kg)	22.4	24.8	22.5	23.9	22.0
	Phosphorus (P) (mg/kg)	912	979	812	830	734
	Potassium (K) (mg/kg)	950	1110	1020	1160	1010
	Selenium (Se) (mg/kg)	0.61	0.53	0.47	0.51	0.40
	Silver (Ag) (mg/kg)	0.11	0.11	<0.10	<0.10	<0.10

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L2157301-11 Sediment 28-AUG-18 14:35 RG_T4_4_SED_20 180828-1435				
Grouping	Analyte					
SOIL						
Physical Tests	Moisture (%)	42.3				
	pH (1:2 soil:water) (pH)	8.45				
Particle Size	% Gravel (>2mm) (%)	<1.0				
	% Sand (2.00mm - 1.00mm) (%)	<1.0				
	% Sand (1.00mm - 0.50mm) (%)	<1.0				
	% Sand (0.50mm - 0.25mm) (%)	<1.0				
	% Sand (0.25mm - 0.125mm) (%)	<1.0				
	% Sand (0.125mm - 0.063mm) (%)	1.4				
	% Silt (0.063mm - 0.0312mm) (%)	17.4				
	% Silt (0.0312mm - 0.004mm) (%)	61.6				
	% Clay (<4um) (%)	19.6				
	Texture	Silt				
Organic / Inorganic Carbon	Total Organic Carbon (%)	2.3				
Metals	Aluminum (Al) (mg/kg)	14700				
	Antimony (Sb) (mg/kg)	0.44				
	Arsenic (As) (mg/kg)	8.24				
	Barium (Ba) (mg/kg)	142				
	Beryllium (Be) (mg/kg)	0.50				
	Bismuth (Bi) (mg/kg)	0.21				
	Boron (B) (mg/kg)	<5.0				
	Cadmium (Cd) (mg/kg)	0.454				
	Calcium (Ca) (mg/kg)	140000				
	Chromium (Cr) (mg/kg)	21.8				
	Cobalt (Co) (mg/kg)	11.2				
	Copper (Cu) (mg/kg)	19.2				
	Iron (Fe) (mg/kg)	26900				
	Lead (Pb) (mg/kg)	17.8				
	Lithium (Li) (mg/kg)	27.7				
	Magnesium (Mg) (mg/kg)	28400				
	Manganese (Mn) (mg/kg)	629				
	Mercury (Hg) (mg/kg)	0.0462				
	Molybdenum (Mo) (mg/kg)	1.05				
	Nickel (Ni) (mg/kg)	25.6				
	Phosphorus (P) (mg/kg)	876				
	Potassium (K) (mg/kg)	1110				
	Selenium (Se) (mg/kg)	0.52				
	Silver (Ag) (mg/kg)	<0.10				

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID	L2157301-1 Sediment 29-AUG-18 15:15 RG_TN_1_SED_20 180829-1515	L2157301-2 Sediment 29-AUG-18 14:45 RG_TN_2_SED_20 180829-1445	L2157301-3 Sediment 29-AUG-18 11:30 RG_TN_3_SED_20 180829-1130	L2157301-4 Sediment 29-AUG-18 12:30 RG_TN_4_SED_20 180829-1230	L2157301-5 Sediment 29-AUG-18 14:00 RG_TN_5_SED_20 180829-1400
Grouping	Analyte				
SOIL					
Metals					
Sodium (Na) (mg/kg)	81	84	89	81	82
Strontium (Sr) (mg/kg)	238	250	229	231	237
Sulfur (S) (mg/kg)	<1000	<1000	<1000	<1000	<1000
Thallium (Tl) (mg/kg)	0.087	0.078	0.085	0.066	0.067
Tin (Sn) (mg/kg)	<2.0	<2.0	<2.0	<2.0	<2.0
Titanium (Ti) (mg/kg)	142	140	143	129	123
Tungsten (W) (mg/kg)	<0.50	<0.50	<0.50	<0.50	<0.50
Uranium (U) (mg/kg)	0.794	0.729	0.881	0.582	0.576
Vanadium (V) (mg/kg)	13.4	13.4	13.9	12.0	12.5
Zinc (Zn) (mg/kg)	69.4	66.9	73.6	61.8	64.0
Zirconium (Zr) (mg/kg)	<1.0	<1.0	1.5	1.3	1.4
Polycyclic Aromatic Hydrocarbons					
Acenaphthene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Acenaphthylene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Acridine (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
Anthracene (mg/kg)	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040
Benz(a)anthracene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
Benzo(a)pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
Benzo(b&j)fluoranthene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
Benzo(e)pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
Benzo(g,h,i)perylene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
Benzo(k)fluoranthene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
Chrysene (mg/kg)	0.022	<0.010	<0.010	<0.010	<0.010
Dibenz(a,h)anthracene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Fluoranthene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
Fluorene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
Indeno(1,2,3-c,d)pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
1-Methylnaphthalene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
2-Methylnaphthalene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
Naphthalene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
Perylene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
Phenanthrene (mg/kg)	<0.010	0.011	<0.010	<0.010	<0.010
Pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
Quinoline (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
Surrogate: d10-Acenaphthene (%)	94.4	91.6	85.2	73.8	82.5
Surrogate: d12-Chrysene (%)	103.9	104.2	105.8	101.4	104.4
Surrogate: d8-Naphthalene (%)	92.6	88.9	80.5	69.6	79.5

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L2157301-6 Sediment 28-AUG-18 10:00 RG_T4_1_SED_20 180828-1000	L2157301-7 Sediment 28-AUG-18 12:00 RG_T4_2_SED_20 180828-1200	L2157301-8 Sediment 28-AUG-18 13:30 RG_T4_3_SED_20 180828-1330	L2157301-9 Sediment 28-AUG-18 14:30 RG_T4_4_SED_20 180828-1430	L2157301-10 Sediment 28-AUG-18 15:30 RG_T4_5_SED_20 180828-1530
Grouping	Analyte					
SOIL						
Metals	Sodium (Na) (mg/kg)	92	100	91	100	103
	Strontium (Sr) (mg/kg)	216	227	226	250	263
	Sulfur (S) (mg/kg)	<1000	<1000	<1000	<1000	<1000
	Thallium (Tl) (mg/kg)	0.136	0.144	0.128	0.131	0.113
	Tin (Sn) (mg/kg)	<2.0	<2.0	<2.0	<2.0	<2.0
	Titanium (Ti) (mg/kg)	54.8	76.9	84.1	99.6	102
	Tungsten (W) (mg/kg)	<0.50	<0.50	<0.50	<0.50	<0.50
	Uranium (U) (mg/kg)	0.758	0.788	0.850	0.811	0.784
	Vanadium (V) (mg/kg)	18.0	20.2	17.9	19.3	17.2
	Zinc (Zn) (mg/kg)	81.6	88.7	79.8	84.4	77.2
	Zirconium (Zr) (mg/kg)	1.7	1.7	1.5	1.3	1.4
Polycyclic Aromatic Hydrocarbons	Acenaphthene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
	Acenaphthylene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
	Acridine (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Anthracene (mg/kg)	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040
	Benz(a)anthracene (mg/kg)	0.012	0.013	<0.010	<0.010	<0.010
	Benzo(a)pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Benzo(b&j)fluoranthene (mg/kg)	0.020	0.020	0.014	0.015	<0.010
	Benzo(e)pyrene (mg/kg)	0.013	0.013	<0.010	0.010	<0.010
	Benzo(g,h,i)perylene (mg/kg)	<0.010	<0.010	<0.010	0.014	<0.010
	Benzo(k)fluoranthene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Chrysene (mg/kg)	0.025	0.026	0.018	0.018	<0.010
	Dibenz(a,h)anthracene (mg/kg)	<0.0050	<0.0050	<0.0050	0.0057	<0.0050
	Fluoranthene (mg/kg)	0.017	0.019	0.014	0.014	<0.010
	Fluorene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Indeno(1,2,3-c,d)pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	1-Methylnaphthalene (mg/kg)	0.026	0.023	0.025	0.016	<0.010
	2-Methylnaphthalene (mg/kg)	0.047	0.041	0.040	0.030	0.016
	Naphthalene (mg/kg)	0.019	0.016	0.014	0.010	<0.010
	Perylene (mg/kg)	0.015	0.015	<0.010	0.011	<0.010
	Phenanthrene (mg/kg)	0.045	0.039	0.041	0.027	0.017
	Pyrene (mg/kg)	0.013	0.014	0.011	0.011	<0.010
	Quinoline (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010
	Surrogate: d10-Acenaphthene (%)	87.8	88.0	87.2	84.2	79.8
	Surrogate: d12-Chrysene (%)	106.7	116.9	104.8	104.9	104.2
	Surrogate: d8-Naphthalene (%)	84.1	84.5	84.9	81.4	75.3

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID	L2157301-11 Sediment 28-AUG-18 14:35 RG_T4_4_SED_20 180828-1435				
Grouping	Analyte				
SOIL					
Metals	Sodium (Na) (mg/kg)	105			
	Strontium (Sr) (mg/kg)	288			
	Sulfur (S) (mg/kg)	<1000			
	Thallium (Tl) (mg/kg)	0.132			
	Tin (Sn) (mg/kg)	<2.0			
	Titanium (Ti) (mg/kg)	101			
	Tungsten (W) (mg/kg)	<0.50			
	Uranium (U) (mg/kg)	0.907			
	Vanadium (V) (mg/kg)	19.6			
	Zinc (Zn) (mg/kg)	88.7			
	Zirconium (Zr) (mg/kg)	1.8			
Polycyclic Aromatic Hydrocarbons	Acenaphthene (mg/kg)	<0.0050			
	Acenaphthylene (mg/kg)	<0.0050			
	Acridine (mg/kg)	<0.010			
	Anthracene (mg/kg)	<0.0040			
	Benzo(a)anthracene (mg/kg)	<0.010			
	Benzo(a)pyrene (mg/kg)	<0.010			
	Benzo(b&j)fluoranthene (mg/kg)	0.015			
	Benzo(e)pyrene (mg/kg)	<0.010			
	Benzo(g,h,i)perylene (mg/kg)	<0.010			
	Benzo(k)fluoranthene (mg/kg)	<0.010			
	Chrysene (mg/kg)	0.015			
	Dibenz(a,h)anthracene (mg/kg)	<0.0050			
	Fluoranthene (mg/kg)	0.013			
	Fluorene (mg/kg)	<0.010			
	Indeno(1,2,3-c,d)pyrene (mg/kg)	<0.010			
	1-Methylnaphthalene (mg/kg)	0.019			
	2-Methylnaphthalene (mg/kg)	0.029			
	Naphthalene (mg/kg)	0.013			
	Perylene (mg/kg)	0.011			
	Phenanthrene (mg/kg)	0.028			
	Pyrene (mg/kg)	<0.010			
	Quinoline (mg/kg)	<0.010			
	Surrogate: d10-Acenaphthene (%)	90.4			
	Surrogate: d12-Chrysene (%)	109.9			
	Surrogate: d8-Naphthalene (%)	89.5			

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157301-1	L2157301-2	L2157301-3	L2157301-4	L2157301-5
		Description	Sediment	Sediment	Sediment	Sediment	Sediment
		Sampled Date	29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18	29-AUG-18
		Sampled Time	15:15	14:45	11:30	12:30	14:00
		Client ID	RG_TN_1_SED_20 180829-1515	RG_TN_2_SED_20 180829-1445	RG_TN_3_SED_20 180829-1130	RG_TN_4_SED_20 180829-1230	RG_TN_5_SED_20 180829-1400
Grouping	Analyte						
SOIL							
Polycyclic Aromatic Hydrocarbons	Surrogate: d10-Phenanthrene (%)	95.9	93.9	92.5	84.5	88.6	
	B(a)P Total Potency Equivalent (mg/kg)	<0.020	<0.020	<0.020	<0.020	<0.020	
	IACR (CCME) (mg/kg)	<0.15	<0.15	<0.15	<0.15	<0.15	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2157301-6	L2157301-7	L2157301-8	L2157301-9	L2157301-10
		Description	Sediment	Sediment	Sediment	Sediment	Sediment
		Sampled Date	28-AUG-18	28-AUG-18	28-AUG-18	28-AUG-18	28-AUG-18
		Sampled Time	10:00	12:00	13:30	14:30	15:30
		Client ID	RG_T4_1_SED_20 180828-1000	RG_T4_2_SED_20 180828-1200	RG_T4_3_SED_20 180828-1330	RG_T4_4_SED_20 180828-1430	RG_T4_5_SED_20 180828-1530
Grouping	Analyte						
SOIL							
Polycyclic Aromatic Hydrocarbons	Surrogate: d10-Phenanthrene (%)	94.7	94.7	91.4	90.2	87.7	
	B(a)P Total Potency Equivalent (mg/kg)	<0.020	<0.020	<0.020	<0.020	<0.020	
	IACR (CCME) (mg/kg)	0.23	0.23	0.17	0.19	<0.15	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID				
	L2157301-11 Sediment 28-AUG-18 14:35 RG_T4_4_SED_20 180828-1435				
Grouping	Analyte				
SOIL					
Polycyclic Aromatic Hydrocarbons	Surrogate: d10-Phenanthrene (%)	94.6			
	B(a)P Total Potency Equivalent (mg/kg)	<0.020			
	IACR (CCME) (mg/kg)	0.17			

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Certified Reference Material	Phosphorus (P)	MES	L2157301-1, -10, -11, -2, -3, -4, -5, -6, -7, -8, -9

Qualifiers for Individual Parameters Listed:

Qualifier	Description
MES	Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
C-TIC-PCT-SK	Soil	Total Inorganic Carbon in Soil	CSSS (2008) P216-217
A known quantity of acetic acid is consumed by reaction with carbonates in the soil. The pH of the resulting solution is measured and compared against a standard curve relating pH to weight of carbonate.			
C-TOC-CALC-SK	Soil	Total Organic Carbon Calculation	CSSS (2008) 21.2
Total Organic Carbon (TOC) is calculated by the difference between total carbon (TC) and total inorganic carbon. (TIC)			
C-TOT-LECO-SK	Soil	Total Carbon by combustion method	CSSS (2008) 21.2
The sample is ignited in a combustion analyzer where carbon in the reduced CO2 gas is determined using a thermal conductivity detector.			
HG-200.2-CVAA-CL	Soil	Mercury in Soil by CVAAS	EPA 200.2/1631E (mod)
Soil samples are digested with nitric and hydrochloric acids, followed by analysis by CVAAS.			
IC-CACO3-CALC-SK	Soil	Inorganic Carbon as CaCO3 Equivalent	Calculation
MET-200.2-CCMS-CL	Soil	Metals in Soil by CRC ICPMS	EPA 200.2/6020A (mod)
Soil samples are digested with nitric and hydrochloric acids, followed by analysis by CRC ICPMS.			
Method Limitation: This method is not a total digestion technique. It is a very strong acid digestion that is intended to dissolve those metals that may be environmentally available. This method does not dissolve all silicate materials and may result in a partial extraction. depending on the sample matrix, for some metals, including, but not limited to Al, Ba, Be, Cr, Sr, Ti, Tl, and V.			
MOISTURE-CL	Soil	% Moisture	CWS for PHC in Soil - Tier 1
This analysis is carried out gravimetrically by drying the sample at 105 C			
PAH-TMB-D/A-MS-CL	Soil	PAH by Tumbler Extraction (DCM/Acetone)	EPA 3570/8270
Polycyclic Aromatic Hydrocarbons in Sediment/Soil This analysis is carried out using procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846, Methods 3570 & 8270, published by the United States Environmental Protection Agency (EPA). The procedure uses a mechanical shaking technique to extract a subsample of the sediment/soil with a 1:1 mixture of DCM and acetone. The extract is then solvent exchanged to toluene. The final extract is analysed by capillary column gas chromatography with mass spectrometric detection (GC/MS). Surrogate recoveries may not be reported in cases where interferences from the sample matrix prevent accurate quantitation. Because the two isomers cannot be readily chromatographically separated, benzo(j)fluoranthene is reported as part of the benzo(b)fluoranthene parameter.			
PH-1:2-CL	Soil	pH in soil (1:2 Soil:Water Extraction)	CSSS Ch. 16
Soil and de-ionized water (by volume) are mixed in a defined ratio. The slurry is allowed to stand, shaken, and then allowed to stand again prior to taking measurements. After equilibration, the pH of the liquid portion of the extract is measured by a pH meter. Field Measurement is recommended where accurate pH measurements are required, due to the 15 minute recommended hold time.			
PSA-PIPET-DETAIL-SK	Soil	Particle size - Sieve and Pipette	SSIR-51 METHOD 3.2.1
Particle size distribution is determined by a combination of techniques. Dry sieving is performed for coarse particles, wet sieving for sand particles and the pipette sedimentation method for clay particles.			

Reference:

Burt, R. (2009). Soil Survey Field and Laboratory Methods Manual. Soil Survey Investigations Report No. 5. Method 3.2.1.2.2. United States Department of Agriculture Natural Resources Conservation Service.

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
SK	ALS ENVIRONMENTAL - SASKATOON, SASKATCHEWAN, CANADA

Reference Information

CL

ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA

Chain of Custody Numbers:

Regional Koochanusa

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Quality Control Report

Workorder: L2157301

Report Date: 11-SEP-18

Page 1 of 10

Client: Teck Coal Ltd.
 421 Pine Avenue
 Sparwood BC V0B 2G0
 Contact: Cait Good

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
C-TIC-PCT-SK		Soil						
Batch	R4207675							
WG2869426-2	LCS							
Inorganic Carbon			97.8		%		80-120	10-SEP-18
WG2869426-3	MB							
Inorganic Carbon			<0.050		%		0.05	10-SEP-18
Batch	R4210968							
WG2869424-1	DUP	L2157301-6						
Inorganic Carbon		2.73	2.69		%	1.4	20	11-SEP-18
WG2869424-2	LCS							
Inorganic Carbon			96.9		%		80-120	11-SEP-18
WG2869424-3	MB							
Inorganic Carbon			<0.050		%		0.05	11-SEP-18
C-TOT-LECO-SK		Soil						
Batch	R4205562							
WG2867622-2	IRM	08-109_SOIL						
Total Carbon by Combustion			106.5		%		80-120	07-SEP-18
WG2867622-4	LCS	SULFADIAZINE						
Total Carbon by Combustion			101.0		%		90-110	07-SEP-18
WG2867622-3	MB							
Total Carbon by Combustion			<0.05		%		0.05	07-SEP-18
Batch	R4205816							
WG2868854-2	IRM	08-109_SOIL						
Total Carbon by Combustion			97.8		%		80-120	08-SEP-18
WG2868854-4	LCS	SULFADIAZINE						
Total Carbon by Combustion			100.0		%		90-110	08-SEP-18
WG2868854-3	MB							
Total Carbon by Combustion			<0.05		%		0.05	08-SEP-18
HG-200.2-CVAA-CL		Soil						
Batch	R4204124							
WG2869457-9	CRM	TILL-1						
Mercury (Hg)			109.2		%		70-130	07-SEP-18
WG2869457-8	LCS							
Mercury (Hg)			103.0		%		80-120	07-SEP-18
WG2869457-6	MB							
Mercury (Hg)			<0.0050		mg/kg		0.005	07-SEP-18
MET-200.2-CCMS-CL		Soil						



Quality Control Report

Workorder: L2157301

Report Date: 11-SEP-18

Page 2 of 10

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-200.2-CCMS-CL	Soil							
Batch	R4204992							
WG2869457-9	CRM	TILL-1						
Aluminum (Al)			129.0		%		70-130	07-SEP-18
Antimony (Sb)			120.4		%		70-130	07-SEP-18
Arsenic (As)			122.1		%		70-130	07-SEP-18
Barium (Ba)			114.7		%		70-130	07-SEP-18
Beryllium (Be)			117.4		%		70-130	07-SEP-18
Bismuth (Bi)			98.6		%		70-130	07-SEP-18
Boron (B)			3.4		mg/kg		0-8.2	07-SEP-18
Cadmium (Cd)			121.6		%		70-130	07-SEP-18
Calcium (Ca)			122.7		%		70-130	07-SEP-18
Chromium (Cr)			118.6		%		70-130	07-SEP-18
Cobalt (Co)			119.5		%		70-130	07-SEP-18
Copper (Cu)			114.1		%		70-130	07-SEP-18
Iron (Fe)			120.0		%		70-130	07-SEP-18
Lead (Pb)			117.5		%		70-130	07-SEP-18
Lithium (Li)			120.3		%		70-130	07-SEP-18
Magnesium (Mg)			127.0		%		70-130	07-SEP-18
Manganese (Mn)			127.8		%		70-130	07-SEP-18
Molybdenum (Mo)			128.8		%		70-130	07-SEP-18
Nickel (Ni)			117.3		%		70-130	07-SEP-18
Phosphorus (P)			130.2	MES	%		70-130	07-SEP-18
Potassium (K)			110.0		%		70-130	07-SEP-18
Selenium (Se)			0.36		mg/kg		0.11-0.51	07-SEP-18
Silver (Ag)			0.24		mg/kg		0.13-0.33	07-SEP-18
Sodium (Na)			109.4		%		70-130	07-SEP-18
Strontium (Sr)			109.1		%		70-130	07-SEP-18
Thallium (Tl)			0.131		mg/kg		0.077-0.18	07-SEP-18
Tin (Sn)			1.2		mg/kg		0-3.1	07-SEP-18
Titanium (Ti)			121.8		%		70-130	07-SEP-18
Tungsten (W)			0.18		mg/kg		0-0.66	07-SEP-18
Uranium (U)			103.2		%		70-130	07-SEP-18
Vanadium (V)			116.7		%		70-130	07-SEP-18
Zinc (Zn)			116.2		%		70-130	07-SEP-18
Zirconium (Zr)			0.8		mg/kg		0-1.8	07-SEP-18
WG2869457-6	MB							

Quality Control Report

Workorder: L2157301

Report Date: 11-SEP-18

Page 3 of 10

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-200.2-CCMS-CL	Soil							
Batch	R4204992							
WG2869457-6	MB							
Aluminum (Al)			<50		mg/kg		50	07-SEP-18
Antimony (Sb)			<0.10		mg/kg		0.1	07-SEP-18
Arsenic (As)			<0.10		mg/kg		0.1	07-SEP-18
Barium (Ba)			<0.50		mg/kg		0.5	07-SEP-18
Beryllium (Be)			<0.10		mg/kg		0.1	07-SEP-18
Bismuth (Bi)			<0.20		mg/kg		0.2	07-SEP-18
Boron (B)			<5.0		mg/kg		5	07-SEP-18
Cadmium (Cd)			<0.020		mg/kg		0.02	07-SEP-18
Calcium (Ca)			<50		mg/kg		50	07-SEP-18
Chromium (Cr)			<0.50		mg/kg		0.5	07-SEP-18
Cobalt (Co)			<0.10		mg/kg		0.1	07-SEP-18
Copper (Cu)			<0.50		mg/kg		0.5	07-SEP-18
Iron (Fe)			<50		mg/kg		50	07-SEP-18
Lead (Pb)			<0.50		mg/kg		0.5	07-SEP-18
Lithium (Li)			<2.0		mg/kg		2	07-SEP-18
Magnesium (Mg)			<20		mg/kg		20	07-SEP-18
Manganese (Mn)			<1.0		mg/kg		1	07-SEP-18
Molybdenum (Mo)			<0.10		mg/kg		0.1	07-SEP-18
Nickel (Ni)			<0.50		mg/kg		0.5	07-SEP-18
Phosphorus (P)			<50		mg/kg		50	07-SEP-18
Potassium (K)			<100		mg/kg		100	07-SEP-18
Selenium (Se)			<0.20		mg/kg		0.2	07-SEP-18
Silver (Ag)			<0.10		mg/kg		0.1	07-SEP-18
Sodium (Na)			<50		mg/kg		50	07-SEP-18
Strontium (Sr)			<0.50		mg/kg		0.5	07-SEP-18
Sulfur (S)			<1000		mg/kg		1000	07-SEP-18
Thallium (Tl)			<0.050		mg/kg		0.05	07-SEP-18
Tin (Sn)			<2.0		mg/kg		2	07-SEP-18
Titanium (Ti)			<1.0		mg/kg		1	07-SEP-18
Tungsten (W)			<0.50		mg/kg		0.5	07-SEP-18
Uranium (U)			<0.050		mg/kg		0.05	07-SEP-18
Vanadium (V)			<0.20		mg/kg		0.2	07-SEP-18
Zinc (Zn)			<2.0		mg/kg		2	07-SEP-18
Zirconium (Zr)			<1.0		mg/kg		1	07-SEP-18

Quality Control Report

Workorder: L2157301

Report Date: 11-SEP-18

Page 4 of 10

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MOISTURE-CL		Soil						
Batch	R4201553							
WG2867497-2	LCS							
Moisture			105.3		%		90-110	04-SEP-18
WG2867497-1	MB							
Moisture			<0.25		%		0.25	04-SEP-18
Batch	R4203606							
WG2868175-3	DUP	L2157301-3						
Moisture		41.6	43.5		%	4.4	20	05-SEP-18
WG2868175-2	LCS							
Moisture			104.8		%		90-110	05-SEP-18
WG2868175-1	MB							
Moisture			<0.25		%		0.25	05-SEP-18
PAH-TMB-D/A-MS-CL		Soil						
Batch	R4204772							
WG2870492-3	DUP	L2157301-3						
Acenaphthene		<0.0050	<0.0050	RPD-NA	mg/kg	N/A	50	06-SEP-18
Acenaphthylene		<0.0050	<0.0050	RPD-NA	mg/kg	N/A	50	06-SEP-18
Acridine		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Anthracene		<0.0040	<0.0040	RPD-NA	mg/kg	N/A	50	06-SEP-18
Benz(a)anthracene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Benzo(a)pyrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Benzo(b&j)fluoranthene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Benzo(g,h,i)perylene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Benzo(k)fluoranthene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Benzo(e)pyrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Chrysene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Dibenz(a,h)anthracene		<0.0050	<0.0050	RPD-NA	mg/kg	N/A	50	06-SEP-18
Fluoranthene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Fluorene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Indeno(1,2,3-c,d)pyrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
1-Methylnaphthalene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
2-Methylnaphthalene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Naphthalene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Perylene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Phenanthrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Pyrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18
Quinoline		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	06-SEP-18

Quality Control Report

Workorder: L2157301

Report Date: 11-SEP-18

Page 5 of 10

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL		Soil						
Batch	R4204772							
WG2870492-1	LCS							
Acenaphthene			95.2		%		60-130	06-SEP-18
Acenaphthylene			91.4		%		60-130	06-SEP-18
Acridine			103.3		%		60-130	06-SEP-18
Anthracene			92.6		%		60-130	06-SEP-18
Benz(a)anthracene			95.2		%		60-130	06-SEP-18
Benzo(a)pyrene			93.6		%		60-130	06-SEP-18
Benzo(b&j)fluoranthene			95.9		%		60-130	06-SEP-18
Benzo(g,h,i)perylene			103.3		%		60-130	06-SEP-18
Benzo(k)fluoranthene			99.1		%		60-130	06-SEP-18
Benzo(e)pyrene			104.9		%		60-130	06-SEP-18
Chrysene			101.1		%		60-130	06-SEP-18
Dibenz(a,h)anthracene			101.4		%		60-130	06-SEP-18
Fluoranthene			90.1		%		60-130	06-SEP-18
Fluorene			95.2		%		60-130	06-SEP-18
Indeno(1,2,3-c,d)pyrene			100.4		%		60-130	06-SEP-18
1-Methylnaphthalene			105.7		%		60-130	06-SEP-18
2-Methylnaphthalene			95.7		%		60-130	06-SEP-18
Naphthalene			95.7		%		50-130	06-SEP-18
Perylene			107.1		%		60-130	06-SEP-18
Phenanthrene			94.5		%		60-130	06-SEP-18
Pyrene			91.3		%		60-130	06-SEP-18
Quinoline			97.4		%		60-130	06-SEP-18
WG2870492-5	LCS							
Acenaphthene			83.0		%		60-130	06-SEP-18
Acenaphthylene			82.3		%		60-130	06-SEP-18
Acridine			99.9		%		60-130	06-SEP-18
Anthracene			85.0		%		60-130	06-SEP-18
Benz(a)anthracene			100.4		%		60-130	06-SEP-18
Benzo(a)pyrene			98.9		%		60-130	06-SEP-18
Benzo(b&j)fluoranthene			100.7		%		60-130	06-SEP-18
Benzo(g,h,i)perylene			100.6		%		60-130	06-SEP-18
Benzo(k)fluoranthene			105.4		%		60-130	06-SEP-18
Benzo(e)pyrene			113.0		%		60-130	06-SEP-18
Chrysene			110.8		%		60-130	06-SEP-18

Quality Control Report

Workorder: L2157301

Report Date: 11-SEP-18

Page 6 of 10

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL		Soil						
Batch	R4204772							
WG2870492-5 LCS								
Dibenz(a,h)anthracene			97.7		%		60-130	06-SEP-18
Fluoranthene			96.6		%		60-130	06-SEP-18
Fluorene			83.8		%		60-130	06-SEP-18
Indeno(1,2,3-c,d)pyrene			100.0		%		60-130	06-SEP-18
1-Methylnaphthalene			91.8		%		60-130	06-SEP-18
2-Methylnaphthalene			82.9		%		60-130	06-SEP-18
Naphthalene			83.7		%		50-130	06-SEP-18
Perylene			113.3		%		60-130	06-SEP-18
Phenanthrene			85.9		%		60-130	06-SEP-18
Pyrene			98.1		%		60-130	06-SEP-18
Quinoline			84.8		%		60-130	06-SEP-18
WG2870492-2 MB								
Acenaphthene			<0.0050		mg/kg		0.005	06-SEP-18
Acenaphthylene			<0.0050		mg/kg		0.005	06-SEP-18
Acridine			<0.010		mg/kg		0.01	06-SEP-18
Anthracene			<0.0040		mg/kg		0.004	06-SEP-18
Benz(a)anthracene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(a)pyrene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(b&j)fluoranthene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(g,h,i)perylene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(k)fluoranthene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(e)pyrene			<0.010		mg/kg		0.01	06-SEP-18
Chrysene			<0.010		mg/kg		0.01	06-SEP-18
Dibenz(a,h)anthracene			<0.0050		mg/kg		0.005	06-SEP-18
Fluoranthene			<0.010		mg/kg		0.01	06-SEP-18
Fluorene			<0.010		mg/kg		0.01	06-SEP-18
Indeno(1,2,3-c,d)pyrene			<0.010		mg/kg		0.01	06-SEP-18
1-Methylnaphthalene			<0.010		mg/kg		0.01	06-SEP-18
2-Methylnaphthalene			<0.010		mg/kg		0.01	06-SEP-18
Naphthalene			<0.010		mg/kg		0.01	06-SEP-18
Perylene			<0.010		mg/kg		0.01	06-SEP-18
Phenanthrene			<0.010		mg/kg		0.01	06-SEP-18
Pyrene			<0.010		mg/kg		0.01	06-SEP-18
Quinoline			<0.010		mg/kg		0.01	06-SEP-18



Quality Control Report

Workorder: L2157301

Report Date: 11-SEP-18

Page 7 of 10

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL								
	Soil							
Batch	R4204772							
WG2870492-2	MB							
Surrogate: d8-Naphthalene			102.6		%		50-130	06-SEP-18
Surrogate: d10-Acenaphthene			106.0		%		60-130	06-SEP-18
Surrogate: d10-Phenanthrene			102.4		%		60-130	06-SEP-18
Surrogate: d12-Chrysene			123.2		%		60-130	06-SEP-18
WG2870492-6	MB							
Acenaphthene			<0.0050		mg/kg		0.005	06-SEP-18
Acenaphthylene			<0.0050		mg/kg		0.005	06-SEP-18
Acridine			<0.010		mg/kg		0.01	06-SEP-18
Anthracene			<0.0040		mg/kg		0.004	06-SEP-18
Benz(a)anthracene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(a)pyrene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(b&j)fluoranthene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(g,h,i)perylene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(k)fluoranthene			<0.010		mg/kg		0.01	06-SEP-18
Benzo(e)pyrene			<0.010		mg/kg		0.01	06-SEP-18
Chrysene			<0.010		mg/kg		0.01	06-SEP-18
Dibenz(a,h)anthracene			<0.0050		mg/kg		0.005	06-SEP-18
Fluoranthene			<0.010		mg/kg		0.01	06-SEP-18
Fluorene			<0.010		mg/kg		0.01	06-SEP-18
Indeno(1,2,3-c,d)pyrene			<0.010		mg/kg		0.01	06-SEP-18
1-Methylnaphthalene			<0.010		mg/kg		0.01	06-SEP-18
2-Methylnaphthalene			<0.010		mg/kg		0.01	06-SEP-18
Naphthalene			<0.010		mg/kg		0.01	06-SEP-18
Perylene			<0.010		mg/kg		0.01	06-SEP-18
Phenanthrene			<0.010		mg/kg		0.01	06-SEP-18
Pyrene			<0.010		mg/kg		0.01	06-SEP-18
Quinoline			<0.010		mg/kg		0.01	06-SEP-18
Surrogate: d8-Naphthalene			82.5		%		50-130	06-SEP-18
Surrogate: d10-Acenaphthene			84.7		%		60-130	06-SEP-18
Surrogate: d10-Phenanthrene			83.1		%		60-130	06-SEP-18
Surrogate: d12-Chrysene			113.0		%		60-130	06-SEP-18
WG2870492-4	MS	L2157301-4						
Acenaphthene			81.0		%		50-150	06-SEP-18
Acenaphthylene			77.0		%		50-150	06-SEP-18
Acridine			100.9		%		50-150	06-SEP-18

Quality Control Report

Workorder: L2157301

Report Date: 11-SEP-18

Page 8 of 10

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL								
	Soil							
Batch	R4204772							
WG2870492-4 MS		L2157301-4						
Anthracene			88.7		%		50-150	06-SEP-18
Benz(a)anthracene			103.1		%		50-150	06-SEP-18
Benzo(a)pyrene			98.3		%		50-150	06-SEP-18
Benzo(b&j)fluoranthene			102.0		%		50-150	06-SEP-18
Benzo(g,h,i)perylene			97.4		%		50-150	06-SEP-18
Benzo(k)fluoranthene			106.5		%		50-150	06-SEP-18
Benzo(e)pyrene			112.9		%		50-150	06-SEP-18
Chrysene			109.1		%		50-150	06-SEP-18
Dibenz(a,h)anthracene			100.1		%		50-150	06-SEP-18
Fluoranthene			100.9		%		50-150	06-SEP-18
Fluorene			85.5		%		50-150	06-SEP-18
Indeno(1,2,3-c,d)pyrene			97.9		%		50-150	06-SEP-18
1-Methylnaphthalene			87.3		%		50-150	06-SEP-18
2-Methylnaphthalene			79.8		%		50-150	06-SEP-18
Naphthalene			78.2		%		50-150	06-SEP-18
Perylene			107.5		%		50-150	06-SEP-18
Phenanthrene			92.4		%		50-150	06-SEP-18
Pyrene			102.5		%		50-150	06-SEP-18
Quinoline			79.3		%		50-150	06-SEP-18
PH-1:2-CL								
	Soil							
Batch	R4205885							
WG2871863-2 DUP		L2157301-1						
pH (1:2 soil:water)		8.40	8.37	J	pH	0.03	0.2	09-SEP-18
PSA-PIPET-DETAIL-SK								
	Soil							
Batch	R4205718							
WG2869283-1 DUP		L2157301-6						
% Gravel (>2mm)		<1.0	<1.0	RPD-NA	%	N/A	25	08-SEP-18
% Sand (2.00mm - 1.00mm)		<1.0	<1.0	RPD-NA	%	N/A	5	08-SEP-18
% Sand (1.00mm - 0.50mm)		<1.0	<1.0	RPD-NA	%	N/A	5	08-SEP-18
% Sand (0.50mm - 0.25mm)		<1.0	<1.0	RPD-NA	%	N/A	5	08-SEP-18
% Sand (0.25mm - 0.125mm)		<1.0	<1.0	RPD-NA	%	N/A	5	08-SEP-18
% Sand (0.125mm - 0.063mm)		<1.0	<1.0	RPD-NA	%	N/A	5	08-SEP-18
% Silt (0.063mm - 0.0312mm)		19.4	18.9	J	%	0.5	5	08-SEP-18
% Silt (0.0312mm - 0.004mm)		60.8	60.5	J	%	0.4	5	08-SEP-18

Quality Control Report

Workorder: L2157301

Report Date: 11-SEP-18

Page 9 of 10

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PSA-PIPET-DETAIL-SK	Soil							
Batch	R4205718							
WG2869283-1	DUP	L2157301-6						
% Clay (<4um)		19.7	20.4	J	%	0.7	5	08-SEP-18
WG2869283-2	IRM	2017-PSA						
% Sand (2.00mm - 1.00mm)			3.0		%		0-7.6	08-SEP-18
% Sand (1.00mm - 0.50mm)			3.8		%		0-8.9	08-SEP-18
% Sand (0.50mm - 0.25mm)			9.0		%		5.3-15.3	08-SEP-18
% Sand (0.25mm - 0.125mm)			14.7		%		10-20	08-SEP-18
% Sand (0.125mm - 0.063mm)			14.7		%		7.3-17.3	08-SEP-18
% Silt (0.063mm - 0.0312mm)			13.5		%		9.9-19.9	08-SEP-18
% Silt (0.0312mm - 0.004mm)			22.5		%		17.6-27.6	08-SEP-18
% Clay (<4um)			18.9		%		13.4-23.4	08-SEP-18

Quality Control Report

Workorder: L2157301

Report Date: 11-SEP-18

Page 10 of 10

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
J	Duplicate results and limits are expressed in terms of absolute difference.
MES	Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Hold Time Exceedances:

All test results reported with this submission were conducted within ALS recommended hold times.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

COC ID: **REGIONAL Koochanusa Reservoir** TURNAROUND TIME: _____ Regular

PROJECT/CLIENT INFO				LABORATORY				OTHER INFO			
Facility Name / Job#	Regional Koochanusa			Lab Name	ALS Burnaby			Report Format / Distribution	Excel	PDF	EDD
Project Manager	Cait Good			Lab Contact	Lyudmyla Shvets			Email 1:	X	X	X
Email	[redacted]			Email	Lyudmyla.Shvets@ALSGlobal.com			Email 2:	X	X	X
Address	421 Pine Avenue			Address	2559 29 Street NE			Email 3:			
City	Sparwood	Province	BC	City	Calgary	Province	AB	Email 4:	X	X	X
Postal Code	V0B 2G0	Country	Canada	Postal Code	T1Y7B5	Country	Canada	Email 5:	X	X	X
Phone Number	250-425-8202			Phone Number	14034071794			PO number	VPO00563596		

SAMPLE DETAILS **ANALYSIS REQUESTED** Filtered: F: Field, L: Lab, FL: Field & Lab, N: None



L2157301-COFC

Sample ID	Sample Location (sys loc code)	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Com p	# Of Cont.	ANALYSIS REQUESTED										
								Particle Size	TOC	PAH	Total Metals (including Hg)	Moisture						
RG_TN_1_SED_20180829-1515	RG_TN_1	Sediment		29-Aug-18	3:15:00 PM	G	2	X	X	X	X	X						
RG_TN_2_SED_20180829-1445	RG_TN_2	Sediment		29-Aug-18	2:45:00 PM	G	2	X	X	X	X	X						
RG_TN_3_SED_20180829-1130	RG_TN_3	Sediment		29-Aug-18	11:30:00 AM	G	2	X	X	X	X	X						
RG_TN_4_SED_20180829-1230	RG_TN_4	Sediment		29-Aug-18	12:30:00 PM	G	2	X	X	X	X	X						
RG_TN_5_SED_20180829-1400	RG_TN_5	Sediment		29-Aug-18	2:00:00 PM	G	2	X	X	X	X	X						
RG_T4_1_SED_20180828-1000	RG_T4_1	Sediment		28-Aug-18	10:00:00 AM	G	2	X	X	X	X	X						
RG_T4_2_SED_20180828-1200	RG_T4_2	Sediment		28-Aug-18	12:00:00 PM	G	2	X	X	X	X	X						
RG_T4_3_SED_20180828-1330	RG_T4_3	Sediment		28-Aug-18	1:30:00 PM	G	2	X	X	X	X	X						
RG_T4_4_SED_20180828-1430	RG_T4_4	Sediment		28-Aug-18	2:30:00 PM	G	2	X	X	X	X	X						
RG_T4_5_SED_20180828-1530	RG_T4_5	Sediment		28-Aug-18	3:30:00 PM	G	2	X	X	X	X	X						
RG_T4_4_SED_20180828-1435	RG_T4_4	Sediment		28-Aug-18	2:35:00 PM	G	2	X	X	X	X	X						

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
Koochanusa - VPO00563596 1 jar for PAHs and 1 bag for everything else			<i>[Signature]</i>	8/31 10:10

SERVICE REQUEST (rush subject to availability)	Sampler's Name	Mobile #	Sampler's Signature	Date/Time
Regular (default) <input checked="" type="checkbox"/> X Priority (2-3 business days) - 50% surcharge Emergency (1 Business Day) - 100% surcharge For Emergency <1 Day, ASAP or Weekend - Contact ALS	Justin Wilson	519-803-3923		August 30, 2018

50



Teck Coal Ltd.
ATTN: Cait Good
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 25-APR-19
Report Date: 29-MAY-19 12:05 (MT)
Version: FINAL REV. 2

Client Phone: 250-425-8202

Certificate of Analysis

Lab Work Order #: L2263352
Project P.O. #: VPO00616180
Job Reference: REGIONAL EFFECTS PROGRAM
C of C Numbers: regional effects
Legal Site Desc:

Comments: ADDITIONAL 03-MAY-19 16:50

Can Dang
Senior Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2263352-1	L2263352-2	L2263352-3	L2263352-4	L2263352-5
		Description	W	W	W	W	W
		Sampled Date	25-APR-19	25-APR-19	25-APR-19	25-APR-19	25-APR-19
		Sampled Time	11:40	11:40	11:35	11:35	11:30
		Client ID	RG_T4U1_WS_20 190425-1140	RG_T4U1_WS_20 190425-1140_FB- HG	RG_T4U2_WS_20 190425-1135	RG_T4U2_WS_20 190425-1135_FB- HG	RG_T4U3_WS_20 190425-1130
Grouping	Analyte						
WATER							
Physical Tests	Conductivity (uS/cm)		293		306		305
	Hardness (as CaCO3) (mg/L)		149		154		158
	pH (pH)		8.30		8.30		8.32
	ORP (mV)		422		341		331
	Total Suspended Solids (mg/L)		8.6		7.6		6.2
	Total Dissolved Solids (mg/L)		180		177		180
	Turbidity (NTU)		8.23		7.83		6.55
Anions and Nutrients	Acidity (as CaCO3) (mg/L)		<1.0		<1.0		<1.0
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)		122		122		121
	Alkalinity, Carbonate (as CaCO3) (mg/L)		<1.0		4.2		5.0
	Alkalinity, Hydroxide (as CaCO3) (mg/L)		<1.0		<1.0		<1.0
	Alkalinity, Total (as CaCO3) (mg/L)		122		126		126
	Ammonia, Total (as N) (mg/L)		0.0077		0.0099		0.0088
	Bromide (Br) (mg/L)		<0.050		<0.050		<0.050
	Chloride (Cl) (mg/L)		3.84		3.92		3.86
	Fluoride (F) (mg/L)		0.099		0.095		0.101
	Nitrate (as N) (mg/L)		0.243		0.255		0.322
	Nitrite (as N) (mg/L)		<0.0010		<0.0010		<0.0010
	Total Kjeldahl Nitrogen (mg/L)		0.105		0.107		0.118
	Orthophosphate-Dissolved (as P) (mg/L)		<0.0010		<0.0010		<0.0010
	Phosphorus (P)-Total (mg/L)		0.0116		0.0124		0.0124
	Sulfate (SO4) (mg/L)		34.8		35.5		36.8
	Anion Sum (meq/L)		3.29		3.39		3.42
	Cation Sum (meq/L)		3.21		3.29		3.38
	Cation - Anion Balance (%)		-1.2		-1.4		-0.5
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)		2.04		2.05	
Total Organic Carbon (mg/L)			2.03		1.91		2.17
Total Metals	Aluminum (Al)-Total (mg/L)		0.237		0.228		0.205
	Antimony (Sb)-Total (mg/L)		<0.00010		<0.00010		0.00010
	Arsenic (As)-Total (mg/L)		0.00054		0.00052		0.00048
	Barium (Ba)-Total (mg/L)		0.0537		0.0547		0.0582
	Beryllium (Be)-Total (ug/L)		<0.020		<0.020		<0.020
	Bismuth (Bi)-Total (mg/L)		<0.000050		<0.000050		<0.000050
	Boron (B)-Total (mg/L)		<0.010		<0.010		0.011
	Cadmium (Cd)-Total (ug/L)		0.0114		0.0130		0.0142
	Calcium (Ca)-Total (mg/L)		42.6		41.6		42.7

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2263352-6	L2263352-7	L2263352-8	L2263352-9	L2263352-10	
		Description	W	W	W	W	W	
		Sampled Date	25-APR-19	25-APR-19	25-APR-19	25-APR-19	25-APR-19	
		Sampled Time	11:30	11:20	11:20	11:15	11:15	
		Client ID	RG_T4U3_WS_20 190425-1130_FB- HG	RG_GCU1_WS_20 190425-1120	RG_GCU1_WS_20 190425-1120_FB- HG	RG_GCU2_WS_20 190425-1115	RG_GCU2_WS_20 190425-1115_FB- HG	
Grouping	Analyte							
WATER								
Physical Tests	Conductivity (uS/cm)			303		307		
	Hardness (as CaCO3) (mg/L)			158		158		
	pH (pH)			8.27		8.34		
	ORP (mV)			287		286		
	Total Suspended Solids (mg/L)			5.5		5.7		
	Total Dissolved Solids (mg/L)			190		182		
	Turbidity (NTU)			5.96		6.24		
Anions and Nutrients	Acidity (as CaCO3) (mg/L)			<1.0		<1.0		
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)			121		119		
	Alkalinity, Carbonate (as CaCO3) (mg/L)			4.0		4.6		
	Alkalinity, Hydroxide (as CaCO3) (mg/L)			<1.0		<1.0		
	Alkalinity, Total (as CaCO3) (mg/L)			125		124		
	Ammonia, Total (as N) (mg/L)			<0.0050		<0.0050		
	Bromide (Br) (mg/L)			<0.050		<0.050		
	Chloride (Cl) (mg/L)			4.26		4.21		
	Fluoride (F) (mg/L)			0.100		0.096		
	Nitrate (as N) (mg/L)			0.256		0.256		
	Nitrite (as N) (mg/L)			0.0010		<0.0010		
	Total Kjeldahl Nitrogen (mg/L)			0.113		0.123		
	Orthophosphate-Dissolved (as P) (mg/L)			<0.0010		<0.0010		
	Phosphorus (P)-Total (mg/L)			0.0107		0.0112		
	Sulfate (SO4) (mg/L)			37.8		37.3		
	Anion Sum (meq/L)			3.43		3.39		
	Cation Sum (meq/L)			3.40		3.41		
	Cation - Anion Balance (%)			-0.4		0.2		
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)			1.88		2.05	
		Total Organic Carbon (mg/L)			2.16		2.13	
Total Metals	Aluminum (Al)-Total (mg/L)			0.163		0.210		
	Antimony (Sb)-Total (mg/L)			<0.00010		<0.00010		
	Arsenic (As)-Total (mg/L)			0.00048		0.00046		
	Barium (Ba)-Total (mg/L)			0.0536		0.0548		
	Beryllium (Be)-Total (ug/L)			<0.020		<0.020		
	Bismuth (Bi)-Total (mg/L)			<0.000050		<0.000050		
	Boron (B)-Total (mg/L)			0.011		0.010		
	Cadmium (Cd)-Total (ug/L)			0.0121		0.0143		
	Calcium (Ca)-Total (mg/L)			41.2		43.8		

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID	L2263352-11 W 25-APR-19 11:10 RG_GCU3_WS_20 190425-1110	L2263352-12 W 25-APR-19 11:10 RG_GCU3_WS_20 190425-1110_FB- HG	L2263352-13 W 25-APR-19 11:30 RG_TNU1_WS_20 190425-1130	L2263352-14 W 25-APR-19 11:30 RG_TNU1_WS_20 190425-1130_FB- HG	L2263352-15 W 25-APR-19 11:45 RG_ERU1_WS_20 190425-1045
Grouping	Analyte					
WATER						
Physical Tests	Conductivity (uS/cm)	314		252		267
	Hardness (as CaCO3) (mg/L)	159		123		133
	pH (pH)	8.33		8.24		8.28
	ORP (mV)	301		322		297
	Total Suspended Solids (mg/L)	5.0		13.7		14.1
	Total Dissolved Solids (mg/L)	189		161		162
	Turbidity (NTU)	4.41		8.63		12.9
Anions and Nutrients	Acidity (as CaCO3) (mg/L)	<1.0		<1.0		<1.0
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)	124		106		113
	Alkalinity, Carbonate (as CaCO3) (mg/L)	5.0		<1.0		<1.0
	Alkalinity, Hydroxide (as CaCO3) (mg/L)	<1.0		<1.0		<1.0
	Alkalinity, Total (as CaCO3) (mg/L)	129		106		113
	Ammonia, Total (as N) (mg/L)	0.0087		<0.0050		0.0072
	Bromide (Br) (mg/L)	<0.050		<0.050		<0.050
	Chloride (Cl) (mg/L)	4.05		3.71		3.15
	Fluoride (F) (mg/L)	0.100		0.078		0.093
	Nitrate (as N) (mg/L)	0.308		0.143		0.268
	Nitrite (as N) (mg/L)	0.0011		<0.0010		<0.0010
	Total Kjeldahl Nitrogen (mg/L)	0.438		0.079		0.108
	Orthophosphate-Dissolved (as P) (mg/L)	<0.0010		<0.0010		<0.0010
	Phosphorus (P)-Total (mg/L)	0.0081		0.0106		0.0156
	Sulfate (SO4) (mg/L)	37.2		27.5		28.7
	Anion Sum (meq/L)	3.50		2.81		2.97
	Cation Sum (meq/L)	3.40		2.65		2.85
	Cation - Anion Balance (%)	-1.5		-2.8		-2.0
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)	1.94		2.00	
Total Organic Carbon (mg/L)		1.80		1.84		2.18
Total Metals	Aluminum (Al)-Total (mg/L)	0.117		0.148		0.341
	Antimony (Sb)-Total (mg/L)	<0.00010		<0.00010		<0.00010
	Arsenic (As)-Total (mg/L)	0.00041		0.00054		0.00053
	Barium (Ba)-Total (mg/L)	0.0602		0.0334		0.0520
	Beryllium (Be)-Total (ug/L)	<0.020		<0.020		0.022
	Bismuth (Bi)-Total (mg/L)	<0.000050		<0.000050		<0.000050
	Boron (B)-Total (mg/L)	0.010		<0.010		<0.010
	Cadmium (Cd)-Total (ug/L)	0.0117		0.0087		0.0166
	Calcium (Ca)-Total (mg/L)	41.0		35.3		36.3

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

29-MAY-19 12:05 (MT)

Version: FINAL REV. 2

Sample ID Description Sampled Date Sampled Time Client ID		L2263352-17 W 25-APR-19 RG_BLANK_WS_2 0190425	L2263352-18 W 25-APR-19 11:35 RG_TRIP_WS_201 90425	L2263352-19 W 24-APR-19 15:55 RG_SCU1_WS_20 190424-1555	L2263352-20 W 24-APR-19 15:55 RG_SCU1_WS_20 190424-1555_FB- HG	L2263352-21 W 24-APR-19 15:40 RG_SCU2_WS_20 190424-1540	
Grouping	Analyte						
WATER							
Physical Tests	Conductivity (uS/cm)	<2.0	<2.0	247		246	
	Hardness (as CaCO3) (mg/L)	<0.50	<0.50 ^{HTC}	126		128	
	pH (pH)	5.81	6.04	8.22		8.26	
	ORP (mV)	397	396	298		297	
	Total Suspended Solids (mg/L)	<1.0	<1.0	27.0		26.4	
	Total Dissolved Solids (mg/L)	<3.0	<3.0	151		152	
	Turbidity (NTU)	<0.10	<0.10	12.0		14.4	
Anions and Nutrients	Acidity (as CaCO3) (mg/L)	2.1 ^{RRV}	2.0 ^{RRV}	<1.0		<1.0	
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)	<1.0	<1.0	107		111	
	Alkalinity, Carbonate (as CaCO3) (mg/L)	<1.0	<1.0	<1.0		<1.0	
	Alkalinity, Hydroxide (as CaCO3) (mg/L)	<1.0	<1.0	<1.0		<1.0	
	Alkalinity, Total (as CaCO3) (mg/L)	<1.0	<1.0	107		111	
	Ammonia, Total (as N) (mg/L)	<0.0050	0.0121 ^{RRV}	0.0051		0.0064	
	Bromide (Br) (mg/L)	<0.050	<0.050	<0.050		<0.050	
	Chloride (Cl) (mg/L)	<0.10	<0.10	3.62		3.47	
	Fluoride (F) (mg/L)	<0.020	<0.020	0.076		0.075	
	Nitrate (as N) (mg/L)	<0.0050	<0.0050	0.152		0.144	
	Nitrite (as N) (mg/L)	<0.0010	<0.0010	<0.0010		<0.0010	
	Total Kjeldahl Nitrogen (mg/L)	<0.050	<0.050	0.103		0.095	
	Orthophosphate-Dissolved (as P) (mg/L)	<0.0010	<0.0010	<0.0010		<0.0010	
	Phosphorus (P)-Total (mg/L)	<0.0020	<0.0020	0.0171		0.0170	
	Sulfate (SO4) (mg/L)	<0.30	<0.30	26.5		24.7	
	Anion Sum (meq/L)	<0.10	<0.10	2.80		2.84	
	Cation Sum (meq/L)	<0.10	<0.10	2.72		2.76	
	Cation - Anion Balance (%)	0.0	0.0	-1.4		-1.4	
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)	<0.50		1.98		1.98
		Total Organic Carbon (mg/L)	<0.50	<0.50	1.96		1.96
Total Metals	Aluminum (Al)-Total (mg/L)	<0.0030	<0.0030	0.263		0.266	
	Antimony (Sb)-Total (mg/L)	<0.00010	<0.00010	<0.00010		<0.00010	
	Arsenic (As)-Total (mg/L)	<0.00010	<0.00010	0.00059		0.00058	
	Barium (Ba)-Total (mg/L)	<0.00010	<0.00010	0.0346		0.0350	
	Beryllium (Be)-Total (ug/L)	<0.020	<0.020	<0.020		<0.020	
	Bismuth (Bi)-Total (mg/L)	<0.000050	<0.000050	<0.000050		<0.000050	
	Boron (B)-Total (mg/L)	<0.010	<0.010	<0.010		<0.010	
	Cadmium (Cd)-Total (ug/L)	<0.0050	<0.0050	0.0083		0.0101	
	Calcium (Ca)-Total (mg/L)	<0.050	<0.050	36.0		35.1	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID				
	L2263352-22 W 24-APR-19 15:40 RG_SCU2_WS_20 190424-1540_FB- HG				
Grouping	Analyte				
WATER					
Physical Tests	Conductivity (uS/cm) Hardness (as CaCO3) (mg/L) pH (pH) ORP (mV) Total Suspended Solids (mg/L) Total Dissolved Solids (mg/L) Turbidity (NTU)				
Anions and Nutrients	Acidity (as CaCO3) (mg/L) Alkalinity, Bicarbonate (as CaCO3) (mg/L) Alkalinity, Carbonate (as CaCO3) (mg/L) Alkalinity, Hydroxide (as CaCO3) (mg/L) Alkalinity, Total (as CaCO3) (mg/L) Ammonia, Total (as N) (mg/L) Bromide (Br) (mg/L) Chloride (Cl) (mg/L) Fluoride (F) (mg/L) Nitrate (as N) (mg/L) Nitrite (as N) (mg/L) Total Kjeldahl Nitrogen (mg/L) Orthophosphate-Dissolved (as P) (mg/L) Phosphorus (P)-Total (mg/L) Sulfate (SO4) (mg/L) Anion Sum (meq/L) Cation Sum (meq/L) Cation - Anion Balance (%)				
Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L) Total Organic Carbon (mg/L)				
Total Metals	Aluminum (Al)-Total (mg/L) Antimony (Sb)-Total (mg/L) Arsenic (As)-Total (mg/L) Barium (Ba)-Total (mg/L) Beryllium (Be)-Total (ug/L) Bismuth (Bi)-Total (mg/L) Boron (B)-Total (mg/L) Cadmium (Cd)-Total (ug/L) Calcium (Ca)-Total (mg/L)				

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

29-MAY-19 12:05 (MT)

Version: FINAL REV. 2

		Sample ID	L2263352-1	L2263352-2	L2263352-3	L2263352-4	L2263352-5
		Description	W	W	W	W	W
		Sampled Date	25-APR-19	25-APR-19	25-APR-19	25-APR-19	25-APR-19
		Sampled Time	11:40	11:40	11:35	11:35	11:30
		Client ID	RG_T4U1_WS_20 190425-1140	RG_T4U1_WS_20 190425-1140_FB- HG	RG_T4U2_WS_20 190425-1135	RG_T4U2_WS_20 190425-1135_FB- HG	RG_T4U3_WS_20 190425-1130
Grouping	Analyte						
WATER							
Total Metals	Chromium (Cr)-Total (mg/L)		0.00042		0.00040		0.00046
	Cobalt (Co)-Total (ug/L)		0.15		0.16		0.12
	Copper (Cu)-Total (mg/L)		0.00236		0.00097		0.00073
	Iron (Fe)-Total (mg/L)		0.232		0.225		0.173
	Lead (Pb)-Total (mg/L)		0.000325		0.000296		0.000241
	Lithium (Li)-Total (mg/L)		0.0029		0.0029		0.0035
	Magnesium (Mg)-Total (mg/L)		13.0		13.1		13.1
	Manganese (Mn)-Total (mg/L)		0.0165		0.0164		0.0132
	Mercury (Hg)-Total (ug/L)		0.00135	<0.00050	0.00133	<0.00050	0.00145
	Molybdenum (Mo)-Total (mg/L)		0.000690		0.000665		0.000725
	Nickel (Ni)-Total (mg/L)		<0.00050		<0.00050		<0.00050
	Potassium (K)-Total (mg/L)		0.703		0.707		0.689
	Selenium (Se)-Total (ug/L)		1.13		1.27		1.64
	Silicon (Si)-Total (mg/L)		2.75		2.66		2.60
	Silver (Ag)-Total (mg/L)		<0.000010		<0.000010		<0.000010
	Sodium (Na)-Total (mg/L)		4.86		4.89		4.68
	Strontium (Sr)-Total (mg/L)		0.145		0.142		0.150
	Thallium (Tl)-Total (mg/L)		<0.000010		<0.000010		<0.000010
	Tin (Sn)-Total (mg/L)		0.00016		<0.00010		<0.00010
	Titanium (Ti)-Total (mg/L)		<0.010		<0.010		<0.010
	Uranium (U)-Total (mg/L)		0.000746		0.000731		0.000725
	Vanadium (V)-Total (mg/L)		0.00059		0.00062		0.00064
	Zinc (Zn)-Total (mg/L)		<0.0030		<0.0030		<0.0030
Dissolved Metals	Dissolved Mercury Filtration Location		LAB		LAB		LAB
	Dissolved Metals Filtration Location		LAB		LAB		LAB
	Aluminum (Al)-Dissolved (mg/L)		0.0098		0.0109		0.0131
	Antimony (Sb)-Dissolved (mg/L)		<0.00010		<0.00010		<0.00010
	Arsenic (As)-Dissolved (mg/L)		0.00041		0.00042		0.00038
	Barium (Ba)-Dissolved (mg/L)		0.0527		0.0543		0.0617
	Beryllium (Be)-Dissolved (ug/L)		<0.020		<0.020		<0.020
	Bismuth (Bi)-Dissolved (mg/L)		<0.000050		<0.000050		<0.000050
	Boron (B)-Dissolved (mg/L)		<0.010		<0.010		<0.010
	Cadmium (Cd)-Dissolved (ug/L)		0.0061		<0.0050		0.0054
	Calcium (Ca)-Dissolved (mg/L)		39.1		41.0		41.8
	Chromium (Cr)-Dissolved (mg/L)		0.00011		0.00012		0.00012
	Cobalt (Co)-Dissolved (ug/L)		<0.10		<0.10		<0.10
	Copper (Cu)-Dissolved (mg/L)		<0.00050		<0.00050		<0.00050

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

29-MAY-19 12:05 (MT)

Version: FINAL REV. 2

		Sample ID	L2263352-6	L2263352-7	L2263352-8	L2263352-9	L2263352-10
		Description	W	W	W	W	W
		Sampled Date	25-APR-19	25-APR-19	25-APR-19	25-APR-19	25-APR-19
		Sampled Time	11:30	11:20	11:20	11:15	11:15
		Client ID	RG_T4U3_WS_20 190425-1130_FB- HG	RG_GCU1_WS_20 190425-1120	RG_GCU1_WS_20 190425-1120_FB- HG	RG_GCU2_WS_20 190425-1115	RG_GCU2_WS_20 190425-1115_FB- HG
Grouping	Analyte						
WATER							
Total Metals	Chromium (Cr)-Total (mg/L)			0.00033		0.00039	
	Cobalt (Co)-Total (ug/L)			0.11		0.12	
	Copper (Cu)-Total (mg/L)			0.00062		0.00066	
	Iron (Fe)-Total (mg/L)			0.141		0.170	
	Lead (Pb)-Total (mg/L)			0.000229		0.000242	
	Lithium (Li)-Total (mg/L)			0.0031		0.0032	
	Magnesium (Mg)-Total (mg/L)			13.2		13.4	
	Manganese (Mn)-Total (mg/L)			0.0126		0.0131	
	Mercury (Hg)-Total (ug/L)	<0.00050		0.00126	<0.00050	0.00122	<0.00050
	Molybdenum (Mo)-Total (mg/L)			0.000667		0.000621	
	Nickel (Ni)-Total (mg/L)			<0.00050		<0.00050	
	Potassium (K)-Total (mg/L)			0.725		0.753	
	Selenium (Se)-Total (ug/L)			1.34		1.19	
	Silicon (Si)-Total (mg/L)			2.50		2.69	
	Silver (Ag)-Total (mg/L)			<0.000010		<0.000010	
	Sodium (Na)-Total (mg/L)			5.26		5.49	
	Strontium (Sr)-Total (mg/L)			0.150		0.150	
	Thallium (Tl)-Total (mg/L)			<0.000010		<0.000010	
	Tin (Sn)-Total (mg/L)			<0.00010		<0.00010	
	Titanium (Ti)-Total (mg/L)			<0.010		<0.010	
	Uranium (U)-Total (mg/L)			0.000771		0.000774	
	Vanadium (V)-Total (mg/L)			0.00054		0.00061	
	Zinc (Zn)-Total (mg/L)			<0.0030		<0.0030	
Dissolved Metals	Dissolved Mercury Filtration Location			LAB		LAB	
	Dissolved Metals Filtration Location			LAB		LAB	
	Aluminum (Al)-Dissolved (mg/L)			0.0091		0.0101	
	Antimony (Sb)-Dissolved (mg/L)			<0.00010		<0.00010	
	Arsenic (As)-Dissolved (mg/L)			0.00039		0.00041	
	Barium (Ba)-Dissolved (mg/L)			0.0553		0.0579	
	Beryllium (Be)-Dissolved (ug/L)			<0.020		<0.020	
	Bismuth (Bi)-Dissolved (mg/L)			<0.000050		<0.000050	
	Boron (B)-Dissolved (mg/L)			<0.010		<0.010	
	Cadmium (Cd)-Dissolved (ug/L)			<0.0050		0.0054	
	Calcium (Ca)-Dissolved (mg/L)			41.5		41.5	
	Chromium (Cr)-Dissolved (mg/L)			0.00011		0.00011	
	Cobalt (Co)-Dissolved (ug/L)			<0.10		<0.10	
	Copper (Cu)-Dissolved (mg/L)			<0.00050		<0.00050	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2263352-11	L2263352-12	L2263352-13	L2263352-14	L2263352-15
		Description	W	W	W	W	W
		Sampled Date	25-APR-19	25-APR-19	25-APR-19	25-APR-19	25-APR-19
		Sampled Time	11:10	11:10	11:30	11:30	11:45
		Client ID	RG_GCU3_WS_20 190425-1110	RG_GCU3_WS_20 190425-1110_FB- HG	RG_TNU1_WS_20 190425-1130	RG_TNU1_WS_20 190425-1130_FB- HG	RG_ERU1_WS_20 190425-1045
Grouping	Analyte						
WATER							
Total Metals	Chromium (Cr)-Total (mg/L)		0.00026		0.00029		0.00055
	Cobalt (Co)-Total (ug/L)		<0.10		0.14		0.20
	Copper (Cu)-Total (mg/L)		0.00058		0.00075		0.00086
	Iron (Fe)-Total (mg/L)		0.107		0.194		0.338
	Lead (Pb)-Total (mg/L)		0.000138		0.000366		0.000506
	Lithium (Li)-Total (mg/L)		0.0034		0.0017		0.0028
	Magnesium (Mg)-Total (mg/L)		14.1		10.5		11.4
	Manganese (Mn)-Total (mg/L)		0.0114		0.0171		0.0191
	Mercury (Hg)-Total (ug/L)		0.00092	<0.00050	0.00896	<0.00050	0.0136
	Molybdenum (Mo)-Total (mg/L)		0.000676		0.000522		0.000620
	Nickel (Ni)-Total (mg/L)		<0.00050		<0.00050		0.00064
	Potassium (K)-Total (mg/L)		0.736		0.648		0.704
	Selenium (Se)-Total (ug/L)		1.69		0.145		1.25
	Silicon (Si)-Total (mg/L)		2.58		2.74		3.01
	Silver (Ag)-Total (mg/L)		<0.000010		<0.000010		<0.000010
	Sodium (Na)-Total (mg/L)		5.06		4.41		3.98
	Strontium (Sr)-Total (mg/L)		0.150		0.122		0.126
	Thallium (Tl)-Total (mg/L)		<0.000010		<0.000010		<0.000010
	Tin (Sn)-Total (mg/L)		<0.00010		<0.00010		<0.00010
	Titanium (Ti)-Total (mg/L)		<0.010		<0.010		<0.010
	Uranium (U)-Total (mg/L)		0.000782		0.000679		0.000657
	Vanadium (V)-Total (mg/L)		<0.00050		<0.00050		0.00081
	Zinc (Zn)-Total (mg/L)		<0.0030		<0.0030		0.0046
Dissolved Metals	Dissolved Mercury Filtration Location		LAB		LAB		LAB
	Dissolved Metals Filtration Location		LAB		LAB		LAB
	Aluminum (Al)-Dissolved (mg/L)		0.0066		0.0068		0.0140
	Antimony (Sb)-Dissolved (mg/L)		<0.00010		<0.00010		<0.00010
	Arsenic (As)-Dissolved (mg/L)		0.00037		0.00045		0.00041
	Barium (Ba)-Dissolved (mg/L)		0.0634		0.0345		0.0504
	Beryllium (Be)-Dissolved (ug/L)		<0.020		<0.020		<0.020
	Bismuth (Bi)-Dissolved (mg/L)		<0.000050		<0.000050		<0.000050
	Boron (B)-Dissolved (mg/L)		<0.010		<0.010		<0.010
	Cadmium (Cd)-Dissolved (ug/L)		0.0058		<0.0050		0.0080
	Calcium (Ca)-Dissolved (mg/L)		41.7		32.7		35.2
	Chromium (Cr)-Dissolved (mg/L)		0.00010		<0.00010		0.00011
	Cobalt (Co)-Dissolved (ug/L)		<0.10		<0.10		<0.10
	Copper (Cu)-Dissolved (mg/L)		<0.00050		<0.00050		<0.00050

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

29-MAY-19 12:05 (MT)

Version: FINAL REV. 2

Sample ID Description Sampled Date Sampled Time Client ID		L2263352-17 W 25-APR-19 RG_BLANK_WS_2 0190425	L2263352-18 W 25-APR-19 11:35 RG_TRIP_WS_201 90425	L2263352-19 W 24-APR-19 15:55 RG_SCU1_WS_20 190424-1555	L2263352-20 W 24-APR-19 15:55 RG_SCU1_WS_20 190424-1555_FB- HG	L2263352-21 W 24-APR-19 15:40 RG_SCU2_WS_20 190424-1540
Grouping	Analyte					
WATER						
Total Metals	Chromium (Cr)-Total (mg/L)	<0.00010	<0.00010	0.00047		0.00049
	Cobalt (Co)-Total (ug/L)	<0.10	<0.10	0.21		0.23
	Copper (Cu)-Total (mg/L)	<0.00050	<0.00050	0.00093		0.00108
	Iron (Fe)-Total (mg/L)	<0.010	<0.010	0.393		0.426
	Lead (Pb)-Total (mg/L)	<0.000050	<0.000050	0.000745		0.00114
	Lithium (Li)-Total (mg/L)	<0.0010	<0.0010	0.0019		0.0018
	Magnesium (Mg)-Total (mg/L)	<0.10	<0.10	10.8		10.9
	Manganese (Mn)-Total (mg/L)	<0.00010	<0.00010	0.0223		0.0238
	Mercury (Hg)-Total (ug/L)	<0.00050	<0.00050	0.0110	<0.00050	0.021
	Molybdenum (Mo)-Total (mg/L)	<0.000050	<0.000050	0.000562		0.000542
	Nickel (Ni)-Total (mg/L)	<0.00050	<0.00050	0.00057		0.00092
	Potassium (K)-Total (mg/L)	<0.050	<0.050	0.653		0.654
	Selenium (Se)-Total (ug/L)	<0.050	<0.050	0.118		0.127
	Silicon (Si)-Total (mg/L)	<0.10	<0.10	2.83		2.82
	Silver (Ag)-Total (mg/L)	<0.000010	<0.000010	<0.000010		<0.000010
	Sodium (Na)-Total (mg/L)	<0.050	<0.050	4.25		4.46
	Strontium (Sr)-Total (mg/L)	<0.00020	<0.00020	0.127		0.124
	Thallium (Tl)-Total (mg/L)	<0.000010	<0.000010	<0.000010		<0.000010
	Tin (Sn)-Total (mg/L)	<0.00010	<0.00010	<0.00010		<0.00010
	Titanium (Ti)-Total (mg/L)	<0.010	<0.010	<0.010		<0.010
	Uranium (U)-Total (mg/L)	<0.000010	<0.000010	0.000671		0.000658
	Vanadium (V)-Total (mg/L)	<0.00050	<0.00050	<0.00050		0.00051
	Zinc (Zn)-Total (mg/L)	<0.0030	<0.0030	0.0053		0.0159
Dissolved Metals	Dissolved Mercury Filtration Location	LAB		LAB		LAB
	Dissolved Metals Filtration Location	LAB		LAB		LAB
	Aluminum (Al)-Dissolved (mg/L)	<0.0030		0.0077		0.0111
	Antimony (Sb)-Dissolved (mg/L)	<0.00010		<0.00010		<0.00010
	Arsenic (As)-Dissolved (mg/L)	<0.00010		0.00043		0.00044
	Barium (Ba)-Dissolved (mg/L)	<0.00010		0.0329		0.0330
	Beryllium (Be)-Dissolved (ug/L)	<0.020		<0.020		<0.020
	Bismuth (Bi)-Dissolved (mg/L)	<0.000050		<0.000050		<0.000050
	Boron (B)-Dissolved (mg/L)	<0.010		<0.010		<0.010
	Cadmium (Cd)-Dissolved (ug/L)	<0.0050		<0.0050		<0.0050
	Calcium (Ca)-Dissolved (mg/L)	<0.050		33.2		34.1
	Chromium (Cr)-Dissolved (mg/L)	<0.00010		<0.00010		<0.00010
	Cobalt (Co)-Dissolved (ug/L)	<0.10		<0.10		<0.10
	Copper (Cu)-Dissolved (mg/L)	<0.00050		<0.00050		<0.00050

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID				
	L2263352-22 W 24-APR-19 15:40 RG_SCU2_WS_20 190424-1540_FB- HG				
Grouping	Analyte				
WATER					
Total Metals	Chromium (Cr)-Total (mg/L)				
	Cobalt (Co)-Total (ug/L)				
	Copper (Cu)-Total (mg/L)				
	Iron (Fe)-Total (mg/L)				
	Lead (Pb)-Total (mg/L)				
	Lithium (Li)-Total (mg/L)				
	Magnesium (Mg)-Total (mg/L)				
	Manganese (Mn)-Total (mg/L)				
	Mercury (Hg)-Total (ug/L)	<0.00050			
	Molybdenum (Mo)-Total (mg/L)				
	Nickel (Ni)-Total (mg/L)				
	Potassium (K)-Total (mg/L)				
	Selenium (Se)-Total (ug/L)				
	Silicon (Si)-Total (mg/L)				
	Silver (Ag)-Total (mg/L)				
	Sodium (Na)-Total (mg/L)				
	Strontium (Sr)-Total (mg/L)				
	Thallium (Tl)-Total (mg/L)				
	Tin (Sn)-Total (mg/L)				
	Titanium (Ti)-Total (mg/L)				
	Uranium (U)-Total (mg/L)				
	Vanadium (V)-Total (mg/L)				
	Zinc (Zn)-Total (mg/L)				
Dissolved Metals	Dissolved Mercury Filtration Location				
	Dissolved Metals Filtration Location				
	Aluminum (Al)-Dissolved (mg/L)				
	Antimony (Sb)-Dissolved (mg/L)				
	Arsenic (As)-Dissolved (mg/L)				
	Barium (Ba)-Dissolved (mg/L)				
	Beryllium (Be)-Dissolved (ug/L)				
	Bismuth (Bi)-Dissolved (mg/L)				
	Boron (B)-Dissolved (mg/L)				
	Cadmium (Cd)-Dissolved (ug/L)				
	Calcium (Ca)-Dissolved (mg/L)				
	Chromium (Cr)-Dissolved (mg/L)				
	Cobalt (Co)-Dissolved (ug/L)				
	Copper (Cu)-Dissolved (mg/L)				

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2263352-1	L2263352-2	L2263352-3	L2263352-4	L2263352-5
		Description	W	W	W	W	W
		Sampled Date	25-APR-19	25-APR-19	25-APR-19	25-APR-19	25-APR-19
		Sampled Time	11:40	11:40	11:35	11:35	11:30
		Client ID	RG_T4U1_WS_20 190425-1140	RG_T4U1_WS_20 190425-1140_FB- HG	RG_T4U2_WS_20 190425-1135	RG_T4U2_WS_20 190425-1135_FB- HG	RG_T4U3_WS_20 190425-1130
Grouping	Analyte						
WATER							
Dissolved Metals	Iron (Fe)-Dissolved (mg/L)		0.014		0.014		0.013
	Lead (Pb)-Dissolved (mg/L)		<0.000050		<0.000050		<0.000050
	Lithium (Li)-Dissolved (mg/L)		0.0023		0.0024		0.0029
	Magnesium (Mg)-Dissolved (mg/L)		12.6		12.5		13.1
	Manganese (Mn)-Dissolved (mg/L)		0.00511		0.00484		0.00353
	Mercury (Hg)-Dissolved (mg/L)		<0.0000050		<0.0000050		<0.0000050
	Molybdenum (Mo)-Dissolved (mg/L)		0.000639		0.000650		0.000703
	Nickel (Ni)-Dissolved (mg/L)		<0.00050		<0.00050		<0.00050
	Potassium (K)-Dissolved (mg/L)		0.618		0.619		0.625
	Selenium (Se)-Dissolved (ug/L)		1.36		1.46		1.97
	Silicon (Si)-Dissolved (mg/L)		2.33		2.28		2.21
	Silver (Ag)-Dissolved (mg/L)		<0.000010		<0.000010		<0.000010
	Sodium (Na)-Dissolved (mg/L)		4.79		4.71		4.63
	Strontium (Sr)-Dissolved (mg/L)		0.152		0.155		0.161
	Thallium (Tl)-Dissolved (mg/L)		<0.000010		<0.000010		<0.000010
	Tin (Sn)-Dissolved (mg/L)		<0.00010		<0.00010		<0.00010
	Titanium (Ti)-Dissolved (mg/L)		<0.010		<0.010		<0.010
	Uranium (U)-Dissolved (mg/L)		0.000737		0.000782		0.000768
	Vanadium (V)-Dissolved (mg/L)		<0.00050		<0.00050		<0.00050
	Zinc (Zn)-Dissolved (mg/L)		<0.0010		<0.0010		<0.0010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2263352-6	L2263352-7	L2263352-8	L2263352-9	L2263352-10
		Description	W	W	W	W	W
		Sampled Date	25-APR-19	25-APR-19	25-APR-19	25-APR-19	25-APR-19
		Sampled Time	11:30	11:20	11:20	11:15	11:15
		Client ID	RG_T4U3_WS_20 190425-1130_FB- HG	RG_GCU1_WS_20 190425-1120	RG_GCU1_WS_20 190425-1120_FB- HG	RG_GCU2_WS_20 190425-1115	RG_GCU2_WS_20 190425-1115_FB- HG
Grouping	Analyte						
WATER							
Dissolved Metals	Iron (Fe)-Dissolved (mg/L)			0.010		0.011	
	Lead (Pb)-Dissolved (mg/L)			<0.000050		<0.000050	
	Lithium (Li)-Dissolved (mg/L)			0.0026		0.0026	
	Magnesium (Mg)-Dissolved (mg/L)			13.2		13.3	
	Manganese (Mn)-Dissolved (mg/L)			0.00133		0.00123	
	Mercury (Hg)-Dissolved (mg/L)			<0.0000050		<0.0000050	
	Molybdenum (Mo)-Dissolved (mg/L)			0.000665		0.000668	
	Nickel (Ni)-Dissolved (mg/L)			<0.00050		<0.00050	
	Potassium (K)-Dissolved (mg/L)			0.647		0.664	
	Selenium (Se)-Dissolved (ug/L)			1.53		1.47	
	Silicon (Si)-Dissolved (mg/L)			2.27		2.27	
	Silver (Ag)-Dissolved (mg/L)			<0.000010		<0.000010	
	Sodium (Na)-Dissolved (mg/L)			5.19		5.18	
	Strontium (Sr)-Dissolved (mg/L)			0.164		0.164	
	Thallium (Tl)-Dissolved (mg/L)			<0.000010		<0.000010	
	Tin (Sn)-Dissolved (mg/L)			<0.00010		<0.00010	
	Titanium (Ti)-Dissolved (mg/L)			<0.010		<0.010	
	Uranium (U)-Dissolved (mg/L)			0.000782		0.000800	
	Vanadium (V)-Dissolved (mg/L)			<0.00050		<0.00050	
	Zinc (Zn)-Dissolved (mg/L)			<0.0010		<0.0010	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2263352-11	L2263352-12	L2263352-13	L2263352-14	L2263352-15
		Description	W	W	W	W	W
		Sampled Date	25-APR-19	25-APR-19	25-APR-19	25-APR-19	25-APR-19
		Sampled Time	11:10	11:10	11:30	11:30	11:45
		Client ID	RG_GCU3_WS_20 190425-1110	RG_GCU3_WS_20 190425-1110_FB- HG	RG_TNU1_WS_20 190425-1130	RG_TNU1_WS_20 190425-1130_FB- HG	RG_ERU1_WS_20 190425-1045
Grouping	Analyte						
WATER							
Dissolved Metals	Iron (Fe)-Dissolved (mg/L)		<0.010		0.015		0.018
	Lead (Pb)-Dissolved (mg/L)		<0.000050		0.000054		0.000052
	Lithium (Li)-Dissolved (mg/L)		0.0029		0.0014		0.0022
	Magnesium (Mg)-Dissolved (mg/L)		13.3		9.97		11.1
	Manganese (Mn)-Dissolved (mg/L)		0.00065		0.00796		0.00721
	Mercury (Hg)-Dissolved (mg/L)		<0.0000050		<0.0000050		<0.0000050
	Molybdenum (Mo)-Dissolved (mg/L)		0.000676		0.000584		0.000608
	Nickel (Ni)-Dissolved (mg/L)		<0.00050		<0.00050		<0.00050
	Potassium (K)-Dissolved (mg/L)		0.660		0.578		0.578
	Selenium (Se)-Dissolved (ug/L)		2.02		0.131		1.30
	Silicon (Si)-Dissolved (mg/L)		2.25		2.51		2.37
	Silver (Ag)-Dissolved (mg/L)		<0.000010		<0.000010		<0.000010
	Sodium (Na)-Dissolved (mg/L)		4.80		4.23		3.88
	Strontium (Sr)-Dissolved (mg/L)		0.166		0.135		0.133
	Thallium (Tl)-Dissolved (mg/L)		<0.000010		<0.000010		<0.000010
	Tin (Sn)-Dissolved (mg/L)		<0.00010		<0.00010		<0.00010
	Titanium (Ti)-Dissolved (mg/L)		<0.010		<0.010		<0.010
	Uranium (U)-Dissolved (mg/L)		0.000854		0.000722		0.000642
	Vanadium (V)-Dissolved (mg/L)		<0.00050		<0.00050		<0.00050
	Zinc (Zn)-Dissolved (mg/L)		<0.0010		<0.0010		0.0010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID	Description	Sampled Date	Sampled Time	Client ID	L2263352-17	L2263352-18	L2263352-19	L2263352-20	L2263352-21
					W	W	W	W	W
		25-APR-19			25-APR-19	25-APR-19	24-APR-19	24-APR-19	24-APR-19
						11:35	15:55	15:55	15:40
					RG_BLANK_WS_2 0190425	RG_TRIP_WS_201 90425	RG_SCU1_WS_20 190424-1555	RG_SCU1_WS_20 190424-1555_FB- HG	RG_SCU2_WS_20 190424-1540
Grouping	Analyte								
WATER									
Dissolved Metals	Iron (Fe)-Dissolved (mg/L)				<0.010		0.014		0.015
	Lead (Pb)-Dissolved (mg/L)				<0.000050		0.000055		0.000089
	Lithium (Li)-Dissolved (mg/L)				<0.0010		0.0014		0.0014
	Magnesium (Mg)-Dissolved (mg/L)				<0.10		10.5		10.4
	Manganese (Mn)-Dissolved (mg/L)				<0.00010		0.00723		0.00842
	Mercury (Hg)-Dissolved (mg/L)				<0.0000050		<0.0000050		0.0000064
	Molybdenum (Mo)-Dissolved (mg/L)				<0.000050		0.000536		0.000512
	Nickel (Ni)-Dissolved (mg/L)				<0.00050		<0.00050		<0.00050
	Potassium (K)-Dissolved (mg/L)				<0.050		0.583		0.573
	Selenium (Se)-Dissolved (ug/L)				<0.050		0.142		0.128
	Silicon (Si)-Dissolved (mg/L)				<0.050		2.49		2.49
	Silver (Ag)-Dissolved (mg/L)				<0.000010		<0.000010		<0.000010
	Sodium (Na)-Dissolved (mg/L)				<0.050		4.28		4.34
	Strontium (Sr)-Dissolved (mg/L)				<0.00020		0.132		0.127
	Thallium (Tl)-Dissolved (mg/L)				<0.000010		<0.000010		<0.000010
	Tin (Sn)-Dissolved (mg/L)				<0.00010		<0.00010		<0.00010
	Titanium (Ti)-Dissolved (mg/L)				<0.010		<0.010		<0.010
	Uranium (U)-Dissolved (mg/L)				<0.000010		0.000682		0.000646
	Vanadium (V)-Dissolved (mg/L)				<0.00050		<0.00050		<0.00050
	Zinc (Zn)-Dissolved (mg/L)				<0.0010		<0.0010		0.0054

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID				
	L2263352-22 W 24-APR-19 15:40 RG_SCU2_WS_20 190424-1540_FB- HG				
Grouping	Analyte				
WATER					
Dissolved Metals	Iron (Fe)-Dissolved (mg/L) Lead (Pb)-Dissolved (mg/L) Lithium (Li)-Dissolved (mg/L) Magnesium (Mg)-Dissolved (mg/L) Manganese (Mn)-Dissolved (mg/L) Mercury (Hg)-Dissolved (mg/L) Molybdenum (Mo)-Dissolved (mg/L) Nickel (Ni)-Dissolved (mg/L) Potassium (K)-Dissolved (mg/L) Selenium (Se)-Dissolved (ug/L) Silicon (Si)-Dissolved (mg/L) Silver (Ag)-Dissolved (mg/L) Sodium (Na)-Dissolved (mg/L) Strontium (Sr)-Dissolved (mg/L) Thallium (Tl)-Dissolved (mg/L) Tin (Sn)-Dissolved (mg/L) Titanium (Ti)-Dissolved (mg/L) Uranium (U)-Dissolved (mg/L) Vanadium (V)-Dissolved (mg/L) Zinc (Zn)-Dissolved (mg/L)				

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Method Blank	Thallium (Tl)-Total	B	L2263352-1, -11, -13, -15, -17, -18, -19, -21, -3, -5, -7, -9
Matrix Spike	Barium (Ba)-Dissolved	MS-B	L2263352-1, -11, -13, -15, -17, -19, -21, -3, -5, -7, -9
Matrix Spike	Barium (Ba)-Dissolved	MS-B	L2263352-17
Matrix Spike	Calcium (Ca)-Dissolved	MS-B	L2263352-1, -11, -13, -15, -17, -19, -21, -3, -5, -7, -9
Matrix Spike	Calcium (Ca)-Dissolved	MS-B	L2263352-17
Matrix Spike	Magnesium (Mg)-Dissolved	MS-B	L2263352-1, -11, -13, -15, -17, -19, -21, -3, -5, -7, -9
Matrix Spike	Magnesium (Mg)-Dissolved	MS-B	L2263352-17
Matrix Spike	Sodium (Na)-Dissolved	MS-B	L2263352-1, -11, -13, -15, -17, -19, -21, -3, -5, -7, -9
Matrix Spike	Sodium (Na)-Dissolved	MS-B	L2263352-17
Matrix Spike	Strontium (Sr)-Dissolved	MS-B	L2263352-1, -11, -13, -15, -17, -19, -21, -3, -5, -7, -9
Matrix Spike	Strontium (Sr)-Dissolved	MS-B	L2263352-17
Matrix Spike	Uranium (U)-Dissolved	MS-B	L2263352-17
Matrix Spike	Aluminum (Al)-Total	MS-B	L2263352-1, -11, -13, -15, -17, -18, -19, -21, -3, -5, -7, -9
Matrix Spike	Barium (Ba)-Total	MS-B	L2263352-1, -11, -13, -15, -17, -18, -19, -21, -3, -5, -7, -9
Matrix Spike	Calcium (Ca)-Total	MS-B	L2263352-1, -11, -13, -15, -17, -18, -19, -21, -3, -5, -7, -9
Matrix Spike	Magnesium (Mg)-Total	MS-B	L2263352-1, -11, -13, -15, -17, -18, -19, -21, -3, -5, -7, -9
Matrix Spike	Sodium (Na)-Total	MS-B	L2263352-1, -11, -13, -15, -17, -18, -19, -21, -3, -5, -7, -9
Matrix Spike	Strontium (Sr)-Total	MS-B	L2263352-1, -11, -13, -15, -17, -18, -19, -21, -3, -5, -7, -9

Qualifiers for Individual Parameters Listed:

Qualifier	Description
B	Method Blank exceeds ALS DQO. Associated sample results which are < Limit of Reporting or > 5 times blank level are considered reliable.
HTC	Hardness was calculated from Total Ca and/or Mg concentrations and may be biased high (dissolved Ca/Mg results unavailable).
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.
RRV	Reported Result Verified By Repeat Analysis

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
ACY-PCT-VA	Water	Acidity by Automatic Titration	APHA 2310 Acidity
This analysis is carried out using procedures adapted from APHA Method 2310 "Acidity". Acidity is determined by potentiometric titration to a specified endpoint.			
Samples of industrial wastes, acid mine drainage, or other solutions that contain appreciable amounts of hydrolyzable metal ions such as aluminum, iron, and manganese may require hot peroxide treatment to ensure oxidation and hydrolysis of reduced forms of polyvalent cations. Acidity results may be highly variable if this procedure is not followed. Results in this report for 'Acidity (as CaCO3)' have not been peroxide treated.			
ALK-TITR-VA	Water	Alkalinity Species by Titration	APHA 2320 Alkalinity
This analysis is carried out using procedures adapted from APHA Method 2320 "Alkalinity". Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.			
BE-D-L-CCMS-VA	Water	Diss. Be (low) in Water by CRC ICPMS	APHA 3030B/6020A (mod)
Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.			
BE-T-L-CCMS-VA	Water	Total Be (Low) in Water by CRC ICPMS	EPA 200.2/6020A (mod)
Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.			
BR-L-IC-N-VA	Water	Bromide in Water by IC (Low Level)	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
CARBONS-DOC-VA	Water	Dissolved organic carbon by combustion	APHA 5310B
This analysis is carried out using procedures adapted from APHA Method 5310 "Total Organic Carbon (TOC)". Dissolved carbon (DOC) fractions are determined by filtering the sample through a 0.45 micron membrane filter prior to analysis.			
CARBONS-TOC-VA	Water	Total organic carbon by combustion	APHA 5310B TOTAL ORGANIC CARBON (TOC)
This analysis is carried out using procedures adapted from APHA Method 5310 "Total Organic Carbon (TOC)".			
CL-L-IC-N-VA	Water	Chloride in Water by IC (Low Level)	EPA 300.1 (mod)

Reference Information

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

EC-PCT-VA Water Conductivity (Automated) APHA 2510 Auto. Conduc.

This analysis is carried out using procedures adapted from APHA Method 2510 "Conductivity". Conductivity is determined using a conductivity electrode.

EC-SCREEN-VA Water Conductivity Screen (Internal Use Only) APHA 2510

Qualitative analysis of conductivity where required during preparation of other tests - e.g. TDS, metals, etc.

F-IC-N-VA Water Fluoride in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

HARDNESS-CALC-VA Water Hardness APHA 2340B

Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO₃ equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.

HG-D-CVAA-VA Water Diss. Mercury in Water by CVAAS or CVAFS APHA 3030B/EPA 1631E (mod)

Water samples are filtered (0.45 um), preserved with hydrochloric acid, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS or CVAFS.

HG-T-U-CVAF-VA Water Total Mercury in Water by CVAFS (Ultra) EPA 1631 REV. E

This analysis is carried out using procedures adapted from Method 1631 Rev. E. by the United States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to a purge and trap concentration step and final reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry.

IONBALANCE-VA Water Ion Balance Calculation APHA 1030E

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

$$\text{Ion Balance (\%)} = \frac{[\text{Cation Sum} - \text{Anion Sum}]}{[\text{Cation Sum} + \text{Anion Sum}]}$$

MET-D-CCMS-VA Water Dissolved Metals in Water by CRC ICPMS APHA 3030B/6020A (mod)

Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

MET-T-CCMS-VA Water Total Metals in Water by CRC ICPMS EPA 200.2/6020A (mod)

Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

NH3-F-VA Water Ammonia in Water by Fluorescence J. ENVIRON. MONIT., 2005, 7, 37-42, RSC

This analysis is carried out, on sulfuric acid preserved samples, using procedures modified from J. Environ. Monit., 2005, 7, 37 - 42, The Royal Society of Chemistry, "Flow-injection analysis with fluorescence detection for the determination of trace levels of ammonium in seawater", Roslyn J. Waston et al.

NO2-L-IC-N-VA Water Nitrite in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

NO3-L-IC-N-VA Water Nitrate in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

ORP-VA Water Oxidation reduction potential by Elect. ASTM D1498-14

This analysis is carried out in accordance with the procedure described in the "ASTM" method D1498-14 "Oxidation-Reduction Potential of Water" published by the American Society for Testing and Materials (ASTM), 2014. Results are reported as observed oxidation-reduction potential of the platinum metal-reference electrode employed, in mV.

It is recommended that this analysis be conducted in the field.

P-T-PRES-COL-VA Water Total P in Water by Colour APHA 4500-P Phosphorus

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorus is determined colourimetrically after persulphate digestion of the sample.

Samples with very high dissolved solids (i.e. seawaters, brackish waters) may produce a negative bias by this method. Alternate methods are

Reference Information

available for these types of samples.

Arsenic (5+), at elevated levels, is a positive interference on colourimetric phosphate analysis.

PH-PCT-VA Water pH by Meter (Automated) APHA 4500-H pH Value

This analysis is carried out using procedures adapted from APHA Method 4500-H "pH Value". The pH is determined in the laboratory using a pH electrode

It is recommended that this analysis be conducted in the field.

PO4-DO-COL-VA Water Diss. Orthophosphate in Water by Colour APHA 4500-P Phosphorus

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Dissolved Orthophosphate is determined colourimetrically on a sample that has been lab or field filtered through a 0.45 micron membrane filter.

Samples with very high dissolved solids (i.e. seawaters, brackish waters) may produce a negative bias by this method. Alternate methods are available for these types of samples.

Arsenic (5+), at elevated levels, is a positive interference on colourimetric phosphate analysis.

SO4-IC-N-VA Water Sulfate in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

TDS-LOW-VA Water Low Level TDS (3.0mg/L) by Gravimetric APHA 2540C

This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total dissolved solids (TDS) are determined by filtering a sample through a glass fibre filter, TDS is determined by evaporating the filtrate to dryness at 180 degrees celsius.

TKN-F-VA Water TKN in Water by Fluorescence APHA 4500-NORG D.

This analysis is carried out using procedures adapted from APHA Method 4500-Norg D. "Block Digestion and Flow Injection Analysis". Total Kjeldahl Nitrogen is determined using block digestion followed by Flow-injection analysis with fluorescence detection.

TSS-LOW-VA Water Total Suspended Solids by Grav. (1 mg/L) APHA 2540D

This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, TSS is determined by drying the filter at 104 degrees celsius.

Samples containing very high dissolved solid content (i.e. seawaters, brackish waters) may produce a positive bias by this method. Alternate analysis methods are available for these types of samples.

TURBIDITY-VA Water Turbidity by Meter APHA 2130 Turbidity

This analysis is carried out using procedures adapted from APHA Method 2130 "Turbidity". Turbidity is determined by the nephelometric method.

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
VA	ALS ENVIRONMENTAL - VANCOUVER, BRITISH COLUMBIA, CANADA

Chain of Custody Numbers:

regional effects

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.

Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 1 of 18

Client: Teck Coal Ltd.
 421 Pine Avenue
 Sparwood BC V0B 2G0

Contact: Cait Good

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
ACY-PCT-VA		Water						
Batch R4615455								
WG3036014-3 CRM		VA-ACY-CONTROL						
Acidity (as CaCO3)			112.0		%		85-115	26-APR-19
WG3036014-5 DUP		L2263352-1						
Acidity (as CaCO3)		<1.0	<1.0	RPD-NA	mg/L	N/A	20	26-APR-19
WG3036014-1 MB								
Acidity (as CaCO3)			1.8		mg/L		2	26-APR-19
Batch R4618181								
WG3037211-3 CRM		VA-ACY-CONTROL						
Acidity (as CaCO3)			106.7		%		85-115	30-APR-19
WG3037211-1 MB								
Acidity (as CaCO3)			1.7		mg/L		2	30-APR-19
ALK-TITR-VA		Water						
Batch R4615790								
WG3035910-3 CRM		VA-ALK-TITR-CONTROL						
Alkalinity, Total (as CaCO3)			102.7		%		85-115	27-APR-19
WG3035910-1 MB								
Alkalinity, Total (as CaCO3)			<1.0		mg/L		1	27-APR-19
BE-D-L-CCMS-VA		Water						
Batch R4616186								
WG3035949-2 LCS								
Beryllium (Be)-Dissolved			94.6		%		80-120	27-APR-19
WG3035949-1 MB		LF						
Beryllium (Be)-Dissolved			<0.000020		mg/L		0.00002	27-APR-19
WG3035949-4 MS		L2263352-1						
Beryllium (Be)-Dissolved			97.7		%		70-130	27-APR-19
BE-T-L-CCMS-VA		Water						
Batch R4615906								
WG3036124-3 DUP		L2263352-1						
Beryllium (Be)-Total		<0.000020	<0.000020	RPD-NA	mg/L	N/A	20	27-APR-19
WG3036124-2 LCS								
Beryllium (Be)-Total			98.6		%		80-120	27-APR-19
WG3036124-1 MB								
Beryllium (Be)-Total			<0.000020		mg/L		0.00002	27-APR-19
WG3036124-4 MS		L2263352-3						
Beryllium (Be)-Total			102.8		%		70-130	27-APR-19
BR-L-IC-N-VA		Water						



Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 2 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
BR-L-IC-N-VA								
Water								
Batch	R4614630							
WG3036010-3	DUP	L2263352-3						
Bromide (Br)		<0.050	<0.050	RPD-NA	mg/L	N/A	20	26-APR-19
WG3036010-2	LCS							
Bromide (Br)			104.7		%		85-115	26-APR-19
WG3036010-1	MB							
Bromide (Br)			<0.050		mg/L		0.05	26-APR-19
WG3036010-4	MS	L2263352-1						
Bromide (Br)			109.0		%		75-125	26-APR-19
CARBONS-DOC-VA								
Water								
Batch	R4616486							
WG3036207-3	DUP	L2263352-1						
Dissolved Organic Carbon		2.04	2.21		mg/L	7.9	20	28-APR-19
WG3036207-2	LCS							
Dissolved Organic Carbon			105.8		%		80-120	28-APR-19
WG3036207-1	MB							
Dissolved Organic Carbon			<0.50		mg/L		0.5	28-APR-19
WG3036207-4	MS	L2263352-3						
Dissolved Organic Carbon			101.9		%		70-130	28-APR-19
CARBONS-TOC-VA								
Water								
Batch	R4619726							
WG3038211-3	DUP	L2263352-1						
Total Organic Carbon		2.03	1.95		mg/L	3.9	20	30-APR-19
WG3038211-2	LCS							
Total Organic Carbon			101.1		%		80-120	30-APR-19
WG3038290-10	LCS							
Total Organic Carbon			104.4		%		80-120	30-APR-19
WG3038290-6	LCS							
Total Organic Carbon			100.8		%		80-120	30-APR-19
WG3038211-1	MB							
Total Organic Carbon			<0.50		mg/L		0.5	30-APR-19
WG3038290-9	MB							
Total Organic Carbon			<0.50		mg/L		0.5	30-APR-19
WG3038211-4	MS	L2263352-3						
Total Organic Carbon			109.3		%		70-130	30-APR-19
CL-L-IC-N-VA								
Water								



Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 3 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
CL-L-IC-N-VA		Water						
Batch	R4614630							
WG3036010-3	DUP	L2263352-3						
Chloride (Cl)		3.92	3.90		mg/L	0.5	20	26-APR-19
WG3036010-2	LCS							
Chloride (Cl)			102.3		%		90-110	26-APR-19
WG3036010-1	MB							
Chloride (Cl)			<0.10		mg/L		0.1	26-APR-19
WG3036010-4	MS	L2263352-1						
Chloride (Cl)			101.5		%		75-125	26-APR-19
EC-PCT-VA		Water						
Batch	R4615455							
WG3036014-4	CRM	VA-EC-PCT-CONTROL						
Conductivity			98.3		%		90-110	26-APR-19
WG3036014-5	DUP	L2263352-1						
Conductivity		293	294		uS/cm	0.3	10	26-APR-19
WG3036014-1	MB							
Conductivity			<2.0		uS/cm		2	26-APR-19
F-IC-N-VA		Water						
Batch	R4614630							
WG3036010-3	DUP	L2263352-3						
Fluoride (F)		0.095	0.094		mg/L	0.7	20	26-APR-19
WG3036010-2	LCS							
Fluoride (F)			97.4		%		90-110	26-APR-19
WG3036010-1	MB							
Fluoride (F)			<0.020		mg/L		0.02	26-APR-19
WG3036010-4	MS	L2263352-1						
Fluoride (F)			96.6		%		75-125	26-APR-19
HG-D-CVAA-VA		Water						
Batch	R4616373							
WG3037077-7	DUP	L2263352-13						
Mercury (Hg)-Dissolved		<0.0000050	<0.0000050C	RPD-NA	mg/L	N/A	20	29-APR-19
WG3037077-2	LCS							
Mercury (Hg)-Dissolved			97.0		%		80-120	29-APR-19
WG3037077-6	LCS							
Mercury (Hg)-Dissolved			97.0		%		80-120	29-APR-19
WG3037077-1	MB	LF						
Mercury (Hg)-Dissolved			<0.0000050C		mg/L		0.000005	29-APR-19
WG3037077-5	MB	LF						
Mercury (Hg)-Dissolved			<0.0000050C		mg/L		0.000005	29-APR-19



Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 4 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
HG-D-CVAA-VA Water								
Batch	R4616373							
WG3037077-8 MS		L2263352-7						
Mercury (Hg)-Dissolved			88.9		%		70-130	29-APR-19
HG-T-U-CVAF-VA Water								
Batch	R4619643							
WG3039115-2 LCS								
Mercury (Hg)-Total			110.8		%		80-120	01-MAY-19
WG3039115-1 MB								
Mercury (Hg)-Total			<0.00050		ug/L		0.0005	01-MAY-19
Batch	R4620995							
WG3040217-2 LCS								
Mercury (Hg)-Total			98.4		%		80-120	02-MAY-19
WG3040217-1 MB								
Mercury (Hg)-Total			<0.00050		ug/L		0.0005	02-MAY-19
Batch	R4621694							
WG3040423-3 DUP		L2263352-1						
Mercury (Hg)-Total		0.00135	0.00139		ug/L	2.9	20	02-MAY-19
WG3040423-2 LCS								
Mercury (Hg)-Total			102.6		%		80-120	02-MAY-19
WG3040423-1 MB								
Mercury (Hg)-Total			<0.00050		ug/L		0.0005	02-MAY-19
MET-D-CCMS-VA Water								
Batch	R4616186							
WG3035949-2 LCS								
Aluminum (Al)-Dissolved			99.2		%		80-120	27-APR-19
Antimony (Sb)-Dissolved			95.9		%		80-120	27-APR-19
Arsenic (As)-Dissolved			99.7		%		80-120	27-APR-19
Barium (Ba)-Dissolved			100.6		%		80-120	27-APR-19
Bismuth (Bi)-Dissolved			98.2		%		80-120	27-APR-19
Boron (B)-Dissolved			92.6		%		80-120	27-APR-19
Cadmium (Cd)-Dissolved			100.1		%		80-120	27-APR-19
Calcium (Ca)-Dissolved			94.4		%		80-120	27-APR-19
Chromium (Cr)-Dissolved			98.4		%		80-120	27-APR-19
Cobalt (Co)-Dissolved			96.3		%		80-120	27-APR-19
Copper (Cu)-Dissolved			96.8		%		80-120	27-APR-19
Iron (Fe)-Dissolved			91.2		%		80-120	27-APR-19
Lead (Pb)-Dissolved			95.8		%		80-120	27-APR-19

Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 5 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4616186							
WG3035949-2	LCS							
Lithium (Li)-Dissolved			116.8		%		80-120	27-APR-19
Magnesium (Mg)-Dissolved			105.6		%		80-120	27-APR-19
Manganese (Mn)-Dissolved			98.5		%		80-120	27-APR-19
Molybdenum (Mo)-Dissolved			93.2		%		80-120	27-APR-19
Nickel (Ni)-Dissolved			95.7		%		80-120	27-APR-19
Potassium (K)-Dissolved			93.9		%		80-120	27-APR-19
Selenium (Se)-Dissolved			105.1		%		80-120	27-APR-19
Silicon (Si)-Dissolved			102.5		%		60-140	27-APR-19
Silver (Ag)-Dissolved			96.6		%		80-120	27-APR-19
Sodium (Na)-Dissolved			102.4		%		80-120	27-APR-19
Strontium (Sr)-Dissolved			102.2		%		80-120	27-APR-19
Thallium (Tl)-Dissolved			95.9		%		80-120	27-APR-19
Tin (Sn)-Dissolved			96.1		%		80-120	27-APR-19
Titanium (Ti)-Dissolved			94.3		%		80-120	27-APR-19
Uranium (U)-Dissolved			98.6		%		80-120	27-APR-19
Vanadium (V)-Dissolved			99.0		%		80-120	27-APR-19
Zinc (Zn)-Dissolved			96.5		%		80-120	27-APR-19
WG3035949-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	27-APR-19
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	27-APR-19
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	27-APR-19
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	27-APR-19
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	27-APR-19
Boron (B)-Dissolved			<0.010		mg/L		0.01	27-APR-19
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	27-APR-19
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	27-APR-19
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	27-APR-19
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	27-APR-19
Copper (Cu)-Dissolved			<0.00020		mg/L		0.0002	27-APR-19
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	27-APR-19
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	27-APR-19
Lithium (Li)-Dissolved			<0.0010		mg/L		0.001	27-APR-19
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	27-APR-19
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	27-APR-19



Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 6 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4616186							
WG3035949-1	MB	LF						
Molybdenum (Mo)-Dissolved			<0.000050		mg/L		0.00005	27-APR-19
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	27-APR-19
Potassium (K)-Dissolved			<0.050		mg/L		0.05	27-APR-19
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	27-APR-19
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	27-APR-19
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	27-APR-19
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	27-APR-19
Strontium (Sr)-Dissolved			<0.00020		mg/L		0.0002	27-APR-19
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	27-APR-19
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	27-APR-19
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	27-APR-19
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	27-APR-19
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	27-APR-19
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	27-APR-19
WG3035949-4	MS	L2263352-1						
Aluminum (Al)-Dissolved			102.1		%		70-130	27-APR-19
Antimony (Sb)-Dissolved			101.8		%		70-130	27-APR-19
Arsenic (As)-Dissolved			105.1		%		70-130	27-APR-19
Barium (Ba)-Dissolved			N/A	MS-B	%		-	27-APR-19
Bismuth (Bi)-Dissolved			94.7		%		70-130	27-APR-19
Boron (B)-Dissolved			98.8		%		70-130	27-APR-19
Cadmium (Cd)-Dissolved			107.2		%		70-130	27-APR-19
Calcium (Ca)-Dissolved			N/A	MS-B	%		-	27-APR-19
Chromium (Cr)-Dissolved			100.1		%		70-130	27-APR-19
Cobalt (Co)-Dissolved			95.8		%		70-130	27-APR-19
Copper (Cu)-Dissolved			96.3		%		70-130	27-APR-19
Iron (Fe)-Dissolved			95.8		%		70-130	27-APR-19
Lead (Pb)-Dissolved			98.2		%		70-130	27-APR-19
Magnesium (Mg)-Dissolved			N/A	MS-B	%		-	27-APR-19
Manganese (Mn)-Dissolved			96.4		%		70-130	27-APR-19
Molybdenum (Mo)-Dissolved			100.4		%		70-130	27-APR-19
Nickel (Ni)-Dissolved			96.3		%		70-130	27-APR-19
Potassium (K)-Dissolved			94.7		%		70-130	27-APR-19
Selenium (Se)-Dissolved			114.5		%		70-130	27-APR-19

Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 7 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
Water								
Batch	R4616186							
WG3035949-4	MS	L2263352-1						
Silicon (Si)-Dissolved			96.4		%		70-130	27-APR-19
Silver (Ag)-Dissolved			104.9		%		70-130	27-APR-19
Sodium (Na)-Dissolved			N/A	MS-B	%		-	27-APR-19
Strontium (Sr)-Dissolved			N/A	MS-B	%		-	27-APR-19
Thallium (Tl)-Dissolved			97.0		%		70-130	27-APR-19
Tin (Sn)-Dissolved			102.4		%		70-130	27-APR-19
Titanium (Ti)-Dissolved			96.8		%		70-130	27-APR-19
Uranium (U)-Dissolved			104.0		%		70-130	27-APR-19
Vanadium (V)-Dissolved			99.9		%		70-130	27-APR-19
Zinc (Zn)-Dissolved			100.1		%		70-130	27-APR-19
Batch	R4617146							
WG3035949-4	MS	L2263352-1						
Lithium (Li)-Dissolved			89.9		%		70-130	29-APR-19
Batch	R4618350							
WG3037613-2	LCS							
Aluminum (Al)-Dissolved			103.6		%		80-120	30-APR-19
Antimony (Sb)-Dissolved			100.3		%		80-120	30-APR-19
Arsenic (As)-Dissolved			100.1		%		80-120	30-APR-19
Barium (Ba)-Dissolved			107.0		%		80-120	30-APR-19
Bismuth (Bi)-Dissolved			98.0		%		80-120	30-APR-19
Boron (B)-Dissolved			105.9		%		80-120	30-APR-19
Cadmium (Cd)-Dissolved			104.0		%		80-120	30-APR-19
Calcium (Ca)-Dissolved			106.4		%		80-120	30-APR-19
Chromium (Cr)-Dissolved			100.5		%		80-120	30-APR-19
Cobalt (Co)-Dissolved			99.1		%		80-120	30-APR-19
Copper (Cu)-Dissolved			98.0		%		80-120	30-APR-19
Iron (Fe)-Dissolved			94.7		%		80-120	30-APR-19
Lead (Pb)-Dissolved			101.9		%		80-120	30-APR-19
Lithium (Li)-Dissolved			102.4		%		80-120	30-APR-19
Magnesium (Mg)-Dissolved			103.3		%		80-120	30-APR-19
Manganese (Mn)-Dissolved			101.3		%		80-120	30-APR-19
Molybdenum (Mo)-Dissolved			107.4		%		80-120	30-APR-19
Nickel (Ni)-Dissolved			99.6		%		80-120	30-APR-19
Potassium (K)-Dissolved			98.0		%		80-120	30-APR-19



Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 8 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4618350							
WG3037613-2	LCS							
Selenium (Se)-Dissolved			104.7		%		80-120	30-APR-19
Silicon (Si)-Dissolved			103.0		%		60-140	30-APR-19
Silver (Ag)-Dissolved			101.7		%		80-120	30-APR-19
Sodium (Na)-Dissolved			101.6		%		80-120	30-APR-19
Strontium (Sr)-Dissolved			110.0		%		80-120	30-APR-19
Thallium (Tl)-Dissolved			99.6		%		80-120	30-APR-19
Tin (Sn)-Dissolved			98.6		%		80-120	30-APR-19
Titanium (Ti)-Dissolved			95.7		%		80-120	30-APR-19
Uranium (U)-Dissolved			103.0		%		80-120	30-APR-19
Vanadium (V)-Dissolved			101.1		%		80-120	30-APR-19
Zinc (Zn)-Dissolved			103.2		%		80-120	30-APR-19
WG3037613-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	30-APR-19
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	30-APR-19
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	30-APR-19
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	30-APR-19
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	30-APR-19
Boron (B)-Dissolved			<0.010		mg/L		0.01	30-APR-19
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	30-APR-19
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	30-APR-19
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	30-APR-19
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	30-APR-19
Copper (Cu)-Dissolved			<0.00020		mg/L		0.0002	30-APR-19
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	30-APR-19
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	30-APR-19
Lithium (Li)-Dissolved			<0.0010		mg/L		0.001	30-APR-19
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	30-APR-19
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	30-APR-19
Molybdenum (Mo)-Dissolved			<0.000050		mg/L		0.00005	30-APR-19
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	30-APR-19
Potassium (K)-Dissolved			<0.050		mg/L		0.05	30-APR-19
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	30-APR-19
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	30-APR-19
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	30-APR-19



Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 9 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4618350							
WG3037613-1 MB		LF						
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	30-APR-19
Strontium (Sr)-Dissolved			<0.00020		mg/L		0.0002	30-APR-19
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	30-APR-19
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	30-APR-19
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	30-APR-19
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	30-APR-19
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	30-APR-19
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	30-APR-19
MET-T-CCMS-VA								
	Water							
Batch	R4615906							
WG3036124-3 DUP		L2263352-1						
Aluminum (Al)-Total		0.237	0.238		mg/L	0.5	20	27-APR-19
Antimony (Sb)-Total		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	27-APR-19
Arsenic (As)-Total		0.00054	0.00049		mg/L	8.5	20	27-APR-19
Barium (Ba)-Total		0.0537	0.0511		mg/L	4.9	20	27-APR-19
Bismuth (Bi)-Total		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	27-APR-19
Boron (B)-Total		<0.010	<0.010	RPD-NA	mg/L	N/A	20	27-APR-19
Cadmium (Cd)-Total		0.0000114	0.0000178	J	mg/L	0.000006	0.00001	27-APR-19
Calcium (Ca)-Total		42.6	41.3		mg/L	3.0	20	27-APR-19
Chromium (Cr)-Total		0.00042	0.00043		mg/L	2.8	20	27-APR-19
Cobalt (Co)-Total		0.00015	0.00016		mg/L	4.6	20	27-APR-19
Copper (Cu)-Total		0.00236	0.00167	J	mg/L	0.00069	0.001	27-APR-19
Iron (Fe)-Total		0.232	0.236		mg/L	2.1	20	27-APR-19
Lead (Pb)-Total		0.000325	0.000310		mg/L	4.8	20	27-APR-19
Lithium (Li)-Total		0.0029	0.0028		mg/L	2.3	20	27-APR-19
Magnesium (Mg)-Total		13.0	12.5		mg/L	4.5	20	27-APR-19
Manganese (Mn)-Total		0.0165	0.0162		mg/L	2.2	20	27-APR-19
Molybdenum (Mo)-Total		0.000690	0.000626		mg/L	9.7	20	27-APR-19
Nickel (Ni)-Total		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	27-APR-19
Potassium (K)-Total		0.703	0.690		mg/L	1.9	20	27-APR-19
Selenium (Se)-Total		0.00113	0.00112		mg/L	1.3	20	27-APR-19
Silicon (Si)-Total		2.75	2.65		mg/L	3.8	20	27-APR-19
Silver (Ag)-Total		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	27-APR-19
Sodium (Na)-Total		4.86	4.85		mg/L	0.1	20	27-APR-19



Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 10 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4615906							
WG3036124-3	DUP	L2263352-1						
Strontium (Sr)-Total		0.145	0.141		mg/L	2.8	20	27-APR-19
Thallium (Tl)-Total		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	27-APR-19
Tin (Sn)-Total		0.00016	<0.00010	RPD-NA	mg/L	N/A	20	27-APR-19
Titanium (Ti)-Total		<0.010	<0.010	RPD-NA	mg/L	N/A	20	27-APR-19
Uranium (U)-Total		0.000746	0.000719		mg/L	3.8	20	27-APR-19
Vanadium (V)-Total		0.00059	0.00063		mg/L	6.1	20	27-APR-19
Zinc (Zn)-Total		<0.0030	<0.0030	RPD-NA	mg/L	N/A	20	27-APR-19
WG3036124-2	LCS							
Aluminum (Al)-Total			102.1		%		80-120	27-APR-19
Antimony (Sb)-Total			103.2		%		80-120	27-APR-19
Arsenic (As)-Total			100.3		%		80-120	27-APR-19
Barium (Ba)-Total			95.8		%		80-120	27-APR-19
Bismuth (Bi)-Total			97.9		%		80-120	27-APR-19
Boron (B)-Total			95.1		%		80-120	27-APR-19
Cadmium (Cd)-Total			99.8		%		80-120	27-APR-19
Calcium (Ca)-Total			96.0		%		80-120	27-APR-19
Chromium (Cr)-Total			101.2		%		80-120	27-APR-19
Cobalt (Co)-Total			100.7		%		80-120	27-APR-19
Copper (Cu)-Total			101.8		%		80-120	27-APR-19
Iron (Fe)-Total			96.3		%		80-120	27-APR-19
Lead (Pb)-Total			101.4		%		80-120	27-APR-19
Lithium (Li)-Total			102.5		%		80-120	27-APR-19
Magnesium (Mg)-Total			110.4		%		80-120	27-APR-19
Manganese (Mn)-Total			103.7		%		80-120	27-APR-19
Molybdenum (Mo)-Total			97.5		%		80-120	27-APR-19
Nickel (Ni)-Total			99.7		%		80-120	27-APR-19
Potassium (K)-Total			104.9		%		80-120	27-APR-19
Selenium (Se)-Total			97.2		%		80-120	27-APR-19
Silicon (Si)-Total			99.5		%		80-120	27-APR-19
Silver (Ag)-Total			98.9		%		80-120	27-APR-19
Sodium (Na)-Total			101.7		%		80-120	27-APR-19
Strontium (Sr)-Total			95.6		%		80-120	27-APR-19
Thallium (Tl)-Total			101.2		%		80-120	27-APR-19
Tin (Sn)-Total			96.8		%		80-120	27-APR-19



Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 11 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4615906							
WG3036124-2	LCS							
Titanium (Ti)-Total			96.2		%		80-120	27-APR-19
Uranium (U)-Total			97.1		%		80-120	27-APR-19
Vanadium (V)-Total			102.7		%		80-120	27-APR-19
Zinc (Zn)-Total			99.3		%		80-120	27-APR-19
WG3036124-1	MB							
Aluminum (Al)-Total			<0.0030		mg/L		0.003	27-APR-19
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	27-APR-19
Arsenic (As)-Total			<0.00010		mg/L		0.0001	27-APR-19
Barium (Ba)-Total			<0.00010		mg/L		0.0001	27-APR-19
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	27-APR-19
Boron (B)-Total			<0.010		mg/L		0.01	27-APR-19
Cadmium (Cd)-Total			<0.0000050		mg/L		0.000005	27-APR-19
Calcium (Ca)-Total			<0.050		mg/L		0.05	27-APR-19
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	27-APR-19
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	27-APR-19
Copper (Cu)-Total			<0.00050		mg/L		0.0005	27-APR-19
Iron (Fe)-Total			<0.010		mg/L		0.01	27-APR-19
Lead (Pb)-Total			<0.000050		mg/L		0.00005	27-APR-19
Lithium (Li)-Total			<0.0010		mg/L		0.001	27-APR-19
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	27-APR-19
Manganese (Mn)-Total			<0.00010		mg/L		0.0001	27-APR-19
Molybdenum (Mo)-Total			<0.000050		mg/L		0.00005	27-APR-19
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	27-APR-19
Potassium (K)-Total			<0.050		mg/L		0.05	27-APR-19
Selenium (Se)-Total			<0.000050		mg/L		0.00005	27-APR-19
Silicon (Si)-Total			<0.10		mg/L		0.1	27-APR-19
Silver (Ag)-Total			<0.000010		mg/L		0.00001	27-APR-19
Sodium (Na)-Total			<0.050		mg/L		0.05	27-APR-19
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	27-APR-19
Thallium (Tl)-Total			0.000014	B	mg/L		0.00001	27-APR-19
Tin (Sn)-Total			<0.00010		mg/L		0.0001	27-APR-19
Titanium (Ti)-Total			<0.00030		mg/L		0.0003	27-APR-19
Uranium (U)-Total			<0.000010		mg/L		0.00001	27-APR-19
Vanadium (V)-Total			<0.00050		mg/L		0.0005	27-APR-19



Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 12 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4615906							
WG3036124-1	MB							
Zinc (Zn)-Total			<0.0030		mg/L		0.003	27-APR-19
WG3036124-4	MS	L2263352-3						
Aluminum (Al)-Total			N/A	MS-B	%		-	27-APR-19
Antimony (Sb)-Total			102.2		%		70-130	27-APR-19
Arsenic (As)-Total			102.7		%		70-130	27-APR-19
Barium (Ba)-Total			N/A	MS-B	%		-	27-APR-19
Bismuth (Bi)-Total			102.7		%		70-130	27-APR-19
Boron (B)-Total			100.9		%		70-130	27-APR-19
Cadmium (Cd)-Total			103.0		%		70-130	27-APR-19
Calcium (Ca)-Total			N/A	MS-B	%		-	27-APR-19
Chromium (Cr)-Total			100.3		%		70-130	27-APR-19
Cobalt (Co)-Total			100.3		%		70-130	27-APR-19
Copper (Cu)-Total			100.2		%		70-130	27-APR-19
Iron (Fe)-Total			101.8		%		70-130	27-APR-19
Lead (Pb)-Total			101.6		%		70-130	27-APR-19
Lithium (Li)-Total			107.6		%		70-130	27-APR-19
Magnesium (Mg)-Total			N/A	MS-B	%		-	27-APR-19
Manganese (Mn)-Total			99.0		%		70-130	27-APR-19
Molybdenum (Mo)-Total			100.8		%		70-130	27-APR-19
Nickel (Ni)-Total			98.9		%		70-130	27-APR-19
Potassium (K)-Total			104.0		%		70-130	27-APR-19
Selenium (Se)-Total			100.2		%		70-130	27-APR-19
Silicon (Si)-Total			96.8		%		70-130	27-APR-19
Silver (Ag)-Total			104.3		%		70-130	27-APR-19
Sodium (Na)-Total			N/A	MS-B	%		-	27-APR-19
Strontium (Sr)-Total			N/A	MS-B	%		-	27-APR-19
Thallium (Tl)-Total			99.9		%		70-130	27-APR-19
Tin (Sn)-Total			99.9		%		70-130	27-APR-19
Titanium (Ti)-Total			97.2		%		70-130	27-APR-19
Uranium (U)-Total			96.8		%		70-130	27-APR-19
Vanadium (V)-Total			104.2		%		70-130	27-APR-19
Zinc (Zn)-Total			99.7		%		70-130	27-APR-19
NH3-F-VA								
	Water							



Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 13 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
NH3-F-VA								
Water								
Batch	R4619879							
WG3038607-3	DUP	L2263352-1						
Ammonia, Total (as N)		0.0077	0.0075		mg/L	3.2	20	01-MAY-19
WG3038607-2	LCS							
Ammonia, Total (as N)			97.0		%		85-115	01-MAY-19
WG3038607-1	MB							
Ammonia, Total (as N)			<0.0050		mg/L		0.005	01-MAY-19
WG3038607-4	MS	L2263352-3						
Ammonia, Total (as N)			100.1		%		75-125	01-MAY-19
NO2-L-IC-N-VA								
Water								
Batch	R4614630							
WG3036010-3	DUP	L2263352-3						
Nitrite (as N)		<0.0010	<0.0010	RPD-NA	mg/L	N/A	20	26-APR-19
WG3036010-2	LCS							
Nitrite (as N)			103.2		%		90-110	26-APR-19
WG3036010-1	MB							
Nitrite (as N)			<0.0010		mg/L		0.001	26-APR-19
WG3036010-4	MS	L2263352-1						
Nitrite (as N)			99.7		%		75-125	26-APR-19
NO3-L-IC-N-VA								
Water								
Batch	R4614630							
WG3036010-3	DUP	L2263352-3						
Nitrate (as N)		0.255	0.253		mg/L	0.7	20	26-APR-19
WG3036010-2	LCS							
Nitrate (as N)			103.3		%		90-110	26-APR-19
WG3036010-1	MB							
Nitrate (as N)			<0.0050		mg/L		0.005	26-APR-19
WG3036010-4	MS	L2263352-1						
Nitrate (as N)			101.3		%		75-125	26-APR-19
ORP-VA								
Water								
Batch	R4617982							
WG3037582-1	CRM	VA-ORP						
ORP			221		mV		210-230	30-APR-19
WG3037582-2	DUP	L2263352-9						
ORP		286	284	J	mV	2.9	15	30-APR-19
P-T-PRES-COL-VA								
Water								



Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 14 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
P-T-PRES-COL-VA								
Water								
Batch	R4619114							
WG3038130-2 CRM		VA-ERA-PO4						
Phosphorus (P)-Total			100.0		%		80-120	01-MAY-19
WG3038254-2 CRM		VA-ERA-PO4						
Phosphorus (P)-Total			103.1		%		80-120	01-MAY-19
WG3038254-3 DUP		L2263352-9						
Phosphorus (P)-Total		0.0112	0.0107		mg/L	5.2	20	01-MAY-19
WG3038130-1 MB								
Phosphorus (P)-Total			<0.0020		mg/L		0.002	01-MAY-19
WG3038254-1 MB								
Phosphorus (P)-Total			<0.0020		mg/L		0.002	01-MAY-19
WG3038254-4 MS		L2263352-11						
Phosphorus (P)-Total			99.4		%		70-130	01-MAY-19
Batch								
R4621226								
WG3039681-2 CRM		VA-ERA-PO4						
Phosphorus (P)-Total			99.9		%		80-120	02-MAY-19
WG3039681-3 DUP		L2263352-17						
Phosphorus (P)-Total		<0.0020	<0.0020	RPD-NA	mg/L	N/A	20	02-MAY-19
WG3039681-1 MB								
Phosphorus (P)-Total			<0.0020		mg/L		0.002	02-MAY-19
PH-PCT-VA								
Water								
Batch	R4615455							
WG3036014-2 CRM		VA-PH7-BUF						
pH			7.01		pH		6.9-7.1	26-APR-19
WG3036014-5 DUP		L2263352-1						
pH		8.30	8.31	J	pH	0.01	0.3	26-APR-19
PO4-DO-COL-VA								
Water								
Batch	R4614411							
WG3035816-2 CRM		VA-OPO4-CONTROL						
Orthophosphate-Dissolved (as P)			105.6		%		80-120	26-APR-19
WG3035900-2 CRM		VA-OPO4-CONTROL						
Orthophosphate-Dissolved (as P)			105.6		%		80-120	26-APR-19
WG3035816-1 MB								
Orthophosphate-Dissolved (as P)			<0.0010		mg/L		0.001	26-APR-19
WG3035900-1 MB								
Orthophosphate-Dissolved (as P)			<0.0010		mg/L		0.001	26-APR-19
SO4-IC-N-VA								
Water								



Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 15 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
SO4-IC-N-VA								
Water								
Batch	R4614630							
WG3036010-3	DUP	L2263352-3						
Sulfate (SO4)		35.5	35.5		mg/L	0.3	20	26-APR-19
WG3036010-2	LCS							
Sulfate (SO4)			103.0		%		90-110	26-APR-19
WG3036010-1	MB							
Sulfate (SO4)			<0.30		mg/L		0.3	26-APR-19
WG3036010-4	MS	L2263352-1						
Sulfate (SO4)			96.9		%		75-125	26-APR-19
TDS-LOW-VA								
Water								
Batch	R4620116							
WG3038569-3	DUP	L2263352-1						
Total Dissolved Solids		180	179		mg/L	0.6	20	01-MAY-19
WG3038569-2	LCS							
Total Dissolved Solids			99.2		%		85-115	01-MAY-19
WG3038569-1	MB							
Total Dissolved Solids			<3.0		mg/L		3	01-MAY-19
TKN-F-VA								
Water								
Batch	R4619873							
WG3038111-10	LCS							
Total Kjeldahl Nitrogen			104.7		%		75-125	01-MAY-19
WG3038111-6	LCS							
Total Kjeldahl Nitrogen			106.6		%		75-125	01-MAY-19
WG3038111-5	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	01-MAY-19
WG3038111-9	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	01-MAY-19
TSS-LOW-VA								
Water								
Batch	R4619587							
WG3038075-2	LCS							
Total Suspended Solids			97.2		%		85-115	30-APR-19
WG3038075-1	MB							
Total Suspended Solids			<1.0		mg/L		1	30-APR-19
Batch	R4620066							
WG3039270-2	LCS							
Total Suspended Solids			100.8		%		85-115	01-MAY-19
WG3039270-1	MB							
Total Suspended Solids			<1.0		mg/L		1	01-MAY-19
TURBIDITY-VA								
Water								



Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 16 of 18

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
TURBIDITY-VA	Water							
Batch	R4614502							
WG3036284-2	CRM	VA-FORM-40						
Turbidity			107.9		%		85-115	27-APR-19
WG3036284-1	MB							
Turbidity			<0.10		NTU		0.1	27-APR-19

Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 17 of 18

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
B	Method Blank exceeds ALS DQO. Associated sample results which are < Limit of Reporting or > 5 times blank level are considered reliable.
J	Duplicate results and limits are expressed in terms of absolute difference.
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Quality Control Report

Workorder: L2263352

Report Date: 29-MAY-19

Page 18 of 18

Hold Time Exceedances:

ALS Product Description	Sample ID	Sampling Date	Date Processed	Rec. HT	Actual HT	Units	Qualifier
Physical Tests							
Oxidation reduction potential by Elect.							
	1	25-APR-19 11:40	30-APR-19 05:30	0.25	114	hours	EHTR-FM
	3	25-APR-19 11:35	30-APR-19 05:30	0.25	114	hours	EHTR-FM
	5	25-APR-19 11:30	30-APR-19 05:30	0.25	114	hours	EHTR-FM
	7	25-APR-19 11:20	30-APR-19 05:30	0.25	114	hours	EHTR-FM
	9	25-APR-19 11:15	30-APR-19 05:30	0.25	114	hours	EHTR-FM
	11	25-APR-19 11:10	30-APR-19 05:30	0.25	114	hours	EHTR-FM
	13	25-APR-19 11:30	30-APR-19 05:30	0.25	114	hours	EHTR-FM
	15	25-APR-19 11:45	30-APR-19 05:30	0.25	114	hours	EHTR-FM
	17	25-APR-19	30-APR-19 05:30	0.25	114	hours	EHTR-FM
	18	25-APR-19 11:35	30-APR-19 05:30	0.25	114	hours	EHTR-FM
	19	24-APR-19 15:55	30-APR-19 05:30	0.25	134	hours	EHTR-FM
	21	24-APR-19 15:40	30-APR-19 05:30	0.25	134	hours	EHTR-FM
pH by Meter (Automated)							
	1	25-APR-19 11:40	26-APR-19 10:29	0.25	23	hours	EHTR-FM
	3	25-APR-19 11:35	26-APR-19 10:29	0.25	23	hours	EHTR-FM
	5	25-APR-19 11:30	26-APR-19 10:29	0.25	23	hours	EHTR-FM
	7	25-APR-19 11:20	26-APR-19 10:29	0.25	23	hours	EHTR-FM
	9	25-APR-19 11:15	26-APR-19 10:29	0.25	23	hours	EHTR-FM
	11	25-APR-19 11:10	26-APR-19 10:29	0.25	23	hours	EHTR-FM
	13	25-APR-19 11:30	26-APR-19 10:29	0.25	23	hours	EHTR-FM
	15	25-APR-19 11:45	26-APR-19 10:29	0.25	23	hours	EHTR-FM
	17	25-APR-19	26-APR-19 10:29	0.25	23	hours	EHTR-FM
	18	25-APR-19 11:35	26-APR-19 10:29	0.25	23	hours	EHTR-FM
	19	24-APR-19 15:55	26-APR-19 10:29	0.25	42	hours	EHTR-FM
	21	24-APR-19 15:40	26-APR-19 10:29	0.25	43	hours	EHTR-FM

Legend & Qualifier Definitions:

- EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended.
- EHTR: Exceeded ALS recommended hold time prior to sample receipt.
- EHTL: Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.
- EHT: Exceeded ALS recommended hold time prior to analysis.
- Rec. HT: ALS recommended hold time (see units).

Notes*:
 Where actual sampling date is not provided to ALS, the date (& time) of receipt is used for calculation purposes.
 Where actual sampling time is not provided to ALS, the earlier of 12 noon on the sampling date or the time (& date) of receipt is used for calculation purposes. Samples for L2263352 were received on 25-APR-19 20:35.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

COC ID: Regional Effects Program

TURNAROUND TIME:

Regular

PROJECT/CLIENT INFO				LABORATORY				OTHER INFO				
Facility Name / Job#	Regional Effects Program/Kooacanusa			Lab Name	ALS Burnaby			Report Format / Distribution	Excel	PDF	EDD	
Project Manager	Cait Good			Lab Contact	Can Dang			Email 1:	cait.good@teck.com	X	X	X
Email	cait.good@teck.com			Email	can.dang@ALSGlobal.com			Email 2:	carla.fraser@teck.com	X	X	X
Address	421 Pine Avenue			Address	8081 Loughheed Hwy			Email 3:	colleen.mooney@teck.com	X	X	X
City	Sparwood	Province	BC	City	Burnaby	Province	BC	Email 4:	teckcoal@equisonline.com	X	X	X
Postal Code	V0B 2G0	Country	Canada	Postal Code	V5A 1W9	Country	Canada	Email 5:	hcourrier@minnow.ca	X	X	X
Phone Number	250-425-8202			Phone Number	604-253-4188			PO number	VPO00616180			

SAMPLE DETAILS

ANALYSIS REQUESTED

Sample ID	Sample Location (sys loc code)	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Com p	# Of Cont.	ANALYSIS REQUESTED	ANALYSIS REQUESTED	ANALYSIS REQUESTED	ANALYSIS REQUESTED	ANALYSIS REQUESTED	ANALYSIS REQUESTED	ANALYSIS REQUESTED	ANALYSIS REQUESTED	ANALYSIS REQUESTED	ANALYSIS REQUESTED	ANALYSIS REQUESTED	ANALYSIS REQUESTED	
								HG-T-U-CVAF-VA	ALS Package-DOC	ALS Package-IKN/TOC	HG-D-CVAF-VA	TECKCOAL-MET-D-VA	TECKCOAL-MET-T-VA	TECKCOAL-ROUTINE-VA						
RG-T4U1-WS-20190425-1140	RG-T4	W	N	Apr 25/19	1140	g	7	X	X	X	X	X	X							
RG-T4U1-WS-20190425-1140-FB#6	RG-T4	W	N	Apr 25/19	1140	g	1	X												
RG-T4U2-WS-20190425-1135	RG-T4	W	N	Apr 25/19	1135	g	7	X	X	X	X	X	X							
RG-T4U2-WS-20190425-1135-FB#6	RG-T4	W	N	Apr 25/19	1135	g	1	X												
RG-T4U3-WS-20190425-1130	RG-T4	W	N	Apr 25/19	1130	g	7	X	X	X	X	X	X							
RG-T4U3-WS-20190425-1130-FB#6	RG-T4	W	N	Apr 25/19	1130	g	1	X												
RG-GC01-WS-20190425-1120	RG-GC	W	N	Apr 25/19	1120	g	7	X	X	X	X	X	X							
RG-GC01-WS-20190425-1120-FB#6	RG-GC	W	N	Apr 25/19	1120	g	1	X												
RG-GC02-WS-20190425-1115	RG-GC	W	N	Apr 25/19	1115	g	7	X	X	X	X	X	X							
RG-GC02-WS-20190425-1115-FB#6	RG-GC	W	N	Apr 25/19	1115	g	1	X												

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
VPO00616180			HA GC (otz)	4/25 8:35P

SERVICE REQUEST (rush - subject to availability)	Sampler's Name	Mobile #
Regular (default) <input checked="" type="checkbox"/>	Heidi Currier	905-691-6183
Priority (2-3 business days) - 50% surcharge		
Emergency (1 Business Day) - 100% surcharge		
For Emergency <1 Day, ASAP or Weekend - Contact ALS		
	Sampler's Signature	Date/Time
	<i>[Signature]</i>	Apr 25/19



L2263352-COFC

COC ID:		Regional Effects Program		TURNAROUND TIME:		Regular						
PROJECT/CLIENT INFO				LABORATORY				OTHER INFO				
Facility Name / Job# Regional Effects Program/Koochanusa				Lab Name ALS Burnaby		Report Format / Distribution				Excel	PDF	EDD
Project Manager Cait Good				Lab Contact Can Dang		Email 1:		cait.good@teck.com	X	X	X	
Email cait.good@teck.com				Email can.dang@ALSGlobal.com		Email 2:		carla.fraser@teck.com	X	X	X	
Address 421 Pine Avenue				Address 8081 Lougheed Hwy		Email 3:		colleen.mooney@teck.com	X	X	X	
				Suite 100		Email 4:		teckcoal@equisonline.com	X	X	X	
City Sparwood		Province BC		City Burnaby		Province BC	Email 5:		hcurnier@minnow.ca	X	X	X
Postal Code VOB 2G0		Country Canada		Postal Code V5A 1W9		Country Canada						
Phone Number 250-425-8202				Phone Number 604-253-4188				PO number		VPO00616180		

SAMPLE DETAILS							ANALYSIS REQUESTED								
Sample ID	Sample Location (sys loc code)	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Com p	# Of Cont.	PH	PREP	ANALYSIS	Filtered - F: Field, L: Lab, F1: Field & Lab, N: Not				
RG_SCUZ-WS-20190424-1540	RG-SC	W	N	Apr 24/19	1540	g	7	N	N	* N	N	N	N	N	N
RG_SCUZ-WS-20190424-1540#6	RG-SC	W	N	Apr 24/19	1540	g	1	NONE	NONE	H2504	NONE	NONE	HNO3	NONE	
								HG-T-U-CVAF-VA	ALS_Package-DOC	ALS_Package-TKN/TOC	HG-D-CVAF-VA	TECKCOAL-MET-D-VA	TECKCOAL-MET-T-VA	TECKCOAL-ROUTINE-VA	

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
VPO00616180				

SERVICE REQUEST (rush - subject to availability)		Sampler's Name		Mobile #	
Regular (default) X	Priority (2-3 business days) - 50% surcharge	Heidi Cumer		905-691-6183	
Emergency (1 Business Day) - 100% surcharge	For Emergency <1 Day, ASAP or Weekend - Contact ALS	Sampler's Signature		Date/Time	
		<i>Heidi Cumer</i>		Apr 25/19	





Teck Coal Ltd.
ATTN: Cait Good
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 13-JUN-19
Report Date: 23-JUL-19 09:17 (MT)
Version: FINAL REV. 2

Client Phone: 250-425-8202

Certificate of Analysis

Lab Work Order #: L2291233
Project P.O. #: VPO00616180
Job Reference: REGIONAL EFFECTS PROGRAM
C of C Numbers: Regional Effects
Legal Site Desc:

Lyudmyla Shvets, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L2291233-1 WS 12-JUN-19 13:30 RG_SC_U1 _WS_20190612	L2291233-2 WS 12-JUN-19 13:15 RG_SC_U2_WS_2 0190612	L2291233-3 WS 12-JUN-19 12:10 RG_ER_U1_WS_2 0190612	L2291233-4 WS 12-JUN-19 12:00 RG_ER_U2_WS_2 0190612	L2291233-5 WS 12-JUN-19 10:00 RG_GC_U1_WS_2 0190612
Grouping	Analyte					
WATER						
Physical Tests	Conductivity (@ 25C) (uS/cm)	214	213	201	205	206
	Hardness (as CaCO3) (mg/L)	106	108	103	106	108
	pH (pH)	8.21	8.16	8.15	8.20	8.19
	ORP (mV)	456	430	393	438	403
	Total Suspended Solids (mg/L)	10.4	11.0	6.8	9.3	2.9
	Total Dissolved Solids (mg/L)	125 ^{DLHC}	116 ^{DLHC}	122 ^{DLHC}	104 ^{DLHC}	117 ^{DLHC}
	Turbidity (NTU)	5.94	4.34	5.22	7.69	3.49
Anions and Nutrients	Acidity (as CaCO3) (mg/L)	<1.0	<1.0	<1.0	<1.0	<1.0
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)	90.9	90.1	85.6	82.7	88.5
	Alkalinity, Carbonate (as CaCO3) (mg/L)	<1.0	<1.0	<1.0	<1.0	<1.0
	Alkalinity, Hydroxide (as CaCO3) (mg/L)	<1.0	<1.0	<1.0	<1.0	<1.0
	Alkalinity, Total (as CaCO3) (mg/L)	90.9	90.1	85.6	82.7	88.5
	Ammonia as N (mg/L)	0.0100	0.0054	0.0056	0.0071	0.0193
	Bromide (Br) (mg/L)	<0.050	<0.050	<0.050	<0.050	<0.050
	Chloride (Cl) (mg/L)	1.94	1.96	1.68	1.79	1.56
	Fluoride (F) (mg/L)	0.069	0.071	0.067	0.068	0.072
	Ion Balance (%)	97.6	99.2	101	106	103
	Nitrate (as N) (mg/L)	0.128	0.126	0.148	0.137	0.208
	Nitrite (as N) (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	Total Kjeldahl Nitrogen (mg/L)	0.051	0.079	0.108	<0.050	0.113
	Orthophosphate-Dissolved (as P) (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	Phosphorus (P)-Total (mg/L)	0.0053	0.0050	0.0026	0.0062	0.0040
	Sulfate (SO4) (mg/L)	19.8	19.9	17.9	18.7	17.3
	Anion Sum (meq/L)	2.30	2.28	2.14	2.11	2.19
	Cation Sum (meq/L)	2.24	2.26	2.16	2.23	2.26
	Cation - Anion Balance (%)	-1.2	-0.4	0.5	2.9	1.5
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)	1.00	1.10	0.93	0.89
Total Organic Carbon (mg/L)		0.95	1.05	1.06	1.21	1.51
Total Metals	Aluminum (Al)-Total (mg/L)	0.0803	0.0663	0.0529	0.0857	0.0456
	Antimony (Sb)-Total (mg/L)	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Arsenic (As)-Total (mg/L)	0.00036	0.00035	0.00035	0.00032	0.00035
	Barium (Ba)-Total (mg/L)	0.0265	0.0266	0.0244	0.0253	0.0346
	Beryllium (Be)-Total (ug/L)	<0.020	<0.020	<0.020	<0.020	<0.020
	Bismuth (Bi)-Total (mg/L)	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Boron (B)-Total (mg/L)	<0.010	<0.010	<0.010	<0.010	<0.010
	Cadmium (Cd)-Total (ug/L)	<0.0050	0.0067	<0.0050	0.0066	0.0056

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L2291233-6 WS 12-JUN-19 09:40 RG_GC_U2_WS_2 0190612	L2291233-7 WS 12-JUN-19 09:30 RG_GC_U3_WS_2 0190612	L2291233-8 WS 12-JUN-19 14:15 RG_TN_U1_WS_2 0190612	L2291233-9 WS 12-JUN-19 14:00 RG_TN_U2_WS_2 0190612	L2291233-11 WS 12-JUN-19 11:20 RG_T4_U1_WS_2 0190612
Grouping	Analyte					
WATER						
Physical Tests	Conductivity (@ 25C) (uS/cm)	203	209	210	213	210
	Hardness (as CaCO3) (mg/L)	104	107	108	111	109
	pH (pH)	8.12	8.16	8.15	8.17	8.20
	ORP (mV)	394	448	393	432	420
	Total Suspended Solids (mg/L)	3.8	17.1	10.4	10.9	2.6
	Total Dissolved Solids (mg/L)	114 DLHC	118 DLHC	123 DLHC	119 DLHC	123 DLHC
	Turbidity (NTU)	4.72	15.6	8.49	9.04	3.49
Anions and Nutrients	Acidity (as CaCO3) (mg/L)	<1.0	<1.0	<1.0	<1.0	<1.0
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)	88.4	90.2	89.1	88.8	90.0
	Alkalinity, Carbonate (as CaCO3) (mg/L)	<1.0	<1.0	<1.0	<1.0	<1.0
	Alkalinity, Hydroxide (as CaCO3) (mg/L)	<1.0	<1.0	<1.0	<1.0	<1.0
	Alkalinity, Total (as CaCO3) (mg/L)	88.4	90.2	89.1	88.8	90.0
	Ammonia as N (mg/L)	0.0234	0.0101	0.0070	0.0111	<0.0050
	Bromide (Br) (mg/L)	<0.050	<0.050	<0.050	<0.050	<0.050
	Chloride (Cl) (mg/L)	1.45	1.39	1.96	1.94	1.69
	Fluoride (F) (mg/L)	0.071	0.077	0.070	0.069	0.076
	Ion Balance (%)	100	98.5	100	103	101
	Nitrate (as N) (mg/L)	0.207	0.269	0.130	0.127	0.301
	Nitrite (as N) (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	0.0012
	Total Kjeldahl Nitrogen (mg/L)	0.077	0.071	<0.050	0.093	0.076
	Orthophosphate-Dissolved (as P) (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	Phosphorus (P)-Total (mg/L)	0.0039	0.0089	0.0055	0.0050	0.0065
	Sulfate (SO4) (mg/L)	16.1	18.6	19.8	19.8	18.2
	Anion Sum (meq/L)	2.16	2.25	2.26	2.25	2.25
	Cation Sum (meq/L)	2.17	2.22	2.27	2.33	2.28
	Cation - Anion Balance (%)	0.2	-0.7	0.1	1.7	0.5
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)	1.24	1.09	0.90	0.86
Total Organic Carbon (mg/L)		1.48	1.26	1.00	1.04	1.52
Total Metals	Aluminum (Al)-Total (mg/L)	0.0560	0.175	0.0752	0.0830	0.0385
	Antimony (Sb)-Total (mg/L)	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Arsenic (As)-Total (mg/L)	0.00033	0.00040	0.00032	0.00034	0.00039
	Barium (Ba)-Total (mg/L)	0.0356	0.0333	0.0271	0.0278	0.0352
	Beryllium (Be)-Total (ug/L)	<0.020	<0.020	<0.020	<0.020	<0.020
	Bismuth (Bi)-Total (mg/L)	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Boron (B)-Total (mg/L)	<0.010	<0.010	<0.010	<0.010	<0.010
	Cadmium (Cd)-Total (ug/L)	<0.0050	0.0085	<0.0050	0.0053	0.0051

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID	L2291233-12 WS 12-JUN-19 11:10 RG_T4_U2_WS_2 0190612	L2291233-13 WS 12-JUN-19 11:00 RG_T4_U3_WS_2 0190612	L2291233-14 WS 12-JUN-19 10:00 RG_DUP_WS_201 90612	L2291233-15 WS 12-JUN-19 12:00 RG_BLANK_WS_2 0190612	L2291233-16 WS 12-JUN-19 12:00 RG_TRIP_WS_201 90612	
Grouping	Analyte					
WATER						
Physical Tests	Conductivity (@ 25C) (uS/cm)	205	215	208	<2.0	<2.0
	Hardness (as CaCO3) (mg/L)	104	103	97.6	<0.50	<0.50
	pH (pH)	8.17	8.18	8.20	5.59	5.54
	ORP (mV)	412	439	420	451	451
	Total Suspended Solids (mg/L)	8.0	15.0	2.0	<1.0	<3.0 ^{HTD}
	Total Dissolved Solids (mg/L)	119 ^{DLHC}	125 ^{DLHC}	126 ^{DLHC}	<10	<10
	Turbidity (NTU)	10.4	13.4	3.13	0.12 ^{RRV}	<0.10
Anions and Nutrients	Acidity (as CaCO3) (mg/L)	<1.0	<1.0	<1.0	1.4	<1.0
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)	85.3	92.4	88.9	<1.0	<1.0
	Alkalinity, Carbonate (as CaCO3) (mg/L)	<1.0	<1.0	<1.0	<1.0	<1.0
	Alkalinity, Hydroxide (as CaCO3) (mg/L)	<1.0	<1.0	<1.0	<1.0	<1.0
	Alkalinity, Total (as CaCO3) (mg/L)	85.3	92.4	88.9	<1.0	<1.0
	Ammonia as N (mg/L)	0.0094	0.0153	0.0066	<0.0050	<0.0050
	Bromide (Br) (mg/L)	<0.050	<0.050	<0.050	<0.050	<0.050
	Chloride (Cl) (mg/L)	1.40	1.46	1.58	<0.50	<0.50
	Fluoride (F) (mg/L)	0.066	0.075	0.073	<0.020	<0.020
	Ion Balance (%)	104	93.2	93.3	0.0	0.0
	Nitrate (as N) (mg/L)	0.177	0.251	0.200	<0.0050	<0.0050
	Nitrite (as N) (mg/L)	<0.0010	<0.0010	0.0011	<0.0010	<0.0010
	Total Kjeldahl Nitrogen (mg/L)	0.133	0.280	0.121	<0.050	<0.050
	Orthophosphate-Dissolved (as P) (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	Phosphorus (P)-Total (mg/L)	0.0060	0.0081	0.0055	<0.0020	<0.0020
	Sulfate (SO4) (mg/L)	15.8	18.3	17.1	<0.30	<0.30
	Anion Sum (meq/L)	2.09	2.29	2.20	<0.10	<0.10
	Cation Sum (meq/L)	2.18	2.13	2.05	<0.10	<0.10
	Cation - Anion Balance (%)	2.1	-3.5	-3.5	0.0	0.0
Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)	0.97	0.72	0.93	<0.50	
	Total Organic Carbon (mg/L)	1.18	0.83	1.55	<0.50	<0.50
Total Metals	Aluminum (Al)-Total (mg/L)	0.0970	0.116	0.0355	<0.0030	<0.0030
	Antimony (Sb)-Total (mg/L)	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Arsenic (As)-Total (mg/L)	0.00035	0.00037	0.00035	<0.00010	<0.00010
	Barium (Ba)-Total (mg/L)	0.0294	0.0318	0.0346	<0.00010	<0.00010
	Beryllium (Be)-Total (ug/L)	<0.020	<0.020	<0.020	<0.020	<0.020
	Bismuth (Bi)-Total (mg/L)	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Boron (B)-Total (mg/L)	<0.010	<0.010	<0.010	<0.010	<0.010
	Cadmium (Cd)-Total (ug/L)	0.0056	0.0069	0.0050	<0.0050	<0.0050

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2291233-1	L2291233-2	L2291233-3	L2291233-4	L2291233-5
		Description	WS	WS	WS	WS	WS
		Sampled Date	12-JUN-19	12-JUN-19	12-JUN-19	12-JUN-19	12-JUN-19
		Sampled Time	13:30	13:15	12:10	12:00	10:00
		Client ID	RG_SC_U1 _WS_20190612	RG_SC_U2_WS_2 0190612	RG_ER_U1_WS_2 0190612	RG_ER_U2_WS_2 0190612	RG_GC_U1_WS_2 0190612
Grouping	Analyte						
WATER							
Total Metals	Calcium (Ca)-Total (mg/L)		30.0	30.2	28.6	29.5	28.1
	Chromium (Cr)-Total (mg/L)		0.00017	0.00036	0.00014	0.00017	0.00013
	Cobalt (Co)-Total (ug/L)		<0.10	<0.10	<0.10	<0.10	<0.10
	Copper (Cu)-Total (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Iron (Fe)-Total (mg/L)		0.109	0.109	0.058	0.098	0.036
	Lead (Pb)-Total (mg/L)		0.000185	0.000192	0.000147	0.000175	0.000068
	Lithium (Li)-Total (mg/L)		0.0010	<0.0010	<0.0010	<0.0010	0.0013
	Magnesium (Mg)-Total (mg/L)		8.49	8.06	7.75	7.69	7.83
	Manganese (Mn)-Total (mg/L)		0.00788	0.00785	0.00669	0.00793	0.00443
	Mercury (Hg)-Total (ug/L)		0.00055	0.00055	0.00055	0.00056	0.00052
	Molybdenum (Mo)-Total (mg/L)		0.000548	0.000532	0.000539	0.000509	0.000522
	Nickel (Ni)-Total (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Potassium (K)-Total (mg/L)		0.424	0.411	0.390	0.400	0.435
	Selenium (Se)-Total (ug/L)		0.130	0.120	0.200	0.154	0.624
	Silicon (Si)-Total (mg/L)		2.27	2.34	2.13	2.18	2.22
	Silver (Ag)-Total (mg/L)		<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Sodium (Na)-Total (mg/L)		2.57	2.36	2.14	2.25	2.11
	Strontium (Sr)-Total (mg/L)		0.126	0.128	0.116	0.117	0.103
	Thallium (Tl)-Total (mg/L)		<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Tin (Sn)-Total (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Titanium (Ti)-Total (mg/L)		<0.010	<0.010	<0.010	<0.010	<0.010
	Uranium (U)-Total (mg/L)		0.000627	0.000629	0.000593	0.000596	0.000581
	Vanadium (V)-Total (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Zinc (Zn)-Total (mg/L)		<0.0030	<0.0030	<0.0030	<0.0030	<0.0030
Dissolved Metals	Dissolved Mercury Filtration Location		LAB	LAB	LAB	LAB	LAB
	Dissolved Metals Filtration Location		LAB	LAB	LAB	LAB	LAB
	Aluminum (Al)-Dissolved (mg/L)		0.0092	0.0091	0.0104	0.0104	0.0090
	Antimony (Sb)-Dissolved (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Arsenic (As)-Dissolved (mg/L)		0.00027	0.00030	0.00028	0.00027	0.00033
	Barium (Ba)-Dissolved (mg/L)		0.0249	0.0253	0.0238	0.0243	0.0336
	Beryllium (Be)-Dissolved (ug/L)		<0.020	<0.020	<0.020	<0.020	<0.020
	Bismuth (Bi)-Dissolved (mg/L)		<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Boron (B)-Dissolved (mg/L)		<0.010	<0.010	<0.010	<0.010	<0.010
	Cadmium (Cd)-Dissolved (ug/L)		<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
	Calcium (Ca)-Dissolved (mg/L)		29.3	29.5	28.7	29.7	29.7
	Chromium (Cr)-Dissolved (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Cobalt (Co)-Dissolved (ug/L)		<0.10	<0.10	<0.10	<0.10	<0.10

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2291233-6	L2291233-7	L2291233-8	L2291233-9	L2291233-11
		Description	WS	WS	WS	WS	WS
		Sampled Date	12-JUN-19	12-JUN-19	12-JUN-19	12-JUN-19	12-JUN-19
		Sampled Time	09:40	09:30	14:15	14:00	11:20
		Client ID	RG_GC_U2_WS_2 0190612	RG_GC_U3_WS_2 0190612	RG_TN_U1_WS_2 0190612	RG_TN_U2_WS_2 0190612	RG_T4_U1_WS_2 0190612
Grouping	Analyte						
WATER							
Total Metals	Calcium (Ca)-Total (mg/L)		28.3	30.1	30.2	30.7	30.0
	Chromium (Cr)-Total (mg/L)		0.00015	0.00030	0.00018	0.00026	0.00011
	Cobalt (Co)-Total (ug/L)		<0.10	0.15	<0.10	<0.10	<0.10
	Copper (Cu)-Total (mg/L)		<0.00050	0.00051	<0.00050	<0.00050	<0.00050
	Iron (Fe)-Total (mg/L)		0.051	0.201	0.104	0.115	0.031
	Lead (Pb)-Total (mg/L)		0.000100	0.000297	0.000209	0.000209	0.000066
	Lithium (Li)-Total (mg/L)		0.0012	0.0015	<0.0010	0.0010	0.0014
	Magnesium (Mg)-Total (mg/L)		7.60	8.15	8.13	8.47	8.33
	Manganese (Mn)-Total (mg/L)		0.00524	0.0133	0.00818	0.00867	0.00376
	Mercury (Hg)-Total (ug/L)		0.00061	0.00065	<0.00050	0.00055	<0.00050
	Molybdenum (Mo)-Total (mg/L)		0.000481	0.000497	0.000533	0.000558	0.000556
	Nickel (Ni)-Total (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Potassium (K)-Total (mg/L)		0.447	0.424	0.410	0.428	0.445
	Selenium (Se)-Total (ug/L)		0.498	0.751	0.105	0.083	0.782
	Silicon (Si)-Total (mg/L)		2.60	2.45	2.24	2.34	2.19
	Silver (Ag)-Total (mg/L)		<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Sodium (Na)-Total (mg/L)		2.00	1.77	2.48	2.53	2.33
	Strontium (Sr)-Total (mg/L)		0.0988	0.112	0.124	0.123	0.113
	Thallium (Tl)-Total (mg/L)		<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Tin (Sn)-Total (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Titanium (Ti)-Total (mg/L)		<0.010	<0.010	<0.010	<0.010	<0.010
	Uranium (U)-Total (mg/L)		0.000574	0.000604	0.000660	0.000630	0.000602
	Vanadium (V)-Total (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Zinc (Zn)-Total (mg/L)		<0.0030	<0.0030	<0.0030	<0.0030	<0.0030
Dissolved Metals	Dissolved Mercury Filtration Location		LAB	LAB	LAB	LAB	LAB
	Dissolved Metals Filtration Location		LAB	LAB	LAB	LAB	LAB
	Aluminum (Al)-Dissolved (mg/L)		0.0080	0.0107	0.0092	0.0091	0.0098
	Antimony (Sb)-Dissolved (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Arsenic (As)-Dissolved (mg/L)		0.00032	0.00027	0.00028	0.00030	0.00032
	Barium (Ba)-Dissolved (mg/L)		0.0355	0.0300	0.0247	0.0245	0.0332
	Beryllium (Be)-Dissolved (ug/L)		<0.020	<0.020	<0.020	<0.020	<0.020
	Bismuth (Bi)-Dissolved (mg/L)		<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Boron (B)-Dissolved (mg/L)		<0.010	<0.010	<0.010	<0.010	<0.010
	Cadmium (Cd)-Dissolved (ug/L)		<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
	Calcium (Ca)-Dissolved (mg/L)		28.8	29.7	29.7	30.7	30.3
	Chromium (Cr)-Dissolved (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Cobalt (Co)-Dissolved (ug/L)		<0.10	<0.10	<0.10	<0.10	<0.10

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2291233-12	L2291233-13	L2291233-14	L2291233-15	L2291233-16
		Description	WS	WS	WS	WS	WS
		Sampled Date	12-JUN-19	12-JUN-19	12-JUN-19	12-JUN-19	12-JUN-19
		Sampled Time	11:10	11:00	10:00	12:00	12:00
		Client ID	RG_T4_U2_WS_2 0190612	RG_T4_U3_WS_2 0190612	RG_DUP_WS_201 90612	RG_BLANK_WS_2 0190612	RG_TRIP_WS_201 90612
Grouping	Analyte						
WATER							
Total Metals	Calcium (Ca)-Total (mg/L)		30.4	30.5	29.6	<0.050	<0.050
	Chromium (Cr)-Total (mg/L)		0.00022	0.00024	0.00011	<0.00010	<0.00010
	Cobalt (Co)-Total (ug/L)		<0.10	0.12	<0.10	<0.10	<0.10
	Copper (Cu)-Total (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Iron (Fe)-Total (mg/L)		0.101	0.158	0.029	<0.010	<0.010
	Lead (Pb)-Total (mg/L)		0.000180	0.000259	0.000062	<0.000050	<0.000050
	Lithium (Li)-Total (mg/L)		0.0012	0.0015	0.0014	<0.0010	<0.0010
	Magnesium (Mg)-Total (mg/L)		7.72	8.32	8.01	<0.10	<0.10
	Manganese (Mn)-Total (mg/L)		0.00785	0.0119	0.00362	<0.00010	<0.00010
	Mercury (Hg)-Total (ug/L)		0.00064	0.00075	<0.00050	<0.00050	<0.00050
	Molybdenum (Mo)-Total (mg/L)		0.000549	0.000547	0.000502	<0.000050	<0.000050
	Nickel (Ni)-Total (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Potassium (K)-Total (mg/L)		0.412	0.416	0.428	<0.050	<0.050
	Selenium (Se)-Total (ug/L)		0.507	0.789	0.617	<0.050	<0.050
	Silicon (Si)-Total (mg/L)		2.29	2.34	2.26	<0.10	<0.10
	Silver (Ag)-Total (mg/L)		<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Sodium (Na)-Total (mg/L)		2.03	1.94	2.24	<0.050	<0.050
	Strontium (Sr)-Total (mg/L)		0.114	0.120	0.106	<0.00020	<0.00020
	Thallium (Tl)-Total (mg/L)		<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Tin (Sn)-Total (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Titanium (Ti)-Total (mg/L)		<0.010	<0.010	<0.010	<0.010	<0.010
	Uranium (U)-Total (mg/L)		0.000592	0.000610	0.000591	<0.000010	<0.000010
	Vanadium (V)-Total (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Zinc (Zn)-Total (mg/L)		<0.0030	<0.0030	<0.0030	<0.0030	<0.0030
Dissolved Metals	Dissolved Mercury Filtration Location		LAB	LAB	LAB	LAB	
	Dissolved Metals Filtration Location		LAB	LAB	LAB	LAB	LAB
	Aluminum (Al)-Dissolved (mg/L)		0.0098	0.0102	0.0098	<0.0030	
	Antimony (Sb)-Dissolved (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	
	Arsenic (As)-Dissolved (mg/L)		0.00030	0.00024	0.00030	<0.00010	
	Barium (Ba)-Dissolved (mg/L)		0.0275	0.0320	0.0351	<0.00010	
	Beryllium (Be)-Dissolved (ug/L)		<0.020	<0.020	<0.020	<0.020	
	Bismuth (Bi)-Dissolved (mg/L)		<0.000050	<0.000050	<0.000050	<0.000050	
	Boron (B)-Dissolved (mg/L)		<0.010	<0.010	<0.010	<0.010	
	Cadmium (Cd)-Dissolved (ug/L)		<0.0050	<0.0050	<0.0050	<0.0050	
	Calcium (Ca)-Dissolved (mg/L)		29.0	28.4	26.8	<0.050	<0.050
	Chromium (Cr)-Dissolved (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	
	Cobalt (Co)-Dissolved (ug/L)		<0.10	<0.10	<0.10	<0.10	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID	Description	Sampled Date	Sampled Time	Client ID	L2291233-1	L2291233-2	L2291233-3	L2291233-4	L2291233-5
					WS	WS	WS	WS	WS
		12-JUN-19	13:30		12-JUN-19	12-JUN-19	12-JUN-19	12-JUN-19	12-JUN-19
					13:30	13:15	12:10	12:00	10:00
					RG_SC_U1 _WS_20190612	RG_SC_U2_WS_2 0190612	RG_ER_U1_WS_2 0190612	RG_ER_U2_WS_2 0190612	RG_GC_U1_WS_2 0190612
Grouping	Analyte								
WATER									
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Iron (Fe)-Dissolved (mg/L)	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
	Lead (Pb)-Dissolved (mg/L)	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Lithium (Li)-Dissolved (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	0.0013
	Magnesium (Mg)-Dissolved (mg/L)	8.08	8.27	7.70	7.79	8.19			
	Manganese (Mn)-Dissolved (mg/L)	0.00128	0.00143	0.00224	0.00261	0.00011			
	Mercury (Hg)-Dissolved (mg/L)	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050
	Molybdenum (Mo)-Dissolved (mg/L)	0.000529	0.000517	0.000518	0.000519	0.000491			
	Nickel (Ni)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Potassium (K)-Dissolved (mg/L)	0.389	0.399	0.368	0.382	0.414			
	Selenium (Se)-Dissolved (ug/L)	0.089	0.129	0.190	0.149	0.657			
	Silicon (Si)-Dissolved (mg/L)	2.18	2.28	2.01	2.08	2.20			
	Silver (Ag)-Dissolved (mg/L)	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Sodium (Na)-Dissolved (mg/L)	2.36	2.36	2.02	2.24	2.08			
	Strontium (Sr)-Dissolved (mg/L)	0.118	0.117	0.111	0.117	0.106			
	Thallium (Tl)-Dissolved (mg/L)	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Tin (Sn)-Dissolved (mg/L)	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Titanium (Ti)-Dissolved (mg/L)	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
	Uranium (U)-Dissolved (mg/L)	0.000610	0.000611	0.000578	0.000579	0.000590			
	Vanadium (V)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Zinc (Zn)-Dissolved (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID	Description	Sampled Date	Sampled Time	Client ID	L2291233-6	L2291233-7	L2291233-8	L2291233-9	L2291233-11
					WS	WS	WS	WS	WS
		12-JUN-19	09:40		12-JUN-19	12-JUN-19	12-JUN-19	12-JUN-19	12-JUN-19
					09:40	09:30	14:15	14:00	11:20
					RG_GC_U2_WS_2 0190612	RG_GC_U3_WS_2 0190612	RG_TN_U1_WS_2 0190612	RG_TN_U2_WS_2 0190612	RG_T4_U1_WS_2 0190612
Grouping	Analyte								
WATER									
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Iron (Fe)-Dissolved (mg/L)	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
	Lead (Pb)-Dissolved (mg/L)	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Lithium (Li)-Dissolved (mg/L)	0.0012	0.0014	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	0.0014
	Magnesium (Mg)-Dissolved (mg/L)	7.67	7.91	8.13	8.35	8.01			
	Manganese (Mn)-Dissolved (mg/L)	0.00015	0.00051	0.00151	0.00157	0.00018			
	Mercury (Hg)-Dissolved (mg/L)	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050
	Molybdenum (Mo)-Dissolved (mg/L)	0.000463	0.000540	0.000524	0.000544	0.000532			
	Nickel (Ni)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Potassium (K)-Dissolved (mg/L)	0.415	0.363	0.388	0.399	0.412			
	Selenium (Se)-Dissolved (ug/L)	0.599	0.829	0.099	0.114	0.769			
	Silicon (Si)-Dissolved (mg/L)	2.41	2.03	2.17	2.18	2.10			
	Silver (Ag)-Dissolved (mg/L)	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Sodium (Na)-Dissolved (mg/L)	1.98	1.68	2.37	2.37	2.18			
	Strontium (Sr)-Dissolved (mg/L)	0.0950	0.108	0.116	0.119	0.106			
	Thallium (Tl)-Dissolved (mg/L)	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Tin (Sn)-Dissolved (mg/L)	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Titanium (Ti)-Dissolved (mg/L)	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
	Uranium (U)-Dissolved (mg/L)	0.000564	0.000568	0.000614	0.000604	0.000582			
	Vanadium (V)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Zinc (Zn)-Dissolved (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2291233-12	L2291233-13	L2291233-14	L2291233-15	L2291233-16
		Description	WS	WS	WS	WS	WS
		Sampled Date	12-JUN-19	12-JUN-19	12-JUN-19	12-JUN-19	12-JUN-19
		Sampled Time	11:10	11:00	10:00	12:00	12:00
		Client ID	RG_T4_U2_WS_2 0190612	RG_T4_U3_WS_2 0190612	RG_DUP_WS_201 90612	RG_BLANK_WS_2 0190612	RG_TRIP_WS_201 90612
Grouping	Analyte						
WATER							
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	
	Iron (Fe)-Dissolved (mg/L)		<0.010	<0.010	<0.010	<0.010	
	Lead (Pb)-Dissolved (mg/L)		<0.000050	<0.000050	<0.000050	<0.000050	
	Lithium (Li)-Dissolved (mg/L)		0.0012	0.0014	0.0013	<0.0010	
	Magnesium (Mg)-Dissolved (mg/L)		7.69	7.71	7.44	<0.10	<0.0050
	Manganese (Mn)-Dissolved (mg/L)		0.00027	0.00121	0.00010	<0.00010	
	Mercury (Hg)-Dissolved (mg/L)		<0.0000050	<0.0000050	<0.0000050	<0.0000050	
	Molybdenum (Mo)-Dissolved (mg/L)		0.000528	0.000575	0.000514	<0.000050	
	Nickel (Ni)-Dissolved (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	
	Potassium (K)-Dissolved (mg/L)		0.372	0.364	0.401	<0.050	<0.050
	Selenium (Se)-Dissolved (ug/L)		0.506	0.736	0.667	<0.050	
	Silicon (Si)-Dissolved (mg/L)		2.05	2.04	2.18	<0.050	
	Silver (Ag)-Dissolved (mg/L)		<0.000010	<0.000010	<0.000010	<0.000010	
	Sodium (Na)-Dissolved (mg/L)		1.94	1.69	1.99	<0.050	<0.050
	Strontium (Sr)-Dissolved (mg/L)		0.105	0.111	0.101	<0.00020	
	Thallium (Tl)-Dissolved (mg/L)		<0.000010	<0.000010	<0.000010	<0.000010	
	Tin (Sn)-Dissolved (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	
	Titanium (Ti)-Dissolved (mg/L)		<0.010	<0.010	<0.010	<0.010	
	Uranium (U)-Dissolved (mg/L)		0.000580	0.000524	0.000532	<0.000010	
	Vanadium (V)-Dissolved (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	
	Zinc (Zn)-Dissolved (mg/L)		<0.0010	<0.0010	<0.0010	<0.0010	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

Qualifiers for Sample Submission Listed:

Qualifier	Description
SFPL	Sample was Filtered and Preserved at the laboratory - DOC/D-METAL/D-HG FILTERED AND PRESERVED AT THE LAB

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Method Blank	Copper (Cu)-Dissolved	B	L2291233-13, -14, -15
Matrix Spike	Barium (Ba)-Dissolved	MS-B	L2291233-1, -11, -12, -2, -3, -4, -5, -6, -7, -8, -9
Matrix Spike	Calcium (Ca)-Dissolved	MS-B	L2291233-1, -11, -12, -2, -3, -4, -5, -6, -7, -8, -9
Matrix Spike	Magnesium (Mg)-Dissolved	MS-B	L2291233-1, -11, -12, -2, -3, -4, -5, -6, -7, -8, -9
Matrix Spike	Sodium (Na)-Dissolved	MS-B	L2291233-1, -11, -12, -2, -3, -4, -5, -6, -7, -8, -9
Matrix Spike	Strontium (Sr)-Dissolved	MS-B	L2291233-1, -11, -12, -2, -3, -4, -5, -6, -7, -8, -9
Matrix Spike	Aluminum (Al)-Total	MS-B	L2291233-16
Matrix Spike	Barium (Ba)-Total	MS-B	L2291233-1, -11, -12, -13, -14, -15, -2, -3, -4, -5, -6, -7, -8, -9
Matrix Spike	Barium (Ba)-Total	MS-B	L2291233-16
Matrix Spike	Calcium (Ca)-Total	MS-B	L2291233-1, -11, -12, -13, -14, -15, -2, -3, -4, -5, -6, -7, -8, -9
Matrix Spike	Calcium (Ca)-Total	MS-B	L2291233-16
Matrix Spike	Magnesium (Mg)-Total	MS-B	L2291233-1, -11, -12, -13, -14, -15, -2, -3, -4, -5, -6, -7, -8, -9
Matrix Spike	Sodium (Na)-Total	MS-B	L2291233-1, -11, -12, -13, -14, -15, -2, -3, -4, -5, -6, -7, -8, -9
Matrix Spike	Strontium (Sr)-Total	MS-B	L2291233-1, -11, -12, -13, -14, -15, -2, -3, -4, -5, -6, -7, -8, -9

Qualifiers for Individual Parameters Listed:

Qualifier	Description
B	Method Blank exceeds ALS DQO. Associated sample results which are < Limit of Reporting or > 5 times blank level are considered reliable.
DLHC	Detection Limit Raised: Dilution required due to high concentration of test analyte(s).
HTD	Hold time exceeded for re-analysis or dilution, but initial testing was conducted within hold time.
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.
RRV	Reported Result Verified By Repeat Analysis

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
ACIDITY-PCT-CL	Water	Acidity by Automatic Titration	APHA 2310 Acidity
This analysis is carried out using procedures adapted from APHA Method 2310 "Acidity". Acidity is determined by potentiometric titration to a specified endpoint.			
ALK-MAN-CL	Water	Alkalinity (Species) by Manual Titration	APHA 2320 ALKALINITY
This analysis is carried out using procedures adapted from APHA Method 2320 "Alkalinity". Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.			
BE-D-L-CCMS-VA	Water	Diss. Be (low) in Water by CRC ICPMS	APHA 3030B/6020A (mod)
Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.			
BE-T-L-CCMS-VA	Water	Total Be (Low) in Water by CRC ICPMS	EPA 200.2/6020A (mod)
Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.			
BR-L-IC-N-CL	Water	Bromide in Water by IC (Low Level)	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
C-DIS-ORG-LOW-CL	Water	Dissolved Organic Carbon	APHA 5310 B-Instrumental
This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon			

Reference Information

and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.

The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC.

TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.

C-TOT-ORG-LOW-CL Water Total Organic Carbon APHA 5310 TOTAL ORGANIC CARBON (TOC)

This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.

The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC.

TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.

CL-IC-N-CL Water Chloride in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

EC-L-PCT-CL Water Electrical Conductivity (EC) APHA 2510B

Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water sample. Conductivity measurements are temperature-compensated to 25C.

F-IC-N-CL Water Fluoride in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

HARDNESS-CALC-VA Water Hardness APHA 2340B

Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.

HG-D-CVAA-VA Water Diss. Mercury in Water by CVAAS or CVAFS APHA 3030B/EPA 1631E (mod)

Water samples are filtered (0.45 um), preserved with hydrochloric acid, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS or CVAFS.

HG-T-U-CVAF-VA Water Total Mercury in Water by CVAFS (Ultra) EPA 1631 REV. E

This analysis is carried out using procedures adapted from Method 1631 Rev. E. by the United States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to a purge and trap concentration step and final reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry.

IONBALANCE-BC-CL Water Ion Balance Calculation APHA 1030E

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]

MET-D-CCMS-CL Water Dissolved Metals in Water by CRC ICPMS APHA 3030B/6020A (mod)

Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

MET-D-CCMS-VA Water Dissolved Metals in Water by CRC ICPMS APHA 3030B/6020A (mod)

Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

MET-T-CCMS-VA Water Total Metals in Water by CRC ICPMS EPA 200.2/6020A (mod)

Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

NH3-L-F-CL Water Ammonia, Total (as N) J. ENVIRON. MONIT., 2005, 7, 37-42, RSC

Reference Information

This analysis is carried out, on sulfuric acid preserved samples, using procedures modified from J. Environ. Monit., 2005, 7, 37 - 42, The Royal Society of Chemistry, "Flow-injection analysis with fluorescence detection for the determination of trace levels of ammonium in seawater", Roslyn J. Waston et al.

NO2-L-IC-N-CL Water Nitrite in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

NO3-L-IC-N-CL Water Nitrate in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

ORP-CL Water Oxidation reduction potential by elect. ASTM D1498

This analysis is carried out in accordance with the procedure described in the "ASTM" method D1498 "Oxidation-Reduction Potential of Water" published by the American Society for Testing and Materials (ASTM). Results are reported as observed oxidation-reduction potential of the platinum metal-reference electrode employed, in mV.

It is recommended that this analysis be conducted in the field.

P-T-L-COL-CL Water Phosphorus (P)-Total APHA 4500-P PHOSPHORUS

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorus is determined colourimetrically after persulphate digestion of the sample.

PH-CL Water pH APHA 4500 H-Electrode

pH is determined in the laboratory using a pH electrode. All samples analyzed by this method for pH will have exceeded the 15 minute recommended hold time from time of sampling (field analysis is recommended for pH where highly accurate results are needed)

PO4-DO-L-COL-CL Water Orthophosphate-Dissolved (as P) APHA 4500-P PHOSPHORUS

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Dissolved Orthophosphate is determined colourimetrically on a sample that has been lab or field filtered through a 0.45 micron membrane filter.

SO4-IC-N-CL Water Sulfate in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

SOLIDS-TDS-CL Water Total Dissolved Solids APHA 2540 C

A well-mixed sample is filtered through a glass fibre filter paper. The filtrate is then evaporated to dryness in a pre-weighed vial and dried at 180 – 2 °C. The increase in vial weight represents the total dissolved solids (TDS).

TECKCOAL-IONBAL-CL Water Ion Balance Calculation APHA 1030E

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

$$\text{Ion Balance (\%)} = \frac{[\text{Cation Sum} - \text{Anion Sum}]}{[\text{Cation Sum} + \text{Anion Sum}]}$$

TKN-L-F-CL Water Total Kjeldahl Nitrogen APHA 4500-NORG (TKN)

This analysis is carried out using procedures adapted from APHA Method 4500-Norg D. "Block Digestion and Flow Injection Analysis". Total Kjeldahl Nitrogen is determined using block digestion followed by Flow-injection analysis with fluorescence detection.

TSS-L-CL Water Total Suspended Solids APHA 2540 D-Gravimetric

This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, and by drying the filter at 104 deg. C.

TURBIDITY-CL Water Turbidity APHA 2130 B-Nephelometer

This analysis is carried out using procedures adapted from APHA Method 2130 "Turbidity". Turbidity is determined by the nephelometric method.

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
CL	ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA
VA	ALS ENVIRONMENTAL - VANCOUVER, BRITISH COLUMBIA, CANADA

Chain of Custody Numbers:

Reference Information

Regional Effects

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 1 of 25

Client: Teck Coal Ltd.
 421 Pine Avenue
 Sparwood BC V0B 2G0
 Contact: Cait Good

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
ACIDITY-PCT-CL		Water						
Batch	R4677928							
WG3082902-11	LCS							
Acidity (as CaCO3)			103.3		%		85-115	19-JUN-19
WG3082902-14	LCS							
Acidity (as CaCO3)			103.0		%		85-115	19-JUN-19
WG3082902-10	MB							
Acidity (as CaCO3)			<1.0		mg/L		2	19-JUN-19
WG3082902-13	MB							
Acidity (as CaCO3)			<1.0		mg/L		2	19-JUN-19
ALK-MAN-CL		Water						
Batch	R4677888							
WG3082781-11	LCS							
Alkalinity, Total (as CaCO3)			96.0		%		85-115	19-JUN-19
WG3082781-14	LCS							
Alkalinity, Total (as CaCO3)			96.7		%		85-115	19-JUN-19
WG3082781-10	MB							
Alkalinity, Total (as CaCO3)			<1.0		mg/L		1	19-JUN-19
WG3082781-13	MB							
Alkalinity, Total (as CaCO3)			<1.0		mg/L		1	19-JUN-19
BE-D-L-CCMS-VA		Water						
Batch	R4671854							
WG3078791-3	DUP	L2291233-14						
Beryllium (Be)-Dissolved		<0.000020	<0.000020	RPD-NA	mg/L	N/A	20	17-JUN-19
WG3078791-2	LCS							
Beryllium (Be)-Dissolved			92.7		%		80-120	17-JUN-19
WG3078791-1	MB	LF						
Beryllium (Be)-Dissolved			<0.000020		mg/L		0.00002	17-JUN-19
WG3078791-4	MS	L2291233-15						
Beryllium (Be)-Dissolved			96.7		%		70-130	17-JUN-19
Batch	R4672960							
WG3079762-3	DUP	L2291233-2						
Beryllium (Be)-Dissolved		<0.000020	<0.000020	RPD-NA	mg/L	N/A	20	18-JUN-19
WG3079762-2	LCS							
Beryllium (Be)-Dissolved			109.6		%		80-120	18-JUN-19
WG3079762-1	MB	LF						
Beryllium (Be)-Dissolved			<0.000020		mg/L		0.00002	18-JUN-19
WG3079762-4	MS	L2291233-1						
Beryllium (Be)-Dissolved			106.4		%		70-130	18-JUN-19
BE-T-L-CCMS-VA		Water						



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 2 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
BE-T-L-CCMS-VA								
Water								
Batch	R4672026							
WG3078683-3	DUP	L2291233-1						
Beryllium (Be)-Total		<0.000020	<0.000020	RPD-NA	mg/L	N/A	20	17-JUN-19
WG3078683-2	LCS							
Beryllium (Be)-Total			103.7		%		80-120	17-JUN-19
WG3078683-1	MB							
Beryllium (Be)-Total			<0.000020		mg/L		0.00002	17-JUN-19
WG3078683-4	MS	L2291233-2						
Beryllium (Be)-Total			98.9		%		70-130	17-JUN-19
Batch	R4672767							
WG3078717-2	LCS							
Beryllium (Be)-Total			104.6		%		80-120	18-JUN-19
WG3078717-1	MB							
Beryllium (Be)-Total			<0.000020		mg/L		0.00002	18-JUN-19
BR-L-IC-N-CL								
Water								
Batch	R4672521							
WG3080454-7	DUP	L2291233-15						
Bromide (Br)		<0.050	<0.050	RPD-NA	mg/L	N/A	20	14-JUN-19
WG3080454-2	LCS							
Bromide (Br)			108.5		%		85-115	14-JUN-19
WG3080454-6	LCS							
Bromide (Br)			108.1		%		85-115	14-JUN-19
WG3080454-1	MB							
Bromide (Br)			<0.050		mg/L		0.05	14-JUN-19
WG3080454-5	MB							
Bromide (Br)			<0.050		mg/L		0.05	14-JUN-19
WG3080454-8	MS	L2291233-15						
Bromide (Br)			110.8		%		75-125	14-JUN-19
C-DIS-ORG-LOW-CL								
Water								
Batch	R4673969							
WG3081710-7	DUP	L2291233-14						
Dissolved Organic Carbon		0.93	0.95		mg/L	2.3	20	18-JUN-19
WG3081710-2	LCS							
Dissolved Organic Carbon			93.8		%		80-120	18-JUN-19
WG3081710-6	LCS							
Dissolved Organic Carbon			85.6		%		80-120	18-JUN-19
WG3081710-1	MB							
Dissolved Organic Carbon			<0.50		mg/L		0.5	18-JUN-19
WG3081710-5	MB							



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 3 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
C-DIS-ORG-LOW-CL								
	Water							
Batch	R4673969							
WG3081710-5	MB							
Dissolved Organic Carbon			<0.50		mg/L		0.5	18-JUN-19
WG3081710-8	MS	L2291233-15						
Dissolved Organic Carbon			84.1		%		70-130	18-JUN-19
C-TOT-ORG-LOW-CL								
	Water							
Batch	R4673969							
WG3081710-7	DUP	L2291233-14						
Total Organic Carbon		1.55	1.56		mg/L	0.7	20	18-JUN-19
WG3081710-2	LCS							
Total Organic Carbon			91.8		%		80-120	18-JUN-19
WG3081710-6	LCS							
Total Organic Carbon			87.1		%		80-120	18-JUN-19
WG3081710-1	MB							
Total Organic Carbon			<0.50		mg/L		0.5	18-JUN-19
WG3081710-5	MB							
Total Organic Carbon			<0.50		mg/L		0.5	18-JUN-19
WG3081710-8	MS	L2291233-15						
Total Organic Carbon			90.4		%		70-130	18-JUN-19
CL-IC-N-CL								
	Water							
Batch	R4672521							
WG3080454-7	DUP	L2291233-15						
Chloride (Cl)		<0.50	<0.50	RPD-NA	mg/L	N/A	20	14-JUN-19
WG3080454-2	LCS							
Chloride (Cl)			109.8		%		90-110	14-JUN-19
WG3080454-6	LCS							
Chloride (Cl)			109.7		%		90-110	14-JUN-19
WG3080454-1	MB							
Chloride (Cl)			<0.50		mg/L		0.5	14-JUN-19
WG3080454-5	MB							
Chloride (Cl)			<0.50		mg/L		0.5	14-JUN-19
WG3080454-8	MS	L2291233-15						
Chloride (Cl)			109.1		%		75-125	14-JUN-19
EC-L-PCT-CL								
	Water							
Batch	R4677888							
WG3082781-11	LCS							
Conductivity (@ 25C)			103.6		%		90-110	19-JUN-19
WG3082781-14	LCS							
Conductivity (@ 25C)			103.6		%		90-110	19-JUN-19



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 4 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
EC-L-PCT-CL		Water						
Batch	R4677888							
WG3082781-10 MB								
Conductivity (@ 25C)			<2.0		uS/cm		2	19-JUN-19
WG3082781-13 MB								
Conductivity (@ 25C)			<2.0		uS/cm		2	19-JUN-19
F-IC-N-CL		Water						
Batch	R4672521							
WG3080454-7 DUP		L2291233-15						
Fluoride (F)		<0.020	<0.020	RPD-NA	mg/L	N/A	20	14-JUN-19
WG3080454-2 LCS								
Fluoride (F)			108.8		%		90-110	14-JUN-19
WG3080454-6 LCS								
Fluoride (F)			107.5		%		90-110	14-JUN-19
WG3080454-1 MB								
Fluoride (F)			<0.020		mg/L		0.02	14-JUN-19
WG3080454-5 MB								
Fluoride (F)			<0.020		mg/L		0.02	14-JUN-19
WG3080454-8 MS		L2291233-15						
Fluoride (F)			115.2		%		75-125	14-JUN-19
HG-D-CVAA-VA		Water						
Batch	R4677175							
WG3082243-2 LCS								
Mercury (Hg)-Dissolved			93.5		%		80-120	20-JUN-19
WG3082243-6 LCS								
Mercury (Hg)-Dissolved			94.6		%		80-120	20-JUN-19
WG3082243-1 MB		LF						
Mercury (Hg)-Dissolved			<0.000005C		mg/L		0.000005	20-JUN-19
WG3082243-5 MB		LF						
Mercury (Hg)-Dissolved			<0.000005C		mg/L		0.000005	20-JUN-19
HG-T-U-CVAF-VA		Water						
Batch	R4674405							
WG3081825-3 DUP		L2291233-9						
Mercury (Hg)-Total		0.00055	0.00056	RPD-NA	ug/L	N/A	20	19-JUN-19
WG3081825-2 LCS								
Mercury (Hg)-Total			94.7		%		80-120	19-JUN-19
WG3081825-1 MB								
Mercury (Hg)-Total			<0.00050		ug/L		0.0005	19-JUN-19
WG3081825-4 MS		L2291233-14						
Mercury (Hg)-Total			86.6		%		70-130	19-JUN-19



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 5 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-CL								
	Water							
Batch	R4678048							
WG3082731-2	LCS	TMRM						
Calcium (Ca)-Dissolved			99.6		%		80-120	19-JUN-19
Magnesium (Mg)-Dissolved			102.5		%		80-120	19-JUN-19
Potassium (K)-Dissolved			98.5		%		80-120	19-JUN-19
Sodium (Na)-Dissolved			106.8		%		80-120	19-JUN-19
WG3082731-1	MB							
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	19-JUN-19
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	19-JUN-19
Potassium (K)-Dissolved			<0.050		mg/L		0.05	19-JUN-19
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	19-JUN-19
MET-D-CCMS-VA								
	Water							
Batch	R4671854							
WG3078791-3	DUP	L2291233-14						
Aluminum (Al)-Dissolved		0.0098	0.0085		mg/L	13	20	17-JUN-19
Antimony (Sb)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	17-JUN-19
Arsenic (As)-Dissolved		0.00030	0.00027		mg/L	12	20	17-JUN-19
Barium (Ba)-Dissolved		0.0351	0.0357		mg/L	1.5	20	17-JUN-19
Bismuth (Bi)-Dissolved		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	17-JUN-19
Boron (B)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	17-JUN-19
Cadmium (Cd)-Dissolved		<0.0000050	<0.0000050	RPD-NA	mg/L	N/A	20	17-JUN-19
Calcium (Ca)-Dissolved		26.8	28.6		mg/L	6.4	20	17-JUN-19
Chromium (Cr)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	17-JUN-19
Cobalt (Co)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	17-JUN-19
Copper (Cu)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	17-JUN-19
Iron (Fe)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	17-JUN-19
Lead (Pb)-Dissolved		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	17-JUN-19
Lithium (Li)-Dissolved		0.0013	0.0013		mg/L	0.6	20	17-JUN-19
Magnesium (Mg)-Dissolved		7.44	7.42		mg/L	0.3	20	17-JUN-19
Manganese (Mn)-Dissolved		0.00010	0.00014	J	mg/L	0.00004	0.0002	17-JUN-19
Molybdenum (Mo)-Dissolved		0.000514	0.000496		mg/L	3.6	20	17-JUN-19
Nickel (Ni)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	17-JUN-19
Potassium (K)-Dissolved		0.401	0.404		mg/L	0.6	20	17-JUN-19
Selenium (Se)-Dissolved		0.000667	0.000609		mg/L	9.0	20	17-JUN-19
Silicon (Si)-Dissolved		2.18	2.15		mg/L	1.3	20	17-JUN-19
Silver (Ag)-Dissolved		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	17-JUN-19



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 6 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4671854							
WG3078791-3	DUP	L2291233-14						
Sodium (Na)-Dissolved		1.99	1.96		mg/L	1.5	20	17-JUN-19
Strontium (Sr)-Dissolved		0.101	0.100		mg/L	1.1	20	17-JUN-19
Thallium (Tl)-Dissolved		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	17-JUN-19
Tin (Sn)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	17-JUN-19
Titanium (Ti)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	17-JUN-19
Uranium (U)-Dissolved		0.000532	0.000533		mg/L	0.2	20	17-JUN-19
Vanadium (V)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	17-JUN-19
Zinc (Zn)-Dissolved		<0.0010	<0.0010	RPD-NA	mg/L	N/A	20	17-JUN-19
WG3078791-2	LCS							
Aluminum (Al)-Dissolved			100.8		%		80-120	17-JUN-19
Antimony (Sb)-Dissolved			96.4		%		80-120	17-JUN-19
Arsenic (As)-Dissolved			90.7		%		80-120	17-JUN-19
Barium (Ba)-Dissolved			103.4		%		80-120	17-JUN-19
Bismuth (Bi)-Dissolved			87.9		%		80-120	17-JUN-19
Boron (B)-Dissolved			92.9		%		80-120	17-JUN-19
Cadmium (Cd)-Dissolved			95.5		%		80-120	17-JUN-19
Calcium (Ca)-Dissolved			97.0		%		80-120	17-JUN-19
Chromium (Cr)-Dissolved			97.4		%		80-120	17-JUN-19
Cobalt (Co)-Dissolved			96.5		%		80-120	17-JUN-19
Copper (Cu)-Dissolved			90.5		%		80-120	17-JUN-19
Iron (Fe)-Dissolved			95.3		%		80-120	17-JUN-19
Lead (Pb)-Dissolved			92.5		%		80-120	17-JUN-19
Lithium (Li)-Dissolved			94.1		%		80-120	17-JUN-19
Magnesium (Mg)-Dissolved			95.5		%		80-120	17-JUN-19
Manganese (Mn)-Dissolved			92.8		%		80-120	17-JUN-19
Molybdenum (Mo)-Dissolved			100.3		%		80-120	17-JUN-19
Nickel (Ni)-Dissolved			91.7		%		80-120	17-JUN-19
Potassium (K)-Dissolved			92.8		%		80-120	17-JUN-19
Selenium (Se)-Dissolved			96.2		%		80-120	17-JUN-19
Silicon (Si)-Dissolved			98.9		%		60-140	17-JUN-19
Silver (Ag)-Dissolved			97.8		%		80-120	17-JUN-19
Sodium (Na)-Dissolved			95.0		%		80-120	17-JUN-19
Strontium (Sr)-Dissolved			98.2		%		80-120	17-JUN-19
Thallium (Tl)-Dissolved			96.0		%		80-120	17-JUN-19



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 7 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4671854							
WG3078791-2	LCS							
Tin (Sn)-Dissolved			95.4		%		80-120	17-JUN-19
Titanium (Ti)-Dissolved			85.4		%		80-120	17-JUN-19
Uranium (U)-Dissolved			85.9		%		80-120	17-JUN-19
Vanadium (V)-Dissolved			94.7		%		80-120	17-JUN-19
Zinc (Zn)-Dissolved			93.7		%		80-120	17-JUN-19
WG3078791-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	17-JUN-19
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	17-JUN-19
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	17-JUN-19
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	17-JUN-19
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	17-JUN-19
Boron (B)-Dissolved			<0.010		mg/L		0.01	17-JUN-19
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	17-JUN-19
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	17-JUN-19
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	17-JUN-19
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	17-JUN-19
Copper (Cu)-Dissolved			0.00149	B	mg/L		0.0002	17-JUN-19
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	17-JUN-19
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	17-JUN-19
Lithium (Li)-Dissolved			<0.0010		mg/L		0.001	17-JUN-19
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	17-JUN-19
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	17-JUN-19
Molybdenum (Mo)-Dissolved			<0.000050		mg/L		0.00005	17-JUN-19
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	17-JUN-19
Potassium (K)-Dissolved			<0.050		mg/L		0.05	17-JUN-19
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	17-JUN-19
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	17-JUN-19
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	17-JUN-19
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	17-JUN-19
Strontium (Sr)-Dissolved			<0.00020		mg/L		0.0002	17-JUN-19
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	17-JUN-19
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	17-JUN-19
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	17-JUN-19
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	17-JUN-19



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 8 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4671854							
WG3078791-1	MB	LF						
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	17-JUN-19
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	17-JUN-19
WG3078791-4	MS	L2291233-15						
Aluminum (Al)-Dissolved			97.7		%		70-130	17-JUN-19
Antimony (Sb)-Dissolved			98.8		%		70-130	17-JUN-19
Arsenic (As)-Dissolved			95.6		%		70-130	17-JUN-19
Barium (Ba)-Dissolved			98.7		%		70-130	17-JUN-19
Bismuth (Bi)-Dissolved			90.2		%		70-130	17-JUN-19
Boron (B)-Dissolved			98.2		%		70-130	17-JUN-19
Cadmium (Cd)-Dissolved			98.4		%		70-130	17-JUN-19
Calcium (Ca)-Dissolved			92.6		%		70-130	17-JUN-19
Chromium (Cr)-Dissolved			99.5		%		70-130	17-JUN-19
Cobalt (Co)-Dissolved			100.3		%		70-130	17-JUN-19
Copper (Cu)-Dissolved			98.1		%		70-130	17-JUN-19
Iron (Fe)-Dissolved			97.5		%		70-130	17-JUN-19
Lead (Pb)-Dissolved			95.1		%		70-130	17-JUN-19
Lithium (Li)-Dissolved			103.1		%		70-130	17-JUN-19
Magnesium (Mg)-Dissolved			97.2		%		70-130	17-JUN-19
Manganese (Mn)-Dissolved			96.2		%		70-130	17-JUN-19
Molybdenum (Mo)-Dissolved			97.5		%		70-130	17-JUN-19
Nickel (Ni)-Dissolved			97.3		%		70-130	17-JUN-19
Potassium (K)-Dissolved			94.2		%		70-130	17-JUN-19
Selenium (Se)-Dissolved			99.4		%		70-130	17-JUN-19
Silicon (Si)-Dissolved			95.6		%		70-130	17-JUN-19
Silver (Ag)-Dissolved			100.3		%		70-130	17-JUN-19
Sodium (Na)-Dissolved			95.6		%		70-130	17-JUN-19
Strontium (Sr)-Dissolved			94.9		%		70-130	17-JUN-19
Thallium (Tl)-Dissolved			97.3		%		70-130	17-JUN-19
Tin (Sn)-Dissolved			97.4		%		70-130	17-JUN-19
Titanium (Ti)-Dissolved			95.3		%		70-130	17-JUN-19
Uranium (U)-Dissolved			92.1		%		70-130	17-JUN-19
Vanadium (V)-Dissolved			98.9		%		70-130	17-JUN-19
Zinc (Zn)-Dissolved			100.8		%		70-130	17-JUN-19



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 9 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4672960							
WG3079762-3	DUP	L2291233-2						
Aluminum (Al)-Dissolved		0.0091	0.0084		mg/L	7.4	20	18-JUN-19
Antimony (Sb)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	18-JUN-19
Arsenic (As)-Dissolved		0.00030	0.00028		mg/L	5.7	20	18-JUN-19
Barium (Ba)-Dissolved		0.0253	0.0253		mg/L	0.0	20	18-JUN-19
Bismuth (Bi)-Dissolved		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	18-JUN-19
Boron (B)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	18-JUN-19
Cadmium (Cd)-Dissolved		<0.0000050	<0.0000050	RPD-NA	mg/L	N/A	20	18-JUN-19
Calcium (Ca)-Dissolved		29.5	29.0		mg/L	1.6	20	18-JUN-19
Chromium (Cr)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	18-JUN-19
Cobalt (Co)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	18-JUN-19
Copper (Cu)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	18-JUN-19
Iron (Fe)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	18-JUN-19
Lead (Pb)-Dissolved		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	18-JUN-19
Lithium (Li)-Dissolved		<0.0010	<0.0010	RPD-NA	mg/L	N/A	20	18-JUN-19
Magnesium (Mg)-Dissolved		8.27	8.28		mg/L	0.2	20	18-JUN-19
Manganese (Mn)-Dissolved		0.00143	0.00139		mg/L	2.8	20	18-JUN-19
Molybdenum (Mo)-Dissolved		0.000517	0.000543		mg/L	4.8	20	18-JUN-19
Nickel (Ni)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	18-JUN-19
Potassium (K)-Dissolved		0.399	0.395		mg/L	0.9	20	18-JUN-19
Selenium (Se)-Dissolved		0.000129	0.000130		mg/L	0.7	20	18-JUN-19
Silicon (Si)-Dissolved		2.28	2.16		mg/L	5.6	20	18-JUN-19
Silver (Ag)-Dissolved		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	18-JUN-19
Sodium (Na)-Dissolved		2.36	2.35		mg/L	0.1	20	18-JUN-19
Strontium (Sr)-Dissolved		0.117	0.120		mg/L	2.4	20	18-JUN-19
Thallium (Tl)-Dissolved		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	18-JUN-19
Tin (Sn)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	18-JUN-19
Titanium (Ti)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	18-JUN-19
Uranium (U)-Dissolved		0.000611	0.000576		mg/L	5.9	20	18-JUN-19
Vanadium (V)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	18-JUN-19
Zinc (Zn)-Dissolved		<0.0010	<0.0010	RPD-NA	mg/L	N/A	20	18-JUN-19
WG3079762-2	LCS							
Aluminum (Al)-Dissolved			98.3		%		80-120	18-JUN-19
Antimony (Sb)-Dissolved			100.0		%		80-120	18-JUN-19
Arsenic (As)-Dissolved			100.0		%		80-120	18-JUN-19



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 10 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4672960							
WG3079762-2	LCS							
Barium (Ba)-Dissolved			102.0		%		80-120	18-JUN-19
Bismuth (Bi)-Dissolved			99.7		%		80-120	18-JUN-19
Boron (B)-Dissolved			105.1		%		80-120	18-JUN-19
Cadmium (Cd)-Dissolved			102.5		%		80-120	18-JUN-19
Calcium (Ca)-Dissolved			104.9		%		80-120	18-JUN-19
Chromium (Cr)-Dissolved			101.6		%		80-120	18-JUN-19
Cobalt (Co)-Dissolved			100.3		%		80-120	18-JUN-19
Copper (Cu)-Dissolved			101.5		%		80-120	18-JUN-19
Iron (Fe)-Dissolved			97.4		%		80-120	18-JUN-19
Lead (Pb)-Dissolved			99.4		%		80-120	18-JUN-19
Lithium (Li)-Dissolved			104.1		%		80-120	18-JUN-19
Magnesium (Mg)-Dissolved			103.4		%		80-120	18-JUN-19
Manganese (Mn)-Dissolved			99.8		%		80-120	18-JUN-19
Molybdenum (Mo)-Dissolved			105.2		%		80-120	18-JUN-19
Nickel (Ni)-Dissolved			99.3		%		80-120	18-JUN-19
Potassium (K)-Dissolved			99.5		%		80-120	18-JUN-19
Selenium (Se)-Dissolved			99.5		%		80-120	18-JUN-19
Silicon (Si)-Dissolved			106.8		%		60-140	18-JUN-19
Silver (Ag)-Dissolved			100.2		%		80-120	18-JUN-19
Sodium (Na)-Dissolved			105.7		%		80-120	18-JUN-19
Strontium (Sr)-Dissolved			103.1		%		80-120	18-JUN-19
Thallium (Tl)-Dissolved			101.5		%		80-120	18-JUN-19
Tin (Sn)-Dissolved			102.1		%		80-120	18-JUN-19
Titanium (Ti)-Dissolved			93.9		%		80-120	18-JUN-19
Uranium (U)-Dissolved			102.0		%		80-120	18-JUN-19
Vanadium (V)-Dissolved			101.0		%		80-120	18-JUN-19
Zinc (Zn)-Dissolved			100.4		%		80-120	18-JUN-19
WG3079762-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	18-JUN-19
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	18-JUN-19
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	18-JUN-19
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	18-JUN-19
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	18-JUN-19
Boron (B)-Dissolved			<0.010		mg/L		0.01	18-JUN-19



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 11 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4672960							
WG3079762-1	MB	LF						
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	18-JUN-19
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	18-JUN-19
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	18-JUN-19
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	18-JUN-19
Copper (Cu)-Dissolved			<0.00020		mg/L		0.0002	18-JUN-19
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	18-JUN-19
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	18-JUN-19
Lithium (Li)-Dissolved			<0.0010		mg/L		0.001	18-JUN-19
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	18-JUN-19
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	18-JUN-19
Molybdenum (Mo)-Dissolved			<0.000050		mg/L		0.00005	18-JUN-19
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	18-JUN-19
Potassium (K)-Dissolved			<0.050		mg/L		0.05	18-JUN-19
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	18-JUN-19
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	18-JUN-19
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	18-JUN-19
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	18-JUN-19
Strontium (Sr)-Dissolved			<0.00020		mg/L		0.0002	18-JUN-19
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	18-JUN-19
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	18-JUN-19
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	18-JUN-19
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	18-JUN-19
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	18-JUN-19
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	18-JUN-19
WG3079762-4	MS	L2291233-1						
Aluminum (Al)-Dissolved			96.0		%		70-130	18-JUN-19
Antimony (Sb)-Dissolved			98.9		%		70-130	18-JUN-19
Arsenic (As)-Dissolved			104.1		%		70-130	18-JUN-19
Barium (Ba)-Dissolved			N/A	MS-B	%		-	18-JUN-19
Bismuth (Bi)-Dissolved			96.9		%		70-130	18-JUN-19
Boron (B)-Dissolved			104.6		%		70-130	18-JUN-19
Cadmium (Cd)-Dissolved			100.2		%		70-130	18-JUN-19
Calcium (Ca)-Dissolved			N/A	MS-B	%		-	18-JUN-19
Chromium (Cr)-Dissolved			99.1		%		70-130	18-JUN-19



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 12 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4672960							
WG3079762-4 MS		L2291233-1						
Cobalt (Co)-Dissolved			96.8		%		70-130	18-JUN-19
Copper (Cu)-Dissolved			97.2		%		70-130	18-JUN-19
Iron (Fe)-Dissolved			98.5		%		70-130	18-JUN-19
Lead (Pb)-Dissolved			95.0		%		70-130	18-JUN-19
Lithium (Li)-Dissolved			103.8		%		70-130	18-JUN-19
Magnesium (Mg)-Dissolved			N/A	MS-B	%		-	18-JUN-19
Manganese (Mn)-Dissolved			96.8		%		70-130	18-JUN-19
Molybdenum (Mo)-Dissolved			100.7		%		70-130	18-JUN-19
Nickel (Ni)-Dissolved			96.3		%		70-130	18-JUN-19
Potassium (K)-Dissolved			107.2		%		70-130	18-JUN-19
Selenium (Se)-Dissolved			107.9		%		70-130	18-JUN-19
Silicon (Si)-Dissolved			93.4		%		70-130	18-JUN-19
Silver (Ag)-Dissolved			97.3		%		70-130	18-JUN-19
Sodium (Na)-Dissolved			N/A	MS-B	%		-	18-JUN-19
Strontium (Sr)-Dissolved			N/A	MS-B	%		-	18-JUN-19
Thallium (Tl)-Dissolved			97.9		%		70-130	18-JUN-19
Tin (Sn)-Dissolved			99.1		%		70-130	18-JUN-19
Titanium (Ti)-Dissolved			97.7		%		70-130	18-JUN-19
Uranium (U)-Dissolved			96.4		%		70-130	18-JUN-19
Vanadium (V)-Dissolved			99.8		%		70-130	18-JUN-19
Zinc (Zn)-Dissolved			102.0		%		70-130	18-JUN-19
MET-T-CCMS-VA								
	Water							
Batch	R4672026							
WG3078683-3 DUP		L2291233-1						
Aluminum (Al)-Total		0.0803	0.0832		mg/L	3.6	20	17-JUN-19
Antimony (Sb)-Total		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	17-JUN-19
Arsenic (As)-Total		0.00036	0.00031		mg/L	16	20	17-JUN-19
Barium (Ba)-Total		0.0265	0.0251		mg/L	5.6	20	17-JUN-19
Bismuth (Bi)-Total		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	17-JUN-19
Boron (B)-Total		<0.010	<0.010	RPD-NA	mg/L	N/A	20	17-JUN-19
Cadmium (Cd)-Total		<0.0000050	0.0000065	RPD-NA	mg/L	N/A	20	17-JUN-19
Calcium (Ca)-Total		30.0	29.3		mg/L	2.2	20	17-JUN-19
Chromium (Cr)-Total		0.00017	0.00017		mg/L	1.3	20	17-JUN-19
Cobalt (Co)-Total		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	17-JUN-19



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 13 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4672026							
WG3078683-3	DUP	L2291233-1						
Copper (Cu)-Total		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	17-JUN-19
Iron (Fe)-Total		0.109	0.113		mg/L	3.5	20	17-JUN-19
Lead (Pb)-Total		0.000185	0.000180		mg/L	2.5	20	17-JUN-19
Lithium (Li)-Total		0.0010	<0.0010	RPD-NA	mg/L	N/A	20	17-JUN-19
Magnesium (Mg)-Total		8.49	8.24		mg/L	3.0	20	17-JUN-19
Manganese (Mn)-Total		0.00788	0.00755		mg/L	4.2	20	17-JUN-19
Molybdenum (Mo)-Total		0.000548	0.000551		mg/L	0.5	20	17-JUN-19
Nickel (Ni)-Total		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	17-JUN-19
Potassium (K)-Total		0.424	0.415		mg/L	2.2	20	17-JUN-19
Selenium (Se)-Total		0.000130	0.000143		mg/L	9.6	20	17-JUN-19
Silicon (Si)-Total		2.27	2.26		mg/L	0.6	20	17-JUN-19
Silver (Ag)-Total		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	17-JUN-19
Sodium (Na)-Total		2.57	2.49		mg/L	3.2	20	17-JUN-19
Strontium (Sr)-Total		0.126	0.122		mg/L	2.7	20	17-JUN-19
Thallium (Tl)-Total		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	17-JUN-19
Tin (Sn)-Total		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	17-JUN-19
Titanium (Ti)-Total		<0.010	<0.010	RPD-NA	mg/L	N/A	20	17-JUN-19
Uranium (U)-Total		0.000627	0.000609		mg/L	2.9	20	17-JUN-19
Vanadium (V)-Total		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	17-JUN-19
Zinc (Zn)-Total		<0.0030	<0.0030	RPD-NA	mg/L	N/A	20	17-JUN-19
WG3078683-2	LCS							
Aluminum (Al)-Total			109.6		%		80-120	17-JUN-19
Antimony (Sb)-Total			108.3		%		80-120	17-JUN-19
Arsenic (As)-Total			105.4		%		80-120	17-JUN-19
Barium (Ba)-Total			107.3		%		80-120	17-JUN-19
Bismuth (Bi)-Total			105.4		%		80-120	17-JUN-19
Boron (B)-Total			106.5		%		80-120	17-JUN-19
Cadmium (Cd)-Total			103.3		%		80-120	17-JUN-19
Calcium (Ca)-Total			105.2		%		80-120	17-JUN-19
Chromium (Cr)-Total			103.9		%		80-120	17-JUN-19
Cobalt (Co)-Total			105.0		%		80-120	17-JUN-19
Copper (Cu)-Total			103.4		%		80-120	17-JUN-19
Iron (Fe)-Total			99.4		%		80-120	17-JUN-19
Lead (Pb)-Total			102.6		%		80-120	17-JUN-19



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 14 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4672026							
WG3078683-2	LCS							
Lithium (Li)-Total			98.1		%		80-120	17-JUN-19
Magnesium (Mg)-Total			107.5		%		80-120	17-JUN-19
Manganese (Mn)-Total			108.4		%		80-120	17-JUN-19
Molybdenum (Mo)-Total			101.5		%		80-120	17-JUN-19
Nickel (Ni)-Total			103.9		%		80-120	17-JUN-19
Potassium (K)-Total			107.7		%		80-120	17-JUN-19
Selenium (Se)-Total			104.2		%		80-120	17-JUN-19
Silicon (Si)-Total			111.1		%		80-120	17-JUN-19
Silver (Ag)-Total			98.3		%		80-120	17-JUN-19
Sodium (Na)-Total			111.2		%		80-120	17-JUN-19
Strontium (Sr)-Total			103.9		%		80-120	17-JUN-19
Thallium (Tl)-Total			99.1		%		80-120	17-JUN-19
Tin (Sn)-Total			102.3		%		80-120	17-JUN-19
Titanium (Ti)-Total			102.3		%		80-120	17-JUN-19
Uranium (U)-Total			109.6		%		80-120	17-JUN-19
Vanadium (V)-Total			105.9		%		80-120	17-JUN-19
Zinc (Zn)-Total			101.9		%		80-120	17-JUN-19
WG3078683-1	MB							
Aluminum (Al)-Total			<0.0030		mg/L		0.003	17-JUN-19
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	17-JUN-19
Arsenic (As)-Total			<0.00010		mg/L		0.0001	17-JUN-19
Barium (Ba)-Total			<0.00010		mg/L		0.0001	17-JUN-19
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	17-JUN-19
Boron (B)-Total			<0.010		mg/L		0.01	17-JUN-19
Cadmium (Cd)-Total			<0.0000050		mg/L		0.000005	17-JUN-19
Calcium (Ca)-Total			<0.050		mg/L		0.05	17-JUN-19
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	17-JUN-19
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	17-JUN-19
Copper (Cu)-Total			<0.00050		mg/L		0.0005	17-JUN-19
Iron (Fe)-Total			<0.010		mg/L		0.01	17-JUN-19
Lead (Pb)-Total			<0.000050		mg/L		0.00005	17-JUN-19
Lithium (Li)-Total			<0.0010		mg/L		0.001	17-JUN-19
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	17-JUN-19
Manganese (Mn)-Total			<0.00010		mg/L		0.0001	17-JUN-19



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 15 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4672026							
WG3078683-1	MB							
Molybdenum (Mo)-Total			<0.000050		mg/L		0.00005	17-JUN-19
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	17-JUN-19
Potassium (K)-Total			<0.050		mg/L		0.05	17-JUN-19
Selenium (Se)-Total			<0.000050		mg/L		0.00005	17-JUN-19
Silicon (Si)-Total			<0.10		mg/L		0.1	17-JUN-19
Silver (Ag)-Total			<0.000010		mg/L		0.00001	17-JUN-19
Sodium (Na)-Total			<0.050		mg/L		0.05	17-JUN-19
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	17-JUN-19
Thallium (Tl)-Total			<0.000010		mg/L		0.00001	17-JUN-19
Tin (Sn)-Total			<0.00010		mg/L		0.0001	17-JUN-19
Titanium (Ti)-Total			<0.00030		mg/L		0.0003	17-JUN-19
Uranium (U)-Total			<0.000010		mg/L		0.00001	17-JUN-19
Vanadium (V)-Total			<0.00050		mg/L		0.0005	17-JUN-19
Zinc (Zn)-Total			<0.0030		mg/L		0.003	17-JUN-19
WG3078683-4	MS	L2291233-2						
Aluminum (Al)-Total			100.8		%		70-130	17-JUN-19
Antimony (Sb)-Total			100.2		%		70-130	17-JUN-19
Arsenic (As)-Total			102.5		%		70-130	17-JUN-19
Barium (Ba)-Total			N/A	MS-B	%		-	17-JUN-19
Bismuth (Bi)-Total			101.8		%		70-130	17-JUN-19
Boron (B)-Total			104.1		%		70-130	17-JUN-19
Cadmium (Cd)-Total			99.1		%		70-130	17-JUN-19
Calcium (Ca)-Total			N/A	MS-B	%		-	17-JUN-19
Chromium (Cr)-Total			99.3		%		70-130	17-JUN-19
Cobalt (Co)-Total			99.3		%		70-130	17-JUN-19
Copper (Cu)-Total			98.4		%		70-130	17-JUN-19
Iron (Fe)-Total			97.7		%		70-130	17-JUN-19
Lead (Pb)-Total			99.2		%		70-130	17-JUN-19
Lithium (Li)-Total			94.6		%		70-130	17-JUN-19
Magnesium (Mg)-Total			N/A	MS-B	%		-	17-JUN-19
Manganese (Mn)-Total			102.0		%		70-130	17-JUN-19
Molybdenum (Mo)-Total			102.5		%		70-130	17-JUN-19
Nickel (Ni)-Total			97.2		%		70-130	17-JUN-19
Potassium (K)-Total			101.4		%		70-130	17-JUN-19



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 16 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4672026							
WG3078683-4 MS		L2291233-2						
Selenium (Se)-Total			97.1		%		70-130	17-JUN-19
Silicon (Si)-Total			93.4		%		70-130	17-JUN-19
Silver (Ag)-Total			99.98		%		70-130	17-JUN-19
Sodium (Na)-Total			N/A	MS-B	%		-	17-JUN-19
Strontium (Sr)-Total			N/A	MS-B	%		-	17-JUN-19
Thallium (Tl)-Total			96.1		%		70-130	17-JUN-19
Tin (Sn)-Total			99.9		%		70-130	17-JUN-19
Titanium (Ti)-Total			99.3		%		70-130	17-JUN-19
Uranium (U)-Total			102.7		%		70-130	17-JUN-19
Vanadium (V)-Total			100.4		%		70-130	17-JUN-19
Zinc (Zn)-Total			98.2		%		70-130	17-JUN-19
Batch	R4672767							
WG3078717-2 LCS								
Aluminum (Al)-Total			108.1		%		80-120	18-JUN-19
Antimony (Sb)-Total			103.3		%		80-120	18-JUN-19
Arsenic (As)-Total			100.2		%		80-120	18-JUN-19
Barium (Ba)-Total			101.2		%		80-120	18-JUN-19
Bismuth (Bi)-Total			104.3		%		80-120	18-JUN-19
Boron (B)-Total			101.6		%		80-120	18-JUN-19
Cadmium (Cd)-Total			96.3		%		80-120	18-JUN-19
Calcium (Ca)-Total			102.6		%		80-120	18-JUN-19
Chromium (Cr)-Total			99.9		%		80-120	18-JUN-19
Cobalt (Co)-Total			100.1		%		80-120	18-JUN-19
Copper (Cu)-Total			98.5		%		80-120	18-JUN-19
Iron (Fe)-Total			91.2		%		80-120	18-JUN-19
Lead (Pb)-Total			105.2		%		80-120	18-JUN-19
Lithium (Li)-Total			102.2		%		80-120	18-JUN-19
Magnesium (Mg)-Total			102.0		%		80-120	18-JUN-19
Manganese (Mn)-Total			100.6		%		80-120	18-JUN-19
Molybdenum (Mo)-Total			103.2		%		80-120	18-JUN-19
Nickel (Ni)-Total			99.8		%		80-120	18-JUN-19
Potassium (K)-Total			99.1		%		80-120	18-JUN-19
Selenium (Se)-Total			102.2		%		80-120	18-JUN-19
Silicon (Si)-Total			105.3		%		80-120	18-JUN-19



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 17 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4672767							
WG3078717-2 LCS								
Silver (Ag)-Total			100.0		%		80-120	18-JUN-19
Sodium (Na)-Total			101.6		%		80-120	18-JUN-19
Strontium (Sr)-Total			101.4		%		80-120	18-JUN-19
Thallium (Tl)-Total			104.6		%		80-120	18-JUN-19
Tin (Sn)-Total			97.6		%		80-120	18-JUN-19
Titanium (Ti)-Total			99.97		%		80-120	18-JUN-19
Uranium (U)-Total			106.9		%		80-120	18-JUN-19
Vanadium (V)-Total			99.4		%		80-120	18-JUN-19
Zinc (Zn)-Total			98.7		%		80-120	18-JUN-19
WG3078717-1 MB								
Aluminum (Al)-Total			<0.0030		mg/L		0.003	18-JUN-19
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	18-JUN-19
Arsenic (As)-Total			<0.00010		mg/L		0.0001	18-JUN-19
Barium (Ba)-Total			<0.00010		mg/L		0.0001	18-JUN-19
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	18-JUN-19
Boron (B)-Total			<0.010		mg/L		0.01	18-JUN-19
Cadmium (Cd)-Total			<0.0000050		mg/L		0.000005	18-JUN-19
Calcium (Ca)-Total			<0.050		mg/L		0.05	18-JUN-19
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	18-JUN-19
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	18-JUN-19
Copper (Cu)-Total			<0.00050		mg/L		0.0005	18-JUN-19
Iron (Fe)-Total			<0.010		mg/L		0.01	18-JUN-19
Lead (Pb)-Total			<0.000050		mg/L		0.00005	18-JUN-19
Lithium (Li)-Total			<0.0010		mg/L		0.001	18-JUN-19
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	18-JUN-19
Manganese (Mn)-Total			<0.00010		mg/L		0.0001	18-JUN-19
Molybdenum (Mo)-Total			<0.000050		mg/L		0.00005	18-JUN-19
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	18-JUN-19
Potassium (K)-Total			<0.050		mg/L		0.05	18-JUN-19
Selenium (Se)-Total			<0.000050		mg/L		0.00005	18-JUN-19
Silicon (Si)-Total			<0.10		mg/L		0.1	18-JUN-19
Silver (Ag)-Total			<0.000010		mg/L		0.00001	18-JUN-19
Sodium (Na)-Total			<0.050		mg/L		0.05	18-JUN-19
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	18-JUN-19



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 18 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4672767							
WG3078717-1	MB							
Thallium (Tl)-Total			<0.000010		mg/L		0.00001	18-JUN-19
Tin (Sn)-Total			<0.00010		mg/L		0.0001	18-JUN-19
Titanium (Ti)-Total			<0.00030		mg/L		0.0003	18-JUN-19
Uranium (U)-Total			<0.000010		mg/L		0.00001	18-JUN-19
Vanadium (V)-Total			<0.00050		mg/L		0.0005	18-JUN-19
Zinc (Zn)-Total			<0.0030		mg/L		0.003	18-JUN-19
NH3-L-F-CL								
	Water							
Batch	R4676326							
WG3081824-11	DUP	L2291233-11						
Ammonia as N		<0.0050	0.0089	RPD-NA	mg/L	N/A	20	18-JUN-19
WG3081824-10	LCS							
Ammonia as N			112.6		%		85-115	18-JUN-19
WG3081824-14	LCS							
Ammonia as N			111.6		%		85-115	18-JUN-19
WG3081824-13	MB							
Ammonia as N			<0.0050		mg/L		0.005	18-JUN-19
WG3081824-9	MB							
Ammonia as N			<0.0050		mg/L		0.005	18-JUN-19
WG3081824-12	MS	L2291233-11						
Ammonia as N			96.3		%		75-125	18-JUN-19
NO2-L-IC-N-CL								
	Water							
Batch	R4672521							
WG3080454-7	DUP	L2291233-15						
Nitrite (as N)		<0.0010	<0.0010	RPD-NA	mg/L	N/A	20	14-JUN-19
WG3080454-2	LCS							
Nitrite (as N)			109.2		%		90-110	14-JUN-19
WG3080454-6	LCS							
Nitrite (as N)			109.6		%		90-110	14-JUN-19
WG3080454-1	MB							
Nitrite (as N)			<0.0010		mg/L		0.001	14-JUN-19
WG3080454-5	MB							
Nitrite (as N)			<0.0010		mg/L		0.001	14-JUN-19
WG3080454-8	MS	L2291233-15						
Nitrite (as N)			110.3		%		75-125	14-JUN-19
NO3-L-IC-N-CL								
	Water							



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 19 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
NO3-L-IC-N-CL								
Water								
Batch	R4672521							
WG3080454-7	DUP	L2291233-15						
Nitrate (as N)		<0.0050	0.0086	RPD-NA	mg/L	N/A	20	14-JUN-19
WG3080454-2	LCS							
Nitrate (as N)			109.9		%		90-110	14-JUN-19
WG3080454-6	LCS							
Nitrate (as N)			107.6		%		90-110	14-JUN-19
WG3080454-1	MB							
Nitrate (as N)			<0.0050		mg/L		0.005	14-JUN-19
WG3080454-5	MB							
Nitrate (as N)			<0.0050		mg/L		0.005	14-JUN-19
WG3080454-8	MS	L2291233-15						
Nitrate (as N)			109.7		%		75-125	14-JUN-19
ORP-CL								
Water								
Batch	R4673389							
WG3081363-3	CRM	CL-ORP						
ORP			224		mV		210-230	18-JUN-19
WG3081363-4	DUP	L2291233-13						
ORP		439	448	J	mV	8.2	15	18-JUN-19
P-T-L-COL-CL								
Water								
Batch	R4671930							
WG3079667-6	LCS							
Phosphorus (P)-Total			99.8		%		80-120	17-JUN-19
WG3079667-8	LCS							
Phosphorus (P)-Total			101.0		%		80-120	17-JUN-19
WG3079667-5	MB							
Phosphorus (P)-Total			<0.0020		mg/L		0.002	17-JUN-19
WG3079667-7	MB							
Phosphorus (P)-Total			<0.0020		mg/L		0.002	17-JUN-19
PH-CL								
Water								
Batch	R4677888							
WG3082781-11	LCS							
pH			7.00		pH		6.9-7.1	19-JUN-19
WG3082781-14	LCS							
pH			7.00		pH		6.9-7.1	19-JUN-19
PO4-DO-L-COL-CL								
Water								



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 20 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PO4-DO-L-COL-CL								
	Water							
Batch	R4671777							
WG3078103-6	LCS							
Orthophosphate-Dissolved (as P)			93.0		%		80-120	14-JUN-19
WG3078103-5	MB							
Orthophosphate-Dissolved (as P)			<0.0010		mg/L		0.001	14-JUN-19
SO4-IC-N-CL								
	Water							
Batch	R4672521							
WG3080454-7	DUP	L2291233-15						
Sulfate (SO4)		<0.30	<0.30	RPD-NA	mg/L	N/A	20	14-JUN-19
WG3080454-2	LCS							
Sulfate (SO4)			109.6		%		90-110	14-JUN-19
WG3080454-6	LCS							
Sulfate (SO4)			109.9		%		90-110	14-JUN-19
WG3080454-1	MB							
Sulfate (SO4)			<0.30		mg/L		0.3	14-JUN-19
WG3080454-5	MB							
Sulfate (SO4)			<0.30		mg/L		0.3	14-JUN-19
WG3080454-8	MS	L2291233-15						
Sulfate (SO4)			108.0		%		75-125	14-JUN-19
SOLIDS-TDS-CL								
	Water							
Batch	R4678527							
WG3081471-9	DUP	L2291233-1						
Total Dissolved Solids		125	125		mg/L	0.0	20	19-JUN-19
WG3081471-8	LCS							
Total Dissolved Solids			104.7		%		85-115	19-JUN-19
WG3081471-7	MB							
Total Dissolved Solids			<10		mg/L		10	19-JUN-19
TKN-L-F-CL								
	Water							
Batch	R4678328							
WG3083285-13	LCS							
Total Kjeldahl Nitrogen			100.2		%		75-125	20-JUN-19
WG3083285-17	LCS							
Total Kjeldahl Nitrogen			100.2		%		75-125	20-JUN-19
WG3083285-2	LCS							
Total Kjeldahl Nitrogen			104.4		%		75-125	20-JUN-19
WG3083285-21	LCS							
Total Kjeldahl Nitrogen			101.6		%		75-125	20-JUN-19
WG3083285-25	LCS							
Total Kjeldahl Nitrogen			97.4		%		75-125	20-JUN-19



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 21 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
TKN-L-F-CL								
	Water							
Batch	R4678328							
WG3083285-6	LCS							
Total Kjeldahl Nitrogen			104.6		%		75-125	20-JUN-19
WG3083285-9	LCS							
Total Kjeldahl Nitrogen			103.6		%		75-125	20-JUN-19
WG3083285-1	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	20-JUN-19
WG3083285-12	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	20-JUN-19
WG3083285-16	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	20-JUN-19
WG3083285-20	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	20-JUN-19
WG3083285-24	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	20-JUN-19
WG3083285-5	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	20-JUN-19
WG3083285-8	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	20-JUN-19
TSS-L-CL								
	Water							
Batch	R4677728							
WG3081473-4	LCS							
Total Suspended Solids			97.1		%		85-115	19-JUN-19
WG3081473-6	LCS							
Total Suspended Solids			93.0		%		85-115	19-JUN-19
WG3081473-3	MB							
Total Suspended Solids			<1.0		mg/L		1	19-JUN-19
WG3081473-5	MB							
Total Suspended Solids			<1.0		mg/L		1	19-JUN-19
TURBIDITY-CL								
	Water							
Batch	R4670712							
WG3077894-12	DUP	L2291233-11						
Turbidity		3.49	3.47		NTU	0.6	15	14-JUN-19
WG3077894-11	LCS							
Turbidity			96.0		%		85-115	14-JUN-19
WG3077894-8	LCS							
Turbidity			95.5		%		85-115	14-JUN-19
WG3077894-10	MB							
Turbidity			<0.10		NTU		0.1	14-JUN-19



Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 22 of 25

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
TURBIDITY-CL	Water							
Batch	R4670712							
WG3077894-7	MB							
Turbidity			<0.10		NTU		0.1	14-JUN-19

Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 23 of 25

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
B	Method Blank exceeds ALS DQO. Associated sample results which are < Limit of Reporting or > 5 times blank level are considered reliable.
J	Duplicate results and limits are expressed in terms of absolute difference.
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 24 of 25

Hold Time Exceedances:

ALS Product Description	Sample ID	Sampling Date	Date Processed	Rec. HT	Actual HT	Units	Qualifier
Physical Tests							
Oxidation redution potential by elect.							
	1	12-JUN-19 13:30	18-JUN-19 09:55	0.25	140	hours	EHTR-FM
	2	12-JUN-19 13:15	18-JUN-19 09:55	0.25	141	hours	EHTR-FM
	3	12-JUN-19 12:10	18-JUN-19 09:55	0.25	142	hours	EHTR-FM
	4	12-JUN-19 12:00	18-JUN-19 09:55	0.25	142	hours	EHTR-FM
	5	12-JUN-19 10:00	18-JUN-19 09:55	0.25	144	hours	EHTR-FM
	6	12-JUN-19 09:40	18-JUN-19 09:55	0.25	144	hours	EHTR-FM
	7	12-JUN-19 09:30	18-JUN-19 09:55	0.25	144	hours	EHTR-FM
	8	12-JUN-19 14:15	18-JUN-19 09:55	0.25	140	hours	EHTR-FM
	9	12-JUN-19 14:00	18-JUN-19 09:55	0.25	140	hours	EHTR-FM
	11	12-JUN-19 11:20	18-JUN-19 09:55	0.25	143	hours	EHTR-FM
	12	12-JUN-19 11:10	18-JUN-19 10:37	0.25	144	hours	EHTR-FM
	13	12-JUN-19 11:00	18-JUN-19 10:37	0.25	144	hours	EHTR-FM
	14	12-JUN-19 10:00	18-JUN-19 10:37	0.25	145	hours	EHTR-FM
	15	12-JUN-19 12:00	18-JUN-19 10:37	0.25	143	hours	EHTR-FM
	16	12-JUN-19 12:00	18-JUN-19 10:37	0.25	143	hours	EHTR-FM
Total Suspended Solids	16	12-JUN-19 12:00	20-JUN-19 11:00	7	8	days	EHT
pH							
	1	12-JUN-19 13:30	19-JUN-19 12:00	0.25	167	hours	EHTR-FM
	2	12-JUN-19 13:15	19-JUN-19 12:00	0.25	167	hours	EHTR-FM
	3	12-JUN-19 12:10	19-JUN-19 12:00	0.25	168	hours	EHTR-FM
	4	12-JUN-19 12:00	19-JUN-19 12:00	0.25	168	hours	EHTR-FM
	5	12-JUN-19 10:00	19-JUN-19 12:00	0.25	170	hours	EHTR-FM
	6	12-JUN-19 09:40	19-JUN-19 12:00	0.25	170	hours	EHTR-FM
	7	12-JUN-19 09:30	19-JUN-19 12:00	0.25	170	hours	EHTR-FM
	8	12-JUN-19 14:15	19-JUN-19 12:00	0.25	166	hours	EHTR-FM
	9	12-JUN-19 14:00	19-JUN-19 12:00	0.25	166	hours	EHTR-FM
	11	12-JUN-19 11:20	19-JUN-19 12:00	0.25	169	hours	EHTR-FM
	12	12-JUN-19 11:10	19-JUN-19 12:00	0.25	169	hours	EHTR-FM
	13	12-JUN-19 11:00	19-JUN-19 12:00	0.25	169	hours	EHTR-FM
	14	12-JUN-19 10:00	19-JUN-19 12:00	0.25	170	hours	EHTR-FM
	15	12-JUN-19 12:00	19-JUN-19 12:00	0.25	168	hours	EHTR-FM
	16	12-JUN-19 12:00	19-JUN-19 12:00	0.25	168	hours	EHTR-FM

Legend & Qualifier Definitions:

- EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended.
- EHTR: Exceeded ALS recommended hold time prior to sample receipt.
- EHTL: Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.
- EHT: Exceeded ALS recommended hold time prior to analysis.
- Rec. HT: ALS recommended hold time (see units).

Notes*:

Where actual sampling date is not provided to ALS, the date (& time) of receipt is used for calculation purposes.
 Where actual sampling time is not provided to ALS, the earlier of 12 noon on the sampling date or the time (& date) of receipt is used for calculation purposes. Samples for L2291233 were received on 13-JUN-19 09:00.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

Quality Control Report

Workorder: L2291233

Report Date: 23-JUL-19

Page 25 of 25

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

COC ID:		Regional Effects Program		TURNAROUND TIME:		Regular	
Facility Name / Job# Regional Effects Program/Koocanusa				Lab Name ALS Calgary		Report Format / Distribution	
Project Manager Cait Good				Lab Contact Lyuda Shvets		Excel <input checked="" type="checkbox"/>	
Email caite.good@teck.com				Email lyudmya.shvets@ALSGlobal.com		PDF <input checked="" type="checkbox"/>	
Address 421 Pine Avenue				Address 2559 29 Street NE		EDD <input checked="" type="checkbox"/>	
City Sparwood				City Calgary		Email 1: caite.good@teck.com	
Province BC				Province AB		Email 2: carlie.meyers@teck.com	
Postal Code V0B 2G0				Postal Code T1Y 7B5		Email 3: colleen.mooney@teck.com	
Country Canada				Country Canada		Email 4: teckcoal@equisonline.com	
Phone Number 250-425-8202				Phone Number 403-407-1800		Email 5: hcumer@minnow.ca	
PO number						VPO0616180	

Sample ID	Sample Location (sys loc code)	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Com p	# Of Cont.
1 RG_SC_U1_WS_20190612 13:30	RG_SC	WS	no	20190612		G	7
2 RG_SC_U2_WS_20190612 13:15	RG_SC	WS	no	20190612		G	7
3 RG_ER_U1_WS_20190612 12:10	RG_ER	WS	no	20190612		G	7
4 RG_ER_U2_WS_20190612 12:00	RG_ER	WS	no	20190612		G	7
5 RG_GC_U1_WS_20190612 10:00	RG_GC	WS	no	20190612		G	7
6 RG_GC_U2_WS_20190612 09:30 09:40	RG_GC	WS	no	20190612		G	7
7 RG_GC_U3_WS_20190612 09:30	RG_GC	WS	no	20190612		G	7
8 RG_TN_U1_WS_20190612 14:15	RG_TN	WS	no	20190612		G	7



ANALYSIS REQUESTED						
2	2	2	2	2	2	2
NONE	NONE	H2SO4	NONE	NONE	HNO3	NONE
HG-T-U-CVAF-VA	ALS_Package-DOC	ALS_Package-TKN/TOC	HG-D-CVAF-VA	TECKCOAL-MET-D-VA	TECKCOAL-MET-T-VA	TECKCOAL-ROUTINE-VA
X	X	X	X	X	X	X
X	X	X	X	X	X	X
X	X	X	X	X	X	X
X	X	X	X	X	X	X
X	X	X	X	X	X	X
X	X	X	X	X	X	X
X	X	X	X	X	X	X

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS VPO0616180	ACCOMPLISHED BY/DATE/TIME Minnow Environmental June 12, 2019	TEST METHOD nk	ANALYSIS/QUALIFICATION 6/13 09:00
---	---	--------------------------	---

REGULAR (default) <input checked="" type="checkbox"/>	Priority (2-3 business days) - 50% surcharge	Emergency (1 Business Day) - 100% surcharge	For Emergency <1 Day, ASAP or Weekend - Contact ALS
Sampler's Name	Mobile #	905-691-6183	
Sampler's Signature	Date/Time	June 12/2019	

80

COC ID:		Regional Effects Program		TURNAROUND TIME:		Regular	
Facility Name / Job# Regional Effects Program/Koochanusa				Lab Name ALS Calgary		Report Format / Distribution	
Project Manager Cait Good				Lab Contact Lynda Shvets		Excel <input checked="" type="checkbox"/>	
Email cait.good@teck.com				Email lyndmyla.shvets@ALSGlobal.com		PDF <input checked="" type="checkbox"/>	
Address 421 Pine Avenue				Address 2559 29 Street NE		EDD <input checked="" type="checkbox"/>	
City Sparwood				City Suite 100		Email 1: cait.good@teck.com	
Province BC				Province AB		Email 2: carla.meyer@teck.com	
Postal Code V0B 2G0				Postal Code T1Y 7B5		Email 3: colleen.mooney@teck.com	
Country Canada				Country Canada		Email 4: teckcoal@equisonline.com	
Phone Number 250-425-8202				Phone Number 403-407-1800		Email 5: hcurrier@minnow.ca	
PO number						VPO0616180	



L2291233-COFC

Sample ID	Sample Location (sys loc code)	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Com p	# Of Cont.	HC-T-U-CVAF-VA	ALS_Package-DOC	ALS_Package-TKN/TOC	HC-D-CVAF-VA	TECKCOAL-MET-D-VA	TECKCOAL-MET-T-VA	TECKCOAL-ROUTINE-VA
9 RG_TN_U2_WS_20190612	RG_TN	WS	no	20190612	14:00	G	7	X	X	X	X	X	X	X
10 RG_TN_U3_WS_20190612	RG_TN	WS	no	20190612		G	7	X	X	X	X	X	X	X
11 RG_T4_U1_WS_20190612	RG_T4	WS	no	20190612	11:20	G	7	X	X	X	X	X	X	X
12 RG_T4_U2_WS_20190612	RG_T4	WS	no	20190612	11:10	G	7	X	X	X	X	X	X	X
13 RG_T4_U3_WS_20190612	RG_T4	WS	no	20190612	11:00	G	7	X	X	X	X	X	X	X
14 RG_DUP_WS_20190612	RG_DUP	WS	no	20190612	10:00	G	7	X	X	X	X	X	X	X
15 RG_BLANK_WS_20190612	RG_FBLANK	WS	no	20190612		G	7	X	X	X	X	X	X	X
16 RG_TRIP_WS_20190612	RG_TRIP	WS	no	20190612		G	7	X	X	X	X	X	X	X

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS VPO0616180	RELEASING BY/AFFILIATION Minnow Environmental	DATE/TIME June 12, 2019	ACCEPTED BY/AFFILIATION DK	DATE/TIME 6/13
---	---	-----------------------------------	--------------------------------------	--------------------------

SERVICE REQUEST (rush, subject to availability)	Regular (default) <input checked="" type="checkbox"/>	Priority (2-3 business days) - 50% surcharge	Emergency (1 Business Day) - 100% surcharge	For Emergency <1 Day, ASAP or Weekend - Contact ALS
Sampler's Name	Mobile #	905-691-6183		
Sampler's Signature	Date/Time	June 12/2019		

0900
8/1

COC ID:		Regional Effects Program		TURNAROUND TIME:		Regular	
Facility Name / Job# Regional Effects Program/Koocanusa				Lab Name ALS Calgary		Report Format / Distribution	
Project Manager Cait Good				Lab Contact Lynda Shvets		Excel PDF EDD	
Email cait.good@teck.com				Email lyndmya.shvets@ALSGlobal.com		Email 1: cait.good@teck.com X X X	
Address 421 Pine Avenue				Address 2559 29 Street NE		Email 2: carlo.meyer@teck.com X X X	
				Address Suite 100		Email 3: colleen.mooney@teck.com X X X	
City Sparwood				City Calgary		Email 4: teckcoal@equisonline.com X X X	
Province BC				Province AB		Email 5: hounjer@mlnnow.ca X X X	
Postal Code V0B 2G0				Postal Code T1Y 7B5			
Country Canada				Country Canada			
Phone Number 250-425-8202				Phone Number 403-407-1800		PO number VPO00616180	



L2291233-COFC

Sample ID	Sample Location (sys loc code)	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Com p	# Of Cont.	ANALYSIS REQUESTED										
								HG-T-U-CVAF-VA	ALS_Package-DOC	ALS_Package-TKN/TOC	HG-D-CVAF-VA	TECKCOAL-MET-D-VA	TECKCOAL-MET-T-VA	TECKCOAL-ROUTINE-VA				
1 RG_SC_U1_WS_20190612	13:30	RG_SC	WS	no	20190612	G	7	X	X	X	X	X	X	X				
2 RG_SC_U2_WS_20190612	13:15	RG_SC	WS	no	20190612	G	7	X	X	X	X	X	X	X				
3 RG_ER_U1_WS_20190612	12:10	RG_ER	WS	no	20190612	G	7	X	X	X	X	X	X	X				
4 RG_ER_U2_WS_20190612	12:00	RG_ER	WS	no	20190612	G	7	X	X	X	X	X	X	X				
5 RG_GC_U1_WS_20190612	10:00	RG_GC	WS	no	20190612	G	7	X	X	X	X	X	X	X				
6 RG_GC_U2_WS_20190612	09:30 09:40	RG_GC	WS	no	20190612	G	7	X	X	X	X	X	X	X				
7 RG_GC_U3_WS_20190612	09:30	RG_GC	WS	no	20190612	G	7	X	X	X	X	X	X	X				
8 RG_TN_U1_WS_20190612	14:15	RG_TN	WS	no	20190612	G	7	X	X	X	X	X	X	X				

ADDITIONAL COMMENTS/SPECIFICATIONS	ACQUISITION BY APPLICATOR	DATE/TIME	ACCOMPLISHED BY APPLICATOR	DATE/TIME
VPO00616180	Minnow Environmental	June 12, 2019	<i>nk</i>	6/13 09:00

SERVICE REQUEST (Check only for availability)	Sampler's Name	Mobile #	905-691-6183
Regular (default) <input checked="" type="checkbox"/>	Sampler's Signature	Date/Time	June 12/2019
Priority (2-3 business days) - 50% surcharge			
Emergency (1 Business Day) - 100% surcharge			
For Emergency <1 Day, ASAP or Weekend - Contact ALS			

81

COC ID:		Regional Effects Program		TURNAROUND TIME:		Regular	
Facility Name / Job# Regional Effects Program/Knocanusa				Lab Name ALS Calgary		Report Format / Distribution	
Project Manager Cait Good				Lab Contact Lyuda Shvets		Excel <input checked="" type="checkbox"/>	
Email cait.good@teck.com				Email lyudmya.shvets@ALSGlobal.com		PDF <input checked="" type="checkbox"/>	
Address 421 Pine Avenue				Address 2559 29 Street NE		EDD <input checked="" type="checkbox"/>	
				Suite Suite 100		Email 1: cait.good@teck.com	
City Sparwood				City Calgary		Email 2: carlie.meyer@teck.com	
Province BC				Province AB		Email 3: colleen.mooney@teck.com	
Postal Code V0B 2G0				Postal Code T1Y 7B5		Email 4: teckcoal@equisonline.com	
Country Canada				Country Canada		Email 5: hcurter@minnow.ca	
Phone Number 250-425-8202				Phone Number 403-407-1800		PO number 1 P000616180	



L2291233-COFC

Sample ID	Sample Location (sys loc code)	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Com p	# Of Cont.	HG-T-U-CVAF-VA	ALS_Package-DOC	ALS_Package-TKN/TOC	HG-D-CVAF-VA	TECKCOAL-MET-D-VA	TECKCOAL-MET-T-VA	TECKCOAL-ROUTINE-VA
9 RG_TN_U2_WS_20190612	RG_TN	WS	no	20190612		G	7	X	X	X	X	X	X	X
10 RG_TN_U3_WS_20190612	RG_TN	WS	no	20190612		G	7	X	X	X	X	X	X	X
11 RG_T4_U1_WS_20190612	RG_T4	WS	no	20190612		G	7	X	X	X	X	X	X	X
12 RG_T4_U2_WS_20190612	RG_T4	WS	no	20190612		G	7	X	X	X	X	X	X	X
13 RG_T4_U3_WS_20190612	RG_T4	WS	no	20190612		G	7	X	X	X	X	X	X	X
14 RG_DUP_WS_20190612	RG_DUP	WS	no	20190612		G	7	X	X	X	X	X	X	X
15 RG_BLANK_WS_20190612	RG_FBLANK	WS	no	20190612		G	7	X	X	X	X	X	X	X
16 RG_TRIP_WS_20190612	RG_TRIP	WS	no	20190612		G	7	X	X	X	X	X	X	X

ADDITIONAL COMMENTS/SPECIFICATIONS VPO00616180	RELINQUISHED BY/AFFILIATION Minnow Environmental	DATE/TIME June 12, 2019	ACCEPTED BY/AFFILIATION DK	DATE/TIME 6/13
--	--	-----------------------------------	--------------------------------------	--------------------------

SERVICE REQUEST (CALL COORDINATOR AVAILABILITY)	SAMPLER'S NAME	MOBILE #	905-691-6183
Regular (default) <input checked="" type="checkbox"/>	SAMPLER'S SIGNATURE	DATE/TIME	June 12/2019
Priority (2-3 business days) - 50% surcharge			
Emergency (1 Business Day) - 100% surcharge			
For Emergency <1 Day, ASAP or Weekend - Contact ALS			

0900
8u



Teck Coal Ltd.
ATTN: Cait Good
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 20-AUG-19
Report Date: 27-AUG-19 11:12 (MT)
Version: FINAL

Client Phone: 250-425-8202

Certificate of Analysis

Lab Work Order #: L2332094
Project P.O. #: VPO00616180
Job Reference: REGIONAL EFFECTS PROGRAM
C of C Numbers: REP-Koocanusa 19-08
Legal Site Desc:

Lyudmyla Shvets, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2332094-1	L2332094-2	L2332094-3	L2332094-4	L2332094-5
		Description	WS	WS	WS	WS	WS
		Sampled Date	19-AUG-19	19-AUG-19	19-AUG-19	19-AUG-19	19-AUG-19
		Sampled Time	13:50	14:00	14:15	15:20	15:30
		Client ID	RG_T4_U3_WS_2 0190819_1350_NP _MD	RG_T4_U2_WS_2 0190819_1400_NP _MD	RG_T4_U1_WS_2 0190819_1415_NP _MD	RG_ER_U3_WS_2 0190819_1520_NP _MD	RG_ER_U2_WS_2 0190819_1530_NP _MD
Grouping	Analyte						
WATER							
Physical Tests	Conductivity (@ 25C) (uS/cm)		276	260	244	250	244
	Hardness (as CaCO3) (mg/L)		133	126	123	119	119
	pH (pH)		8.21	8.26	8.31	8.30	8.32
	ORP (mV)		435	444	407	467	398
	Total Suspended Solids (mg/L)		3.9	<1.0	<1.0	<1.0	<1.0
	Total Dissolved Solids (mg/L)		159 ^{DLHC}	220 ^{DLHC}	199 ^{DLHC}	202 ^{DLHC}	206 ^{DLHC}
	Turbidity (NTU)		2.72	0.74	0.70	0.84	0.69
Anions and Nutrients	Acidity (as CaCO3) (mg/L)		<1.0	<1.0	<1.0	<1.0	<1.0
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)		115	113	105	110	105
	Alkalinity, Carbonate (as CaCO3) (mg/L)		<1.0	<1.0	1.8	<1.0	2.4
	Alkalinity, Hydroxide (as CaCO3) (mg/L)		<1.0	<1.0	<1.0	<1.0	<1.0
	Alkalinity, Total (as CaCO3) (mg/L)		115	113	107	110	108
	Ammonia as N (mg/L)		0.0154	0.0082	0.0054	0.0062	0.0077
	Bromide (Br) (mg/L)		<0.050	<0.050	<0.050	<0.050	<0.050
	Chloride (Cl) (mg/L)		2.70	2.25	1.97	2.27	2.03
	Fluoride (F) (mg/L)		0.105	0.099	0.091	0.092	0.093
	Ion Balance (%)		93.5	91.8	96.3	89.8	92.4
	Nitrate (as N) (mg/L)		0.251	0.209	0.143	0.139	0.147
	Nitrite (as N) (mg/L)		0.0027	0.0021	0.0021	0.0015	0.0023
	Total Kjeldahl Nitrogen (mg/L)		0.095	0.065	0.158	0.107	0.141
	Orthophosphate-Dissolved (as P) (mg/L)		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	Phosphorus (P)-Total (mg/L)		0.0033	<0.0020	<0.0020	0.0031	<0.0020
	Sulfate (SO4) (mg/L)		29.8	26.6	23.1	24.8	23.8
	Anion Sum (meq/L)		3.01	2.89	2.69	2.80	2.72
	Cation Sum (meq/L)		2.82	2.65	2.59	2.51	2.51
	Cation - Anion Balance (%)		-3.4	-4.3	-1.9	-5.4	-3.9
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)		0.81	0.98	1.18	1.15
Total Organic Carbon (mg/L)			0.84	0.99	1.24	1.47	1.10
Total Metals	Aluminum (Al)-Total (mg/L)		0.0443	0.0165	0.0116	0.0122	0.0101
	Antimony (Sb)-Total (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	0.00012
	Arsenic (As)-Total (mg/L)		0.00039	0.00037	0.00033	0.00033	0.00033
	Barium (Ba)-Total (mg/L)		0.0437	0.0435	0.0415	0.0399	0.0413
	Beryllium (Be)-Total (ug/L)		<0.020	<0.020	<0.020	<0.020	<0.020
	Bismuth (Bi)-Total (mg/L)		<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Boron (B)-Total (mg/L)		<0.010	<0.010	<0.010	<0.010	<0.010
	Cadmium (Cd)-Total (ug/L)		0.0057	<0.0050	<0.0050	<0.0050	<0.0050

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID	L2332094-6 WS 19-AUG-19 15:40 RG_ER_U1_WS_2 0190819_1540_NP _MD			
Grouping	Analyte				
WATER					
Physical Tests	Conductivity (@ 25C) (uS/cm)	242			
	Hardness (as CaCO3) (mg/L)	117			
	pH (pH)	8.33			
	ORP (mV)	436			
	Total Suspended Solids (mg/L)	<1.0			
	Total Dissolved Solids (mg/L)	206	DLHC		
	Turbidity (NTU)	0.63			
Anions and Nutrients	Acidity (as CaCO3) (mg/L)	<1.0			
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)	104			
	Alkalinity, Carbonate (as CaCO3) (mg/L)	2.8			
	Alkalinity, Hydroxide (as CaCO3) (mg/L)	<1.0			
	Alkalinity, Total (as CaCO3) (mg/L)	107			
	Ammonia as N (mg/L)	0.0055			
	Bromide (Br) (mg/L)	<0.050			
	Chloride (Cl) (mg/L)	2.39			
	Fluoride (F) (mg/L)	0.087			
	Ion Balance (%)	90.9			
	Nitrate (as N) (mg/L)	0.161			
	Nitrite (as N) (mg/L)	0.0020			
	Total Kjeldahl Nitrogen (mg/L)	0.098			
	Orthophosphate-Dissolved (as P) (mg/L)	<0.0010			
	Phosphorus (P)-Total (mg/L)	<0.0020			
	Sulfate (SO4) (mg/L)	23.7			
	Anion Sum (meq/L)	2.71			
	Cation Sum (meq/L)	2.47			
	Cation - Anion Balance (%)	-4.8			
Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)	0.95			
	Total Organic Carbon (mg/L)	1.11			
Total Metals	Aluminum (Al)-Total (mg/L)	0.0115			
	Antimony (Sb)-Total (mg/L)	<0.00010			
	Arsenic (As)-Total (mg/L)	0.00032			
	Barium (Ba)-Total (mg/L)	0.0406			
	Beryllium (Be)-Total (ug/L)	<0.020			
	Bismuth (Bi)-Total (mg/L)	<0.000050			
	Boron (B)-Total (mg/L)	<0.010			
	Cadmium (Cd)-Total (ug/L)	<0.0050			

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2332094-1	L2332094-2	L2332094-3	L2332094-4	L2332094-5
		Description	WS	WS	WS	WS	WS
		Sampled Date	19-AUG-19	19-AUG-19	19-AUG-19	19-AUG-19	19-AUG-19
		Sampled Time	13:50	14:00	14:15	15:20	15:30
		Client ID	RG_T4_U3_WS_2 0190819_1350_NP _MD	RG_T4_U2_WS_2 0190819_1400_NP _MD	RG_T4_U1_WS_2 0190819_1415_NP _MD	RG_ER_U3_WS_2 0190819_1520_NP _MD	RG_ER_U2_WS_2 0190819_1530_NP _MD
Grouping	Analyte						
WATER							
Total Metals	Calcium (Ca)-Total (mg/L)		34.8	34.3	33.0	32.2	32.2
	Chromium (Cr)-Total (mg/L)		0.00026	0.00014	0.00010	0.00013	0.00010
	Cobalt (Co)-Total (ug/L)		<0.10	<0.10	<0.10	<0.10	<0.10
	Copper (Cu)-Total (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Iron (Fe)-Total (mg/L)		0.064	0.012	<0.010	<0.010	<0.010
	Lead (Pb)-Total (mg/L)		0.000092	<0.000050	<0.000050	<0.000050	<0.000050
	Lithium (Li)-Total (mg/L)		0.0023	0.0022	0.0018	0.0018	0.0019
	Magnesium (Mg)-Total (mg/L)		11.8	11.0	10.1	11.0	10.1
	Manganese (Mn)-Total (mg/L)		0.00588	0.00196	0.00120	0.00140	0.00109
	Mercury (Hg)-Total (ug/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Molybdenum (Mo)-Total (mg/L)		0.000749	0.000698	0.000636	0.000660	0.000656
	Nickel (Ni)-Total (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Potassium (K)-Total (mg/L)		0.505	0.472	0.468	0.470	0.455
	Selenium (Se)-Total (ug/L)		1.31	1.21	0.937	0.853	1.02
	Silicon (Si)-Total (mg/L)		1.97	1.55	1.36	1.41	1.29
	Silver (Ag)-Total (mg/L)		<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Sodium (Na)-Total (mg/L)		3.48	3.00	2.71	3.01	2.71
	Strontium (Sr)-Total (mg/L)		0.155	0.142	0.128	0.137	0.130
	Thallium (Tl)-Total (mg/L)		<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Tin (Sn)-Total (mg/L)		<0.00010	0.00014	<0.00010	<0.00010	<0.00010
	Titanium (Ti)-Total (mg/L)		<0.010	<0.010	<0.010	<0.010	<0.010
	Uranium (U)-Total (mg/L)		0.000674	0.000609	0.000577	0.000598	0.000565
	Vanadium (V)-Total (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Zinc (Zn)-Total (mg/L)		<0.0030	<0.0030	<0.0030	<0.0030	<0.0030
Dissolved Metals	Dissolved Mercury Filtration Location		LAB	LAB	LAB	LAB	LAB
	Dissolved Metals Filtration Location		LAB	LAB	LAB	LAB	LAB
	Aluminum (Al)-Dissolved (mg/L)		0.0035	0.0033	0.0037	0.0033	0.0040
	Antimony (Sb)-Dissolved (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Arsenic (As)-Dissolved (mg/L)		0.00033	0.00031	0.00029	0.00030	0.00032
	Barium (Ba)-Dissolved (mg/L)		0.0423	0.0429	0.0396	0.0372	0.0388
	Beryllium (Be)-Dissolved (ug/L)		<0.020	<0.020	<0.020	<0.020	<0.020
	Bismuth (Bi)-Dissolved (mg/L)		<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Boron (B)-Dissolved (mg/L)		<0.010	<0.010	<0.010	<0.010	<0.010
	Cadmium (Cd)-Dissolved (ug/L)		<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
	Calcium (Ca)-Dissolved (mg/L)		36.2	34.0	33.9	32.5	32.6
	Chromium (Cr)-Dissolved (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Cobalt (Co)-Dissolved (ug/L)		<0.10	<0.10	<0.10	<0.10	<0.10

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID	L2332094-6 WS 19-AUG-19 15:40 RG_ER_U1_WS_2 0190819_1540_NP _MD			
Grouping	Analyte				
WATER					
Total Metals	Calcium (Ca)-Total (mg/L)	32.4			
	Chromium (Cr)-Total (mg/L)	0.00011			
	Cobalt (Co)-Total (ug/L)	<0.10			
	Copper (Cu)-Total (mg/L)	<0.00050			
	Iron (Fe)-Total (mg/L)	<0.010			
	Lead (Pb)-Total (mg/L)	<0.000050			
	Lithium (Li)-Total (mg/L)	0.0019			
	Magnesium (Mg)-Total (mg/L)	10.3			
	Manganese (Mn)-Total (mg/L)	0.00110			
	Mercury (Hg)-Total (ug/L)	<0.00050			
	Molybdenum (Mo)-Total (mg/L)	0.000636			
	Nickel (Ni)-Total (mg/L)	<0.00050			
	Potassium (K)-Total (mg/L)	0.464			
	Selenium (Se)-Total (ug/L)	0.989			
	Silicon (Si)-Total (mg/L)	1.28			
	Silver (Ag)-Total (mg/L)	<0.000010			
	Sodium (Na)-Total (mg/L)	2.66			
	Strontium (Sr)-Total (mg/L)	0.128			
	Thallium (Tl)-Total (mg/L)	<0.000010			
	Tin (Sn)-Total (mg/L)	<0.00010			
	Titanium (Ti)-Total (mg/L)	<0.010			
	Uranium (U)-Total (mg/L)	0.000582			
	Vanadium (V)-Total (mg/L)	<0.00050			
	Zinc (Zn)-Total (mg/L)	<0.0030			
Dissolved Metals	Dissolved Mercury Filtration Location	LAB			
	Dissolved Metals Filtration Location	LAB			
	Aluminum (Al)-Dissolved (mg/L)	0.0039			
	Antimony (Sb)-Dissolved (mg/L)	<0.00010			
	Arsenic (As)-Dissolved (mg/L)	0.00030			
	Barium (Ba)-Dissolved (mg/L)	0.0395			
	Beryllium (Be)-Dissolved (ug/L)	<0.020			
	Bismuth (Bi)-Dissolved (mg/L)	<0.000050			
	Boron (B)-Dissolved (mg/L)	<0.010			
	Cadmium (Cd)-Dissolved (ug/L)	<0.0050			
	Calcium (Ca)-Dissolved (mg/L)	31.6			
	Chromium (Cr)-Dissolved (mg/L)	<0.00010			
	Cobalt (Co)-Dissolved (ug/L)	<0.10			

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2332094-1	L2332094-2	L2332094-3	L2332094-4	L2332094-5
		Description	WS	WS	WS	WS	WS
		Sampled Date	19-AUG-19	19-AUG-19	19-AUG-19	19-AUG-19	19-AUG-19
		Sampled Time	13:50	14:00	14:15	15:20	15:30
		Client ID	RG_T4_U3_WS_2 0190819_1350_NP _MD	RG_T4_U2_WS_2 0190819_1400_NP _MD	RG_T4_U1_WS_2 0190819_1415_NP _MD	RG_ER_U3_WS_2 0190819_1520_NP _MD	RG_ER_U2_WS_2 0190819_1530_NP _MD
Grouping	Analyte						
WATER							
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Iron (Fe)-Dissolved (mg/L)		<0.010	<0.010	<0.010	<0.010	<0.010
	Lead (Pb)-Dissolved (mg/L)		<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Lithium (Li)-Dissolved (mg/L)		0.0023	0.0022	0.0019	0.0018	0.0018
	Magnesium (Mg)-Dissolved (mg/L)		10.5	9.97	9.39	9.25	9.27
	Manganese (Mn)-Dissolved (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Mercury (Hg)-Dissolved (mg/L)		<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050
	Molybdenum (Mo)-Dissolved (mg/L)		0.000702	0.000650	0.000593	0.000590	0.000604
	Nickel (Ni)-Dissolved (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Potassium (K)-Dissolved (mg/L)		0.479	0.455	0.438	0.431	0.444
	Selenium (Se)-Dissolved (ug/L)		1.35	1.29	1.01	0.871	1.01
	Silicon (Si)-Dissolved (mg/L)		1.81	1.42	1.22	1.28	1.13
	Silver (Ag)-Dissolved (mg/L)		<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Sodium (Na)-Dissolved (mg/L)		3.23	2.83	2.58	2.81	2.56
	Strontium (Sr)-Dissolved (mg/L)		0.145	0.135	0.129	0.133	0.123
	Thallium (Tl)-Dissolved (mg/L)		<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Tin (Sn)-Dissolved (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Titanium (Ti)-Dissolved (mg/L)		<0.010	<0.010	<0.010	<0.010	<0.010
	Uranium (U)-Dissolved (mg/L)		0.000719	0.000682	0.000626	0.000653	0.000626
	Vanadium (V)-Dissolved (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Zinc (Zn)-Dissolved (mg/L)		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID	L2332094-6 WS 19-AUG-19 15:40 RG_ER_U1_WS_2 0190819_1540_NP _MD			
Grouping	Analyte				
WATER					
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)	<0.00050			
	Iron (Fe)-Dissolved (mg/L)	<0.010			
	Lead (Pb)-Dissolved (mg/L)	<0.000050			
	Lithium (Li)-Dissolved (mg/L)	0.0018			
	Magnesium (Mg)-Dissolved (mg/L)	9.39			
	Manganese (Mn)-Dissolved (mg/L)	<0.00010			
	Mercury (Hg)-Dissolved (mg/L)	<0.0000050			
	Molybdenum (Mo)-Dissolved (mg/L)	0.000599			
	Nickel (Ni)-Dissolved (mg/L)	<0.00050			
	Potassium (K)-Dissolved (mg/L)	0.431			
	Selenium (Se)-Dissolved (ug/L)	0.979			
	Silicon (Si)-Dissolved (mg/L)	1.13			
	Silver (Ag)-Dissolved (mg/L)	<0.000010			
	Sodium (Na)-Dissolved (mg/L)	2.45			
	Strontium (Sr)-Dissolved (mg/L)	0.129			
	Thallium (Tl)-Dissolved (mg/L)	<0.000010			
	Tin (Sn)-Dissolved (mg/L)	<0.00010			
	Titanium (Ti)-Dissolved (mg/L)	<0.010			
	Uranium (U)-Dissolved (mg/L)	0.000662			
	Vanadium (V)-Dissolved (mg/L)	<0.00050			
	Zinc (Zn)-Dissolved (mg/L)	<0.0010			

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

Qualifiers for Sample Submission Listed:

Qualifier	Description
SFPL	Sample was Filtered and Preserved at the laboratory - DOC, dissolved metals and dissolved mercury must be filtered and preserved; appropriate codes added.

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Matrix Spike	Barium (Ba)-Dissolved	MS-B	L2332094-1, -2, -3, -4, -5, -6
Matrix Spike	Calcium (Ca)-Dissolved	MS-B	L2332094-1, -2, -3, -4, -5, -6
Matrix Spike	Magnesium (Mg)-Dissolved	MS-B	L2332094-1, -2, -3, -4, -5, -6
Matrix Spike	Sodium (Na)-Dissolved	MS-B	L2332094-1, -2, -3, -4, -5, -6
Matrix Spike	Strontium (Sr)-Dissolved	MS-B	L2332094-1, -2, -3, -4, -5, -6
Matrix Spike	Barium (Ba)-Total	MS-B	L2332094-1, -2, -3, -4, -5, -6
Matrix Spike	Calcium (Ca)-Total	MS-B	L2332094-1, -2, -3, -4, -5, -6
Matrix Spike	Magnesium (Mg)-Total	MS-B	L2332094-1, -2, -3, -4, -5, -6
Matrix Spike	Sodium (Na)-Total	MS-B	L2332094-1, -2, -3, -4, -5, -6
Matrix Spike	Strontium (Sr)-Total	MS-B	L2332094-1, -2, -3, -4, -5, -6

Qualifiers for Individual Parameters Listed:

Qualifier	Description
DLHC	Detection Limit Raised: Dilution required due to high concentration of test analyte(s).
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
ACIDITY-PCT-CL	Water	Acidity by Automatic Titration	APHA 2310 Acidity
This analysis is carried out using procedures adapted from APHA Method 2310 "Acidity". Acidity is determined by potentiometric titration to a specified endpoint.			
ALK-MAN-CL	Water	Alkalinity (Species) by Manual Titration	APHA 2320 ALKALINITY
This analysis is carried out using procedures adapted from APHA Method 2320 "Alkalinity". Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.			
BE-D-L-CCMS-VA	Water	Diss. Be (low) in Water by CRC ICPMS	APHA 3030B/6020A (mod)
Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.			
BE-T-L-CCMS-VA	Water	Total Be (Low) in Water by CRC ICPMS	EPA 200.2/6020A (mod)
Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.			
BR-L-IC-N-CL	Water	Bromide in Water by IC (Low Level)	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
C-DIS-ORG-LOW-CL	Water	Dissolved Organic Carbon	APHA 5310 B-Instrumental
This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.			
The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC. TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.			
C-TOT-ORG-LOW-CL	Water	Total Organic Carbon	APHA 5310 TOTAL ORGANIC CARBON (TOC)
This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.			

Reference Information

The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC.

TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.

CL-IC-N-CL Water Chloride in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

EC-L-PCT-CL Water Electrical Conductivity (EC) APHA 2510B

Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water sample. Conductivity measurements are temperature-compensated to 25C.

F-IC-N-CL Water Fluoride in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

HARDNESS-CALC-VA Water Hardness APHA 2340B

Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO₃ equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.

HG-D-CVAA-VA Water Diss. Mercury in Water by CVAAS or CVAFS APHA 3030B/EPA 1631E (mod)

Water samples are filtered (0.45 um), preserved with hydrochloric acid, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS or CVAFS.

HG-T-U-CVAF-VA Water Total Mercury in Water by CVAFS (Ultra) EPA 1631 REV. E

This analysis is carried out using procedures adapted from Method 1631 Rev. E. by the United States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to a purge and trap concentration step and final reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry.

IONBALANCE-BC-CL Water Ion Balance Calculation APHA 1030E

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]

MET-D-CCMS-VA Water Dissolved Metals in Water by CRC ICPMS APHA 3030B/6020A (mod)

Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

MET-T-CCMS-VA Water Total Metals in Water by CRC ICPMS EPA 200.2/6020A (mod)

Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

NH3-L-F-CL Water Ammonia, Total (as N) J. ENVIRON. MONIT., 2005, 7, 37-42, RSC

This analysis is carried out, on sulfuric acid preserved samples, using procedures modified from J. Environ. Monit., 2005, 7, 37 - 42, The Royal Society of Chemistry, "Flow-injection analysis with fluorescence detection for the determination of trace levels of ammonium in seawater", Roslyn J. Weston et al.

NO2-L-IC-N-CL Water Nitrite in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

NO3-L-IC-N-CL Water Nitrate in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

ORP-CL Water Oxidation reduction potential by elect. ASTM D1498

This analysis is carried out in accordance with the procedure described in the "ASTM" method D1498 "Oxidation-Reduction Potential of Water" published by the American Society for Testing and Materials (ASTM). Results are reported as observed oxidation-reduction potential of the platinum metal-reference electrode employed, in mV.

It is recommended that this analysis be conducted in the field.

P-T-L-COL-CL Water Phosphorus (P)-Total APHA 4500-P PHOSPHORUS

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorus is determined colourimetrically after persulphate digestion of the sample.

Reference Information

PH-CL	Water	pH	APHA 4500 H-Electrode
pH is determined in the laboratory using a pH electrode. All samples analyzed by this method for pH will have exceeded the 15 minute recommended hold time from time of sampling (field analysis is recommended for pH where highly accurate results are needed)			
PO4-DO-L-COL-CL	Water	Orthophosphate-Dissolved (as P)	APHA 4500-P PHOSPHORUS
This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Dissolved Orthophosphate is determined colourimetrically on a sample that has been lab or field filtered through a 0.45 micron membrane filter.			
SO4-IC-N-CL	Water	Sulfate in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
SOLIDS-TDS-CL	Water	Total Dissolved Solids	APHA 2540 C
A well-mixed sample is filtered through a glass fibre filter paper. The filtrate is then evaporated to dryness in a pre-weighed vial and dried at 180 – 2 °C. The increase in vial weight represents the total dissolved solids (TDS).			
TECKCOAL-IONBAL-CL	Water	Ion Balance Calculation	APHA 1030E
Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.			
Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:			
Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]			
TKN-L-F-CL	Water	Total Kjeldahl Nitrogen	APHA 4500-NORG (TKN)
This analysis is carried out using procedures adapted from APHA Method 4500-Norg D. "Block Digestion and Flow Injection Analysis". Total Kjeldahl Nitrogen is determined using block digestion followed by Flow-injection analysis with fluorescence detection.			
TSS-L-CL	Water	Total Suspended Solids	APHA 2540 D-Gravimetric
This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, and by drying the filter at 104 deg. C.			
TURBIDITY-CL	Water	Turbidity	APHA 2130 B-Nephelometer
This analysis is carried out using procedures adapted from APHA Method 2130 "Turbidity". Turbidity is determined by the nephelometric method.			

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
CL	ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA
VA	ALS ENVIRONMENTAL - VANCOUVER, BRITISH COLUMBIA, CANADA

Chain of Custody Numbers:

REP-Koocanusa 19-08

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Quality Control Report

Workorder: L2332094

Report Date: 27-AUG-19

Page 1 of 13

Client: Teck Coal Ltd.
 421 Pine Avenue
 Sparwood BC V0B 2G0
 Contact: Cait Good

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
ACIDITY-PCT-CL								
	Water							
Batch	R4763736							
WG3140066-5	LCS							
Acidity (as CaCO3)			102.5		%		85-115	21-AUG-19
WG3140066-4	MB							
Acidity (as CaCO3)			<1.0		mg/L		2	21-AUG-19
ALK-MAN-CL								
	Water							
Batch	R4763718							
WG3140072-9	DUP	L2332094-4						
Alkalinity, Total (as CaCO3)		110	108		mg/L	1.9	20	21-AUG-19
WG3140072-8	LCS							
Alkalinity, Total (as CaCO3)			99.9		%		85-115	21-AUG-19
WG3140072-7	MB							
Alkalinity, Total (as CaCO3)			<1.0		mg/L		1	21-AUG-19
BE-D-L-CCMS-VA								
	Water							
Batch	R4765206							
WG3139722-2	LCS							
Beryllium (Be)-Dissolved			99.5		%		80-120	22-AUG-19
WG3139722-1	MB	LF						
Beryllium (Be)-Dissolved			<0.000020		mg/L		0.00002	22-AUG-19
BE-T-L-CCMS-VA								
	Water							
Batch	R4765303							
WG3139859-3	DUP	L2332094-2						
Beryllium (Be)-Total		<0.000020	<0.000020	RPD-NA	mg/L	N/A	20	23-AUG-19
WG3139859-2	LCS							
Beryllium (Be)-Total			94.1		%		80-120	23-AUG-19
WG3139859-1	MB							
Beryllium (Be)-Total			<0.000020		mg/L		0.00002	23-AUG-19
WG3139859-4	MS	L2332094-1						
Beryllium (Be)-Total			92.9		%		70-130	23-AUG-19
BR-L-IC-N-CL								
	Water							
Batch	R4762165							
WG3139061-6	LCS							
Bromide (Br)			108.6		%		85-115	20-AUG-19
WG3139061-5	MB							
Bromide (Br)			<0.050		mg/L		0.05	20-AUG-19
C-DIS-ORG-LOW-CL								
	Water							

Quality Control Report

Workorder: L2332094

Report Date: 27-AUG-19

Page 2 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
C-DIS-ORG-LOW-CL								
Water								
Batch	R4767322							
WG3141597-19	DUP	L2332094-2						
Dissolved Organic Carbon		0.98	0.98		mg/L	0.7	20	22-AUG-19
WG3141597-18	LCS							
Dissolved Organic Carbon			109.9		%		80-120	22-AUG-19
WG3141597-17	MB							
Dissolved Organic Carbon			<0.50		mg/L		0.5	22-AUG-19
WG3141597-20	MS	L2332094-3						
Dissolved Organic Carbon			89.7		%		70-130	22-AUG-19
C-TOT-ORG-LOW-CL								
Water								
Batch	R4767322							
WG3141597-19	DUP	L2332094-2						
Total Organic Carbon		0.99	0.95		mg/L	4.1	20	22-AUG-19
WG3141597-18	LCS							
Total Organic Carbon			116.5		%		80-120	22-AUG-19
WG3141597-17	MB							
Total Organic Carbon			<0.50		mg/L		0.5	22-AUG-19
WG3141597-20	MS	L2332094-3						
Total Organic Carbon			93.5		%		70-130	22-AUG-19
CL-IC-N-CL								
Water								
Batch	R4762165							
WG3139061-6	LCS							
Chloride (Cl)			103.0		%		90-110	20-AUG-19
WG3139061-5	MB							
Chloride (Cl)			<0.50		mg/L		0.5	20-AUG-19
EC-L-PCT-CL								
Water								
Batch	R4763718							
WG3140072-9	DUP	L2332094-4						
Conductivity (@ 25C)		250	250		uS/cm	0.0	10	21-AUG-19
WG3140072-8	LCS							
Conductivity (@ 25C)			100.6		%		90-110	21-AUG-19
WG3140072-7	MB							
Conductivity (@ 25C)			<2.0		uS/cm		2	21-AUG-19
F-IC-N-CL								
Water								
Batch	R4762165							
WG3139061-6	LCS							
Fluoride (F)			108.9		%		90-110	20-AUG-19
WG3139061-5	MB							

Quality Control Report

Workorder: L2332094

Report Date: 27-AUG-19

Page 3 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
F-IC-N-CL								
Water								
Batch R4762165								
WG3139061-5 MB								
Fluoride (F)								
			<0.020		mg/L		0.02	20-AUG-19
HG-D-CVAA-VA								
Water								
Batch R4767842								
WG3141526-3 DUP								
		L2332094-6	<0.0000050	RPD-NA	mg/L	N/A	20	24-AUG-19
WG3141526-2 LCS								
			93.2		%		80-120	24-AUG-19
WG3141526-1 MB								
		LF	<0.0000050		mg/L		0.000005	24-AUG-19
HG-T-U-CVAF-VA								
Water								
Batch R4768565								
WG3143342-2 LCS								
			80.6		%		80-120	24-AUG-19
WG3143342-1 MB								
			<0.00050		ug/L		0.0005	24-AUG-19
MET-D-CCMS-VA								
Water								
Batch R4765206								
WG3139722-2 LCS								
			96.4		%		80-120	22-AUG-19
			93.8		%		80-120	22-AUG-19
			93.4		%		80-120	22-AUG-19
			95.6		%		80-120	22-AUG-19
			92.0		%		80-120	22-AUG-19
			96.2		%		80-120	22-AUG-19
			93.2		%		80-120	22-AUG-19
			96.5		%		80-120	22-AUG-19
			94.7		%		80-120	22-AUG-19
			92.4		%		80-120	22-AUG-19
			92.2		%		80-120	22-AUG-19
			94.7		%		80-120	22-AUG-19
			97.4		%		80-120	22-AUG-19
			99.4		%		80-120	22-AUG-19
			97.0		%		80-120	22-AUG-19
			94.9		%		80-120	22-AUG-19



Quality Control Report

Workorder: L2332094

Report Date: 27-AUG-19

Page 4 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4765206							
WG3139722-2	LCS							
Molybdenum (Mo)-Dissolved			96.3		%		80-120	22-AUG-19
Nickel (Ni)-Dissolved			95.1		%		80-120	22-AUG-19
Potassium (K)-Dissolved			98.9		%		80-120	22-AUG-19
Selenium (Se)-Dissolved			93.6		%		80-120	22-AUG-19
Silicon (Si)-Dissolved			95.4		%		60-140	22-AUG-19
Silver (Ag)-Dissolved			93.3		%		80-120	22-AUG-19
Sodium (Na)-Dissolved			97.1		%		80-120	22-AUG-19
Strontium (Sr)-Dissolved			100.6		%		80-120	22-AUG-19
Thallium (Tl)-Dissolved			98.3		%		80-120	22-AUG-19
Tin (Sn)-Dissolved			96.4		%		80-120	22-AUG-19
Titanium (Ti)-Dissolved			95.8		%		80-120	22-AUG-19
Uranium (U)-Dissolved			100.9		%		80-120	22-AUG-19
Vanadium (V)-Dissolved			96.8		%		80-120	22-AUG-19
Zinc (Zn)-Dissolved			97.8		%		80-120	22-AUG-19
WG3139722-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	22-AUG-19
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	22-AUG-19
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	22-AUG-19
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	22-AUG-19
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	22-AUG-19
Boron (B)-Dissolved			<0.010		mg/L		0.01	22-AUG-19
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	22-AUG-19
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	22-AUG-19
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	22-AUG-19
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	22-AUG-19
Copper (Cu)-Dissolved			<0.00020		mg/L		0.0002	22-AUG-19
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	22-AUG-19
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	22-AUG-19
Lithium (Li)-Dissolved			<0.0010		mg/L		0.001	22-AUG-19
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	22-AUG-19
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	22-AUG-19
Molybdenum (Mo)-Dissolved			<0.000050		mg/L		0.00005	22-AUG-19
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	22-AUG-19
Potassium (K)-Dissolved			<0.050		mg/L		0.05	22-AUG-19



Quality Control Report

Workorder: L2332094

Report Date: 27-AUG-19

Page 5 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4765206							
WG3139722-1 MB		LF						
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	22-AUG-19
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	22-AUG-19
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	22-AUG-19
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	22-AUG-19
Strontium (Sr)-Dissolved			<0.00020		mg/L		0.0002	22-AUG-19
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	22-AUG-19
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	22-AUG-19
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	22-AUG-19
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	22-AUG-19
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	22-AUG-19
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	22-AUG-19
MET-T-CCMS-VA								
	Water							
Batch	R4765303							
WG3139859-3 DUP		L2332094-2						
Aluminum (Al)-Total		0.0165	0.0196		mg/L	17	20	23-AUG-19
Antimony (Sb)-Total		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	23-AUG-19
Arsenic (As)-Total		0.00037	0.00038		mg/L	2.1	20	23-AUG-19
Barium (Ba)-Total		0.0435	0.0425		mg/L	2.2	20	23-AUG-19
Bismuth (Bi)-Total		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	23-AUG-19
Boron (B)-Total		<0.010	<0.010	RPD-NA	mg/L	N/A	20	23-AUG-19
Cadmium (Cd)-Total		<0.0000050	<0.0000050	RPD-NA	mg/L	N/A	20	23-AUG-19
Calcium (Ca)-Total		34.3	35.8		mg/L	4.2	20	23-AUG-19
Chromium (Cr)-Total		0.00014	0.00015		mg/L	5.5	20	23-AUG-19
Cobalt (Co)-Total		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	23-AUG-19
Copper (Cu)-Total		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	23-AUG-19
Iron (Fe)-Total		0.012	0.015		mg/L	18	20	23-AUG-19
Lead (Pb)-Total		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	23-AUG-19
Lithium (Li)-Total		0.0022	0.0022		mg/L	3.3	20	23-AUG-19
Magnesium (Mg)-Total		11.0	10.9		mg/L	1.3	20	23-AUG-19
Manganese (Mn)-Total		0.00196	0.00196		mg/L	0.2	20	23-AUG-19
Molybdenum (Mo)-Total		0.000698	0.000719		mg/L	3.0	20	23-AUG-19
Nickel (Ni)-Total		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	23-AUG-19
Potassium (K)-Total		0.472	0.484		mg/L	2.6	20	23-AUG-19
Selenium (Se)-Total		0.00121	0.00116		mg/L	4.6	20	23-AUG-19



Quality Control Report

Workorder: L2332094

Report Date: 27-AUG-19

Page 6 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4765303							
WG3139859-3	DUP	L2332094-2						
Silicon (Si)-Total		1.55	1.57		mg/L	1.3	20	23-AUG-19
Silver (Ag)-Total		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	23-AUG-19
Sodium (Na)-Total		3.00	3.01		mg/L	0.5	20	23-AUG-19
Strontium (Sr)-Total		0.142	0.139		mg/L	2.2	20	23-AUG-19
Thallium (Tl)-Total		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	23-AUG-19
Tin (Sn)-Total		0.00014	0.00014		mg/L	2.0	20	23-AUG-19
Titanium (Ti)-Total		<0.010	<0.010	RPD-NA	mg/L	N/A	20	23-AUG-19
Uranium (U)-Total		0.000609	0.000607		mg/L	0.2	20	23-AUG-19
Vanadium (V)-Total		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	23-AUG-19
Zinc (Zn)-Total		<0.0030	<0.0030	RPD-NA	mg/L	N/A	20	23-AUG-19
WG3139859-2	LCS							
Aluminum (Al)-Total			101.2		%		80-120	23-AUG-19
Antimony (Sb)-Total			97.2		%		80-120	23-AUG-19
Arsenic (As)-Total			100.9		%		80-120	23-AUG-19
Barium (Ba)-Total			99.2		%		80-120	23-AUG-19
Bismuth (Bi)-Total			88.3		%		80-120	23-AUG-19
Boron (B)-Total			95.9		%		80-120	23-AUG-19
Cadmium (Cd)-Total			102.3		%		80-120	23-AUG-19
Calcium (Ca)-Total			97.0		%		80-120	23-AUG-19
Chromium (Cr)-Total			103.2		%		80-120	23-AUG-19
Cobalt (Co)-Total			98.9		%		80-120	23-AUG-19
Copper (Cu)-Total			99.5		%		80-120	23-AUG-19
Iron (Fe)-Total			101.4		%		80-120	23-AUG-19
Lead (Pb)-Total			93.1		%		80-120	23-AUG-19
Lithium (Li)-Total			97.0		%		80-120	23-AUG-19
Magnesium (Mg)-Total			101.2		%		80-120	23-AUG-19
Manganese (Mn)-Total			102.4		%		80-120	23-AUG-19
Molybdenum (Mo)-Total			101.2		%		80-120	23-AUG-19
Nickel (Ni)-Total			100.0		%		80-120	23-AUG-19
Potassium (K)-Total			103.9		%		80-120	23-AUG-19
Selenium (Se)-Total			98.9		%		80-120	23-AUG-19
Silicon (Si)-Total			105.4		%		80-120	23-AUG-19
Silver (Ag)-Total			102.4		%		80-120	23-AUG-19
Sodium (Na)-Total			101.0		%		80-120	23-AUG-19



Quality Control Report

Workorder: L2332094

Report Date: 27-AUG-19

Page 7 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4765303							
WG3139859-2 LCS								
Strontium (Sr)-Total			101.1		%		80-120	23-AUG-19
Thallium (Tl)-Total			88.8		%		80-120	23-AUG-19
Tin (Sn)-Total			101.4		%		80-120	23-AUG-19
Titanium (Ti)-Total			93.7		%		80-120	23-AUG-19
Uranium (U)-Total			88.4		%		80-120	23-AUG-19
Vanadium (V)-Total			100.9		%		80-120	23-AUG-19
Zinc (Zn)-Total			100.0		%		80-120	23-AUG-19
WG3139859-1 MB								
Aluminum (Al)-Total			<0.0030		mg/L		0.003	23-AUG-19
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	23-AUG-19
Arsenic (As)-Total			<0.00010		mg/L		0.0001	23-AUG-19
Barium (Ba)-Total			<0.00010		mg/L		0.0001	23-AUG-19
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	23-AUG-19
Boron (B)-Total			<0.010		mg/L		0.01	23-AUG-19
Cadmium (Cd)-Total			<0.0000050		mg/L		0.000005	23-AUG-19
Calcium (Ca)-Total			<0.050		mg/L		0.05	23-AUG-19
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	23-AUG-19
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	23-AUG-19
Copper (Cu)-Total			<0.00050		mg/L		0.0005	23-AUG-19
Iron (Fe)-Total			<0.010		mg/L		0.01	23-AUG-19
Lead (Pb)-Total			<0.000050		mg/L		0.00005	23-AUG-19
Lithium (Li)-Total			<0.0010		mg/L		0.001	23-AUG-19
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	23-AUG-19
Manganese (Mn)-Total			<0.00010		mg/L		0.0001	23-AUG-19
Molybdenum (Mo)-Total			<0.000050		mg/L		0.00005	23-AUG-19
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	23-AUG-19
Potassium (K)-Total			<0.050		mg/L		0.05	23-AUG-19
Selenium (Se)-Total			<0.000050		mg/L		0.00005	23-AUG-19
Silicon (Si)-Total			<0.10		mg/L		0.1	23-AUG-19
Silver (Ag)-Total			<0.000010		mg/L		0.00001	23-AUG-19
Sodium (Na)-Total			<0.050		mg/L		0.05	23-AUG-19
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	23-AUG-19
Thallium (Tl)-Total			<0.000010		mg/L		0.00001	23-AUG-19
Tin (Sn)-Total			<0.00010		mg/L		0.0001	23-AUG-19



Quality Control Report

Workorder: L2332094

Report Date: 27-AUG-19

Page 8 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4765303							
WG3139859-1	MB							
Titanium (Ti)-Total			<0.00030		mg/L		0.0003	23-AUG-19
Uranium (U)-Total			<0.000010		mg/L		0.00001	23-AUG-19
Vanadium (V)-Total			<0.00050		mg/L		0.0005	23-AUG-19
Zinc (Zn)-Total			<0.0030		mg/L		0.003	23-AUG-19
WG3139859-4	MS	L2332094-1						
Aluminum (Al)-Total			99.0		%		70-130	23-AUG-19
Antimony (Sb)-Total			99.7		%		70-130	23-AUG-19
Arsenic (As)-Total			101.8		%		70-130	23-AUG-19
Barium (Ba)-Total			N/A	MS-B	%		-	23-AUG-19
Bismuth (Bi)-Total			93.4		%		70-130	23-AUG-19
Boron (B)-Total			90.4		%		70-130	23-AUG-19
Cadmium (Cd)-Total			105.1		%		70-130	23-AUG-19
Calcium (Ca)-Total			N/A	MS-B	%		-	23-AUG-19
Chromium (Cr)-Total			102.5		%		70-130	23-AUG-19
Cobalt (Co)-Total			98.4		%		70-130	23-AUG-19
Copper (Cu)-Total			99.2		%		70-130	23-AUG-19
Iron (Fe)-Total			98.3		%		70-130	23-AUG-19
Lead (Pb)-Total			94.2		%		70-130	23-AUG-19
Lithium (Li)-Total			98.1		%		70-130	23-AUG-19
Magnesium (Mg)-Total			N/A	MS-B	%		-	23-AUG-19
Manganese (Mn)-Total			98.7		%		70-130	23-AUG-19
Molybdenum (Mo)-Total			102.1		%		70-130	23-AUG-19
Nickel (Ni)-Total			98.5		%		70-130	23-AUG-19
Potassium (K)-Total			101.6		%		70-130	23-AUG-19
Selenium (Se)-Total			98.6		%		70-130	23-AUG-19
Silicon (Si)-Total			95.9		%		70-130	23-AUG-19
Silver (Ag)-Total			106.1		%		70-130	23-AUG-19
Sodium (Na)-Total			N/A	MS-B	%		-	23-AUG-19
Strontium (Sr)-Total			N/A	MS-B	%		-	23-AUG-19
Thallium (Tl)-Total			89.7		%		70-130	23-AUG-19
Tin (Sn)-Total			103.5		%		70-130	23-AUG-19
Titanium (Ti)-Total			95.8		%		70-130	23-AUG-19
Uranium (U)-Total			89.8		%		70-130	23-AUG-19
Vanadium (V)-Total			101.3		%		70-130	23-AUG-19



Quality Control Report

Workorder: L2332094

Report Date: 27-AUG-19

Page 9 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA	Water							
Batch	R4765303							
WG3139859-4 MS		L2332094-1						
Zinc (Zn)-Total			97.8		%		70-130	23-AUG-19
NH3-L-F-CL	Water							
Batch	R4768758							
WG3141851-10 LCS								
Ammonia as N			102.6		%		85-115	23-AUG-19
WG3141851-9 MB								
Ammonia as N			<0.0050		mg/L		0.005	23-AUG-19
NO2-L-IC-N-CL	Water							
Batch	R4762165							
WG3139061-6 LCS								
Nitrite (as N)			105.3		%		90-110	20-AUG-19
WG3139061-5 MB								
Nitrite (as N)			<0.0010		mg/L		0.001	20-AUG-19
NO3-L-IC-N-CL	Water							
Batch	R4762165							
WG3139061-6 LCS								
Nitrate (as N)			101.6		%		90-110	20-AUG-19
WG3139061-5 MB								
Nitrate (as N)			<0.0050		mg/L		0.005	20-AUG-19
ORP-CL	Water							
Batch	R4768422							
WG3143171-1 CRM		CL-ORP						
ORP			220		mV		210-230	24-AUG-19
WG3143171-2 DUP		L2332094-1						
ORP		435	432	J	mV	3.5	15	24-AUG-19
P-T-L-COL-CL	Water							
Batch	R4765058							
WG3140294-14 LCS								
Phosphorus (P)-Total			102.2		%		80-120	22-AUG-19
WG3140294-4 MB								
Phosphorus (P)-Total			<0.0020		mg/L		0.002	22-AUG-19
PH-CL	Water							

Quality Control Report

Workorder: L2332094

Report Date: 27-AUG-19

Page 10 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PH-CL								
Water								
Batch	R4763718							
WG3140072-9	DUP	L2332094-4						
pH		8.30	8.30	J	pH	0.00	0.2	21-AUG-19
WG3140072-8	LCS							
pH			7.01		pH		6.9-7.1	21-AUG-19
PO4-DO-L-COL-CL								
Water								
Batch	R4759717							
WG3137802-6	LCS							
Orthophosphate-Dissolved (as P)			101.4		%		80-120	20-AUG-19
WG3137802-9	LCS							
Orthophosphate-Dissolved (as P)			102.4		%		80-120	20-AUG-19
WG3137802-1	MB							
Orthophosphate-Dissolved (as P)			<0.0010		mg/L		0.001	19-AUG-19
WG3137802-2	MB							
Orthophosphate-Dissolved (as P)			<0.0010		mg/L		0.001	20-AUG-19
SO4-IC-N-CL								
Water								
Batch	R4762165							
WG3139061-6	LCS							
Sulfate (SO4)			103.1		%		90-110	20-AUG-19
WG3139061-5	MB							
Sulfate (SO4)			<0.30		mg/L		0.3	20-AUG-19
SOLIDS-TDS-CL								
Water								
Batch	R4768900							
WG3141391-8	LCS							
Total Dissolved Solids			95.1		%		85-115	23-AUG-19
WG3141391-7	MB							
Total Dissolved Solids			<10		mg/L		10	23-AUG-19
TKN-L-F-CL								
Water								
Batch	R4768755							
WG3143573-10	LCS							
Total Kjeldahl Nitrogen			105.7		%		75-125	26-AUG-19
WG3143573-14	LCS							
Total Kjeldahl Nitrogen			100.6		%		75-125	26-AUG-19
WG3143573-2	LCS							
Total Kjeldahl Nitrogen			109.3		%		75-125	26-AUG-19
WG3143573-6	LCS							
Total Kjeldahl Nitrogen			105.2		%		75-125	26-AUG-19
WG3143573-1	MB							



Quality Control Report

Workorder: L2332094

Report Date: 27-AUG-19

Page 11 of 13

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
TKN-L-F-CL								
	Water							
Batch	R4768755							
WG3143573-1	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	26-AUG-19
WG3143573-13	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	26-AUG-19
WG3143573-5	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	26-AUG-19
WG3143573-9	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	26-AUG-19
TSS-L-CL								
	Water							
Batch	R4768742							
WG3140730-6	LCS							
Total Suspended Solids			91.8		%		85-115	23-AUG-19
WG3140730-5	MB							
Total Suspended Solids			<1.0		mg/L		1	23-AUG-19
TURBIDITY-CL								
	Water							
Batch	R4761731							
WG3138445-9	DUP	L2332094-2						
Turbidity		0.74	0.76		NTU	2.0	15	20-AUG-19
WG3138445-5	LCS							
Turbidity			94.5		%		85-115	20-AUG-19
WG3138445-8	LCS							
Turbidity			95.5		%		85-115	20-AUG-19
WG3138445-4	MB							
Turbidity			<0.10		NTU		0.1	20-AUG-19
WG3138445-7	MB							
Turbidity			<0.10		NTU		0.1	20-AUG-19

Quality Control Report

Workorder: L2332094

Report Date: 27-AUG-19

Page 12 of 13

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
J	Duplicate results and limits are expressed in terms of absolute difference.
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Quality Control Report

Workorder: L2332094

Report Date: 27-AUG-19

Page 13 of 13

Hold Time Exceedances:

ALS Product Description	Sample ID	Sampling Date	Date Processed	Rec. HT	Actual HT	Units	Qualifier
Physical Tests							
Oxidation redution potential by elect.	1	19-AUG-19 13:50	24-AUG-19 09:00	0.25	115	hours	EHTR-FM
	2	19-AUG-19 14:00	24-AUG-19 09:00	0.25	115	hours	EHTR-FM
	3	19-AUG-19 14:15	24-AUG-19 09:00	0.25	115	hours	EHTR-FM
	4	19-AUG-19 15:20	24-AUG-19 09:00	0.25	114	hours	EHTR-FM
	5	19-AUG-19 15:30	24-AUG-19 09:00	0.25	114	hours	EHTR-FM
	6	19-AUG-19 15:40	24-AUG-19 09:00	0.25	113	hours	EHTR-FM
pH	1	19-AUG-19 13:50	21-AUG-19 09:00	0.25	43	hours	EHTR-FM
	2	19-AUG-19 14:00	21-AUG-19 09:00	0.25	43	hours	EHTR-FM
	3	19-AUG-19 14:15	21-AUG-19 09:00	0.25	43	hours	EHTR-FM
	4	19-AUG-19 15:20	21-AUG-19 09:00	0.25	42	hours	EHTR-FM
	5	19-AUG-19 15:30	21-AUG-19 09:00	0.25	42	hours	EHTR-FM
	6	19-AUG-19 15:40	21-AUG-19 09:00	0.25	41	hours	EHTR-FM

Legend & Qualifier Definitions:

- EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended.
- EHTR: Exceeded ALS recommended hold time prior to sample receipt.
- EHTL: Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.
- EHT: Exceeded ALS recommended hold time prior to analysis.
- Rec. HT: ALS recommended hold time (see units).

Notes*:
 Where actual sampling date is not provided to ALS, the date (& time) of receipt is used for calculation purposes.
 Where actual sampling time is not provided to ALS, the earlier of 12 noon on the sampling date or the time (& date) of receipt is used for calculation purposes. Samples for L2332094 were received on 20-AUG-19 09:00.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

COC ID: REP-Kooconusa 19-08 TURNAROUND TIME:

PROJECT/CLIENT INFO				LABORATORY				
Facility Name / Job#	Regional Effects Program/Kooconusa			Lab Name	ALS Calgary			
Project Manager	Cait Good			Lab Contact	Lyudmyla Shvets			
Email	cait.good@teck.com			Email	lyudmyla.shvets@alsglobal.com			
Address	421 Pine Avenue			Address	2557 29 Street NE			
City	Sparwood	Province	BC	City	Calgary	Province	AB	
Postal Code	V0B 2G0	Country	Canada	Postal Code	T1Y 7B5	Country	Canada	
Phone Number	250-425-8202			Phone Number	1 403 407 1794		PO Number	VPO00616180

SAMPLE DETAILS ANALYSIS REQUESTED



L2332094-COFC

Sample ID	Sample Location	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Comp	# Of Cont.	TECKCOAL-ROUTINE-VA	ALS_Package-DOC	ALS_Package-TRK/TOC	HG-TU-CVAF-VA	HG-D-CVAF-VA	TECKCOAL-MET-T-VA	TECKCOAL-MET-D-VA
1 RG-T4-U3-WS-20190819-1350 NP-MD	RG-T4	WS	No	20190819	1350	G	7	X	X	X	X	X	X	X
2 RG-T4-U2-WS-20190819-1400 NP-MD	RG-T4	WS	No	20190819	1400	G	7	X	X	X	X	X	X	X
3 RG-T4-U1-WS-20190819-1415 NP-MD	RG-T4	WS	No	20190819	1415	G	7	X	X	X	X	X	X	X
4 RG-ER-U3-WS-20190819-1520 NP-MD	RG-ER	WS	No	20190819	1520	G	7	X	X	X	X	X	X	X
5 RG-ER-U2-WS-20190819-1530 NP-MD	RG-ER	WS	No	20190819	1530	G	7	X	X	X	X	X	X	X
6 RG-ER-U1-WS-20190819-1540 NP-MD	RG-ER	WS	No	20190819	1540	G	7	X	X	X	X	X	X	X

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION
			DK 8/10 0900

NB OF BOTTLES RETURNED/DESCRIPTION	Regular (default) x	Priority (2-3 business days) - 50% surcharge	Emergency (1 Business Day) - 100% surcharge	For Emergency <1 Day, ASAP or Weekend - Contact ALS	Sampler's Name	Mobile #	Date/Time
					Mary Georgian	(519) 641 9249	19-AUG-19

70



Teck Coal Ltd.
ATTN: Cait Good
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 20-AUG-19
Report Date: 27-AUG-19 15:53 (MT)
Version: FINAL

Client Phone: 250-425-8202

Certificate of Analysis

Lab Work Order #: L2332191
Project P.O. #: VPO00616180
Job Reference: REGIONAL EFFECTS PROGRAM/KOOCANUSA
C of C Numbers: REP-Koocanusa 19-08
Legal Site Desc:

Lyudmyla Shvets, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2332191-1	L2332191-2	L2332191-3	L2332191-4	L2332191-5
		Description	WS	WS	WS	WS	WS
		Sampled Date	19-AUG-19	19-AUG-19	19-AUG-19	19-AUG-19	19-AUG-19
		Sampled Time	11:42	12:00	12:10	12:20	12:15
		Client ID	RG_GC_U3_WS_2 0190819_1142_NP _MD	RG_GC_U2_WS_2 0190819_1200_NP _MD	RG_GC_U1_WS_2 0190819_1210_NP _MD	RG_DUP_WS_201 90819_1220_NP_M D	RG_BLANK_WS_2 0190819_1215_NP _MD
Grouping	Analyte						
WATER							
Physical Tests	Conductivity (@ 25C) (uS/cm)		258	255	236	237	<2.0
	Hardness (as CaCO3) (mg/L)		130	128	118	121	<0.50
	pH (pH)		8.10	8.26	8.33	8.34	5.56
	ORP (mV)		313	485	364	399	496
	Total Suspended Solids (mg/L)		9.7	1.5	<1.0	1.7	<1.0
	Total Dissolved Solids (mg/L)		148	DLHC 141	DLHC 125	DLHC 129	<10
	Turbidity (NTU)		6.41	0.81	0.90	0.89	<0.10
Anions and Nutrients	Acidity (as CaCO3) (mg/L)		1.7	<1.0	<1.0	<1.0	1.0
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)		113	112	102	98.3	<1.0
	Alkalinity, Carbonate (as CaCO3) (mg/L)		<1.0	<1.0	3.0	3.0	<1.0
	Alkalinity, Hydroxide (as CaCO3) (mg/L)		<1.0	<1.0	<1.0	<1.0	<1.0
	Alkalinity, Total (as CaCO3) (mg/L)		113	112	105	101	<1.0
	Ammonia as N (mg/L)		0.0102	0.0119	0.0103	0.0061	<0.0050
	Bromide (Br) (mg/L)		<0.050	<0.050	<0.050	<0.050	<0.050
	Chloride (Cl) (mg/L)		2.08	2.25	1.87	1.90	<0.50
	Fluoride (F) (mg/L)		0.101	0.094	0.088	0.090	<0.020
	Ion Balance (%)		94.6	94.2	94.2	99.0	0.0
	Nitrate (as N) (mg/L)		0.318	0.192	0.139	0.140	<0.0050
	Nitrite (as N) (mg/L)		0.0036	0.0024	0.0020	0.0021	<0.0010
	Total Kjeldahl Nitrogen (mg/L)		0.101	0.077	0.114	0.094	<0.050
	Orthophosphate-Dissolved (as P) (mg/L)		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	Phosphorus (P)-Total (mg/L)		0.0035	<0.0020	<0.0020	<0.0020	<0.0020
	Sulfate (SO4) (mg/L)		25.7	25.4	21.9	21.8	<0.30
	Anion Sum (meq/L)		2.88	2.86	2.63	2.55	<0.10
	Cation Sum (meq/L)		2.73	2.69	2.48	2.52	<0.10
	Cation - Anion Balance (%)		-2.8	-3.0	-3.0	-0.5	0.0
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)		0.85	0.90	1.04	1.14
Total Organic Carbon (mg/L)			0.85	1.12	1.24	1.19	<0.50
Total Metals	Aluminum (Al)-Total (mg/L)		0.131	0.0171	0.0198	0.0165	<0.0030
	Antimony (Sb)-Total (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Arsenic (As)-Total (mg/L)		0.00042	0.00032	0.00035	0.00031	<0.00010
	Barium (Ba)-Total (mg/L)		0.0447	0.0433	0.0398	0.0392	<0.00010
	Beryllium (Be)-Total (ug/L)		<0.020	<0.020	<0.020	<0.020	<0.020
	Bismuth (Bi)-Total (mg/L)		<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Boron (B)-Total (mg/L)		<0.010	<0.010	<0.010	<0.010	<0.010
	Cadmium (Cd)-Total (ug/L)		0.0071	<0.0050	<0.0050	<0.0050	<0.0050

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID	L2332191-6 WS 19-AUG-19 RG_TRIP_WS_201 90819_0000_NP_M D			
Grouping	Analyte				
WATER					
Physical Tests	Conductivity (@ 25C) (uS/cm)	<2.0			
	Hardness (as CaCO3) (mg/L)	<0.50			
	pH (pH)	5.37			
	ORP (mV)	414			
	Total Suspended Solids (mg/L)	<1.0			
	Total Dissolved Solids (mg/L)	<10			
	Turbidity (NTU)	<0.10			
Anions and Nutrients	Acidity (as CaCO3) (mg/L)	1.9			
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)	<1.0			
	Alkalinity, Carbonate (as CaCO3) (mg/L)	<1.0			
	Alkalinity, Hydroxide (as CaCO3) (mg/L)	<1.0			
	Alkalinity, Total (as CaCO3) (mg/L)	<1.0			
	Ammonia as N (mg/L)	<0.0050			
	Bromide (Br) (mg/L)	<0.050			
	Chloride (Cl) (mg/L)	<0.50			
	Fluoride (F) (mg/L)	<0.020			
	Ion Balance (%)	0.0			
	Nitrate (as N) (mg/L)	<0.0050			
	Nitrite (as N) (mg/L)	<0.0010			
	Total Kjeldahl Nitrogen (mg/L)	<0.050			
	Orthophosphate-Dissolved (as P) (mg/L)	<0.0010			
	Phosphorus (P)-Total (mg/L)	<0.0020			
	Sulfate (SO4) (mg/L)	<0.30			
	Anion Sum (meq/L)	<0.10			
	Cation Sum (meq/L)	<0.10			
	Cation - Anion Balance (%)	0.0			
Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)				
	Total Organic Carbon (mg/L)	<0.50			
Total Metals	Aluminum (Al)-Total (mg/L)	<0.0030			
	Antimony (Sb)-Total (mg/L)	<0.00010			
	Arsenic (As)-Total (mg/L)	<0.00010			
	Barium (Ba)-Total (mg/L)	<0.00010			
	Beryllium (Be)-Total (ug/L)	<0.020			
	Bismuth (Bi)-Total (mg/L)	<0.000050			
	Boron (B)-Total (mg/L)	<0.010			
	Cadmium (Cd)-Total (ug/L)	<0.0050			

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2332191-1	L2332191-2	L2332191-3	L2332191-4	L2332191-5
		Description	WS	WS	WS	WS	WS
		Sampled Date	19-AUG-19	19-AUG-19	19-AUG-19	19-AUG-19	19-AUG-19
		Sampled Time	11:42	12:00	12:10	12:20	12:15
		Client ID	RG_GC_U3_WS_2 0190819_1142_NP _MD	RG_GC_U2_WS_2 0190819_1200_NP _MD	RG_GC_U1_WS_2 0190819_1210_NP _MD	RG_DUP_WS_201 90819_1220_NP_M D	RG_BLANK_WS_2 0190819_1215_NP _MD
Grouping	Analyte						
WATER							
Total Metals	Calcium (Ca)-Total (mg/L)		33.9	35.5	31.0	32.3	<0.050
	Chromium (Cr)-Total (mg/L)		0.00028	0.00012	0.00013	0.00012	<0.00010
	Cobalt (Co)-Total (ug/L)		0.11	<0.10	<0.10	<0.10	<0.10
	Copper (Cu)-Total (mg/L)		0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Iron (Fe)-Total (mg/L)		0.184	0.017	0.013	0.012	<0.010
	Lead (Pb)-Total (mg/L)		0.000187	<0.000050	<0.000050	<0.000050	<0.000050
	Lithium (Li)-Total (mg/L)		0.0022	0.0020	0.0017	0.0018	<0.0010
	Magnesium (Mg)-Total (mg/L)		10.7	10.5	9.73	10.1	<0.10
	Manganese (Mn)-Total (mg/L)		0.0169	0.00281	0.00119	0.00111	<0.00010
	Mercury (Hg)-Total (ug/L)		0.00066	<0.00050	<0.00050	<0.00050	<0.00050
	Molybdenum (Mo)-Total (mg/L)		0.000698	0.000654	0.000610	0.000639	<0.000050
	Nickel (Ni)-Total (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Potassium (K)-Total (mg/L)		0.482	0.468	0.449	0.461	<0.050
	Selenium (Se)-Total (ug/L)		1.13	0.978	0.926	0.968	<0.050
	Silicon (Si)-Total (mg/L)		2.62	1.83	1.34	1.33	<0.10
	Silver (Ag)-Total (mg/L)		<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Sodium (Na)-Total (mg/L)		2.61	3.06	2.48	2.51	<0.050
	Strontium (Sr)-Total (mg/L)		0.147	0.140	0.126	0.126	<0.00020
	Thallium (Tl)-Total (mg/L)		<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Tin (Sn)-Total (mg/L)		0.00052	0.00014	0.00017	0.00014	<0.00010
	Titanium (Ti)-Total (mg/L)		<0.010	<0.010	<0.010	<0.010	<0.010
	Uranium (U)-Total (mg/L)		0.000626	0.000607	0.000571	0.000569	<0.000010
	Vanadium (V)-Total (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Zinc (Zn)-Total (mg/L)		<0.0030	<0.0030	<0.0030	<0.0030	<0.0030
Dissolved Metals	Dissolved Mercury Filtration Location		LAB	LAB	LAB	LAB	LAB
	Dissolved Metals Filtration Location		LAB	LAB	LAB	LAB	LAB
	Aluminum (Al)-Dissolved (mg/L)		0.0030	0.0032	0.0036	0.0045	<0.0030
	Antimony (Sb)-Dissolved (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Arsenic (As)-Dissolved (mg/L)		0.00030	0.00028	0.00033	0.00028	<0.00010
	Barium (Ba)-Dissolved (mg/L)		0.0412	0.0414	0.0394	0.0388	<0.00010
	Beryllium (Be)-Dissolved (ug/L)		<0.020	<0.020	<0.020	<0.020	<0.020
	Bismuth (Bi)-Dissolved (mg/L)		<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Boron (B)-Dissolved (mg/L)		<0.010	<0.010	<0.010	<0.010	<0.010
	Cadmium (Cd)-Dissolved (ug/L)		<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
	Calcium (Ca)-Dissolved (mg/L)		35.4	34.7	32.2	33.6	<0.050
	Chromium (Cr)-Dissolved (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Cobalt (Co)-Dissolved (ug/L)		<0.10	<0.10	<0.10	<0.10	<0.10

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID				
	L2332191-6 WS 19-AUG-19 RG_TRIP_WS_201 90819_0000_NP_M D				
Grouping	Analyte				
WATER					
Total Metals	Calcium (Ca)-Total (mg/L)	<0.050			
	Chromium (Cr)-Total (mg/L)	0.00013 ^{RRV}			
	Cobalt (Co)-Total (ug/L)	<0.10			
	Copper (Cu)-Total (mg/L)	<0.00050			
	Iron (Fe)-Total (mg/L)	<0.010			
	Lead (Pb)-Total (mg/L)	<0.000050			
	Lithium (Li)-Total (mg/L)	<0.0010			
	Magnesium (Mg)-Total (mg/L)	<0.10			
	Manganese (Mn)-Total (mg/L)	<0.00010			
	Mercury (Hg)-Total (ug/L)	<0.00050			
	Molybdenum (Mo)-Total (mg/L)	<0.000050			
	Nickel (Ni)-Total (mg/L)	<0.00050			
	Potassium (K)-Total (mg/L)	<0.050			
	Selenium (Se)-Total (ug/L)	<0.050			
	Silicon (Si)-Total (mg/L)	<0.10			
	Silver (Ag)-Total (mg/L)	<0.000010			
	Sodium (Na)-Total (mg/L)	<0.050			
	Strontium (Sr)-Total (mg/L)	<0.00020			
	Thallium (Tl)-Total (mg/L)	<0.000010			
	Tin (Sn)-Total (mg/L)	0.00033 ^{RRV}			
	Titanium (Ti)-Total (mg/L)	<0.010			
	Uranium (U)-Total (mg/L)	<0.000010			
	Vanadium (V)-Total (mg/L)	<0.00050			
	Zinc (Zn)-Total (mg/L)	<0.0030			
Dissolved Metals	Dissolved Mercury Filtration Location				
	Dissolved Metals Filtration Location	FIELD			
	Aluminum (Al)-Dissolved (mg/L)				
	Antimony (Sb)-Dissolved (mg/L)				
	Arsenic (As)-Dissolved (mg/L)				
	Barium (Ba)-Dissolved (mg/L)				
	Beryllium (Be)-Dissolved (ug/L)				
	Bismuth (Bi)-Dissolved (mg/L)				
	Boron (B)-Dissolved (mg/L)				
	Cadmium (Cd)-Dissolved (ug/L)				
	Calcium (Ca)-Dissolved (mg/L)	<0.050			
	Chromium (Cr)-Dissolved (mg/L)				
	Cobalt (Co)-Dissolved (ug/L)				

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID	Description	Sampled Date	Sampled Time	Client ID	L2332191-1	L2332191-2	L2332191-3	L2332191-4	L2332191-5
					WS	WS	WS	WS	WS
		19-AUG-19	11:42		19-AUG-19	19-AUG-19	19-AUG-19	19-AUG-19	19-AUG-19
					12:00	12:00	12:10	12:20	12:15
					RG_GC_U3_WS_2 0190819_1142_NP _MD	RG_GC_U2_WS_2 0190819_1200_NP _MD	RG_GC_U1_WS_2 0190819_1210_NP _MD	RG_DUP_WS_201 90819_1220_NP_M D	RG_BLANK_WS_2 0190819_1215_NP _MD
Grouping	Analyte								
WATER									
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Iron (Fe)-Dissolved (mg/L)	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
	Lead (Pb)-Dissolved (mg/L)	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Lithium (Li)-Dissolved (mg/L)	0.0022	0.0020	0.0018	0.0019	<0.0010			
	Magnesium (Mg)-Dissolved (mg/L)	10.1	10.0	9.19	8.97	<0.10			
	Manganese (Mn)-Dissolved (mg/L)	0.00102	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Mercury (Hg)-Dissolved (mg/L)	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050
	Molybdenum (Mo)-Dissolved (mg/L)	0.000656	0.000615	0.000585	0.000602	<0.000050			
	Nickel (Ni)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Potassium (K)-Dissolved (mg/L)	0.452	0.471	0.443	0.437	<0.050			
	Selenium (Se)-Dissolved (ug/L)	1.31	0.935	0.949	0.924	<0.050			
	Silicon (Si)-Dissolved (mg/L)	2.24	1.64	1.19	1.23	<0.050			
	Silver (Ag)-Dissolved (mg/L)	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Sodium (Na)-Dissolved (mg/L)	2.61	2.79	2.41	2.28	<0.050			
	Strontium (Sr)-Dissolved (mg/L)	0.141	0.133	0.123	0.120	<0.00020			
	Thallium (Tl)-Dissolved (mg/L)	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Tin (Sn)-Dissolved (mg/L)	0.00034	0.00011	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Titanium (Ti)-Dissolved (mg/L)	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
	Uranium (U)-Dissolved (mg/L)	0.000670	0.000670	0.000653	0.000607	<0.000010			
	Vanadium (V)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Zinc (Zn)-Dissolved (mg/L)	0.0016	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID				
	L2332191-6 WS 19-AUG-19 RG_TRIP_WS_201 90819_0000_NP_M D				
Grouping	Analyte				
WATER					
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)				
	Iron (Fe)-Dissolved (mg/L)				
	Lead (Pb)-Dissolved (mg/L)				
	Lithium (Li)-Dissolved (mg/L)				
	Magnesium (Mg)-Dissolved (mg/L)	<0.0050			
	Manganese (Mn)-Dissolved (mg/L)				
	Mercury (Hg)-Dissolved (mg/L)				
	Molybdenum (Mo)-Dissolved (mg/L)				
	Nickel (Ni)-Dissolved (mg/L)				
	Potassium (K)-Dissolved (mg/L)	<0.050			
	Selenium (Se)-Dissolved (ug/L)				
	Silicon (Si)-Dissolved (mg/L)				
	Silver (Ag)-Dissolved (mg/L)				
	Sodium (Na)-Dissolved (mg/L)	<0.050			
	Strontium (Sr)-Dissolved (mg/L)				
	Thallium (Tl)-Dissolved (mg/L)				
	Tin (Sn)-Dissolved (mg/L)				
	Titanium (Ti)-Dissolved (mg/L)				
	Uranium (U)-Dissolved (mg/L)				
	Vanadium (V)-Dissolved (mg/L)				
	Zinc (Zn)-Dissolved (mg/L)				

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

Qualifiers for Sample Submission Listed:

Qualifier	Description
SFPL	Sample was Filtered and Preserved at the laboratory - DOC, dissolved metals and dissolved mercury must be filtered and preserved; appropriate codes added.

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Matrix Spike	Barium (Ba)-Dissolved	MS-B	L2332191-1, -2, -3, -4, -5
Matrix Spike	Calcium (Ca)-Dissolved	MS-B	L2332191-1, -2, -3, -4, -5
Matrix Spike	Magnesium (Mg)-Dissolved	MS-B	L2332191-1, -2, -3, -4, -5
Matrix Spike	Sodium (Na)-Dissolved	MS-B	L2332191-1, -2, -3, -4, -5
Matrix Spike	Strontium (Sr)-Dissolved	MS-B	L2332191-1, -2, -3, -4, -5
Matrix Spike	Barium (Ba)-Total	MS-B	L2332191-1, -2, -3, -4, -5, -6
Matrix Spike	Barium (Ba)-Total	MS-B	L2332191-6
Matrix Spike	Calcium (Ca)-Total	MS-B	L2332191-1, -2, -3, -4, -5, -6
Matrix Spike	Calcium (Ca)-Total	MS-B	L2332191-6
Matrix Spike	Magnesium (Mg)-Total	MS-B	L2332191-1, -2, -3, -4, -5, -6
Matrix Spike	Magnesium (Mg)-Total	MS-B	L2332191-6
Matrix Spike	Manganese (Mn)-Total	MS-B	L2332191-6
Matrix Spike	Selenium (Se)-Total	MS-B	L2332191-6
Matrix Spike	Sodium (Na)-Total	MS-B	L2332191-1, -2, -3, -4, -5, -6
Matrix Spike	Sodium (Na)-Total	MS-B	L2332191-6
Matrix Spike	Strontium (Sr)-Total	MS-B	L2332191-1, -2, -3, -4, -5, -6
Matrix Spike	Strontium (Sr)-Total	MS-B	L2332191-6
Matrix Spike	Uranium (U)-Total	MS-B	L2332191-6

Qualifiers for Individual Parameters Listed:

Qualifier	Description
DLHC	Detection Limit Raised: Dilution required due to high concentration of test analyte(s).
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.
RRV	Reported Result Verified By Repeat Analysis

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
ACIDITY-PCT-CL	Water	Acidity by Automatic Titration	APHA 2310 Acidity
This analysis is carried out using procedures adapted from APHA Method 2310 "Acidity". Acidity is determined by potentiometric titration to a specified endpoint.			
ALK-MAN-CL	Water	Alkalinity (Species) by Manual Titration	APHA 2320 ALKALINITY
This analysis is carried out using procedures adapted from APHA Method 2320 "Alkalinity". Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.			
BE-D-L-CCMS-VA	Water	Diss. Be (low) in Water by CRC ICPMS	APHA 3030B/6020A (mod)
Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.			
BE-T-L-CCMS-VA	Water	Total Be (Low) in Water by CRC ICPMS	EPA 200.2/6020A (mod)
Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.			
BR-L-IC-N-CL	Water	Bromide in Water by IC (Low Level)	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
C-DIS-ORG-LOW-CL	Water	Dissolved Organic Carbon	APHA 5310 B-Instrumental
This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.			

Reference Information

The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC.

TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.

C-TOT-ORG-LOW-CL Water Total Organic Carbon APHA 5310 TOTAL ORGANIC CARBON (TOC)

This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.

The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC.

TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.

CL-IC-N-CL Water Chloride in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

EC-L-PCT-CL Water Electrical Conductivity (EC) APHA 2510B

Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water sample. Conductivity measurements are temperature-compensated to 25C.

F-IC-N-CL Water Fluoride in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

HARDNESS-CALC-CL Water Hardness APHA 2340 B

Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO₃ equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.

HARDNESS-CALC-VA Water Hardness APHA 2340B

Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO₃ equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.

HG-D-CVAA-VA Water Diss. Mercury in Water by CVAAS or CVAFS APHA 3030B/EPA 1631E (mod)

Water samples are filtered (0.45 um), preserved with hydrochloric acid, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS or CVAFS.

HG-T-U-CVAF-VA Water Total Mercury in Water by CVAFS (Ultra) EPA 1631 REV. E

This analysis is carried out using procedures adapted from Method 1631 Rev. E. by the United States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to a purge and trap concentration step and final reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry.

IONBALANCE-BC-CL Water Ion Balance Calculation APHA 1030E

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]

MET-D-CCMS-CL Water Dissolved Metals in Water by CRC ICPMS APHA 3030B/6020A (mod)

Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

MET-D-CCMS-VA Water Dissolved Metals in Water by CRC ICPMS APHA 3030B/6020A (mod)

Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

MET-T-CCMS-VA Water Total Metals in Water by CRC ICPMS EPA 200.2/6020A (mod)

Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

NH3-L-F-CL Water Ammonia, Total (as N) J. ENVIRON. MONIT., 2005, 7, 37-42, RSC

Reference Information

This analysis is carried out, on sulfuric acid preserved samples, using procedures modified from J. Environ. Monit., 2005, 7, 37 - 42, The Royal Society of Chemistry, "Flow-injection analysis with fluorescence detection for the determination of trace levels of ammonium in seawater", Roslyn J. Waston et al.

NO2-L-IC-N-CL Water Nitrite in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

NO3-L-IC-N-CL Water Nitrate in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

ORP-CL Water Oxidation reduction potential by elect. ASTM D1498

This analysis is carried out in accordance with the procedure described in the "ASTM" method D1498 "Oxidation-Reduction Potential of Water" published by the American Society for Testing and Materials (ASTM). Results are reported as observed oxidation-reduction potential of the platinum metal-reference electrode employed, in mV.

It is recommended that this analysis be conducted in the field.

P-T-L-COL-CL Water Phosphorus (P)-Total APHA 4500-P PHOSPHORUS

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorus is determined colourimetrically after persulphate digestion of the sample.

PH-CL Water pH APHA 4500 H-Electrode

pH is determined in the laboratory using a pH electrode. All samples analyzed by this method for pH will have exceeded the 15 minute recommended hold time from time of sampling (field analysis is recommended for pH where highly accurate results are needed)

PO4-DO-L-COL-CL Water Orthophosphate-Dissolved (as P) APHA 4500-P PHOSPHORUS

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Dissolved Orthophosphate is determined colourimetrically on a sample that has been lab or field filtered through a 0.45 micron membrane filter.

SO4-IC-N-CL Water Sulfate in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

SOLIDS-TDS-CL Water Total Dissolved Solids APHA 2540 C

A well-mixed sample is filtered through a glass fibre filter paper. The filtrate is then evaporated to dryness in a pre-weighed vial and dried at 180 – 2 °C. The increase in vial weight represents the total dissolved solids (TDS).

TECKCOAL-IONBAL-CL Water Ion Balance Calculation APHA 1030E

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]

TKN-L-F-CL Water Total Kjeldahl Nitrogen APHA 4500-NORG (TKN)

This analysis is carried out using procedures adapted from APHA Method 4500-Norg D. "Block Digestion and Flow Injection Analysis". Total Kjeldahl Nitrogen is determined using block digestion followed by Flow-injection analysis with fluorescence detection.

TSS-L-CL Water Total Suspended Solids APHA 2540 D-Gravimetric

This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, and by drying the filter at 104 deg. C.

TURBIDITY-CL Water Turbidity APHA 2130 B-Nephelometer

This analysis is carried out using procedures adapted from APHA Method 2130 "Turbidity". Turbidity is determined by the nephelometric method.

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
CL	ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA
VA	ALS ENVIRONMENTAL - VANCOUVER, BRITISH COLUMBIA, CANADA

Chain of Custody Numbers:

Reference Information

REP-Koocanusa 19-08

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.

Quality Control Report

Workorder: L2332191

Report Date: 27-AUG-19

Page 1 of 15

Client: Teck Coal Ltd.
 421 Pine Avenue
 Sparwood BC V0B 2G0

Contact: Cait Good

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
ACIDITY-PCT-CL								
	Water							
Batch	R4763736							
WG3140066-6	DUP	L2332191-1						
Acidity (as CaCO3)		1.7	1.6		mg/L	4.8	20	21-AUG-19
WG3140066-5	LCS							
Acidity (as CaCO3)			102.5		%		85-115	21-AUG-19
WG3140066-4	MB							
Acidity (as CaCO3)			<1.0		mg/L		2	21-AUG-19
ALK-MAN-CL								
	Water							
Batch	R4763718							
WG3140072-11	LCS							
Alkalinity, Total (as CaCO3)			101.7		%		85-115	21-AUG-19
WG3140072-8	LCS							
Alkalinity, Total (as CaCO3)			99.9		%		85-115	21-AUG-19
WG3140072-10	MB							
Alkalinity, Total (as CaCO3)			<1.0		mg/L		1	21-AUG-19
WG3140072-7	MB							
Alkalinity, Total (as CaCO3)			<1.0		mg/L		1	21-AUG-19
BE-D-L-CCMS-VA								
	Water							
Batch	R4765206							
WG3139722-3	DUP	L2332191-1						
Beryllium (Be)-Dissolved		<0.000020	<0.000020	RPD-NA	mg/L	N/A	20	22-AUG-19
WG3139722-2	LCS							
Beryllium (Be)-Dissolved			99.5		%		80-120	22-AUG-19
WG3139722-1	MB	LF						
Beryllium (Be)-Dissolved			<0.000020		mg/L		0.00002	22-AUG-19
WG3139722-4	MS	L2332191-2						
Beryllium (Be)-Dissolved			105.4		%		70-130	22-AUG-19
BE-T-L-CCMS-VA								
	Water							
Batch	R4765303							
WG3139859-2	LCS							
Beryllium (Be)-Total			94.1		%		80-120	23-AUG-19
WG3139859-1	MB							
Beryllium (Be)-Total			<0.000020		mg/L		0.00002	23-AUG-19
BR-L-IC-N-CL								
	Water							
Batch	R4762165							
WG3139061-6	LCS							
Bromide (Br)			108.6		%		85-115	20-AUG-19
WG3139061-5	MB							



Quality Control Report

Workorder: L2332191

Report Date: 27-AUG-19

Page 2 of 15

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
BR-L-IC-N-CL Water								
Batch R4762165								
WG3139061-5	MB							
Bromide (Br)			<0.050		mg/L		0.05	20-AUG-19
C-DIS-ORG-LOW-CL Water								
Batch R4767894								
WG3142479-3	DUP	L2332191-4						
Dissolved Organic Carbon		1.14	1.20		mg/L	5.2	20	23-AUG-19
WG3142479-2	LCS							
Dissolved Organic Carbon			90.5		%		80-120	23-AUG-19
WG3142479-1	MB							
Dissolved Organic Carbon			<0.50		mg/L		0.5	23-AUG-19
WG3142479-4	MS	L2332191-5						
Dissolved Organic Carbon			92.9		%		70-130	23-AUG-19
C-TOT-ORG-LOW-CL Water								
Batch R4767894								
WG3142479-3	DUP	L2332191-4						
Total Organic Carbon		1.19	1.09		mg/L	8.2	20	23-AUG-19
WG3142479-2	LCS							
Total Organic Carbon			86.6		%		80-120	23-AUG-19
WG3142479-1	MB							
Total Organic Carbon			<0.50		mg/L		0.5	23-AUG-19
WG3142479-4	MS	L2332191-5						
Total Organic Carbon			92.9		%		70-130	23-AUG-19
CL-IC-N-CL Water								
Batch R4762165								
WG3139061-6	LCS							
Chloride (Cl)			103.0		%		90-110	20-AUG-19
WG3139061-5	MB							
Chloride (Cl)			<0.50		mg/L		0.5	20-AUG-19
EC-L-PCT-CL Water								
Batch R4763718								
WG3140072-11	LCS							
Conductivity (@ 25C)			101.8		%		90-110	21-AUG-19
WG3140072-8	LCS							
Conductivity (@ 25C)			100.6		%		90-110	21-AUG-19
WG3140072-10	MB							
Conductivity (@ 25C)			<2.0		uS/cm		2	21-AUG-19
WG3140072-7	MB							

Quality Control Report

Workorder: L2332191

Report Date: 27-AUG-19

Page 3 of 15

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
EC-L-PCT-CL	Water							
Batch	R4763718							
WG3140072-7 MB								
Conductivity (@ 25C)			<2.0		uS/cm		2	21-AUG-19
F-IC-N-CL	Water							
Batch	R4762165							
WG3139061-6 LCS								
Fluoride (F)			108.9		%		90-110	20-AUG-19
WG3139061-5 MB								
Fluoride (F)			<0.020		mg/L		0.02	20-AUG-19
HG-D-CVAA-VA	Water							
Batch	R4765509							
WG3141688-3 DUP		L2332191-2						
Mercury (Hg)-Dissolved		<0.0000050	<0.0000050C	RPD-NA	mg/L	N/A	20	23-AUG-19
WG3141688-2 LCS								
Mercury (Hg)-Dissolved			97.6		%		80-120	23-AUG-19
WG3141688-1 MB		LF						
Mercury (Hg)-Dissolved			<0.0000050C		mg/L		0.000005	23-AUG-19
HG-T-U-CVAF-VA	Water							
Batch	R4768565							
WG3143342-2 LCS								
Mercury (Hg)-Total			80.6		%		80-120	24-AUG-19
WG3143342-1 MB								
Mercury (Hg)-Total			<0.00050		ug/L		0.0005	24-AUG-19
WG3143342-4 MS		L2332191-4						
Mercury (Hg)-Total			87.5		%		70-130	24-AUG-19
MET-D-CCMS-CL	Water							
Batch	R4769796							
WG3144714-2 LCS								
Calcium (Ca)-Dissolved			92.5		%		80-120	27-AUG-19
Magnesium (Mg)-Dissolved			102.1		%		80-120	27-AUG-19
Potassium (K)-Dissolved			103.7		%		80-120	27-AUG-19
Sodium (Na)-Dissolved			97.5		%		80-120	27-AUG-19
WG3144714-1 MB								
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	27-AUG-19
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	27-AUG-19
Potassium (K)-Dissolved			<0.050		mg/L		0.05	27-AUG-19
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	27-AUG-19

Quality Control Report

Workorder: L2332191

Report Date: 27-AUG-19

Page 4 of 15

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4765206							
WG3139722-3	DUP	L2332191-1						
Aluminum (Al)-Dissolved		0.0030	0.0036		mg/L	17	20	22-AUG-19
Antimony (Sb)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	22-AUG-19
Arsenic (As)-Dissolved		0.00030	0.00030		mg/L	1.4	20	22-AUG-19
Barium (Ba)-Dissolved		0.0412	0.0408		mg/L	1.1	20	22-AUG-19
Bismuth (Bi)-Dissolved		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	22-AUG-19
Boron (B)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	22-AUG-19
Cadmium (Cd)-Dissolved		<0.0000050	<0.0000050	RPD-NA	mg/L	N/A	20	22-AUG-19
Calcium (Ca)-Dissolved		35.4	34.8		mg/L	1.9	20	22-AUG-19
Chromium (Cr)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	22-AUG-19
Cobalt (Co)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	22-AUG-19
Copper (Cu)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	22-AUG-19
Iron (Fe)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	22-AUG-19
Lead (Pb)-Dissolved		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	22-AUG-19
Lithium (Li)-Dissolved		0.0022	0.0021		mg/L	6.2	20	22-AUG-19
Magnesium (Mg)-Dissolved		10.1	9.66		mg/L	4.5	20	22-AUG-19
Manganese (Mn)-Dissolved		0.00102	0.00099		mg/L	3.2	20	22-AUG-19
Molybdenum (Mo)-Dissolved		0.000656	0.000662		mg/L	0.8	20	22-AUG-19
Nickel (Ni)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	22-AUG-19
Potassium (K)-Dissolved		0.452	0.450		mg/L	0.5	20	22-AUG-19
Selenium (Se)-Dissolved		0.00131	0.00119		mg/L	9.8	20	22-AUG-19
Silicon (Si)-Dissolved		2.24	2.18		mg/L	2.9	20	22-AUG-19
Silver (Ag)-Dissolved		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	22-AUG-19
Sodium (Na)-Dissolved		2.61	2.53		mg/L	3.2	20	22-AUG-19
Strontium (Sr)-Dissolved		0.141	0.137		mg/L	2.3	20	22-AUG-19
Thallium (Tl)-Dissolved		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	22-AUG-19
Tin (Sn)-Dissolved		0.00034	0.00032		mg/L	4.7	20	22-AUG-19
Titanium (Ti)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	22-AUG-19
Uranium (U)-Dissolved		0.000670	0.000656		mg/L	2.2	20	22-AUG-19
Vanadium (V)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	22-AUG-19
Zinc (Zn)-Dissolved		0.0016	0.0016		mg/L	0.0	20	22-AUG-19
WG3139722-2		LCS						
Aluminum (Al)-Dissolved			96.4		%		80-120	22-AUG-19
Antimony (Sb)-Dissolved			93.8		%		80-120	22-AUG-19
Arsenic (As)-Dissolved			93.4		%		80-120	22-AUG-19

Quality Control Report

Workorder: L2332191

Report Date: 27-AUG-19

Page 5 of 15

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4765206							
WG3139722-2	LCS							
Barium (Ba)-Dissolved			95.6		%		80-120	22-AUG-19
Bismuth (Bi)-Dissolved			92.0		%		80-120	22-AUG-19
Boron (B)-Dissolved			96.2		%		80-120	22-AUG-19
Cadmium (Cd)-Dissolved			93.2		%		80-120	22-AUG-19
Calcium (Ca)-Dissolved			96.5		%		80-120	22-AUG-19
Chromium (Cr)-Dissolved			94.7		%		80-120	22-AUG-19
Cobalt (Co)-Dissolved			92.4		%		80-120	22-AUG-19
Copper (Cu)-Dissolved			92.2		%		80-120	22-AUG-19
Iron (Fe)-Dissolved			94.7		%		80-120	22-AUG-19
Lead (Pb)-Dissolved			97.4		%		80-120	22-AUG-19
Lithium (Li)-Dissolved			99.4		%		80-120	22-AUG-19
Magnesium (Mg)-Dissolved			97.0		%		80-120	22-AUG-19
Manganese (Mn)-Dissolved			94.9		%		80-120	22-AUG-19
Molybdenum (Mo)-Dissolved			96.3		%		80-120	22-AUG-19
Nickel (Ni)-Dissolved			95.1		%		80-120	22-AUG-19
Potassium (K)-Dissolved			98.9		%		80-120	22-AUG-19
Selenium (Se)-Dissolved			93.6		%		80-120	22-AUG-19
Silicon (Si)-Dissolved			95.4		%		60-140	22-AUG-19
Silver (Ag)-Dissolved			93.3		%		80-120	22-AUG-19
Sodium (Na)-Dissolved			97.1		%		80-120	22-AUG-19
Strontium (Sr)-Dissolved			100.6		%		80-120	22-AUG-19
Thallium (Tl)-Dissolved			98.3		%		80-120	22-AUG-19
Tin (Sn)-Dissolved			96.4		%		80-120	22-AUG-19
Titanium (Ti)-Dissolved			95.8		%		80-120	22-AUG-19
Uranium (U)-Dissolved			100.9		%		80-120	22-AUG-19
Vanadium (V)-Dissolved			96.8		%		80-120	22-AUG-19
Zinc (Zn)-Dissolved			97.8		%		80-120	22-AUG-19
WG3139722-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	22-AUG-19
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	22-AUG-19
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	22-AUG-19
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	22-AUG-19
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	22-AUG-19
Boron (B)-Dissolved			<0.010		mg/L		0.01	22-AUG-19



Quality Control Report

Workorder: L2332191

Report Date: 27-AUG-19

Page 6 of 15

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4765206							
WG3139722-1	MB	LF						
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	22-AUG-19
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	22-AUG-19
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	22-AUG-19
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	22-AUG-19
Copper (Cu)-Dissolved			<0.00020		mg/L		0.0002	22-AUG-19
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	22-AUG-19
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	22-AUG-19
Lithium (Li)-Dissolved			<0.0010		mg/L		0.001	22-AUG-19
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	22-AUG-19
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	22-AUG-19
Molybdenum (Mo)-Dissolved			<0.000050		mg/L		0.00005	22-AUG-19
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	22-AUG-19
Potassium (K)-Dissolved			<0.050		mg/L		0.05	22-AUG-19
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	22-AUG-19
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	22-AUG-19
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	22-AUG-19
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	22-AUG-19
Strontium (Sr)-Dissolved			<0.00020		mg/L		0.0002	22-AUG-19
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	22-AUG-19
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	22-AUG-19
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	22-AUG-19
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	22-AUG-19
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	22-AUG-19
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	22-AUG-19
WG3139722-4	MS	L2332191-2						
Aluminum (Al)-Dissolved			93.9		%		70-130	22-AUG-19
Antimony (Sb)-Dissolved			98.2		%		70-130	22-AUG-19
Arsenic (As)-Dissolved			98.0		%		70-130	22-AUG-19
Barium (Ba)-Dissolved			N/A	MS-B	%		-	22-AUG-19
Bismuth (Bi)-Dissolved			91.0		%		70-130	22-AUG-19
Boron (B)-Dissolved			104.6		%		70-130	22-AUG-19
Cadmium (Cd)-Dissolved			97.9		%		70-130	22-AUG-19
Calcium (Ca)-Dissolved			N/A	MS-B	%		-	22-AUG-19
Chromium (Cr)-Dissolved			95.4		%		70-130	22-AUG-19

Quality Control Report

Workorder: L2332191

Report Date: 27-AUG-19

Page 7 of 15

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4765206							
WG3139722-4 MS		L2332191-2						
Cobalt (Co)-Dissolved			93.4		%		70-130	22-AUG-19
Copper (Cu)-Dissolved			94.9		%		70-130	22-AUG-19
Iron (Fe)-Dissolved			97.3		%		70-130	22-AUG-19
Lead (Pb)-Dissolved			94.6		%		70-130	22-AUG-19
Lithium (Li)-Dissolved			114.2		%		70-130	22-AUG-19
Magnesium (Mg)-Dissolved			N/A	MS-B	%		-	22-AUG-19
Manganese (Mn)-Dissolved			94.6		%		70-130	22-AUG-19
Molybdenum (Mo)-Dissolved			97.0		%		70-130	22-AUG-19
Nickel (Ni)-Dissolved			94.6		%		70-130	22-AUG-19
Potassium (K)-Dissolved			100.3		%		70-130	22-AUG-19
Selenium (Se)-Dissolved			105.4		%		70-130	22-AUG-19
Silicon (Si)-Dissolved			91.8		%		70-130	22-AUG-19
Silver (Ag)-Dissolved			98.5		%		70-130	22-AUG-19
Sodium (Na)-Dissolved			N/A	MS-B	%		-	22-AUG-19
Strontium (Sr)-Dissolved			N/A	MS-B	%		-	22-AUG-19
Thallium (Tl)-Dissolved			95.9		%		70-130	22-AUG-19
Tin (Sn)-Dissolved			98.6		%		70-130	22-AUG-19
Titanium (Ti)-Dissolved			96.2		%		70-130	22-AUG-19
Uranium (U)-Dissolved			99.0		%		70-130	22-AUG-19
Vanadium (V)-Dissolved			99.9		%		70-130	22-AUG-19
Zinc (Zn)-Dissolved			100.4		%		70-130	22-AUG-19
MET-T-CCMS-VA								
	Water							
Batch	R4765303							
WG3139859-2 LCS								
Aluminum (Al)-Total			101.2		%		80-120	23-AUG-19
Antimony (Sb)-Total			97.2		%		80-120	23-AUG-19
Arsenic (As)-Total			100.9		%		80-120	23-AUG-19
Barium (Ba)-Total			99.2		%		80-120	23-AUG-19
Bismuth (Bi)-Total			88.3		%		80-120	23-AUG-19
Boron (B)-Total			95.9		%		80-120	23-AUG-19
Cadmium (Cd)-Total			102.3		%		80-120	23-AUG-19
Calcium (Ca)-Total			97.0		%		80-120	23-AUG-19
Chromium (Cr)-Total			103.2		%		80-120	23-AUG-19
Cobalt (Co)-Total			98.9		%		80-120	23-AUG-19



Quality Control Report

Workorder: L2332191

Report Date: 27-AUG-19

Page 8 of 15

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4765303							
WG3139859-2	LCS							
Copper (Cu)-Total			99.5		%		80-120	23-AUG-19
Iron (Fe)-Total			101.4		%		80-120	23-AUG-19
Lead (Pb)-Total			93.1		%		80-120	23-AUG-19
Lithium (Li)-Total			97.0		%		80-120	23-AUG-19
Magnesium (Mg)-Total			101.2		%		80-120	23-AUG-19
Manganese (Mn)-Total			102.4		%		80-120	23-AUG-19
Molybdenum (Mo)-Total			101.2		%		80-120	23-AUG-19
Nickel (Ni)-Total			100.0		%		80-120	23-AUG-19
Potassium (K)-Total			103.9		%		80-120	23-AUG-19
Selenium (Se)-Total			98.9		%		80-120	23-AUG-19
Silicon (Si)-Total			105.4		%		80-120	23-AUG-19
Silver (Ag)-Total			102.4		%		80-120	23-AUG-19
Sodium (Na)-Total			101.0		%		80-120	23-AUG-19
Strontium (Sr)-Total			101.1		%		80-120	23-AUG-19
Thallium (Tl)-Total			88.8		%		80-120	23-AUG-19
Tin (Sn)-Total			101.4		%		80-120	23-AUG-19
Titanium (Ti)-Total			93.7		%		80-120	23-AUG-19
Uranium (U)-Total			88.4		%		80-120	23-AUG-19
Vanadium (V)-Total			100.9		%		80-120	23-AUG-19
Zinc (Zn)-Total			100.0		%		80-120	23-AUG-19
WG3139859-1		MB						
Aluminum (Al)-Total			<0.0030		mg/L		0.003	23-AUG-19
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	23-AUG-19
Arsenic (As)-Total			<0.00010		mg/L		0.0001	23-AUG-19
Barium (Ba)-Total			<0.00010		mg/L		0.0001	23-AUG-19
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	23-AUG-19
Boron (B)-Total			<0.010		mg/L		0.01	23-AUG-19
Cadmium (Cd)-Total			<0.0000050		mg/L		0.000005	23-AUG-19
Calcium (Ca)-Total			<0.050		mg/L		0.05	23-AUG-19
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	23-AUG-19
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	23-AUG-19
Copper (Cu)-Total			<0.00050		mg/L		0.0005	23-AUG-19
Iron (Fe)-Total			<0.010		mg/L		0.01	23-AUG-19
Lead (Pb)-Total			<0.000050		mg/L		0.00005	23-AUG-19



Quality Control Report

Workorder: L2332191

Report Date: 27-AUG-19

Page 9 of 15

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4765303							
WG3139859-1	MB							
Lithium (Li)-Total			<0.0010		mg/L		0.001	23-AUG-19
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	23-AUG-19
Manganese (Mn)-Total			<0.00010		mg/L		0.0001	23-AUG-19
Molybdenum (Mo)-Total			<0.000050		mg/L		0.00005	23-AUG-19
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	23-AUG-19
Potassium (K)-Total			<0.050		mg/L		0.05	23-AUG-19
Selenium (Se)-Total			<0.000050		mg/L		0.00005	23-AUG-19
Silicon (Si)-Total			<0.10		mg/L		0.1	23-AUG-19
Silver (Ag)-Total			<0.000010		mg/L		0.00001	23-AUG-19
Sodium (Na)-Total			<0.050		mg/L		0.05	23-AUG-19
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	23-AUG-19
Thallium (Tl)-Total			<0.000010		mg/L		0.00001	23-AUG-19
Tin (Sn)-Total			<0.00010		mg/L		0.0001	23-AUG-19
Titanium (Ti)-Total			<0.00030		mg/L		0.0003	23-AUG-19
Uranium (U)-Total			<0.000010		mg/L		0.00001	23-AUG-19
Vanadium (V)-Total			<0.00050		mg/L		0.0005	23-AUG-19
Zinc (Zn)-Total			<0.0030		mg/L		0.003	23-AUG-19
Batch	R4767864							
WG3142313-2	LCS							
Aluminum (Al)-Total			105.2		%		80-120	24-AUG-19
Antimony (Sb)-Total			108.2		%		80-120	24-AUG-19
Arsenic (As)-Total			103.2		%		80-120	24-AUG-19
Barium (Ba)-Total			105.1		%		80-120	24-AUG-19
Bismuth (Bi)-Total			99.1		%		80-120	24-AUG-19
Boron (B)-Total			109.9		%		80-120	24-AUG-19
Cadmium (Cd)-Total			100.8		%		80-120	24-AUG-19
Calcium (Ca)-Total			103.4		%		80-120	24-AUG-19
Chromium (Cr)-Total			106.0		%		80-120	24-AUG-19
Cobalt (Co)-Total			101.9		%		80-120	24-AUG-19
Copper (Cu)-Total			99.2		%		80-120	24-AUG-19
Iron (Fe)-Total			100.3		%		80-120	24-AUG-19
Lead (Pb)-Total			99.6		%		80-120	24-AUG-19
Lithium (Li)-Total			104.0		%		80-120	24-AUG-19
Magnesium (Mg)-Total			98.5		%		80-120	24-AUG-19

Quality Control Report

Workorder: L2332191

Report Date: 27-AUG-19

Page 10 of 15

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4767864							
WG3142313-2 LCS								
Manganese (Mn)-Total			107.4		%		80-120	24-AUG-19
Molybdenum (Mo)-Total			108.9		%		80-120	24-AUG-19
Nickel (Ni)-Total			102.8		%		80-120	24-AUG-19
Potassium (K)-Total			106.0		%		80-120	24-AUG-19
Selenium (Se)-Total			97.7		%		80-120	24-AUG-19
Silicon (Si)-Total			103.0		%		80-120	24-AUG-19
Silver (Ag)-Total			104.5		%		80-120	24-AUG-19
Sodium (Na)-Total			107.7		%		80-120	24-AUG-19
Strontium (Sr)-Total			110.8		%		80-120	24-AUG-19
Thallium (Tl)-Total			102.8		%		80-120	24-AUG-19
Tin (Sn)-Total			102.8		%		80-120	24-AUG-19
Titanium (Ti)-Total			99.7		%		80-120	24-AUG-19
Uranium (U)-Total			101.3		%		80-120	24-AUG-19
Vanadium (V)-Total			103.6		%		80-120	24-AUG-19
Zinc (Zn)-Total			104.8		%		80-120	24-AUG-19
WG3142313-1 MB								
Aluminum (Al)-Total			<0.0030		mg/L		0.003	24-AUG-19
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	24-AUG-19
Arsenic (As)-Total			<0.00010		mg/L		0.0001	24-AUG-19
Barium (Ba)-Total			<0.00010		mg/L		0.0001	24-AUG-19
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	24-AUG-19
Boron (B)-Total			<0.010		mg/L		0.01	24-AUG-19
Cadmium (Cd)-Total			<0.0000050		mg/L		0.000005	24-AUG-19
Calcium (Ca)-Total			<0.050		mg/L		0.05	24-AUG-19
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	24-AUG-19
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	24-AUG-19
Copper (Cu)-Total			<0.00050		mg/L		0.0005	24-AUG-19
Iron (Fe)-Total			<0.010		mg/L		0.01	24-AUG-19
Lead (Pb)-Total			<0.000050		mg/L		0.00005	24-AUG-19
Lithium (Li)-Total			<0.0010		mg/L		0.001	24-AUG-19
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	24-AUG-19
Manganese (Mn)-Total			<0.00010		mg/L		0.0001	24-AUG-19
Molybdenum (Mo)-Total			<0.000050		mg/L		0.00005	24-AUG-19
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	24-AUG-19



Quality Control Report

Workorder: L2332191

Report Date: 27-AUG-19

Page 11 of 15

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA								
	Water							
Batch	R4767864							
WG3142313-1	MB							
Potassium (K)-Total			<0.050		mg/L		0.05	24-AUG-19
Selenium (Se)-Total			<0.000050		mg/L		0.00005	24-AUG-19
Silicon (Si)-Total			<0.10		mg/L		0.1	24-AUG-19
Silver (Ag)-Total			<0.000010		mg/L		0.00001	24-AUG-19
Sodium (Na)-Total			<0.050		mg/L		0.05	24-AUG-19
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	24-AUG-19
Thallium (Tl)-Total			<0.000010		mg/L		0.00001	24-AUG-19
Tin (Sn)-Total			<0.00010		mg/L		0.0001	24-AUG-19
Titanium (Ti)-Total			<0.00030		mg/L		0.0003	24-AUG-19
Uranium (U)-Total			<0.000010		mg/L		0.00001	24-AUG-19
Vanadium (V)-Total			<0.00050		mg/L		0.0005	24-AUG-19
Zinc (Zn)-Total			<0.0030		mg/L		0.003	24-AUG-19
NH3-L-F-CL								
	Water							
Batch	R4768758							
WG3141851-11	DUP	L2332191-5						
Ammonia as N		<0.0050	<0.0050	RPD-NA	mg/L	N/A	20	23-AUG-19
WG3141851-10	LCS							
Ammonia as N			102.6		%		85-115	23-AUG-19
WG3141851-9	MB							
Ammonia as N			<0.0050		mg/L		0.005	23-AUG-19
WG3141851-12	MS	L2332191-5						
Ammonia as N			93.8		%		75-125	23-AUG-19
NO2-L-IC-N-CL								
	Water							
Batch	R4762165							
WG3139061-6	LCS							
Nitrite (as N)			105.3		%		90-110	20-AUG-19
WG3139061-5	MB							
Nitrite (as N)			<0.0010		mg/L		0.001	20-AUG-19
NO3-L-IC-N-CL								
	Water							
Batch	R4762165							
WG3139061-6	LCS							
Nitrate (as N)			101.6		%		90-110	20-AUG-19
WG3139061-5	MB							
Nitrate (as N)			<0.0050		mg/L		0.005	20-AUG-19
ORP-CL	Water							

Quality Control Report

Workorder: L2332191

Report Date: 27-AUG-19

Page 12 of 15

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
ORP-CL	Water							
Batch	R4768422							
WG3143171-1	CRM	CL-ORP						
ORP			220		mV		210-230	24-AUG-19
P-T-L-COL-CL	Water							
Batch	R4767467							
WG3141919-2	LCS							
Phosphorus (P)-Total			112.9		%		80-120	23-AUG-19
WG3141919-1	MB							
Phosphorus (P)-Total			<0.0020		mg/L		0.002	23-AUG-19
PH-CL	Water							
Batch	R4763718							
WG3140072-11	LCS							
pH			7.01		pH		6.9-7.1	21-AUG-19
WG3140072-8	LCS							
pH			7.01		pH		6.9-7.1	21-AUG-19
PO4-DO-L-COL-CL	Water							
Batch	R4759717							
WG3137802-12	LCS							
Orthophosphate-Dissolved (as P)			102.5		%		80-120	20-AUG-19
WG3137802-3	MB							
Orthophosphate-Dissolved (as P)			<0.0010		mg/L		0.001	20-AUG-19
SO4-IC-N-CL	Water							
Batch	R4762165							
WG3139061-6	LCS							
Sulfate (SO4)			103.1		%		90-110	20-AUG-19
WG3139061-5	MB							
Sulfate (SO4)			<0.30		mg/L		0.3	20-AUG-19
SOLIDS-TDS-CL	Water							
Batch	R4768900							
WG3141391-11	LCS							
Total Dissolved Solids			96.6		%		85-115	23-AUG-19
WG3141391-10	MB							
Total Dissolved Solids			<10		mg/L		10	23-AUG-19
TKN-L-F-CL	Water							

Quality Control Report

Workorder: L2332191

Report Date: 27-AUG-19

Page 13 of 15

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
TKN-L-F-CL		Water						
Batch	R4768639							
WG3143402-10	LCS							
Total Kjeldahl Nitrogen			98.6		%		75-125	24-AUG-19
WG3143402-2	LCS							
Total Kjeldahl Nitrogen			97.9		%		75-125	24-AUG-19
WG3143402-6	LCS							
Total Kjeldahl Nitrogen			96.6		%		75-125	24-AUG-19
WG3143402-1	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	24-AUG-19
WG3143402-5	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	24-AUG-19
WG3143402-9	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	24-AUG-19
TSS-L-CL		Water						
Batch	R4768742							
WG3140730-6	LCS							
Total Suspended Solids			91.8		%		85-115	23-AUG-19
WG3140730-8	LCS							
Total Suspended Solids			95.7		%		85-115	23-AUG-19
WG3140730-5	MB							
Total Suspended Solids			<1.0		mg/L		1	23-AUG-19
WG3140730-7	MB							
Total Suspended Solids			<1.0		mg/L		1	23-AUG-19
TURBIDITY-CL		Water						
Batch	R4763094							
WG3139691-9	LCS							
Turbidity			95.5		%		85-115	21-AUG-19
WG3139691-1	MB							
Turbidity			<0.10		NTU		0.1	21-AUG-19

Quality Control Report

Workorder: L2332191

Report Date: 27-AUG-19

Page 14 of 15

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Quality Control Report

Workorder: L2332191

Report Date: 27-AUG-19

Page 15 of 15

Hold Time Exceedances:

ALS Product Description	Sample ID	Sampling Date	Date Processed	Rec. HT	Actual HT	Units	Qualifier
Physical Tests							
Oxidation redution potential by elect.							
	1	19-AUG-19 11:42	24-AUG-19 09:00	0.25	117	hours	EHTR-FM
	2	19-AUG-19 12:00	24-AUG-19 09:00	0.25	117	hours	EHTR-FM
	3	19-AUG-19 12:10	24-AUG-19 09:00	0.25	117	hours	EHTR-FM
	4	19-AUG-19 12:20	24-AUG-19 09:00	0.25	117	hours	EHTR-FM
	5	19-AUG-19 12:15	24-AUG-19 09:00	0.25	117	hours	EHTR-FM
	6	19-AUG-19	24-AUG-19 09:00	0.25	117	hours	EHTR-FM
pH							
	1	19-AUG-19 11:42	21-AUG-19 09:00	0.25	45	hours	EHTR-FM
	2	19-AUG-19 12:00	21-AUG-19 09:00	0.25	45	hours	EHTR-FM
	3	19-AUG-19 12:10	21-AUG-19 09:00	0.25	45	hours	EHTR-FM
	4	19-AUG-19 12:20	21-AUG-19 09:00	0.25	45	hours	EHTR-FM
	5	19-AUG-19 12:15	21-AUG-19 09:00	0.25	45	hours	EHTR-FM
	6	19-AUG-19	21-AUG-19 09:00	0.25	45	hours	EHTR-FM

Legend & Qualifier Definitions:

- EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended.
EHTR: Exceeded ALS recommended hold time prior to sample receipt.
EHTL: Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.
EHT: Exceeded ALS recommended hold time prior to analysis.
Rec. HT: ALS recommended hold time (see units).

Notes*:

Where actual sampling date is not provided to ALS, the date (& time) of receipt is used for calculation purposes.
Where actual sampling time is not provided to ALS, the earlier of 12 noon on the sampling date or the time (& date) of receipt is used for calculation purposes. Samples for L2332191 were received on 20-AUG-19 09:00.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

COC ID:		REP-Koocanusa 19-08		TURNAROUND TIME:				
PROJECT/CLIENT INFO				LABORATORY				
Facility Name / Job#	Regional Effects Program/Koocanusa			Lab Name	ALS Calgary			
Project Manager	Cait Good			Lab Contact	Lyudmyla Shvets			
Email	cait.good@teck.com			Email	lyudmyla.shvets@alsglobal.com			
Address	421 Pine Avenue			Address	2559 29 Street NE			
City	Sparwood	Province	BC	City	Calgary	Province	AB	
Postal Code	V0B 2G0	Country	Canada	Postal Code	T1Y 7B5	Country	Canada	
Phone Number	250-425-8202			Phone Number	1 403 407 1794		PO Number	VPO00616180

SAMPLE DETAILS



L2332191-COFC

Sample ID	Sample Location	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Comp	# Of Cont.	TECKCOAL-ROUTINE-VA	ALS_Package-DOG	ALS_Package-TKN/TOC	HG-TU-CYAF-VHg	HG-D-CYAF-VA	TECKCOAL-MET-T-VA	TECKCOAL-MET-D-VA
1	RG-GC-U3-WS-20190819-1142-NP-MD	RG-GC	WS No	20190819	1142	G	7	X	X	X	X	X	X	X
2	RG-GC-U2-WS-20190819-1200-NP-MD	RG-GC	WS No	20190819	1200	G	7	X	X	X	X	X	X	X
3	RG-GC-U3-WS-20190819-1210-NP-MD	RG-GC	WS No	20190819	1210	G	7	X	X	X	X	X	X	X
4	RG-DUP-WS-20190819-1220-NP-MD	RG-GC-DUP	WS No	20190819	1220	G	7	X	X	X	X	X	X	X
5	RG-BANK-WS-20190819-1215-NP-MD	RG-GC-BANK	WS No	20190819	1215	G	7	X	X	X	X	X	X	X
6	RG-TRIP-WS-20190819-0000-NP-MD	RG-GC-TripBlk	WS No	20190819	0000	G	4	X	X	X	X	X	X	X

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS

RELIQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION
		<i>DL</i>
		8/19 0900

NR OF BOTTLES RETURNED/DESCRIPTION	Regular (default) x	Priority (2-3 business days) - 50% surcharge	Emergency (1 Business Day) - 100% surcharge	For Emergency <1 Day, ASAP or Weekend - Contact ALS	Sampler's Name	Mobile #
					Mary Giorgio	(579) 641 9249
					<i>[Signature]</i>	19-AUG-19

50



Teck Coal Ltd.
ATTN: Cait Good
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 21-AUG-19
Report Date: 28-AUG-19 12:40 (MT)
Version: FINAL

Client Phone: 250-425-8202

Certificate of Analysis

Lab Work Order #: L2333505
Project P.O. #: VPO00616180
Job Reference: REGIONAL EFFECTS PROGRAM/KOOCANUSA
C of C Numbers: REP-Koocanusa 19-08
Legal Site Desc:

Lyudmyla Shvets, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L2333505-1 WS 20-AUG-19 09:45 RG_TN_U1_WS_2 0190820_0945_NR _MD	L2333505-2 WS 20-AUG-19 09:35 RG_TN_U2_WS_2 0190820_0935_NR _MD	L2333505-3 WS 20-AUG-19 09:25 RG_TN_U3_WS_2 0190820_0925_NR _MD	L2333505-4 WS 20-AUG-19 09:50 RG_DUP_WS_201 90820_0950_NR_ MD	L2333505-5 WS 20-AUG-19 11:45 RG_SC_U1_WS_2 0190820_1145_NR _MD
Grouping	Analyte					
WATER						
Physical Tests	Conductivity (@ 25C) (uS/cm)	217	225	240	228	235
	Hardness (as CaCO3) (mg/L)	128	128	132	124	129
	pH (pH)	8.29	8.26	8.17	8.28	8.28
	ORP (mV)	287	316	450	443	440
	Total Suspended Solids (mg/L)	<1.0	1.2	3.9	<1.0	<1.0
	Total Dissolved Solids (mg/L)	145 ^{DLHC}	143 ^{DLHC}	152 ^{DLHC}	139 ^{DLHC}	146 ^{DLHC}
	Turbidity (NTU)	0.52	1.0	5.41	0.49	0.68
Anions and Nutrients	Acidity (as CaCO3) (mg/L)	<1.0	<1.0	<1.0	<1.0	<1.0
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)	105	112	112	107	112
	Alkalinity, Carbonate (as CaCO3) (mg/L)	<1.0	<1.0	<1.0	<1.0	<1.0
	Alkalinity, Hydroxide (as CaCO3) (mg/L)	<1.0	<1.0	<1.0	<1.0	<1.0
	Alkalinity, Total (as CaCO3) (mg/L)	105	112	112	107	112
	Ammonia as N (mg/L)	0.0137	0.0090	0.0150	0.0069	0.0134
	Bromide (Br) (mg/L)	<0.050	<0.050	<0.050	<0.050	<0.050
	Chloride (Cl) (mg/L)	1.97	2.24	2.90	1.93	2.36
	Fluoride (F) (mg/L)	0.063	0.059	0.057	0.060	0.060
	Ion Balance (%)	102	96.7	98.4	97.2	97.8
	Nitrate (as N) (mg/L)	0.126	0.0896	0.0831	0.133	0.0567
	Nitrite (as N) (mg/L)	0.0038	0.0031	0.0025	0.0036	0.0014
	Total Kjeldahl Nitrogen (mg/L)	0.085	0.057	0.054	0.077	0.070
	Orthophosphate-Dissolved (as P) (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	Phosphorus (P)-Total (mg/L)	<0.0020	<0.0020	0.0023	<0.0020	<0.0020
	Sulfate (SO4) (mg/L)	23.5	23.4	25.6	23.1	23.5
	Anion Sum (meq/L)	2.66	2.80	2.86	2.68	2.80
	Cation Sum (meq/L)	2.70	2.71	2.81	2.60	2.74
	Cation - Anion Balance (%)	0.8	-1.7	-0.8	-1.4	-1.1
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)	1.11	1.04	0.88	1.05
Total Organic Carbon (mg/L)		1.17	1.05	1.19	1.13	1.18
Total Metals	Aluminum (Al)-Total (mg/L)	0.0081	0.0148	0.0514	0.0093	0.0083
	Antimony (Sb)-Total (mg/L)	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Arsenic (As)-Total (mg/L)	0.00034	0.00034	0.00037	0.00032	0.00032
	Barium (Ba)-Total (mg/L)	0.0386	0.0365	0.0356	0.0380	0.0355
	Beryllium (Be)-Total (ug/L)	<0.020	<0.020	<0.020	<0.020	<0.020
	Bismuth (Bi)-Total (mg/L)	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Boron (B)-Total (mg/L)	<0.010	<0.010	<0.010	<0.010	<0.010
	Cadmium (Cd)-Total (ug/L)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2333505-6	L2333505-7		
		Description	WS	WS		
		Sampled Date	20-AUG-19	20-AUG-19		
		Sampled Time	11:35	11:25		
		Client ID	RG_SC_U2_WS_2 0190820_1135_NR _MD	RG_SC_U3_WS_2 0190820_1125_NR _MD		
Grouping	Analyte					
WATER						
Physical Tests	Conductivity (@ 25C) (uS/cm)	242	248			
	Hardness (as CaCO3) (mg/L)	132	135			
	pH (pH)	8.23	8.18			
	ORP (mV)	285	426			
	Total Suspended Solids (mg/L)	<1.0	2.5			
	Total Dissolved Solids (mg/L)	153 ^{DLHC}	157 ^{DLHC}			
	Turbidity (NTU)	1.98	3.76			
Anions and Nutrients	Acidity (as CaCO3) (mg/L)	<1.0	<1.0			
	Alkalinity, Bicarbonate (as CaCO3) (mg/L)	112	112			
	Alkalinity, Carbonate (as CaCO3) (mg/L)	<1.0	<1.0			
	Alkalinity, Hydroxide (as CaCO3) (mg/L)	<1.0	<1.0			
	Alkalinity, Total (as CaCO3) (mg/L)	112	112			
	Ammonia as N (mg/L)	0.0086	0.0126			
	Bromide (Br) (mg/L)	<0.050	<0.050			
	Chloride (Cl) (mg/L)	2.79	2.91			
	Fluoride (F) (mg/L)	0.058	0.063			
	Ion Balance (%)	98.8	101			
	Nitrate (as N) (mg/L)	0.0474	0.0705			
	Nitrite (as N) (mg/L)	0.0011	0.0012			
	Total Kjeldahl Nitrogen (mg/L)	0.104	0.052			
	Orthophosphate-Dissolved (as P) (mg/L)	<0.0010	<0.0010			
	Phosphorus (P)-Total (mg/L)	<0.0020	<0.0020			
	Sulfate (SO4) (mg/L)	25.0	25.7			
	Anion Sum (meq/L)	2.85	2.86			
	Cation Sum (meq/L)	2.82	2.87			
	Cation - Anion Balance (%)	-0.6	0.3			
	Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)	0.93	0.88		
Total Organic Carbon (mg/L)		0.97	0.85			
Total Metals	Aluminum (Al)-Total (mg/L)	0.0258	0.0381			
	Antimony (Sb)-Total (mg/L)	<0.00010	<0.00010			
	Arsenic (As)-Total (mg/L)	0.00037	0.00035			
	Barium (Ba)-Total (mg/L)	0.0357	0.0358			
	Beryllium (Be)-Total (ug/L)	<0.020	<0.020			
	Bismuth (Bi)-Total (mg/L)	<0.000050	<0.000050			
	Boron (B)-Total (mg/L)	<0.010	<0.010			
	Cadmium (Cd)-Total (ug/L)	<0.0050	0.0055			

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2333505-1	L2333505-2	L2333505-3	L2333505-4	L2333505-5
		Description	WS	WS	WS	WS	WS
		Sampled Date	20-AUG-19	20-AUG-19	20-AUG-19	20-AUG-19	20-AUG-19
		Sampled Time	09:45	09:35	09:25	09:50	11:45
		Client ID	RG_TN_U1_WS_2 0190820_0945_NR _MD	RG_TN_U2_WS_2 0190820_0935_NR _MD	RG_TN_U3_WS_2 0190820_0925_NR _MD	RG_DUP_WS_201 90820_0950_NR_ MD	RG_SC_U1_WS_2 0190820_1145_NR _MD
Grouping	Analyte						
WATER							
Total Metals	Calcium (Ca)-Total (mg/L)		35.2	37.2	38.7	36.5	37.5
	Chromium (Cr)-Total (mg/L)		0.00012	<0.00010	0.00015	0.00012	0.00010
	Cobalt (Co)-Total (ug/L)		<0.10	<0.10	<0.10	<0.10	<0.10
	Copper (Cu)-Total (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Iron (Fe)-Total (mg/L)		<0.010	<0.010	0.038	<0.010	<0.010
	Lead (Pb)-Total (mg/L)		<0.000050	<0.000050	0.000105	<0.000050	<0.000050
	Lithium (Li)-Total (mg/L)		0.0017	0.0016	0.0014	0.0017	0.0015
	Magnesium (Mg)-Total (mg/L)		10.0	10.3	10.7	10.3	10.6
	Manganese (Mn)-Total (mg/L)		0.00093	0.00133	0.00517	0.00101	0.00133
	Mercury (Hg)-Total (ug/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Molybdenum (Mo)-Total (mg/L)		0.000676	0.000634	0.000647	0.000634	0.000690
	Nickel (Ni)-Total (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Potassium (K)-Total (mg/L)		0.442	0.455	0.487	0.446	0.462
	Selenium (Se)-Total (ug/L)		0.938	0.565	0.172	0.941	0.423
	Silicon (Si)-Total (mg/L)		1.29	1.47	2.12	1.31	1.62
	Silver (Ag)-Total (mg/L)		<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Sodium (Na)-Total (mg/L)		2.84	3.19	4.05	2.83	3.34
	Strontium (Sr)-Total (mg/L)		0.148	0.152	0.164	0.143	0.160
	Thallium (Tl)-Total (mg/L)		<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Tin (Sn)-Total (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Titanium (Ti)-Total (mg/L)		<0.010	<0.010	<0.010	<0.010	<0.010
	Uranium (U)-Total (mg/L)		0.000658	0.000682	0.000696	0.000661	0.000654
	Vanadium (V)-Total (mg/L)		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Zinc (Zn)-Total (mg/L)		<0.0030	<0.0030	<0.0030	<0.0030	<0.0030
Dissolved Metals	Dissolved Mercury Filtration Location		LAB	LAB	LAB	LAB	LAB
	Dissolved Metals Filtration Location		LAB	LAB	LAB	LAB	LAB
	Aluminum (Al)-Dissolved (mg/L)		0.0034	0.0034	0.0056	0.0037	0.0031
	Antimony (Sb)-Dissolved (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Arsenic (As)-Dissolved (mg/L)		0.00036	0.00034	0.00034	0.00031	0.00035
	Barium (Ba)-Dissolved (mg/L)		0.0391	0.0370	0.0357	0.0386	0.0368
	Beryllium (Be)-Dissolved (ug/L)		<0.020	<0.020	<0.020	<0.020	<0.020
	Bismuth (Bi)-Dissolved (mg/L)		<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Boron (B)-Dissolved (mg/L)		<0.010	<0.010	<0.010	<0.010	<0.010
	Cadmium (Cd)-Dissolved (ug/L)		<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
	Calcium (Ca)-Dissolved (mg/L)		33.7	33.6	34.3	32.6	33.4
	Chromium (Cr)-Dissolved (mg/L)		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Cobalt (Co)-Dissolved (ug/L)		<0.10	<0.10	<0.10	<0.10	<0.10

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2333505-6	L2333505-7		
		Description	WS	WS		
		Sampled Date	20-AUG-19	20-AUG-19		
		Sampled Time	11:35	11:25		
		Client ID	RG_SC_U2_WS_2 0190820_1135_NR _MD	RG_SC_U3_WS_2 0190820_1125_NR _MD		
Grouping	Analyte					
WATER						
Total Metals	Calcium (Ca)-Total (mg/L)	39.1	38.2			
	Chromium (Cr)-Total (mg/L)	<0.00010	0.00015			
	Cobalt (Co)-Total (ug/L)	<0.10	<0.10			
	Copper (Cu)-Total (mg/L)	<0.00050	<0.00050			
	Iron (Fe)-Total (mg/L)	0.017	0.030			
	Lead (Pb)-Total (mg/L)	<0.000050	0.000080			
	Lithium (Li)-Total (mg/L)	0.0014	0.0014			
	Magnesium (Mg)-Total (mg/L)	11.0	11.1			
	Manganese (Mn)-Total (mg/L)	0.00284	0.00452			
	Mercury (Hg)-Total (ug/L)	<0.00050	<0.00050			
	Molybdenum (Mo)-Total (mg/L)	0.000727	0.000620			
	Nickel (Ni)-Total (mg/L)	<0.00050	<0.00050			
	Potassium (K)-Total (mg/L)	0.478	0.485			
	Selenium (Se)-Total (ug/L)	0.156	0.124			
	Silicon (Si)-Total (mg/L)	2.02	2.14			
	Silver (Ag)-Total (mg/L)	<0.000010	<0.000010			
	Sodium (Na)-Total (mg/L)	3.97	4.03			
	Strontium (Sr)-Total (mg/L)	0.170	0.171			
	Thallium (Tl)-Total (mg/L)	<0.000010	<0.000010			
	Tin (Sn)-Total (mg/L)	<0.00010	<0.00010			
	Titanium (Ti)-Total (mg/L)	<0.010	<0.010			
	Uranium (U)-Total (mg/L)	0.000701	0.000679			
	Vanadium (V)-Total (mg/L)	<0.00050	<0.00050			
	Zinc (Zn)-Total (mg/L)	<0.0030	<0.0030			
Dissolved Metals	Dissolved Mercury Filtration Location	LAB	LAB			
	Dissolved Metals Filtration Location	LAB	LAB			
	Aluminum (Al)-Dissolved (mg/L)	0.0041	0.0051			
	Antimony (Sb)-Dissolved (mg/L)	<0.00010	<0.00010			
	Arsenic (As)-Dissolved (mg/L)	0.00036	0.00034			
	Barium (Ba)-Dissolved (mg/L)	0.0362	0.0362			
	Beryllium (Be)-Dissolved (ug/L)	<0.020	<0.020			
	Bismuth (Bi)-Dissolved (mg/L)	<0.000050	<0.000050			
	Boron (B)-Dissolved (mg/L)	<0.010	<0.010			
	Cadmium (Cd)-Dissolved (ug/L)	<0.0050	<0.0050			
	Calcium (Ca)-Dissolved (mg/L)	34.8	35.8			
	Chromium (Cr)-Dissolved (mg/L)	<0.00010	<0.00010			
	Cobalt (Co)-Dissolved (ug/L)	<0.10	<0.10			

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID	L2333505-1	L2333505-2	L2333505-3	L2333505-4	L2333505-5
Description	WS	WS	WS	WS	WS
Sampled Date	20-AUG-19	20-AUG-19	20-AUG-19	20-AUG-19	20-AUG-19
Sampled Time	09:45	09:35	09:25	09:50	11:45
Client ID	RG_TN_U1_WS_2 0190820_0945_NR _MD	RG_TN_U2_WS_2 0190820_0935_NR _MD	RG_TN_U3_WS_2 0190820_0925_NR _MD	RG_DUP_WS_201 90820_0950_NR_ MD	RG_SC_U1_WS_2 0190820_1145_NR _MD
Grouping	Analyte				
WATER					
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050
	Iron (Fe)-Dissolved (mg/L)	<0.010	<0.010	<0.010	<0.010
	Lead (Pb)-Dissolved (mg/L)	<0.000050	<0.000050	<0.000050	<0.000050
	Lithium (Li)-Dissolved (mg/L)	0.0018	0.0016	0.0014	0.0015
	Magnesium (Mg)-Dissolved (mg/L)	10.7	10.7	11.2	10.3
	Manganese (Mn)-Dissolved (mg/L)	<0.00010	<0.00010	0.00011	<0.00010
	Mercury (Hg)-Dissolved (mg/L)	<0.0000050	<0.0000050	<0.0000050	<0.0000050
	Molybdenum (Mo)-Dissolved (mg/L)	0.000641	0.000645	0.000675	0.000626
	Nickel (Ni)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050
	Potassium (K)-Dissolved (mg/L)	0.480	0.481	0.492	0.470
	Selenium (Se)-Dissolved (ug/L)	1.03	0.720	0.173	0.976
	Silicon (Si)-Dissolved (mg/L)	1.25	1.47	2.00	1.22
	Silver (Ag)-Dissolved (mg/L)	<0.000010	<0.000010	<0.000010	<0.000010
	Sodium (Na)-Dissolved (mg/L)	2.75	3.17	3.80	2.74
	Strontium (Sr)-Dissolved (mg/L)	0.134	0.134	0.151	0.127
	Thallium (Tl)-Dissolved (mg/L)	<0.000010	<0.000010	<0.000010	<0.000010
	Tin (Sn)-Dissolved (mg/L)	<0.00010	<0.00010	<0.00010	<0.00010
	Titanium (Ti)-Dissolved (mg/L)	<0.010	<0.010	<0.010	<0.010
	Uranium (U)-Dissolved (mg/L)	0.000612	0.000619	0.000650	0.000630
	Vanadium (V)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050
	Zinc (Zn)-Dissolved (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID	L2333505-6 WS 20-AUG-19 11:35 RG_SC_U2_WS_2 0190820_1135_NR _MD	L2333505-7 WS 20-AUG-19 11:25 RG_SC_U3_WS_2 0190820_1125_NR _MD		
Grouping	Analyte				
WATER					
Dissolved Metals	Copper (Cu)-Dissolved (mg/L)	<0.00050	<0.00050		
	Iron (Fe)-Dissolved (mg/L)	<0.010	<0.010		
	Lead (Pb)-Dissolved (mg/L)	<0.000050	<0.000050		
	Lithium (Li)-Dissolved (mg/L)	0.0014	0.0014		
	Magnesium (Mg)-Dissolved (mg/L)	11.0	11.1		
	Manganese (Mn)-Dissolved (mg/L)	<0.00010	<0.00010		
	Mercury (Hg)-Dissolved (mg/L)	<0.0000050	<0.0000050		
	Molybdenum (Mo)-Dissolved (mg/L)	0.000663	0.000685		
	Nickel (Ni)-Dissolved (mg/L)	<0.00050	<0.00050		
	Potassium (K)-Dissolved (mg/L)	0.511	0.504		
	Selenium (Se)-Dissolved (ug/L)	0.172	0.120		
	Silicon (Si)-Dissolved (mg/L)	1.91	2.02		
	Silver (Ag)-Dissolved (mg/L)	<0.000010	<0.000010		
	Sodium (Na)-Dissolved (mg/L)	3.69	3.77		
	Strontium (Sr)-Dissolved (mg/L)	0.150	0.157		
	Thallium (Tl)-Dissolved (mg/L)	<0.000010	<0.000010		
	Tin (Sn)-Dissolved (mg/L)	0.00012	<0.00010		
	Titanium (Ti)-Dissolved (mg/L)	<0.010	<0.010		
	Uranium (U)-Dissolved (mg/L)	0.000667	0.000677		
	Vanadium (V)-Dissolved (mg/L)	<0.00050	<0.00050		
	Zinc (Zn)-Dissolved (mg/L)	<0.0010	<0.0010		

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

Qualifiers for Sample Submission Listed:

Qualifier	Description
SFPL	Sample was Filtered and Preserved at the laboratory - DOC, dissolved metals and dissolved mercury must be filtered and preserved; appropriate codes added

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Laboratory Control Sample	Bismuth (Bi)-Total	MES	L2333505-1, -2, -3, -4, -5, -6, -7
Matrix Spike	Barium (Ba)-Dissolved	MS-B	L2333505-1, -2, -3, -4, -5, -6, -7
Matrix Spike	Calcium (Ca)-Dissolved	MS-B	L2333505-1, -2, -3, -4, -5, -6, -7
Matrix Spike	Magnesium (Mg)-Dissolved	MS-B	L2333505-1, -2, -3, -4, -5, -6, -7
Matrix Spike	Sodium (Na)-Dissolved	MS-B	L2333505-1, -2, -3, -4, -5, -6, -7
Matrix Spike	Strontium (Sr)-Dissolved	MS-B	L2333505-1, -2, -3, -4, -5, -6, -7

Qualifiers for Individual Parameters Listed:

Qualifier	Description
DLHC	Detection Limit Raised: Dilution required due to high concentration of test analyte(s).
MES	Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
ACIDITY-PCT-CL	Water	Acidity by Automatic Titration	APHA 2310 Acidity
This analysis is carried out using procedures adapted from APHA Method 2310 "Acidity". Acidity is determined by potentiometric titration to a specified endpoint.			
ALK-MAN-CL	Water	Alkalinity (Species) by Manual Titration	APHA 2320 ALKALINITY
This analysis is carried out using procedures adapted from APHA Method 2320 "Alkalinity". Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.			
BE-D-L-CCMS-VA	Water	Diss. Be (low) in Water by CRC ICPMS	APHA 3030B/6020A (mod)
Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.			
BE-T-L-CCMS-VA	Water	Total Be (Low) in Water by CRC ICPMS	EPA 200.2/6020A (mod)
Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.			
BR-L-IC-N-CL	Water	Bromide in Water by IC (Low Level)	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
C-DIS-ORG-LOW-CL	Water	Dissolved Organic Carbon	APHA 5310 B-Instrumental
This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.			
The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC. TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.			
C-TOT-ORG-LOW-CL	Water	Total Organic Carbon	APHA 5310 TOTAL ORGANIC CARBON (TOC)
This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.			
The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC. TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.			

Reference Information

CL-IC-N-CL	Water	Chloride in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
EC-L-PCT-CL	Water	Electrical Conductivity (EC)	APHA 2510B
Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water sample. Conductivity measurements are temperature-compensated to 25C.			
F-IC-N-CL	Water	Fluoride in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
HARDNESS-CALC-VA	Water	Hardness	APHA 2340B
Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO ₃ equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.			
HG-D-CVAA-VA	Water	Diss. Mercury in Water by CVAAS or CVAFS	APHA 3030B/EPA 1631E (mod)
Water samples are filtered (0.45 um), preserved with hydrochloric acid, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS or CVAFS.			
HG-T-U-CVAF-VA	Water	Total Mercury in Water by CVAFS (Ultra)	EPA 1631 REV. E
This analysis is carried out using procedures adapted from Method 1631 Rev. E. by the United States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to a purge and trap concentration step and final reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry.			
IONBALANCE-BC-CL	Water	Ion Balance Calculation	APHA 1030E
Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.			
Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:			
Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]			
MET-D-CCMS-VA	Water	Dissolved Metals in Water by CRC ICPMS	APHA 3030B/6020A (mod)
Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.			
Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.			
MET-T-CCMS-VA	Water	Total Metals in Water by CRC ICPMS	EPA 200.2/6020A (mod)
Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.			
Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.			
NH3-L-F-CL	Water	Ammonia, Total (as N)	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC
This analysis is carried out, on sulfuric acid preserved samples, using procedures modified from J. Environ. Monit., 2005, 7, 37 - 42, The Royal Society of Chemistry, "Flow-injection analysis with fluorescence detection for the determination of trace levels of ammonium in seawater", Roslyn J. Waston et al.			
NO2-L-IC-N-CL	Water	Nitrite in Water by IC (Low Level)	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
NO3-L-IC-N-CL	Water	Nitrate in Water by IC (Low Level)	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
ORP-CL	Water	Oxidation reduction potential by elect.	ASTM D1498
This analysis is carried out in accordance with the procedure described in the "ASTM" method D1498 "Oxidation-Reduction Potential of Water" published by the American Society for Testing and Materials (ASTM). Results are reported as observed oxidation-reduction potential of the platinum metal-reference electrode employed, in mV.			
It is recommended that this analysis be conducted in the field.			
P-T-L-COL-CL	Water	Phosphorus (P)-Total	APHA 4500-P PHOSPHORUS
This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorus is determined colourimetrically after persulphate digestion of the sample.			
PH-CL	Water	pH	APHA 4500 H-Electrode
pH is determined in the laboratory using a pH electrode. All samples analyzed by this method for pH will have exceeded the 15 minute recommended hold time from time of sampling (field analysis is recommended for pH where highly accurate results are needed)			

Reference Information

PO4-DO-L-COL-CL Water Orthophosphate-Dissolved (as P) APHA 4500-P PHOSPHORUS

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Dissolved Orthophosphate is determined colourimetrically on a sample that has been lab or field filtered through a 0.45 micron membrane filter.

SO4-IC-N-CL Water Sulfate in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

SOLIDS-TDS-CL Water Total Dissolved Solids APHA 2540 C

A well-mixed sample is filtered through a glass fibre filter paper. The filtrate is then evaporated to dryness in a pre-weighed vial and dried at 180 – 2 °C. The increase in vial weight represents the total dissolved solids (TDS).

TECKCOAL-IONBAL-CL Water Ion Balance Calculation APHA 1030E

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:

Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]

TKN-L-F-CL Water Total Kjeldahl Nitrogen APHA 4500-NORG (TKN)

This analysis is carried out using procedures adapted from APHA Method 4500-Norg D. "Block Digestion and Flow Injection Analysis". Total Kjeldahl Nitrogen is determined using block digestion followed by Flow-injection analysis with fluorescence detection.

TSS-L-CL Water Total Suspended Solids APHA 2540 D-Gravimetric

This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, and by drying the filter at 104 deg. C.

TURBIDITY-CL Water Turbidity APHA 2130 B-Nephelometer

This analysis is carried out using procedures adapted from APHA Method 2130 "Turbidity". Turbidity is determined by the nephelometric method.

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
CL	ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA
VA	ALS ENVIRONMENTAL - VANCOUVER, BRITISH COLUMBIA, CANADA

Chain of Custody Numbers:

REP-Koocanusa 19-08

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Quality Control Report

Workorder: L2333505

Report Date: 28-AUG-19

Page 1 of 14

Client: Teck Coal Ltd.
 421 Pine Avenue
 Sparwood BC V0B 2G0

Contact: Cait Good

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
ACIDITY-PCT-CL								
	Water							
Batch	R4767011							
WG3141376-12	DUP	L2333505-6						
Acidity (as CaCO3)		<1.0	<1.0	RPD-NA	mg/L	N/A	20	22-AUG-19
WG3141376-11	LCS							
Acidity (as CaCO3)			102.2		%		85-115	22-AUG-19
WG3141376-10	MB							
Acidity (as CaCO3)			<1.0		mg/L		2	22-AUG-19
ALK-MAN-CL								
	Water							
Batch	R4767327							
WG3141779-3	DUP	L2333505-7						
Alkalinity, Total (as CaCO3)		112	112		mg/L	0.3	20	23-AUG-19
WG3141779-2	LCS							
Alkalinity, Total (as CaCO3)			102.6		%		85-115	23-AUG-19
WG3141779-1	MB							
Alkalinity, Total (as CaCO3)			<1.0		mg/L		1	23-AUG-19
BE-D-L-CCMS-VA								
	Water							
Batch	R4769674							
WG3142873-3	DUP	L2333505-1						
Beryllium (Be)-Dissolved		<0.000020	<0.000020	RPD-NA	mg/L	N/A	20	27-AUG-19
WG3142873-2	LCS							
Beryllium (Be)-Dissolved			102.3		%		80-120	27-AUG-19
WG3142873-1	MB	LF						
Beryllium (Be)-Dissolved			<0.000020		mg/L		0.00002	27-AUG-19
WG3142873-4	MS	L2333505-2						
Beryllium (Be)-Dissolved			101.9		%		70-130	27-AUG-19
BE-T-L-CCMS-VA								
	Water							
Batch	R4768086							
WG3142162-2	LCS							
Beryllium (Be)-Total			101.0		%		80-120	24-AUG-19
WG3142162-1	MB							
Beryllium (Be)-Total			<0.000020		mg/L		0.00002	24-AUG-19
BR-L-IC-N-CL								
	Water							
Batch	R4767516							
WG3141969-2	LCS							
Bromide (Br)			99.0		%		85-115	22-AUG-19
WG3141969-6	LCS							
Bromide (Br)			108.4		%		85-115	22-AUG-19
WG3141969-1	MB							



Quality Control Report

Workorder: L2333505

Report Date: 28-AUG-19

Page 2 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
BR-L-IC-N-CL Water								
Batch R4767516								
WG3141969-1	MB							
Bromide (Br)			<0.050		mg/L		0.05	22-AUG-19
WG3141969-5	MB							
Bromide (Br)			<0.050		mg/L		0.05	22-AUG-19
C-DIS-ORG-LOW-CL Water								
Batch R4767882								
WG3142472-7	DUP	L2333505-6						
Dissolved Organic Carbon		0.93	0.89		mg/L	4.9	20	23-AUG-19
WG3142472-6	LCS							
Dissolved Organic Carbon			99.5		%		80-120	23-AUG-19
WG3142472-5	MB							
Dissolved Organic Carbon			<0.50		mg/L		0.5	23-AUG-19
WG3142472-8	MS	L2333505-7						
Dissolved Organic Carbon			90.3		%		70-130	23-AUG-19
C-TOT-ORG-LOW-CL Water								
Batch R4767882								
WG3142472-7	DUP	L2333505-6						
Total Organic Carbon		0.97	0.95		mg/L	1.8	20	23-AUG-19
WG3142472-6	LCS							
Total Organic Carbon			99.9		%		80-120	23-AUG-19
WG3142472-5	MB							
Total Organic Carbon			<0.50		mg/L		0.5	23-AUG-19
WG3142472-8	MS	L2333505-7						
Total Organic Carbon			97.0		%		70-130	23-AUG-19
CL-IC-N-CL Water								
Batch R4767516								
WG3141969-2	LCS							
Chloride (Cl)			101.6		%		90-110	22-AUG-19
WG3141969-6	LCS							
Chloride (Cl)			101.5		%		90-110	22-AUG-19
WG3141969-1	MB							
Chloride (Cl)			<0.50		mg/L		0.5	22-AUG-19
WG3141969-5	MB							
Chloride (Cl)			<0.50		mg/L		0.5	22-AUG-19
EC-L-PCT-CL Water								



Quality Control Report

Workorder: L2333505

Report Date: 28-AUG-19

Page 3 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
EC-L-PCT-CL								
Water								
Batch	R4767327							
WG3141779-3	DUP	L2333505-7						
Conductivity (@ 25C)		248	247		uS/cm	0.4	10	23-AUG-19
WG3141779-2	LCS							
Conductivity (@ 25C)			100.1		%		90-110	23-AUG-19
WG3141779-1	MB							
Conductivity (@ 25C)			<2.0		uS/cm		2	23-AUG-19
F-IC-N-CL								
Water								
Batch	R4767516							
WG3141969-2	LCS							
Fluoride (F)			98.7		%		90-110	22-AUG-19
WG3141969-6	LCS							
Fluoride (F)			102.5		%		90-110	22-AUG-19
WG3141969-1	MB							
Fluoride (F)			<0.020		mg/L		0.02	22-AUG-19
WG3141969-5	MB							
Fluoride (F)			<0.020		mg/L		0.02	22-AUG-19
HG-D-CVAA-VA								
Water								
Batch	R4771009							
WG3144756-2	LCS							
Mercury (Hg)-Dissolved			95.8		%		80-120	28-AUG-19
WG3144756-1	MB							
Mercury (Hg)-Dissolved			<0.000005C		mg/L		0.000005	28-AUG-19
HG-T-U-CVAF-VA								
Water								
Batch	R4769434							
WG3144414-2	LCS							
Mercury (Hg)-Total			94.2		%		80-120	27-AUG-19
WG3144414-1	MB							
Mercury (Hg)-Total			<0.00050		ug/L		0.0005	27-AUG-19
MET-D-CCMS-VA								
Water								
Batch	R4769674							
WG3142873-3	DUP	L2333505-1						
Aluminum (Al)-Dissolved		0.0034	0.0040		mg/L	18	20	27-AUG-19
Antimony (Sb)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	27-AUG-19
Arsenic (As)-Dissolved		0.00036	0.00034		mg/L	4.9	20	27-AUG-19
Barium (Ba)-Dissolved		0.0391	0.0388		mg/L	0.8	20	27-AUG-19
Bismuth (Bi)-Dissolved		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	27-AUG-19
Boron (B)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	27-AUG-19

Quality Control Report

Workorder: L2333505

Report Date: 28-AUG-19

Page 4 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4769674							
WG3142873-3	DUP	L2333505-1						
Cadmium (Cd)-Dissolved		<0.0000050	<0.0000050	RPD-NA	mg/L	N/A	20	27-AUG-19
Calcium (Ca)-Dissolved		33.7	33.4		mg/L	0.9	20	27-AUG-19
Chromium (Cr)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	27-AUG-19
Cobalt (Co)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	27-AUG-19
Copper (Cu)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	27-AUG-19
Iron (Fe)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	27-AUG-19
Lead (Pb)-Dissolved		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	27-AUG-19
Lithium (Li)-Dissolved		0.0018	0.0017		mg/L	0.6	20	27-AUG-19
Magnesium (Mg)-Dissolved		10.7	10.8		mg/L	0.4	20	27-AUG-19
Manganese (Mn)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	27-AUG-19
Molybdenum (Mo)-Dissolved		0.000641	0.000631		mg/L	1.5	20	27-AUG-19
Nickel (Ni)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	27-AUG-19
Potassium (K)-Dissolved		0.480	0.471		mg/L	1.8	20	27-AUG-19
Selenium (Se)-Dissolved		0.00103	0.000965		mg/L	6.9	20	27-AUG-19
Silicon (Si)-Dissolved		1.25	1.22		mg/L	2.8	20	27-AUG-19
Silver (Ag)-Dissolved		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	27-AUG-19
Sodium (Na)-Dissolved		2.75	2.78		mg/L	1.1	20	27-AUG-19
Strontium (Sr)-Dissolved		0.134	0.129		mg/L	3.7	20	27-AUG-19
Thallium (Tl)-Dissolved		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	27-AUG-19
Tin (Sn)-Dissolved		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	27-AUG-19
Titanium (Ti)-Dissolved		<0.010	<0.010	RPD-NA	mg/L	N/A	20	27-AUG-19
Uranium (U)-Dissolved		0.000612	0.000639		mg/L	4.4	20	27-AUG-19
Vanadium (V)-Dissolved		<0.00050	<0.00050	RPD-NA	mg/L	N/A	20	27-AUG-19
Zinc (Zn)-Dissolved		<0.0010	<0.0010	RPD-NA	mg/L	N/A	20	27-AUG-19
WG3142873-2	LCS							
Aluminum (Al)-Dissolved			105.9		%		80-120	27-AUG-19
Antimony (Sb)-Dissolved			94.2		%		80-120	27-AUG-19
Arsenic (As)-Dissolved			100.7		%		80-120	27-AUG-19
Barium (Ba)-Dissolved			100.6		%		80-120	27-AUG-19
Bismuth (Bi)-Dissolved			101.1		%		80-120	27-AUG-19
Boron (B)-Dissolved			100.5		%		80-120	27-AUG-19
Cadmium (Cd)-Dissolved			99.9		%		80-120	27-AUG-19
Calcium (Ca)-Dissolved			97.9		%		80-120	27-AUG-19
Chromium (Cr)-Dissolved			101.3		%		80-120	27-AUG-19

Quality Control Report

Workorder: L2333505

Report Date: 28-AUG-19

Page 5 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4769674							
WG3142873-2	LCS							
Cobalt (Co)-Dissolved			99.6		%		80-120	27-AUG-19
Copper (Cu)-Dissolved			99.3		%		80-120	27-AUG-19
Iron (Fe)-Dissolved			100.2		%		80-120	27-AUG-19
Lead (Pb)-Dissolved			100.3		%		80-120	27-AUG-19
Lithium (Li)-Dissolved			100.2		%		80-120	27-AUG-19
Magnesium (Mg)-Dissolved			102.8		%		80-120	27-AUG-19
Manganese (Mn)-Dissolved			101.7		%		80-120	27-AUG-19
Molybdenum (Mo)-Dissolved			99.6		%		80-120	27-AUG-19
Nickel (Ni)-Dissolved			100.7		%		80-120	27-AUG-19
Potassium (K)-Dissolved			100.1		%		80-120	27-AUG-19
Selenium (Se)-Dissolved			103.8		%		80-120	27-AUG-19
Silicon (Si)-Dissolved			111.4		%		60-140	27-AUG-19
Silver (Ag)-Dissolved			92.9		%		80-120	27-AUG-19
Sodium (Na)-Dissolved			101.2		%		80-120	27-AUG-19
Strontium (Sr)-Dissolved			92.3		%		80-120	27-AUG-19
Thallium (Tl)-Dissolved			101.2		%		80-120	27-AUG-19
Tin (Sn)-Dissolved			97.2		%		80-120	27-AUG-19
Titanium (Ti)-Dissolved			99.95		%		80-120	27-AUG-19
Uranium (U)-Dissolved			96.5		%		80-120	27-AUG-19
Vanadium (V)-Dissolved			99.96		%		80-120	27-AUG-19
Zinc (Zn)-Dissolved			104.6		%		80-120	27-AUG-19
WG3142873-1	MB	LF						
Aluminum (Al)-Dissolved			<0.0010		mg/L		0.001	27-AUG-19
Antimony (Sb)-Dissolved			<0.00010		mg/L		0.0001	27-AUG-19
Arsenic (As)-Dissolved			<0.00010		mg/L		0.0001	27-AUG-19
Barium (Ba)-Dissolved			<0.00010		mg/L		0.0001	27-AUG-19
Bismuth (Bi)-Dissolved			<0.000050		mg/L		0.00005	27-AUG-19
Boron (B)-Dissolved			<0.010		mg/L		0.01	27-AUG-19
Cadmium (Cd)-Dissolved			<0.0000050		mg/L		0.000005	27-AUG-19
Calcium (Ca)-Dissolved			<0.050		mg/L		0.05	27-AUG-19
Chromium (Cr)-Dissolved			<0.00010		mg/L		0.0001	27-AUG-19
Cobalt (Co)-Dissolved			<0.00010		mg/L		0.0001	27-AUG-19
Copper (Cu)-Dissolved			<0.00020		mg/L		0.0002	27-AUG-19
Iron (Fe)-Dissolved			<0.010		mg/L		0.01	27-AUG-19



Quality Control Report

Workorder: L2333505

Report Date: 28-AUG-19

Page 6 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4769674							
WG3142873-1	MB	LF						
Lead (Pb)-Dissolved			<0.000050		mg/L		0.00005	27-AUG-19
Lithium (Li)-Dissolved			<0.0010		mg/L		0.001	27-AUG-19
Magnesium (Mg)-Dissolved			<0.0050		mg/L		0.005	27-AUG-19
Manganese (Mn)-Dissolved			<0.00010		mg/L		0.0001	27-AUG-19
Molybdenum (Mo)-Dissolved			<0.000050		mg/L		0.00005	27-AUG-19
Nickel (Ni)-Dissolved			<0.00050		mg/L		0.0005	27-AUG-19
Potassium (K)-Dissolved			<0.050		mg/L		0.05	27-AUG-19
Selenium (Se)-Dissolved			<0.000050		mg/L		0.00005	27-AUG-19
Silicon (Si)-Dissolved			<0.050		mg/L		0.05	27-AUG-19
Silver (Ag)-Dissolved			<0.000010		mg/L		0.00001	27-AUG-19
Sodium (Na)-Dissolved			<0.050		mg/L		0.05	27-AUG-19
Strontium (Sr)-Dissolved			<0.00020		mg/L		0.0002	27-AUG-19
Thallium (Tl)-Dissolved			<0.000010		mg/L		0.00001	27-AUG-19
Tin (Sn)-Dissolved			<0.00010		mg/L		0.0001	27-AUG-19
Titanium (Ti)-Dissolved			<0.00030		mg/L		0.0003	27-AUG-19
Uranium (U)-Dissolved			<0.000010		mg/L		0.00001	27-AUG-19
Vanadium (V)-Dissolved			<0.00050		mg/L		0.0005	27-AUG-19
Zinc (Zn)-Dissolved			<0.0010		mg/L		0.001	27-AUG-19
WG3142873-4	MS	L2333505-2						
Aluminum (Al)-Dissolved			103.3		%		70-130	27-AUG-19
Antimony (Sb)-Dissolved			95.0		%		70-130	27-AUG-19
Arsenic (As)-Dissolved			103.2		%		70-130	27-AUG-19
Barium (Ba)-Dissolved			N/A	MS-B	%		-	27-AUG-19
Bismuth (Bi)-Dissolved			91.7		%		70-130	27-AUG-19
Boron (B)-Dissolved			102.4		%		70-130	27-AUG-19
Cadmium (Cd)-Dissolved			101.2		%		70-130	27-AUG-19
Calcium (Ca)-Dissolved			N/A	MS-B	%		-	27-AUG-19
Chromium (Cr)-Dissolved			100.7		%		70-130	27-AUG-19
Cobalt (Co)-Dissolved			98.2		%		70-130	27-AUG-19
Copper (Cu)-Dissolved			97.4		%		70-130	27-AUG-19
Iron (Fe)-Dissolved			97.9		%		70-130	27-AUG-19
Lead (Pb)-Dissolved			98.0		%		70-130	27-AUG-19
Lithium (Li)-Dissolved			97.8		%		70-130	27-AUG-19
Magnesium (Mg)-Dissolved			N/A	MS-B	%		-	27-AUG-19

Quality Control Report

Workorder: L2333505

Report Date: 28-AUG-19

Page 7 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-D-CCMS-VA								
	Water							
Batch	R4769674							
WG3142873-4	MS	L2333505-2						
Manganese (Mn)-Dissolved			98.2		%		70-130	27-AUG-19
Molybdenum (Mo)-Dissolved			102.2		%		70-130	27-AUG-19
Nickel (Ni)-Dissolved			97.4		%		70-130	27-AUG-19
Potassium (K)-Dissolved			98.7		%		70-130	27-AUG-19
Selenium (Se)-Dissolved			115.1		%		70-130	27-AUG-19
Silicon (Si)-Dissolved			100.6		%		70-130	27-AUG-19
Silver (Ag)-Dissolved			99.4		%		70-130	27-AUG-19
Sodium (Na)-Dissolved			N/A	MS-B	%		-	27-AUG-19
Strontium (Sr)-Dissolved			N/A	MS-B	%		-	27-AUG-19
Thallium (Tl)-Dissolved			93.6		%		70-130	27-AUG-19
Tin (Sn)-Dissolved			99.7		%		70-130	27-AUG-19
Titanium (Ti)-Dissolved			100.4		%		70-130	27-AUG-19
Uranium (U)-Dissolved			96.4		%		70-130	27-AUG-19
Vanadium (V)-Dissolved			100.4		%		70-130	27-AUG-19
Zinc (Zn)-Dissolved			103.3		%		70-130	27-AUG-19
MET-T-CCMS-VA								
	Water							
Batch	R4768086							
WG3142162-2	LCS							
Aluminum (Al)-Total			103.0		%		80-120	24-AUG-19
Antimony (Sb)-Total			106.0		%		80-120	24-AUG-19
Arsenic (As)-Total			100.9		%		80-120	24-AUG-19
Barium (Ba)-Total			104.9		%		80-120	24-AUG-19
Bismuth (Bi)-Total			123.6	MES	%		80-120	24-AUG-19
Boron (B)-Total			97.2		%		80-120	24-AUG-19
Cadmium (Cd)-Total			105.6		%		80-120	24-AUG-19
Calcium (Ca)-Total			99.7		%		80-120	24-AUG-19
Chromium (Cr)-Total			103.4		%		80-120	24-AUG-19
Cobalt (Co)-Total			102.7		%		80-120	24-AUG-19
Copper (Cu)-Total			102.7		%		80-120	24-AUG-19
Iron (Fe)-Total			91.6		%		80-120	24-AUG-19
Lead (Pb)-Total			100.3		%		80-120	24-AUG-19
Lithium (Li)-Total			102.8		%		80-120	24-AUG-19
Magnesium (Mg)-Total			102.4		%		80-120	24-AUG-19
Manganese (Mn)-Total			104.4		%		80-120	24-AUG-19



Quality Control Report

Workorder: L2333505

Report Date: 28-AUG-19

Page 8 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4768086							
WG3142162-2	LCS							
Molybdenum (Mo)-Total			105.2		%		80-120	24-AUG-19
Nickel (Ni)-Total			101.4		%		80-120	24-AUG-19
Potassium (K)-Total			103.8		%		80-120	24-AUG-19
Selenium (Se)-Total			100.9		%		80-120	24-AUG-19
Silicon (Si)-Total			112.5		%		80-120	24-AUG-19
Silver (Ag)-Total			98.4		%		80-120	24-AUG-19
Sodium (Na)-Total			117.3		%		80-120	24-AUG-19
Strontium (Sr)-Total			99.7		%		80-120	24-AUG-19
Thallium (Tl)-Total			98.8		%		80-120	24-AUG-19
Tin (Sn)-Total			101.2		%		80-120	24-AUG-19
Titanium (Ti)-Total			95.8		%		80-120	24-AUG-19
Uranium (U)-Total			103.6		%		80-120	24-AUG-19
Vanadium (V)-Total			103.8		%		80-120	24-AUG-19
Zinc (Zn)-Total			103.0		%		80-120	24-AUG-19
WG3142162-1		MB						
Aluminum (Al)-Total			<0.0030		mg/L		0.003	24-AUG-19
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	24-AUG-19
Arsenic (As)-Total			<0.00010		mg/L		0.0001	24-AUG-19
Barium (Ba)-Total			<0.00010		mg/L		0.0001	24-AUG-19
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	24-AUG-19
Boron (B)-Total			<0.010		mg/L		0.01	24-AUG-19
Cadmium (Cd)-Total			<0.0000050		mg/L		0.000005	24-AUG-19
Calcium (Ca)-Total			<0.050		mg/L		0.05	24-AUG-19
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	24-AUG-19
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	24-AUG-19
Copper (Cu)-Total			<0.00050		mg/L		0.0005	24-AUG-19
Iron (Fe)-Total			<0.010		mg/L		0.01	24-AUG-19
Lead (Pb)-Total			<0.000050		mg/L		0.00005	24-AUG-19
Lithium (Li)-Total			<0.0010		mg/L		0.001	24-AUG-19
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	24-AUG-19
Manganese (Mn)-Total			<0.00010		mg/L		0.0001	24-AUG-19
Molybdenum (Mo)-Total			<0.000050		mg/L		0.00005	24-AUG-19
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	24-AUG-19
Potassium (K)-Total			<0.050		mg/L		0.05	24-AUG-19



Quality Control Report

Workorder: L2333505

Report Date: 28-AUG-19

Page 9 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-VA		Water						
Batch	R4768086							
WG3142162-1	MB							
Selenium (Se)-Total			<0.000050		mg/L		0.00005	24-AUG-19
Silicon (Si)-Total			<0.10		mg/L		0.1	24-AUG-19
Silver (Ag)-Total			<0.000010		mg/L		0.00001	24-AUG-19
Sodium (Na)-Total			<0.050		mg/L		0.05	24-AUG-19
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	24-AUG-19
Thallium (Tl)-Total			<0.000010		mg/L		0.00001	24-AUG-19
Tin (Sn)-Total			<0.00010		mg/L		0.0001	24-AUG-19
Titanium (Ti)-Total			<0.00030		mg/L		0.0003	24-AUG-19
Uranium (U)-Total			<0.000010		mg/L		0.00001	24-AUG-19
Vanadium (V)-Total			<0.00050		mg/L		0.0005	24-AUG-19
Zinc (Zn)-Total			<0.0030		mg/L		0.003	24-AUG-19
NH3-L-F-CL		Water						
Batch	R4769664							
WG3143694-18	LCS							
Ammonia as N			104.9		%		85-115	26-AUG-19
WG3143694-17	MB							
Ammonia as N			<0.0050		mg/L		0.005	26-AUG-19
NO2-L-IC-N-CL		Water						
Batch	R4767516							
WG3141969-2	LCS							
Nitrite (as N)			102.5		%		90-110	22-AUG-19
WG3141969-6	LCS							
Nitrite (as N)			105.2		%		90-110	22-AUG-19
WG3141969-1	MB							
Nitrite (as N)			<0.0010		mg/L		0.001	22-AUG-19
WG3141969-5	MB							
Nitrite (as N)			<0.0010		mg/L		0.001	22-AUG-19
NO3-L-IC-N-CL		Water						
Batch	R4767516							
WG3141969-2	LCS							
Nitrate (as N)			100.0		%		90-110	22-AUG-19
WG3141969-6	LCS							
Nitrate (as N)			102.9		%		90-110	22-AUG-19
WG3141969-1	MB							
Nitrate (as N)			<0.0050		mg/L		0.005	22-AUG-19
WG3141969-5	MB							



Quality Control Report

Workorder: L2333505

Report Date: 28-AUG-19

Page 10 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
NO3-L-IC-N-CL Water								
Batch	R4767516							
WG3141969-5	MB							
Nitrate (as N)			<0.0050		mg/L		0.005	22-AUG-19
ORP-CL Water								
Batch	R4769169							
WG3143970-3	CRM	CL-ORP						
ORP			226		mV		210-230	26-AUG-19
WG3143970-5	CRM	CL-ORP						
ORP			227		mV		210-230	26-AUG-19
P-T-L-COL-CL Water								
Batch	R4767467							
WG3141919-12	LCS							
Phosphorus (P)-Total			107.9		%		80-120	23-AUG-19
WG3141919-14	LCS							
Phosphorus (P)-Total			106.8		%		80-120	23-AUG-19
WG3141919-11	MB							
Phosphorus (P)-Total			<0.0020		mg/L		0.002	23-AUG-19
WG3141919-13	MB							
Phosphorus (P)-Total			<0.0020		mg/L		0.002	23-AUG-19
PH-CL Water								
Batch	R4767327							
WG3141779-3	DUP	L2333505-7						
pH		8.18	8.17	J	pH	0.01	0.2	23-AUG-19
WG3141779-2	LCS							
pH			7.03		pH		6.9-7.1	23-AUG-19
PO4-DO-L-COL-CL Water								
Batch	R4765949							
WG3140634-19	LCS							
Orthophosphate-Dissolved (as P)			99.3		%		80-120	22-AUG-19
WG3140634-4	MB							
Orthophosphate-Dissolved (as P)			<0.0010		mg/L		0.001	22-AUG-19
SO4-IC-N-CL Water								
Batch	R4767516							
WG3141969-2	LCS							
Sulfate (SO4)			101.1		%		90-110	22-AUG-19
WG3141969-6	LCS							
Sulfate (SO4)			101.2		%		90-110	22-AUG-19



Quality Control Report

Workorder: L2333505

Report Date: 28-AUG-19

Page 11 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
SO4-IC-N-CL		Water						
Batch	R4767516							
WG3141969-1	MB							
Sulfate (SO4)			<0.30		mg/L		0.3	22-AUG-19
WG3141969-5	MB							
Sulfate (SO4)			<0.30		mg/L		0.3	22-AUG-19
SOLIDS-TDS-CL		Water						
Batch	R4768912							
WG3143234-12	LCS							
Total Dissolved Solids			99.7		%		85-115	26-AUG-19
WG3143234-9	LCS							
Total Dissolved Solids			102.9		%		85-115	26-AUG-19
WG3143234-11	MB							
Total Dissolved Solids			<10		mg/L		10	26-AUG-19
WG3143234-8	MB							
Total Dissolved Solids			<10		mg/L		10	26-AUG-19
TKN-L-F-CL		Water						
Batch	R4768022							
WG3142612-14	LCS							
Total Kjeldahl Nitrogen			97.9		%		75-125	24-AUG-19
WG3142612-18	LCS							
Total Kjeldahl Nitrogen			96.6		%		75-125	24-AUG-19
WG3142612-2	LCS							
Total Kjeldahl Nitrogen			103.0		%		75-125	24-AUG-19
WG3142612-22	LCS							
Total Kjeldahl Nitrogen			98.6		%		75-125	24-AUG-19
WG3142612-1	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	24-AUG-19
WG3142612-13	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	24-AUG-19
WG3142612-17	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	24-AUG-19
WG3142612-21	MB							
Total Kjeldahl Nitrogen			<0.050		mg/L		0.05	24-AUG-19
TSS-L-CL		Water						
Batch	R4768837							
WG3143202-10	LCS							
Total Suspended Solids			94.7		%		85-115	26-AUG-19
WG3143202-9	MB							
Total Suspended Solids			<1.0		mg/L		1	26-AUG-19



Quality Control Report

Workorder: L2333505

Report Date: 28-AUG-19

Page 12 of 14

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
TURBIDITY-CL	Water							
Batch	R4765274							
WG3140978-5	LCS							
Turbidity			93.5		%		85-115	22-AUG-19
WG3140978-4	MB							
Turbidity			<0.10		NTU		0.1	22-AUG-19

Quality Control Report

Workorder: L2333505

Report Date: 28-AUG-19

Page 13 of 14

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
J	Duplicate results and limits are expressed in terms of absolute difference.
MES	Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Quality Control Report

Workorder: L2333505

Report Date: 28-AUG-19

Page 14 of 14

Hold Time Exceedances:

ALS Product Description	Sample ID	Sampling Date	Date Processed	Rec. HT	Actual HT	Units	Qualifier
Physical Tests							
Oxidation redution potential by elect.							
	1	20-AUG-19 09:45	26-AUG-19 12:50	0.25	147	hours	EHTR-FM
	2	20-AUG-19 09:35	26-AUG-19 12:50	0.25	147	hours	EHTR-FM
	3	20-AUG-19 09:25	26-AUG-19 14:45	0.25	149	hours	EHTR-FM
	4	20-AUG-19 09:50	26-AUG-19 14:45	0.25	149	hours	EHTR-FM
	5	20-AUG-19 11:45	26-AUG-19 14:45	0.25	147	hours	EHTR-FM
	6	20-AUG-19 11:35	26-AUG-19 14:45	0.25	147	hours	EHTR-FM
	7	20-AUG-19 11:25	26-AUG-19 14:45	0.25	147	hours	EHTR-FM
pH							
	1	20-AUG-19 09:45	23-AUG-19 09:00	0.25	71	hours	EHTR-FM
	2	20-AUG-19 09:35	23-AUG-19 09:00	0.25	72	hours	EHTR-FM
	3	20-AUG-19 09:25	23-AUG-19 09:00	0.25	72	hours	EHTR-FM
	4	20-AUG-19 09:50	23-AUG-19 09:00	0.25	71	hours	EHTR-FM
	5	20-AUG-19 11:45	23-AUG-19 09:00	0.25	69	hours	EHTR-FM
	6	20-AUG-19 11:35	23-AUG-19 09:00	0.25	69	hours	EHTR-FM
	7	20-AUG-19 11:25	23-AUG-19 09:00	0.25	70	hours	EHTR-FM

Legend & Qualifier Definitions:

- EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended.
- EHTR: Exceeded ALS recommended hold time prior to sample receipt.
- EHTL: Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.
- EHT: Exceeded ALS recommended hold time prior to analysis.
- Rec. HT: ALS recommended hold time (see units).

Notes*:

Where actual sampling date is not provided to ALS, the date (& time) of receipt is used for calculation purposes.
Where actual sampling time is not provided to ALS, the earlier of 12 noon on the sampling date or the time (& date) of receipt is used for calculation purposes. Samples for L2333505 were received on 21-AUG-19 09:00.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

COC ID:		REP-Koochanusa 19-08		TURNAROUND TIME:							
PROJECT/CLIENT INFO				LABORATORY							
Facility Name / Job#	Regional Effects Program/Koochanusa			Lab Name	ALS Calgary		Excel	PDF	EDD		
Project Manager	Cait Good			Lab Contact	Lyudmyla Shvets		cait.good@teck.com	x	x		
Email	cait.good@teck.com			Email	lyudmyla.shvets@alsglobal.com		teckcoal@elsonline.com	x	x		
Address	421 Pine Avenue			Address	2559 29 Street NE		hcurrier@minnow.ca	x	x		
							cait@meyer@teck.com	x	x		
City	Sparwood		Province	BC		City	Calgary		Province	AB	
Postal Code	V0B 2G0		Country	Canada		Postal Code	T1Y 7B5		Country	Canada	
Phone Number	250-425-8202			Phone Number	403 407 1794		PO Number			VPO00616180	

SAMPLE DETAILS							ANALYSIS REQUESTED							
Sample ID	Sample Location	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Comp	# Of Cont.	TECKCOAL-ROUTINE-VA	ALS Package-DOC	ALS Package-TKN/TOC	HG-TU-CVAF-VA	HG-D-CVAF-VA	TECKCOAL-MET-T-VA	TECKCOAL-MET-D-VA
1 RG-TN-U1-WS-20190820-0945-NP-MD	RG-TN	WS	N	20 AUG 2019	09:45	G	7	✓	✓	✓	✓	✓	✓	✓
2 RG-TN-U2-WS-20190820-0935-NP-MD	RG-TN	WS	N		09:35		7	✓	✓	✓	✓	✓	✓	✓
3 RG-TN-U3-WS-20190820-0925-NP-MD	RG-TN	WS	N		09:25		7	✓	✓	✓	✓	✓	✓	✓
4 RG-DUP-WS-20190820-0950-NP-MD	RG-DUP	WS	N		09:50		7	✓	✓	✓	✓	✓	✓	✓
5 RG-SC-U1-WS-20190820-1145-NP-MD	RG-SC	WS	N		11:45		7	✓	✓	✓	✓	✓	✓	✓
6 RG-SC-U2-WS-20190820-1135-NP-MD	RG-SC	WS	N		11:35		7	✓	✓	✓	✓	✓	✓	✓
7 RG-SC-U3-WS-20190820-1125-NP-MD	RG-SC	WS	N		11:25		7	✓	✓	✓	✓	✓	✓	✓

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION
	A. WIGHT	20 AUG '19	DK 8/21 10900
NB OF BOTTLES RETURNED/DESCRIPTION	Sampler's Name	Mobile #	
Regular (default) x Priority (2-3 business days) - 50% surcharge Emergency (1 Business Day) - 100% surcharge For Emergency <1 Day, ASAP or Weekend - Contact ALS	MARCG / ANDY W A. Wight	750-531-0036	Date/Time 20 AUG 2019

L

10°C



Teck Coal Ltd.
ATTN: Cait Good
421 Pine Avenue
Sparwood BC V0B 2G0

Date Received: 23-AUG-19
Report Date: 29-AUG-19 16:40 (MT)
Version: DRAFT

Client Phone: 250-425-8202

Certificate of Analysis

Lab Work Order #: L2334973
Project P.O. #: VPO00616180
Job Reference: REGIONAL EFFECTS PROGRAM
C of C Numbers:
Legal Site Desc:

DRAFT

Lyudmyla Shvets, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID	L2334973-1 SEDIMENT 22-AUG-19 09:46 RG_TN_1_SE_201 90822-0946	L2334973-2 SEDIMENT 22-AUG-19 10:16 RG_TN_2_SE_201 90822-1016	L2334973-3 SEDIMENT 22-AUG-19 10:46 RG_TN_3_SE_201 90822-1046	L2334973-4 SEDIMENT 22-AUG-19 11:30 RG_TN_4_SE_201 90822-1130	L2334973-5 SEDIMENT 22-AUG-19 09:14 RG_TN_5_SE_201 90822-0914
Grouping	Analyte				
SOIL					
Physical Tests	Moisture (%)	36.6	37.0	35.2	34.4
	pH (1:2 soil:water) (pH)	8.26	8.23	8.34	8.30
Metals	Aluminum (Al) (mg/kg)	11900	12400	12000	11300
	Antimony (Sb) (mg/kg)	0.27	0.26	0.25	0.24
	Arsenic (As) (mg/kg)	5.47	5.71	5.56	5.45
	Barium (Ba) (mg/kg)	72.4	76.0	70.5	71.2
	Beryllium (Be) (mg/kg)	0.39	0.42	0.38	0.36
	Bismuth (Bi) (mg/kg)	<0.20	0.20	<0.20	<0.20
	Boron (B) (mg/kg)	<5.0	<5.0	<5.0	<5.0
	Cadmium (Cd) (mg/kg)	0.168	0.169	0.153	0.155
	Calcium (Ca) (mg/kg)	105000	112000	109000	112000
	Chromium (Cr) (mg/kg)	17.8	18.8	18.3	16.8
	Cobalt (Co) (mg/kg)	8.49	8.68	8.49	8.05
	Copper (Cu) (mg/kg)	14.2	14.3	14.0	13.1
	Iron (Fe) (mg/kg)	22000	23100	22400	21500
	Lead (Pb) (mg/kg)	15.3	15.0	14.6	14.0
	Lithium (Li) (mg/kg)	25.9	25.7	24.7	23.6
	Magnesium (Mg) (mg/kg)	23200	24600	24100	23800
	Manganese (Mn) (mg/kg)	468	464	454	443
	Mercury (Hg) (mg/kg)	0.0231	0.0271	0.0216	0.0445
	Molybdenum (Mo) (mg/kg)	0.57	0.57	0.54	0.53
	Nickel (Ni) (mg/kg)	19.6	20.1	19.7	18.5
	Phosphorus (P) (mg/kg)	532	594	557	606
	Potassium (K) (mg/kg)	920	1050	880	840
	Selenium (Se) (mg/kg)	<0.20	<0.20	<0.20	<0.20
	Silver (Ag) (mg/kg)	<0.10	<0.10	<0.10	<0.10
	Sodium (Na) (mg/kg)	91	118	93	93
	Strontium (Sr) (mg/kg)	252	265	257	251
	Sulfur (S) (mg/kg)	<1000	<1000	<1000	<1000
	Thallium (Tl) (mg/kg)	0.088	0.090	0.081	0.077
	Tin (Sn) (mg/kg)	<2.0	<2.0	<2.0	<2.0
	Titanium (Ti) (mg/kg)	118	139	130	127
	Tungsten (W) (mg/kg)	<0.50	<0.50	<0.50	<0.50
	Uranium (U) (mg/kg)	0.739	0.712	0.710	0.647
	Vanadium (V) (mg/kg)	13.8	14.8	13.9	13.6
	Zinc (Zn) (mg/kg)	61.9	64.1	61.6	58.7
	Zirconium (Zr) (mg/kg)	1.5	1.5	1.6	2.2

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2334973-6	L2334973-7	L2334973-8	L2334973-9	L2334973-10
		Description	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT
		Sampled Date	21-AUG-19	21-AUG-19	21-AUG-19	21-AUG-19	21-AUG-19
		Sampled Time	10:27	14:30	13:30	12:30	11:30
		Client ID	RG_T4_1_SE_201 90821-1027	RG_T4_2_SE_201 90821-1430	RG_T4_3_SE_201 90821-1330	RG_T4_4_SE_201 90821-1230	RG_T4_5_SE_201 90821-1130
Grouping	Analyte						
SOIL							
Physical Tests	Moisture (%)		40.8	40.9	38.6	37.6	39.0
	pH (1:2 soil:water) (pH)		8.14	8.18	8.20	8.10	8.21
Metals	Aluminum (Al) (mg/kg)		12200	12200	12700	12000	12300
	Antimony (Sb) (mg/kg)		0.40	0.40	0.39	0.38	0.33
	Arsenic (As) (mg/kg)		6.37	6.25	6.47	6.08	6.26
	Barium (Ba) (mg/kg)		151	148	134	120	115
	Beryllium (Be) (mg/kg)		0.54	0.57	0.54	0.51	0.48
	Bismuth (Bi) (mg/kg)		0.20	0.21	0.21	0.20	0.21
	Boron (B) (mg/kg)		<5.0	<5.0	<5.0	<5.0	<5.0
	Cadmium (Cd) (mg/kg)		0.508	0.496	0.450	0.411	0.333
	Calcium (Ca) (mg/kg)		98800	100000	103000	96200	105000
	Chromium (Cr) (mg/kg)		18.9	18.7	20.8	18.6	18.6
	Cobalt (Co) (mg/kg)		8.40	8.44	8.95	8.69	8.64
	Copper (Cu) (mg/kg)		15.6	15.9	16.9	16.8	15.0
	Iron (Fe) (mg/kg)		22000	22100	23100	21700	22500
	Lead (Pb) (mg/kg)		14.2	14.5	16.0	16.0	15.2
	Lithium (Li) (mg/kg)		22.3	24.0	24.2	24.0	25.2
	Magnesium (Mg) (mg/kg)		22000	22200	23400	22500	22300
	Manganese (Mn) (mg/kg)		572	550	541	496	529
	Mercury (Hg) (mg/kg)		0.0382	0.0390	0.0320	0.0360	0.0233
	Molybdenum (Mo) (mg/kg)		0.83	0.83	0.84	0.73	0.71
	Nickel (Ni) (mg/kg)		21.8	22.0	23.1	21.6	21.1
	Phosphorus (P) (mg/kg)		724	752	753	690	625
	Potassium (K) (mg/kg)		1330	1360	1300	1160	1200
	Selenium (Se) (mg/kg)		0.68	0.69	0.65	0.56	0.46
	Silver (Ag) (mg/kg)		0.11	0.10	0.10	<0.10	<0.10
	Sodium (Na) (mg/kg)		100	102	99	91	97
	Strontium (Sr) (mg/kg)		201	197	216	202	234
	Sulfur (S) (mg/kg)		<1000	<1000	<1000	<1000	<1000
	Thallium (Tl) (mg/kg)		0.154	0.156	0.147	0.134	0.123
	Tin (Sn) (mg/kg)		<2.0	<2.0	<2.0	<2.0	<2.0
	Titanium (Ti) (mg/kg)		55.1	63.8	80.8	82.0	91.0
	Tungsten (W) (mg/kg)		<0.50	<0.50	<0.50	<0.50	<0.50
	Uranium (U) (mg/kg)		0.760	0.755	0.822	0.821	0.770
	Vanadium (V) (mg/kg)		19.2	19.8	19.5	18.1	17.3
	Zinc (Zn) (mg/kg)		73.5	74.4	76.1	72.7	69.7
	Zirconium (Zr) (mg/kg)		1.5	1.5	1.5	1.5	1.3

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID Description Sampled Date Sampled Time Client ID	L2334973-11 SEDIMENT 21-AUG-19 10:27 RG_DUP_SE_2019 0821-1027			
Grouping	Analyte					
SOIL						
Physical Tests	Moisture (%)	40.1				
	pH (1:2 soil:water) (pH)	8.18				
Metals	Aluminum (Al) (mg/kg)	12000				
	Antimony (Sb) (mg/kg)	0.40				
	Arsenic (As) (mg/kg)	6.48				
	Barium (Ba) (mg/kg)	149				
	Beryllium (Be) (mg/kg)	0.55				
	Bismuth (Bi) (mg/kg)	0.21				
	Boron (B) (mg/kg)	<5.0				
	Cadmium (Cd) (mg/kg)	0.490				
	Calcium (Ca) (mg/kg)	99200				
	Chromium (Cr) (mg/kg)	18.3				
	Cobalt (Co) (mg/kg)	8.49				
	Copper (Cu) (mg/kg)	15.9				
	Iron (Fe) (mg/kg)	22000				
	Lead (Pb) (mg/kg)	14.6				
	Lithium (Li) (mg/kg)	22.6				
	Magnesium (Mg) (mg/kg)	22300				
	Manganese (Mn) (mg/kg)	573				
	Mercury (Hg) (mg/kg)	0.0388				
	Molybdenum (Mo) (mg/kg)	0.83				
	Nickel (Ni) (mg/kg)	21.8				
	Phosphorus (P) (mg/kg)	754				
	Potassium (K) (mg/kg)	1320				
	Selenium (Se) (mg/kg)	0.72				
	Silver (Ag) (mg/kg)	0.11				
	Sodium (Na) (mg/kg)	100				
	Strontium (Sr) (mg/kg)	201				
	Sulfur (S) (mg/kg)	<1000				
	Thallium (Tl) (mg/kg)	0.153				
	Tin (Sn) (mg/kg)	<2.0				
	Titanium (Ti) (mg/kg)	57.6				
	Tungsten (W) (mg/kg)	<0.50				
	Uranium (U) (mg/kg)	0.786				
Vanadium (V) (mg/kg)	19.5					
Zinc (Zn) (mg/kg)	73.7					
Zirconium (Zr) (mg/kg)	1.4					

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2334973-1	L2334973-2	L2334973-3	L2334973-4	L2334973-5
		Description	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT
		Sampled Date	22-AUG-19	22-AUG-19	22-AUG-19	22-AUG-19	22-AUG-19
		Sampled Time	09:46	10:16	10:46	11:30	09:14
		Client ID	RG_TN_1_SE_201 90822-0946	RG_TN_2_SE_201 90822-1016	RG_TN_3_SE_201 90822-1046	RG_TN_4_SE_201 90822-1130	RG_TN_5_SE_201 90822-0914
Grouping	Analyte						
SOIL							
Polycyclic Aromatic Hydrocarbons	Acenaphthene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	
	Acenaphthylene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	
	Acridine (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Anthracene (mg/kg)	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	
	Benz(a)anthracene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Benzo(a)pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Benzo(b&j)fluoranthene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Benzo(b+j+k)fluoranthene (mg/kg)	<0.015	<0.015	<0.015	<0.015	<0.015	
	Benzo(e)pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Benzo(g,h,i)perylene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Benzo(k)fluoranthene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Chrysene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Dibenz(a,h)anthracene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	
	Fluoranthene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Fluorene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Indeno(1,2,3-c,d)pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	1-Methylnaphthalene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	2-Methylnaphthalene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Naphthalene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Perylene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Phenanthrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Quinoline (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Surrogate: d10-Acenaphthene (%)	73.0	75.0	79.9	79.4	77.2	
	Surrogate: d12-Chrysene (%)	88.7	89.2	92.9	92.3	89.4	
	Surrogate: d8-Naphthalene (%)	69.8	73.3	78.2	78.2	77.3	
	Surrogate: d10-Phenanthrene (%)	86.4	90.3	90.9	92.6	90.4	
B(a)P Total Potency Equivalent (mg/kg)	<0.020	<0.020	<0.020	<0.020	<0.020		
IACR (CCME)	<0.15	<0.15	<0.15	<0.15	<0.15		

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID	L2334973-6	L2334973-7	L2334973-8	L2334973-9	L2334973-10
		Description	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT
		Sampled Date	21-AUG-19	21-AUG-19	21-AUG-19	21-AUG-19	21-AUG-19
		Sampled Time	10:27	14:30	13:30	12:30	11:30
		Client ID	RG_T4_1_SE_201 90821-1027	RG_T4_2_SE_201 90821-1430	RG_T4_3_SE_201 90821-1330	RG_T4_4_SE_201 90821-1230	RG_T4_5_SE_201 90821-1130
Grouping	Analyte						
SOIL							
Polycyclic Aromatic Hydrocarbons	Acenaphthene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	
	Acenaphthylene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	
	Acridine (mg/kg)	<0.010	<0.010	<0.010	<0.010	0.010	
	Anthracene (mg/kg)	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	
	Benz(a)anthracene (mg/kg)	<0.010	0.011	<0.010	<0.010	<0.010	
	Benzo(a)pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Benzo(b&j)fluoranthene (mg/kg)	0.012	0.015	<0.010	0.011	<0.010	
	Benzo(b+j+k)fluoranthene (mg/kg)	0.015	0.019	<0.015	<0.015	<0.015	
	Benzo(e)pyrene (mg/kg)	<0.010	0.010	<0.010	<0.010	<0.010	
	Benzo(g,h,i)perylene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Benzo(k)fluoranthene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Chrysene (mg/kg)	0.016	0.019	0.010	0.011	<0.010	
	Dibenz(a,h)anthracene (mg/kg)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	
	Fluoranthene (mg/kg)	0.013	0.014	<0.010	0.011	<0.010	
	Fluorene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Indeno(1,2,3-c,d)pyrene (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	1-Methylnaphthalene (mg/kg)	0.026	0.030	0.018	0.017	0.016	
	2-Methylnaphthalene (mg/kg)	0.045	0.050	0.029	0.027	0.027	
	Naphthalene (mg/kg)	0.019	0.020	0.013	0.013	0.014	
	Perylene (mg/kg)	<0.010	0.010	<0.010	<0.010	<0.010	
	Phenanthrene (mg/kg)	0.037	0.042	0.023	0.022	0.025	
	Pyrene (mg/kg)	0.011	0.012	<0.010	<0.010	<0.010	
	Quinoline (mg/kg)	<0.010	<0.010	<0.010	<0.010	<0.010	
	Surrogate: d10-Acenaphthene (%)	82.5	81.6	77.0	80.3	85.0	
	Surrogate: d12-Chrysene (%)	97.6	96.0	94.1	91.9	98.7	
	Surrogate: d8-Naphthalene (%)	81.8	82.2	75.1	81.5	82.6	
Surrogate: d10-Phenanthrene (%)	91.8	90.2	92.9	88.9	100.3		
B(a)P Total Potency Equivalent (mg/kg)	<0.020	<0.020	<0.020	<0.020	<0.020		
IACR (CCME)	0.15	0.20	<0.15	<0.15	<0.15		

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID	L2334973-11				
Description	SEDIMENT				
Sampled Date	21-AUG-19				
Sampled Time	10:27				
Client ID	RG_DUP_SE_2019 0821-1027				
Grouping	Analyte				
SOIL					
Polycyclic Aromatic Hydrocarbons	Acenaphthene (mg/kg)	<0.0050			
	Acenaphthylene (mg/kg)	<0.0050			
	Acridine (mg/kg)	<0.010			
	Anthracene (mg/kg)	0.0045			
	Benz(a)anthracene (mg/kg)	0.010			
	Benzo(a)pyrene (mg/kg)	<0.010			
	Benzo(b&j)fluoranthene (mg/kg)	0.012			
	Benzo(b+j+k)fluoranthene (mg/kg)	0.016			
	Benzo(e)pyrene (mg/kg)	<0.010			
	Benzo(g,h,i)perylene (mg/kg)	<0.010			
	Benzo(k)fluoranthene (mg/kg)	<0.010			
	Chrysene (mg/kg)	0.017			
	Dibenz(a,h)anthracene (mg/kg)	<0.0050			
	Fluoranthene (mg/kg)	0.020			
	Fluorene (mg/kg)	<0.010			
	Indeno(1,2,3-c,d)pyrene (mg/kg)	<0.010			
	1-Methylnaphthalene (mg/kg)	0.022			
	2-Methylnaphthalene (mg/kg)	0.037			
	Naphthalene (mg/kg)	0.016			
	Perylene (mg/kg)	<0.010			
	Phenanthrene (mg/kg)	0.036			
	Pyrene (mg/kg)	0.016			
	Quinoline (mg/kg)	<0.010			
	Surrogate: d10-Acenaphthene (%)	74.7			
	Surrogate: d12-Chrysene (%)	85.9			
	Surrogate: d8-Naphthalene (%)	75.1			
	Surrogate: d10-Phenanthrene (%)	85.3			
	B(a)P Total Potency Equivalent (mg/kg)	<0.020			
	IACR (CCME)	0.17			

Reference Information

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
C-TOT-LECO-SK	Soil	Total Carbon by combustion method	CSSS (2008) 21.2
The sample is ignited in a combustion analyzer where carbon in the reduced CO ₂ gas is determined using a thermal conductivity detector.			
HG-200.2-CVAA-CL	Soil	Mercury in Soil by CVAAS	EPA 200.2/1631E (mod)
Soil samples are digested with nitric and hydrochloric acids, followed by analysis by CVAAS.			
MET-200.2-CCMS-CL	Soil	Metals in Soil by CRC ICPMS	EPA 200.2/6020A (mod)
Soil/sediment is dried, disaggregated, and sieved (2 mm). Strong Acid Leachable Metals in the <2mm fraction are solubilized by heated digestion with nitric and hydrochloric acids. Instrumental analysis is by Collision / Reaction Cell ICPMS.			
Limitations: This method is intended to liberate environmentally available metals. Silicate minerals are not solubilized. Some metals may be only partially recovered (matrix dependent), including Al, Ba, Be, Cr, S, Sr, Ti, Tl, V, W, and Zr. Elemental Sulfur may be poorly recovered by this method. Volatile forms of sulfur (e.g. sulfide, H ₂ S) may be excluded if lost during sampling, storage, or digestion.			
MOISTURE-CL	Soil	% Moisture	CCME PHC in Soil - Tier 1 (mod)
This analysis is carried out gravimetrically by drying the sample at 105 C			
PAH-TMB-D/A-MS-CL	Soil	PAH by Tumbler Extraction (DCM/Acetone)	EPA 3570/8270
Polycyclic Aromatic Hydrocarbons in Sediment/Soil This analysis is carried out using procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846, Methods 3570 & 8270, published by the United States Environmental Protection Agency (EPA). The procedure uses a mechanical shaking technique to extract a subsample of the sediment/soil with a 1:1 mixture of DCM and acetone. The extract is then solvent exchanged to toluene. The final extract is analysed by capillary column gas chromatography with mass spectrometric detection (GC/MS). Surrogate recoveries may not be reported in cases where interferences from the sample matrix prevent accurate quantitation. Because the two isomers cannot be readily chromatographically separated, benzo(j)fluoranthene is reported as part of the benzo(b)fluoranthene parameter.			
PH-1:2-CL	Soil	pH in soil (1:2 Soil:Water Extraction)	CSSS Ch. 16
Soil and de-ionized water (by volume) are mixed in a defined ratio. The slurry is allowed to stand, shaken, and then allowed to stand again prior to taking measurements. After equilibration, the pH of the liquid portion of the extract is measured by a pH meter. Field Measurement is recommended where accurate pH measurements are required, due to the 15 minute recommended hold time.			

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
SK	ALS ENVIRONMENTAL - SASKATOON, SASKATCHEWAN, CANADA
CL	ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA

Chain of Custody Numbers:

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg wwt - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.

Quality Control Report

Workorder: L2334973

Report Date: 29-AUG-19

Page 1 of 11

Client: Teck Coal Ltd.
 421 Pine Avenue
 Sparwood BC V0B 2G0

Contact: Cait Good

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
C-TOT-LECO-SK		Soil						
Batch	R4777551							
WG3142664-2	IRM	08-109_SOIL						
Total Carbon by Combustion			95.7		%		80-120	28-AUG-19
WG3142664-4	LCS	SULFADIAZINE						
Total Carbon by Combustion			102.4		%		90-110	28-AUG-19
WG3142664-3	MB							
Total Carbon by Combustion			<0.05		%		0.05	28-AUG-19
HG-200.2-CVAA-CL		Soil						
Batch	R4769865							
WG3144533-4	CRM	TILL-1						
Mercury (Hg)			116.2		%		70-130	27-AUG-19
WG3144533-5	DUP	L2334973-2						
Mercury (Hg)		0.0271	0.0258		mg/kg	4.9	40	27-AUG-19
WG3144533-3	LCS							
Mercury (Hg)			105.0		%		80-120	27-AUG-19
WG3144533-1	MB							
Mercury (Hg)			<0.0050		mg/kg		0.005	27-AUG-19
MET-200.2-CCMS-CL		Soil						
Batch	R4769796							
WG3144533-4	CRM	TILL-1						
Aluminum (Al)			102.8		%		70-130	27-AUG-19
Antimony (Sb)			104.5		%		70-130	27-AUG-19
Arsenic (As)			102.9		%		70-130	27-AUG-19
Barium (Ba)			112.0		%		70-130	27-AUG-19
Beryllium (Be)			104.5		%		70-130	27-AUG-19
Bismuth (Bi)			105.4		%		70-130	27-AUG-19
Boron (B)			2.6		mg/kg		0-8.2	27-AUG-19
Cadmium (Cd)			107.0		%		70-130	27-AUG-19
Calcium (Ca)			106.1		%		70-130	27-AUG-19
Chromium (Cr)			104.2		%		70-130	27-AUG-19
Cobalt (Co)			104.6		%		70-130	27-AUG-19
Copper (Cu)			106.9		%		70-130	27-AUG-19
Iron (Fe)			106.6		%		70-130	27-AUG-19
Lead (Pb)			104.0		%		70-130	27-AUG-19
Lithium (Li)			95.6		%		70-130	27-AUG-19
Magnesium (Mg)			104.7		%		70-130	27-AUG-19
Manganese (Mn)			109.0		%		70-130	27-AUG-19

Quality Control Report

Workorder: L2334973

Report Date: 29-AUG-19

Page 2 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-200.2-CCMS-CL	Soil							
Batch	R4769796							
WG3144533-4 CRM		TILL-1						
Molybdenum (Mo)			112.1		%		70-130	27-AUG-19
Nickel (Ni)			103.5		%		70-130	27-AUG-19
Phosphorus (P)			101.4		%		70-130	27-AUG-19
Potassium (K)			110.0		%		70-130	27-AUG-19
Selenium (Se)			0.31		mg/kg		0.11-0.51	27-AUG-19
Silver (Ag)			0.22		mg/kg		0.13-0.33	27-AUG-19
Sodium (Na)			108.9		%		70-130	27-AUG-19
Strontium (Sr)			107.7		%		70-130	27-AUG-19
Thallium (Tl)			0.120		mg/kg		0.077-0.18	27-AUG-19
Tin (Sn)			1.1		mg/kg		0-3.1	27-AUG-19
Titanium (Ti)			96.7		%		70-130	27-AUG-19
Tungsten (W)			0.12		mg/kg		0-0.66	27-AUG-19
Uranium (U)			100.4		%		70-130	27-AUG-19
Vanadium (V)			102.4		%		70-130	27-AUG-19
Zinc (Zn)			100.9		%		70-130	27-AUG-19
Zirconium (Zr)			0.9		mg/kg		0-1.8	27-AUG-19
WG3144533-3 LCS								
Aluminum (Al)			119.7		%		80-120	27-AUG-19
Antimony (Sb)			109.9		%		80-120	27-AUG-19
Arsenic (As)			108.9		%		80-120	27-AUG-19
Barium (Ba)			110.9		%		80-120	27-AUG-19
Beryllium (Be)			110.1		%		80-120	27-AUG-19
Bismuth (Bi)			111.5		%		80-120	27-AUG-19
Boron (B)			96.1		%		80-120	27-AUG-19
Cadmium (Cd)			113.1		%		80-120	27-AUG-19
Calcium (Ca)			109.7		%		80-120	27-AUG-19
Chromium (Cr)			114.8		%		80-120	27-AUG-19
Cobalt (Co)			109.9		%		80-120	27-AUG-19
Copper (Cu)			110.5		%		80-120	27-AUG-19
Iron (Fe)			113.2		%		80-120	27-AUG-19
Lead (Pb)			111.7		%		80-120	27-AUG-19
Lithium (Li)			111.1		%		80-120	27-AUG-19
Magnesium (Mg)			113.9		%		80-120	27-AUG-19
Manganese (Mn)			114.8		%		80-120	27-AUG-19

Quality Control Report

Workorder: L2334973

Report Date: 29-AUG-19

Page 3 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-200.2-CCMS-CL	Soil							
Batch	R4769796							
WG3144533-3	LCS							
Molybdenum (Mo)			110.1		%		80-120	27-AUG-19
Nickel (Ni)			112.3		%		80-120	27-AUG-19
Potassium (K)			115.7		%		80-120	27-AUG-19
Selenium (Se)			107.8		%		80-120	27-AUG-19
Silver (Ag)			109.5		%		80-120	27-AUG-19
Sodium (Na)			112.3		%		80-120	27-AUG-19
Strontium (Sr)			114.1		%		80-120	27-AUG-19
Sulfur (S)			115.4		%		80-120	27-AUG-19
Thallium (Tl)			111.8		%		80-120	27-AUG-19
Tin (Sn)			110.2		%		80-120	27-AUG-19
Titanium (Ti)			107.6		%		80-120	27-AUG-19
Tungsten (W)			107.1		%		80-120	27-AUG-19
Uranium (U)			107.0		%		80-120	27-AUG-19
Vanadium (V)			115.7		%		80-120	27-AUG-19
Zinc (Zn)			103.9		%		80-120	27-AUG-19
Zirconium (Zr)			111.4		%		80-120	27-AUG-19
WG3144533-1	MB							
Aluminum (Al)			<50		mg/kg		50	27-AUG-19
Antimony (Sb)			<0.10		mg/kg		0.1	27-AUG-19
Arsenic (As)			<0.10		mg/kg		0.1	27-AUG-19
Barium (Ba)			<0.50		mg/kg		0.5	27-AUG-19
Beryllium (Be)			<0.10		mg/kg		0.1	27-AUG-19
Bismuth (Bi)			<0.20		mg/kg		0.2	27-AUG-19
Boron (B)			<5.0		mg/kg		5	27-AUG-19
Cadmium (Cd)			<0.020		mg/kg		0.02	27-AUG-19
Calcium (Ca)			<50		mg/kg		50	27-AUG-19
Chromium (Cr)			<0.50		mg/kg		0.5	27-AUG-19
Cobalt (Co)			<0.10		mg/kg		0.1	27-AUG-19
Copper (Cu)			<0.50		mg/kg		0.5	27-AUG-19
Iron (Fe)			<50		mg/kg		50	27-AUG-19
Lead (Pb)			<0.50		mg/kg		0.5	27-AUG-19
Lithium (Li)			<2.0		mg/kg		2	27-AUG-19
Magnesium (Mg)			<20		mg/kg		20	27-AUG-19
Manganese (Mn)			<1.0		mg/kg		1	27-AUG-19

Quality Control Report

Workorder: L2334973

Report Date: 29-AUG-19

Page 4 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-200.2-CCMS-CL		Soil						
Batch R4769796								
WG3144533-1 MB								
Molybdenum (Mo)			<0.10		mg/kg		0.1	27-AUG-19
Nickel (Ni)			<0.50		mg/kg		0.5	27-AUG-19
Phosphorus (P)			<50		mg/kg		50	27-AUG-19
Potassium (K)			<100		mg/kg		100	27-AUG-19
Selenium (Se)			<0.20		mg/kg		0.2	27-AUG-19
Silver (Ag)			<0.10		mg/kg		0.1	27-AUG-19
Sodium (Na)			<50		mg/kg		50	27-AUG-19
Strontium (Sr)			<0.50		mg/kg		0.5	27-AUG-19
Sulfur (S)			<1000		mg/kg		1000	27-AUG-19
Thallium (Tl)			<0.050		mg/kg		0.05	27-AUG-19
Tin (Sn)			<2.0		mg/kg		2	27-AUG-19
Titanium (Ti)			<1.0		mg/kg		1	27-AUG-19
Tungsten (W)			<0.50		mg/kg		0.5	27-AUG-19
Uranium (U)			<0.050		mg/kg		0.05	27-AUG-19
Vanadium (V)			<0.20		mg/kg		0.2	27-AUG-19
Zinc (Zn)			<2.0		mg/kg		2	27-AUG-19
Zirconium (Zr)			<1.0		mg/kg		1	27-AUG-19
Batch R4770790								
WG3144533-5 DUP								
		L2334973-2						
Aluminum (Al)		12400	12300		mg/kg	0.6	40	27-AUG-19
Antimony (Sb)		0.26	0.26		mg/kg	1.2	30	27-AUG-19
Arsenic (As)		5.71	5.54		mg/kg	3.0	30	27-AUG-19
Barium (Ba)		76.0	76.1		mg/kg	0.0	40	27-AUG-19
Beryllium (Be)		0.42	0.39		mg/kg	6.5	30	27-AUG-19
Bismuth (Bi)		0.20	<0.20	RPD-NA	mg/kg	N/A	30	27-AUG-19
Boron (B)		<5.0	<5.0	RPD-NA	mg/kg	N/A	30	27-AUG-19
Cadmium (Cd)		0.169	0.165		mg/kg	2.5	30	27-AUG-19
Calcium (Ca)		112000	110000		mg/kg	2.5	30	27-AUG-19
Chromium (Cr)		18.8	18.4		mg/kg	1.7	30	27-AUG-19
Cobalt (Co)		8.68	8.54		mg/kg	1.7	30	27-AUG-19
Copper (Cu)		14.3	14.0		mg/kg	1.8	30	27-AUG-19
Iron (Fe)		23100	22700		mg/kg	1.6	30	27-AUG-19
Lead (Pb)		15.0	14.9		mg/kg	0.9	40	27-AUG-19
Lithium (Li)		25.7	26.0		mg/kg	1.4	30	27-AUG-19

Quality Control Report

Workorder: L2334973

Report Date: 29-AUG-19

Page 5 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-200.2-CCMS-CL		Soil						
Batch	R4770790							
WG3144533-5	DUP	L2334973-2						
Magnesium (Mg)		24600	24200		mg/kg	1.9	30	27-AUG-19
Manganese (Mn)		464	463		mg/kg	0.1	30	27-AUG-19
Molybdenum (Mo)		0.57	0.56		mg/kg	1.8	40	27-AUG-19
Nickel (Ni)		20.1	20.0		mg/kg	0.6	30	27-AUG-19
Phosphorus (P)		594	594		mg/kg	0.1	30	27-AUG-19
Potassium (K)		1050	990		mg/kg	6.1	40	27-AUG-19
Selenium (Se)		<0.20	<0.20	RPD-NA	mg/kg	N/A	30	27-AUG-19
Silver (Ag)		<0.10	<0.10	RPD-NA	mg/kg	N/A	40	27-AUG-19
Sodium (Na)		118	99		mg/kg	17	40	27-AUG-19
Strontium (Sr)		265	260		mg/kg	1.7	40	27-AUG-19
Sulfur (S)		<1000	<1000	RPD-NA	mg/kg	N/A	30	27-AUG-19
Thallium (Tl)		0.090	0.087		mg/kg	4.2	30	27-AUG-19
Tin (Sn)		<2.0	<2.0	RPD-NA	mg/kg	N/A	40	27-AUG-19
Titanium (Ti)		139	138		mg/kg	0.9	40	27-AUG-19
Tungsten (W)		<0.50	<0.50	RPD-NA	mg/kg	N/A	30	27-AUG-19
Uranium (U)		0.712	0.697		mg/kg	2.1	30	27-AUG-19
Vanadium (V)		14.8	14.6		mg/kg	1.8	30	27-AUG-19
Zinc (Zn)		64.1	62.3		mg/kg	2.8	30	27-AUG-19
Zirconium (Zr)		1.5	1.4		mg/kg	8.1	30	27-AUG-19
MOISTURE-CL		Soil						
Batch	R4770708							
WG3145049-3	DUP	L2334973-1						
Moisture		36.6	37.6		%	2.8	20	28-AUG-19
WG3145049-2	LCS							
Moisture			97.4		%		90-110	28-AUG-19
WG3145049-1	MB							
Moisture			<0.25		%		0.25	28-AUG-19
PAH-TMB-D/A-MS-CL		Soil						
Batch	R4775795							
WG3147117-4	DUP	L2334973-1						
Acenaphthene		<0.0050	<0.0050	RPD-NA	mg/kg	N/A	50	28-AUG-19
Acenaphthylene		<0.0050	<0.0050	RPD-NA	mg/kg	N/A	50	28-AUG-19
Acridine		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19
Anthracene		<0.0040	<0.0040	RPD-NA	mg/kg	N/A	50	28-AUG-19
Benz(a)anthracene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19

Quality Control Report

Workorder: L2334973

Report Date: 29-AUG-19

Page 6 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL		Soil						
Batch	R4775795							
WG3147117-4	DUP	L2334973-1						
Benzo(a)pyrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19
Benzo(b&j)fluoranthene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19
Benzo(g,h,i)perylene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19
Benzo(k)fluoranthene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19
Benzo(e)pyrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19
Chrysene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19
Dibenz(a,h)anthracene		<0.0050	<0.0050	RPD-NA	mg/kg	N/A	50	28-AUG-19
Fluoranthene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19
Fluorene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19
Indeno(1,2,3-c,d)pyrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19
1-Methylnaphthalene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19
2-Methylnaphthalene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19
Naphthalene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19
Perylene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19
Phenanthrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19
Pyrene		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19
Quinoline		<0.010	<0.010	RPD-NA	mg/kg	N/A	50	28-AUG-19
WG3147117-2	IRM	ALS PAH RM2						
Acenaphthene			98.7		%		65-130	28-AUG-19
Acenaphthylene			93.9		%		65-130	28-AUG-19
Acridine			106.7		%		65-130	28-AUG-19
Anthracene			82.8		%		65-130	28-AUG-19
Benz(a)anthracene			95.8		%		65-130	28-AUG-19
Benzo(a)pyrene			100.6		%		65-130	28-AUG-19
Benzo(b&j)fluoranthene			92.6		%		65-130	28-AUG-19
Benzo(g,h,i)perylene			109.2		%		65-130	28-AUG-19
Benzo(k)fluoranthene			91.9		%		65-130	28-AUG-19
Benzo(e)pyrene			91.0		%		65-130	28-AUG-19
Chrysene			104.1		%		65-130	28-AUG-19
Dibenz(a,h)anthracene			104.9		%		65-130	28-AUG-19
Fluoranthene			110.4		%		65-130	28-AUG-19
Fluorene			94.2		%		65-130	28-AUG-19
Indeno(1,2,3-c,d)pyrene			114.2		%		65-130	28-AUG-19
1-Methylnaphthalene			95.5		%		65-130	28-AUG-19

Quality Control Report

Workorder: L2334973

Report Date: 29-AUG-19

Page 7 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL		Soil						
Batch	R4775795							
WG3147117-2	IRM	ALS PAH RM2						
2-Methylnaphthalene			98.7		%		65-130	28-AUG-19
Naphthalene			103.5		%		65-130	28-AUG-19
Perylene			87.6		%		65-130	28-AUG-19
Phenanthrene			95.9		%		65-130	28-AUG-19
Pyrene			107.7		%		65-130	28-AUG-19
WG3147117-8	IRM	ALS PAH RM2						
Acenaphthene			92.6		%		65-130	29-AUG-19
Acenaphthylene			92.4		%		65-130	29-AUG-19
Acridine			106.0		%		65-130	29-AUG-19
Anthracene			79.7		%		65-130	29-AUG-19
Benz(a)anthracene			89.8		%		65-130	29-AUG-19
Benzo(a)pyrene			83.8		%		65-130	29-AUG-19
Benzo(b&j)fluoranthene			91.2		%		65-130	29-AUG-19
Benzo(g,h,i)perylene			105.6		%		65-130	29-AUG-19
Benzo(k)fluoranthene			91.4		%		65-130	29-AUG-19
Benzo(e)pyrene			90.0		%		65-130	29-AUG-19
Chrysene			98.4		%		65-130	29-AUG-19
Dibenz(a,h)anthracene			100.2		%		65-130	29-AUG-19
Fluoranthene			97.9		%		65-130	29-AUG-19
Fluorene			89.9		%		65-130	29-AUG-19
Indeno(1,2,3-c,d)pyrene			104.9		%		65-130	29-AUG-19
1-Methylnaphthalene			95.7		%		65-130	29-AUG-19
2-Methylnaphthalene			99.3		%		65-130	29-AUG-19
Naphthalene			109.0		%		65-130	29-AUG-19
Perylene			67.6		%		65-130	29-AUG-19
Phenanthrene			91.8		%		65-130	29-AUG-19
Pyrene			95.7		%		65-130	29-AUG-19
WG3147117-1	LCS							
Acenaphthene			84.9		%		60-130	28-AUG-19
Acenaphthylene			80.6		%		60-130	28-AUG-19
Acridine			92.2		%		60-130	28-AUG-19
Anthracene			86.9		%		60-130	28-AUG-19
Benz(a)anthracene			100.0		%		60-130	28-AUG-19
Benzo(a)pyrene			97.5		%		60-130	28-AUG-19
Benzo(b&j)fluoranthene			94.2		%		60-130	28-AUG-19

Quality Control Report

Workorder: L2334973

Report Date: 29-AUG-19

Page 8 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL		Soil						
Batch	R4775795							
WG3147117-1	LCS							
Benzo(g,h,i)perylene			96.8		%		60-130	28-AUG-19
Benzo(k)fluoranthene			100.9		%		60-130	28-AUG-19
Benzo(e)pyrene			100.4		%		60-130	28-AUG-19
Chrysene			100.9		%		60-130	28-AUG-19
Dibenz(a,h)anthracene			98.3		%		60-130	28-AUG-19
Fluoranthene			100.3		%		60-130	28-AUG-19
Fluorene			87.8		%		60-130	28-AUG-19
Indeno(1,2,3-c,d)pyrene			99.9		%		60-130	28-AUG-19
1-Methylnaphthalene			80.1		%		60-130	28-AUG-19
2-Methylnaphthalene			84.5		%		60-130	28-AUG-19
Naphthalene			81.2		%		50-130	28-AUG-19
Perylene			102.7		%		60-130	28-AUG-19
Phenanthrene			92.7		%		60-130	28-AUG-19
Pyrene			101.8		%		60-130	28-AUG-19
Quinoline			90.7		%		60-130	28-AUG-19
WG3147117-7	LCS							
Acenaphthene			93.9		%		60-130	29-AUG-19
Acenaphthylene			86.8		%		60-130	29-AUG-19
Acridine			89.6		%		60-130	29-AUG-19
Anthracene			84.6		%		60-130	29-AUG-19
Benz(a)anthracene			95.6		%		60-130	29-AUG-19
Benzo(a)pyrene			94.8		%		60-130	29-AUG-19
Benzo(b&j)fluoranthene			91.6		%		60-130	29-AUG-19
Benzo(g,h,i)perylene			93.1		%		60-130	29-AUG-19
Benzo(k)fluoranthene			99.1		%		60-130	29-AUG-19
Benzo(e)pyrene			98.5		%		60-130	29-AUG-19
Chrysene			97.0		%		60-130	29-AUG-19
Dibenz(a,h)anthracene			94.0		%		60-130	29-AUG-19
Fluoranthene			92.3		%		60-130	29-AUG-19
Fluorene			89.4		%		60-130	29-AUG-19
Indeno(1,2,3-c,d)pyrene			90.0		%		60-130	29-AUG-19
1-Methylnaphthalene			90.1		%		60-130	29-AUG-19
2-Methylnaphthalene			88.8		%		60-130	29-AUG-19
Naphthalene			91.2		%		50-130	29-AUG-19

Quality Control Report

Workorder: L2334973

Report Date: 29-AUG-19

Page 9 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL		Soil						
Batch	R4775795							
WG3147117-7	LCS							
Perylene			99.4		%		60-130	29-AUG-19
Phenanthrene			89.5		%		60-130	29-AUG-19
Pyrene			94.3		%		60-130	29-AUG-19
Quinoline			90.4		%		60-130	29-AUG-19
WG3147117-3	MB							
Acenaphthene			<0.0050		mg/kg		0.005	28-AUG-19
Acenaphthylene			<0.0050		mg/kg		0.005	28-AUG-19
Acridine			<0.010		mg/kg		0.01	28-AUG-19
Anthracene			<0.0040		mg/kg		0.004	28-AUG-19
Benz(a)anthracene			<0.010		mg/kg		0.01	28-AUG-19
Benzo(a)pyrene			<0.010		mg/kg		0.01	28-AUG-19
Benzo(b&j)fluoranthene			<0.010		mg/kg		0.01	28-AUG-19
Benzo(g,h,i)perylene			<0.010		mg/kg		0.01	28-AUG-19
Benzo(k)fluoranthene			<0.010		mg/kg		0.01	28-AUG-19
Benzo(e)pyrene			<0.010		mg/kg		0.01	28-AUG-19
Chrysene			<0.010		mg/kg		0.01	28-AUG-19
Dibenz(a,h)anthracene			<0.0050		mg/kg		0.005	28-AUG-19
Fluoranthene			<0.010		mg/kg		0.01	28-AUG-19
Fluorene			<0.010		mg/kg		0.01	28-AUG-19
Indeno(1,2,3-c,d)pyrene			<0.010		mg/kg		0.01	28-AUG-19
1-Methylnaphthalene			<0.010		mg/kg		0.01	28-AUG-19
2-Methylnaphthalene			<0.010		mg/kg		0.01	28-AUG-19
Naphthalene			<0.010		mg/kg		0.01	28-AUG-19
Perylene			<0.010		mg/kg		0.01	28-AUG-19
Phenanthrene			<0.010		mg/kg		0.01	28-AUG-19
Pyrene			<0.010		mg/kg		0.01	28-AUG-19
Quinoline			<0.010		mg/kg		0.01	28-AUG-19
Surrogate: d8-Naphthalene			78.1		%		50-130	28-AUG-19
Surrogate: d10-Acenaphthene			84.4		%		60-130	28-AUG-19
Surrogate: d10-Phenanthrene			94.7		%		60-130	28-AUG-19
Surrogate: d12-Chrysene			102.1		%		60-130	28-AUG-19
WG3147117-5	MB							
Acenaphthene			<0.0050		mg/kg		0.005	29-AUG-19
Acenaphthylene			<0.0050		mg/kg		0.005	29-AUG-19
Acridine			<0.010		mg/kg		0.01	29-AUG-19

Quality Control Report

Workorder: L2334973

Report Date: 29-AUG-19

Page 10 of 11

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-TMB-D/A-MS-CL								
	Soil							
Batch	R4775795							
WG3147117-5	MB							
Anthracene			<0.0040		mg/kg		0.004	29-AUG-19
Benz(a)anthracene			<0.010		mg/kg		0.01	29-AUG-19
Benzo(a)pyrene			<0.010		mg/kg		0.01	29-AUG-19
Benzo(b&j)fluoranthene			<0.010		mg/kg		0.01	29-AUG-19
Benzo(g,h,i)perylene			<0.010		mg/kg		0.01	29-AUG-19
Benzo(k)fluoranthene			<0.010		mg/kg		0.01	29-AUG-19
Benzo(e)pyrene			<0.010		mg/kg		0.01	29-AUG-19
Chrysene			<0.010		mg/kg		0.01	29-AUG-19
Dibenz(a,h)anthracene			<0.0050		mg/kg		0.005	29-AUG-19
Fluoranthene			<0.010		mg/kg		0.01	29-AUG-19
Fluorene			<0.010		mg/kg		0.01	29-AUG-19
Indeno(1,2,3-c,d)pyrene			<0.010		mg/kg		0.01	29-AUG-19
1-Methylnaphthalene			<0.010		mg/kg		0.01	29-AUG-19
2-Methylnaphthalene			<0.010		mg/kg		0.01	29-AUG-19
Naphthalene			<0.010		mg/kg		0.01	29-AUG-19
Perylene			<0.010		mg/kg		0.01	29-AUG-19
Phenanthrene			<0.010		mg/kg		0.01	29-AUG-19
Pyrene			<0.010		mg/kg		0.01	29-AUG-19
Quinoline			<0.010		mg/kg		0.01	29-AUG-19
Surrogate: d8-Naphthalene			97.0		%		50-130	29-AUG-19
Surrogate: d10-Acenaphthene			96.2		%		60-130	29-AUG-19
Surrogate: d10-Phenanthrene			88.9		%		60-130	29-AUG-19
Surrogate: d12-Chrysene			100.8		%		60-130	29-AUG-19
PH-1:2-CL								
	Soil							
Batch	R4769666							
WG3144646-2	DUP	L2334973-1						
pH (1:2 soil:water)		8.26	8.25	J	pH	0.01	0.2	27-AUG-19
WG3144646-1	IRM	SAL-STD10						
pH (1:2 soil:water)			7.74		pH		7.4-8	27-AUG-19

Quality Control Report

Workorder: L2334973

Report Date: 29-AUG-19

Page 11 of 11

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
J	Duplicate results and limits are expressed in terms of absolute difference.
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Hold Time Exceedances:

All test results reported with this submission were conducted within ALS recommended hold times.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

COC ID: **REGIONAL Kooacanusa Reservoir** TURNAROUND TIME: Regular

PROJECT/CLIENT INFO				LABORATORY				OTHER INFO				
Facility Name / Job#	Regional Kooacanusa			Lab Name	ALS Burnaby			Report Format / Distribution	Excel	PDF	EDD	
Project Manager	Cait Good			Lab Contact	Lyudmyla Shvets			Email 1:	cait.good@teck.com	X	X	X
Email	cait.good@teck.com			Email	Lyudmyla.Shvets@ALSGlobal.com			Email 2:	colleen.mooney@teck.com	X	X	X
Address	421 Pine Avenue			Address	2559 29 Street NE			Email 3:	carlie.meyer@teck.com			
City	Sparwood	Province	BC	City	Calgary	Province	AB	Email 4:	teckcoal@equisonline.com			X
Postal Code	V0B 2G0	Country	Canada	Postal Code	T1Y7B5	Country	Canada	Email 5:	hourier@minnow.ca	X	X	X
Phone Number	250-425-8202			Phone Number	14034071794			PO number	VPO00616180			

SAMPLE DETAILS ANALYSIS REQUESTED Filtered - F: Field, L: Lab, FL: Field & Lab, N: None

Sample ID	Sample Location (sys loc code)	Field Matrix	Hazardous Material (Yes/No)	Date	Time (24hr)	G=Grab C=Com p	# Of Cont.	ANALYSIS REQUESTED												
								Particle Size	TOC	PAH	Total Metals (including Hg)	Moisture								
RG_TN_1_SE_20190822-0946	RG_TN_1	Sediment		22-Aug-19	946	G	2	X	X	X	X	X								
RG_TN_2_SE_20190822-1016	RG_TN_2	Sediment		22-Aug-19	1016	G	2	X	X	X	X	X								
RG_TN_3_SE_20190822-1046	RG_TN_3	Sediment		22-Aug-19	1046	G	2	X	X	X	X	X								
RG_TN_4_SE_20190822-1130	RG_TN_4	Sediment		22-Aug-19	1130	G	2	X	X	X	X	X								
RG_TN_5_SE_20190822-0914	RG_TN_5	Sediment		22-Aug-19	914	G	2	X	X	X	X	X								
RG_T4_1_SE_20190821-1027	RG_T4_1	Sediment		21-Aug-19	1027	G	2	X	X	X	X	X								
RG_T4_2_SE_20190821-1430	RG_T4_2	Sediment		21-Aug-19	1430	G	2	X	X	X	X	X								
RG_T4_3_SE_20190821-1330	RG_T4_3	Sediment		21-Aug-19	1330	G	2	X	X	X	X	X								
RG_T4_4_SE_20190821-1230	RG_T4_4	Sediment		21-Aug-19	1230	G	2	X	X	X	X	X								
RG_T4_5_SE_20190821-1130	RG_T4_5	Sediment		21-Aug-19	1130	G	2	X	X	X	X	X								
RG_DUP_SE_20190821-1027	RG_DUP	Sediment		21-Aug-19	1027	G	2	X	X	X	X	X								



L2334973-COFC

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
Kooacanusa - 19-08 1 jar for PAHs and 1 bag for everything else			<i>pk</i>	<i>8/23 0845</i>

SERVICE REQUEST (rush - subject to availability)	Sampler's Name	Mobile #
Regular (default) <input checked="" type="checkbox"/>	Heidi Carrier	905-691-6183
Priority (2-3 business days) - 50% surcharge		
Emergency (1 Business Day) - 100% surcharge		
For Emergency <1 Day, ASAP or Weekend - Contact ALS	Sampler's Signature	Date/Time
		August 22, 2019

41

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9
Attn: Justin Wilson

Date Samples Received: Jul-10-2018

Client P.O.: VPO00555477 Ref# 18-07

All results have been reviewed and approved by a Qualified Person in accordance with the Saskatchewan Environmental Code, Corrective Action Plan Chapter, for the purposes of certifying a laboratory analysis

Results from Lab Section 2 authorized by Keith Gipman, Supervisor
Results from Lab Section 6 authorized by Marion McConnell, Supervisor

-
- * Test methods and data are validated by the laboratory's Quality Assurance Program.
 - * Routine methods follow recognized procedures from sources such as
 - * Standard Methods for the Examination of Water and Wastewater APHA AWWA WEF
 - * Environment Canada
 - * US EPA
 - * CANMET
 - * The results reported relate only to the test samples as provided by the client.
 - * Samples will be kept for 30 days after the final report is sent. Please contact the lab if you have any special requirements.
 - * Additional information is available upon request.

This is a final report.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9
Attn: Justin Wilson

Sample #: **2018026965** Client PO #: **VPO00555477 Ref# 18-07**
Date Sampled: **Apr 25, 2018** Date Received: **Jul 10, 2018**
Sample Matrix: **TISSUE**
Description: **04/25/2018 RG_GC_BT01M_20180425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	200	200	200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	200	200	200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	1.3	0.8	0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	2.7	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	79.02	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026966**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_GC_BT02M_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	1.9	1	0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	2.0	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	75.25	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026967**
 Date Sampled: **Apr 28, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/28/2018 RG_GC_BT03M_20180428**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	1.8	0.9	0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.9	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	76.97	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026968** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 25, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_WCT01M_20180425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	300	300	200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	20	10	5
Iron	ug/g	300	200	200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.6	0.9	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	6	5	5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	74.92	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026969**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_WCT02M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.3	0.8	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	76.95	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026970**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_WCT03M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.5	0.8	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	66.83	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026971**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_WCT04M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	200	200	200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	6	6	5
Iron	ug/g	200	200	200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	2.0	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	6	5	5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	75.00	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026972**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_WCT05M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	7.3	2	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	14.60	1	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026973** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 25, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_WCT06M_20180425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	6.3	2	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	21.13	2	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026974**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_WCT07M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	6	5	5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	0.7	0.6	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	20.75	2	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026975**
Date Sampled: **Apr 25, 2018**
Sample Matrix: **TISSUE**
Description: **04/25/2018 RG_GC_WCT08M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	2.9	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	5	5	5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	12.92	1	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026976**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_GC_KO01M_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.6	0.9	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	61.33	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026977**
Date Sampled: **Apr 25, 2018**
Sample Matrix: **TISSUE**
Description: **04/25/2018 RG_GC_PCC01M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	0.7	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.1	0.7	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	<1		1
Mercury	ug/g	0.53	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.6	0.9	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	2	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	30	10	5

Lab Section 6

Moisture	%	76.73	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026978**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_PCC01O_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.0	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	3.6	1	0.5
Iron	ug/g	40	30	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	5	2	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	4.5	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	90	20	5

Lab Section 6

Moisture	%	62.19	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026979**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_PCC02M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.1	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	0.8	0.6	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.54	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.1	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	3	2	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	30	10	5

Lab Section 6

Moisture	%	76.78	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026980**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_PCC020_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	3.3	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	4.1	1	0.5
Iron	ug/g	120	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	19	5	1
Mercury	ug/g	0.05	0.05	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	1.5	0.5	0.5
Selenium	ug/g	21	3	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	200	30	5

Lab Section 6

Moisture	%	75.27	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026981**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_PCC04M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	0.9	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.6	0.9	0.5
Iron	ug/g	20	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	<1		1
Mercury	ug/g	0.69	0.2	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	4.5	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	1	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	26	10	5

Lab Section 6

Moisture	%	77.15	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026982**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_PCC040_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	70	50	20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	2.1	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	2.5	1	0.5
Iron	ug/g	120	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	10	2	1
Mercury	ug/g	0.05	0.05	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	16	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	1.5	0.7	0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	120	20	5

Lab Section 6

Moisture	%	68.53	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026983**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_PCC08M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	40	30	20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.4	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.2	0.8	0.5
Iron	ug/g	40	30	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.39	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.3	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	3	2	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	32	10	5

Lab Section 6

Moisture	%	75.09	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026984**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_PCC08O_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	0.9	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	2.6	1	0.5
Iron	ug/g	40	30	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	5	2	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	4.7	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	80	20	5

Lab Section 6

Moisture	%	62.66	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026985**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_GC_PCC09M_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.0	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	0.7	0.6	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.42	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	3.3	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	3	2	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	21	10	5

Lab Section 6

Moisture	%	77.78	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026986**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_GC_PCC090_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	0.9	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	0.1	0.1	0.1
Copper	ug/g	2.8	1	0.5
Iron	ug/g	90	40	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	10	2	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	22	3	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	120	20	5

Lab Section 6

Moisture	%	68.00	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026987** Client PO #: **VPO00555477 Ref# 18-07**
Date Sampled: **Apr 26, 2018** Date Received: **Jul 10, 2018**
Sample Matrix: **TISSUE**
Description: **04/26/2018 RG_GC_PCC11M_20180426**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.4	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	0.9	0.7	0.5
Iron	ug/g	20	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.48	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	3.4	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	3	2	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	0.6	0.5	0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	49	10	5

Lab Section 6

Moisture	%	76.94	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026988**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_GC_PCC110_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.2	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	3.1	1	0.5
Iron	ug/g	60	30	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	6	2	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	9.9	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	110	20	5

Lab Section 6

Moisture	%	67.06	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026989**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_GC_PCC14M_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	0.8	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	0.9	0.7	0.5
Iron	ug/g	20	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	<1		1
Mercury	ug/g	0.89	0.2	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.8	0.9	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	2	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	23	10	5

Lab Section 6

Moisture	%	74.40	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026990**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_GC_PCC140_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	0.9	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	3.7	1	0.5
Iron	ug/g	70	40	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	8	3	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	12	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	100	20	5

Lab Section 6

Moisture	%	62.05	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026991**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_GC_PCC15M_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.3	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	0.8	0.6	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.62	0.2	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.0	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	4	2	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	43	10	5

Lab Section 6

Moisture	%	78.69	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026992**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_GC_PCC150_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.0	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	3.0	1	0.5
Iron	ug/g	60	30	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	5	2	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	6.6	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	100	20	5

Lab Section 6

Moisture	%	65.13	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026993**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_GC_PCC17M_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<50		50
Antimony	ug/g	<2		2
Arsenic	ug/g	<1		1
Barium	ug/g	1	1	1
Beryllium	ug/g	<0.2		0.2
Boron	ug/g	<20		20
Cadmium	ug/g	<0.2		0.2
Chromium	ug/g	<10		10
Cobalt	ug/g	<0.2		0.2
Copper	ug/g	1	1	1
Iron	ug/g	<50		50
Lead	ug/g	<0.2		0.2
Manganese	ug/g	<2		2
Mercury	ug/g	0.5	0.2	0.1
Molybdenum	ug/g	<2		2
Nickel	ug/g	<1		1
Selenium	ug/g	4.2	0.6	0.1
Silver	ug/g	<0.2		0.2
Strontium	ug/g	2	2	2
Thallium	ug/g	<1		1
Tin	ug/g	<1		1
Titanium	ug/g	<1		1
Uranium	ug/g	<0.1		0.1
Vanadium	ug/g	<2		2
Zinc	ug/g	20	10	10

Lab Section 6

Moisture	%	74.77	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026994**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_GC_PCC170_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.5	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	4.0	1	0.5
Iron	ug/g	70	40	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	15	4	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	16	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	140	20	5

Lab Section 6

Moisture	%	67.97	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026995**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_GC_PCC18M_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	0.8	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.0	0.7	0.5
Iron	ug/g	20	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.68	0.2	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.5	0.8	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	3	2	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	29	10	5

Lab Section 6

Moisture	%	75.18	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026996**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_GC_PCC180_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	10	6	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.34	0.05	0.05
Barium	ug/g	0.53	0.1	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.04	0.01	0.01
Copper	ug/g	3.0	0.4	0.05
Iron	ug/g	59	9	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	4.7	0.7	0.1
Mercury	ug/g	0.025	0.01	0.005
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	6.5	0.6	0.05
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	0.3	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.31	0.1	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	99	10	0.5

Lab Section 6

Moisture	%	61.96	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026997**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_GC_RSC02M_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.2	0.8	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.6	0.9	0.5
Iron	ug/g	30	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.39	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.3	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	2	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	81	20	5

Lab Section 6

Moisture	%	68.96	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026998**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_GC_RSC020_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.1	0.7	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	5.7	1	0.5
Iron	ug/g	120	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	9	3	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	5.9	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	1	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	220	30	5

Lab Section 6

Moisture	%	67.81	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018026999**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_GC_RSC04M_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.9	1	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.8	0.9	0.5
Iron	ug/g	20	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.33	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.0	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	2	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	86	20	5

Lab Section 6

Moisture	%	69.38	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027000**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_GC_RSC04O_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	6	6	5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	9.2	2	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	270	100	50

Lab Section 6

Moisture	%	67.93	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027001**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_GC_RSC09M_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	0.9	0.7	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	2.1	1	0.5
Iron	ug/g	30	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.44	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.4	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	1	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	60	20	5

Lab Section 6

Moisture	%	76.89	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027002**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_GC_RSC090_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	80	40	20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.4	0.8	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	0.2	0.1	0.1
Copper	ug/g	8.3	2	0.5
Iron	ug/g	200	50	20
Lead	ug/g	0.1	0.1	0.1
Manganese	ug/g	11	3	1
Mercury	ug/g	0.05	0.05	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	7.6	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	2	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	1.6	0.9	0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	240	40	5

Lab Section 6

Moisture	%	72.13	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027003**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_GC_RSC160_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	20	20	20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.3	0.8	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	4.2	1	0.5
Iron	ug/g	130	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	9	3	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	8.6	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	0.5	0.5	0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	220	30	5

Lab Section 6

Moisture	%	68.19	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027004** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 26, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_GC_RSC16M_20180426**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.9	1	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.8	0.9	0.5
Iron	ug/g	30	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	2	1	1
Mercury	ug/g	0.28	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.5	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	7	2	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	59	10	5

Lab Section 6

Moisture	%	70.41	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027005**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_GC_RSC17M_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.2	0.8	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.7	0.9	0.5
Iron	ug/g	20	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	2	1	1
Mercury	ug/g	0.46	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.7	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	4	2	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	33	10	5

Lab Section 6

Moisture	%	76.55	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027006**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_GC_RSC170_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	7.3	2	0.5
Iron	ug/g	120	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	8	3	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	12	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	210	30	5

Lab Section 6

Moisture	%	65.63	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027007**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_GC_RSC18M_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.1	0.7	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.3	0.8	0.5
Iron	ug/g	30	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	2	1	1
Mercury	ug/g	0.38	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.4	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	5	2	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	64	20	5

Lab Section 6

Moisture	%	74.69	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027008**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_GC_RSC180_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.1	0.7	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	5.4	1	0.5
Iron	ug/g	140	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	11	3	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	13	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	1	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	200	30	5

Lab Section 6

Moisture	%	72.72	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027009**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_GC_RSC19M_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.0	0.7	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.46	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.8	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	1	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	25	10	5

Lab Section 6

Moisture	%	76.27	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027010**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_GC_RSC190_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.2	0.8	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	0.2	0.1	0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	6.6	2	0.5
Iron	ug/g	180	60	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	11	3	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	7.8	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	190	30	5

Lab Section 6

Moisture	%	73.44	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027011**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_GC_RSC20M_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	9	7	5
Antimony	ug/g	<0.2		0.2
Arsenic	ug/g	0.1	0.1	0.1
Barium	ug/g	1.0	0.2	0.1
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<1		1
Cobalt	ug/g	0.02	0.02	0.02
Copper	ug/g	1.6	0.4	0.1
Iron	ug/g	28	10	5
Lead	ug/g	0.03	0.02	0.02
Manganese	ug/g	1.7	0.6	0.2
Mercury	ug/g	0.42	0.06	0.01
Molybdenum	ug/g	<0.2		0.2
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	2.6	0.4	0.1
Silver	ug/g	<0.02		0.02
Strontium	ug/g	1.9	0.6	0.2
Thallium	ug/g	<0.1		0.1
Tin	ug/g	<0.1		0.1
Titanium	ug/g	0.6	0.2	0.1
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	56	8	1

Lab Section 6

Moisture	%	77.81	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027012**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_GC_RSC200_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	0.6	0.6	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	6.4	2	0.5
Iron	ug/g	150	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	8	3	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	8.2	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	170	20	5

Lab Section 6

Moisture	%	69.32	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027013**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_GC_RSC21M_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.2		0.2
Arsenic	ug/g	<0.1		0.1
Barium	ug/g	2.2	0.3	0.1
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<1		1
Cobalt	ug/g	0.04	0.03	0.02
Copper	ug/g	2.6	0.4	0.1
Iron	ug/g	29	10	5
Lead	ug/g	0.04	0.03	0.02
Manganese	ug/g	1.7	0.6	0.2
Mercury	ug/g	0.50	0.08	0.01
Molybdenum	ug/g	<0.2		0.2
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	2.1	0.3	0.1
Silver	ug/g	<0.02		0.02
Strontium	ug/g	3.6	0.9	0.2
Thallium	ug/g	<0.1		0.1
Tin	ug/g	<0.1		0.1
Titanium	ug/g	0.2	0.1	0.1
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	110	10	1

Lab Section 6

Moisture	%	76.82	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027014**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_GC_RSC21O_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	0.1	0.1	0.1
Copper	ug/g	5.9	1	0.5
Iron	ug/g	130	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	12	3	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	20	3	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	200	30	5

Lab Section 6

Moisture	%	72.45	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027015**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_GC_RSC24M_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.2	0.8	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.6	0.9	0.5
Iron	ug/g	30	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	2	1	1
Mercury	ug/g	0.35	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.9	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	3	2	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	66	20	5

Lab Section 6

Moisture	%	67.22	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027016**
Date Sampled: **Apr 27, 2018**
Sample Matrix: **TISSUE**
Description: **04/27/2018 RG_GC_RSC240_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	6.3	2	0.5
Iron	ug/g	120	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	13	3	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	17	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	180	30	5

Lab Section 6

Moisture	%	72.78	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027017**
Date Sampled: **Apr 25, 2018**
Sample Matrix: **TISSUE**
Description: **04/25/2018 RG_GC_YP01M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5	4	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.10	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	0.93	0.2	0.05
Iron	ug/g	14	5	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	0.8	0.3	0.1
Mercury	ug/g	0.54	0.1	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	3.1	0.5	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.5	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.14	0.06	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	24	4	0.5

Lab Section 6

Moisture	%	80.16	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027018** Client PO #: **VPO00555477 Ref# 18-07**
Date Sampled: **Apr 25, 2018** Date Received: **Jul 10, 2018**
Sample Matrix: **TISSUE**
Description: **04/25/2018 RG_GC_YP01O_20180425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.26	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.04	0.01	0.01
Copper	ug/g	2.1	0.3	0.05
Iron	ug/g	34	8	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	2.1	0.3	0.1
Mercury	ug/g	0.018	0.009	0.005
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	3.6	0.5	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.4	0.4	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.07	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	74	7	0.5

Lab Section 6

Moisture	%	81.39	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027019** Client PO #: **VPO00555477 Ref# 18-07**
Date Sampled: **Apr 25, 2018** Date Received: **Jul 10, 2018**
Sample Matrix: **TISSUE**
Description: **04/25/2018 RG_GC_YP02M_20180425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2	2	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.24	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.03	0.01	0.01
Copper	ug/g	0.80	0.2	0.05
Iron	ug/g	12	5	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	1.4	0.4	0.1
Mercury	ug/g	0.81	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	5.9	0.6	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.1	0.3	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.14	0.06	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	24	4	0.5

Lab Section 6

Moisture	%	74.14	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027020**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_YP020_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.28	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.10	0.02	0.01
Copper	ug/g	2.2	0.3	0.05
Iron	ug/g	37	9	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	2.7	0.4	0.1
Mercury	ug/g	0.038	0.01	0.005
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	5.7	0.6	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.4	0.4	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.06	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	76	8	0.5

Lab Section 6

Moisture	%	80.89	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027021**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_YP03M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	0.5	0.5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	0.7	0.6	0.5
Iron	ug/g	20	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	2	1	1
Mercury	ug/g	1.2	0.2	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	4.0	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	2	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	41	10	5

Lab Section 6

Moisture	%	65.82	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027022**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_YP03O_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.34	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.08	0.01	0.01
Copper	ug/g	2.3	0.3	0.05
Iron	ug/g	38	10	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	4.4	0.7	0.1
Mercury	ug/g	0.061	0.02	0.005
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	3.9	0.6	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.5	0.4	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.05		0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	85	8	0.5

Lab Section 6

Moisture	%	81.84	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027023**
Date Sampled: **Apr 25, 2018**
Sample Matrix: **TISSUE**
Description: **04/25/2018 RG_GC_YP04M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	13	8	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.36	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	1.2	0.2	0.05
Iron	ug/g	23	6	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	1.2	0.3	0.1
Mercury	ug/g	0.54	0.1	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.7	0.4	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.3	0.3	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.35	0.1	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	34	5	0.5

Lab Section 6

Moisture	%	79.27	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027024**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_YP04O_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.06	0.05	0.05
Barium	ug/g	0.30	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.05	0.01	0.01
Copper	ug/g	2.5	0.4	0.05
Iron	ug/g	33	8	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	2.3	0.3	0.1
Mercury	ug/g	0.025	0.01	0.005
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	3.2	0.5	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.4	0.4	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.05		0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	85	8	0.5

Lab Section 6

Moisture	%	82.50	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027025**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_YP05M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.59	0.1	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	1.0	0.2	0.05
Iron	ug/g	12	5	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	1.6	0.4	0.1
Mercury	ug/g	0.30	0.04	0.005
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.4	0.4	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	4.1	0.6	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.10	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	40	6	0.5

Lab Section 6

Moisture	%	74.06	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027026**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_YP05O_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.33	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.06	0.01	0.01
Copper	ug/g	2.2	0.3	0.05
Iron	ug/g	33	8	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	4.1	0.6	0.1
Mercury	ug/g	0.011	0.007	0.005
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.9	0.4	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.5	0.4	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.05		0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	81	8	0.5

Lab Section 6

Moisture	%	83.75	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027027**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_YP06M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.30	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	0.86	0.2	0.05
Iron	ug/g	13	5	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	0.9	0.3	0.1
Mercury	ug/g	0.49	0.1	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.7	0.4	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.6	0.4	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.10	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	27	4	0.5

Lab Section 6

Moisture	%	77.86	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027028**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_YP07M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.2		0.2
Arsenic	ug/g	<0.1		0.1
Barium	ug/g	0.2	0.1	0.1
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<1		1
Cobalt	ug/g	<0.02		0.02
Copper	ug/g	1.2	0.3	0.1
Iron	ug/g	13	8	5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	1.0	0.4	0.2
Mercury	ug/g	0.64	0.1	0.01
Molybdenum	ug/g	<0.2		0.2
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	3.1	0.5	0.1
Silver	ug/g	<0.02		0.02
Strontium	ug/g	1.1	0.4	0.2
Thallium	ug/g	<0.1		0.1
Tin	ug/g	<0.1		0.1
Titanium	ug/g	0.1	0.1	0.1
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	34	5	1

Lab Section 6

Moisture	%	76.50	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027029**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_YP08M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.2		0.2
Arsenic	ug/g	<0.1		0.1
Barium	ug/g	<0.1		0.1
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<1		1
Cobalt	ug/g	<0.02		0.02
Copper	ug/g	0.8	0.3	0.1
Iron	ug/g	14	8	5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	0.6	0.3	0.2
Mercury	ug/g	0.31	0.05	0.01
Molybdenum	ug/g	<0.2		0.2
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	2.7	0.4	0.1
Silver	ug/g	<0.02		0.02
Strontium	ug/g	<0.2		0.2
Thallium	ug/g	<0.1		0.1
Tin	ug/g	<0.1		0.1
Titanium	ug/g	0.1	0.1	0.1
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	21	3	1

Lab Section 6

Moisture	%	74.92	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027030**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_GC_YP09M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5	4	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.20	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	0.93	0.2	0.05
Iron	ug/g	14	5	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	1.0	0.2	0.1
Mercury	ug/g	0.62	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.9	0.4	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.7	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.12	0.06	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	29	4	0.5

Lab Section 6

Moisture	%	79.18	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027031** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 25, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_WCT01M_20180425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	2.7	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	61.19	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027032**
 Date Sampled: **Apr 30, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/30/2018 RG_ER_WCT02M_20180430**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.4	0.8	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	54.49	5	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027033** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 25, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_MW01M_20180425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	3.5	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	57.94	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027034**
 Date Sampled: **Apr 28, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/28/2018 RG_ER_MW02M_20180428**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	7	5	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.45	0.05	0.05
Barium	ug/g	0.10	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.04	0.01	0.01
Copper	ug/g	1.4	0.2	0.05
Iron	ug/g	17	6	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	0.8	0.3	0.1
Mercury	ug/g	0.24	0.04	0.005
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.2	0.3	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.7	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.10	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	17	2	0.5

Lab Section 6

Moisture	%	74.77	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027035**
Date Sampled: **Apr 29, 2018**
Sample Matrix: **TISSUE**
Description: **04/29/2018 RG_ER_MW03M_20180429**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	3.0	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	41.05	4	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027036** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 27, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_ER_BT01M_20180427**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	1.1	0.7	0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.8	0.9	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	19.34	2	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027037** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 29, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/29/2018 RG_ER_BT02M_20180429**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.4	0.8	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	73.82	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027038**
 Date Sampled: **Apr 28, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/28/2018 RG_ER_KO01M_20180428**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	2.0	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	56.16	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027039**
 Date Sampled: **Apr 29, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/29/2018 RG_ER_KO02M_20180429**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.8	0.9	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	20.70	2	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027040**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_PCC01M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.12	0.05	0.05
Barium	ug/g	1.3	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	0.67	0.2	0.05
Iron	ug/g	15	5	2
Lead	ug/g	0.04	0.02	0.01
Manganese	ug/g	1.5	0.4	0.1
Mercury	ug/g	0.62	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.1	0.3	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	5.7	0.8	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.10	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	19	3	0.5

Lab Section 6

Moisture	%	78.71	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027041**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_PCC01O_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2	2	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.13	0.05	0.05
Barium	ug/g	0.91	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.04	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.06	0.01	0.01
Copper	ug/g	4.1	0.6	0.05
Iron	ug/g	100	20	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	8.3	1	0.1
Mercury	ug/g	0.041	0.01	0.005
Molybdenum	ug/g	0.1	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	8.7	0.9	0.05
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	0.4	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.08	0.05	0.05
Uranium	ug/g	0.005	0.005	0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	110	10	0.5

Lab Section 6

Moisture	%	66.13	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027042**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_PCC02M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5	4	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.08	0.05	0.05
Barium	ug/g	1.1	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	0.68	0.2	0.05
Iron	ug/g	10	4	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	1.0	0.2	0.1
Mercury	ug/g	0.41	0.1	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.8	0.4	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	4.4	0.7	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.19	0.08	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	36	5	0.5

Lab Section 6

Moisture	%	76.98	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027043**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_PCC020_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5	4	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.24	0.05	0.05
Barium	ug/g	2.5	0.4	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.07	0.01	0.01
Copper	ug/g	4.6	0.7	0.05
Iron	ug/g	110	20	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	16	2	0.1
Mercury	ug/g	0.034	0.01	0.005
Molybdenum	ug/g	0.2	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	16	2	0.5
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.7	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.09	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	160	20	0.5

Lab Section 6

Moisture	%	72.36	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027044**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_PCC03M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.15	0.05	0.05
Barium	ug/g	1.0	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	1.4	0.2	0.05
Iron	ug/g	18	6	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	0.8	0.3	0.1
Mercury	ug/g	0.42	0.1	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	4.4	0.7	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	2.5	0.4	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.05	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	42	6	0.5

Lab Section 6

Moisture	%	77.81	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027045** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 25, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_PCC03O_20180425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.18	0.05	0.05
Barium	ug/g	1.4	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.01	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.06	0.01	0.01
Copper	ug/g	3.8	0.6	0.05
Iron	ug/g	54	8	2
Lead	ug/g	0.03	0.02	0.01
Manganese	ug/g	4.4	0.7	0.1
Mercury	ug/g	0.024	0.01	0.005
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	18	3	0.5
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	0.3	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.06	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	120	10	0.5

Lab Section 6

Moisture	%	64.24	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027046**
Date Sampled: **Apr 25, 2018**
Sample Matrix: **TISSUE**
Description: **04/25/2018 RG_ER_PCC06M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.15	0.05	0.05
Barium	ug/g	0.96	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.01	0.01	0.01
Copper	ug/g	1.5	0.2	0.05
Iron	ug/g	17	6	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	0.8	0.3	0.1
Mercury	ug/g	0.48	0.1	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.0	0.3	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	2.7	0.4	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.48	0.1	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	41	6	0.5

Lab Section 6

Moisture	%	78.57	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027047**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_PCC06O_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.37	0.05	0.05
Barium	ug/g	0.57	0.1	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.05	0.01	0.01
Copper	ug/g	4.3	0.6	0.05
Iron	ug/g	63	9	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	11	1	0.1
Mercury	ug/g	0.035	0.01	0.005
Molybdenum	ug/g	0.2	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	10	2	0.5
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.3	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.10	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	140	10	0.5

Lab Section 6

Moisture	%	67.87	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027048** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 26, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_ER_PCC08M_20180426**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.10	0.05	0.05
Barium	ug/g	1.1	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.01	0.01	0.01
Copper	ug/g	0.92	0.2	0.05
Iron	ug/g	12	5	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	0.9	0.3	0.1
Mercury	ug/g	0.52	0.1	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.6	0.4	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	3.7	0.6	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.16	0.07	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	27	4	0.5

Lab Section 6

Moisture	%	79.63	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027049**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_ER_PCC080_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	8	5	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.12	0.05	0.05
Barium	ug/g	2.2	0.3	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.05	0.01	0.01
Copper	ug/g	2.8	0.4	0.05
Iron	ug/g	110	20	2
Lead	ug/g	0.04	0.02	0.01
Manganese	ug/g	14	1	0.1
Mercury	ug/g	0.060	0.02	0.005
Molybdenum	ug/g	0.2	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	20	3	0.5
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	0.5	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.25	0.09	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	160	20	0.5

Lab Section 6

Moisture	%	76.89	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027050**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_ER_PCC09M_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.10	0.05	0.05
Barium	ug/g	1.2	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.01	0.01	0.01
Copper	ug/g	1.2	0.2	0.05
Iron	ug/g	13	5	2
Lead	ug/g	0.03	0.02	0.01
Manganese	ug/g	1.0	0.2	0.1
Mercury	ug/g	0.67	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.7	0.4	0.05
Silver	ug/g	0.14	0.04	0.01
Strontium	ug/g	4.0	0.6	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.07	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	28	4	0.5

Lab Section 6

Moisture	%	79.32	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027051**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_ER_PCC090_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	8	5	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.08	0.05	0.05
Barium	ug/g	0.75	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.07	0.01	0.01
Copper	ug/g	2.8	0.4	0.05
Iron	ug/g	120	20	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	6.5	1	0.1
Mercury	ug/g	0.035	0.01	0.005
Molybdenum	ug/g	0.1	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	12	2	0.5
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.3	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.20	0.08	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	110	10	0.5

Lab Section 6

Moisture	%	66.94	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027052**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_ER_PCC11M_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.2		0.2
Arsenic	ug/g	0.1	0.1	0.1
Barium	ug/g	0.5	0.2	0.1
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<1		1
Cobalt	ug/g	<0.02		0.02
Copper	ug/g	1.3	0.3	0.1
Iron	ug/g	21	10	5
Lead	ug/g	0.03	0.02	0.02
Manganese	ug/g	0.4	0.3	0.2
Mercury	ug/g	0.6	0.2	0.1
Molybdenum	ug/g	<0.2		0.2
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	2.4	0.4	0.1
Silver	ug/g	<0.02		0.02
Strontium	ug/g	0.4	0.3	0.2
Thallium	ug/g	<0.1		0.1
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.1		0.1
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	28	4	1

Lab Section 6

Moisture	%	75.70	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027053**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_ER_PCC110_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.13	0.05	0.05
Barium	ug/g	0.59	0.1	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.06	0.01	0.01
Copper	ug/g	4.2	0.6	0.05
Iron	ug/g	73	10	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	10	1	0.1
Mercury	ug/g	0.036	0.01	0.005
Molybdenum	ug/g	0.1	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	9.5	1	0.05
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.3	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.08	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	120	10	0.5

Lab Section 6

Moisture	%	66.57	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027054**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_ER_PCC12M_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.12	0.05	0.05
Barium	ug/g	1.1	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.01	0.01	0.01
Copper	ug/g	1.2	0.2	0.05
Iron	ug/g	20	5	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	0.8	0.3	0.1
Mercury	ug/g	0.96	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.2	0.3	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.8	0.4	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.10	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	28	4	0.5

Lab Section 6

Moisture	%	80.66	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027055**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_ER_PCC120_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.08	0.05	0.05
Barium	ug/g	0.54	0.1	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.03	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.08	0.01	0.01
Copper	ug/g	4.6	0.7	0.05
Iron	ug/g	98	10	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	13	1	0.1
Mercury	ug/g	0.077	0.02	0.005
Molybdenum	ug/g	0.2	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	10	2	0.5
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	0.7	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.10	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	150	20	0.5

Lab Section 6

Moisture	%	71.47	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027056** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 26, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_ER_PCC16M_20180426**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6	4	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.21	0.05	0.05
Barium	ug/g	1.7	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	1.0	0.2	0.05
Iron	ug/g	23	6	2
Lead	ug/g	0.03	0.02	0.01
Manganese	ug/g	1.3	0.3	0.1
Mercury	ug/g	1.2	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	5.0	0.5	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	6.7	1	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.16	0.07	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	35	5	0.5

Lab Section 6

Moisture	%	79.36	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027057**
Date Sampled: **Apr 26, 2018**
Sample Matrix: **TISSUE**
Description: **04/26/2018 RG_ER_PCC160_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6	4	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.18	0.05	0.05
Barium	ug/g	0.86	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.06	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.06	0.01	0.01
Copper	ug/g	4.5	0.7	0.05
Iron	ug/g	94	10	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	9.7	1	0.1
Mercury	ug/g	0.10	0.02	0.005
Molybdenum	ug/g	0.2	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	21	3	0.5
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.4	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.10	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	120	10	0.5

Lab Section 6

Moisture	%	67.79	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027058**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_ER_PCC17M_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6	4	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.27	0.05	0.05
Barium	ug/g	1.1	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	2.8	0.4	0.05
Iron	ug/g	33	8	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	0.9	0.3	0.1
Mercury	ug/g	0.37	0.1	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.9	0.3	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.8	0.4	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.32	0.1	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	49	7	0.5

Lab Section 6

Moisture	%	76.65	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027059**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_ER_PCC170_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6	4	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.42	0.05	0.05
Barium	ug/g	1.7	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.07	0.01	0.01
Copper	ug/g	4.5	0.7	0.05
Iron	ug/g	75	10	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	12	1	0.1
Mercury	ug/g	0.043	0.01	0.005
Molybdenum	ug/g	0.2	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	13	2	0.5
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.4	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.15	0.07	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	160	20	0.5

Lab Section 6

Moisture	%	69.40	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027060**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC01O_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.2		0.2
Arsenic	ug/g	0.4	0.2	0.1
Barium	ug/g	0.9	0.3	0.1
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<1		1
Cobalt	ug/g	0.09	0.04	0.02
Copper	ug/g	5.4	0.8	0.1
Iron	ug/g	120	20	5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	7.4	1	0.2
Mercury	ug/g	0.04	0.02	0.01
Molybdenum	ug/g	<0.2		0.2
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	22	2	0.1
Silver	ug/g	<0.02		0.02
Strontium	ug/g	0.6	0.3	0.2
Thallium	ug/g	<0.1		0.1
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.1		0.1
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	220	20	1

Lab Section 6

Moisture	%	70.08	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027061**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC01M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.1	0.7	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.82	0.2	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.5	0.8	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	2	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	26	10	5

Lab Section 6

Moisture	%	76.30	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027062**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC07O_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	0.8	0.6	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	6.7	2	0.5
Iron	ug/g	130	50	20
Lead	ug/g	0.3	0.2	0.1
Manganese	ug/g	6	2	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	35	5	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	240	40	5

Lab Section 6

Moisture	%	70.29	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027063**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC07M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.0	0.7	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.44	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.5	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	2	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	24	10	5

Lab Section 6

Moisture	%	74.87	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027064**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC080_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	0.7	0.6	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	8.1	2	0.5
Iron	ug/g	140	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	6	2	1
Mercury	ug/g	0.08	0.06	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	29	4	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	240	40	5

Lab Section 6

Moisture	%	71.43	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027065**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC08M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.1	0.7	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.84	0.2	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.7	0.9	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	3	2	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	23	10	5

Lab Section 6

Moisture	%	77.14	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027066** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 25, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC090_20180425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	2.2	1	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	0.1	0.1	0.1
Copper	ug/g	7.4	2	0.5
Iron	ug/g	130	50	20
Lead	ug/g	0.1	0.1	0.1
Manganese	ug/g	6	2	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	25	4	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	1.5	0.8	0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	270	40	5

Lab Section 6

Moisture	%	73.49	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027067**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC09M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	2.5	1	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.39	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.2	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	2	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	30	10	5

Lab Section 6

Moisture	%	77.58	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027068**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC100_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	6	6	5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	15	2	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	290	100	50

Lab Section 6

Moisture	%	54.60	5	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027069**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC10M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	0.7	0.6	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.7	0.9	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.28	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.8	0.9	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	2	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	63	20	5

Lab Section 6

Moisture	%	76.40	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027070**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC110_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.1	0.7	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	6.3	2	0.5
Iron	ug/g	110	40	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	7	2	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	14	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	1	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	220	30	5

Lab Section 6

Moisture	%	73.96	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027071**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC11M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.4	0.8	0.5
Iron	ug/g	20	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.54	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.8	0.9	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	2	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	22	10	5

Lab Section 6

Moisture	%	71.25	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027072**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC120_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.2	0.8	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	0.2	0.1	0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	7.1	2	0.5
Iron	ug/g	140	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	6	2	1
Mercury	ug/g	0.05	0.05	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	26	4	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	240	40	5

Lab Section 6

Moisture	%	72.33	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027073**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC12M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	0.9	0.7	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.41	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.8	0.9	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	3	2	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	23	10	5

Lab Section 6

Moisture	%	74.76	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027074**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC140_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.2	0.8	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	7.8	2	0.5
Iron	ug/g	130	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	7	2	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	12	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	230	30	5

Lab Section 6

Moisture	%	74.62	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027075**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC14M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.2	0.8	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.37	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.2	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	2	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	26	10	5

Lab Section 6

Moisture	%	78.01	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027076**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC150_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.3	0.8	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	5.1	1	0.5
Iron	ug/g	120	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	10	2	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	22	3	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	210	30	5

Lab Section 6

Moisture	%	69.92	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027077**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC15M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.1	0.7	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	2.4	1	0.5
Iron	ug/g	30	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.26	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	3.5	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	85	20	5

Lab Section 6

Moisture	%	76.27	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027078**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC160_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	16	2	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	350	100	50

Lab Section 6

Moisture	%	82.15	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027079**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC16M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.2	0.8	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.37	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.8	0.9	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	3	2	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	26	10	5

Lab Section 6

Moisture	%	78.14	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027080**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC190_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	0.9	0.7	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	7.0	2	0.5
Iron	ug/g	150	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	10	2	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	9.6	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	210	30	5

Lab Section 6

Moisture	%	75.19	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027081** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 25, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_ER_RSC19M_20180425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.1	0.7	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	<1		1
Mercury	ug/g	0.37	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.6	0.9	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	2	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	23	10	5

Lab Section 6

Moisture	%	77.23	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027082**
 Date Sampled: **Apr 25, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_SC_KO01M_20180425**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.2	0.8	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.0	0.7	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	<1		1
Mercury	ug/g	0.41	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.8	0.9	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	13	8	5

Lab Section 6

Moisture	%	72.32	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027083** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 25, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_SC_KO02M_20180425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	8	5	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.08	0.05	0.05
Barium	ug/g	0.07	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	1.1	0.2	0.05
Iron	ug/g	19	6	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	0.5	0.2	0.1
Mercury	ug/g	0.31	0.1	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.0	0.3	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.3	0.2	0.1
Thallium	ug/g	0.08	0.06	0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.46	0.1	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	16	2	0.5

Lab Section 6

Moisture	%	75.03	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027084**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_SC_KO03M_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.9	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	71.47	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027085** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 26, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_SC_KO04M_20180426**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	2.0	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	74.93	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027086** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 25, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_SC_BT01M_20180425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<1000		1000
Antimony	ug/g	<50		50
Arsenic	ug/g	<20		20
Barium	ug/g	<20		20
Beryllium	ug/g	<5		5
Boron	ug/g	<500		500
Cadmium	ug/g	<5		5
Chromium	ug/g	<200		200
Cobalt	ug/g	<5		5
Copper	ug/g	<20		20
Iron	ug/g	<1000		1000
Lead	ug/g	<5		5
Manganese	ug/g	<50		50
Mercury	ug/g	<2		2
Molybdenum	ug/g	<50		50
Nickel	ug/g	<20		20
Selenium	ug/g	2	2	2
Silver	ug/g	<5		5
Strontium	ug/g	<50		50
Thallium	ug/g	<20		20
Tin	ug/g	<20		20
Titanium	ug/g	<20		20
Uranium	ug/g	<2		2
Vanadium	ug/g	<50		50
Zinc	ug/g	<200		200

Lab Section 6

Moisture	%	83.64	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Detection limits are influenced by several factors. "Less than" values reported above represent the lowest detection limits achievable for the sample due to insufficient sample size.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027087** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 25, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/25/2018 RG_SC_BT03M_20180425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	0.8	0.6	0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.8	0.9	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	74.10	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027088**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_SC_BT04M_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	24	5	5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	300	200	200
Lead	ug/g	4	2	1
Manganese	ug/g	20	10	10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	<0.5		0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	6	5	5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	39.41	4	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027089**
 Date Sampled: **Apr 28, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/28/2018 RG_SC_BT05M_20180428**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	1.1	0.7	0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	2.0	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	78.74	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027090** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 28, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/28/2018 RG_SC_BT06M_20180428**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	1.4	0.8	0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.3	0.8	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	76.11	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027091**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_SC_RT01M_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.8	0.9	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	81.54	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027092**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_SC_RT02M_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	10	6	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.17	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	1.2	0.2	0.05
Iron	ug/g	23	6	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	0.8	0.3	0.1
Mercury	ug/g	0.24	0.1	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.4	0.2	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.0	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.20	0.08	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	16	2	0.5

Lab Section 6

Moisture	%	75.87	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027093**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_SC_MW01M_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.2		0.2
Arsenic	ug/g	0.2	0.1	0.1
Barium	ug/g	0.1	0.1	0.1
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<1		1
Cobalt	ug/g	0.03	0.02	0.02
Copper	ug/g	1.6	0.4	0.1
Iron	ug/g	18	9	5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	1.0	0.4	0.2
Mercury	ug/g	0.1	0.1	0.1
Molybdenum	ug/g	<0.2		0.2
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	6.0	0.9	0.1
Silver	ug/g	<0.02		0.02
Strontium	ug/g	0.8	0.4	0.2
Thallium	ug/g	<0.1		0.1
Tin	ug/g	<0.1		0.1
Titanium	ug/g	0.1	0.1	0.1
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	18	4	1

Lab Section 6

Moisture	%	77.68	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027094**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_SC_YP01M_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.22	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	0.77	0.2	0.05
Iron	ug/g	11	4	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	1.2	0.3	0.1
Mercury	ug/g	0.82	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.8	0.3	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	2.5	0.4	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.09	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	32	5	0.5

Lab Section 6

Moisture	%	79.90	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027095**
Date Sampled: **Apr 27, 2018**
Sample Matrix: **TISSUE**
Description: **04/27/2018 RG_SC_YP01O_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.14	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.04	0.01	0.01
Copper	ug/g	2.1	0.3	0.05
Iron	ug/g	29	7	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	2.8	0.4	0.1
Mercury	ug/g	0.042	0.01	0.005
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.4	0.4	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.8	0.4	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.06	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	79	8	0.5

Lab Section 6

Moisture	%	83.37	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027096** Client PO #: **VPO00555477 Ref# 18-07**
Date Sampled: **Apr 24, 2018** Date Received: **Jul 10, 2018**
Sample Matrix: **TISSUE**
Description: **04/24/2018 RG_SC_PCC01M_20180424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5	4	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.16	0.05	0.05
Barium	ug/g	1.6	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	0.99	0.2	0.05
Iron	ug/g	23	6	2
Lead	ug/g	0.05	0.02	0.01
Manganese	ug/g	1.1	0.3	0.1
Mercury	ug/g	0.71	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.2	0.3	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	3.4	0.5	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.42	0.1	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	32	5	0.5

Lab Section 6

Moisture	%	80.39	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027097** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 24, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_PCC01O_20180424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	23	6	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.15	0.05	0.05
Barium	ug/g	1.7	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.01	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.10	0.02	0.01
Copper	ug/g	4.5	0.7	0.05
Iron	ug/g	110	20	2
Lead	ug/g	0.09	0.03	0.01
Manganese	ug/g	6.7	1	0.1
Mercury	ug/g	0.032	0.01	0.005
Molybdenum	ug/g	0.1	0.1	0.1
Nickel	ug/g	0.07	0.05	0.05
Selenium	ug/g	11	2	0.5
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	0.6	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.45	0.1	0.05
Uranium	ug/g	0.007	0.006	0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	100	10	0.5

Lab Section 6

Moisture	%	66.39	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027098** Client PO #: **VPO00555477 Ref# 18-07**
Date Sampled: **Apr 24, 2018** Date Received: **Jul 10, 2018**
Sample Matrix: **TISSUE**
Description: **04/24/2018 RG_SC_PCC02M_20180424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	12	7	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.10	0.05	0.05
Barium	ug/g	1.0	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	1.1	0.2	0.05
Iron	ug/g	25	6	2
Lead	ug/g	0.09	0.03	0.01
Manganese	ug/g	1.3	0.3	0.1
Mercury	ug/g	0.80	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	0.16	0.05	0.05
Selenium	ug/g	1.4	0.2	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	3.2	0.5	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.40	0.1	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	22	3	0.5

Lab Section 6

Moisture	%	79.17	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027099** Client PO #: **VPO00555477 Ref# 18-07**
Date Sampled: **Apr 24, 2018** Date Received: **Jul 10, 2018**
Sample Matrix: **TISSUE**
Description: **04/24/2018 RG_SC_PCC02O_20180424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	24	6	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.08	0.05	0.05
Barium	ug/g	2.2	0.3	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.01	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.06	0.01	0.01
Copper	ug/g	3.4	0.5	0.05
Iron	ug/g	69	10	2
Lead	ug/g	0.05	0.02	0.01
Manganese	ug/g	11	1	0.1
Mercury	ug/g	0.041	0.01	0.005
Molybdenum	ug/g	0.2	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	11	2	0.5
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.6	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.47	0.1	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	120	10	0.5

Lab Section 6

Moisture	%	67.38	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027100**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_PCC03M_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	18	9	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.27	0.05	0.05
Barium	ug/g	1.4	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.04	0.01	0.01
Copper	ug/g	2.4	0.4	0.05
Iron	ug/g	53	8	2
Lead	ug/g	0.06	0.02	0.01
Manganese	ug/g	1.3	0.3	0.1
Mercury	ug/g	0.87	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.0	0.3	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.8	0.4	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.25	0.09	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	47	7	0.5

Lab Section 6

Moisture	%	79.25	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027101**
Date Sampled: **Apr 24, 2018**
Sample Matrix: **TISSUE**
Description: **04/24/2018 RG_SC_PCC03O_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	17	9	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.22	0.05	0.05
Barium	ug/g	1.0	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.08	0.01	0.01
Copper	ug/g	3.8	0.6	0.05
Iron	ug/g	100	20	2
Lead	ug/g	0.04	0.02	0.01
Manganese	ug/g	6.6	1	0.1
Mercury	ug/g	0.044	0.01	0.005
Molybdenum	ug/g	0.1	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	9.0	0.9	0.05
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.5	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.26	0.09	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	110	10	0.5

Lab Section 6

Moisture	%	66.31	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027102**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_PCC06M_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	19	10	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.13	0.05	0.05
Barium	ug/g	1.5	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.01	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.03	0.01	0.01
Copper	ug/g	1.1	0.2	0.05
Iron	ug/g	36	9	2
Lead	ug/g	0.08	0.03	0.01
Manganese	ug/g	1.6	0.4	0.1
Mercury	ug/g	0.53	0.1	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	0.06	0.05	0.05
Selenium	ug/g	2.2	0.3	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	4.3	0.6	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.32	0.1	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	34	5	0.5

Lab Section 6

Moisture	%	79.38	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027103**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_PCC06O_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	10	6	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.10	0.05	0.05
Barium	ug/g	1.4	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.07	0.01	0.01
Copper	ug/g	4.7	0.7	0.05
Iron	ug/g	65	10	2
Lead	ug/g	0.04	0.02	0.01
Manganese	ug/g	14	1	0.1
Mercury	ug/g	0.030	0.01	0.005
Molybdenum	ug/g	0.1	0.1	0.1
Nickel	ug/g	0.05	0.05	0.05
Selenium	ug/g	15	2	0.5
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.6	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.22	0.08	0.05
Uranium	ug/g	0.008	0.006	0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	130	10	0.5

Lab Section 6

Moisture	%	68.68	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027104**
Date Sampled: **Apr 24, 2018**
Sample Matrix: **TISSUE**
Description: **04/24/2018 RG_SC_PCC07M_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.09	0.05	0.05
Barium	ug/g	0.56	0.1	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.01	0.01	0.01
Copper	ug/g	1.1	0.2	0.05
Iron	ug/g	13	5	2
Lead	ug/g	0.06	0.02	0.01
Manganese	ug/g	0.9	0.3	0.1
Mercury	ug/g	0.44	0.1	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.9	0.3	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	2.4	0.4	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.11	0.06	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	22	3	0.5

Lab Section 6

Moisture	%	78.55	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027105**
Date Sampled: **Apr 24, 2018**
Sample Matrix: **TISSUE**
Description: **04/24/2018 RG_SC_PCC07O_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	7	5	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.23	0.05	0.05
Barium	ug/g	1.4	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.01	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.08	0.01	0.01
Copper	ug/g	4.1	0.6	0.05
Iron	ug/g	80	10	2
Lead	ug/g	0.06	0.02	0.01
Manganese	ug/g	14	1	0.1
Mercury	ug/g	0.038	0.01	0.005
Molybdenum	ug/g	0.2	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	12	2	0.5
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.5	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.12	0.06	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	150	20	0.5

Lab Section 6

Moisture	%	72.05	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027106**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_PCC08M_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	8	5	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.19	0.05	0.05
Barium	ug/g	1.2	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	0.80	0.2	0.05
Iron	ug/g	25	6	2
Lead	ug/g	0.08	0.03	0.01
Manganese	ug/g	1.3	0.3	0.1
Mercury	ug/g	0.86	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	0.06	0.05	0.05
Selenium	ug/g	2.0	0.3	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	3.0	0.4	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.12	0.06	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	34	5	0.5

Lab Section 6

Moisture	%	79.32	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027107** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 24, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_PCC080_20180424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.11	0.05	0.05
Barium	ug/g	0.93	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.01	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.07	0.01	0.01
Copper	ug/g	2.1	0.3	0.05
Iron	ug/g	76	10	2
Lead	ug/g	0.05	0.02	0.01
Manganese	ug/g	7.1	1	0.1
Mercury	ug/g	0.059	0.01	0.005
Molybdenum	ug/g	0.1	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	23	3	0.5
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.3	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.11	0.06	0.05
Uranium	ug/g	0.006	0.006	0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	130	10	0.5

Lab Section 6

Moisture	%	67.82	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027108**
Date Sampled: **Apr 24, 2018**
Sample Matrix: **TISSUE**
Description: **04/24/2018 RG_SC_PCC10M_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.19	0.05	0.05
Barium	ug/g	0.60	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	1.8	0.3	0.05
Iron	ug/g	18	6	2
Lead	ug/g	0.03	0.02	0.01
Manganese	ug/g	0.6	0.2	0.1
Mercury	ug/g	0.55	0.1	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.7	0.2	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.6	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.09	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	33	5	0.5

Lab Section 6

Moisture	%	78.63	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027109** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 24, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_PCC100_20180424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6	4	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.39	0.05	0.05
Barium	ug/g	2.0	0.3	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.06	0.01	0.01
Copper	ug/g	3.9	0.6	0.05
Iron	ug/g	54	8	2
Lead	ug/g	0.06	0.02	0.01
Manganese	ug/g	6.9	1	0.1
Mercury	ug/g	0.030	0.01	0.005
Molybdenum	ug/g	0.1	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	8.4	0.8	0.05
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.3	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.12	0.06	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	160	20	0.5

Lab Section 6

Moisture	%	66.74	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027110**
Date Sampled: **Apr 24, 2018**
Sample Matrix: **TISSUE**
Description: **04/24/2018 RG_SC_PCC11M_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	7	5	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.10	0.05	0.05
Barium	ug/g	1.0	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	1.1	0.2	0.05
Iron	ug/g	22	6	2
Lead	ug/g	0.04	0.02	0.01
Manganese	ug/g	1.2	0.3	0.1
Mercury	ug/g	0.53	0.1	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.9	0.3	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	3.2	0.5	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.12	0.06	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	24	4	0.5

Lab Section 6

Moisture	%	79.00	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027111**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_PCC110_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5	4	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.12	0.05	0.05
Barium	ug/g	1.5	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.01	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.08	0.01	0.01
Copper	ug/g	3.9	0.6	0.05
Iron	ug/g	56	8	2
Lead	ug/g	0.03	0.02	0.01
Manganese	ug/g	12	1	0.1
Mercury	ug/g	0.027	0.01	0.005
Molybdenum	ug/g	0.1	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	9.9	2	0.5
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.4	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.07	0.05	0.05
Uranium	ug/g	0.005	0.005	0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	120	10	0.5

Lab Section 6

Moisture	%	65.36	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027112**
Date Sampled: **Apr 24, 2018**
Sample Matrix: **TISSUE**
Description: **04/24/2018 RG_SC_PCC13M_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2	2	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.27	0.05	0.05
Barium	ug/g	0.78	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	2.6	0.4	0.05
Iron	ug/g	46	7	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	0.7	0.2	0.1
Mercury	ug/g	0.34	0.1	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.4	0.2	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.6	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.06	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	47	7	0.5

Lab Section 6

Moisture	%	75.22	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027113** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 24, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_PCC130_20180424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.36	0.05	0.05
Barium	ug/g	0.95	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.04	0.01	0.01
Copper	ug/g	3.4	0.5	0.05
Iron	ug/g	43	6	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	4.9	0.7	0.1
Mercury	ug/g	0.022	0.01	0.005
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	5.9	0.6	0.05
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.2	0.1	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.07	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	100	10	0.5

Lab Section 6

Moisture	%	60.54	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027114**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_PCC14M_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6	4	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.11	0.05	0.05
Barium	ug/g	0.60	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.01	0.01	0.01
Copper	ug/g	0.83	0.2	0.05
Iron	ug/g	14	5	2
Lead	ug/g	0.06	0.02	0.01
Manganese	ug/g	1.0	0.2	0.1
Mercury	ug/g	0.46	0.1	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.7	0.2	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	3.2	0.5	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.12	0.06	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	23	3	0.5

Lab Section 6

Moisture	%	77.91	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027115**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_PCC140_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.24	0.05	0.05
Barium	ug/g	0.40	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.05	0.01	0.01
Copper	ug/g	3.2	0.5	0.05
Iron	ug/g	52	8	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	6.3	0.9	0.1
Mercury	ug/g	0.022	0.01	0.005
Molybdenum	ug/g	0.1	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	6.9	0.7	0.05
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	0.3	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.06	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	100	10	0.5

Lab Section 6

Moisture	%	63.05	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027116**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_RSC02M_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.2	0.8	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.44	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.7	0.9	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	1	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	1.0	0.7	0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	50	10	5

Lab Section 6

Moisture	%	74.98	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027117**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_RSC020_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.8	0.9	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	6.4	2	0.5
Iron	ug/g	120	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	7	2	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	11	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	1.2	0.8	0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	280	40	5

Lab Section 6

Moisture	%	73.09	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027118**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_RSC04M_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.3	0.8	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	2.5	1	0.5
Iron	ug/g	30	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.46	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.7	0.9	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	1	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	1.3	0.8	0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	82	20	5

Lab Section 6

Moisture	%	74.87	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027119**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_RSC040_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	6	6	5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	21	3	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	360	100	50

Lab Section 6

Moisture	%	73.65	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027120**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_RSC05M_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	20	20	20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.8	0.9	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.7	0.9	0.5
Iron	ug/g	40	30	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	3	2	1
Mercury	ug/g	0.31	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.1	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	9	3	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	74	20	5

Lab Section 6

Moisture	%	76.89	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027121**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_RSC050_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	20	20	20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.9	1	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	7.2	2	0.5
Iron	ug/g	140	50	20
Lead	ug/g	0.2	0.1	0.1
Manganese	ug/g	9	3	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	16	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	2	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	270	40	5

Lab Section 6

Moisture	%	73.55	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027122** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 24, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_RSC06M_20180424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.0	0.7	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	2.6	1	0.5
Iron	ug/g	20	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.45	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.3	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	1	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	70	20	5

Lab Section 6

Moisture	%	78.66	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027123**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_RSC06O_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.6	0.9	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	3.9	1	0.5
Iron	ug/g	120	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	12	3	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	8.2	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	300	40	5

Lab Section 6

Moisture	%	77.13	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027124**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_RSC09M_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.7	0.9	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	2.5	1	0.5
Iron	ug/g	30	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	1	1	1
Mercury	ug/g	0.29	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	3.3	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	2	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	78	20	5

Lab Section 6

Moisture	%	76.41	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027125** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 24, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_RSC090_20180424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	6	6	5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	14	2	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	250	100	50

Lab Section 6

Moisture	%	75.48	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027126**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_RSC10M_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.6	0.9	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.4	0.8	0.5
Iron	ug/g	20	20	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	2	1	1
Mercury	ug/g	0.42	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.8	0.9	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	1	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	0.7	0.6	0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	60	20	5

Lab Section 6

Moisture	%	76.75	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027127**
 Date Sampled: **Apr 24, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/24/2018 RG_SC_RSC100_20180424**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	5.8	1	0.5
Iron	ug/g	140	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	7	2	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	12	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	3.2	1	0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	240	40	5

Lab Section 6

Moisture	%	75.73	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027128**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_SC_RSC11M_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	0.6	0.6	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.9	1	0.5
Iron	ug/g	30	20	20
Lead	ug/g	0.1	0.1	0.1
Manganese	ug/g	2	1	1
Mercury	ug/g	0.43	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.8	0.9	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	2	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	71	20	5

Lab Section 6

Moisture	%	75.67	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027129**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_SC_RSC110_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	30	20	20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.3	0.8	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	6.8	2	0.5
Iron	ug/g	150	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	9	3	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	27	4	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	1	1	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	1.0	0.7	0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	250	40	5

Lab Section 6

Moisture	%	73.54	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027130**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_SC_RSC13M_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	0.6	0.6	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.2	0.8	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	2	1	1
Mercury	ug/g	0.42	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.2	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	3	2	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	0.7	0.6	0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	38	10	5

Lab Section 6

Moisture	%	76.01	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027131**
 Date Sampled: **Apr 26, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/26/2018 RG_SC_RSC130_20180426**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6	6	5
Antimony	ug/g	<0.2		0.2
Arsenic	ug/g	0.5	0.2	0.1
Barium	ug/g	1.2	0.3	0.1
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	0.38	0.1	0.02
Chromium	ug/g	<1		1
Cobalt	ug/g	0.12	0.05	0.02
Copper	ug/g	6.1	0.9	0.1
Iron	ug/g	130	20	5
Lead	ug/g	0.05	0.03	0.02
Manganese	ug/g	8.3	1	0.2
Mercury	ug/g	0.04	0.02	0.01
Molybdenum	ug/g	<0.2		0.2
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	22	2	0.1
Silver	ug/g	<0.02		0.02
Strontium	ug/g	0.6	0.3	0.2
Thallium	ug/g	<0.1		0.1
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.1		0.1
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	240	20	1

Lab Section 6

Moisture	%	71.34	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027132**
Date Sampled: **Apr 27, 2018**
Sample Matrix: **TISSUE**
Description: **04/27/2018 RG_SC_RSC17M_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.4	0.8	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	1.2	0.8	0.5
Iron	ug/g	<20		20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	3	2	1
Mercury	ug/g	0.49	0.1	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.6	0.9	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	12	3	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	0.6	0.6	0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	55	10	5

Lab Section 6

Moisture	%	74.70	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027133**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_SC_RSC170_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	0.8	0.6	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	6.2	2	0.5
Iron	ug/g	130	50	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	14	4	1
Mercury	ug/g	0.05	0.05	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	13	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	240	40	5

Lab Section 6

Moisture	%	75.65	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027134**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_SC_RSC18M_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6	6	5
Antimony	ug/g	<0.2		0.2
Arsenic	ug/g	<0.1		0.1
Barium	ug/g	2.0	0.3	0.1
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<1		1
Cobalt	ug/g	<0.02		0.02
Copper	ug/g	2.2	0.3	0.1
Iron	ug/g	24	10	5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	2.0	0.5	0.2
Mercury	ug/g	0.51	0.08	0.01
Molybdenum	ug/g	<0.2		0.2
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	1.6	0.4	0.1
Silver	ug/g	<0.02		0.02
Strontium	ug/g	4.4	0.7	0.2
Thallium	ug/g	<0.1		0.1
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.1		0.1
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	51	8	1

Lab Section 6

Moisture	%	77.56	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027135**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_SC_RSC180_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	2.2	1	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	5.1	1	0.5
Iron	ug/g	190	60	20
Lead	ug/g	<0.1		0.1
Manganese	ug/g	6	2	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	20	3	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	1.2	0.8	0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	280	40	5

Lab Section 6

Moisture	%	74.62	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027136** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 27, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_ER_BI01_20180427**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<1000		1000
Antimony	ug/g	<50		50
Arsenic	ug/g	<20		20
Barium	ug/g	20	20	20
Beryllium	ug/g	<5		5
Boron	ug/g	<500		500
Cadmium	ug/g	<5		5
Chromium	ug/g	<200		200
Cobalt	ug/g	<5		5
Copper	ug/g	20	20	20
Iron	ug/g	<1000		1000
Lead	ug/g	<5		5
Manganese	ug/g	<50		50
Mercury	ug/g	<2		2
Molybdenum	ug/g	<50		50
Nickel	ug/g	<20		20
Selenium	ug/g	6	3	2
Silver	ug/g	<5		5
Strontium	ug/g	<50		50
Thallium	ug/g	<20		20
Tin	ug/g	<20		20
Titanium	ug/g	<20		20
Uranium	ug/g	<2		2
Vanadium	ug/g	<50		50
Zinc	ug/g	<200		200

Lab Section 6

Moisture	%	66.38	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Detection limits are influenced by several factors. "Less than" values reported above represent the lowest detection limits achievable for the sample due to insufficient sample size.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027137** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 27, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_ER_BI02_20180427**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	900	600	200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	12	5	5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	20	10	5
Iron	ug/g	700	400	200
Lead	ug/g	<1		1
Manganese	ug/g	50	20	10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	5.4	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	12	6	5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	150	80	50

Lab Section 6

Moisture	%	71.29	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027138** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 27, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_ER_BI03_20180427**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2800	700	200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	32	5	5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	1	1	1
Chromium	ug/g	<50		50
Cobalt	ug/g	2	1	1
Copper	ug/g	15	8	5
Iron	ug/g	2100	500	200
Lead	ug/g	1	1	1
Manganese	ug/g	80	30	10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	5.0	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	10	10	10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	34	10	5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	100	70	50

Lab Section 6

Moisture	%	70.68	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027139** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 27, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_ER_BI04_20180427**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3000	2000	1000
Antimony	ug/g	<50		50
Arsenic	ug/g	<20		20
Barium	ug/g	80	20	20
Beryllium	ug/g	<5		5
Boron	ug/g	<500		500
Cadmium	ug/g	7	5	5
Chromium	ug/g	<200		200
Cobalt	ug/g	<5		5
Copper	ug/g	40	30	20
Iron	ug/g	2000	1000	1000
Lead	ug/g	<5		5
Manganese	ug/g	140	80	50
Mercury	ug/g	<2		2
Molybdenum	ug/g	<50		50
Nickel	ug/g	<20		20
Selenium	ug/g	10	4	2
Silver	ug/g	<5		5
Strontium	ug/g	<50		50
Thallium	ug/g	<20		20
Tin	ug/g	<20		20
Titanium	ug/g	60	30	20
Uranium	ug/g	<2		2
Vanadium	ug/g	<50		50
Zinc	ug/g	<200		200

Lab Section 6

Moisture	%	91.11	9	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Detection limits are influenced by several factors. "Less than" values reported above represent the lowest detection limits achievable for the sample due to insufficient sample size.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027140** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 27, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_ER_BI05_20180427**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	9000	5000	1000
Antimony	ug/g	<50		50
Arsenic	ug/g	<20		20
Barium	ug/g	90	20	20
Beryllium	ug/g	<5		5
Boron	ug/g	<500		500
Cadmium	ug/g	9	5	5
Chromium	ug/g	<200		200
Cobalt	ug/g	<5		5
Copper	ug/g	<20		20
Iron	ug/g	6000	2000	1000
Lead	ug/g	<5		5
Manganese	ug/g	220	100	50
Mercury	ug/g	<2		2
Molybdenum	ug/g	<50		50
Nickel	ug/g	<20		20
Selenium	ug/g	12	5	2
Silver	ug/g	<5		5
Strontium	ug/g	70	60	50
Thallium	ug/g	<20		20
Tin	ug/g	<20		20
Titanium	ug/g	180	50	20
Uranium	ug/g	<2		2
Vanadium	ug/g	<50		50
Zinc	ug/g	<200		200

Lab Section 6

Moisture	%	73.15	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Detection limits are influenced by several factors. "Less than" values reported above represent the lowest detection limits achievable for the sample due to insufficient sample size.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027141** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 27, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_GC_BI01_20180427**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5000	3000	1000
Antimony	ug/g	<50		50
Arsenic	ug/g	<20		20
Barium	ug/g	30	20	20
Beryllium	ug/g	<5		5
Boron	ug/g	<500		500
Cadmium	ug/g	<5		5
Chromium	ug/g	<200		200
Cobalt	ug/g	<5		5
Copper	ug/g	30	20	20
Iron	ug/g	6000	2000	1000
Lead	ug/g	<5		5
Manganese	ug/g	230	100	50
Mercury	ug/g	<2		2
Molybdenum	ug/g	<50		50
Nickel	ug/g	<20		20
Selenium	ug/g	4	3	2
Silver	ug/g	<5		5
Strontium	ug/g	<50		50
Thallium	ug/g	<20		20
Tin	ug/g	<20		20
Titanium	ug/g	80	30	20
Uranium	ug/g	<2		2
Vanadium	ug/g	<50		50
Zinc	ug/g	<200		200

Lab Section 6

Moisture	%	75.81	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Detection limits are influenced by several factors. "Less than" values reported above represent the lowest detection limits achievable for the sample due to insufficient sample size.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027142** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 27, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_GC_BI02_20180427**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2200	600	200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	34	5	5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	2	1	1
Copper	ug/g	14	8	5
Iron	ug/g	1900	600	200
Lead	ug/g	<1		1
Manganese	ug/g	40	20	10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	2.8	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	55	10	5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	90	70	50

Lab Section 6

Moisture	%	49.01	5	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027143** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 27, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_GC_BI03_20180427**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	21	10	5
Iron	ug/g	300	200	200
Lead	ug/g	<1		1
Manganese	ug/g	10	10	10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	3.9	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	80	60	50

Lab Section 6

Moisture	%	72.85	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027144** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 28, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/28/2018 RG_GC_BI04_20180428**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6000	4000	1000
Antimony	ug/g	<50		50
Arsenic	ug/g	<20		20
Barium	ug/g	90	20	20
Beryllium	ug/g	<5		5
Boron	ug/g	<500		500
Cadmium	ug/g	<5		5
Chromium	ug/g	<200		200
Cobalt	ug/g	<5		5
Copper	ug/g	20	20	20
Iron	ug/g	5000	2000	1000
Lead	ug/g	<5		5
Manganese	ug/g	120	80	50
Mercury	ug/g	<2		2
Molybdenum	ug/g	<50		50
Nickel	ug/g	<20		20
Selenium	ug/g	2	2	2
Silver	ug/g	<5		5
Strontium	ug/g	<50		50
Thallium	ug/g	<20		20
Tin	ug/g	<20		20
Titanium	ug/g	450	70	20
Uranium	ug/g	<2		2
Vanadium	ug/g	<50		50
Zinc	ug/g	<200		200

Lab Section 6

Moisture	%	94.02	9	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Detection limits are influenced by several factors. "Less than" values reported above represent the lowest detection limits achievable for the sample due to insufficient sample size.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027145** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 28, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/28/2018 RG_GC_BI05_20180428**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2700	300	20
Antimony	ug/g	<1		1
Arsenic	ug/g	1.0	0.7	0.5
Barium	ug/g	40	6	0.5
Beryllium	ug/g	0.1	0.1	0.1
Boron	ug/g	<10		10
Cadmium	ug/g	0.4	0.2	0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	2.1	0.3	0.1
Copper	ug/g	15	2	0.5
Iron	ug/g	2300	200	20
Lead	ug/g	1.2	0.3	0.1
Manganese	ug/g	110	10	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	2.0	1	0.5
Selenium	ug/g	2.3	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	6	2	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	46	7	0.5
Uranium	ug/g	0.20	0.1	0.05
Vanadium	ug/g	3	2	1
Zinc	ug/g	100	20	5

Lab Section 6

Moisture	%	83.79	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027146** Client PO #: **VPO00555477 Ref# 18-07**
Date Sampled: **Apr 27, 2018** Date Received: **Jul 10, 2018**
Sample Matrix: **TISSUE**
Description: **04/27/2018 RG_SC_BI01_20180427**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	1000	1000	1000
Antimony	ug/g	<50		50
Arsenic	ug/g	<20		20
Barium	ug/g	<20		20
Beryllium	ug/g	<5		5
Boron	ug/g	<500		500
Cadmium	ug/g	6	5	5
Chromium	ug/g	<200		200
Cobalt	ug/g	<5		5
Copper	ug/g	30	20	20
Iron	ug/g	2000	1000	1000
Lead	ug/g	<5		5
Manganese	ug/g	<50		50
Mercury	ug/g	<2		2
Molybdenum	ug/g	<50		50
Nickel	ug/g	<20		20
Selenium	ug/g	9	4	2
Silver	ug/g	<5		5
Strontium	ug/g	<50		50
Thallium	ug/g	<20		20
Tin	ug/g	<20		20
Titanium	ug/g	80	30	20
Uranium	ug/g	<2		2
Vanadium	ug/g	<50		50
Zinc	ug/g	<200		200

Lab Section 6

Moisture	%	73.91	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Detection limits are influenced by several factors. "Less than" values reported above represent the lowest detection limits achievable for the sample due to insufficient sample size.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027147** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 27, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_SC_BI02_20180427**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	15300	2000	200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	120	20	5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	6	1	1
Copper	ug/g	12	8	5
Iron	ug/g	14400	2000	200
Lead	ug/g	10	2	1
Manganese	ug/g	330	50	10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	14	5	5
Selenium	ug/g	<0.5		0.5
Silver	ug/g	<1		1
Strontium	ug/g	180	40	10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	250	40	5
Uranium	ug/g	0.6	0.6	0.5
Vanadium	ug/g	20	10	10
Zinc	ug/g	80	60	50

Lab Section 6

Moisture	%	52.63	5	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027148** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 27, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_SC_BI03_20180427**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5200	800	200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	36	5	5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	3	1	1
Chromium	ug/g	<50		50
Cobalt	ug/g	2	1	1
Copper	ug/g	19	10	5
Iron	ug/g	6300	900	200
Lead	ug/g	5	2	1
Manganese	ug/g	120	30	10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	5	5	5
Selenium	ug/g	3.8	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	60	20	10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	100	20	5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	130	80	50

Lab Section 6

Moisture	%	71.87	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027149**
 Date Sampled: **Apr 27, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/27/2018 RG_SC_BI04_20180427**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5600	800	200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	42	5	5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	3	1	1
Chromium	ug/g	<50		50
Cobalt	ug/g	3	1	1
Copper	ug/g	16	9	5
Iron	ug/g	6300	900	200
Lead	ug/g	5	2	1
Manganese	ug/g	170	40	10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	5	5	5
Selenium	ug/g	3.5	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	80	30	10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	81	20	5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	100	70	50

Lab Section 6

Moisture	%	57.30	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027150** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 28, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/28/2018 RG_SC_BI05_20180428**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5100	800	200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	40	5	5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	3	1	1
Copper	ug/g	16	9	5
Iron	ug/g	5500	800	200
Lead	ug/g	4	2	1
Manganese	ug/g	120	30	10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	6	5	5
Selenium	ug/g	6.3	2	0.5
Silver	ug/g	<1		1
Strontium	ug/g	70	20	10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	80	20	5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	120	80	50

Lab Section 6

Moisture	%	62.54	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027151**
Date Sampled: **Apr 29, 2018**
Sample Matrix: **TISSUE**
Description: **04/29/2018 RG_T4_BI_20180429**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6900	1000	200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	75	20	5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	3	1	1
Chromium	ug/g	<50		50
Cobalt	ug/g	2	1	1
Copper	ug/g	22	10	5
Iron	ug/g	6700	1000	200
Lead	ug/g	6	2	1
Manganese	ug/g	140	40	10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	6	5	5
Selenium	ug/g	8.5	2	0.5
Silver	ug/g	<1		1
Strontium	ug/g	60	20	10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	97	20	5
Uranium	ug/g	0.5	0.5	0.5
Vanadium	ug/g	10	10	10
Zinc	ug/g	160	90	50

Lab Section 6

Moisture	%	91.57	9	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8314

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027152** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Apr 30, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **04/30/2018 RG_TN_BI_20180430**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	8000	4000	1000
Antimony	ug/g	<50		50
Arsenic	ug/g	<20		20
Barium	ug/g	40	20	20
Beryllium	ug/g	<5		5
Boron	ug/g	<500		500
Cadmium	ug/g	<5		5
Chromium	ug/g	<200		200
Cobalt	ug/g	<5		5
Copper	ug/g	<20		20
Iron	ug/g	11600	3000	1000
Lead	ug/g	14	8	5
Manganese	ug/g	190	100	50
Mercury	ug/g	<2		2
Molybdenum	ug/g	<50		50
Nickel	ug/g	<20		20
Selenium	ug/g	<2		2
Silver	ug/g	<5		5
Strontium	ug/g	70	60	50
Thallium	ug/g	<20		20
Tin	ug/g	<20		20
Titanium	ug/g	100	40	20
Uranium	ug/g	<2		2
Vanadium	ug/g	<50		50
Zinc	ug/g	<200		200

Lab Section 6

Moisture	%	85.28	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Detection limits are influenced by several factors. "Less than" values reported above represent the lowest detection limits achievable for the sample due to insufficient sample size.

Results are reported on a dry basis.

Aug 10, 2018

This report was generated for samples included in SRC Group # 2018-8314

Quality Control Report

Justin Wilson
Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9

Reference Materials and Standards:

A reference material of known concentration is used whenever possible as either a control sample or control standard and analyzed with each batch of samples. These "QC" results are used to assess the performance of the method and must be within clearly defined limits; otherwise corrective action is required.

QC Analysis	Units	Target Value	Obtained Value
Aluminum	ug/g	1280	1290
Aluminum	ug/g	1280	1320
Aluminum	ug/g	1280	1300
Aluminum	ug/g	1280	1240
Aluminum	ug/g	1280	1370
Aluminum	ug/g	1280	1310
Aluminum	ug/g	1280	1350
Arsenic	ug/g	6.87	6.54
Arsenic	ug/g	6.87	7.26
Arsenic	ug/g	6.87	6.78
Arsenic	ug/g	6.87	7.50
Arsenic	ug/g	6.87	6.82
Arsenic	ug/g	6.87	7.44
Arsenic	ug/g	6.87	6.75
Arsenic	ug/g	6.87	6.80
Cadmium	ug/g	0.299	0.292
Cadmium	ug/g	0.299	0.296
Cadmium	ug/g	0.299	0.302
Cadmium	ug/g	0.299	0.336
Cadmium	ug/g	0.299	0.326
Cadmium	ug/g	0.299	0.322
Cadmium	ug/g	0.299	0.321
Cadmium	ug/g	0.299	0.308
Chromium	ug/g	1.57	1.57
Chromium	ug/g	1.57	1.54
Chromium	ug/g	1.57	1.52
Chromium	ug/g	1.57	1.61
Chromium	ug/g	1.57	1.60
Chromium	ug/g	1.57	1.56
Chromium	ug/g	1.57	1.54
Chromium	ug/g	1.57	1.63
Copper	ug/g	13.8	13.4

Aug 10, 2018

This report was generated for samples included in SRC Group # 2018-8314

QC Analysis	Units	Target Value	Obtained Value
Copper	ug/g	13.8	13.8
Copper	ug/g	13.8	14.3
Copper	ug/g	13.8	14.6
Copper	ug/g	13.8	14.5
Copper	ug/g	13.8	14.0
Copper	ug/g	13.8	14.2
Copper	ug/g	13.8	14.3
Iron	ug/g	312	307
Iron	ug/g	312	306
Iron	ug/g	312	303
Iron	ug/g	312	326
Iron	ug/g	312	317
Iron	ug/g	312	311
Iron	ug/g	312	300
Lead	ug/g	0.404	0.380
Lead	ug/g	0.404	0.394
Lead	ug/g	0.404	0.403
Lead	ug/g	0.404	0.414
Lead	ug/g	0.404	0.412
Lead	ug/g	0.404	0.419
Lead	ug/g	0.404	0.422
Lead	ug/g	0.404	0.411
Manganese	ug/g	2.70	2.31
Manganese	ug/g	2.70	2.35
Manganese	ug/g	2.70	2.52
Manganese	ug/g	2.70	2.10
Manganese	ug/g	2.70	2.08
Manganese	ug/g	2.70	2.82
Manganese	ug/g	2.70	3.11
Manganese	ug/g	2.70	2.10
Mercury	ug/g	0.364	0.374
Mercury	ug/g	0.364	0.338
Mercury	ug/g	0.364	0.367
Mercury	ug/g	0.364	0.350
Mercury	ug/g	0.364	0.406
Mercury	ug/g	0.364	0.379
Mercury	ug/g	0.364	0.373
Nickel	ug/g	1.20	1.15
Nickel	ug/g	1.20	1.17
Nickel	ug/g	1.20	1.14
Nickel	ug/g	1.20	1.17
Nickel	ug/g	1.20	1.21
Nickel	ug/g	1.20	1.19
Nickel	ug/g	1.20	1.19
Nickel	ug/g	1.20	1.18

This report was generated for samples included in SRC Group # 2018-8314

QC Analysis	Units	Target Value	Obtained Value
Selenium	ug/g	3.45	3.45
Selenium	ug/g	3.45	3.80
Selenium	ug/g	3.45	3.61
Selenium	ug/g	3.45	3.91
Selenium	ug/g	3.45	3.56
Selenium	ug/g	3.45	3.81
Selenium	ug/g	3.45	3.56
Selenium	ug/g	3.45	3.55
Silver	ug/g	0.0234	0.0196
Silver	ug/g	0.0234	0.0197
Silver	ug/g	0.0234	0.0206
Silver	ug/g	0.0234	0.0210
Silver	ug/g	0.0234	0.0204
Silver	ug/g	0.0234	0.0213
Silver	ug/g	0.0234	0.0218
Silver	ug/g	0.0234	0.0208
Zinc	ug/g	47.8	48.6
Zinc	ug/g	47.8	47.0
Zinc	ug/g	47.8	47.5
Zinc	ug/g	47.8	48.7
Zinc	ug/g	47.8	48.4
Zinc	ug/g	47.8	47.5
Zinc	ug/g	47.8	48.0

Duplicates:

Duplicates are used to assess problems with precision and help ensure that samples within a given batch were processed appropriately. The difference between duplicates must be within strict limits, otherwise corrective action is required. Please note, the duplicate(s) in this report are duplicates analyzed within a given batch of test samples and may not be from this specific group of samples.

Duplicate Analysis	Units	Sample ID	First Result	Second Result
Silver	ug/g	26982	<0.1	<0.1
Silver	ug/g	26984	<0.1	<0.1
Silver	ug/g	26988	<0.1	<0.1
Silver	ug/g	26992	<0.1	<0.1
Silver	ug/g	26996	0.01	0.01
Silver	ug/g	27018	<0.01	<0.01
Silver	ug/g	27041	0.01	0.01
Silver	ug/g	27045	0.01	0.01
Silver	ug/g	27083	<0.01	<0.01
Silver	ug/g	27092	<0.01	<0.01
Silver	ug/g	27095	<0.01	<0.01
Silver	ug/g	27101	0.02	0.02
Silver	ug/g	27108	<0.01	<0.01

Aug 10, 2018

This report was generated for samples included in SRC Group # 2018-8314

Duplicate Analysis	Units	Sample ID	First Result	Second Result
Silver	ug/g	27115	0.01	0.01
Aluminum	ug/g	26982	70	80
Aluminum	ug/g	26984	<20	<20
Aluminum	ug/g	26988	<20	<20
Aluminum	ug/g	26992	<20	<20
Aluminum	ug/g	26996	10	3
Aluminum	ug/g	27018	3	<2
Aluminum	ug/g	27041	2	<2
Aluminum	ug/g	27045	<2	<2
Aluminum	ug/g	27083	8	10
Aluminum	ug/g	27092	10	6
Aluminum	ug/g	27095	<2	<2
Aluminum	ug/g	27101	17	13
Aluminum	ug/g	27108	4	3
Aluminum	ug/g	27115	<2	<2
Arsenic	ug/g	26982	<0.5	<0.5
Arsenic	ug/g	26984	<0.5	<0.5
Arsenic	ug/g	26988	<0.5	<0.5
Arsenic	ug/g	26992	<0.5	<0.5
Arsenic	ug/g	26996	0.34	0.22
Arsenic	ug/g	27018	<0.05	<0.05
Arsenic	ug/g	27041	0.13	0.13
Arsenic	ug/g	27045	0.18	0.17
Arsenic	ug/g	27083	0.08	0.08
Arsenic	ug/g	27092	<0.05	<0.05
Arsenic	ug/g	27095	<0.05	<0.05
Arsenic	ug/g	27101	0.22	0.20
Arsenic	ug/g	27108	0.19	0.19
Arsenic	ug/g	27115	0.24	0.24
Boron	ug/g	26982	<10	<10
Boron	ug/g	26984	<10	<10
Boron	ug/g	26988	<10	<10
Boron	ug/g	26992	<10	<10
Boron	ug/g	26996	<1	<1
Boron	ug/g	27018	<1	<1
Boron	ug/g	27041	<1	<1
Boron	ug/g	27045	<1	<1
Boron	ug/g	27083	<1	<1
Boron	ug/g	27092	<1	<1
Boron	ug/g	27095	<1	<1
Boron	ug/g	27101	<1	<1
Boron	ug/g	27108	<1	<1
Boron	ug/g	27115	<1	<1
Barium	ug/g	26982	2.1	2.0
Barium	ug/g	26984	0.9	0.9
Barium	ug/g	26988	1.2	1.4

Aug 10, 2018

This report was generated for samples included in SRC Group # 2018-8314

Duplicate Analysis	Units	Sample ID	First Result	Second Result
Barium	ug/g	26992	1.0	1.1
Barium	ug/g	26996	0.53	0.35
Barium	ug/g	27018	0.26	0.25
Barium	ug/g	27041	0.91	0.89
Barium	ug/g	27045	1.4	1.4
Barium	ug/g	27083	0.07	0.08
Barium	ug/g	27092	0.17	0.10
Barium	ug/g	27095	0.14	0.16
Barium	ug/g	27101	1.0	0.94
Barium	ug/g	27108	0.60	0.77
Barium	ug/g	27115	0.40	0.43
Beryllium	ug/g	26982	<0.1	<0.1
Beryllium	ug/g	26984	<0.1	<0.1
Beryllium	ug/g	26988	<0.1	<0.1
Beryllium	ug/g	26992	<0.1	<0.1
Beryllium	ug/g	26996	<0.01	<0.01
Beryllium	ug/g	27018	<0.01	<0.01
Beryllium	ug/g	27041	<0.01	<0.01
Beryllium	ug/g	27045	<0.01	<0.01
Beryllium	ug/g	27083	<0.01	<0.01
Beryllium	ug/g	27092	<0.01	<0.01
Beryllium	ug/g	27095	<0.01	<0.01
Beryllium	ug/g	27101	<0.01	<0.01
Beryllium	ug/g	27108	<0.01	<0.01
Beryllium	ug/g	27115	<0.01	<0.01
Cadmium	ug/g	26982	<0.1	<0.1
Cadmium	ug/g	26984	<0.1	<0.1
Cadmium	ug/g	26988	<0.1	<0.1
Cadmium	ug/g	26992	<0.1	<0.1
Cadmium	ug/g	26996	<0.01	<0.01
Cadmium	ug/g	27018	<0.01	<0.01
Cadmium	ug/g	27041	0.04	0.02
Cadmium	ug/g	27045	0.01	<0.01
Cadmium	ug/g	27083	<0.01	<0.01
Cadmium	ug/g	27092	<0.01	<0.01
Cadmium	ug/g	27095	<0.01	<0.01
Cadmium	ug/g	27101	0.02	0.02
Cadmium	ug/g	27108	<0.01	<0.01
Cadmium	ug/g	27115	<0.01	<0.01
Cobalt	ug/g	26982	<0.1	0.1
Cobalt	ug/g	26984	<0.1	<0.1
Cobalt	ug/g	26988	<0.1	<0.1
Cobalt	ug/g	26992	<0.1	<0.1
Cobalt	ug/g	26996	0.04	0.04
Cobalt	ug/g	27018	0.04	0.04
Cobalt	ug/g	27041	0.06	0.06

Aug 10, 2018

This report was generated for samples included in SRC Group # 2018-8314

Duplicate Analysis	Units	Sample ID	First Result	Second Result
Cobalt	ug/g	27045	0.06	0.05
Cobalt	ug/g	27083	<0.01	0.02
Cobalt	ug/g	27092	0.02	0.02
Cobalt	ug/g	27095	0.04	0.04
Cobalt	ug/g	27101	0.08	0.07
Cobalt	ug/g	27108	0.02	0.02
Cobalt	ug/g	27115	0.05	0.04
Chromium	ug/g	26982	<5	<5
Chromium	ug/g	26984	<5	<5
Chromium	ug/g	26988	<5	<5
Chromium	ug/g	26992	<5	<5
Chromium	ug/g	26996	<0.5	<0.5
Chromium	ug/g	27018	<0.5	<0.5
Chromium	ug/g	27041	<0.5	<0.5
Chromium	ug/g	27045	<0.5	<0.5
Chromium	ug/g	27083	<0.5	<0.5
Chromium	ug/g	27092	<0.5	<0.5
Chromium	ug/g	27095	<0.5	<0.5
Chromium	ug/g	27101	<0.5	<0.5
Chromium	ug/g	27108	<0.5	<0.5
Chromium	ug/g	27115	<0.5	<0.5
Copper	ug/g	26982	2.5	2.9
Copper	ug/g	26984	2.6	3.2
Copper	ug/g	26988	3.1	3.3
Copper	ug/g	26992	3.0	3.0
Copper	ug/g	26996	3.0	3.2
Copper	ug/g	27018	2.1	2.1
Copper	ug/g	27041	4.1	3.9
Copper	ug/g	27045	3.8	3.7
Copper	ug/g	27083	1.1	1.0
Copper	ug/g	27092	1.2	1.1
Copper	ug/g	27095	2.1	2.1
Copper	ug/g	27101	3.8	3.8
Copper	ug/g	27108	1.8	2.0
Copper	ug/g	27115	3.2	3.3
Iron	ug/g	26982	120	130
Iron	ug/g	26984	40	60
Iron	ug/g	26988	60	80
Iron	ug/g	26992	60	60
Iron	ug/g	26996	59	49
Iron	ug/g	27018	34	31
Iron	ug/g	27041	100	98
Iron	ug/g	27045	54	47
Iron	ug/g	27083	19	20
Iron	ug/g	27092	23	19
Iron	ug/g	27095	29	29

Aug 10, 2018

This report was generated for samples included in SRC Group # 2018-8314

Duplicate Analysis	Units	Sample ID	First Result	Second Result
Iron	ug/g	27101	100	98
Iron	ug/g	27108	18	19
Iron	ug/g	27115	52	47
Mercury	ug/g	26982	0.05	<0.05
Mercury	ug/g	26984	<0.05	<0.05
Mercury	ug/g	26988	<0.05	<0.05
Mercury	ug/g	26992	<0.05	<0.05
Mercury	ug/g	26996	0.025	0.023
Mercury	ug/g	27018	0.018	0.016
Mercury	ug/g	27041	0.041	0.036
Mercury	ug/g	27045	0.024	0.022
Mercury	ug/g	27083	0.31	0.31
Mercury	ug/g	27092	0.24	0.24
Mercury	ug/g	27095	0.042	0.042
Mercury	ug/g	27101	0.044	0.040
Mercury	ug/g	27108	0.55	0.58
Mercury	ug/g	27115	0.022	0.022
Manganese	ug/g	26982	10	11
Manganese	ug/g	26984	5	6
Manganese	ug/g	26988	6	6
Manganese	ug/g	26992	5	6
Manganese	ug/g	26996	4.7	4.9
Manganese	ug/g	27018	2.1	2.1
Manganese	ug/g	27041	8.3	8.9
Manganese	ug/g	27045	4.4	4.5
Manganese	ug/g	27083	0.5	0.6
Manganese	ug/g	27092	0.8	0.6
Manganese	ug/g	27095	2.8	2.8
Manganese	ug/g	27101	6.6	6.4
Manganese	ug/g	27108	0.6	0.6
Manganese	ug/g	27115	6.3	6.0
Molybdenum	ug/g	26982	<1	<1
Molybdenum	ug/g	26984	<1	<1
Molybdenum	ug/g	26988	<1	<1
Molybdenum	ug/g	26992	<1	<1
Molybdenum	ug/g	26996	<0.1	<0.1
Molybdenum	ug/g	27018	<0.1	<0.1
Molybdenum	ug/g	27041	0.1	0.1
Molybdenum	ug/g	27045	<0.1	0.1
Molybdenum	ug/g	27083	<0.1	<0.1
Molybdenum	ug/g	27092	<0.1	<0.1
Molybdenum	ug/g	27095	<0.1	<0.1
Molybdenum	ug/g	27101	0.1	0.1
Molybdenum	ug/g	27108	<0.1	<0.1
Molybdenum	ug/g	27115	0.1	0.1
Moisture	%	27026	83.75	84.65

Aug 10, 2018

This report was generated for samples included in SRC Group # 2018-8314

Duplicate Analysis	Units	Sample ID	First Result	Second Result
Moisture	%	27041	66.13	66.03
Moisture	%	27046	78.57	77.00
Moisture	%	27075	78.01	77.92
Moisture	%	27092	75.87	75.45
Moisture	%	27095	83.37	83.49
Moisture	%	27102	79.38	78.63
Moisture	%	27111	65.36	66.60
Moisture	%	27128	75.67	74.63
Moisture	%	27145	83.79	92.46
Nickel	ug/g	26982	<0.5	<0.5
Nickel	ug/g	26984	<0.5	<0.5
Nickel	ug/g	26988	<0.5	<0.5
Nickel	ug/g	26992	<0.5	<0.5
Nickel	ug/g	26996	<0.05	<0.05
Nickel	ug/g	27018	<0.05	<0.05
Nickel	ug/g	27041	<0.05	<0.05
Nickel	ug/g	27045	<0.05	<0.05
Nickel	ug/g	27083	<0.05	<0.05
Nickel	ug/g	27092	<0.05	<0.05
Nickel	ug/g	27095	<0.05	<0.05
Nickel	ug/g	27101	<0.05	<0.05
Nickel	ug/g	27108	<0.05	<0.05
Nickel	ug/g	27115	<0.05	<0.05
Lead	ug/g	26982	<0.1	<0.1
Lead	ug/g	26984	<0.1	<0.1
Lead	ug/g	26988	<0.1	<0.1
Lead	ug/g	26992	<0.1	<0.1
Lead	ug/g	26996	0.02	<0.01
Lead	ug/g	27018	<0.01	<0.01
Lead	ug/g	27041	0.02	0.02
Lead	ug/g	27045	0.03	0.02
Lead	ug/g	27083	0.02	<0.01
Lead	ug/g	27092	<0.01	<0.01
Lead	ug/g	27095	<0.01	<0.01
Lead	ug/g	27101	0.04	0.03
Lead	ug/g	27108	0.03	0.06
Lead	ug/g	27115	0.02	0.01
Antimony	ug/g	26982	<1	<1
Antimony	ug/g	26984	<1	<1
Antimony	ug/g	26988	<1	<1
Antimony	ug/g	26992	<1	<1
Antimony	ug/g	26996	<0.1	<0.1
Antimony	ug/g	27018	<0.1	<0.1
Antimony	ug/g	27041	<0.1	<0.1
Antimony	ug/g	27045	<0.1	<0.1
Antimony	ug/g	27083	<0.1	<0.1

Aug 10, 2018

This report was generated for samples included in SRC Group # 2018-8314

Duplicate Analysis	Units	Sample ID	First Result	Second Result
Antimony	ug/g	27092	<0.1	<0.1
Antimony	ug/g	27095	<0.1	<0.1
Antimony	ug/g	27101	<0.1	<0.1
Antimony	ug/g	27108	<0.1	<0.1
Antimony	ug/g	27115	<0.1	<0.1
Selenium	ug/g	26982	16	16
Selenium	ug/g	26984	4.7	6.0
Selenium	ug/g	26988	9.9	10
Selenium	ug/g	26992	6.6	6.6
Selenium	ug/g	26996	6.5	6.7
Selenium	ug/g	27018	3.6	3.5
Selenium	ug/g	27041	8.7	8.4
Selenium	ug/g	27045	18	18
Selenium	ug/g	27083	2.0	1.9
Selenium	ug/g	27092	1.4	1.4
Selenium	ug/g	27095	2.4	2.4
Selenium	ug/g	27101	9.0	8.7
Selenium	ug/g	27108	1.7	1.8
Selenium	ug/g	27115	6.9	7.0
Tin	ug/g	26982	<0.5	<0.5
Tin	ug/g	26984	<0.5	<0.5
Tin	ug/g	26988	<0.5	<0.5
Tin	ug/g	26992	<0.5	<0.5
Tin	ug/g	26996	<0.05	<0.05
Tin	ug/g	27018	<0.05	<0.05
Tin	ug/g	27041	<0.05	<0.05
Tin	ug/g	27045	<0.05	<0.05
Tin	ug/g	27083	<0.05	<0.05
Tin	ug/g	27092	<0.05	<0.05
Tin	ug/g	27095	<0.05	<0.05
Tin	ug/g	27101	<0.05	<0.05
Tin	ug/g	27108	<0.05	<0.05
Tin	ug/g	27115	<0.05	<0.05
Strontium	ug/g	26982	<1	<1
Strontium	ug/g	26984	<1	<1
Strontium	ug/g	26988	<1	<1
Strontium	ug/g	26992	<1	<1
Strontium	ug/g	26996	0.3	0.2
Strontium	ug/g	27018	1.4	1.4
Strontium	ug/g	27041	0.4	0.3
Strontium	ug/g	27045	0.3	0.2
Strontium	ug/g	27083	0.3	0.3
Strontium	ug/g	27092	1.0	0.9
Strontium	ug/g	27095	1.8	1.6
Strontium	ug/g	27101	0.5	0.5
Strontium	ug/g	27108	0.6	0.7

Aug 10, 2018

This report was generated for samples included in SRC Group # 2018-8314

Duplicate Analysis	Units	Sample ID	First Result	Second Result	
Strontium	ug/g	27115	0.3	0.3	
Titanium	ug/g	26982	1.5	1.6	
Titanium	ug/g	26984	<0.5	<0.5	
Titanium	ug/g	26988	<0.5	0.5	
Titanium	ug/g	26992	<0.5	<0.5	
Titanium	ug/g	26996	0.31	0.08	
Titanium	ug/g	27018	0.07	<0.05	
Titanium	ug/g	27041	0.08	0.07	
Titanium	ug/g	27045	0.06	0.06	
Titanium	ug/g	27083	0.46	0.12	*(1)
Titanium	ug/g	27092	0.20	0.06	
Titanium	ug/g	27095	0.06	0.10	
Titanium	ug/g	27101	0.26	0.42	
Titanium	ug/g	27108	0.09	0.08	
Titanium	ug/g	27115	0.06	<0.05	
Thallium	ug/g	26982	<0.5	<0.5	
Thallium	ug/g	26984	<0.5	<0.5	
Thallium	ug/g	26988	<0.5	<0.5	
Thallium	ug/g	26992	<0.5	<0.5	
Thallium	ug/g	26996	<0.05	<0.05	
Thallium	ug/g	27018	<0.05	<0.05	
Thallium	ug/g	27041	<0.05	<0.05	
Thallium	ug/g	27045	<0.05	<0.05	
Thallium	ug/g	27083	0.08	0.08	
Thallium	ug/g	27092	<0.05	<0.05	
Thallium	ug/g	27095	<0.05	<0.05	
Thallium	ug/g	27101	<0.05	<0.05	
Thallium	ug/g	27108	<0.05	<0.05	
Thallium	ug/g	27115	<0.05	<0.05	
Uranium	ug/g	26982	<0.05	<0.05	
Uranium	ug/g	26984	<0.05	<0.05	
Uranium	ug/g	26988	<0.05	<0.05	
Uranium	ug/g	26992	<0.05	<0.05	
Uranium	ug/g	26996	<0.005	<0.005	
Uranium	ug/g	27018	<0.005	<0.005	
Uranium	ug/g	27041	0.005	0.005	
Uranium	ug/g	27045	<0.005	<0.005	
Uranium	ug/g	27083	<0.005	<0.005	
Uranium	ug/g	27092	<0.005	<0.005	
Uranium	ug/g	27095	<0.005	<0.005	
Uranium	ug/g	27101	<0.005	<0.005	
Uranium	ug/g	27108	<0.005	<0.005	
Uranium	ug/g	27115	<0.005	<0.005	
Vanadium	ug/g	26982	<1	<1	
Vanadium	ug/g	26984	<1	<1	
Vanadium	ug/g	26988	<1	<1	

Aug 10, 2018

This report was generated for samples included in SRC Group # 2018-8314

Duplicate Analysis	Units	Sample ID	First Result	Second Result
Vanadium	ug/g	26992	<1	<1
Vanadium	ug/g	26996	<0.1	<0.1
Vanadium	ug/g	27018	<0.1	<0.1
Vanadium	ug/g	27041	<0.1	<0.1
Vanadium	ug/g	27045	<0.1	<0.1
Vanadium	ug/g	27083	<0.1	<0.1
Vanadium	ug/g	27092	<0.1	<0.1
Vanadium	ug/g	27095	<0.1	<0.1
Vanadium	ug/g	27101	<0.1	<0.1
Vanadium	ug/g	27108	<0.1	<0.1
Vanadium	ug/g	27115	<0.1	<0.1
Zinc	ug/g	26982	120	120
Zinc	ug/g	26984	80	91
Zinc	ug/g	26988	110	110
Zinc	ug/g	26992	100	100
Zinc	ug/g	26996	99	96
Zinc	ug/g	27018	74	76
Zinc	ug/g	27041	110	110
Zinc	ug/g	27045	120	120
Zinc	ug/g	27083	16	16
Zinc	ug/g	27092	16	15
Zinc	ug/g	27095	79	82
Zinc	ug/g	27101	110	110
Zinc	ug/g	27108	33	40
Zinc	ug/g	27115	100	100

*(1) The duplicate results for Titanium were outside the laboratory's specified limits. The data was reviewed and all other quality control measures in the batch were within limits.

Overall, there were no other indications of problems with the analysis and the results were considered acceptable.

Roxane Ortmann - Quality Assurance Supervisor

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9
Attn: Justin Wilson

Date Samples Received: Jul-10-2018

Client P.O.: VPO00555477 Ref# 18-07

All results have been reviewed and approved by a Qualified Person in accordance with the Saskatchewan Environmental Code, Corrective Action Plan Chapter, for the purposes of certifying a laboratory analysis

Results from Lab Section 2 authorized by Keith Gipman, Supervisor
Results from Lab Section 6 authorized by Marion McConnell, Supervisor

-
- * Test methods and data are validated by the laboratory's Quality Assurance Program.
 - * Routine methods follow recognized procedures from sources such as
 - * Standard Methods for the Examination of Water and Wastewater APHA AWWA WEF
 - * Environment Canada
 - * US EPA
 - * CANMET
 - * The results reported relate only to the test samples as provided by the client.
 - * Samples will be kept for 30 days after the final report is sent. Please contact the lab if you have any special requirements.
 - * Additional information is available upon request.

This is a final report.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9
Attn: Justin Wilson

Sample #: **2018027156** Client PO #: **VPO00555477 Ref# 18-07**
Date Sampled: **Jun 05, 2018** Date Received: **Jul 10, 2018**
Sample Matrix: **TISSUE**
Description: **06/05/2018 RG_SC_NSC01M_20180605**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5	4	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.17	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	0.80	0.2	0.05
Iron	ug/g	13	5	2
Lead	ug/g	0.05	0.02	0.01
Manganese	ug/g	0.5	0.2	0.1
Mercury	ug/g	1.4	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.7	0.2	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.2	0.1	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.15	0.07	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	20	3	0.5

Lab Section 6

Moisture	%	77.93	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027157**
 Date Sampled: **Jun 05, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/05/2018 RG_SC_NSC01O_20180605**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	7	5	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.12	0.05	0.05
Barium	ug/g	0.18	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.01	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.06	0.01	0.01
Copper	ug/g	3.4	0.5	0.05
Iron	ug/g	110	20	2
Lead	ug/g	0.07	0.02	0.01
Manganese	ug/g	1.7	0.4	0.1
Mercury	ug/g	0.11	0.02	0.005
Molybdenum	ug/g	0.1	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	16	2	0.5
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.2	0.1	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.20	0.08	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	330	30	0.5

Lab Section 6

Moisture	%	76.39	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027158**
 Date Sampled: **Jun 05, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/05/2018 RG_SC_NSC02M_20180605**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.07	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	0.68	0.2	0.05
Iron	ug/g	7	4	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	0.2	0.1	0.1
Mercury	ug/g	1.4	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.3	0.2	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.1	0.1	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.05		0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	18	3	0.5

Lab Section 6

Moisture	%	77.47	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027159** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Jun 05, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/05/2018 RG_SC_NSC020_20180605**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2	2	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.08	0.05	0.05
Barium	ug/g	0.13	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.04	0.01	0.01
Copper	ug/g	3.9	0.6	0.05
Iron	ug/g	90	10	2
Lead	ug/g	0.05	0.02	0.01
Manganese	ug/g	1.5	0.4	0.1
Mercury	ug/g	0.17	0.02	0.005
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	5.4	0.5	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.3	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.06	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	130	10	0.5

Lab Section 6

Moisture	%	74.75	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027160**
 Date Sampled: **Jun 05, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/05/2018 RG_SC_NSC03M_20180605**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2	2	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.05	0.05	0.05
Barium	ug/g	0.17	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	0.82	0.2	0.05
Iron	ug/g	13	5	2
Lead	ug/g	0.03	0.02	0.01
Manganese	ug/g	0.6	0.2	0.1
Mercury	ug/g	1.2	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.4	0.4	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.4	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.19	0.08	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	32	5	0.5

Lab Section 6

Moisture	%	78.87	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027161**
 Date Sampled: **Jun 05, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/05/2018 RG_SC_NSC03O_20180605**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5	4	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.08	0.05	0.05
Barium	ug/g	0.25	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.01	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.05	0.01	0.01
Copper	ug/g	4.2	0.6	0.05
Iron	ug/g	120	20	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	5.3	0.8	0.1
Mercury	ug/g	0.076	0.02	0.005
Molybdenum	ug/g	0.2	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	9.2	2	0.5
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.1	0.3	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.08	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	210	20	0.5

Lab Section 6

Moisture	%	75.02	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027162**
 Date Sampled: **Jun 05, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/05/2018 RG_SC_NSC04M_20180605**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.20	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	0.75	0.2	0.05
Iron	ug/g	9	4	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	0.7	0.2	0.1
Mercury	ug/g	0.89	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.6	0.2	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.6	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.05		0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	25	4	0.5

Lab Section 6

Moisture	%	79.13	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027163** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Jun 05, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/05/2018 RG_SC_NSC040_20180605**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	7	5	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.17	0.05	0.05
Barium	ug/g	0.14	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.04	0.01	0.01
Copper	ug/g	2.9	0.4	0.05
Iron	ug/g	100	20	2
Lead	ug/g	0.03	0.02	0.01
Manganese	ug/g	6.0	0.9	0.1
Mercury	ug/g	0.053	0.01	0.005
Molybdenum	ug/g	0.1	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	5.4	0.5	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.3	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.16	0.07	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	190	20	0.5

Lab Section 6

Moisture	%	73.98	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027164** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Jun 05, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/05/2018 RG_SC_NSC05M_20180605**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.06	0.05	0.05
Barium	ug/g	0.55	0.1	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	0.72	0.2	0.05
Iron	ug/g	10	4	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	1.1	0.3	0.1
Mercury	ug/g	0.63	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.7	0.4	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.6	0.4	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.10	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	21	3	0.5

Lab Section 6

Moisture	%	78.10	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027165**
 Date Sampled: **Jun 05, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/05/2018 RG_SC_NSC050_20180605**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.18	0.05	0.05
Barium	ug/g	0.41	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.01	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.05	0.01	0.01
Copper	ug/g	3.8	0.6	0.05
Iron	ug/g	120	20	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	2.2	0.3	0.1
Mercury	ug/g	0.033	0.01	0.005
Molybdenum	ug/g	0.1	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	13	2	0.5
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.3	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.07	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	350	40	0.5

Lab Section 6

Moisture	%	74.63	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027166** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Jun 10, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/10/2018 RG_SC_NSC06M_20180610**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2	2	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.15	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	0.63	0.2	0.05
Iron	ug/g	8	4	2
Lead	ug/g	0.04	0.02	0.01
Manganese	ug/g	0.4	0.2	0.1
Mercury	ug/g	1.6	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.0	0.3	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.2	0.1	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.11	0.06	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	20	3	0.5

Lab Section 6

Moisture	%	78.76	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027167**
Date Sampled: **Jun 10, 2018**
Sample Matrix: **TISSUE**
Description: **06/10/2018 RG_SC_NSC06O_20180610**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.09	0.05	0.05
Barium	ug/g	0.38	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.06	0.01	0.01
Copper	ug/g	3.5	0.5	0.05
Iron	ug/g	190	30	2
Lead	ug/g	0.14	0.04	0.01
Manganese	ug/g	1.4	0.4	0.1
Mercury	ug/g	0.12	0.02	0.005
Molybdenum	ug/g	0.1	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	27	4	0.5
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.6	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	0.06	0.05	0.05
Titanium	ug/g	0.08	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	320	30	0.5

Lab Section 6

Moisture	%	77.89	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027168**
Date Sampled: **Jun 10, 2018**
Sample Matrix: **TISSUE**
Description: **06/10/2018 RG_SC_NSC07M_20180610**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.06	0.05	0.05
Barium	ug/g	0.06	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	0.64	0.2	0.05
Iron	ug/g	8	4	2
Lead	ug/g	0.03	0.02	0.01
Manganese	ug/g	0.2	0.1	0.1
Mercury	ug/g	2.1	0.3	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.6	0.2	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	<0.1		0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.05		0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	16	2	0.5

Lab Section 6

Moisture	%	77.19	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027169**
 Date Sampled: **Jun 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/10/2018 RG_SC_NSC07O_20180610**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	0.14	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.03	0.01	0.01
Copper	ug/g	2.5	0.4	0.05
Iron	ug/g	68	10	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	1.1	0.3	0.1
Mercury	ug/g	0.12	0.02	0.005
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	5.8	0.6	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.2	0.1	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.05		0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	130	10	0.5

Lab Section 6

Moisture	%	70.90	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027170**
 Date Sampled: **Jun 06, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/06/2018 RG_ER_NSC01M_20180606**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.07	0.05	0.05
Barium	ug/g	0.14	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	0.58	0.1	0.05
Iron	ug/g	8	4	2
Lead	ug/g	0.04	0.02	0.01
Manganese	ug/g	0.5	0.2	0.1
Mercury	ug/g	1.2	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	4.0	0.6	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.3	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.05		0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	18	3	0.5

Lab Section 6

Moisture	%	78.85	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027171**
Date Sampled: **Jun 06, 2018**
Sample Matrix: **TISSUE**
Description: **06/06/2018 RG_ER_NSC01O_20180606**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2	2	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.13	0.05	0.05
Barium	ug/g	0.36	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.04	0.01	0.01
Copper	ug/g	2.7	0.4	0.05
Iron	ug/g	140	20	2
Lead	ug/g	0.19	0.05	0.01
Manganese	ug/g	1.7	0.4	0.1
Mercury	ug/g	0.065	0.02	0.005
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	16	2	0.5
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.2	0.1	0.1
Thallium	ug/g	0.06	0.06	0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.06	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	310	30	0.5

Lab Section 6

Moisture	%	73.74	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027172**
 Date Sampled: **Jun 06, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/06/2018 RG_ER_NSC02M_20180606**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.06	0.05	0.05
Barium	ug/g	0.32	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	0.69	0.2	0.05
Iron	ug/g	13	5	2
Lead	ug/g	0.05	0.02	0.01
Manganese	ug/g	0.7	0.2	0.1
Mercury	ug/g	1.2	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	3.1	0.5	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.0	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.07	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	20	3	0.5

Lab Section 6

Moisture	%	79.56	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027173**
 Date Sampled: **Jun 06, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/06/2018 RG_ER_NSC02O_20180606**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.2		0.2
Arsenic	ug/g	0.2	0.1	0.1
Barium	ug/g	0.4	0.2	0.1
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	0.02	0.02	0.02
Chromium	ug/g	<1		1
Cobalt	ug/g	0.02	0.02	0.02
Copper	ug/g	4.2	0.6	0.1
Iron	ug/g	130	20	5
Lead	ug/g	0.11	0.04	0.02
Manganese	ug/g	0.8	0.4	0.2
Mercury	ug/g	0.07	0.02	0.01
Molybdenum	ug/g	<0.2		0.2
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	19	5	1
Silver	ug/g	<0.02		0.02
Strontium	ug/g	<0.2		0.2
Thallium	ug/g	<0.1		0.1
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.1		0.1
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	520	50	1

Lab Section 6

Moisture	%	74.22	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027174**
 Date Sampled: **Jun 07, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/07/2018 RG_ER_NSC03M_20180607**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.09	0.05	0.05
Barium	ug/g	0.46	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	0.56	0.1	0.05
Iron	ug/g	10	4	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	0.8	0.3	0.1
Mercury	ug/g	1.1	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.5	0.4	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.1	0.3	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.06	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	20	3	0.5

Lab Section 6

Moisture	%	79.31	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027175**
 Date Sampled: **Jun 07, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/07/2018 RG_ER_NSC03O_20180607**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<20		20
Antimony	ug/g	<1		1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	1.8	0.9	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	<0.1		0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	<0.1		0.1
Copper	ug/g	5.2	1	0.5
Iron	ug/g	190	60	20
Lead	ug/g	0.3	0.2	0.1
Manganese	ug/g	2	1	1
Mercury	ug/g	0.08	0.06	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	17	2	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	<1		1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.05		0.05
Vanadium	ug/g	<1		1
Zinc	ug/g	670	70	5

Lab Section 6

Moisture	%	79.67	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027176**
 Date Sampled: **Jun 07, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/07/2018 RG_ER_NSC04M_20180607**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.05	0.05	0.05
Barium	ug/g	0.18	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	0.62	0.2	0.05
Iron	ug/g	7	4	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	0.4	0.2	0.1
Mercury	ug/g	1.6	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	4.8	0.7	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.2	0.1	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.05	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	18	3	0.5

Lab Section 6

Moisture	%	77.85	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027177** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Jun 07, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/07/2018 RG_ER_NSC04O_20180607**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.12	0.05	0.05
Barium	ug/g	0.11	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.04	0.01	0.01
Copper	ug/g	2.8	0.4	0.05
Iron	ug/g	67	10	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	1.3	0.3	0.1
Mercury	ug/g	0.11	0.02	0.005
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	24	4	0.5
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.2	0.1	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.05		0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	130	10	0.5

Lab Section 6

Moisture	%	67.68	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027178**
 Date Sampled: **Jun 07, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/07/2018 RG_ER_NSC05M_20180607**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.07	0.05	0.05
Barium	ug/g	1.9	0.3	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	0.72	0.2	0.05
Iron	ug/g	9	4	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	0.5	0.2	0.1
Mercury	ug/g	0.91	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	0.11	0.05	0.05
Selenium	ug/g	2.5	0.4	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.2	0.1	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.06	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	21	3	0.5

Lab Section 6

Moisture	%	80.22	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027179**
 Date Sampled: **Jun 07, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/07/2018 RG_ER_NSC05O_20180607**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.06	0.05	0.05
Barium	ug/g	1.4	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.07	0.01	0.01
Copper	ug/g	4.3	0.6	0.05
Iron	ug/g	280	30	2
Lead	ug/g	0.08	0.03	0.01
Manganese	ug/g	1.6	0.4	0.1
Mercury	ug/g	0.18	0.03	0.005
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	0.05	0.05	0.05
Selenium	ug/g	26	4	0.5
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.9	0.3	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.14	0.06	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	640	60	5

Lab Section 6

Moisture	%	82.36	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027180**
Date Sampled: **Jun 07, 2018**
Sample Matrix: **TISSUE**
Description: **06/07/2018 RG_ER_NSC06M_20180607**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.10	0.05	0.05
Barium	ug/g	0.71	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	0.76	0.2	0.05
Iron	ug/g	8	4	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	0.9	0.3	0.1
Mercury	ug/g	0.73	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	4.4	0.7	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.8	0.3	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.05		0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	26	4	0.5

Lab Section 6

Moisture	%	78.93	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027181**
 Date Sampled: **Jun 07, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/07/2018 RG_ER_NSC06O_20180607**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.2		0.2
Arsenic	ug/g	0.2	0.1	0.1
Barium	ug/g	9.3	1	0.1
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<1		1
Cobalt	ug/g	0.03	0.02	0.02
Copper	ug/g	3.4	0.5	0.1
Iron	ug/g	84	20	5
Lead	ug/g	0.04	0.03	0.02
Manganese	ug/g	1.0	0.4	0.2
Mercury	ug/g	0.04	0.02	0.01
Molybdenum	ug/g	<0.2		0.2
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	26	4	1
Silver	ug/g	<0.02		0.02
Strontium	ug/g	<0.2		0.2
Thallium	ug/g	<0.1		0.1
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.1		0.1
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	500	50	1

Lab Section 6

Moisture	%	71.15	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027182**
Date Sampled: **Jun 07, 2018**
Sample Matrix: **TISSUE**
Description: **06/07/2018 RG_GC_NSC01M_20180607**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.07	0.05	0.05
Barium	ug/g	0.65	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	0.65	0.2	0.05
Iron	ug/g	8	4	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	0.6	0.2	0.1
Mercury	ug/g	1.2	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.9	0.4	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.3	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.05		0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	22	3	0.5

Lab Section 6

Moisture	%	78.92	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027183**
Date Sampled: **Jun 07, 2018**
Sample Matrix: **TISSUE**
Description: **06/07/2018 RG_GC_NSC01O_20180607**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.10	0.05	0.05
Barium	ug/g	0.87	0.2	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.05	0.01	0.01
Copper	ug/g	3.1	0.5	0.05
Iron	ug/g	130	20	2
Lead	ug/g	0.04	0.02	0.01
Manganese	ug/g	2.0	0.3	0.1
Mercury	ug/g	0.10	0.02	0.005
Molybdenum	ug/g	0.1	0.1	0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	13	2	0.5
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.1	0.1	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.05		0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	230	20	0.5

Lab Section 6

Moisture	%	75.18	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027184**
 Date Sampled: **Jun 07, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/07/2018 RG_GC_NSC02M_20180607**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.11	0.05	0.05
Barium	ug/g	0.44	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	0.73	0.2	0.05
Iron	ug/g	8	4	2
Lead	ug/g	0.04	0.02	0.01
Manganese	ug/g	0.5	0.2	0.1
Mercury	ug/g	0.96	0.2	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.7	0.4	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.5	0.2	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.06	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	24	4	0.5

Lab Section 6

Moisture	%	78.85	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027185**
 Date Sampled: **Jun 07, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/07/2018 RG_GC_NSC02O_20180607**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.2		0.2
Arsenic	ug/g	0.2	0.1	0.1
Barium	ug/g	0.8	0.3	0.1
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<1		1
Cobalt	ug/g	0.03	0.02	0.02
Copper	ug/g	3.4	0.5	0.1
Iron	ug/g	150	20	5
Lead	ug/g	0.06	0.03	0.02
Manganese	ug/g	1.1	0.4	0.2
Mercury	ug/g	0.12	0.03	0.01
Molybdenum	ug/g	<0.2		0.2
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	19	5	1
Silver	ug/g	<0.02		0.02
Strontium	ug/g	<0.2		0.2
Thallium	ug/g	<0.1		0.1
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.1		0.1
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	470	50	1

Lab Section 6

Moisture	%	76.94	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027186** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Jun 07, 2018** Date Received: **Jul 10, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/07/2018 RG_GC_NSC03M_20180607**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.07	0.05	0.05
Barium	ug/g	2.1	0.3	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	0.79	0.2	0.05
Iron	ug/g	8	4	2
Lead	ug/g	0.06	0.02	0.01
Manganese	ug/g	0.3	0.2	0.1
Mercury	ug/g	2.0	0.3	0.05
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.7	0.2	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.2	0.1	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.06	0.05	0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	18	3	0.5

Lab Section 6

Moisture	%	76.66	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027187**
 Date Sampled: **Jun 07, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/07/2018 RG_GC_NSC03O_20180607**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	0.07	0.05	0.05
Barium	ug/g	0.25	0.05	0.05
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	0.03	0.01	0.01
Copper	ug/g	2.8	0.4	0.05
Iron	ug/g	31	8	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	1.9	0.5	0.1
Mercury	ug/g	0.078	0.02	0.005
Molybdenum	ug/g	<0.1		0.1
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	3.6	0.5	0.05
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.2	0.1	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.05		0.05
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	88	9	0.5

Lab Section 6

Moisture	%	63.78	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027188**
Date Sampled: **Jun 07, 2018**
Sample Matrix: **TISSUE**
Description: **06/07/2018 RG_ER_WCT01M_20180607**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	14	5	5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	8.6	2	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	77.98	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027189**
 Date Sampled: **Jun 11, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/11/2018 RG_TN_1_20180611**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6200	900	200
Antimony	ug/g	2	1	1
Arsenic	ug/g	7.0	2	0.5
Barium	ug/g	92	9	0.5
Beryllium	ug/g	0.2	0.1	0.1
Boron	ug/g	<10		10
Cadmium	ug/g	1.8	0.4	0.1
Chromium	ug/g	6	6	5
Cobalt	ug/g	2.2	0.3	0.1
Copper	ug/g	11	2	0.5
Iron	ug/g	4600	700	200
Lead	ug/g	6.7	1	0.1
Manganese	ug/g	130	10	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	5.0	1	0.5
Selenium	ug/g	2.0	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	150	20	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	1.1	0.7	0.5
Titanium	ug/g	64	6	0.5
Uranium	ug/g	0.61	0.2	0.05
Vanadium	ug/g	6	2	1
Zinc	ug/g	120	20	5

Lab Section 6

Moisture	%	99.78	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027190**
 Date Sampled: **Jun 11, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/11/2018 RG_TN_2_20180611**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4700	500	20
Antimony	ug/g	<1		1
Arsenic	ug/g	4.0	1	0.5
Barium	ug/g	86	9	0.5
Beryllium	ug/g	0.2	0.1	0.1
Boron	ug/g	<10		10
Cadmium	ug/g	1.3	0.3	0.1
Chromium	ug/g	5	5	5
Cobalt	ug/g	2.1	0.3	0.1
Copper	ug/g	11	2	0.5
Iron	ug/g	4400	400	20
Lead	ug/g	9.0	1	0.1
Manganese	ug/g	120	10	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	20	3	0.5
Selenium	ug/g	1.5	0.8	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	160	20	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	60	6	0.5
Uranium	ug/g	0.97	0.2	0.05
Vanadium	ug/g	6	2	1
Zinc	ug/g	110	20	5

Lab Section 6

Moisture	%	99.90	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027191**
 Date Sampled: **Jun 11, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/11/2018 RG_TN_3_20180611**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6000	600	50
Antimony	ug/g	<0.2		0.2
Arsenic	ug/g	5.3	0.8	0.1
Barium	ug/g	90	9	0.1
Beryllium	ug/g	0.25	0.06	0.02
Boron	ug/g	5	3	2
Cadmium	ug/g	1.6	0.2	0.02
Chromium	ug/g	6	2	1
Cobalt	ug/g	2.3	0.2	0.02
Copper	ug/g	13	1	0.1
Iron	ug/g	4600	700	50
Lead	ug/g	7.1	0.7	0.02
Manganese	ug/g	140	10	0.2
Mercury	ug/g	0.05	0.02	0.01
Molybdenum	ug/g	0.5	0.3	0.2
Nickel	ug/g	17	2	0.1
Selenium	ug/g	2.3	0.3	0.1
Silver	ug/g	0.04	0.03	0.02
Strontium	ug/g	160	20	0.2
Thallium	ug/g	0.1	0.1	0.1
Tin	ug/g	1.3	0.3	0.1
Titanium	ug/g	59	6	0.1
Uranium	ug/g	0.48	0.07	0.01
Vanadium	ug/g	6.1	0.9	0.2
Zinc	ug/g	120	10	1

Lab Section 6

Moisture	%	99.73	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027192**
Date Sampled: **Jun 11, 2018**
Sample Matrix: **TISSUE**
Description: **06/11/2018 RG_TN_4_20180611**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6200	600	50
Antimony	ug/g	<0.2		0.2
Arsenic	ug/g	4.7	0.7	0.1
Barium	ug/g	90	9	0.1
Beryllium	ug/g	0.26	0.06	0.02
Boron	ug/g	6	3	2
Cadmium	ug/g	1.3	0.2	0.02
Chromium	ug/g	6	2	1
Cobalt	ug/g	2.2	0.2	0.02
Copper	ug/g	12	1	0.1
Iron	ug/g	4600	700	50
Lead	ug/g	7.7	0.8	0.02
Manganese	ug/g	140	10	0.2
Mercury	ug/g	0.04	0.02	0.01
Molybdenum	ug/g	0.5	0.3	0.2
Nickel	ug/g	4.8	0.7	0.1
Selenium	ug/g	2.0	0.3	0.1
Silver	ug/g	0.03	0.02	0.02
Strontium	ug/g	160	20	0.2
Thallium	ug/g	0.1	0.1	0.1
Tin	ug/g	0.3	0.2	0.1
Titanium	ug/g	59	6	0.1
Uranium	ug/g	0.55	0.08	0.01
Vanadium	ug/g	6.1	0.9	0.2
Zinc	ug/g	110	10	1

Lab Section 6

Moisture	%	99.79	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027193**
 Date Sampled: **Jun 11, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/11/2018 RG_TN_5_20180611**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3900	1000	200
Antimony	ug/g	<1		1
Arsenic	ug/g	4.3	1	0.5
Barium	ug/g	68	7	0.5
Beryllium	ug/g	0.2	0.1	0.1
Boron	ug/g	<10		10
Cadmium	ug/g	1.3	0.3	0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	2.0	0.3	0.1
Copper	ug/g	12	2	0.5
Iron	ug/g	3900	1000	200
Lead	ug/g	6.2	0.9	0.1
Manganese	ug/g	130	10	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	4.2	1	0.5
Selenium	ug/g	1.7	0.9	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	140	10	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	47	7	0.5
Uranium	ug/g	0.62	0.2	0.05
Vanadium	ug/g	4	2	1
Zinc	ug/g	100	20	5

Lab Section 6

Moisture	%	99.83	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027194**
 Date Sampled: **Jun 09, 2018**
 Sample Matrix: **TISSUE**
 Description: **06/09/2018 RG_T4_2_20180609**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	1500	200	20
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	5.0	0.5	0.05
Barium	ug/g	27	3	0.05
Beryllium	ug/g	0.08	0.02	0.01
Boron	ug/g	2	1	1
Cadmium	ug/g	0.95	0.1	0.01
Chromium	ug/g	1.3	0.8	0.5
Cobalt	ug/g	1.2	0.1	0.01
Copper	ug/g	8.9	0.9	0.05
Iron	ug/g	750	100	20
Lead	ug/g	2.0	0.2	0.01
Manganese	ug/g	106	10	0.1
Mercury	ug/g	0.037	0.01	0.005
Molybdenum	ug/g	0.3	0.2	0.1
Nickel	ug/g	3.0	0.4	0.05
Selenium	ug/g	2.2	0.3	0.05
Silver	ug/g	0.03	0.02	0.01
Strontium	ug/g	32	3	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	0.37	0.06	0.05
Titanium	ug/g	14	1	0.05
Uranium	ug/g	0.090	0.02	0.005
Vanadium	ug/g	1.7	0.4	0.1
Zinc	ug/g	78	8	0.5

Lab Section 6

Moisture	%	97.90	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027195**
Date Sampled: **Jun 08, 2018**
Sample Matrix: **TISSUE**
Description: **06/08/2018 RG_T4_3_20180608**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	1200	200	20
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	6.0	0.6	0.05
Barium	ug/g	26	3	0.05
Beryllium	ug/g	0.06	0.01	0.01
Boron	ug/g	2	1	1
Cadmium	ug/g	0.94	0.1	0.01
Chromium	ug/g	1.4	0.8	0.5
Cobalt	ug/g	1.2	0.1	0.01
Copper	ug/g	9.5	1	0.05
Iron	ug/g	700	100	20
Lead	ug/g	6.6	0.7	0.01
Manganese	ug/g	104	10	0.1
Mercury	ug/g	0.039	0.01	0.005
Molybdenum	ug/g	0.4	0.2	0.1
Nickel	ug/g	2.0	0.3	0.05
Selenium	ug/g	2.7	0.4	0.05
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	33	3	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	0.76	0.2	0.05
Titanium	ug/g	12	1	0.05
Uranium	ug/g	0.11	0.02	0.005
Vanadium	ug/g	1.4	0.4	0.1
Zinc	ug/g	100	10	0.5

Lab Section 6

Moisture	%	97.73	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

This sample was reanalyzed for Lead. Reanalysis confirms original results are within the expected measurement uncertainty.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027196**
Date Sampled: **Jun 09, 2018**
Sample Matrix: **TISSUE**
Description: **06/09/2018 RG_T4_4_20180609**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	1200	200	20
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	6.0	0.6	0.05
Barium	ug/g	25	2	0.05
Beryllium	ug/g	0.08	0.02	0.01
Boron	ug/g	1	1	1
Cadmium	ug/g	0.97	0.1	0.01
Chromium	ug/g	1.0	0.7	0.5
Cobalt	ug/g	1.1	0.1	0.01
Copper	ug/g	9.0	0.9	0.05
Iron	ug/g	640	100	20
Lead	ug/g	1.7	0.2	0.01
Manganese	ug/g	107	10	0.1
Mercury	ug/g	0.037	0.01	0.005
Molybdenum	ug/g	0.3	0.2	0.1
Nickel	ug/g	1.6	0.2	0.05
Selenium	ug/g	2.5	0.4	0.05
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	28	3	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	0.21	0.05	0.05
Titanium	ug/g	10	1	0.05
Uranium	ug/g	0.094	0.02	0.005
Vanadium	ug/g	1.4	0.4	0.1
Zinc	ug/g	86	9	0.5

Lab Section 6

Moisture	%	97.83	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027197**
Date Sampled: **Jun 09, 2018**
Sample Matrix: **TISSUE**
Description: **06/09/2018 RG_T4_5_20180609**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	1300	200	20
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	6.0	0.6	0.05
Barium	ug/g	28	3	0.05
Beryllium	ug/g	0.08	0.02	0.01
Boron	ug/g	2	1	1
Cadmium	ug/g	0.96	0.1	0.01
Chromium	ug/g	1.0	0.7	0.5
Cobalt	ug/g	1.3	0.1	0.01
Copper	ug/g	8.5	0.8	0.05
Iron	ug/g	780	100	20
Lead	ug/g	1.6	0.2	0.01
Manganese	ug/g	114	10	0.1
Mercury	ug/g	0.039	0.01	0.005
Molybdenum	ug/g	0.3	0.2	0.1
Nickel	ug/g	2.0	0.3	0.05
Selenium	ug/g	2.7	0.4	0.05
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	34	3	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	0.11	0.05	0.05
Titanium	ug/g	12	1	0.05
Uranium	ug/g	0.092	0.02	0.005
Vanadium	ug/g	1.5	0.4	0.1
Zinc	ug/g	85	8	0.5

Lab Section 6

Moisture	%	97.78	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

SRC Group # 2018-8318

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018027198**
Date Sampled: **Jun 09, 2018**
Sample Matrix: **TISSUE**
Description: **06/09/2018 RG_T4_6_20180609**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Jul 10, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	1300	200	20
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	5.1	0.5	0.05
Barium	ug/g	26	3	0.05
Beryllium	ug/g	0.07	0.01	0.01
Boron	ug/g	1	1	1
Cadmium	ug/g	0.74	0.1	0.01
Chromium	ug/g	1.1	0.7	0.5
Cobalt	ug/g	1.1	0.1	0.01
Copper	ug/g	6.8	0.7	0.05
Iron	ug/g	840	100	20
Lead	ug/g	1.3	0.1	0.01
Manganese	ug/g	90	9	0.1
Mercury	ug/g	0.035	0.01	0.005
Molybdenum	ug/g	0.3	0.2	0.1
Nickel	ug/g	1.8	0.3	0.05
Selenium	ug/g	2.4	0.4	0.05
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	37	4	0.1
Thallium	ug/g	<0.05		0.05
Tin	ug/g	0.10	0.05	0.05
Titanium	ug/g	12	1	0.05
Uranium	ug/g	0.082	0.02	0.005
Vanadium	ug/g	1.5	0.4	0.1
Zinc	ug/g	70	7	0.5

Lab Section 6

Moisture	%	97.53	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

This report was generated for samples included in SRC Group # 2018-8318

Quality Control Report

Justin Wilson
 Minnow Environmental Inc.
 2 Lamb Street
 Georgetown, ON L7G 3M9

Reference Materials and Standards:

A reference material of known concentration is used whenever possible as either a control sample or control standard and analyzed with each batch of samples. These "QC" results are used to assess the performance of the method and must be within clearly defined limits; otherwise corrective action is required.

QC Analysis	Units	Target Value	Obtained Value
Aluminum	ug/g	1280	1370
Aluminum	ug/g	1280	1380
Aluminum	ug/g	1280	1370
Aluminum	ug/g	1280	1360
Arsenic	ug/g	6.87	6.68
Arsenic	ug/g	6.87	7.09
Arsenic	ug/g	6.87	8.12
Cadmium	ug/g	0.299	0.315
Cadmium	ug/g	0.299	0.306
Cadmium	ug/g	0.299	0.318
Chromium	ug/g	1.57	1.58
Chromium	ug/g	1.57	1.72
Chromium	ug/g	1.57	1.58
Copper	ug/g	13.8	14.4
Copper	ug/g	13.8	14.0
Copper	ug/g	13.8	14.4
Iron	ug/g	312	308
Iron	ug/g	312	321
Iron	ug/g	312	306
Iron	ug/g	312	317
Lead	ug/g	0.404	0.404
Lead	ug/g	0.404	0.399
Lead	ug/g	0.404	0.400
Manganese	ug/g	2.70	2.64
Manganese	ug/g	2.70	2.80
Manganese	ug/g	2.70	2.89
Mercury	ug/g	0.364	0.390
Mercury	ug/g	0.364	0.326
Mercury	ug/g	0.364	0.322
Nickel	ug/g	1.20	1.18
Nickel	ug/g	1.20	1.21
Nickel	ug/g	1.20	1.16

Aug 16, 2018

This report was generated for samples included in SRC Group # 2018-8318

QC Analysis	Units	Target Value	Obtained Value
Selenium	ug/g	3.45	3.47
Selenium	ug/g	3.45	3.58
Selenium	ug/g	3.45	4.17
Silver	ug/g	0.0234	0.0209
Silver	ug/g	0.0234	0.0201
Silver	ug/g	0.0234	0.0214
Zinc	ug/g	47.8	48.5
Zinc	ug/g	47.8	47.0
Zinc	ug/g	47.8	47.7

Duplicates:

Duplicates are used to assess problems with precision and help ensure that samples within a given batch were processed appropriately. The difference between duplicates must be within strict limits, otherwise corrective action is required. Please note, the duplicate(s) in this report are duplicates analyzed within a given batch of test samples and may not be from this specific group of samples.

Duplicate Analysis	Units	Sample ID	First Result	Second Result
Silver	ug/g	27161	<0.01	<0.01
Silver	ug/g	27168	<0.01	<0.01
Silver	ug/g	27182	<0.01	<0.01
Silver	ug/g	27194	0.03	0.02
Silver	ug/g	27198	0.02	0.02
Aluminum	ug/g	27161	5	6
Aluminum	ug/g	27168	<2	<2
Aluminum	ug/g	27182	<2	<2
Aluminum	ug/g	27194	1300	1100
Aluminum	ug/g	27194	1500	1200
Aluminum	ug/g	27198	1300	1200
Arsenic	ug/g	27161	0.08	0.07
Arsenic	ug/g	27168	0.06	0.08
Arsenic	ug/g	27182	0.07	0.08
Arsenic	ug/g	27194	5.0	5.5
Arsenic	ug/g	27198	5.1	4.9
Boron	ug/g	27161	<1	<1
Boron	ug/g	27168	<1	<1
Boron	ug/g	27182	<1	<1
Boron	ug/g	27194	2	1
Boron	ug/g	27198	1	1
Barium	ug/g	27161	0.25	0.23
Barium	ug/g	27168	0.06	0.17
Barium	ug/g	27182	0.65	0.58
Barium	ug/g	27194	27	25
Barium	ug/g	27198	26	25
Beryllium	ug/g	27161	<0.01	<0.01
Beryllium	ug/g	27168	<0.01	<0.01

Aug 16, 2018

This report was generated for samples included in SRC Group # 2018-8318

Duplicate Analysis	Units	Sample ID	First Result	Second Result
Beryllium	ug/g	27182	<0.01	<0.01
Beryllium	ug/g	27194	0.08	0.07
Beryllium	ug/g	27198	0.07	0.06
Cadmium	ug/g	27161	0.01	0.01
Cadmium	ug/g	27168	<0.01	<0.01
Cadmium	ug/g	27182	<0.01	<0.01
Cadmium	ug/g	27194	0.95	0.88
Cadmium	ug/g	27198	0.74	0.73
Cobalt	ug/g	27161	0.05	0.05
Cobalt	ug/g	27168	<0.01	<0.01
Cobalt	ug/g	27182	<0.01	<0.01
Cobalt	ug/g	27194	1.2	1.3
Cobalt	ug/g	27198	1.1	1.1
Chromium	ug/g	27161	<0.5	<0.5
Chromium	ug/g	27168	<0.5	<0.5
Chromium	ug/g	27182	<0.5	<0.5
Chromium	ug/g	27194	1.3	1.1
Chromium	ug/g	27198	1.1	1.0
Copper	ug/g	27161	4.2	4.0
Copper	ug/g	27168	0.64	0.64
Copper	ug/g	27182	0.65	0.66
Copper	ug/g	27194	8.9	8.5
Copper	ug/g	27198	6.8	6.7
Iron	ug/g	27161	120	120
Iron	ug/g	27168	8	7
Iron	ug/g	27182	8	7
Iron	ug/g	27194	730	700
Iron	ug/g	27194	750	700
Iron	ug/g	27198	840	780
Mercury	ug/g	27161	0.076	0.079
Mercury	ug/g	27168	2.1	2.1
Mercury	ug/g	27182	1.2	1.2
Mercury	ug/g	27182	1.3	1.3
Mercury	ug/g	27194	0.037	0.036
Mercury	ug/g	27198	0.035	0.034
Manganese	ug/g	27161	5.3	4.9
Manganese	ug/g	27168	0.2	0.3
Manganese	ug/g	27182	0.6	0.5
Manganese	ug/g	27194	106	103
Manganese	ug/g	27198	90	86
Molybdenum	ug/g	27161	0.2	0.2
Molybdenum	ug/g	27168	<0.1	<0.1
Molybdenum	ug/g	27182	<0.1	<0.1
Molybdenum	ug/g	27194	0.3	0.3
Molybdenum	ug/g	27198	0.3	0.3
Moisture	%	27156	77.93	78.70

Aug 16, 2018

This report was generated for samples included in SRC Group # 2018-8318

Duplicate Analysis	Units	Sample ID	First Result	Second Result	
Moisture	%	27166	78.76	78.52	
Moisture	%	27176	77.85	78.46	
Moisture	%	27186	76.66	77.25	
Nickel	ug/g	27161	<0.05	<0.05	
Nickel	ug/g	27168	<0.05	<0.05	
Nickel	ug/g	27182	<0.05	<0.05	
Nickel	ug/g	27194	3.0	4.7	*(1)
Nickel	ug/g	27198	3.3	1.6	*(2)
Nickel	ug/g	27198	1.8	3.1	*(3)
Lead	ug/g	27161	0.02	0.05	
Lead	ug/g	27168	0.03	0.02	
Lead	ug/g	27182	<0.01	0.02	
Lead	ug/g	27194	2.0	1.8	
Lead	ug/g	27198	1.3	1.3	
Antimony	ug/g	27161	<0.1	<0.1	
Antimony	ug/g	27168	<0.1	<0.1	
Antimony	ug/g	27182	<0.1	<0.1	
Antimony	ug/g	27194	<0.1	<0.1	
Antimony	ug/g	27198	<0.1	<0.1	
Selenium	ug/g	27161	9.2	9.5	
Selenium	ug/g	27168	1.6	1.6	
Selenium	ug/g	27182	2.9	2.8	
Selenium	ug/g	27194	2.2	2.3	
Selenium	ug/g	27198	2.4	2.3	
Tin	ug/g	27161	<0.05	<0.05	
Tin	ug/g	27168	<0.05	<0.05	
Tin	ug/g	27182	<0.05	<0.05	
Tin	ug/g	27194	0.37	0.33	
Tin	ug/g	27198	0.10	0.10	
Strontium	ug/g	27161	1.1	1.0	
Strontium	ug/g	27168	<0.1	0.6	
Strontium	ug/g	27182	0.3	0.1	
Strontium	ug/g	27194	32	32	
Strontium	ug/g	27198	37	36	
Titanium	ug/g	27161	0.08	0.14	
Titanium	ug/g	27168	<0.05	<0.05	
Titanium	ug/g	27182	<0.05	<0.05	
Titanium	ug/g	27194	14	12	
Titanium	ug/g	27198	12	12	
Thallium	ug/g	27161	<0.05	<0.05	
Thallium	ug/g	27168	<0.05	<0.05	
Thallium	ug/g	27182	<0.05	<0.05	
Thallium	ug/g	27194	<0.05	<0.05	
Thallium	ug/g	27198	<0.05	<0.05	
Uranium	ug/g	27161	<0.005	<0.005	
Uranium	ug/g	27168	<0.005	<0.005	

Aug 16, 2018

This report was generated for samples included in SRC Group # 2018-8318

Duplicate Analysis	Units	Sample ID	First Result	Second Result
Uranium	ug/g	27182	<0.005	<0.005
Uranium	ug/g	27194	0.090	0.084
Uranium	ug/g	27198	0.082	0.082
Vanadium	ug/g	27161	<0.1	<0.1
Vanadium	ug/g	27168	<0.1	<0.1
Vanadium	ug/g	27182	<0.1	<0.1
Vanadium	ug/g	27194	1.7	1.5
Vanadium	ug/g	27198	1.5	1.4
Zinc	ug/g	27161	210	210
Zinc	ug/g	27168	16	17
Zinc	ug/g	27182	22	20
Zinc	ug/g	27194	78	75
Zinc	ug/g	27198	70	67

*(1) (2) (3) The duplicate results for Nickel were outside the laboratory's specified limits. The data was reviewed and all other quality control measures in the batch were within limits. Duplicate results acceptable for tissue samples.

Overall, there were no other indications of problems with the analysis and the results were considered acceptable.

Roxane Ortmann - Quality Assurance Supervisor

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9
Attn: Justin Wilson

Date Samples Received: Sep-05-2018

Client P.O.: VPO00555477 Ref# 18-07

All results have been reviewed and approved by a Qualified Person in accordance with the Saskatchewan Environmental Code, Corrective Action Plan Chapter, for the purposes of certifying a laboratory analysis

Results from Lab Section 2 authorized by Keith Gipman, Supervisor
Results from Lab Section 6 authorized by Marion McConnell, Supervisor

-
- * Test methods and data are validated by the laboratory's Quality Assurance Program.
 - * Routine methods follow recognized procedures from sources such as
 - * Standard Methods for the Examination of Water and Wastewater APHA AWWA WEF
 - * Environment Canada
 - * US EPA
 - * CANMET
 - * The results reported relate only to the test samples as provided by the client.
 - * Samples will be kept for 30 days after the final report is sent. Please contact the lab if you have any special requirements.
 - * Additional information is available upon request.

This is a final report.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.
 2 Lamb Street
 Georgetown, ON L7G 3M9
 Attn: Justin Wilson

Sample #: **2018034689**
 Date Sampled: **Aug 31, 2018**
 Sample Matrix: **TISSUE**
 Description: **08/31/2018 RG_TN-1-ZOOT-20180831**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5700	600	50
Antimony	ug/g	0.8	0.4	0.2
Arsenic	ug/g	3.8	0.6	0.1
Barium	ug/g	78	8	0.1
Beryllium	ug/g	0.26	0.06	0.02
Boron	ug/g	8	4	2
Cadmium	ug/g	0.93	0.1	0.02
Chromium	ug/g	7	2	1
Cobalt	ug/g	2.3	0.2	0.02
Copper	ug/g	10	1	0.1
Iron	ug/g	4400	700	50
Lead	ug/g	50	5	0.2
Manganese	ug/g	220	20	0.2
Mercury	ug/g	0.04	0.02	0.01
Molybdenum	ug/g	0.5	0.3	0.2
Nickel	ug/g	6.0	0.9	0.1
Selenium	ug/g	2.7	0.4	0.1
Silver	ug/g	0.04	0.03	0.02
Strontium	ug/g	100	10	0.2
Thallium	ug/g	0.1	0.1	0.1
Tin	ug/g	1.6	0.4	0.1
Titanium	ug/g	91	9	0.1
Uranium	ug/g	0.42	0.06	0.01
Vanadium	ug/g	8.2	1	0.2
Zinc	ug/g	87	10	1
Lab Section 6				
Moisture	%	99.87	10	0.02

Results are reported on a dry basis.
 There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034690**
Date Sampled: **Aug 31, 2018**
Sample Matrix: **TISSUE**
Description: **08/31/2018 RG_TN-2-ZOOT-20180831**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6700	700	50
Antimony	ug/g	1.1	0.4	0.2
Arsenic	ug/g	4.0	0.6	0.1
Barium	ug/g	93	9	0.1
Beryllium	ug/g	0.29	0.07	0.02
Boron	ug/g	9	4	2
Cadmium	ug/g	0.85	0.1	0.02
Chromium	ug/g	8	3	1
Cobalt	ug/g	2.5	0.2	0.02
Copper	ug/g	11	1	0.1
Iron	ug/g	5100	500	50
Lead	ug/g	16	2	0.02
Manganese	ug/g	240	20	0.2
Mercury	ug/g	0.04	0.02	0.01
Molybdenum	ug/g	0.6	0.3	0.2
Nickel	ug/g	6.2	0.9	0.1
Selenium	ug/g	2.7	0.4	0.1
Silver	ug/g	0.04	0.03	0.02
Strontium	ug/g	120	10	0.2
Thallium	ug/g	0.1	0.1	0.1
Tin	ug/g	2.8	0.4	0.1
Titanium	ug/g	107	10	0.1
Uranium	ug/g	0.50	0.08	0.01
Vanadium	ug/g	9.4	1	0.2
Zinc	ug/g	100	10	1

Lab Section 6

Moisture	%	99.89	10	0.02
----------	---	-------	----	------

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034691**
Date Sampled: **Aug 31, 2018**
Sample Matrix: **TISSUE**
Description: **08/31/2018 RG_TN-3-ZOOT-20180831**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	7400	700	50
Antimony	ug/g	0.4	0.3	0.2
Arsenic	ug/g	3.8	0.6	0.1
Barium	ug/g	85	8	0.1
Beryllium	ug/g	0.32	0.08	0.02
Boron	ug/g	8	4	2
Cadmium	ug/g	0.90	0.1	0.02
Chromium	ug/g	9	3	1
Cobalt	ug/g	2.8	0.3	0.02
Copper	ug/g	12	1	0.1
Iron	ug/g	6200	600	50
Lead	ug/g	27	3	0.2
Manganese	ug/g	270	30	0.2
Mercury	ug/g	0.04	0.02	0.01
Molybdenum	ug/g	0.5	0.3	0.2
Nickel	ug/g	7.3	1	0.1
Selenium	ug/g	2.6	0.4	0.1
Silver	ug/g	0.06	0.03	0.02
Strontium	ug/g	100	10	0.2
Thallium	ug/g	0.1	0.1	0.1
Tin	ug/g	0.7	0.2	0.1
Titanium	ug/g	117	10	0.1
Uranium	ug/g	0.43	0.06	0.01
Vanadium	ug/g	11	2	0.2
Zinc	ug/g	100	10	1

Lab Section 6

Moisture	%	99.62	10	0.02
----------	---	-------	----	------

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034692**
Date Sampled: **Aug 31, 2018**
Sample Matrix: **TISSUE**
Description: **08/31/2018 RG_TN-4-ZOOT-20180831**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6500	600	50
Antimony	ug/g	0.5	0.3	0.2
Arsenic	ug/g	3.6	0.5	0.1
Barium	ug/g	94	9	0.1
Beryllium	ug/g	0.28	0.07	0.02
Boron	ug/g	8	4	2
Cadmium	ug/g	0.89	0.1	0.02
Chromium	ug/g	8	3	1
Cobalt	ug/g	2.4	0.2	0.02
Copper	ug/g	10	1	0.1
Iron	ug/g	5400	500	50
Lead	ug/g	12	1	0.02
Manganese	ug/g	250	20	0.2
Mercury	ug/g	0.04	0.02	0.01
Molybdenum	ug/g	0.6	0.3	0.2
Nickel	ug/g	5.9	0.9	0.1
Selenium	ug/g	2.5	0.4	0.1
Silver	ug/g	0.04	0.03	0.02
Strontium	ug/g	110	10	0.2
Thallium	ug/g	0.1	0.1	0.1
Tin	ug/g	2.3	0.3	0.1
Titanium	ug/g	102	10	0.1
Uranium	ug/g	0.53	0.08	0.01
Vanadium	ug/g	9.5	1	0.2
Zinc	ug/g	96	10	1

Lab Section 6

Moisture	%	99.81	10	0.02
----------	---	-------	----	------

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034693**
Date Sampled: **Aug 31, 2018**
Sample Matrix: **TISSUE**
Description: **08/31/2018 RG_TN-5-ZOOT-20180831**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	7000	700	50
Antimony	ug/g	0.4	0.3	0.2
Arsenic	ug/g	3.1	0.5	0.1
Barium	ug/g	93	9	0.1
Beryllium	ug/g	0.29	0.07	0.02
Boron	ug/g	9	4	2
Cadmium	ug/g	0.86	0.1	0.02
Chromium	ug/g	9	3	1
Cobalt	ug/g	2.5	0.2	0.02
Copper	ug/g	9.9	1	0.1
Iron	ug/g	5000	500	50
Lead	ug/g	14	1	0.02
Manganese	ug/g	240	20	0.2
Mercury	ug/g	0.04	0.02	0.01
Molybdenum	ug/g	0.6	0.3	0.2
Nickel	ug/g	6.2	0.9	0.1
Selenium	ug/g	2.1	0.3	0.1
Silver	ug/g	0.04	0.03	0.02
Strontium	ug/g	120	10	0.2
Thallium	ug/g	0.1	0.1	0.1
Tin	ug/g	1.4	0.4	0.1
Titanium	ug/g	110	10	0.1
Uranium	ug/g	0.51	0.08	0.01
Vanadium	ug/g	10	2	0.2
Zinc	ug/g	94	10	1

Lab Section 6

Moisture	%	99.83	10	0.02
----------	---	-------	----	------

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034694**
 Date Sampled: **Aug 31, 2018**
 Sample Matrix: **TISSUE**
 Description: **08/31/2018 RG_TN-1-ZOOT10-20180831**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2800	700	200
Antimony	ug/g	2	1	1
Arsenic	ug/g	3.8	1	0.5
Barium	ug/g	72	7	0.5
Beryllium	ug/g	0.1	0.1	0.1
Boron	ug/g	<10		10
Cadmium	ug/g	1.0	0.2	0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	1.4	0.4	0.1
Copper	ug/g	13	2	0.5
Iron	ug/g	2500	600	200
Lead	ug/g	93	10	1
Manganese	ug/g	120	10	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	4.5	1	0.5
Selenium	ug/g	3.2	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	120	10	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	5.6	1	0.5
Titanium	ug/g	58	6	0.5
Uranium	ug/g	0.68	0.2	0.05
Vanadium	ug/g	4	2	1
Zinc	ug/g	120	20	5

Lab Section 6

Moisture	%	99.88	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034695**
 Date Sampled: **Aug 31, 2018**
 Sample Matrix: **TISSUE**
 Description: **08/31/2018 RG_TN-2-ZOOT10-20180831**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2200	600	200
Antimony	ug/g	1	1	1
Arsenic	ug/g	2.7	1	0.5
Barium	ug/g	96	10	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	0.8	0.3	0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	1.1	0.3	0.1
Copper	ug/g	9.5	2	0.5
Iron	ug/g	1900	300	20
Lead	ug/g	20	2	0.1
Manganese	ug/g	95	10	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	7.6	2	0.5
Selenium	ug/g	2.6	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	170	20	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	1.8	0.9	0.5
Titanium	ug/g	37	6	0.5
Uranium	ug/g	0.76	0.2	0.05
Vanadium	ug/g	3	2	1
Zinc	ug/g	100	20	5

Lab Section 6

Moisture	%	99.93	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034696**
Date Sampled: **Aug 31, 2018**
Sample Matrix: **TISSUE**
Description: **08/31/2018 RG_TN-3-ZOOT10-20180831**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3200	800	200
Antimony	ug/g	2	1	1
Arsenic	ug/g	3.6	1	0.5
Barium	ug/g	86	9	0.5
Beryllium	ug/g	0.1	0.1	0.1
Boron	ug/g	<10		10
Cadmium	ug/g	0.9	0.3	0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	1.4	0.4	0.1
Copper	ug/g	10	2	0.5
Iron	ug/g	2900	300	20
Lead	ug/g	29	3	0.1
Manganese	ug/g	130	10	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	4.2	1	0.5
Selenium	ug/g	3.3	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	160	20	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	1.6	0.9	0.5
Titanium	ug/g	52	5	0.5
Uranium	ug/g	0.82	0.2	0.05
Vanadium	ug/g	5	2	1
Zinc	ug/g	100	20	5

Lab Section 6

Moisture	%	99.92	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034697**
Date Sampled: **Aug 31, 2018**
Sample Matrix: **TISSUE**
Description: **08/31/2018 RG_TN-4-ZOOT10-20180831**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	7400	1000	200
Antimony	ug/g	3	2	1
Arsenic	ug/g	4.4	1	0.5
Barium	ug/g	130	10	0.5
Beryllium	ug/g	0.3	0.2	0.1
Boron	ug/g	10	10	10
Cadmium	ug/g	0.9	0.3	0.1
Chromium	ug/g	10	7	5
Cobalt	ug/g	3.1	0.5	0.1
Copper	ug/g	14	2	0.5
Iron	ug/g	6400	1000	200
Lead	ug/g	52	5	0.1
Manganese	ug/g	220	20	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	1	1	1
Nickel	ug/g	8.2	2	0.5
Selenium	ug/g	3.3	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	210	20	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	2.2	1	0.5
Titanium	ug/g	130	10	0.5
Uranium	ug/g	1.2	0.2	0.05
Vanadium	ug/g	11	3	1
Zinc	ug/g	120	20	5

Lab Section 6

Moisture	%	99.94	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034698**
 Date Sampled: **Aug 31, 2018**
 Sample Matrix: **TISSUE**
 Description: **08/31/2018 RG_TN-5-ZOOT10-20180831**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	7000	1000	200
Antimony	ug/g	2	1	1
Arsenic	ug/g	3.9	1	0.5
Barium	ug/g	120	10	0.5
Beryllium	ug/g	0.3	0.2	0.1
Boron	ug/g	10	10	10
Cadmium	ug/g	1.0	0.2	0.1
Chromium	ug/g	10	7	5
Cobalt	ug/g	3.1	0.5	0.1
Copper	ug/g	15	2	0.5
Iron	ug/g	6000	900	200
Lead	ug/g	40	4	0.1
Manganese	ug/g	270	30	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	1	1	1
Nickel	ug/g	8.0	2	0.5
Selenium	ug/g	2.8	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	220	20	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	1.4	0.8	0.5
Titanium	ug/g	120	10	0.5
Uranium	ug/g	1.0	0.2	0.05
Vanadium	ug/g	11	3	1
Zinc	ug/g	120	20	5

Lab Section 6

Moisture	%	99.91	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034699**
 Date Sampled: **Aug 30, 2018**
 Sample Matrix: **TISSUE**
 Description: **08/30/2018 RG_T4-1-ZOOT-20180830**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	1900	600	200
Antimony	ug/g	3	2	1
Arsenic	ug/g	4.4	1	0.5
Barium	ug/g	53	5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	1.8	0.4	0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	1.1	0.3	0.1
Copper	ug/g	16	2	0.5
Iron	ug/g	1800	300	20
Lead	ug/g	8.2	1	0.1
Manganese	ug/g	94	10	1
Mercury	ug/g	0.05	0.05	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	3.3	1	0.5
Selenium	ug/g	3.8	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	91	10	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	3.3	1	0.5
Titanium	ug/g	38	6	0.5
Uranium	ug/g	0.45	0.1	0.05
Vanadium	ug/g	3	2	1
Zinc	ug/g	150	20	5

Lab Section 6

Moisture	%	99.81	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034700**
Date Sampled: **Aug 30, 2018**
Sample Matrix: **TISSUE**
Description: **08/30/2018 RG_T4-2-ZOOT-20180830**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2600	600	200
Antimony	ug/g	2	1	1
Arsenic	ug/g	5.8	1	0.5
Barium	ug/g	65	6	0.5
Beryllium	ug/g	0.1	0.1	0.1
Boron	ug/g	<10		10
Cadmium	ug/g	1.8	0.4	0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	1.2	0.3	0.1
Copper	ug/g	14	2	0.5
Iron	ug/g	1900	600	200
Lead	ug/g	6.4	1	0.1
Manganese	ug/g	120	10	1
Mercury	ug/g	0.05	0.05	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	3.8	1	0.5
Selenium	ug/g	4.9	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	110	10	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	3.8	1	0.5
Titanium	ug/g	47	7	0.5
Uranium	ug/g	0.48	0.1	0.05
Vanadium	ug/g	4	2	1
Zinc	ug/g	150	20	5

Lab Section 6

Moisture	%	99.84	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034701**
 Date Sampled: **Aug 30, 2018**
 Sample Matrix: **TISSUE**
 Description: **08/30/2018 RG_T4-3-ZOOT-20180830**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3000	400	50
Antimony	ug/g	1.0	0.4	0.2
Arsenic	ug/g	5.4	0.8	0.1
Barium	ug/g	65	6	0.1
Beryllium	ug/g	0.12	0.05	0.02
Boron	ug/g	5	3	2
Cadmium	ug/g	1.8	0.3	0.02
Chromium	ug/g	4	2	1
Cobalt	ug/g	2.0	0.2	0.02
Copper	ug/g	14	1	0.1
Iron	ug/g	2700	400	50
Lead	ug/g	8.6	0.9	0.02
Manganese	ug/g	160	20	0.2
Mercury	ug/g	0.05	0.02	0.01
Molybdenum	ug/g	0.8	0.4	0.2
Nickel	ug/g	5.1	0.8	0.1
Selenium	ug/g	4.7	0.7	0.1
Silver	ug/g	0.05	0.03	0.02
Strontium	ug/g	110	10	0.2
Thallium	ug/g	<0.1		0.1
Tin	ug/g	1.1	0.3	0.1
Titanium	ug/g	55	6	0.1
Uranium	ug/g	0.42	0.06	0.01
Vanadium	ug/g	4.2	0.6	0.2
Zinc	ug/g	140	10	1

Lab Section 6

Moisture	%	99.80	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034702**
Date Sampled: **Aug 31, 2018**
Sample Matrix: **TISSUE**
Description: **08/31/2018 RG_T4-4-ZOOT-20180831**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3200	800	200
Antimony	ug/g	1	1	1
Arsenic	ug/g	5.5	1	0.5
Barium	ug/g	70	7	0.5
Beryllium	ug/g	0.1	0.1	0.1
Boron	ug/g	<10		10
Cadmium	ug/g	1.7	0.4	0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	1.8	0.4	0.1
Copper	ug/g	17	2	0.5
Iron	ug/g	3200	800	200
Lead	ug/g	14	1	0.1
Manganese	ug/g	160	20	1
Mercury	ug/g	0.05	0.05	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	5.9	1	0.5
Selenium	ug/g	4.4	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	120	10	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	3.1	1	0.5
Titanium	ug/g	59	6	0.5
Uranium	ug/g	0.59	0.1	0.05
Vanadium	ug/g	5	2	1
Zinc	ug/g	130	20	5

Lab Section 6

Moisture	%	99.87	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034703**
Date Sampled: **Aug 31, 2018**
Sample Matrix: **TISSUE**
Description: **08/31/2018 RG_T4-5-ZOOT-20180831**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3400	500	50
Antimony	ug/g	1.1	0.4	0.2
Arsenic	ug/g	4.7	0.7	0.1
Barium	ug/g	64	6	0.1
Beryllium	ug/g	0.13	0.05	0.02
Boron	ug/g	6	3	2
Cadmium	ug/g	1.9	0.3	0.02
Chromium	ug/g	5	2	1
Cobalt	ug/g	1.5	0.2	0.02
Copper	ug/g	20	2	0.1
Iron	ug/g	2600	400	50
Lead	ug/g	260	30	0.2
Manganese	ug/g	140	10	0.2
Mercury	ug/g	0.06	0.02	0.01
Molybdenum	ug/g	0.8	0.4	0.2
Nickel	ug/g	6.9	1	0.1
Selenium	ug/g	3.8	0.6	0.1
Silver	ug/g	0.06	0.03	0.02
Strontium	ug/g	94	9	0.2
Thallium	ug/g	0.2	0.1	0.1
Tin	ug/g	4.3	0.6	0.1
Titanium	ug/g	66	7	0.1
Uranium	ug/g	0.43	0.06	0.01
Vanadium	ug/g	5.3	0.8	0.2
Zinc	ug/g	130	10	1

Lab Section 6

Moisture	%	99.79	10	0.02
----------	---	-------	----	------

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034704**
 Date Sampled: **Aug 30, 2018**
 Sample Matrix: **TISSUE**
 Description: **08/30/2018 RG_T4-1-ZOOT10-20180830**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	1200	200	20
Antimony	ug/g	6	2	1
Arsenic	ug/g	4.4	1	0.5
Barium	ug/g	56	6	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	1.9	0.5	0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	1.0	0.2	0.1
Copper	ug/g	17	2	0.5
Iron	ug/g	1200	200	20
Lead	ug/g	14	1	0.1
Manganese	ug/g	83	10	1
Mercury	ug/g	0.06	0.06	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	3.0	1	0.5
Selenium	ug/g	3.9	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	110	10	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	4.8	1	0.5
Titanium	ug/g	27	4	0.5
Uranium	ug/g	0.81	0.2	0.05
Vanadium	ug/g	2	1	1
Zinc	ug/g	150	20	5

Lab Section 6

Moisture	%	99.86	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034705**
 Date Sampled: **Aug 30, 2018**
 Sample Matrix: **TISSUE**
 Description: **08/30/2018 RG_T4-2-ZOOT10-20180830**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	1600	200	20
Antimony	ug/g	4	2	1
Arsenic	ug/g	6.4	2	0.5
Barium	ug/g	54	5	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	2.0	0.3	0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	1.2	0.3	0.1
Copper	ug/g	17	2	0.5
Iron	ug/g	1600	200	20
Lead	ug/g	8.9	1	0.1
Manganese	ug/g	100	10	1
Mercury	ug/g	0.06	0.06	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	4.1	1	0.5
Selenium	ug/g	4.9	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	100	10	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	2.3	1	0.5
Titanium	ug/g	34	5	0.5
Uranium	ug/g	0.48	0.1	0.05
Vanadium	ug/g	2	1	1
Zinc	ug/g	160	20	5

Lab Section 6

Moisture	%	99.78	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034706**
 Date Sampled: **Aug 30, 2018**
 Sample Matrix: **TISSUE**
 Description: **08/30/2018 RG_T4-3-ZOOT10-20180830**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	1500	200	20
Antimony	ug/g	2	1	1
Arsenic	ug/g	4.9	1	0.5
Barium	ug/g	57	6	0.5
Beryllium	ug/g	<0.1		0.1
Boron	ug/g	<10		10
Cadmium	ug/g	1.6	0.4	0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	1.0	0.2	0.1
Copper	ug/g	16	2	0.5
Iron	ug/g	1400	200	20
Lead	ug/g	330	30	1
Manganese	ug/g	83	10	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	3.3	1	0.5
Selenium	ug/g	4.7	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	110	10	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	1.1	0.7	0.5
Titanium	ug/g	34	5	0.5
Uranium	ug/g	0.68	0.2	0.05
Vanadium	ug/g	2	1	1
Zinc	ug/g	170	20	5

Lab Section 6

Moisture	%	99.86	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034707**
 Date Sampled: **Aug 31, 2018**
 Sample Matrix: **TISSUE**
 Description: **08/31/2018 RG_T4-4-ZOOT10-20180831**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2900	300	20
Antimony	ug/g	2	1	1
Arsenic	ug/g	3.4	1	0.5
Barium	ug/g	85	8	0.5
Beryllium	ug/g	0.1	0.1	0.1
Boron	ug/g	<10		10
Cadmium	ug/g	1.8	0.4	0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	1.2	0.3	0.1
Copper	ug/g	15	2	0.5
Iron	ug/g	2200	200	20
Lead	ug/g	14	1	0.1
Manganese	ug/g	120	10	1
Mercury	ug/g	0.06	0.06	0.05
Molybdenum	ug/g	1	1	1
Nickel	ug/g	4.7	1	0.5
Selenium	ug/g	3.2	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	140	10	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	2.5	1	0.5
Titanium	ug/g	46	7	0.5
Uranium	ug/g	0.94	0.2	0.05
Vanadium	ug/g	4	2	1
Zinc	ug/g	130	20	5

Lab Section 6

Moisture	%	99.93	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034708**
 Date Sampled: **Aug 31, 2018**
 Sample Matrix: **TISSUE**
 Description: **08/31/2018 RG_T4-5-ZOOT10-20180831**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2800	300	20
Antimony	ug/g	3	2	1
Arsenic	ug/g	5.1	1	0.5
Barium	ug/g	78	8	0.5
Beryllium	ug/g	0.1	0.1	0.1
Boron	ug/g	<10		10
Cadmium	ug/g	1.6	0.4	0.1
Chromium	ug/g	<5		5
Cobalt	ug/g	1.6	0.4	0.1
Copper	ug/g	17	2	0.5
Iron	ug/g	3000	300	20
Lead	ug/g	140	10	1
Manganese	ug/g	130	10	1
Mercury	ug/g	<0.05		0.05
Molybdenum	ug/g	1	1	1
Nickel	ug/g	4.5	1	0.5
Selenium	ug/g	4.2	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	140	10	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	3.2	1	0.5
Titanium	ug/g	69	7	0.5
Uranium	ug/g	0.81	0.2	0.05
Vanadium	ug/g	4	2	1
Zinc	ug/g	140	20	5

Lab Section 6

Moisture	%	99.91	10	0.02
----------	---	-------	----	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034709**
 Date Sampled: **Aug 28, 2018**
 Sample Matrix: **TISSUE**
 Description: **08/28/2018 RG_T4-BIT-20180828**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	Not Reported		0.5
Antimony	ug/g	Not Reported		0.02
Arsenic	ug/g	Not Reported		0.01
Barium	ug/g	Not Reported		0.01
Beryllium	ug/g	Not Reported		0.002
Boron	ug/g	Not Reported		0.2
Cadmium	ug/g	Not Reported		0.002
Chromium	ug/g	Not Reported		0.1
Cobalt	ug/g	Not Reported		0.002
Copper	ug/g	Not Reported		0.01
Iron	ug/g	Not Reported		0.5
Lead	ug/g	Not Reported		0.002
Manganese	ug/g	Not Reported		0.02
Mercury	ug/g	Not Reported		0.001
Molybdenum	ug/g	Not Reported		0.02
Nickel	ug/g	Not Reported		0.01
Selenium	ug/g	Not Reported		0.01
Silver	ug/g	Not Reported		0.002
Strontium	ug/g	Not Reported		0.02
Thallium	ug/g	Not Reported		0.01
Tin	ug/g	Not Reported		0.01
Titanium	ug/g	Not Reported		0.01
Uranium	ug/g	Not Reported		0.001
Vanadium	ug/g	Not Reported		0.02
Zinc	ug/g	Not Reported		0.1

Lab Section 6

Moisture	%	79.80	8	0.02
----------	---	-------	---	------

Sample was inadvertently ruined in the analytical testing process.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034710**
Date Sampled: **Aug 29, 2018**
Sample Matrix: **TISSUE**
Description: **08/29/2018 RG_TN-BIT-20180829**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5600	800	200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	47	5	5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	1	1	1
Chromium	ug/g	<50		50
Cobalt	ug/g	7	1	1
Copper	ug/g	22	10	5
Iron	ug/g	8800	1000	200
Lead	ug/g	11	3	1
Manganese	ug/g	170	40	10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	10	5	5
Selenium	ug/g	4.7	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	80	30	10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	140	20	5
Uranium	ug/g	0.7	0.6	0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	100	70	50

Lab Section 6

Moisture	%	88.07	9	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034711**
Date Sampled: **Sep 01, 2018**
Sample Matrix: **TISSUE**
Description: **09/01/2018 RG_ER-RT-01M-20180901**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.2	0.8	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	75.06	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034712**
Date Sampled: **Sep 01, 2018**
Sample Matrix: **TISSUE**
Description: **09/01/2018 RG_GC-KO-01M-20180901**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.5	0.8	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	67.42	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034713**
Date Sampled: **Sep 01, 2018**
Sample Matrix: **TISSUE**
Description: **09/01/2018 RG_ER-KO-02M-20180901**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.5	0.8	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	71.93	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034714**
Date Sampled: **Sep 01, 2018**
Sample Matrix: **TISSUE**
Description: **09/01/2018 RG_ER-KO-03M-20180901**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.6	0.9	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	72.67	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034715**
Date Sampled: **Sep 01, 2018**
Sample Matrix: **TISSUE**
Description: **09/01/2018 RG_ER-KO-04M-20180901**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.4	0.8	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	69.87	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034716**
Date Sampled: **Sep 01, 2018**
Sample Matrix: **TISSUE**
Description: **09/01/2018 RG_ER-KO-05M-20180901**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.7	0.9	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	70.43	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034717**
Date Sampled: **Sep 01, 2018**
Sample Matrix: **TISSUE**
Description: **09/01/2018 RG_ER-KO-06M-20180901**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.8	0.9	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	70.82	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034718**
Date Sampled: **Sep 01, 2018**
Sample Matrix: **TISSUE**
Description: **09/01/2018 RG_ER-KO-07M-20180901**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.2	0.8	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	69.85	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034719**
 Date Sampled: **Sep 01, 2018**
 Sample Matrix: **TISSUE**
 Description: **09/01/2018 RG_ER-KO-08M-20180901**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.6	0.9	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	70.57	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034720** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Sep 01, 2018** Date Received: **Sep 05, 2018**
 Sample Matrix: **TISSUE**
 Description: **09/01/2018 RG_ER-NSC-01M-20180901**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	1.8	0.9	0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.6	0.9	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	75.32	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034721**
 Date Sampled: **Sep 01, 2018**
 Sample Matrix: **TISSUE**
 Description: **09/01/2018 RG_ER-NSC-02M-20180901**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	1.6	0.9	0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	2.2	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	71.30	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034722** Client PO #: **VPO00555477 Ref# 18-07**
 Date Sampled: **Sep 01, 2018** Date Received: **Sep 05, 2018**
 Sample Matrix: **TISSUE**
 Description: **09/01/2018 RG_ER-NSC-03M-20180901**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	1.1	0.7	0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	2.5	1	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	77.42	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018034723**
Date Sampled: **Sep 01, 2018**
Sample Matrix: **TISSUE**
Description: **09/01/2018 RG_ER-NSC-04M-20180901**

Client PO #: **VPO00555477 Ref# 18-07**
Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	0.8	0.6	0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.4	0.8	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	76.65	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2018-10946

Aug 28, 2019

Minnow Environmental Inc.

Sample #: **2018035061**
 Date Sampled:
 Sample Matrix: **TISSUE**
 Description: **RG_ER-KO-01M-20180901**

Client PO #: **VPO00555477 Ref# 18-07**
 Date Received: **Sep 05, 2018**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<200		200
Antimony	ug/g	<10		10
Arsenic	ug/g	<5		5
Barium	ug/g	<5		5
Beryllium	ug/g	<1		1
Boron	ug/g	<100		100
Cadmium	ug/g	<1		1
Chromium	ug/g	<50		50
Cobalt	ug/g	<1		1
Copper	ug/g	<5		5
Iron	ug/g	<200		200
Lead	ug/g	<1		1
Manganese	ug/g	<10		10
Mercury	ug/g	<0.5		0.5
Molybdenum	ug/g	<10		10
Nickel	ug/g	<5		5
Selenium	ug/g	1.6	0.9	0.5
Silver	ug/g	<1		1
Strontium	ug/g	<10		10
Thallium	ug/g	<5		5
Tin	ug/g	<5		5
Titanium	ug/g	<5		5
Uranium	ug/g	<0.5		0.5
Vanadium	ug/g	<10		10
Zinc	ug/g	<50		50

Lab Section 6

Moisture	%	70.63	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

This report was generated for samples included in SRC Group # 2018-10946

Quality Control Report

Justin Wilson
 Minnow Environmental Inc.
 2 Lamb Street
 Georgetown, ON L7G 3M9

Reference Materials and Standards:

A reference material of known concentration is used whenever possible as either a control sample or control standard and analyzed with each batch of samples. These "QC" results are used to assess the performance of the method and must be within clearly defined limits; otherwise corrective action is required.

QC Analysis	Units	Target Value	Obtained Value
Aluminum	ug/g	1280	1150
Aluminum	ug/g	1280	1430
Arsenic	ug/g	6.87	7.32
Cadmium	ug/g	0.299	0.304
Chromium	ug/g	1.57	1.57
Copper	ug/g	13.8	13.8
Iron	ug/g	312	321
Iron	ug/g	312	322
Lead	ug/g	0.404	0.408
Lead	ug/g	0.404	0.424
Manganese	ug/g	2.70	3.05
Mercury	ug/g	0.364	0.373
Nickel	ug/g	1.20	1.20
Selenium	ug/g	3.74	4.05
Silver	ug/g	0.0215	0.0209
Zinc	ug/g	47.8	49.8

Please note, duplicates could not be analyzed due to insufficient sample available.

All quality control results were within the specified limits and considered acceptable.

Roxane Ortmann - Quality Assurance Supervisor

SRC Group # 2018-13833

Aug 30, 2019

Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9
Attn: Justin Wilson

Date Samples Received: Nov-02-2018

Client P.O.: VPO00555477 Ref# 18-07

All results have been reviewed and approved by a Qualified Person in accordance with the Saskatchewan Environmental Code, Corrective Action Plan Chapter, for the purposes of certifying a laboratory analysis

Results from Lab Section 2 authorized by Keith Gipman, Supervisor
Results from Lab Section 6 authorized by Marion McConnell, Supervisor

-
- * Test methods and data are validated by the laboratory's Quality Assurance Program.
 - * Routine methods follow recognized procedures from sources such as
 - * Standard Methods for the Examination of Water and Wastewater APHA AWWA WEF
 - * Environment Canada
 - * US EPA
 - * CANMET
 - * The results reported relate only to the test samples as provided by the client.
 - * Samples will be kept for 30 days after the final report is sent. Please contact the lab if you have any special requirements.
 - * Additional information is available upon request.

This is a final report.

SRC Group # 2018-13833

Aug 30, 2019

Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9
Attn: Justin Wilson

Sample #: **2018045644** Client PO #: **VPO00555477 Ref# 18-07**
Date Sampled: **Oct 10, 2018** Date Received: **Nov 02, 2018**
Sample Matrix: **TISSUE**
Description: **10/10/2018 RG_T4-BIT_20181009-1555**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	12100	2000	200
Antimony	ug/g	<1		1
Arsenic	ug/g	9.3	2	0.5
Barium	ug/g	110	10	0.5
Beryllium	ug/g	0.4	0.2	0.1
Boron	ug/g	10	10	10
Cadmium	ug/g	1.1	0.3	0.1
Chromium	ug/g	16	9	5
Cobalt	ug/g	5.4	0.8	0.1
Copper	ug/g	22	3	0.5
Iron	ug/g	16300	2000	200
Lead	ug/g	11	1	0.1
Manganese	ug/g	310	30	1
Mercury	ug/g	0.06	0.06	0.05
Molybdenum	ug/g	<1		1
Nickel	ug/g	13	2	0.5
Selenium	ug/g	4.7	1	0.5
Silver	ug/g	<0.1		0.1
Strontium	ug/g	130	10	1
Thallium	ug/g	<0.5		0.5
Tin	ug/g	<0.5		0.5
Titanium	ug/g	170	20	0.5
Uranium	ug/g	0.56	0.1	0.05
Vanadium	ug/g	19	5	1
Zinc	ug/g	94	20	5

Lab Section 6

Moisture	%	86.26	9	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Results are reported on a dry basis.

This report was generated for samples included in SRC Group # 2018-13833

Quality Control Report

Justin Wilson
 Minnow Environmental Inc.
 2 Lamb Street
 Georgetown, ON L7G 3M9

Reference Materials and Standards:

A reference material of known concentration is used whenever possible as either a control sample or control standard and analyzed with each batch of samples. These "QC" results are used to assess the performance of the method and must be within clearly defined limits; otherwise corrective action is required.

QC Analysis	Units	Target Value	Obtained Value
Aluminum	ug/g	1280	1390
Arsenic	ug/g	6.87	7.67
Cadmium	ug/g	0.299	0.303
Chromium	ug/g	1.57	1.57
Copper	ug/g	13.8	14.4
Iron	ug/g	312	331
Lead	ug/g	0.404	0.419
Manganese	ug/g	2.70	2.48
Mercury	ug/g	0.364	0.364
Nickel	ug/g	1.20	1.17
Selenium	ug/g	3.74	4.03
Silver	ug/g	0.0215	0.0183
Zinc	ug/g	47.8	47.5

Please note, duplicates could not be analyzed due to insufficient sample available.

All quality control results were within the specified limits and considered acceptable.

Roxane Ortmann - Quality Assurance Supervisor

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9
Attn: Heidi Currier

Date Samples Received: May-02-2019

Client P.O.: VPO00616225 Ref# 19-08

All results have been reviewed and approved by a Qualified Person in accordance with the Saskatchewan Environmental Code, Corrective Action Plan Chapter, for the purposes of certifying a laboratory analysis

Results from Lab Section 2 authorized by Keith Gipman, Supervisor
Results from Lab Section 6 authorized by Marion McConnell, Supervisor

-
- * Test methods and data are validated by the laboratory's Quality Assurance Program.
 - * Routine methods follow recognized procedures from sources such as
 - * Standard Methods for the Examination of Water and Wastewater APHA AWWA WEF
 - * Environment Canada
 - * US EPA
 - * CANMET
 - * The results reported relate only to the test samples as provided by the client.
 - * Samples will be kept for 30 days after the final report is sent. Please contact the lab if you have any special requirements.
 - * Additional information is available upon request.

This is a final report.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.
 2 Lamb Street
 Georgetown, ON L7G 3M9
 Attn: Heidi Currier

Sample #: **2019021456** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 23, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_PCC-01-M_20190423**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	12	7	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.13	0.03	0.01
Barium	ug/g	0.92	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	0.08	0.06	0.05
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	0.96	0.2	0.05
Iron	ug/g	18	6	2
Lead	ug/g	0.19	0.05	0.01
Manganese	ug/g	1.2	0.3	0.1
Mercury	ug/g	0.50	0.05	0.005
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	0.12	0.05	0.05
Selenium	ug/g	1.2	0.1	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	5.0	0.5	0.05
Thallium	ug/g	0.021	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.5	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	22	3	0.5

Lab Section 6

Moisture	%	77.68	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021457** Client PO #: **VPO00616225 Ref# 19-08**
Date Sampled: **Apr 23, 2019** Date Received: **May 02, 2019**
Sample Matrix: **TISSUE**
Description: **04/23/2019 RG_ER_PCC-01-O_20190423**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.48	0.07	0.01
Barium	ug/g	0.76	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.05	0.01	0.01
Copper	ug/g	3.0	0.4	0.05
Iron	ug/g	45	7	2
Lead	ug/g	0.03	0.02	0.01
Manganese	ug/g	3.6	0.5	0.1
Mercury	ug/g	0.016	0.009	0.005
Molybdenum	ug/g	0.09	0.04	0.02
Nickel	ug/g	0.12	0.05	0.05
Selenium	ug/g	5.4	0.5	0.01
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	0.26	0.1	0.05
Thallium	ug/g	0.006	0.006	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	100	10	0.5

Lab Section 6

Moisture	%	60.37	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021458** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 23, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_PCC-02-M_20190423**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3	3	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.11	0.03	0.01
Barium	ug/g	0.58	0.09	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.01	0.01	0.01
Copper	ug/g	0.95	0.2	0.05
Iron	ug/g	10	4	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	0.8	0.3	0.1
Mercury	ug/g	0.35	0.05	0.005
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.1	0.2	0.01
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	2.3	0.3	0.05
Thallium	ug/g	0.012	0.008	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	20	3	0.5

Lab Section 6

Moisture	%	77.55	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021459** Client PO #: **VPO00616225 Ref# 19-08**
Date Sampled: **Apr 23, 2019** Date Received: **May 02, 2019**
Sample Matrix: **TISSUE**
Description: **04/23/2019 RG_ER_PCC-02-O_20190423**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5	4	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.29	0.04	0.01
Barium	ug/g	0.49	0.07	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.06	0.01	0.01
Copper	ug/g	2.9	0.4	0.05
Iron	ug/g	52	8	2
Lead	ug/g	0.05	0.02	0.01
Manganese	ug/g	4.7	0.7	0.1
Mercury	ug/g	0.014	0.008	0.005
Molybdenum	ug/g	0.08	0.04	0.02
Nickel	ug/g	0.20	0.05	0.05
Selenium	ug/g	7.4	0.7	0.01
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.24	0.1	0.05
Thallium	ug/g	0.008	0.006	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.3	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	86	9	0.5

Lab Section 6

Moisture	%	62.36	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021460** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 23, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_PCC-03-M_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.10	0.02	0.01
Barium	ug/g	0.74	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	0.94	0.2	0.05
Iron	ug/g	8	4	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	0.9	0.3	0.1
Mercury	ug/g	0.52	0.05	0.005
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.9	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	4.1	0.6	0.05
Thallium	ug/g	0.016	0.009	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	19	3	0.5

Lab Section 6

Moisture	%	78.28	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021461** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 23, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_PCC-03-O_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3	3	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.46	0.07	0.01
Barium	ug/g	0.72	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.05	0.01	0.01
Copper	ug/g	2.6	0.4	0.05
Iron	ug/g	50	8	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	5.2	0.8	0.1
Mercury	ug/g	0.021	0.01	0.005
Molybdenum	ug/g	0.08	0.04	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	6.1	0.6	0.01
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	0.22	0.1	0.05
Thallium	ug/g	0.010	0.007	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	88	9	0.5

Lab Section 6

Moisture	%	60.42	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021462**
 Date Sampled: **Apr 23, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_PCC-04-M_20190423**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.15	0.04	0.01
Barium	ug/g	0.64	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.01	0.01	0.01
Copper	ug/g	1.0	0.2	0.05
Iron	ug/g	10	4	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	0.9	0.3	0.1
Mercury	ug/g	0.53	0.05	0.005
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.8	0.3	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	2.0	0.3	0.05
Thallium	ug/g	0.013	0.008	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	20	3	0.5

Lab Section 6

Moisture	%	77.48	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021463** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 23, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_PCC-04-O_20190423**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.22	0.03	0.01
Barium	ug/g	0.83	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.07	0.01	0.01
Copper	ug/g	2.9	0.4	0.05
Iron	ug/g	53	8	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	4.8	0.7	0.1
Mercury	ug/g	0.021	0.01	0.005
Molybdenum	ug/g	0.08	0.04	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	11.2	1	0.01
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.20	0.1	0.05
Thallium	ug/g	0.008	0.006	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	100	10	0.5

Lab Section 6

Moisture	%	62.24	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021464** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 23, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_PCC-05-M_20190423**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	18	9	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.22	0.03	0.01
Barium	ug/g	1.9	0.3	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.01	0.01	0.01
Chromium	ug/g	0.06	0.06	0.05
Cobalt	ug/g	0.03	0.01	0.01
Copper	ug/g	2.0	0.3	0.05
Iron	ug/g	35	9	2
Lead	ug/g	0.11	0.03	0.01
Manganese	ug/g	1.5	0.4	0.1
Mercury	ug/g	0.51	0.05	0.005
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	0.09	0.05	0.05
Selenium	ug/g	2.2	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	4.3	0.6	0.05
Thallium	ug/g	0.017	0.009	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.6	0.3	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	41	6	0.5

Lab Section 6

Moisture	%	75.70	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.
 Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021465**
 Date Sampled: **Apr 23, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_PCC-05-O_20190423**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	9	6	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.28	0.04	0.01
Barium	ug/g	0.68	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.07	0.01	0.01
Copper	ug/g	3.3	0.5	0.05
Iron	ug/g	63	9	2
Lead	ug/g	0.05	0.02	0.01
Manganese	ug/g	5.6	0.8	0.1
Mercury	ug/g	0.018	0.009	0.005
Molybdenum	ug/g	0.10	0.04	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	8.3	0.8	0.01
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.29	0.1	0.05
Thallium	ug/g	0.010	0.007	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.3	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	100	10	0.5

Lab Section 6

Moisture	%	63.70	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021466**
 Date Sampled: **Apr 23, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_PCC-06-M_20190423**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	12	7	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.14	0.04	0.01
Barium	ug/g	1.2	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	0.05	0.05	0.05
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	0.90	0.2	0.05
Iron	ug/g	15	5	2
Lead	ug/g	0.03	0.02	0.01
Manganese	ug/g	1.4	0.4	0.1
Mercury	ug/g	0.20	0.03	0.005
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	3.3	0.3	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	3.8	0.6	0.05
Thallium	ug/g	0.008	0.006	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.2	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	18	3	0.5

Lab Section 6

Moisture	%	77.41	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021467** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 23, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_PCC-06-O_20190423**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6	4	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.17	0.04	0.01
Barium	ug/g	1.0	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.07	0.01	0.01
Copper	ug/g	2.8	0.4	0.05
Iron	ug/g	48	7	2
Lead	ug/g	0.03	0.02	0.01
Manganese	ug/g	3.5	0.5	0.1
Mercury	ug/g	0.007	0.006	0.005
Molybdenum	ug/g	0.07	0.04	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	9.5	1	0.01
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.18	0.09	0.05
Thallium	ug/g	0.006	0.006	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	86	9	0.5

Lab Section 6

Moisture	%	61.17	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021468**
Date Sampled: **Apr 24, 2019**
Sample Matrix: **TISSUE**
Description: **04/24/2019 RG_ER_PCC-07-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.25	0.04	0.01
Barium	ug/g	1.1	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.01	0.01	0.01
Copper	ug/g	1.0	0.2	0.05
Iron	ug/g	10	4	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	1.0	0.2	0.1
Mercury	ug/g	0.48	0.07	0.005
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.0	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	3.3	0.5	0.05
Thallium	ug/g	0.014	0.008	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	32	5	0.5

Lab Section 6

Moisture	%	78.32	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021469**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER_PCC-07-O_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.40	0.06	0.01
Barium	ug/g	1.0	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.01	0.01	0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.05	0.01	0.01
Copper	ug/g	2.6	0.4	0.05
Iron	ug/g	47	7	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	3.1	0.5	0.1
Mercury	ug/g	0.025	0.01	0.005
Molybdenum	ug/g	0.08	0.04	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	6.5	0.6	0.01
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	0.37	0.1	0.05
Thallium	ug/g	0.010	0.007	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	100	10	0.5

Lab Section 6

Moisture	%	63.22	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021470**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER_PCC-08-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	8	5	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.17	0.04	0.01
Barium	ug/g	0.62	0.09	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	0.92	0.2	0.05
Iron	ug/g	20	5	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	1.4	0.4	0.1
Mercury	ug/g	0.51	0.05	0.005
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.6	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	4.6	0.7	0.05
Thallium	ug/g	0.014	0.008	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	22	3	0.5

Lab Section 6

Moisture	%	77.28	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021471**
 Date Sampled: **Apr 23, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_PCC-08-O_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.38	0.06	0.01
Barium	ug/g	0.42	0.06	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.06	0.01	0.01
Copper	ug/g	2.7	0.4	0.05
Iron	ug/g	41	6	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	4.3	0.6	0.1
Mercury	ug/g	0.019	0.01	0.005
Molybdenum	ug/g	0.07	0.04	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	6.0	0.6	0.01
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	0.21	0.1	0.05
Thallium	ug/g	0.007	0.006	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	86	9	0.5

Lab Section 6

Moisture	%	60.16	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021472**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER_PCC-09-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.20	0.03	0.01
Barium	ug/g	0.72	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	1.7	0.2	0.05
Iron	ug/g	16	5	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	0.7	0.2	0.1
Mercury	ug/g	0.43	0.06	0.005
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.0	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	2.6	0.4	0.05
Thallium	ug/g	0.018	0.009	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	36	5	0.5

Lab Section 6

Moisture	%	76.64	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021473** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER_PCC-09-O_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	7	5	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.33	0.05	0.01
Barium	ug/g	0.89	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.01	0.01	0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.05	0.01	0.01
Copper	ug/g	2.1	0.3	0.05
Iron	ug/g	57	8	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	7.0	1	0.1
Mercury	ug/g	0.024	0.01	0.005
Molybdenum	ug/g	0.12	0.05	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	6.4	0.6	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.34	0.1	0.05
Thallium	ug/g	0.014	0.008	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	120	10	0.5

Lab Section 6

Moisture	%	65.35	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021474**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER_PCC-10-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5	4	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.10	0.02	0.01
Barium	ug/g	0.78	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.01	0.01	0.01
Copper	ug/g	0.87	0.2	0.05
Iron	ug/g	15	5	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	1.0	0.2	0.1
Mercury	ug/g	0.38	0.06	0.005
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.8	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	4.0	0.6	0.05
Thallium	ug/g	0.016	0.009	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	23	3	0.5

Lab Section 6

Moisture	%	77.90	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021475**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER_PCC-10-O_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.38	0.06	0.01
Barium	ug/g	0.69	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.01	0.01	0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.05	0.01	0.01
Copper	ug/g	2.6	0.4	0.05
Iron	ug/g	54	8	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	4.5	0.7	0.1
Mercury	ug/g	0.017	0.009	0.005
Molybdenum	ug/g	0.11	0.04	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	8.3	0.8	0.01
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	0.29	0.1	0.05
Thallium	ug/g	0.012	0.008	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	88	9	0.5

Lab Section 6

Moisture	%	63.20	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021476** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 23, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_RSC-01-O_20190423**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	51	10	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.73	0.2	0.05
Barium	ug/g	2.4	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	0.06	0.02	0.02
Chromium	ug/g	0.5	0.5	0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	7.5	2	0.5
Iron	ug/g	180	30	5
Lead	ug/g	0.10	0.07	0.05
Manganese	ug/g	9.3	2	0.5
Mercury	ug/g	0.03	0.02	0.01
Molybdenum	ug/g	0.18	0.09	0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	11	1	0.05
Silver	ug/g	0.02	0.02	0.02
Strontium	ug/g	0.9	0.3	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	3.1	1	0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	0.2	0.2	0.2
Zinc	ug/g	280	40	5

Lab Section 6

Moisture	%	71.40	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021477**
 Date Sampled: **Apr 23, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_RSC-01-M_20190423**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.11	0.05	0.05
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	1.2	0.8	0.5
Iron	ug/g	10	7	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	1.5	0.8	0.5
Mercury	ug/g	0.28	0.04	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.8	0.3	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	1.5	0.4	0.1
Thallium	ug/g	0.01	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	38	10	5

Lab Section 6

Moisture	%	76.45	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021478** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 23, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_RSC-02-O_20190423**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	17	10	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.26	0.05	0.05
Barium	ug/g	1.6	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	0.04	0.02	0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	7.3	2	0.5
Iron	ug/g	120	20	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	8.7	2	0.5
Mercury	ug/g	0.03	0.02	0.01
Molybdenum	ug/g	0.21	0.1	0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	18	2	0.05
Silver	ug/g	0.04	0.03	0.02
Strontium	ug/g	0.6	0.2	0.1
Thallium	ug/g	0.01	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	280	40	5

Lab Section 6

Moisture	%	76.96	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021479** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 23, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_RSC-02-M_20190423**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5	5	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.15	0.05	0.05
Barium	ug/g	0.6	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	1.2	0.8	0.5
Iron	ug/g	13	8	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	1.2	0.8	0.5
Mercury	ug/g	0.38	0.06	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.6	0.2	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	1.2	0.3	0.1
Thallium	ug/g	<0.01		0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	21	10	5

Lab Section 6

Moisture	%	76.16	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021480** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 23, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_RSC-03-O_20190423**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	17	10	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.57	0.1	0.05
Barium	ug/g	1.6	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	0.08	0.02	0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	6.1	2	0.5
Iron	ug/g	110	20	5
Lead	ug/g	0.05	0.05	0.05
Manganese	ug/g	6.1	2	0.5
Mercury	ug/g	0.03	0.02	0.01
Molybdenum	ug/g	0.10	0.07	0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	22	2	0.05
Silver	ug/g	0.03	0.02	0.02
Strontium	ug/g	1.0	0.2	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	1.2	0.6	0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	260	40	5

Lab Section 6

Moisture	%	71.00	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021481**
 Date Sampled: **Apr 23, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_RSC-03-M_20190423**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	37	20	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.22	0.05	0.05
Barium	ug/g	2.5	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	0.02	0.02	0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	3.2	1	0.5
Iron	ug/g	73	20	5
Lead	ug/g	0.22	0.1	0.05
Manganese	ug/g	3.0	1	0.5
Mercury	ug/g	0.27	0.04	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.6	0.4	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	3.3	0.5	0.1
Thallium	ug/g	<0.01		0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	1.1	0.6	0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	88	20	5

Lab Section 6

Moisture	%	72.56	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021482** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 23, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/23/2019 RG_ER_RSC-04-O_20190423**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	13	10	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.32	0.05	0.05
Barium	ug/g	1.3	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	0.03	0.02	0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	6.1	2	0.5
Iron	ug/g	140	20	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	6.6	2	0.5
Mercury	ug/g	0.03	0.02	0.01
Molybdenum	ug/g	0.16	0.09	0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	8.6	0.9	0.05
Silver	ug/g	0.02	0.02	0.02
Strontium	ug/g	0.9	0.3	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	230	30	5

Lab Section 6

Moisture	%	75.40	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021483** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER_RSC-04-M_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.12	0.05	0.05
Barium	ug/g	0.6	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	1.1	0.7	0.5
Iron	ug/g	11	7	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	1.3	0.8	0.5
Mercury	ug/g	0.28	0.04	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.5	0.2	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	2.8	0.4	0.1
Thallium	ug/g	<0.01		0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	25	10	5

Lab Section 6

Moisture	%	76.26	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021484** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER_RSC-05-O_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	21	10	5
Antimony	ug/g	0.06	0.03	0.02
Arsenic	ug/g	0.42	0.05	0.05
Barium	ug/g	1.3	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	5.2	1	0.5
Iron	ug/g	150	20	5
Lead	ug/g	0.10	0.07	0.05
Manganese	ug/g	8.2	2	0.5
Mercury	ug/g	0.03	0.02	0.01
Molybdenum	ug/g	0.19	0.1	0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	11	1	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	0.8	0.3	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	3.8	1	0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	220	30	5

Lab Section 6

Moisture	%	74.83	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021485** Client PO #: **VPO00616225 Ref# 19-08**
Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
Sample Matrix: **TISSUE**
Description: **04/24/2019 RG_ER_RSC-05-M_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	18	10	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.18	0.05	0.05
Barium	ug/g	2.0	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	2.8	1	0.5
Iron	ug/g	54	10	5
Lead	ug/g	0.09	0.07	0.05
Manganese	ug/g	2.1	1	0.5
Mercury	ug/g	0.33	0.05	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.8	0.3	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	3.2	0.5	0.1
Thallium	ug/g	0.01	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	0.7	0.5	0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	62	20	5

Lab Section 6

Moisture	%	76.05	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021486**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER_RSC-06-O_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	16	10	5
Antimony	ug/g	0.03	0.02	0.02
Arsenic	ug/g	0.21	0.05	0.02
Barium	ug/g	1.7	0.2	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	0.03	0.02	0.02
Chromium	ug/g	0.1	0.1	0.1
Cobalt	ug/g	0.14	0.02	0.02
Copper	ug/g	4.6	0.7	0.1
Iron	ug/g	130	20	5
Lead	ug/g	0.04	0.03	0.02
Manganese	ug/g	8.5	1	0.2
Mercury	ug/g	0.02	0.01	0.01
Molybdenum	ug/g	0.15	0.08	0.05
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	15	2	0.02
Silver	ug/g	0.02	0.02	0.02
Strontium	ug/g	0.7	0.2	0.1
Thallium	ug/g	0.03	0.02	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	260	30	1

Lab Section 6

Moisture	%	74.70	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021487** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER_RSC-06-M_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	7	6	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.18	0.05	0.05
Barium	ug/g	0.5	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	1.0	0.7	0.5
Iron	ug/g	18	9	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	1.6	0.9	0.5
Mercury	ug/g	0.32	0.05	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.3	0.3	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	2.1	0.3	0.1
Thallium	ug/g	<0.01		0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	40	10	5

Lab Section 6

Moisture	%	76.91	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021488** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER_RSC-07-O_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	8	7	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.30	0.05	0.05
Barium	ug/g	1.2	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	5.3	1	0.5
Iron	ug/g	110	20	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	14	2	0.5
Mercury	ug/g	0.02	0.01	0.01
Molybdenum	ug/g	0.20	0.1	0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	11	1	0.05
Silver	ug/g	0.02	0.02	0.02
Strontium	ug/g	0.6	0.2	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	240	40	5

Lab Section 6

Moisture	%	75.41	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021489** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER_RSC-07-M_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.09	0.05	0.05
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	0.9	0.7	0.5
Iron	ug/g	12	8	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	1.3	0.8	0.5
Mercury	ug/g	0.24	0.04	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.8	0.3	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	1.6	0.4	0.1
Thallium	ug/g	<0.01		0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	18	9	5

Lab Section 6

Moisture	%	76.75	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021490**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER_RSC-08-O_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	8	7	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.29	0.05	0.05
Barium	ug/g	1.4	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	0.02	0.02	0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	5.9	1	0.5
Iron	ug/g	110	20	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	15	2	0.5
Mercury	ug/g	0.03	0.02	0.01
Molybdenum	ug/g	0.16	0.09	0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	18	2	0.05
Silver	ug/g	0.02	0.02	0.02
Strontium	ug/g	0.6	0.2	0.1
Thallium	ug/g	0.01	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	240	40	5

Lab Section 6

Moisture	%	75.35	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021491**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER_RSC-08-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	32	20	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.14	0.05	0.05
Barium	ug/g	1.3	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	2.7	1	0.5
Iron	ug/g	62	20	5
Lead	ug/g	0.10	0.07	0.05
Manganese	ug/g	2.3	1	0.5
Mercury	ug/g	0.29	0.04	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.8	0.3	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	2.7	0.4	0.1
Thallium	ug/g	<0.01		0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	1.4	0.6	0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	54	10	5

Lab Section 6

Moisture	%	76.62	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021492** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER_RSC-09-O_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.24	0.06	0.02
Barium	ug/g	3.4	0.5	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	0.05	0.02	0.02
Chromium	ug/g	<0.1		0.1
Cobalt	ug/g	0.09	0.02	0.02
Copper	ug/g	6.2	0.9	0.1
Iron	ug/g	130	20	5
Lead	ug/g	0.02	0.02	0.02
Manganese	ug/g	7.8	1	0.2
Mercury	ug/g	0.03	0.02	0.01
Molybdenum	ug/g	0.15	0.08	0.05
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	9.4	0.9	0.02
Silver	ug/g	0.04	0.03	0.02
Strontium	ug/g	1.0	0.2	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	220	20	1

Lab Section 6

Moisture	%	74.91	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021493**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER_RSC-09-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.07	0.05	0.05
Barium	ug/g	1.4	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	1.6	0.9	0.5
Iron	ug/g	22	10	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	1.6	0.9	0.5
Mercury	ug/g	0.38	0.06	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.6	0.2	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	5.3	0.8	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	55	10	5

Lab Section 6

Moisture	%	77.77	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021494**
Date Sampled: **Apr 24, 2019**
Sample Matrix: **TISSUE**
Description: **04/24/2019 RG_ER_RSC-10-O_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	35	20	5
Antimony	ug/g	0.02	0.02	0.02
Arsenic	ug/g	0.30	0.05	0.05
Barium	ug/g	1.9	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	0.08	0.02	0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	6.0	2	0.5
Iron	ug/g	140	20	5
Lead	ug/g	0.07	0.06	0.05
Manganese	ug/g	8.6	2	0.5
Mercury	ug/g	0.03	0.02	0.01
Molybdenum	ug/g	0.14	0.08	0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	13	1	0.05
Silver	ug/g	0.02	0.02	0.02
Strontium	ug/g	0.8	0.3	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	5.4	1	0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	270	40	5

Lab Section 6

Moisture	%	75.83	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021495** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER_RSC-10-M_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	<0.02		0.02
Barium	ug/g	<0.05		0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	0.3	0.2	0.1
Cobalt	ug/g	0.14	0.02	0.02
Copper	ug/g	<0.1		0.1
Iron	ug/g	<5		5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	<0.2		0.2
Mercury	ug/g	<0.01		0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	0.02	0.02	0.02
Silver	ug/g	<0.02		0.02
Strontium	ug/g	<0.1		0.1
Thallium	ug/g	<0.01		0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	<1		1

Lab Section 6

Moisture	%	78.04	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.
 Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021496** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_PCC-01-O_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	160	20	2
Antimony	ug/g	0.02	0.01	0.01
Arsenic	ug/g	0.31	0.05	0.01
Barium	ug/g	4.3	0.4	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.10	0.02	0.01
Chromium	ug/g	0.20	0.1	0.05
Cobalt	ug/g	0.11	0.03	0.01
Copper	ug/g	4.4	0.7	0.05
Iron	ug/g	180	30	2
Lead	ug/g	0.18	0.04	0.01
Manganese	ug/g	9.1	1	0.1
Mercury	ug/g	0.025	0.01	0.005
Molybdenum	ug/g	0.10	0.04	0.02
Nickel	ug/g	0.19	0.05	0.05
Selenium	ug/g	10	1	0.1
Silver	ug/g	0.04	0.02	0.01
Strontium	ug/g	1.6	0.2	0.05
Thallium	ug/g	0.016	0.009	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	2.7	0.7	0.2
Uranium	ug/g	0.009	0.007	0.005
Vanadium	ug/g	0.2	0.1	0.1
Zinc	ug/g	110	10	0.5

Lab Section 6

Moisture	%	64.64	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021497** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_PCC-01-M_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.22	0.03	0.01
Barium	ug/g	0.97	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	1.0	0.2	0.05
Iron	ug/g	10	4	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	1.0	0.2	0.1
Mercury	ug/g	0.55	0.1	0.05
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.2	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	2.9	0.4	0.05
Thallium	ug/g	0.014	0.008	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	23	3	0.5

Lab Section 6

Moisture	%	78.49	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021498**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_PCC-02-O_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	8	5	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.43	0.06	0.01
Barium	ug/g	1.5	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	0.06	0.06	0.05
Cobalt	ug/g	0.08	0.01	0.01
Copper	ug/g	2.9	0.4	0.05
Iron	ug/g	75	10	2
Lead	ug/g	0.08	0.03	0.01
Manganese	ug/g	11	1	0.1
Mercury	ug/g	0.035	0.01	0.005
Molybdenum	ug/g	0.20	0.05	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	21	2	0.1
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.52	0.1	0.05
Thallium	ug/g	0.021	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.3	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	110	10	0.5

Lab Section 6

Moisture	%	69.50	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.
 Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021499**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_PCC-02-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6	4	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.07	0.01	0.01
Barium	ug/g	0.78	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	0.08	0.06	0.05
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	1.1	0.2	0.05
Iron	ug/g	19	6	2
Lead	ug/g	0.06	0.02	0.01
Manganese	ug/g	0.9	0.3	0.1
Mercury	ug/g	0.31	0.1	0.05
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.3	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	3.2	0.5	0.05
Thallium	ug/g	0.018	0.009	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.2	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	19	3	0.5

Lab Section 6

Moisture	%	77.76	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021500** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_PCC-03-O_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	140	20	2
Antimony	ug/g	0.01	0.01	0.01
Arsenic	ug/g	0.30	0.04	0.01
Barium	ug/g	2.6	0.3	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	0.17	0.09	0.05
Cobalt	ug/g	0.11	0.03	0.01
Copper	ug/g	3.7	0.6	0.05
Iron	ug/g	140	20	2
Lead	ug/g	0.12	0.03	0.01
Manganese	ug/g	9.5	1	0.1
Mercury	ug/g	0.012	0.008	0.005
Molybdenum	ug/g	0.09	0.04	0.02
Nickel	ug/g	0.14	0.05	0.05
Selenium	ug/g	7.3	0.7	0.01
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	1.4	0.2	0.05
Thallium	ug/g	0.005	0.005	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	2.3	0.6	0.2
Uranium	ug/g	0.006	0.006	0.005
Vanadium	ug/g	0.2	0.1	0.1
Zinc	ug/g	99	10	0.5

Lab Section 6

Moisture	%	62.71	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

This sample was reanalyzed for Lab Section 2 (ICP). Reanalysis confirms original results are within the expected measurement uncertainty.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.
 Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021501** Client PO #: **VPO00616225 Ref# 19-08**
Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
Sample Matrix: **TISSUE**
Description: **04/24/2019 RG_SC_PCC-03-M_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	24	6	2
Antimony	ug/g	0.02	0.01	0.01
Arsenic	ug/g	0.17	0.04	0.01
Barium	ug/g	1.3	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	0.06	0.06	0.05
Cobalt	ug/g	0.04	0.01	0.01
Copper	ug/g	2.1	0.3	0.05
Iron	ug/g	33	8	2
Lead	ug/g	0.07	0.02	0.01
Manganese	ug/g	2.2	0.3	0.1
Mercury	ug/g	0.27	0.1	0.05
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	0.10	0.05	0.05
Selenium	ug/g	1.8	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	4.0	0.6	0.05
Thallium	ug/g	0.011	0.007	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.5	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	41	6	0.5

Lab Section 6

Moisture	%	78.06	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021502**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_PCC-04-O_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6	4	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.20	0.03	0.01
Barium	ug/g	0.92	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.03	0.01	0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.06	0.01	0.01
Copper	ug/g	3.1	0.5	0.05
Iron	ug/g	35	9	2
Lead	ug/g	0.03	0.02	0.01
Manganese	ug/g	4.2	0.6	0.1
Mercury	ug/g	0.014	0.008	0.005
Molybdenum	ug/g	0.10	0.04	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	12	1	0.1
Silver	ug/g	0.03	0.02	0.01
Strontium	ug/g	0.27	0.1	0.05
Thallium	ug/g	0.008	0.006	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	90	9	0.5

Lab Section 6

Moisture	%	62.43	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021503**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_PCC-04-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.12	0.03	0.01
Barium	ug/g	0.60	0.09	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.01	0.01	0.01
Copper	ug/g	0.87	0.2	0.05
Iron	ug/g	7	4	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	1.0	0.2	0.1
Mercury	ug/g	0.34	0.1	0.05
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	3.0	0.3	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	2.3	0.3	0.05
Thallium	ug/g	0.010	0.007	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	23	3	0.5

Lab Section 6

Moisture	%	77.79	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021504** Client PO #: **VPO00616225 Ref# 19-08**
Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
Sample Matrix: **TISSUE**
Description: **04/24/2019 RG_SC_PCC-05-O_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3	3	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.25	0.04	0.01
Barium	ug/g	0.78	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.05	0.01	0.01
Copper	ug/g	2.9	0.4	0.05
Iron	ug/g	36	9	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	5.0	0.8	0.1
Mercury	ug/g	0.013	0.008	0.005
Molybdenum	ug/g	0.08	0.04	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	12	1	0.1
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	0.27	0.1	0.05
Thallium	ug/g	0.014	0.008	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	81	8	0.5

Lab Section 6

Moisture	%	60.82	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021505** Client PO #: **VPO00616225 Ref# 19-08**
Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
Sample Matrix: **TISSUE**
Description: **04/24/2019 RG_SC_PCC-05-M_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	8	5	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.10	0.02	0.01
Barium	ug/g	0.82	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	0.09	0.07	0.05
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	0.97	0.2	0.05
Iron	ug/g	14	5	2
Lead	ug/g	0.05	0.02	0.01
Manganese	ug/g	1.4	0.4	0.1
Mercury	ug/g	0.50	0.1	0.05
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	0.05	0.05	0.05
Selenium	ug/g	1.8	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	4.5	0.7	0.05
Thallium	ug/g	0.022	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.2	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	17	2	0.5

Lab Section 6

Moisture	%	76.49	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021506** Client PO #: **VPO00616225 Ref# 19-08**
Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
Sample Matrix: **TISSUE**
Description: **04/24/2019 RG_SC_PCC-06-O_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	96	10	2
Antimony	ug/g	0.02	0.01	0.01
Arsenic	ug/g	0.31	0.05	0.01
Barium	ug/g	2.6	0.3	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	0.17	0.09	0.05
Cobalt	ug/g	0.10	0.02	0.01
Copper	ug/g	4.0	0.6	0.05
Iron	ug/g	160	20	2
Lead	ug/g	0.14	0.04	0.01
Manganese	ug/g	13	1	0.1
Mercury	ug/g	0.052	0.01	0.005
Molybdenum	ug/g	0.21	0.05	0.02
Nickel	ug/g	0.25	0.05	0.05
Selenium	ug/g	13	1	0.1
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	1.3	0.2	0.05
Thallium	ug/g	0.032	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	1.7	0.5	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	0.1	0.1	0.1
Zinc	ug/g	170	20	0.5

Lab Section 6

Moisture	%	73.02	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.
Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021507**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_PCC-06-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6	4	2
Antimony	ug/g	0.02	0.01	0.01
Arsenic	ug/g	0.15	0.04	0.01
Barium	ug/g	1.5	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.03	0.01	0.01
Copper	ug/g	1.8	0.3	0.05
Iron	ug/g	16	5	2
Lead	ug/g	0.07	0.02	0.01
Manganese	ug/g	1.3	0.3	0.1
Mercury	ug/g	0.56	0.1	0.05
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	0.13	0.05	0.05
Selenium	ug/g	1.7	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	5.7	0.6	0.05
Thallium	ug/g	0.030	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	43	6	0.5

Lab Section 6

Moisture	%	76.99	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021508** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_PCC-07-O_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	8	5	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.14	0.04	0.01
Barium	ug/g	0.83	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.09	0.01	0.01
Copper	ug/g	3.5	0.5	0.05
Iron	ug/g	100	20	2
Lead	ug/g	0.03	0.02	0.01
Manganese	ug/g	8.1	1	0.1
Mercury	ug/g	0.035	0.01	0.005
Molybdenum	ug/g	0.23	0.06	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	16	2	0.1
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.46	0.1	0.05
Thallium	ug/g	0.021	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.2	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	150	20	0.5

Lab Section 6

Moisture	%	72.31	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021509**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_PCC-07-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5	4	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.08	0.01	0.01
Barium	ug/g	1.6	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.03	0.01	0.01
Copper	ug/g	1.0	0.2	0.05
Iron	ug/g	13	5	2
Lead	ug/g	0.03	0.02	0.01
Manganese	ug/g	1.8	0.4	0.1
Mercury	ug/g	0.43	0.1	0.05
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.4	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	8.8	0.9	0.05
Thallium	ug/g	0.015	0.008	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	24	4	0.5

Lab Section 6

Moisture	%	77.46	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021510**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_PCC-08-O_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6	4	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.11	0.03	0.01
Barium	ug/g	3.2	0.3	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.03	0.01	0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.07	0.01	0.01
Copper	ug/g	2.1	0.3	0.05
Iron	ug/g	110	20	2
Lead	ug/g	0.06	0.02	0.01
Manganese	ug/g	5.4	0.8	0.1
Mercury	ug/g	0.049	0.01	0.005
Molybdenum	ug/g	0.14	0.05	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	12	1	0.1
Silver	ug/g	0.03	0.02	0.01
Strontium	ug/g	0.37	0.1	0.05
Thallium	ug/g	<0.005		0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	0.009	0.007	0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	120	10	0.5

Lab Section 6

Moisture	%	69.50	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021511**
Date Sampled: **Apr 24, 2019**
Sample Matrix: **TISSUE**
Description: **04/24/2019 RG_SC_PCC-08-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.09	0.01	0.01
Barium	ug/g	1.9	0.3	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.01	0.01	0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	1.3	0.2	0.05
Iron	ug/g	24	6	2
Lead	ug/g	0.04	0.02	0.01
Manganese	ug/g	0.6	0.2	0.1
Mercury	ug/g	0.87	0.2	0.05
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.9	0.3	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	1.2	0.2	0.05
Thallium	ug/g	<0.005		0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	32	5	0.5

Lab Section 6

Moisture	%	79.48	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021512**
Date Sampled: **Apr 24, 2019**
Sample Matrix: **TISSUE**
Description: **04/24/2019 RG_SC_PCC-09-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2	2	2
Antimony	ug/g	0.01	0.01	0.01
Arsenic	ug/g	0.09	0.01	0.01
Barium	ug/g	1.1	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	0.93	0.2	0.05
Iron	ug/g	10	4	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	0.9	0.3	0.1
Mercury	ug/g	0.41	0.1	0.05
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.8	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	3.9	0.6	0.05
Thallium	ug/g	0.012	0.008	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	23	3	0.5

Lab Section 6

Moisture	%	78.35	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021513** Client PO #: **VPO00616225 Ref# 19-08**
Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
Sample Matrix: **TISSUE**
Description: **04/24/2019 RG_SC_PCC-09-O_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	13	8	2
Antimony	ug/g	0.01	0.01	0.01
Arsenic	ug/g	0.26	0.04	0.01
Barium	ug/g	1.5	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	0.06	0.06	0.05
Cobalt	ug/g	0.09	0.01	0.01
Copper	ug/g	4.1	0.6	0.05
Iron	ug/g	100	20	2
Lead	ug/g	0.05	0.02	0.01
Manganese	ug/g	7.5	1	0.1
Mercury	ug/g	0.034	0.01	0.005
Molybdenum	ug/g	0.15	0.05	0.02
Nickel	ug/g	0.29	0.05	0.05
Selenium	ug/g	8.8	0.9	0.01
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.46	0.1	0.05
Thallium	ug/g	0.010	0.007	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.3	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	120	10	0.5

Lab Section 6

Moisture	%	66.57	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021514**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_PCC-10-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2	2	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.10	0.02	0.01
Barium	ug/g	0.84	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	0.78	0.2	0.05
Iron	ug/g	7	4	2
Lead	ug/g	0.03	0.02	0.01
Manganese	ug/g	1.2	0.3	0.1
Mercury	ug/g	0.57	0.1	0.05
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.2	0.1	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	5.1	0.5	0.05
Thallium	ug/g	0.012	0.008	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	26	4	0.5

Lab Section 6

Moisture	%	78.25	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021515** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_PCC-10-O_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	13	8	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.48	0.07	0.01
Barium	ug/g	0.99	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.01	0.01	0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.05	0.01	0.01
Copper	ug/g	2.7	0.4	0.05
Iron	ug/g	68	10	2
Lead	ug/g	0.04	0.02	0.01
Manganese	ug/g	4.8	0.7	0.1
Mercury	ug/g	0.030	0.01	0.005
Molybdenum	ug/g	0.15	0.05	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	11	1	0.1
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.55	0.1	0.05
Thallium	ug/g	0.016	0.009	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.2	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	120	10	0.5

Lab Section 6

Moisture	%	67.32	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021516** Client PO #: **VPO00616225 Ref# 19-08**
Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
Sample Matrix: **TISSUE**
Description: **04/24/2019 RG_SC_RSC-01-M_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.07	0.02	0.02
Barium	ug/g	0.62	0.2	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.1		0.1
Cobalt	ug/g	0.04	0.02	0.02
Copper	ug/g	1.8	0.4	0.1
Iron	ug/g	18	9	5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	1.0	0.4	0.2
Mercury	ug/g	0.4	0.2	0.1
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	1.3	0.2	0.02
Silver	ug/g	<0.02		0.02
Strontium	ug/g	1.1	0.3	0.1
Thallium	ug/g	0.01	0.01	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	48	7	1

Lab Section 6

Moisture	%	76.90	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021517** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_RSC-01-O_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5	5	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.22	0.06	0.02
Barium	ug/g	1.2	0.2	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	0.02	0.02	0.02
Chromium	ug/g	<0.1		0.1
Cobalt	ug/g	0.11	0.02	0.02
Copper	ug/g	6.2	0.9	0.1
Iron	ug/g	98	20	5
Lead	ug/g	0.07	0.04	0.02
Manganese	ug/g	11	2	0.2
Mercury	ug/g	0.03	0.02	0.01
Molybdenum	ug/g	0.19	0.1	0.05
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	20	2	0.02
Silver	ug/g	0.02	0.02	0.02
Strontium	ug/g	0.6	0.2	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	230	20	1

Lab Section 6

Moisture	%	74.95	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021518**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_RSC-02-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.11	0.05	0.05
Barium	ug/g	1.4	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	2.6	1	0.5
Iron	ug/g	27	10	5
Lead	ug/g	0.05	0.05	0.05
Manganese	ug/g	1.8	0.9	0.5
Mercury	ug/g	0.41	0.06	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.4	0.2	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	3.3	0.5	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	70	20	5

Lab Section 6

Moisture	%	75.98	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021519** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_RSC-02-O_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6	6	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.22	0.06	0.02
Barium	ug/g	0.39	0.05	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.1		0.1
Cobalt	ug/g	0.07	0.02	0.02
Copper	ug/g	5.5	0.8	0.1
Iron	ug/g	110	20	5
Lead	ug/g	0.03	0.02	0.02
Manganese	ug/g	10	2	0.2
Mercury	ug/g	0.03	0.02	0.01
Molybdenum	ug/g	0.14	0.08	0.05
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	7.6	0.8	0.02
Silver	ug/g	<0.02		0.02
Strontium	ug/g	0.5	0.2	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	150	20	1

Lab Section 6

Moisture	%	72.82	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021520**
Date Sampled: **Apr 24, 2019**
Sample Matrix: **TISSUE**
Description: **04/24/2019 RG_SC_RSC-03-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	10	8	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.08	0.05	0.05
Barium	ug/g	0.8	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	1.1	0.7	0.5
Iron	ug/g	22	10	5
Lead	ug/g	0.10	0.07	0.05
Manganese	ug/g	2.5	1	0.5
Mercury	ug/g	0.31	0.05	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.5	0.2	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	5.3	0.8	0.1
Thallium	ug/g	0.01	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	0.6	0.5	0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	28	10	5

Lab Section 6

Moisture	%	77.32	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021521**
Date Sampled: **Apr 24, 2019**
Sample Matrix: **TISSUE**
Description: **04/24/2019 RG_SC_RSC-03-O_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	18	10	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.25	0.05	0.05
Barium	ug/g	1.2	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	0.02	0.02	0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	6.5	2	0.5
Iron	ug/g	140	20	5
Lead	ug/g	0.19	0.1	0.05
Manganese	ug/g	4.9	1	0.5
Mercury	ug/g	0.04	0.02	0.01
Molybdenum	ug/g	0.17	0.09	0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	17	2	0.05
Silver	ug/g	0.03	0.02	0.02
Strontium	ug/g	0.7	0.2	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	1.1	0.6	0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	210	30	5

Lab Section 6

Moisture	%	75.53	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.
Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021522**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_RSC-04-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.09	0.02	0.02
Barium	ug/g	0.76	0.2	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.1		0.1
Cobalt	ug/g	<0.02		0.02
Copper	ug/g	1.7	0.4	0.1
Iron	ug/g	17	9	5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	1.5	0.5	0.2
Mercury	ug/g	0.30	0.04	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	3.2	0.3	0.02
Silver	ug/g	<0.02		0.02
Strontium	ug/g	0.8	0.3	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	58	9	1

Lab Section 6

Moisture	%	77.27	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021523** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_RSC-04-O_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6	6	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.18	0.05	0.05
Barium	ug/g	1.0	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	0.02	0.02	0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	5.9	1	0.5
Iron	ug/g	120	20	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	10	2	0.5
Mercury	ug/g	0.03	0.02	0.01
Molybdenum	ug/g	0.15	0.08	0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	15	2	0.05
Silver	ug/g	0.04	0.03	0.02
Strontium	ug/g	0.5	0.2	0.1
Thallium	ug/g	0.03	0.02	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	200	30	5

Lab Section 6

Moisture	%	75.22	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021524** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_RSC-05-M_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.08	0.02	0.02
Barium	ug/g	0.33	0.05	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.1		0.1
Cobalt	ug/g	0.02	0.02	0.02
Copper	ug/g	0.9	0.3	0.1
Iron	ug/g	10	7	5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	1.4	0.5	0.2
Mercury	ug/g	0.30	0.04	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	1.5	0.2	0.02
Silver	ug/g	<0.02		0.02
Strontium	ug/g	2.4	0.4	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	27	4	1

Lab Section 6

Moisture	%	78.20	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021525** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_RSC-05-O_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	28	20	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.39	0.05	0.05
Barium	ug/g	1.6	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	2.6	1	0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	7.4	2	0.5
Iron	ug/g	160	20	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	5.8	1	0.5
Mercury	ug/g	0.03	0.02	0.01
Molybdenum	ug/g	0.15	0.08	0.05
Nickel	ug/g	1.0	0.5	0.5
Selenium	ug/g	12	1	0.05
Silver	ug/g	0.02	0.02	0.02
Strontium	ug/g	0.7	0.2	0.1
Thallium	ug/g	0.03	0.02	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	0.5	0.5	0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	250	40	5

Lab Section 6

Moisture	%	74.47	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021526**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_RSC-06-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	5	5	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.07	0.02	0.02
Barium	ug/g	0.97	0.2	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	0.7	0.2	0.1
Cobalt	ug/g	<0.02		0.02
Copper	ug/g	1.5	0.4	0.1
Iron	ug/g	19	10	5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	1.7	0.6	0.2
Mercury	ug/g	0.50	0.08	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	0.3	0.1	0.1
Selenium	ug/g	2.0	0.2	0.02
Silver	ug/g	<0.02		0.02
Strontium	ug/g	3.0	0.4	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	38	6	1

Lab Section 6

Moisture	%	76.79	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021527**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_RSC-06-O_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	44	20	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.41	0.05	0.05
Barium	ug/g	2.0	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	0.05	0.02	0.02
Chromium	ug/g	1.4	0.8	0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	6.5	2	0.5
Iron	ug/g	170	20	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	6.4	2	0.5
Mercury	ug/g	0.04	0.02	0.01
Molybdenum	ug/g	0.16	0.09	0.05
Nickel	ug/g	0.7	0.5	0.5
Selenium	ug/g	12	1	0.05
Silver	ug/g	0.02	0.02	0.02
Strontium	ug/g	1.2	0.3	0.1
Thallium	ug/g	0.03	0.02	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	0.6	0.5	0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	240	40	5

Lab Section 6

Moisture	%	74.01	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021528** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_RSC-07-O_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	12	9	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.25	0.06	0.02
Barium	ug/g	0.56	0.1	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	2.6	0.4	0.1
Cobalt	ug/g	0.11	0.02	0.02
Copper	ug/g	6.6	1	0.1
Iron	ug/g	120	20	5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	11	2	0.2
Mercury	ug/g	0.03	0.02	0.01
Molybdenum	ug/g	0.18	0.09	0.05
Nickel	ug/g	1.1	0.3	0.1
Selenium	ug/g	16	2	0.02
Silver	ug/g	0.03	0.02	0.02
Strontium	ug/g	0.5	0.2	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	0.5	0.5	0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	160	20	1

Lab Section 6

Moisture	%	73.46	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021529** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_RSC-07-M_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	10	8	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.10	0.02	0.02
Barium	ug/g	0.47	0.05	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	1.8	0.4	0.1
Cobalt	ug/g	<0.02		0.02
Copper	ug/g	1.3	0.3	0.1
Iron	ug/g	27	10	5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	1.9	0.6	0.2
Mercury	ug/g	0.34	0.05	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	0.7	0.1	0.1
Selenium	ug/g	1.5	0.2	0.02
Silver	ug/g	<0.02		0.02
Strontium	ug/g	2.4	0.4	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	0.5	0.5	0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	47	7	1

Lab Section 6

Moisture	%	76.28	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.
 Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021530** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_RSC-08-O_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.26	0.05	0.05
Barium	ug/g	0.6	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	5.4	1	0.5
Iron	ug/g	130	20	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	8.2	2	0.5
Mercury	ug/g	0.03	0.02	0.01
Molybdenum	ug/g	0.16	0.09	0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	8.4	0.8	0.05
Silver	ug/g	0.03	0.02	0.02
Strontium	ug/g	0.5	0.2	0.1
Thallium	ug/g	0.03	0.02	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	190	30	5

Lab Section 6

Moisture	%	74.40	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021531** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_RSC-08-M_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.06	0.02	0.02
Barium	ug/g	0.46	0.05	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	0.3	0.2	0.1
Cobalt	ug/g	<0.02		0.02
Copper	ug/g	1.2	0.3	0.1
Iron	ug/g	12	8	5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	1.5	0.5	0.2
Mercury	ug/g	0.38	0.06	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	0.1	0.1	0.1
Selenium	ug/g	1.8	0.3	0.02
Silver	ug/g	<0.02		0.02
Strontium	ug/g	2.2	0.3	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	35	5	1

Lab Section 6

Moisture	%	77.75	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021532**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_RSC-09-O_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<50		50
Antimony	ug/g	<0.1		0.1
Arsenic	ug/g	<0.5		0.5
Barium	ug/g	<5		5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<50		50
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<5		5
Cobalt	ug/g	<5		5
Copper	ug/g	5	5	5
Iron	ug/g	150	80	50
Lead	ug/g	<0.5		0.5
Manganese	ug/g	9	7	5
Mercury	ug/g	0.05	0.03	0.02
Molybdenum	ug/g	<0.5		0.5
Nickel	ug/g	<5		5
Selenium	ug/g	17	2	0.5
Silver	ug/g	<0.02		0.02
Strontium	ug/g	<1		1
Thallium	ug/g	<0.1		0.1
Tin	ug/g	<2		2
Titanium	ug/g	<5		5
Uranium	ug/g	<0.1		0.1
Vanadium	ug/g	<1		1
Zinc	ug/g	240	100	50

Lab Section 6

Moisture	%	67.10	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021533**
 Date Sampled: **Apr 24, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_RSC-09-M_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	8	7	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.08	0.05	0.05
Barium	ug/g	0.5	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	1.7	0.9	0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	1.0	0.7	0.5
Iron	ug/g	20	10	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	1.5	0.8	0.5
Mercury	ug/g	0.37	0.06	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	0.8	0.5	0.5
Selenium	ug/g	2.0	0.3	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	2.2	0.3	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	36	10	5

Lab Section 6

Moisture	%	76.60	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.
 Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021534**
Date Sampled: **Apr 24, 2019**
Sample Matrix: **TISSUE**
Description: **04/24/2019 RG_SC_RSC-10-O_20190424**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	16	10	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.16	0.05	0.05
Barium	ug/g	0.8	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	0.02	0.02	0.02
Chromium	ug/g	0.9	0.7	0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	7.2	2	0.5
Iron	ug/g	140	20	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	10	2	0.5
Mercury	ug/g	0.04	0.02	0.01
Molybdenum	ug/g	0.15	0.08	0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	8.8	0.9	0.05
Silver	ug/g	0.03	0.02	0.02
Strontium	ug/g	0.7	0.2	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	140	20	5

Lab Section 6

Moisture	%	75.51	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021535** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC_RSC-10-M_20190424**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	0.02	0.02	0.02
Arsenic	ug/g	0.09	0.02	0.02
Barium	ug/g	1.5	0.2	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.1		0.1
Cobalt	ug/g	<0.02		0.02
Copper	ug/g	2.3	0.3	0.1
Iron	ug/g	23	10	5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	1.8	0.6	0.2
Mercury	ug/g	0.40	0.06	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	1.7	0.2	0.02
Silver	ug/g	<0.02		0.02
Strontium	ug/g	3.7	0.6	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	82	10	1

Lab Section 6

Moisture	%	75.66	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021536** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_PCC-01-O_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	8	5	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.08	0.01	0.01
Barium	ug/g	0.52	0.08	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	0.44	0.1	0.05
Cobalt	ug/g	0.28	0.04	0.01
Copper	ug/g	2.2	0.3	0.05
Iron	ug/g	170	20	2
Lead	ug/g	0.03	0.02	0.01
Manganese	ug/g	4.7	0.7	0.1
Mercury	ug/g	0.045	0.01	0.005
Molybdenum	ug/g	0.27	0.07	0.02
Nickel	ug/g	0.10	0.05	0.05
Selenium	ug/g	18	2	0.1
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.42	0.1	0.05
Thallium	ug/g	0.006	0.006	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	160	20	0.5

Lab Section 6

Moisture	%	74.20	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.
 Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021537**
 Date Sampled: **Apr 25, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_PCC-01-M_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.13	0.03	0.01
Barium	ug/g	2.8	0.3	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.04	0.01	0.01
Copper	ug/g	1.6	0.2	0.05
Iron	ug/g	26	6	2
Lead	ug/g	0.05	0.02	0.01
Manganese	ug/g	1.6	0.4	0.1
Mercury	ug/g	0.66	0.2	0.05
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	3.7	0.4	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	8.4	0.8	0.05
Thallium	ug/g	0.009	0.007	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	37	6	0.5

Lab Section 6

Moisture	%	78.04	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021538** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_PCC-02-O_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3	3	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.19	0.05	0.01
Barium	ug/g	1.9	0.3	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.05	0.01	0.01
Copper	ug/g	3.7	0.6	0.05
Iron	ug/g	66	10	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	5.6	0.8	0.1
Mercury	ug/g	0.051	0.01	0.005
Molybdenum	ug/g	0.09	0.04	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	12	1	0.1
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.25	0.1	0.05
Thallium	ug/g	0.012	0.008	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	86	9	0.5

Lab Section 6

Moisture	%	64.06	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021539** Client PO #: **VPO00616225 Ref# 19-08**
Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_PCC-02-M_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3	3	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.13	0.03	0.01
Barium	ug/g	1.1	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	1.4	0.2	0.05
Iron	ug/g	12	5	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	0.7	0.2	0.1
Mercury	ug/g	1.2	0.2	0.05
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.7	0.3	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	2.6	0.4	0.05
Thallium	ug/g	0.013	0.008	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	15	2	0.5

Lab Section 6

Moisture	%	77.47	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021540**
 Date Sampled: **Apr 25, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_PCC-03-O_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	7	5	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.35	0.05	0.01
Barium	ug/g	0.82	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.03	0.01	0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.05	0.01	0.01
Copper	ug/g	2.8	0.4	0.05
Iron	ug/g	55	8	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	5.1	0.8	0.1
Mercury	ug/g	0.027	0.01	0.005
Molybdenum	ug/g	0.10	0.04	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	6.5	0.6	0.01
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	0.26	0.1	0.05
Thallium	ug/g	0.017	0.009	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.2	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	100	10	0.5

Lab Section 6

Moisture	%	63.44	6	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021541**
 Date Sampled: **Apr 25, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_PCC-03-M_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.22	0.03	0.01
Barium	ug/g	0.49	0.07	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	<0.01		0.01
Copper	ug/g	1.5	0.2	0.05
Iron	ug/g	15	5	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	0.4	0.2	0.1
Mercury	ug/g	0.55	0.1	0.05
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.0	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.39	0.1	0.05
Thallium	ug/g	0.023	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	25	4	0.5

Lab Section 6

Moisture	%	77.57	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021542**
Date Sampled: **Apr 25, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_PCC-04-O_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6	4	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.16	0.04	0.01
Barium	ug/g	1.8	0.3	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.04	0.01	0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.10	0.02	0.01
Copper	ug/g	4.2	0.6	0.05
Iron	ug/g	110	20	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	15	2	0.1
Mercury	ug/g	0.064	0.02	0.005
Molybdenum	ug/g	0.24	0.06	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	12	1	0.1
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.51	0.1	0.05
Thallium	ug/g	0.045	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	130	10	0.5

Lab Section 6

Moisture	%	74.75	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021543** Client PO #: **VPO00616225 Ref# 19-08**
Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_PCC-04-M_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.10	0.02	0.01
Barium	ug/g	0.72	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	1.1	0.2	0.05
Iron	ug/g	15	5	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	0.9	0.3	0.1
Mercury	ug/g	0.50	0.1	0.05
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.0	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	2.7	0.4	0.05
Thallium	ug/g	0.019	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	22	3	0.5

Lab Section 6

Moisture	%	79.07	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021544**
Date Sampled: **Apr 25, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_PCC-05-O_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	6	4	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.39	0.06	0.01
Barium	ug/g	1.0	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	0.09	0.07	0.05
Cobalt	ug/g	0.07	0.01	0.01
Copper	ug/g	3.4	0.5	0.05
Iron	ug/g	74	10	2
Lead	ug/g	0.01	0.01	0.01
Manganese	ug/g	14	1	0.1
Mercury	ug/g	0.040	0.01	0.005
Molybdenum	ug/g	0.17	0.06	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	14	1	0.1
Silver	ug/g	<0.01		0.01
Strontium	ug/g	0.41	0.1	0.05
Thallium	ug/g	0.024	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.3	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	120	10	0.5

Lab Section 6

Moisture	%	70.81	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021545** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_PCC-05-M_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	3	3	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.24	0.04	0.01
Barium	ug/g	2.4	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	0.07	0.06	0.05
Cobalt	ug/g	0.03	0.01	0.01
Copper	ug/g	2.2	0.3	0.05
Iron	ug/g	20	5	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	1.4	0.4	0.1
Mercury	ug/g	0.39	0.06	0.005
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.7	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	7.2	0.7	0.05
Thallium	ug/g	0.039	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	47	7	0.5

Lab Section 6

Moisture	%	73.96	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021546** Client PO #: **VPO00616225 Ref# 19-08**
Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_PCC-06-M_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	9	6	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.10	0.02	0.01
Barium	ug/g	1.9	0.3	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.03	0.01	0.01
Copper	ug/g	1.0	0.2	0.05
Iron	ug/g	18	6	2
Lead	ug/g	0.03	0.02	0.01
Manganese	ug/g	1.3	0.3	0.1
Mercury	ug/g	0.45	0.07	0.005
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.1	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	8.4	0.8	0.05
Thallium	ug/g	0.033	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.3	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	27	4	0.5

Lab Section 6

Moisture	%	76.14	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021547**
 Date Sampled: **Apr 25, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_PCC-06-O_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	2	2	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.22	0.03	0.01
Barium	ug/g	0.84	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.06	0.01	0.01
Copper	ug/g	3.0	0.4	0.05
Iron	ug/g	69	10	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	5.7	0.8	0.1
Mercury	ug/g	0.028	0.01	0.005
Molybdenum	ug/g	0.12	0.05	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	10	1	0.1
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	0.31	0.1	0.05
Thallium	ug/g	0.014	0.008	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	94	9	0.5

Lab Section 6

Moisture	%	67.71	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021548** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_PCC-07-M_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.09	0.01	0.01
Barium	ug/g	1.2	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.01	0.01	0.01
Copper	ug/g	0.77	0.2	0.05
Iron	ug/g	9	4	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	0.9	0.3	0.1
Mercury	ug/g	0.44	0.07	0.005
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.9	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	3.5	0.5	0.05
Thallium	ug/g	0.014	0.008	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	23	3	0.5

Lab Section 6

Moisture	%	78.35	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021549** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_PCC-07-O_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	12	7	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.74	0.1	0.01
Barium	ug/g	8.5	0.8	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.09	0.01	0.01
Chromium	ug/g	0.15	0.08	0.05
Cobalt	ug/g	0.07	0.01	0.01
Copper	ug/g	3.3	0.5	0.05
Iron	ug/g	150	20	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	7.6	1	0.1
Mercury	ug/g	0.042	0.01	0.005
Molybdenum	ug/g	0.19	0.06	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	14	1	0.1
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.61	0.2	0.05
Thallium	ug/g	0.034	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.3	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	280	30	0.5

Lab Section 6

Moisture	%	75.96	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.
 Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021550**
Date Sampled: **Apr 25, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_PCC-08-M_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.13	0.03	0.01
Barium	ug/g	1.6	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.03	0.01	0.01
Copper	ug/g	1.5	0.2	0.05
Iron	ug/g	15	5	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	1.0	0.2	0.1
Mercury	ug/g	0.45	0.07	0.005
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	2.0	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	5.8	0.6	0.05
Thallium	ug/g	0.030	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	34	5	0.5

Lab Section 6

Moisture	%	77.37	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021551**
Date Sampled: **Apr 25, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_PCC-08-O_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	4	3	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.39	0.06	0.01
Barium	ug/g	1.3	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.03	0.01	0.01
Chromium	ug/g	0.15	0.08	0.05
Cobalt	ug/g	0.09	0.01	0.01
Copper	ug/g	3.1	0.5	0.05
Iron	ug/g	75	10	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	7.3	1	0.1
Mercury	ug/g	0.035	0.01	0.005
Molybdenum	ug/g	0.16	0.05	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	9.3	0.9	0.01
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	0.43	0.1	0.05
Thallium	ug/g	0.022	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.5	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	120	10	0.5

Lab Section 6

Moisture	%	67.42	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021552**
Date Sampled: **Apr 25, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_PCC-09-M_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.10	0.02	0.01
Barium	ug/g	0.98	0.1	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	1.1	0.2	0.05
Iron	ug/g	11	4	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	0.8	0.3	0.1
Mercury	ug/g	0.47	0.07	0.005
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	1.8	0.2	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	3.2	0.5	0.05
Thallium	ug/g	0.024	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	31	5	0.5

Lab Section 6

Moisture	%	77.31	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021553**
Date Sampled: **Apr 25, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_PCC-09-O_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	9	6	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.47	0.07	0.01
Barium	ug/g	1.4	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.02	0.01	0.01
Chromium	ug/g	<0.05		0.05
Cobalt	ug/g	0.06	0.01	0.01
Copper	ug/g	3.7	0.6	0.05
Iron	ug/g	110	20	2
Lead	ug/g	0.02	0.01	0.01
Manganese	ug/g	13	1	0.1
Mercury	ug/g	0.044	0.01	0.005
Molybdenum	ug/g	0.16	0.05	0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	18	2	0.1
Silver	ug/g	0.01	0.01	0.01
Strontium	ug/g	0.49	0.1	0.05
Thallium	ug/g	0.044	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.3	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	200	20	0.5

Lab Section 6

Moisture	%	74.82	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021554** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_PCC-10-M_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<2		2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.10	0.02	0.01
Barium	ug/g	2.0	0.2	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	<0.01		0.01
Chromium	ug/g	0.08	0.06	0.05
Cobalt	ug/g	0.02	0.01	0.01
Copper	ug/g	0.74	0.2	0.05
Iron	ug/g	9	4	2
Lead	ug/g	<0.01		0.01
Manganese	ug/g	1.5	0.4	0.1
Mercury	ug/g	0.46	0.07	0.005
Molybdenum	ug/g	<0.02		0.02
Nickel	ug/g	<0.05		0.05
Selenium	ug/g	3.3	0.3	0.01
Silver	ug/g	<0.01		0.01
Strontium	ug/g	7.5	0.8	0.05
Thallium	ug/g	0.019	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	<0.2		0.2
Uranium	ug/g	0.007	0.006	0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	18	3	0.5

Lab Section 6

Moisture	%	78.25	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021555** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_PCC-10-O_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	11	7	2
Antimony	ug/g	<0.01		0.01
Arsenic	ug/g	0.35	0.05	0.01
Barium	ug/g	3.7	0.4	0.02
Beryllium	ug/g	<0.01		0.01
Boron	ug/g	<1		1
Cadmium	ug/g	0.06	0.01	0.01
Chromium	ug/g	0.17	0.09	0.05
Cobalt	ug/g	0.11	0.03	0.01
Copper	ug/g	5.4	0.5	0.05
Iron	ug/g	120	20	2
Lead	ug/g	0.11	0.03	0.01
Manganese	ug/g	18	2	0.1
Mercury	ug/g	0.057	0.01	0.005
Molybdenum	ug/g	0.21	0.05	0.02
Nickel	ug/g	0.08	0.05	0.05
Selenium	ug/g	23	2	0.1
Silver	ug/g	0.02	0.01	0.01
Strontium	ug/g	0.58	0.1	0.05
Thallium	ug/g	0.047	0.01	0.005
Tin	ug/g	<0.05		0.05
Titanium	ug/g	0.3	0.2	0.2
Uranium	ug/g	<0.005		0.005
Vanadium	ug/g	<0.1		0.1
Zinc	ug/g	210	20	0.5

Lab Section 6

Moisture	%	78.81	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.
 Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021556** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_RSC-01-O_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.10	0.02	0.02
Barium	ug/g	1.2	0.2	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	0.03	0.02	0.02
Chromium	ug/g	<0.1		0.1
Cobalt	ug/g	0.08	0.02	0.02
Copper	ug/g	6.7	1	0.1
Iron	ug/g	150	20	5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	8.5	1	0.2
Mercury	ug/g	0.03	0.02	0.01
Molybdenum	ug/g	0.14	0.08	0.05
Nickel	ug/g	0.3	0.1	0.1
Selenium	ug/g	17	2	0.02
Silver	ug/g	0.06	0.03	0.02
Strontium	ug/g	0.6	0.2	0.1
Thallium	ug/g	0.04	0.02	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	200	20	1

Lab Section 6

Moisture	%	74.34	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021557** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_RSC-01-M_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.08	0.05	0.05
Barium	ug/g	1.5	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	2.0	1	0.5
Iron	ug/g	19	10	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	0.8	0.6	0.5
Mercury	ug/g	0.54	0.08	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	3.2	0.5	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	0.6	0.2	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	68	20	5

Lab Section 6

Moisture	%	77.38	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021558** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_RSC-02-O_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	110	20	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.18	0.02	0.02
Barium	ug/g	1.6	0.2	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	0.02	0.02	0.02
Chromium	ug/g	0.2	0.1	0.1
Cobalt	ug/g	0.11	0.02	0.02
Copper	ug/g	4.7	0.7	0.1
Iron	ug/g	300	40	5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	7.8	1	0.2
Mercury	ug/g	0.04	0.02	0.01
Molybdenum	ug/g	0.18	0.09	0.05
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	18	2	0.02
Silver	ug/g	<0.02		0.02
Strontium	ug/g	1.2	0.3	0.1
Thallium	ug/g	0.03	0.02	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	3.8	1	0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	0.3	0.2	0.2
Zinc	ug/g	270	30	1

Lab Section 6

Moisture	%	75.31	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.
 Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021559** Client PO #: **VPO00616225 Ref# 19-08**
Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_RSC-02-M_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.06	0.05	0.05
Barium	ug/g	<0.5		0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	0.8	0.6	0.5
Iron	ug/g	12	8	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	1.2	0.8	0.5
Mercury	ug/g	0.36	0.05	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.6	0.2	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	2.0	0.3	0.1
Thallium	ug/g	0.01	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	19	10	5

Lab Section 6

Moisture	%	76.25	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021560** Client PO #: **VPO00616225 Ref# 19-08**
Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_RSC-03-O_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	7	6	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.06	0.02	0.02
Barium	ug/g	0.37	0.05	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	0.2	0.1	0.1
Cobalt	ug/g	0.11	0.02	0.02
Copper	ug/g	5.9	0.9	0.1
Iron	ug/g	140	20	5
Lead	ug/g	0.04	0.03	0.02
Manganese	ug/g	5.3	0.8	0.2
Mercury	ug/g	0.02	0.01	0.01
Molybdenum	ug/g	0.18	0.09	0.05
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	33	3	0.02
Silver	ug/g	0.02	0.02	0.02
Strontium	ug/g	0.6	0.2	0.1
Thallium	ug/g	0.03	0.02	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	180	20	1

Lab Section 6

Moisture	%	75.35	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021561**
Date Sampled: **Apr 25, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_RSC-03-M_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.07	0.02	0.02
Barium	ug/g	2.3	0.3	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.1		0.1
Cobalt	ug/g	0.05	0.02	0.02
Copper	ug/g	3.6	0.5	0.1
Iron	ug/g	38	10	5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	1.8	0.6	0.2
Mercury	ug/g	0.37	0.06	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	2.2	0.2	0.02
Silver	ug/g	<0.02		0.02
Strontium	ug/g	3.2	0.5	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	100	10	1

Lab Section 6

Moisture	%	76.31	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021562**
Date Sampled: **Apr 25, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_RSC-04-O_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.13	0.05	0.05
Barium	ug/g	0.9	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	0.02	0.02	0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	4.0	1	0.5
Iron	ug/g	170	20	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	6.0	2	0.5
Mercury	ug/g	0.02	0.01	0.01
Molybdenum	ug/g	0.20	0.1	0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	12	1	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	0.5	0.2	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	250	40	5

Lab Section 6

Moisture	%	75.78	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021563**
 Date Sampled: **Apr 25, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_RSC-04-M_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.05	0.02	0.02
Barium	ug/g	1.2	0.2	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.1		0.1
Cobalt	ug/g	0.02	0.02	0.02
Copper	ug/g	2.0	0.3	0.1
Iron	ug/g	20	10	5
Lead	ug/g	0.03	0.02	0.02
Manganese	ug/g	1.2	0.5	0.2
Mercury	ug/g	0.38	0.06	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	2.5	0.2	0.02
Silver	ug/g	<0.02		0.02
Strontium	ug/g	2.0	0.3	0.1
Thallium	ug/g	<0.01		0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	64	10	1

Lab Section 6

Moisture	%	77.88	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021564** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_RSC-05-O_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	20	10	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.26	0.05	0.05
Barium	ug/g	3.7	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	0.14	0.02	0.02
Chromium	ug/g	0.6	0.6	0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	6.5	2	0.5
Iron	ug/g	230	30	5
Lead	ug/g	0.12	0.08	0.05
Manganese	ug/g	10	2	0.5
Mercury	ug/g	0.04	0.02	0.01
Molybdenum	ug/g	0.21	0.1	0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	20	2	0.05
Silver	ug/g	0.02	0.02	0.02
Strontium	ug/g	8.7	1	0.1
Thallium	ug/g	0.04	0.02	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	0.8	0.5	0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	250	40	5

Lab Section 6

Moisture	%	75.32	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.
 Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021565** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_RSC-05-M_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	<0.05		0.05
Barium	ug/g	1.9	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	4.6	1	0.5
Iron	ug/g	19	10	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	1.8	0.9	0.5
Mercury	ug/g	0.32	0.05	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.6	0.4	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	4.4	0.7	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	35	10	5

Lab Section 6

Moisture	%	77.26	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021566** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_RSC-06-O_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.15	0.02	0.02
Barium	ug/g	1.4	0.2	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	0.06	0.02	0.02
Chromium	ug/g	<0.1		0.1
Cobalt	ug/g	0.09	0.02	0.02
Copper	ug/g	7.0	1	0.1
Iron	ug/g	120	20	5
Lead	ug/g	0.02	0.02	0.02
Manganese	ug/g	5.6	0.8	0.2
Mercury	ug/g	0.02	0.01	0.01
Molybdenum	ug/g	0.18	0.09	0.05
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	14	1	0.02
Silver	ug/g	0.03	0.02	0.02
Strontium	ug/g	0.6	0.2	0.1
Thallium	ug/g	0.04	0.02	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	220	20	1

Lab Section 6

Moisture	%	75.34	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021567** Client PO #: **VPO00616225 Ref# 19-08**
Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_RSC-06-M_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.06	0.05	0.05
Barium	ug/g	1.3	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	2.9	1	0.5
Iron	ug/g	27	10	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	1.5	0.8	0.5
Mercury	ug/g	0.39	0.06	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	3.5	0.5	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	5.0	0.8	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	67	20	5

Lab Section 6

Moisture	%	76.76	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021568** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_RSC-07-O_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	8	7	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.17	0.05	0.05
Barium	ug/g	1.7	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	0.02	0.02	0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	6.0	2	0.5
Iron	ug/g	130	20	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	6.9	2	0.5
Mercury	ug/g	0.04	0.02	0.01
Molybdenum	ug/g	0.15	0.08	0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	28	3	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	0.6	0.2	0.1
Thallium	ug/g	0.04	0.02	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	240	40	5

Lab Section 6

Moisture	%	75.58	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021569**
 Date Sampled: **Apr 25, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_RSC-07-M_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.06	0.05	0.05
Barium	ug/g	1.0	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	1.0	0.7	0.5
Iron	ug/g	17	9	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	2.0	1	0.5
Mercury	ug/g	0.55	0.08	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	1.9	0.3	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	8.0	1	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	38	10	5

Lab Section 6

Moisture	%	77.22	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021570**
Date Sampled: **Apr 25, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_RSC-08-O_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	17	10	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.21	0.05	0.05
Barium	ug/g	0.8	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	0.03	0.02	0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	5.0	1	0.5
Iron	ug/g	160	20	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	11	2	0.5
Mercury	ug/g	0.02	0.01	0.01
Molybdenum	ug/g	0.20	0.1	0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	11	1	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	0.6	0.2	0.1
Thallium	ug/g	0.04	0.02	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	0.7	0.5	0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	180	30	5

Lab Section 6

Moisture	%	75.26	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021571**
Date Sampled: **Apr 25, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_RSC-08-M_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.12	0.02	0.02
Barium	ug/g	2.4	0.4	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.1		0.1
Cobalt	ug/g	0.02	0.02	0.02
Copper	ug/g	3.2	0.5	0.1
Iron	ug/g	33	10	5
Lead	ug/g	<0.02		0.02
Manganese	ug/g	1.4	0.5	0.2
Mercury	ug/g	0.32	0.05	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	1.8	0.3	0.02
Silver	ug/g	<0.02		0.02
Strontium	ug/g	4.4	0.7	0.1
Thallium	ug/g	0.04	0.02	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	100	10	1

Lab Section 6

Moisture	%	76.42	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021572** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_RSC-09-O_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	7	6	5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.25	0.06	0.02
Barium	ug/g	1.6	0.2	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	0.05	0.02	0.02
Chromium	ug/g	<0.1		0.1
Cobalt	ug/g	0.09	0.02	0.02
Copper	ug/g	6.0	0.9	0.1
Iron	ug/g	130	20	5
Lead	ug/g	0.02	0.02	0.02
Manganese	ug/g	6.0	0.9	0.2
Mercury	ug/g	0.02	0.01	0.01
Molybdenum	ug/g	0.18	0.09	0.05
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	8.3	0.8	0.02
Silver	ug/g	0.05	0.03	0.02
Strontium	ug/g	0.5	0.2	0.1
Thallium	ug/g	0.04	0.02	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	230	20	1

Lab Section 6

Moisture	%	74.72	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021573** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **May 02, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC_RSC-09-M_20190425**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.10	0.05	0.05
Barium	ug/g	1.4	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	2.1	1	0.5
Iron	ug/g	22	10	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	1.7	0.9	0.5
Mercury	ug/g	0.49	0.07	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	2.3	0.3	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	6.7	1	0.1
Thallium	ug/g	0.02	0.01	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	70	20	5

Lab Section 6

Moisture	%	77.17	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021574**
Date Sampled: **Apr 25, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_RSC-10-M_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	8	7	5
Antimony	ug/g	0.03	0.02	0.02
Arsenic	ug/g	0.12	0.02	0.02
Barium	ug/g	0.98	0.2	0.05
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<2		2
Cadmium	ug/g	<0.02		0.02
Chromium	ug/g	<0.1		0.1
Cobalt	ug/g	0.02	0.02	0.02
Copper	ug/g	1.6	0.4	0.1
Iron	ug/g	23	10	5
Lead	ug/g	0.04	0.03	0.02
Manganese	ug/g	1.0	0.4	0.2
Mercury	ug/g	0.28	0.04	0.01
Molybdenum	ug/g	<0.05		0.05
Nickel	ug/g	<0.1		0.1
Selenium	ug/g	1.6	0.2	0.02
Silver	ug/g	<0.02		0.02
Strontium	ug/g	1.9	0.5	0.1
Thallium	ug/g	0.03	0.02	0.01
Tin	ug/g	<0.1		0.1
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.01		0.01
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	54	8	1

Lab Section 6

Moisture	%	76.88	8	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

SRC Group # 2019-5208

Sep 03, 2019

Minnow Environmental Inc.

Sample #: **2019021575**
Date Sampled: **Apr 25, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC_RSC-10-O_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **May 02, 2019**

Analyte	Units	Result	+/-	DL
Lab Section 2				
Aluminum	ug/g	<5		5
Antimony	ug/g	<0.02		0.02
Arsenic	ug/g	0.74	0.2	0.05
Barium	ug/g	1.9	0.5	0.5
Beryllium	ug/g	<0.02		0.02
Boron	ug/g	<5		5
Cadmium	ug/g	0.03	0.02	0.02
Chromium	ug/g	<0.5		0.5
Cobalt	ug/g	<0.5		0.5
Copper	ug/g	5.6	1	0.5
Iron	ug/g	97	20	5
Lead	ug/g	<0.05		0.05
Manganese	ug/g	7.5	2	0.5
Mercury	ug/g	0.02	0.01	0.01
Molybdenum	ug/g	0.19	0.1	0.05
Nickel	ug/g	<0.5		0.5
Selenium	ug/g	7.5	0.8	0.05
Silver	ug/g	<0.02		0.02
Strontium	ug/g	0.5	0.2	0.1
Thallium	ug/g	0.04	0.02	0.01
Tin	ug/g	<0.2		0.2
Titanium	ug/g	<0.5		0.5
Uranium	ug/g	<0.02		0.02
Vanadium	ug/g	<0.2		0.2
Zinc	ug/g	230	30	5

Lab Section 6

Moisture	%	71.67	7	0.02
----------	---	-------	---	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 9.4 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

May 27, 2019

This report was generated for samples included in SRC Group # 2019-5208

Quality Control Report

Heidi Currier
Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9

Reference Materials and Standards:

A reference material of known concentration is used whenever possible as either a control sample or control standard and analyzed with each batch of samples. These "QC" results are used to assess the performance of the method and must be within clearly defined limits; otherwise corrective action is required.

QC Analysis	Units	Target Value	Obtained Value
Aluminum	ug/g	1280	1330
Aluminum	ug/g	1280	1350
Aluminum	ug/g	1280	1360
Aluminum	ug/g	1280	1390
Arsenic	ug/g	6.87	7.88
Arsenic	ug/g	6.87	6.87
Arsenic	ug/g	6.87	7.26
Arsenic	ug/g	6.87	6.70
Cadmium	ug/g	0.299	0.290
Cadmium	ug/g	0.299	0.305
Cadmium	ug/g	0.299	0.309
Cadmium	ug/g	0.299	0.306
Chromium	ug/g	1.57	1.57
Chromium	ug/g	1.57	1.66
Chromium	ug/g	1.57	1.64
Chromium	ug/g	1.57	1.70
Copper	ug/g	13.8	14.1
Copper	ug/g	14.4	14.2
Copper	ug/g	14.4	14.4
Copper	ug/g	14.4	14.9
Iron	ug/g	312	308
Iron	ug/g	312	298
Iron	ug/g	312	302
Iron	ug/g	312	306
Lead	ug/g	0.404	0.399
Lead	ug/g	0.404	0.422
Lead	ug/g	0.404	0.400
Lead	ug/g	0.404	0.411
Manganese	ug/g	2.70	2.73
Manganese	ug/g	2.70	2.83
Manganese	ug/g	2.70	2.67
Manganese	ug/g	2.70	2.78

May 27, 2019

This report was generated for samples included in SRC Group # 2019-5208

QC Analysis	Units	Target Value	Obtained Value
Mercury	ug/g	0.364	0.319
Mercury	ug/g	0.364	0.244
Mercury	ug/g	0.364	0.440
Mercury	ug/g	0.364	0.355
Nickel	ug/g	1.20	1.18
Nickel	ug/g	1.20	1.18
Nickel	ug/g	1.20	1.25
Nickel	ug/g	1.20	1.24
Selenium	ug/g	3.45	3.48
Selenium	ug/g	3.74	3.66
Selenium	ug/g	3.74	3.76
Selenium	ug/g	3.74	3.49
Silver	ug/g	0.0234	0.0240
Silver	ug/g	0.0219	0.0264
Silver	ug/g	0.0219	0.0274
Silver	ug/g	0.0219	0.0263
Zinc	ug/g	47.8	47.5
Zinc	ug/g	47.8	46.9
Zinc	ug/g	47.8	45.5
Zinc	ug/g	47.8	45.7

Duplicates:

Duplicates are used to assess problems with precision and help ensure that samples within a given batch were processed appropriately. The difference between duplicates must be within strict limits, otherwise corrective action is required. Please note, the duplicate(s) in this report are duplicates analyzed within a given batch of test samples and may not be from this specific group of samples.

Duplicate Analysis	Units	Sample ID	First Result	Second Result
Silver	ug/g	21457	0.01	0.01
Silver	ug/g	21467	0.02	0.02
Silver	ug/g	21496	0.04	0.04
Silver	ug/g	21498	0.02	0.02
Silver	ug/g	21501	<0.01	<0.01
Silver	ug/g	21510	0.03	0.03
Silver	ug/g	21515	0.02	0.02
Silver	ug/g	21538	0.02	0.02
Silver	ug/g	21540	0.01	0.01
Silver	ug/g	21547	0.01	0.02
Silver	ug/g	21551	0.01	0.01
Aluminum	ug/g	21457	4	5
Aluminum	ug/g	21467	6	7
Aluminum	ug/g	21496	160	140
Aluminum	ug/g	21498	8	3
Aluminum	ug/g	21501	24	22
Aluminum	ug/g	21510	6	9

May 27, 2019

This report was generated for samples included in SRC Group # 2019-5208

Duplicate Analysis	Units	Sample ID	First Result	Second Result	
Aluminum	ug/g	21515	13	12	
Aluminum	ug/g	21538	3	6	
Aluminum	ug/g	21540	7	5	
Aluminum	ug/g	21547	2	<2	
Aluminum	ug/g	21551	4	4	
Arsenic	ug/g	21457	0.48	0.55	
Arsenic	ug/g	21467	0.17	0.18	
Arsenic	ug/g	21496	0.31	0.26	
Arsenic	ug/g	21498	0.43	0.37	
Arsenic	ug/g	21501	0.17	0.18	
Arsenic	ug/g	21510	0.11	0.11	
Arsenic	ug/g	21515	0.48	0.46	
Arsenic	ug/g	21538	0.19	0.20	
Arsenic	ug/g	21540	0.35	0.29	
Arsenic	ug/g	21547	0.22	0.26	
Arsenic	ug/g	21551	0.39	0.42	
Boron	ug/g	21457	<1	<1	
Boron	ug/g	21467	<1	<1	
Boron	ug/g	21496	<1	<1	
Boron	ug/g	21498	<1	<1	
Boron	ug/g	21501	<1	<1	
Boron	ug/g	21510	<1	<1	
Boron	ug/g	21515	<1	<1	
Boron	ug/g	21538	<1	<1	
Boron	ug/g	21540	<1	<1	
Boron	ug/g	21547	<1	<1	
Boron	ug/g	21551	<1	<1	
Barium	ug/g	21457	0.76	0.90	
Barium	ug/g	21467	1.0	1.0	
Barium	ug/g	21496	4.3	3.5	
Barium	ug/g	21498	1.5	1.3	
Barium	ug/g	21501	1.8	1.3	*(1)
Barium	ug/g	21510	3.2	3.3	
Barium	ug/g	21515	0.99	0.99	
Barium	ug/g	21538	1.9	2.1	
Barium	ug/g	21540	0.82	0.68	
Barium	ug/g	21547	0.84	0.71	
Barium	ug/g	21551	1.3	1.2	
Beryllium	ug/g	21457	<0.01	<0.01	
Beryllium	ug/g	21467	<0.01	<0.01	
Beryllium	ug/g	21496	<0.01	<0.01	
Beryllium	ug/g	21498	<0.01	<0.01	
Beryllium	ug/g	21501	<0.01	<0.01	
Beryllium	ug/g	21510	<0.01	<0.01	
Beryllium	ug/g	21515	<0.01	<0.01	
Beryllium	ug/g	21538	<0.01	<0.01	

May 27, 2019

This report was generated for samples included in SRC Group # 2019-5208

Duplicate Analysis	Units	Sample ID	First Result	Second Result
Beryllium	ug/g	21540	<0.01	<0.01
Beryllium	ug/g	21547	<0.01	<0.01
Beryllium	ug/g	21551	<0.01	<0.01
Cadmium	ug/g	21457	<0.01	<0.01
Cadmium	ug/g	21467	<0.01	<0.01
Cadmium	ug/g	21496	0.10	0.09
Cadmium	ug/g	21498	0.02	0.02
Cadmium	ug/g	21501	<0.01	<0.01
Cadmium	ug/g	21510	0.03	0.04
Cadmium	ug/g	21515	0.01	0.02
Cadmium	ug/g	21538	<0.01	0.02
Cadmium	ug/g	21540	0.03	0.02
Cadmium	ug/g	21547	<0.01	<0.01
Cadmium	ug/g	21551	0.03	0.02
Cobalt	ug/g	21457	0.05	0.05
Cobalt	ug/g	21467	0.07	0.07
Cobalt	ug/g	21496	0.11	0.09
Cobalt	ug/g	21498	0.08	0.07
Cobalt	ug/g	21501	0.04	0.03
Cobalt	ug/g	21510	0.07	0.07
Cobalt	ug/g	21515	0.05	0.06
Cobalt	ug/g	21538	0.05	0.05
Cobalt	ug/g	21540	0.05	0.05
Cobalt	ug/g	21547	0.06	0.07
Cobalt	ug/g	21551	0.09	0.09
Chromium	ug/g	21457	<0.05	<0.05
Chromium	ug/g	21467	<0.05	<0.05
Chromium	ug/g	21496	0.20	0.16
Chromium	ug/g	21498	0.06	<0.05
Chromium	ug/g	21501	0.06	0.07
Chromium	ug/g	21510	<0.05	<0.05
Chromium	ug/g	21515	<0.05	<0.05
Chromium	ug/g	21538	<0.05	<0.05
Chromium	ug/g	21540	<0.05	<0.05
Chromium	ug/g	21547	<0.05	<0.05
Chromium	ug/g	21551	0.15	<0.05
Copper	ug/g	21457	3.0	2.9
Copper	ug/g	21467	2.8	2.8
Copper	ug/g	21496	4.4	3.9
Copper	ug/g	21498	2.9	3.1
Copper	ug/g	21501	2.1	1.9
Copper	ug/g	21510	2.1	2.1
Copper	ug/g	21515	2.7	3.0
Copper	ug/g	21538	3.7	3.6
Copper	ug/g	21540	2.8	2.8
Copper	ug/g	21547	3.0	3.4

May 27, 2019

This report was generated for samples included in SRC Group # 2019-5208

Duplicate Analysis	Units	Sample ID	First Result	Second Result	
Copper	ug/g	21551	3.1	2.9	
Iron	ug/g	21457	45	41	
Iron	ug/g	21467	48	52	
Iron	ug/g	21496	180	140	
Iron	ug/g	21498	75	34	*(2)
Iron	ug/g	21501	33	33	
Iron	ug/g	21510	110	110	
Iron	ug/g	21515	68	73	
Iron	ug/g	21538	66	65	
Iron	ug/g	21540	55	52	
Iron	ug/g	21547	69	74	
Iron	ug/g	21551	75	65	
Mercury	ug/g	21457	0.016	0.016	
Mercury	ug/g	21467	0.007	0.007	
Mercury	ug/g	21496	0.025	0.023	
Mercury	ug/g	21498	0.035	0.033	
Mercury	ug/g	21501	0.27	0.30	
Mercury	ug/g	21510	0.049	0.050	
Mercury	ug/g	21515	0.030	0.031	
Mercury	ug/g	21538	0.051	0.050	
Mercury	ug/g	21540	0.027	0.020	
Mercury	ug/g	21547	0.028	0.029	
Mercury	ug/g	21551	0.035	0.034	
Manganese	ug/g	21457	3.6	3.4	
Manganese	ug/g	21467	3.5	3.7	
Manganese	ug/g	21496	9.1	8.0	
Manganese	ug/g	21498	11	11	
Manganese	ug/g	21501	2.2	1.8	
Manganese	ug/g	21510	5.4	5.7	
Manganese	ug/g	21515	4.8	5.2	
Manganese	ug/g	21538	5.6	5.7	
Manganese	ug/g	21540	5.1	5.1	
Manganese	ug/g	21547	5.7	6.6	
Manganese	ug/g	21551	7.3	7.2	
Molybdenum	ug/g	21457	0.09	0.09	
Molybdenum	ug/g	21467	0.07	0.07	
Molybdenum	ug/g	21496	0.10	0.10	
Molybdenum	ug/g	21498	0.20	0.18	
Molybdenum	ug/g	21501	<0.02	<0.02	
Molybdenum	ug/g	21510	0.14	0.14	
Molybdenum	ug/g	21515	0.15	0.17	
Molybdenum	ug/g	21538	0.09	0.09	
Molybdenum	ug/g	21540	0.10	0.10	
Molybdenum	ug/g	21547	0.12	0.13	
Molybdenum	ug/g	21551	0.16	0.15	
Moisture	%	21457	60.37	62.53	

May 27, 2019

This report was generated for samples included in SRC Group # 2019-5208

Duplicate Analysis	Units	Sample ID	First Result	Second Result
Moisture	%	21459	62.36	60.54
Moisture	%	21471	60.16	60.69
Moisture	%	21496	64.64	63.69
Moisture	%	21500	62.71	62.87
Moisture	%	21501	78.06	77.12
Moisture	%	21504	60.82	60.32
Moisture	%	21513	66.57	67.26
Moisture	%	21537	78.04	76.42
Moisture	%	21538	64.06	64.39
Moisture	%	21540	63.44	62.09
Moisture	%	21551	67.42	64.99
Nickel	ug/g	21457	0.12	<0.05
Nickel	ug/g	21467	<0.05	<0.05
Nickel	ug/g	21496	0.19	0.15
Nickel	ug/g	21498	<0.05	<0.05
Nickel	ug/g	21501	0.10	0.11
Nickel	ug/g	21510	<0.05	<0.05
Nickel	ug/g	21515	<0.05	<0.05
Nickel	ug/g	21538	<0.05	<0.05
Nickel	ug/g	21540	<0.05	<0.05
Nickel	ug/g	21547	<0.05	<0.05
Nickel	ug/g	21551	<0.05	<0.05
Lead	ug/g	21457	0.03	0.07
Lead	ug/g	21467	0.03	0.03
Lead	ug/g	21496	0.18	0.13
Lead	ug/g	21498	0.08	0.06
Lead	ug/g	21501	0.07	0.05
Lead	ug/g	21510	0.06	0.07
Lead	ug/g	21515	0.04	0.05
Lead	ug/g	21538	<0.01	<0.01
Lead	ug/g	21540	<0.01	<0.01
Lead	ug/g	21547	<0.01	<0.01
Lead	ug/g	21551	<0.01	0.01
Antimony	ug/g	21457	<0.01	<0.01
Antimony	ug/g	21467	<0.01	<0.01
Antimony	ug/g	21496	0.02	<0.01
Antimony	ug/g	21498	<0.01	<0.01
Antimony	ug/g	21501	0.02	0.02
Antimony	ug/g	21510	<0.01	<0.01
Antimony	ug/g	21515	<0.01	<0.01
Antimony	ug/g	21538	<0.01	<0.01
Antimony	ug/g	21540	<0.01	<0.01
Antimony	ug/g	21547	<0.01	<0.01
Antimony	ug/g	21551	<0.01	<0.01
Selenium	ug/g	21457	5.4	5.4
Selenium	ug/g	21467	9.5	9.9

May 27, 2019

This report was generated for samples included in SRC Group # 2019-5208

Duplicate Analysis	Units	Sample ID	First Result	Second Result	
Selenium	ug/g	21496	10	9.7	
Selenium	ug/g	21498	21	23	
Selenium	ug/g	21501	1.8	1.8	
Selenium	ug/g	21510	12	12	
Selenium	ug/g	21515	11	11	
Selenium	ug/g	21538	12	13	
Selenium	ug/g	21540	6.5	6.4	
Selenium	ug/g	21547	10	12	
Selenium	ug/g	21551	9.3	8.6	
Tin	ug/g	21457	<0.05	<0.05	
Tin	ug/g	21467	<0.05	<0.05	
Tin	ug/g	21496	<0.05	<0.05	
Tin	ug/g	21498	<0.05	<0.05	
Tin	ug/g	21501	<0.05	<0.05	
Tin	ug/g	21510	<0.05	<0.05	
Tin	ug/g	21515	<0.05	<0.05	
Tin	ug/g	21538	<0.05	<0.05	
Tin	ug/g	21540	<0.05	<0.05	
Tin	ug/g	21547	<0.05	<0.05	
Tin	ug/g	21551	<0.05	<0.05	
Strontium	ug/g	21457	0.26	0.26	
Strontium	ug/g	21467	0.18	0.20	
Strontium	ug/g	21496	1.6	1.2	*(3)
Strontium	ug/g	21498	0.52	0.45	
Strontium	ug/g	21501	4.0	3.2	
Strontium	ug/g	21510	0.37	0.41	
Strontium	ug/g	21515	0.55	0.59	
Strontium	ug/g	21538	0.25	0.24	
Strontium	ug/g	21540	0.26	0.23	
Strontium	ug/g	21547	0.31	0.34	
Strontium	ug/g	21551	0.43	0.41	
Titanium	ug/g	21457	<0.2	<0.2	
Titanium	ug/g	21467	<0.2	<0.2	
Titanium	ug/g	21496	2.7	2.3	
Titanium	ug/g	21498	0.3	0.3	
Titanium	ug/g	21501	0.5	0.5	
Titanium	ug/g	21510	<0.2	0.4	
Titanium	ug/g	21515	0.2	0.2	
Titanium	ug/g	21538	<0.2	0.2	
Titanium	ug/g	21540	0.2	<0.2	
Titanium	ug/g	21547	<0.2	<0.2	
Titanium	ug/g	21551	0.5	<0.2	
Thallium	ug/g	21457	0.006	0.006	
Thallium	ug/g	21467	0.006	0.007	
Thallium	ug/g	21496	0.016	0.010	
Thallium	ug/g	21498	0.021	0.020	

May 27, 2019

This report was generated for samples included in SRC Group # 2019-5208

Duplicate Analysis	Units	Sample ID	First Result	Second Result
Thallium	ug/g	21501	0.011	0.010
Thallium	ug/g	21510	<0.005	<0.005
Thallium	ug/g	21515	0.016	0.016
Thallium	ug/g	21538	0.012	0.012
Thallium	ug/g	21540	0.017	0.017
Thallium	ug/g	21547	0.014	0.015
Thallium	ug/g	21551	0.022	0.021
Uranium	ug/g	21457	<0.005	<0.005
Uranium	ug/g	21467	<0.005	<0.005
Uranium	ug/g	21496	0.009	0.007
Uranium	ug/g	21498	<0.005	<0.005
Uranium	ug/g	21501	<0.005	<0.005
Uranium	ug/g	21510	0.009	0.009
Uranium	ug/g	21515	<0.005	<0.005
Uranium	ug/g	21538	<0.005	<0.005
Uranium	ug/g	21540	<0.005	<0.005
Uranium	ug/g	21547	<0.005	<0.005
Uranium	ug/g	21551	<0.005	<0.005
Vanadium	ug/g	21457	<0.1	<0.1
Vanadium	ug/g	21467	<0.1	<0.1
Vanadium	ug/g	21496	0.2	0.2
Vanadium	ug/g	21498	<0.1	<0.1
Vanadium	ug/g	21501	<0.1	<0.1
Vanadium	ug/g	21510	<0.1	<0.1
Vanadium	ug/g	21515	<0.1	<0.1
Vanadium	ug/g	21538	<0.1	<0.1
Vanadium	ug/g	21540	<0.1	<0.1
Vanadium	ug/g	21547	<0.1	<0.1
Vanadium	ug/g	21551	<0.1	<0.1
Zinc	ug/g	21457	100	100
Zinc	ug/g	21467	86	88
Zinc	ug/g	21496	110	96
Zinc	ug/g	21498	110	110
Zinc	ug/g	21501	41	32
Zinc	ug/g	21510	120	120
Zinc	ug/g	21515	120	120
Zinc	ug/g	21538	86	86
Zinc	ug/g	21540	100	100
Zinc	ug/g	21547	94	100
Zinc	ug/g	21551	120	110

*(1) The duplicate results for Barium were outside the laboratory's specified limits. The data was reviewed and the sample was reanalyzed. All other quality control measures in the batch were within limits.

*(2) The duplicate results for Iron were outside the laboratory's specified limits. The data was reviewed and all other quality control measures in the batch were within limits.

May 27, 2019

This report was generated for samples included in SRC Group # 2019-5208

*(3) The duplicate results for Strontium were outside the laboratory's specified limits. The data was reviewed and the duplicate samples were reanalyzed. All other quality control measures in the batch were within limits.

Overall, there were no other indications of problems with the analysis and the results were considered acceptable.

Roxane Ortmann - Quality Assurance Supervisor

SRC Group # 2019-11532

May 21, 2020

Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9
Attn: Heidi Currier

Date Samples Received: Aug-15-2019

Client P.O.: VPO00616225 Ref# 19-08

All results have been reviewed and approved by a Qualified Person in accordance with the Saskatchewan Environmental Code, Corrective Action Plan Chapter, for the purposes of certifying a laboratory analysis

Results from Lab Section 2 authorized by Keith Gipman, Supervisor
Results from Lab Section 6 authorized by Marion McConnell, Supervisor

-
- * Test methods and data are validated by the laboratory's Quality Assurance Program.
 - * Routine methods follow recognized procedures from sources such as
 - * Standard Methods for the Examination of Water and Wastewater APHA AWWA WEF
 - * Environment Canada
 - * US EPA
 - * CANMET
 - * The results reported relate only to the test samples as provided by the client.
 - * Samples will be kept for 30 days after the final report is sent. Please contact the lab if you have any special requirements.
 - * Additional information is available upon request.
 - * Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

This is a final report.

SRC Group # 2019-11532

May 21, 2020

Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9
Attn: Heidi Currier

Sample #: **2019045494**
Date Sampled: **Apr 25, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_TN-INV_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **Aug 15, 2019**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	2000	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	3.0	0.5
Barium	ug/g	17	5
Beryllium	ug/g	0.06	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	1.6	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	20	5
Iron	ug/g	3600	50
Lead	ug/g	4.0	0.5
Manganese	ug/g	85	5
Mercury	ug/g	0.04	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	5.2	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	30	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	50	5
Uranium	ug/g	0.3	0.1
Vanadium	ug/g	3	1
Zinc	ug/g	100	50

Lab Section 6

Moisture	%	84.88	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

SRC Group # 2019-11532

May 21, 2020

Minnow Environmental Inc.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11532

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045495**
 Date Sampled: **Apr 25, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_T4-INV_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
 Date Received: **Aug 15, 2019**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	7400	50
Antimony	ug/g	0.16	0.02
Arsenic	ug/g	6.0	0.05
Barium	ug/g	78	0.5
Beryllium	ug/g	0.29	0.02
Boron	ug/g	8	5
Cadmium	ug/g	1.7	0.02
Chromium	ug/g	9.8	0.5
Cobalt	ug/g	3.6	0.5
Copper	ug/g	20	0.5
Iron	ug/g	10200	50
Lead	ug/g	6.8	0.05
Manganese	ug/g	220	0.5
Mercury	ug/g	0.04	0.01
Molybdenum	ug/g	0.52	0.05
Nickel	ug/g	9.1	0.5
Selenium	ug/g	8.0	0.05
Silver	ug/g	0.08	0.02
Strontium	ug/g	73	0.1
Thallium	ug/g	0.14	0.01
Tin	ug/g	0.2	0.2
Titanium	ug/g	87	0.5
Uranium	ug/g	0.39	0.02
Vanadium	ug/g	13	0.2
Zinc	ug/g	110	5

Lab Section 6

Moisture	%	81.63	0.02
----------	---	-------	------

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11532

May 21, 2020

Minnow Environmental Inc.

Analyte Methods

Name	Units	Method
Silver	ug/g	PRP-034 / Chm-522
Aluminum	ug/g	PRP-034 / Chm-522
Arsenic	ug/g	PRP-034 / Chm-522
Boron	ug/g	PRP-034 / Chm-522
Barium	ug/g	PRP-034 / Chm-522
Beryllium	ug/g	PRP-034 / Chm-522
Cadmium	ug/g	PRP-034 / Chm-522
Cobalt	ug/g	PRP-034 / Chm-522
Chromium	ug/g	PRP-034 / Chm-522
Copper	ug/g	PRP-034 / Chm-522
Iron	ug/g	PRP-034 / Chm-522
Mercury	ug/g	PRP-034 / Chm-522
Manganese	ug/g	PRP-034 / Chm-522
Molybdenum	ug/g	PRP-034 / Chm-522
Nickel	ug/g	PRP-034 / Chm-522
Lead	ug/g	PRP-034 / Chm-522
Antimony	ug/g	PRP-034 / Chm-522
Selenium	ug/g	PRP-034 / Chm-522
Tin	ug/g	PRP-034 / Chm-522
Strontium	ug/g	PRP-034 / Chm-522
Titanium	ug/g	PRP-034 / Chm-522
Thallium	ug/g	PRP-034 / Chm-522
Uranium	ug/g	PRP-034 / Chm-522
Vanadium	ug/g	PRP-034 / Chm-522
Zinc	ug/g	PRP-034 / Chm-522
Moisture	%	PRP-010

This report was generated for samples included in SRC Group # 2019-11532

Quality Control Report

Heidi Currier
 Minnow Environmental Inc.
 2 Lamb Street
 Georgetown, ON L7G 3M9

Reference Materials and Standards:

A reference material of known concentration is used whenever possible as either a control sample or control standard and analyzed with each batch of samples. These "QC" results are used to assess the performance of the method and must be within clearly defined limits; otherwise corrective action is required.

QC Analysis	Units	Target Value	Obtained Value
Aluminum	ug/g	1280	1200
Aluminum	ug/g	1340	1210
Arsenic	ug/g	6.87	6.47
Arsenic	ug/g	6.87	5.85
Cadmium	ug/g	0.299	0.279
Cadmium	ug/g	0.299	0.280
Chromium	ug/g	1.87	1.44
Chromium	ug/g	1.57	1.49
Copper	ug/g	15.7	12.7
Copper	ug/g	14.4	13.4
Iron	ug/g	343	284
Iron	ug/g	312	270
Lead	ug/g	0.404	0.365
Lead	ug/g	0.404	0.385
Manganese	ug/g	3.17	2.51
Manganese	ug/g	2.70	2.64
Mercury	ug/g	0.412	0.332
Mercury	ug/g	0.364	0.314
Nickel	ug/g	1.34	1.08
Nickel	ug/g	1.20	1.14
Selenium	ug/g	3.45	3.50
Selenium	ug/g	3.74	3.22
Silver	ug/g	0.0252	0.0232
Silver	ug/g	0.0219	0.0203
Zinc	ug/g	51.6	45.7
Zinc	ug/g	47.8	41.7

Please note, duplicates could not be analyzed for ICP due to insufficient sample available.

All quality control results were within the specified limits and considered acceptable.

Roxane Ortmann - Quality Assurance Supervisor

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9
Attn: Heidi Currier

Date Samples Received: Aug-15-2019

Client P.O.: VPO00616225 Ref# 19-08

All results have been reviewed and approved by a Qualified Person in accordance with the Saskatchewan Environmental Code, Corrective Action Plan Chapter, for the purposes of certifying a laboratory analysis

Results from Lab Section 2 authorized by Keith Gipman, Supervisor
Results from Lab Section 6 authorized by Marion McConnell, Supervisor

-
- * Test methods and data are validated by the laboratory's Quality Assurance Program.
 - * Routine methods follow recognized procedures from sources such as
 - * Standard Methods for the Examination of Water and Wastewater APHA AWWA WEF
 - * Environment Canada
 - * US EPA
 - * CANMET
 - * The results reported relate only to the test samples as provided by the client.
 - * Samples will be kept for 30 days after the final report is sent. Please contact the lab if you have any special requirements.
 - * Additional information is available upon request.
 - * Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

This is a final report.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9
Attn: Heidi Currier

Sample #: **2019045598**
Date Sampled: **Apr 25, 2019**
Sample Matrix: **TISSUE**
Description: **04/25/2019 RG_GC-WCT-01-M_20190425**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **Aug 15, 2019**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.13	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	3.6	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	74.53	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045599**
Date Sampled: **Apr 26, 2019**
Sample Matrix: **TISSUE**
Description: **04/26/2019 RG_GC-WCT-02-M_20190426**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **Aug 15, 2019**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.30	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	4.0	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	73.84	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045600** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 26, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/26/2019 RG_GC-WCT-03-M_20190426**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.06	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	2.1	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	79.53	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045601** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC-RBT-01-M_20190425**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.14	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	0.8	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	50	50

Lab Section 6

Moisture	%	74.02	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045602** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 26, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/26/2019 RG_GC-RBT-02-M_20190426**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.20	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.2	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	78.74	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045603** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_GC-MWF-01-M_20190425**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	36	5
Antimony	ug/g	<0.02	0.02
Arsenic	ug/g	0.96	0.05
Barium	ug/g	<0.5	0.5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<5	5
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<0.5	0.5
Cobalt	ug/g	<0.5	0.5
Copper	ug/g	1.2	0.5
Iron	ug/g	43	5
Lead	ug/g	0.09	0.05
Manganese	ug/g	1.6	0.5
Mercury	ug/g	0.13	0.01
Molybdenum	ug/g	<0.05	0.05
Nickel	ug/g	<0.5	0.5
Selenium	ug/g	3.6	0.05
Silver	ug/g	<0.02	0.02
Strontium	ug/g	1.4	0.1
Thallium	ug/g	0.05	0.01
Tin	ug/g	<0.2	0.2
Titanium	ug/g	1.2	0.5
Uranium	ug/g	<0.02	0.02
Vanadium	ug/g	<0.2	0.2
Zinc	ug/g	22	5

Lab Section 6

Moisture	%	79.34	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045604** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 26, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/26/2019 RG_GC-MWF-02-M_20190426**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.29	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.5	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	79.75	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045605** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 26, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/26/2019 RG_GC-MWF-03-M_20190426**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.21	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	2.3	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	78.90	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045606**
Date Sampled: **Apr 26, 2019**
Sample Matrix: **TISSUE**
Description: **04/26/2019 RG_GC-MWF-04-M_20190426**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **Aug 15, 2019**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	0.6	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.16	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	2.3	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	77.99	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045607** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 26, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/26/2019 RG_GC-BT-01-M_20190426**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	0.03	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.80	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.8	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	80.49	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045608** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 26, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/26/2019 RG_GC-BT-02-M_20190426**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	0.05	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	60	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	1.1	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.7	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	82.47	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045609** Client PO #: **VPO00616225 Ref# 19-08**
Date Sampled: **Apr 26, 2019** Date Received: **Aug 15, 2019**
Sample Matrix: **TISSUE**
Description: **04/26/2019 RG_GC-BT-03-M_20190426**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	620	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	640	50
Lead	ug/g	3.1	0.5
Manganese	ug/g	6	5
Mercury	ug/g	1.0	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	2.4	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	2	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	8	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	90.96	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045610** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 26, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/26/2019 RG_GC-MWF-05-M_20190426**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.12	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	4.2	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	73.44	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045611** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 26, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/26/2019 RG_GC-MWF-06-M_20190426**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.20	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.8	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	66.47	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045612** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 26, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/26/2019 RG_GC-MWF-07-M_20190426**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	0.6	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.15	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	2.0	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	80.30	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045613** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 26, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/26/2019 RG_GC-WCT-04-M_20190426**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.15	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	3.4	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	77.32	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045614**
Date Sampled: **Apr 26, 2019**
Sample Matrix: **TISSUE**
Description: **04/26/2019 RG_GC-WCT-05-M_20190426**

Client PO #: **VPO00616225 Ref# 19-08**
Date Received: **Aug 15, 2019**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	70	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.24	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	2.1	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	75.93	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045615** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC-WCT-01-M_20190424**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.15	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	2.8	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	79.49	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045616** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC-KO-01-M_20190424**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.29	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.7	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	74.90	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045617** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC-KO-02-M_20190424**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.20	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.5	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	75.03	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045618** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC-KO-03-M_20190424**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.22	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.9	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	74.96	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045619** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC-KO-04-M_20190424**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.19	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.4	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	71.18	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045620** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC-KO-05-M_20190424**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.25	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.6	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	74.50	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045621** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_SC-BT-01-M_20190424**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	1.9	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.7	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	84.97	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045622** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 25, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/25/2019 RG_SC-BT-02-M_20190425**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	1.2	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.9	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	76.03	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045623** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER-KO-01-M_20190424**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.21	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.4	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	2	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	70.00	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045624** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 24, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/24/2019 RG_ER-KO-02-M_20190424**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.26	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.6	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	75.50	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045625** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 26, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/26/2019 RG_ER-KO-03-M_20190426**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.22	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.4	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	72.75	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045626** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 26, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/26/2019 RG_ER-KO-04-M_20190426**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.20	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.3	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	72.67	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045627** Client PO #: **VPO00616225 Ref# 19-08**
Date Sampled: **Apr 26, 2019** Date Received: **Aug 15, 2019**
Sample Matrix: **TISSUE**
Description: **04/26/2019 RG_ER-KO-05-M_20190426**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.12	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.4	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	3	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	67.09	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019045628** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Apr 26, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **04/26/2019 RG_ER-KO-06-M_20190426**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.16	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	1.5	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	59.71	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019047008** Client PO #: **VPO00616225 Ref# 19-08**
 Date Sampled: **Aug 26, 2019** Date Received: **Aug 15, 2019**
 Sample Matrix: **TISSUE**
 Description: **08/26/2019 RG_GC_MWF-01-M_20190426**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	<50	50
Antimony	ug/g	<0.1	0.1
Arsenic	ug/g	<0.5	0.5
Barium	ug/g	<5	5
Beryllium	ug/g	<0.02	0.02
Boron	ug/g	<50	50
Cadmium	ug/g	<0.02	0.02
Chromium	ug/g	<5	5
Cobalt	ug/g	<5	5
Copper	ug/g	<5	5
Iron	ug/g	<50	50
Lead	ug/g	<0.5	0.5
Manganese	ug/g	<5	5
Mercury	ug/g	0.28	0.02
Molybdenum	ug/g	<0.5	0.5
Nickel	ug/g	<5	5
Selenium	ug/g	2.0	0.5
Silver	ug/g	<0.02	0.02
Strontium	ug/g	<1	1
Thallium	ug/g	<0.1	0.1
Tin	ug/g	<2	2
Titanium	ug/g	<5	5
Uranium	ug/g	<0.1	0.1
Vanadium	ug/g	<1	1
Zinc	ug/g	<50	50

Lab Section 6

Moisture	%	76.58	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 12.7 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11533

May 21, 2020

Minnow Environmental Inc.

Analyte Methods

Name	Units	Method
Silver	ug/g	PRP-034 / Chm-522
Aluminum	ug/g	PRP-034 / Chm-522
Arsenic	ug/g	PRP-034 / Chm-522
Boron	ug/g	PRP-034 / Chm-522
Barium	ug/g	PRP-034 / Chm-522
Beryllium	ug/g	PRP-034 / Chm-522
Cadmium	ug/g	PRP-034 / Chm-522
Cobalt	ug/g	PRP-034 / Chm-522
Chromium	ug/g	PRP-034 / Chm-522
Copper	ug/g	PRP-034 / Chm-522
Iron	ug/g	PRP-034 / Chm-522
Mercury	ug/g	PRP-034 / Chm-522
Manganese	ug/g	PRP-034 / Chm-522
Molybdenum	ug/g	PRP-034 / Chm-522
Nickel	ug/g	PRP-034 / Chm-522
Lead	ug/g	PRP-034 / Chm-522
Antimony	ug/g	PRP-034 / Chm-522
Selenium	ug/g	PRP-034 / Chm-522
Tin	ug/g	PRP-034 / Chm-522
Strontium	ug/g	PRP-034 / Chm-522
Titanium	ug/g	PRP-034 / Chm-522
Thallium	ug/g	PRP-034 / Chm-522
Uranium	ug/g	PRP-034 / Chm-522
Vanadium	ug/g	PRP-034 / Chm-522
Zinc	ug/g	PRP-034 / Chm-522
Moisture	%	PRP-010

This report was generated for samples included in SRC Group # 2019-11533

Quality Control Report

Heidi Currier
 Minnow Environmental Inc.
 2 Lamb Street
 Georgetown, ON L7G 3M9

Reference Materials and Standards:

A reference material of known concentration is used whenever possible as either a control sample or control standard and analyzed with each batch of samples. These "QC" results are used to assess the performance of the method and must be within clearly defined limits; otherwise corrective action is required.

QC Analysis	Units	Target Value	Obtained Value
Aluminum	ug/g	1340	1240
Arsenic	ug/g	6.87	5.93
Cadmium	ug/g	0.299	0.288
Chromium	ug/g	1.57	1.48
Copper	ug/g	14.4	13.5
Iron	ug/g	312	290
Lead	ug/g	0.404	0.388
Manganese	ug/g	2.70	2.93
Mercury	ug/g	0.364	0.325
Nickel	ug/g	1.20	1.16
Selenium	ug/g	3.74	3.23
Silver	ug/g	0.0219	0.0193
Zinc	ug/g	47.8	42.8

Please note, duplicates could not be analyzed for ICP due to insufficient sample available.

All quality control results were within the specified limits and considered acceptable.

Roxane Ortmann - Quality Assurance Supervisor

SRC Group # 2019-11739

May 21, 2020

Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9
Attn: Heidi Currier

Date Samples Received: Aug-20-2019

Client P.O.: VPO00616225 Ref#19-08

All results have been reviewed and approved by a Qualified Person in accordance with the Saskatchewan Environmental Code, Corrective Action Plan Chapter, for the purposes of certifying a laboratory analysis

Results from Lab Section 2 authorized by Keith Gipman, Supervisor
Results from Lab Section 6 authorized by Marion McConnell, Supervisor

-
- * Test methods and data are validated by the laboratory's Quality Assurance Program.
 - * Routine methods follow recognized procedures from sources such as
 - * Standard Methods for the Examination of Water and Wastewater APHA AWWA WEF
 - * Environment Canada
 - * US EPA
 - * CANMET
 - * The results reported relate only to the test samples as provided by the client.
 - * Samples will be kept for 30 days after the final report is sent. Please contact the lab if you have any special requirements.
 - * Additional information is available upon request.
 - * Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

This is a final report.

SRC Group # 2019-11739

May 21, 2020

Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9
Attn: Heidi Currier

Sample #: **2019046558** Client PO #: **VPO00616225 Ref#19-08**
Date Sampled: **Jun 14, 2019** Date Received: **Aug 20, 2019**
Sample Matrix: **TISSUE**
Description: **06/14/2019 RGT_T4-1_ZOOT_20190614**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	1400	5
Antimony	ug/g	0.12	0.02
Arsenic	ug/g	2.9	0.02
Barium	ug/g	25	0.05
Beryllium	ug/g	0.05	0.02
Boron	ug/g	<2	2
Cadmium	ug/g	0.54	0.02
Chromium	ug/g	2.0	0.1
Cobalt	ug/g	1.2	0.02
Copper	ug/g	7.8	0.1
Iron	ug/g	1400	5
Lead	ug/g	6.9	0.02
Manganese	ug/g	84	0.2
Mercury	ug/g	0.04	0.01
Molybdenum	ug/g	0.27	0.05
Nickel	ug/g	2.2	0.1
Selenium	ug/g	3.4	0.02
Silver	ug/g	0.03	0.02
Strontium	ug/g	18	0.1
Thallium	ug/g	0.04	0.01
Tin	ug/g	0.3	0.1
Titanium	ug/g	21	0.5
Uranium	ug/g	0.08	0.01
Vanadium	ug/g	2.0	0.2
Zinc	ug/g	150	1

Lab Section 6

Moisture	%	92.17	0.02
----------	---	-------	------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 5.1 °C upon receipt.

Results are reported on a dry basis.

SRC Group # 2019-11739

May 21, 2020

Minnow Environmental Inc.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11739

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019046559** Client PO #: **VPO00616225 Ref#19-08**
 Date Sampled: **Jun 14, 2019** Date Received: **Aug 20, 2019**
 Sample Matrix: **TISSUE**
 Description: **06/14/2019 RGT_T4-2_ZOOT_20190614**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	1500	20
Antimony	ug/g	0.06	0.01
Arsenic	ug/g	2.6	0.01
Barium	ug/g	19	0.02
Beryllium	ug/g	0.05	0.01
Boron	ug/g	1	1
Cadmium	ug/g	0.54	0.01
Chromium	ug/g	1.8	0.05
Cobalt	ug/g	1.1	0.01
Copper	ug/g	6.7	0.05
Iron	ug/g	1300	20
Lead	ug/g	2.9	0.01
Manganese	ug/g	67	0.1
Mercury	ug/g	0.043	0.005
Molybdenum	ug/g	0.26	0.02
Nickel	ug/g	1.9	0.05
Selenium	ug/g	3.0	0.01
Silver	ug/g	0.02	0.01
Strontium	ug/g	18	0.05
Thallium	ug/g	0.032	0.005
Tin	ug/g	0.19	0.05
Titanium	ug/g	16	0.2
Uranium	ug/g	0.073	0.005
Vanadium	ug/g	2.0	0.1
Zinc	ug/g	140	0.5

Lab Section 6

Moisture	%	92.00	0.02
----------	---	-------	------

The temperature of the cooler was 5.1 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11739

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019046560** Client PO #: **VPO00616225 Ref#19-08**
Date Sampled: **Jun 14, 2019** Date Received: **Aug 20, 2019**
Sample Matrix: **TISSUE**
Description: **06/14/2019 RGT_T4-3_ZOOT_20190614**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	1600	20
Antimony	ug/g	0.07	0.01
Arsenic	ug/g	2.6	0.01
Barium	ug/g	22	0.02
Beryllium	ug/g	0.06	0.01
Boron	ug/g	1	1
Cadmium	ug/g	0.57	0.01
Chromium	ug/g	1.9	0.05
Cobalt	ug/g	0.98	0.01
Copper	ug/g	7.0	0.05
Iron	ug/g	1300	20
Lead	ug/g	2.0	0.01
Manganese	ug/g	73	0.1
Mercury	ug/g	0.047	0.005
Molybdenum	ug/g	0.27	0.02
Nickel	ug/g	1.7	0.05
Selenium	ug/g	2.9	0.01
Silver	ug/g	0.03	0.01
Strontium	ug/g	22	0.05
Thallium	ug/g	0.036	0.005
Tin	ug/g	0.21	0.05
Titanium	ug/g	18	0.2
Uranium	ug/g	0.074	0.005
Vanadium	ug/g	2.2	0.1
Zinc	ug/g	130	0.5

Lab Section 6

Moisture	%	92.08	0.02
----------	---	-------	------

The temperature of the cooler was 5.1 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11739

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019046561** Client PO #: **VPO00616225 Ref#19-08**
Date Sampled: **Jun 14, 2019** Date Received: **Aug 20, 2019**
Sample Matrix: **TISSUE**
Description: **06/14/2019 RGT_T4-4_ZOOT_20190614**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	1300	20
Antimony	ug/g	0.06	0.01
Arsenic	ug/g	2.7	0.01
Barium	ug/g	20	0.02
Beryllium	ug/g	0.05	0.01
Boron	ug/g	1	1
Cadmium	ug/g	0.56	0.01
Chromium	ug/g	1.5	0.05
Cobalt	ug/g	0.94	0.01
Copper	ug/g	8.5	0.05
Iron	ug/g	1200	20
Lead	ug/g	1.6	0.01
Manganese	ug/g	71	0.1
Mercury	ug/g	0.040	0.005
Molybdenum	ug/g	0.28	0.02
Nickel	ug/g	1.6	0.05
Selenium	ug/g	2.9	0.01
Silver	ug/g	0.02	0.01
Strontium	ug/g	21	0.05
Thallium	ug/g	0.035	0.005
Tin	ug/g	0.32	0.05
Titanium	ug/g	13	0.2
Uranium	ug/g	0.069	0.005
Vanadium	ug/g	1.8	0.1
Zinc	ug/g	150	0.5

Lab Section 6

Moisture	%	93.63	0.02
----------	---	-------	------

The temperature of the cooler was 5.1 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11739

May 21, 2020

Minnow Environmental Inc.

Sample #: **2019046562** Client PO #: **VPO00616225 Ref#19-08**
Date Sampled: **Jun 14, 2019** Date Received: **Aug 20, 2019**
Sample Matrix: **TISSUE**
Description: **06/14/2019 RGT_T4-5_ZOOT_20190614**

Analyte	Units	Result	DL
Lab Section 2			
Aluminum	ug/g	1500	20
Antimony	ug/g	0.15	0.01
Arsenic	ug/g	2.6	0.01
Barium	ug/g	44	0.02
Beryllium	ug/g	0.07	0.01
Boron	ug/g	3	1
Cadmium	ug/g	0.60	0.01
Chromium	ug/g	1.9	0.05
Cobalt	ug/g	1.5	0.01
Copper	ug/g	9.1	0.05
Iron	ug/g	2200	20
Lead	ug/g	2.1	0.01
Manganese	ug/g	127	0.1
Mercury	ug/g	0.038	0.005
Molybdenum	ug/g	0.33	0.02
Nickel	ug/g	4.0	0.05
Selenium	ug/g	3.1	0.01
Silver	ug/g	0.03	0.01
Strontium	ug/g	39	0.05
Thallium	ug/g	0.065	0.005
Tin	ug/g	0.17	0.05
Titanium	ug/g	22	0.2
Uranium	ug/g	0.56	0.005
Vanadium	ug/g	2.5	0.1
Zinc	ug/g	120	0.5

Lab Section 6

Moisture	%	91.54	0.02
----------	---	-------	------

The temperature of the cooler was 5.1 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-11739

May 21, 2020

Minnow Environmental Inc.

Analyte Methods

Name	Units	Method
Silver	ug/g	PRP-034 / Chm-522
Aluminum	ug/g	PRP-034 / Chm-522
Arsenic	ug/g	PRP-034 / Chm-522
Boron	ug/g	PRP-034 / Chm-522
Barium	ug/g	PRP-034 / Chm-522
Beryllium	ug/g	PRP-034 / Chm-522
Cadmium	ug/g	PRP-034 / Chm-522
Cobalt	ug/g	PRP-034 / Chm-522
Chromium	ug/g	PRP-034 / Chm-522
Copper	ug/g	PRP-034 / Chm-522
Iron	ug/g	PRP-034 / Chm-522
Mercury	ug/g	PRP-034 / Chm-522
Manganese	ug/g	PRP-034 / Chm-522
Molybdenum	ug/g	PRP-034 / Chm-522
Nickel	ug/g	PRP-034 / Chm-522
Lead	ug/g	PRP-034 / Chm-522
Antimony	ug/g	PRP-034 / Chm-522
Selenium	ug/g	PRP-034 / Chm-522
Tin	ug/g	PRP-034 / Chm-522
Strontium	ug/g	PRP-034 / Chm-522
Titanium	ug/g	PRP-034 / Chm-522
Thallium	ug/g	PRP-034 / Chm-522
Uranium	ug/g	PRP-034 / Chm-522
Vanadium	ug/g	PRP-034 / Chm-522
Zinc	ug/g	PRP-034 / Chm-522
Moisture	%	PRP-010

Aug 30, 2019

This report was generated for samples included in SRC Group # 2019-11739

Quality Control Report

Heidi Currier
 Minnow Environmental Inc.
 2 Lamb Street
 Georgetown, ON L7G 3M9

Reference Materials and Standards:

A reference material of known concentration is used whenever possible as either a control sample or control standard and analyzed with each batch of samples. These "QC" results are used to assess the performance of the method and must be within clearly defined limits; otherwise corrective action is required.

QC Analysis	Units	Target Value	Obtained Value
Aluminum	ug/g	1280	1200
Arsenic	ug/g	6.87	6.47
Cadmium	ug/g	0.299	0.279
Chromium	ug/g	1.87	1.44
Copper	ug/g	15.7	12.7
Iron	ug/g	343	284
Lead	ug/g	0.404	0.365
Manganese	ug/g	3.17	2.51
Mercury	ug/g	0.412	0.332
Nickel	ug/g	1.34	1.08
Selenium	ug/g	3.45	3.50
Silver	ug/g	0.0252	0.0232
Zinc	ug/g	51.6	45.7

Please note, duplicates could not be analyzed for ICP due to insufficient sample available.

All quality control results were within the specified limits and considered acceptable.

Roxane Ortmann - Quality Assurance Supervisor

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9
Attn: Heidi Currier

Date Samples Received: Sep-19-2019

Client P.O.: VPO00616225 Ref#19-08

All results have been reviewed and approved by a Qualified Person in accordance with the Saskatchewan Environmental Code, Corrective Action Plan Chapter, for the purposes of certifying a laboratory analysis

Results from Lab Section 2 authorized by Keith Gipman, Supervisor
Results from Lab Section 6 authorized by Marion McConnell, Supervisor

-
- * Test methods and data are validated by the laboratory's Quality Assurance Program.
 - * Routine methods follow recognized procedures from sources such as
 - * Standard Methods for the Examination of Water and Wastewater APHA AWWA WEF
 - * Environment Canada
 - * US EPA
 - * CANMET
 - * The results reported relate only to the test samples as provided by the client.
 - * Samples will be kept for 30 days after the final report is sent. Please contact the lab if you have any special requirements.
 - * Additional information is available upon request.
 - * Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

This is a final report.

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.
2 Lamb Street
Georgetown, ON L7G 3M9
Attn: Heidi Currier

Sample #: **2019053248** Client PO #: **VPO00616225 Ref#19-08**
Date Sampled: **Aug 26, 2019** Date Received: **Sep 19, 2019**
Sample Matrix: **TISSUE**
Description: **08/26/2019 RG_SC-KO-01_M_20190826**

Analyte	Units	Result	+/-	DL	Weight (g)
Lab Section 2					
Aluminum	ug/g	<50		50	0.013
Antimony	ug/g	<0.1		0.1	0.013
Arsenic	ug/g	<0.5		0.5	0.013
Barium	ug/g	<5		5	0.013
Beryllium	ug/g	<0.02		0.02	0.013
Boron	ug/g	<50		50	0.013
Cadmium	ug/g	<0.02		0.02	0.013
Chromium	ug/g	<5		5	0.013
Cobalt	ug/g	<5		5	0.013
Copper	ug/g	<5		5	0.013
Iron	ug/g	<50		50	0.013
Lead	ug/g	<0.5		0.5	0.013
Manganese	ug/g	<5		5	0.013
Mercury	ug/g	0.18	0.06	0.02	0.013
Molybdenum	ug/g	<0.5		0.5	0.013
Nickel	ug/g	<5		5	0.013
Selenium	ug/g	1.6	0.9	0.5	0.013
Silver	ug/g	<0.02		0.02	0.013
Strontium	ug/g	2	1	1	0.013
Thallium	ug/g	<0.1		0.1	0.013
Tin	ug/g	<2		2	0.013
Titanium	ug/g	<5		5	0.013
Uranium	ug/g	<0.1		0.1	0.013
Vanadium	ug/g	<1		1	0.013
Zinc	ug/g	110	70	50	0.013
Lab Section 6					
Moisture	%	57.83	6	0.02	0.013

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 3.5 °C upon receipt.

Results are reported on a dry basis.

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.

Sample #: **2019053249** Client PO #: **VPO00616225 Ref#19-08**
 Date Sampled: **Aug 26, 2019** Date Received: **Sep 19, 2019**
 Sample Matrix: **TISSUE**
 Description: **08/26/2019 RG_SC-KO-02_M_20190826**

Analyte	Units	Result	+/-	DL	Weight (g)
Lab Section 2					
Aluminum	ug/g	<50		50	0.0131
Antimony	ug/g	<0.1		0.1	0.0131
Arsenic	ug/g	<0.5		0.5	0.0131
Barium	ug/g	<5		5	0.0131
Beryllium	ug/g	<0.02		0.02	0.0131
Boron	ug/g	<50		50	0.0131
Cadmium	ug/g	<0.02		0.02	0.0131
Chromium	ug/g	<5		5	0.0131
Cobalt	ug/g	<5		5	0.0131
Copper	ug/g	<5		5	0.0131
Iron	ug/g	<50		50	0.0131
Lead	ug/g	<0.5		0.5	0.0131
Manganese	ug/g	<5		5	0.0131
Mercury	ug/g	0.15	0.05	0.02	0.0131
Molybdenum	ug/g	<0.5		0.5	0.0131
Nickel	ug/g	<5		5	0.0131
Selenium	ug/g	1.6	0.9	0.5	0.0131
Silver	ug/g	<0.02		0.02	0.0131
Strontium	ug/g	1	1	1	0.0131
Thallium	ug/g	<0.1		0.1	0.0131
Tin	ug/g	<2		2	0.0131
Titanium	ug/g	<5		5	0.0131
Uranium	ug/g	<0.1		0.1	0.0131
Vanadium	ug/g	<1		1	0.0131
Zinc	ug/g	130	80	50	0.0131

Lab Section 6

Moisture	%	74.41	7	0.02	0.0131
----------	---	-------	---	------	--------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 3.5 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.

Sample #: **2019053250** Client PO #: **VPO00616225 Ref#19-08**
Date Sampled: **Aug 26, 2019** Date Received: **Sep 19, 2019**
Sample Matrix: **TISSUE**
Description: **08/26/2019 RG_SC-KO-03_M_20190826**

Analyte	Units	Result	+/-	DL	Weight (g)
Lab Section 2					
Aluminum	ug/g	<50		50	0.0118
Antimony	ug/g	<0.1		0.1	0.0118
Arsenic	ug/g	<0.5		0.5	0.0118
Barium	ug/g	<5		5	0.0118
Beryllium	ug/g	<0.02		0.02	0.0118
Boron	ug/g	<50		50	0.0118
Cadmium	ug/g	<0.02		0.02	0.0118
Chromium	ug/g	<5		5	0.0118
Cobalt	ug/g	<5		5	0.0118
Copper	ug/g	<5		5	0.0118
Iron	ug/g	<50		50	0.0118
Lead	ug/g	<0.5		0.5	0.0118
Manganese	ug/g	<5		5	0.0118
Mercury	ug/g	0.16	0.05	0.02	0.0118
Molybdenum	ug/g	<0.5		0.5	0.0118
Nickel	ug/g	<5		5	0.0118
Selenium	ug/g	1.6	0.9	0.5	0.0118
Silver	ug/g	<0.02		0.02	0.0118
Strontium	ug/g	<1		1	0.0118
Thallium	ug/g	<0.1		0.1	0.0118
Tin	ug/g	<2		2	0.0118
Titanium	ug/g	<5		5	0.0118
Uranium	ug/g	<0.1		0.1	0.0118
Vanadium	ug/g	<1		1	0.0118
Zinc	ug/g	120	80	50	0.0118

Lab Section 6

Moisture	%	73.95	7	0.02	0.0118
----------	---	-------	---	------	--------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 3.5 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.

Sample #: **2019053251** Client PO #: **VPO00616225 Ref#19-08**
 Date Sampled: **Aug 26, 2019** Date Received: **Sep 19, 2019**
 Sample Matrix: **TISSUE**
 Description: **08/26/2019 RG_ER-KO-04_M_20190826**

Analyte	Units	Result	+/-	DL	Weight (g)
Lab Section 2					
Aluminum	ug/g	<50		50	0.0124
Antimony	ug/g	<0.1		0.1	0.0124
Arsenic	ug/g	<0.5		0.5	0.0124
Barium	ug/g	<5		5	0.0124
Beryllium	ug/g	<0.02		0.02	0.0124
Boron	ug/g	<50		50	0.0124
Cadmium	ug/g	<0.02		0.02	0.0124
Chromium	ug/g	<5		5	0.0124
Cobalt	ug/g	<5		5	0.0124
Copper	ug/g	<5		5	0.0124
Iron	ug/g	<50		50	0.0124
Lead	ug/g	<0.5		0.5	0.0124
Manganese	ug/g	<5		5	0.0124
Mercury	ug/g	0.18	0.06	0.02	0.0124
Molybdenum	ug/g	<0.5		0.5	0.0124
Nickel	ug/g	<5		5	0.0124
Selenium	ug/g	1.8	0.9	0.5	0.0124
Silver	ug/g	<0.02		0.02	0.0124
Strontium	ug/g	<1		1	0.0124
Thallium	ug/g	<0.1		0.1	0.0124
Tin	ug/g	<2		2	0.0124
Titanium	ug/g	<5		5	0.0124
Uranium	ug/g	<0.1		0.1	0.0124
Vanadium	ug/g	<1		1	0.0124
Zinc	ug/g	170	90	50	0.0124

Lab Section 6

Moisture	%	73.82	7	0.02	0.0124
----------	---	-------	---	------	--------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 3.5 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.

Sample #: **2019053252** Client PO #: **VPO00616225 Ref#19-08**
Date Sampled: **Aug 21, 2019** Date Received: **Sep 19, 2019**
Sample Matrix: **TISSUE**
Description: **08/21/2019 RG_T4_INV_20190821**

Analyte	Units	Result	+/-	DL	Weight (g)
Lab Section 2					
Aluminum	ug/g	820	200	50	0.0146
Antimony	ug/g	<0.1		0.1	0.0146
Arsenic	ug/g	12	2	0.5	0.0146
Barium	ug/g	26	5	5	0.0146
Beryllium	ug/g	0.03	0.02	0.02	0.0146
Boron	ug/g	<50		50	0.0146
Cadmium	ug/g	0.31	0.08	0.02	0.0146
Chromium	ug/g	<5		5	0.0146
Cobalt	ug/g	<5		5	0.0146
Copper	ug/g	18	9	5	0.0146
Iron	ug/g	5000	500	50	0.0146
Lead	ug/g	0.7	0.6	0.5	0.0146
Manganese	ug/g	45	10	5	0.0146
Mercury	ug/g	<0.02		0.02	0.0146
Molybdenum	ug/g	<0.5		0.5	0.0146
Nickel	ug/g	<5		5	0.0146
Selenium	ug/g	1.5	0.8	0.5	0.0146
Silver	ug/g	0.06	0.03	0.02	0.0146
Strontium	ug/g	230	20	1	0.0146
Thallium	ug/g	<0.1		0.1	0.0146
Tin	ug/g	<2		2	0.0146
Titanium	ug/g	9	5	5	0.0146
Uranium	ug/g	<0.1		0.1	0.0146
Vanadium	ug/g	2	1	1	0.0146
Zinc	ug/g	<50		50	0.0146

Lab Section 6

Moisture	%	42.39	4	0.02	0.0146
----------	---	-------	---	------	--------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 3.5 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.

Sample #: **2019053253** Client PO #: **VPO00616225 Ref#19-08**
Date Sampled: **Aug 22, 2019** Date Received: **Sep 19, 2019**
Sample Matrix: **TISSUE**
Description: **08/22/2019 RG_TN_INV_20190822**

Analyte	Units	Result	+/-	DL	Weight (g)
Lab Section 2					
Aluminum	ug/g	3700	600	50	0.0093
Antimony	ug/g	0.2	0.1	0.1	0.0093
Arsenic	ug/g	10	2	0.5	0.0093
Barium	ug/g	40	5	5	0.0093
Beryllium	ug/g	0.16	0.03	0.02	0.0093
Boron	ug/g	<50		50	0.0093
Cadmium	ug/g	0.23	0.06	0.02	0.0093
Chromium	ug/g	<5		5	0.0093
Cobalt	ug/g	<5		5	0.0093
Copper	ug/g	22	10	5	0.0093
Iron	ug/g	5200	500	50	0.0093
Lead	ug/g	8.0	2	0.5	0.0093
Manganese	ug/g	96	20	5	0.0093
Mercury	ug/g	0.05	0.03	0.02	0.0093
Molybdenum	ug/g	<0.5		0.5	0.0093
Nickel	ug/g	<5		5	0.0093
Selenium	ug/g	2.9	1	0.5	0.0093
Silver	ug/g	0.06	0.03	0.02	0.0093
Strontium	ug/g	44	7	1	0.0093
Thallium	ug/g	<0.1		0.1	0.0093
Tin	ug/g	<2		2	0.0093
Titanium	ug/g	60	20	5	0.0093
Uranium	ug/g	0.5	0.2	0.1	0.0093
Vanadium	ug/g	5	2	1	0.0093
Zinc	ug/g	110	70	50	0.0093

Lab Section 6

Moisture	%	86.30	9	0.02	0.0093
----------	---	-------	---	------	--------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 3.5 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.

Sample #: **2019053254**
Date Sampled: **Aug 21, 2019**
Sample Matrix: **TISSUE**
Description: **08/21/2019 RG_T4-1-ZOOT_20190821**

Client PO #: **VPO00616225 Ref#19-08**
Date Received: **Sep 19, 2019**

Analyte	Units	Result	+/-	DL	Weight (g)
Lab Section 2					
Aluminum	ug/g	2200	200	5	0.0393
Antimony	ug/g	0.21	0.05	0.02	0.0393
Arsenic	ug/g	3.0	0.4	0.05	0.0393
Barium	ug/g	51	5	0.5	0.0393
Beryllium	ug/g	0.08	0.02	0.02	0.0393
Boron	ug/g	<5		5	0.0393
Cadmium	ug/g	1.3	0.2	0.02	0.0393
Chromium	ug/g	2.4	1	0.5	0.0393
Cobalt	ug/g	1.0	0.5	0.5	0.0393
Copper	ug/g	9.1	2	0.5	0.0393
Iron	ug/g	1700	200	5	0.0393
Lead	ug/g	2.0	0.3	0.05	0.0393
Manganese	ug/g	96	10	0.5	0.0393
Mercury	ug/g	0.03	0.02	0.01	0.0393
Molybdenum	ug/g	0.45	0.1	0.05	0.0393
Nickel	ug/g	2.7	0.5	0.5	0.0393
Selenium	ug/g	3.5	0.5	0.05	0.0393
Silver	ug/g	0.04	0.03	0.02	0.0393
Strontium	ug/g	90	9	0.1	0.0393
Thallium	ug/g	0.07	0.02	0.01	0.0393
Tin	ug/g	0.4	0.2	0.2	0.0393
Titanium	ug/g	46	7	0.5	0.0393
Uranium	ug/g	0.33	0.08	0.02	0.0393
Vanadium	ug/g	2.8	0.7	0.2	0.0393
Zinc	ug/g	110	20	5	0.0393

Lab Section 6

Moisture	%	99.78	10	0.02	0.0393
----------	---	-------	----	------	--------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 3.5 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.

Sample #: **2019053255**
Date Sampled: **Aug 21, 2019**
Sample Matrix: **TISSUE**
Description: **08/21/2019 RG_T4-2-ZOOT_20190821**

Client PO #: **VPO00616225 Ref#19-08**
Date Received: **Sep 19, 2019**

Analyte	Units	Result	+/-	DL	Weight (g)
Lab Section 2					
Aluminum	ug/g	1700	200	5	0.0625
Antimony	ug/g	0.11	0.04	0.02	0.0625
Arsenic	ug/g	3.1	0.5	0.05	0.0625
Barium	ug/g	41	6	0.5	0.0625
Beryllium	ug/g	0.07	0.02	0.02	0.0625
Boron	ug/g	<5		5	0.0625
Cadmium	ug/g	1.3	0.2	0.02	0.0625
Chromium	ug/g	1.9	1	0.5	0.0625
Cobalt	ug/g	0.9	0.5	0.5	0.0625
Copper	ug/g	10	2	0.5	0.0625
Iron	ug/g	1200	100	5	0.0625
Lead	ug/g	1.3	0.2	0.05	0.0625
Manganese	ug/g	78	8	0.5	0.0625
Mercury	ug/g	0.03	0.02	0.01	0.0625
Molybdenum	ug/g	0.39	0.1	0.05	0.0625
Nickel	ug/g	2.8	0.5	0.5	0.0625
Selenium	ug/g	3.4	0.5	0.05	0.0625
Silver	ug/g	0.04	0.03	0.02	0.0625
Strontium	ug/g	77	8	0.1	0.0625
Thallium	ug/g	0.06	0.02	0.01	0.0625
Tin	ug/g	0.3	0.2	0.2	0.0625
Titanium	ug/g	34	5	0.5	0.0625
Uranium	ug/g	0.23	0.06	0.02	0.0625
Vanadium	ug/g	2.2	0.6	0.2	0.0625
Zinc	ug/g	100	20	5	0.0625

Lab Section 6

Moisture	%	99.67	10	0.02	0.0625
----------	---	-------	----	------	--------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 3.5 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.

Sample #: **2019053256**
Date Sampled: **Aug 21, 2019**
Sample Matrix: **TISSUE**
Description: **08/21/2019 RG_T4-3-ZOOT_20190821**

Client PO #: **VPO00616225 Ref#19-08**
Date Received: **Sep 19, 2019**

Analyte	Units	Result	+/-	DL	Weight (g)
Lab Section 2					
Aluminum	ug/g	1600	200	5	0.0752
Antimony	ug/g	0.11	0.04	0.02	0.0752
Arsenic	ug/g	3.4	0.5	0.05	0.0752
Barium	ug/g	42	6	0.5	0.0752
Beryllium	ug/g	0.06	0.02	0.02	0.0752
Boron	ug/g	<5		5	0.0752
Cadmium	ug/g	1.4	0.2	0.02	0.0752
Chromium	ug/g	1.8	0.9	0.5	0.0752
Cobalt	ug/g	0.9	0.5	0.5	0.0752
Copper	ug/g	9.9	2	0.5	0.0752
Iron	ug/g	1100	100	5	0.0752
Lead	ug/g	1.5	0.2	0.05	0.0752
Manganese	ug/g	77	8	0.5	0.0752
Mercury	ug/g	0.04	0.02	0.01	0.0752
Molybdenum	ug/g	0.41	0.1	0.05	0.0752
Nickel	ug/g	2.4	0.5	0.5	0.0752
Selenium	ug/g	3.7	0.6	0.05	0.0752
Silver	ug/g	0.04	0.03	0.02	0.0752
Strontium	ug/g	73	7	0.1	0.0752
Thallium	ug/g	0.06	0.02	0.01	0.0752
Tin	ug/g	0.4	0.2	0.2	0.0752
Titanium	ug/g	27	4	0.5	0.0752
Uranium	ug/g	0.21	0.05	0.02	0.0752
Vanadium	ug/g	2.1	0.5	0.2	0.0752
Zinc	ug/g	100	20	5	0.0752

Lab Section 6

Moisture	%	99.61	10	0.02	0.0752
----------	---	-------	----	------	--------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 3.5 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.

Sample #: **2019053257**
Date Sampled: **Aug 21, 2019**
Sample Matrix: **TISSUE**
Description: **08/21/2019 RG_T4-4-ZOOT_20190821**

Client PO #: **VPO00616225 Ref#19-08**
Date Received: **Sep 19, 2019**

Analyte	Units	Result	+/-	DL	Weight (g)
Lab Section 2					
Aluminum	ug/g	1200	100	5	0.0861
Antimony	ug/g	0.13	0.05	0.02	0.0861
Arsenic	ug/g	3.2	0.5	0.05	0.0861
Barium	ug/g	36	5	0.5	0.0861
Beryllium	ug/g	0.05	0.02	0.02	0.0861
Boron	ug/g	<5		5	0.0861
Cadmium	ug/g	1.3	0.2	0.02	0.0861
Chromium	ug/g	1.4	0.8	0.5	0.0861
Cobalt	ug/g	0.8	0.5	0.5	0.0861
Copper	ug/g	9.0	2	0.5	0.0861
Iron	ug/g	940	90	5	0.0861
Lead	ug/g	2.1	0.3	0.05	0.0861
Manganese	ug/g	66	7	0.5	0.0861
Mercury	ug/g	0.04	0.02	0.01	0.0861
Molybdenum	ug/g	0.39	0.1	0.05	0.0861
Nickel	ug/g	2.0	0.5	0.5	0.0861
Selenium	ug/g	3.6	0.5	0.05	0.0861
Silver	ug/g	0.04	0.03	0.02	0.0861
Strontium	ug/g	70	7	0.1	0.0861
Thallium	ug/g	0.05	0.02	0.01	0.0861
Tin	ug/g	0.4	0.2	0.2	0.0861
Titanium	ug/g	21	3	0.5	0.0861
Uranium	ug/g	0.18	0.06	0.02	0.0861
Vanadium	ug/g	1.7	0.6	0.2	0.0861
Zinc	ug/g	100	20	5	0.0861

Lab Section 6

Moisture	%	99.53	10	0.02	0.0861
----------	---	-------	----	------	--------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 3.5 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.

Sample #: **2019053258**
Date Sampled: **Aug 21, 2019**
Sample Matrix: **TISSUE**
Description: **08/21/2019 RG_T4-5-ZOOT_20190821**

Client PO #: **VPO00616225 Ref#19-08**
Date Received: **Sep 19, 2019**

Analyte	Units	Result	+/-	DL	Weight (g)
Lab Section 2					
Aluminum	ug/g	1100	100	5	0.0896
Antimony	ug/g	0.13	0.05	0.02	0.0896
Arsenic	ug/g	3.1	0.5	0.05	0.0896
Barium	ug/g	35	5	0.5	0.0896
Beryllium	ug/g	0.04	0.02	0.02	0.0896
Boron	ug/g	<5		5	0.0896
Cadmium	ug/g	1.5	0.2	0.02	0.0896
Chromium	ug/g	1.5	0.8	0.5	0.0896
Cobalt	ug/g	0.7	0.5	0.5	0.0896
Copper	ug/g	9.2	2	0.5	0.0896
Iron	ug/g	860	90	5	0.0896
Lead	ug/g	10	1	0.05	0.0896
Manganese	ug/g	65	6	0.5	0.0896
Mercury	ug/g	0.04	0.02	0.01	0.0896
Molybdenum	ug/g	0.38	0.1	0.05	0.0896
Nickel	ug/g	2.2	0.5	0.5	0.0896
Selenium	ug/g	3.6	0.5	0.05	0.0896
Silver	ug/g	0.08	0.04	0.02	0.0896
Strontium	ug/g	71	7	0.1	0.0896
Thallium	ug/g	0.05	0.02	0.01	0.0896
Tin	ug/g	1.6	0.2	0.2	0.0896
Titanium	ug/g	22	3	0.5	0.0896
Uranium	ug/g	0.20	0.05	0.02	0.0896
Vanadium	ug/g	1.6	0.5	0.2	0.0896
Zinc	ug/g	130	20	5	0.0896

Lab Section 6

Moisture	%	99.46	10	0.02	0.0896
----------	---	-------	----	------	--------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 3.5 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.

Sample #: **2019053259**
Date Sampled: **Aug 22, 2019**
Sample Matrix: **TISSUE**
Description: **08/22/2019 RG_TN-1-ZOOT_20190822**

Client PO #: **VPO00616225 Ref#19-08**
Date Received: **Sep 19, 2019**

Analyte	Units	Result	+/-	DL	Weight (g)
Lab Section 2					
Aluminum	ug/g	1300	100	5	0.036
Antimony	ug/g	0.18	0.06	0.02	0.036
Arsenic	ug/g	2.7	0.4	0.05	0.036
Barium	ug/g	43	6	0.5	0.036
Beryllium	ug/g	0.05	0.02	0.02	0.036
Boron	ug/g	<5		5	0.036
Cadmium	ug/g	1.3	0.2	0.02	0.036
Chromium	ug/g	1.7	0.9	0.5	0.036
Cobalt	ug/g	0.7	0.5	0.5	0.036
Copper	ug/g	8.7	2	0.5	0.036
Iron	ug/g	950	100	5	0.036
Lead	ug/g	1.8	0.3	0.05	0.036
Manganese	ug/g	58	6	0.5	0.036
Mercury	ug/g	0.04	0.02	0.01	0.036
Molybdenum	ug/g	0.43	0.1	0.05	0.036
Nickel	ug/g	2.0	0.5	0.5	0.036
Selenium	ug/g	3.1	0.5	0.05	0.036
Silver	ug/g	0.04	0.03	0.02	0.036
Strontium	ug/g	108	10	0.1	0.036
Thallium	ug/g	0.05	0.02	0.01	0.036
Tin	ug/g	1.1	0.2	0.2	0.036
Titanium	ug/g	22	3	0.5	0.036
Uranium	ug/g	0.31	0.08	0.02	0.036
Vanadium	ug/g	1.7	0.6	0.2	0.036
Zinc	ug/g	100	20	5	0.036

Lab Section 6

Moisture	%	99.78	10	0.02	0.036
----------	---	-------	----	------	-------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 3.5 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.

Sample #: **2019053260**
Date Sampled: **Aug 22, 2019**
Sample Matrix: **TISSUE**
Description: **08/22/2019 RG_TN-2-ZOOT_20190822**

Client PO #: **VPO00616225 Ref#19-08**
Date Received: **Sep 19, 2019**

Analyte	Units	Result	+/-	DL	Weight (g)
Lab Section 2					
Aluminum	ug/g	1400	100	5	0.0302
Antimony	ug/g	0.15	0.05	0.02	0.0302
Arsenic	ug/g	2.4	0.4	0.05	0.0302
Barium	ug/g	46	7	0.5	0.0302
Beryllium	ug/g	0.05	0.02	0.02	0.0302
Boron	ug/g	<5		5	0.0302
Cadmium	ug/g	1.2	0.2	0.02	0.0302
Chromium	ug/g	1.8	0.9	0.5	0.0302
Cobalt	ug/g	0.7	0.5	0.5	0.0302
Copper	ug/g	8.2	2	0.5	0.0302
Iron	ug/g	990	100	5	0.0302
Lead	ug/g	1.5	0.2	0.05	0.0302
Manganese	ug/g	64	6	0.5	0.0302
Mercury	ug/g	0.03	0.02	0.01	0.0302
Molybdenum	ug/g	0.72	0.2	0.05	0.0302
Nickel	ug/g	7.1	2	0.5	0.0302
Selenium	ug/g	3.0	0.4	0.05	0.0302
Silver	ug/g	0.04	0.03	0.02	0.0302
Strontium	ug/g	96	10	0.1	0.0302
Thallium	ug/g	0.05	0.02	0.01	0.0302
Tin	ug/g	0.6	0.2	0.2	0.0302
Titanium	ug/g	28	4	0.5	0.0302
Uranium	ug/g	0.36	0.09	0.02	0.0302
Vanadium	ug/g	1.8	0.6	0.2	0.0302
Zinc	ug/g	100	20	5	0.0302

Lab Section 6

Moisture	%	99.83	10	0.02	0.0302
----------	---	-------	----	------	--------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 3.5 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.

Sample #: **2019053261** Client PO #: **VPO00616225 Ref#19-08**
Date Sampled: **Aug 22, 2019** Date Received: **Sep 19, 2019**
Sample Matrix: **TISSUE**
Description: **08/22/2019 RG_TN-3-ZOOT_20190822**

Analyte	Units	Result	+/-	DL	Weight (g)
Lab Section 2					
Aluminum	ug/g	2100	300	50	0.0185
Antimony	ug/g	0.1	0.1	0.1	0.0185
Arsenic	ug/g	2.8	0.5	0.5	0.0185
Barium	ug/g	62	20	5	0.0185
Beryllium	ug/g	0.09	0.02	0.02	0.0185
Boron	ug/g	<50		50	0.0185
Cadmium	ug/g	1.3	0.2	0.02	0.0185
Chromium	ug/g	<5		5	0.0185
Cobalt	ug/g	<5		5	0.0185
Copper	ug/g	9	7	5	0.0185
Iron	ug/g	1600	200	50	0.0185
Lead	ug/g	2.4	1	0.5	0.0185
Manganese	ug/g	84	20	5	0.0185
Mercury	ug/g	0.02	0.02	0.02	0.0185
Molybdenum	ug/g	<0.5		0.5	0.0185
Nickel	ug/g	12	5	5	0.0185
Selenium	ug/g	3.1	1	0.5	0.0185
Silver	ug/g	0.03	0.02	0.02	0.0185
Strontium	ug/g	130	10	1	0.0185
Thallium	ug/g	<0.1		0.1	0.0185
Tin	ug/g	<2		2	0.0185
Titanium	ug/g	36	10	5	0.0185
Uranium	ug/g	0.5	0.2	0.1	0.0185
Vanadium	ug/g	3	2	1	0.0185
Zinc	ug/g	120	80	50	0.0185

Lab Section 6

Moisture	%	99.85	10	0.02	0.0185
----------	---	-------	----	------	--------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 3.5 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.

Sample #: **2019053262**
Date Sampled: **Aug 22, 2019**
Sample Matrix: **TISSUE**
Description: **08/22/2019 RG_TN-4-ZOOT_20190822**

Client PO #: **VPO00616225 Ref#19-08**
Date Received: **Sep 19, 2019**

Analyte	Units	Result	+/-	DL	Weight (g)
Lab Section 2					
Aluminum	ug/g	1100	100	5	0.0283
Antimony	ug/g	0.08	0.04	0.02	0.0283
Arsenic	ug/g	2.6	0.4	0.05	0.0283
Barium	ug/g	38	6	0.5	0.0283
Beryllium	ug/g	0.04	0.02	0.02	0.0283
Boron	ug/g	<5		5	0.0283
Cadmium	ug/g	1.4	0.2	0.02	0.0283
Chromium	ug/g	1.3	0.8	0.5	0.0283
Cobalt	ug/g	0.7	0.5	0.5	0.0283
Copper	ug/g	7.5	2	0.5	0.0283
Iron	ug/g	940	90	5	0.0283
Lead	ug/g	1.4	0.2	0.05	0.0283
Manganese	ug/g	62	6	0.5	0.0283
Mercury	ug/g	0.03	0.02	0.01	0.0283
Molybdenum	ug/g	0.46	0.1	0.05	0.0283
Nickel	ug/g	1.7	0.5	0.5	0.0283
Selenium	ug/g	3.1	0.5	0.05	0.0283
Silver	ug/g	0.03	0.02	0.02	0.0283
Strontium	ug/g	91	9	0.1	0.0283
Thallium	ug/g	0.04	0.02	0.01	0.0283
Tin	ug/g	0.4	0.2	0.2	0.0283
Titanium	ug/g	16	2	0.5	0.0283
Uranium	ug/g	0.35	0.09	0.02	0.0283
Vanadium	ug/g	1.4	0.5	0.2	0.0283
Zinc	ug/g	93	20	5	0.0283

Lab Section 6

Moisture	%	99.83	10	0.02	0.0283
----------	---	-------	----	------	--------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 3.5 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

SRC Group # 2019-13453

Oct 17, 2019

Minnow Environmental Inc.

Sample #: **2019053263** Client PO #: **VPO00616225 Ref#19-08**
Date Sampled: **Aug 22, 2019** Date Received: **Sep 19, 2019**
Sample Matrix: **TISSUE**
Description: **08/22/2019 RG_TN-5-ZOOT_20190822**

Analyte	Units	Result	+/-	DL	Weight (g)
Lab Section 2					
Aluminum	ug/g	1100	200	50	0.0237
Antimony	ug/g	<0.1		0.1	0.0237
Arsenic	ug/g	2.6	0.5	0.5	0.0237
Barium	ug/g	39	5	5	0.0237
Beryllium	ug/g	0.06	0.02	0.02	0.0237
Boron	ug/g	<50		50	0.0237
Cadmium	ug/g	1.2	0.2	0.02	0.0237
Chromium	ug/g	<5		5	0.0237
Cobalt	ug/g	<5		5	0.0237
Copper	ug/g	7	6	5	0.0237
Iron	ug/g	1200	200	50	0.0237
Lead	ug/g	1.2	0.8	0.5	0.0237
Manganese	ug/g	60	20	5	0.0237
Mercury	ug/g	0.03	0.02	0.02	0.0237
Molybdenum	ug/g	<0.5		0.5	0.0237
Nickel	ug/g	<5		5	0.0237
Selenium	ug/g	3.1	1	0.5	0.0237
Silver	ug/g	0.03	0.02	0.02	0.0237
Strontium	ug/g	97	10	1	0.0237
Thallium	ug/g	<0.1		0.1	0.0237
Tin	ug/g	<2		2	0.0237
Titanium	ug/g	120	20	5	0.0237
Uranium	ug/g	0.3	0.2	0.1	0.0237
Vanadium	ug/g	2	1	1	0.0237
Zinc	ug/g	80	60	50	0.0237

Lab Section 6

Moisture	%	99.83	10	0.02	0.0237
----------	---	-------	----	------	--------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 3.5 °C upon receipt.

Results are reported on a dry basis.

Variability in detection limits due to sample size.

There was no sample remaining to perform rechecks due to limited sample weight submitted to the laboratory.

This report was generated for samples included in SRC Group # 2019-13453

Quality Control Report

Heidi Currier
 Minnow Environmental Inc.
 2 Lamb Street
 Georgetown, ON L7G 3M9

Reference Materials and Standards:

A reference material of known concentration is used whenever possible as either a control sample or control standard and analyzed with each batch of samples. These "QC" results are used to assess the performance of the method and must be within clearly defined limits; otherwise corrective action is required.

QC Analysis	Units	Target Value	Obtained Value
Aluminum	ug/g	1340	1210
Arsenic	ug/g	6.87	6.84
Cadmium	ug/g	0.299	0.323
Chromium	ug/g	1.57	1.48
Copper	ug/g	14.4	13.8
Iron	ug/g	312	288
Lead	ug/g	0.404	0.389
Manganese	ug/g	2.70	2.53
Mercury	ug/g	0.364	0.328
Nickel	ug/g	1.20	1.15
Selenium	ug/g	3.74	3.64
Silver	ug/g	0.0245	0.0262
Zinc	ug/g	47.8	43.5

Please note, duplicates could not be analyzed for ICP due to insufficient sample available.

All quality control results were within the specified limits and considered acceptable.

Roxane Ortmann - Quality Assurance Supervisor

TABLE 1: BENTHIC MACROINVERTEBRATES COLLECTED FROM TECK KOOCANUSA, 2018
(Densities expressed per sampled area)

Station	TN					T4				
	1	2	3	4	5	1	2	3	4	5
ROUNDWORMS										
P. Nemata	4	4	8	2	4	1	1	8	-	-
ANNELIDS										
P. Annelida										
WORMS										
Cl. Oligochaeta										
F. Naididae										
S.F. Naidinae										
<i>Dero</i>	-	-	-	-	-	-	-	14	-	-
S.F. Tubificinae										
<i>Aulodrilus limnobius</i>	-	44	45	91	163	2	-	72	-	-
<i>Limnodrilus hoffmeisteri</i>	-	-	-	-	-	1	2	-	-	3
<i>Limnodrilus udekemianus</i>	12	44	13	33	8	-	-	-	-	-
<i>Tubifex tubifex</i>	-	13	19	8	-	-	1	29	13	9
immatures with hair chaetae	28	19	32	49	15	16	5	130	185	9
immatures without hair chaetae	16	6	19	17	-	5	10	43	66	37
ARTHROPODS										
P. Arthropoda										
SEED SHRIMPS										
Cl. Ostracoda										
indeterminate	-	-	-	-	-	-	-	-	-	1
F. Candonidae										
<i>Candona</i>	12	8	8	5	12	-	1	-	8	-
F. Cyprididae										
<i>Isocypris</i>	-	4	4	2	2	-	-	-	-	1
F. Cytherideidae										
<i>Cytherissa lacustris</i>	-	6	-	4	4	2	-	-	4	2
INSECTS										
Cl. Insecta										
TRUE FLIES										
O. Diptera										
PHANTOM MIDGE										
F. Chaoboridae										
<i>Chaoborus flavicans</i>	-	-	-	-	-	-	1	-	-	-
MIDGES										
F. Chironomidae										
chironomid pupae	-	-	4	2	-	-	1	-	-	2
S.F. Chironominae										
<i>Chironomus</i>	24	14	12	7	28	2	5	-	-	1
<i>Harnischia</i>	4	-	-	-	6	-	-	-	4	-
<i>Phaenopsectra</i>	-	2	8	-	2	2	3	-	4	-
<i>Tanytarsus</i>	20	12	4	2	10	5	7	24	8	-
S.F. Prodiamesinae										
<i>Monodiamesa</i>	-	4	-	-	2	-	1	-	-	-
S.F. Tanypodinae										
<i>Procladius</i>	80	66	40	36	46	22	34	104	68	52
MOLLUSCS										
P. Mollusca										
CLAMS										
Cl. Bivalvia										
F. Sphaeriidae										
<i>Pisidium (Cyclocalyx)</i>	-	-	-	-	-	-	-	-	-	1

TABLE 1: BENTHIC MACROINVERTEBRATES COLLECTED FROM TECK KOOCANUSA, 2018
(Densities expressed per sampled area)

Station	TN					T4				
	1	2	3	4	5	1	2	3	4	5
<i>Pisidium (Cyclocalyx)/Neopisidium</i>	12	-	-	2	-	-	4	-	4	-
TOTAL NUMBER OF ORGANISMS	212	246	216	260	302	58	76	424	364	118
TOTAL NUMBER OF TAXA ^a	10	14	12	13	13	10	13	8	10	10

^a Bold entries excluded from taxa count

TABLE 1: CALCULATION OF SUBSAMPLING ERROR FOR BENTHIC MACROINVERTEBRATE SAMPLES FROM TECK KOOCANUSA (2018).

Station	Whole Organisms	Number of Organisms in Fraction 1	Number of Organisms in Fraction 2	Number of Organisms in Fraction 3	Number of Organisms in Fraction 4	Actual Density*	Precision % range		Accuracy min max	
TN-4	-	125	135	-	-	260	7.4	-	3.8	-

* whole large organisms excluded in calculations.

min = minimum absolute % error

max = maximum absolute % error

TABLE 2: PERCENT RECOVERY OF BENTHIC MACROINVERTEBRATES FROM SAMPLES COLLECTED FROM TECK KOOCANUSA (2018).

Station	Number of Organisms Recovered (initial sort)	Number of Organisms in Re-sort	Percent Recovery
TN-5 ^a	123	151	81.5%
T4-2	72	76	94.7%
Average % Recovery			88.1%

^a all samples sorted by this person were re-sorted to ensure a > 90% recovery

TABLE 3: SAMPLE FRACTIONS SORTED FROM TECK KOOCANUSA (2018).

Station	Fraction Sorted	Station	Fraction Sorted
TN-1	1/4	T4-2	Whole
TN-2	1/2	T4-3	Whole
TN-3	1/4	T4-4	1/8
TN-4	Whole ^a	T4-5	1/4
TN-5	1/2	T4-6	Whole

^a two halves sorted for subsampling error calculations.

QA/QC Notes

Pupae were not counted toward total number of taxa unless they were the sole representative of their taxa group.

Immatures were not counted toward total number of taxa unless they were the sole representative of their taxa group.

2018 Phytoplankton Biomass for Minnow Environmental--- project: 18-07 Teck Koocanusa

R= QA/QC recount

Station	Date	Cyanobacteria mg m ⁻³	Chlorophyte mg m ⁻³	Euglenophyte mg m ⁻³	Chrysophyte mg m ⁻³	Diatom mg m ⁻³	Cryptophyte mg m ⁻³	Dinoflagellate mg m ⁻³	Total mg m ⁻³
T4-1	30/Aug/18	0.00	5.51	0.00	52.49	563.82	50.67	0.76	673.25
T4-2	30/Aug/18	0.00	1.24	0.00	52.06	648.01	72.00	13.93	787.24
T4-3	30/Aug/18	0.00	1.96	0.00	52.31	471.93	43.09	32.48	601.76
T4-4	31/Aug/18	0.00	2.63	0.00	78.16	397.31	71.75	15.14	564.99
T4-5	31/Aug/18	0.00	2.87	0.00	96.32	390.28	48.68	81.45	619.60
TN-1	31/Aug/18	0.00	1.25	0.00	51.56	768.95	58.33	19.45	899.54
TN-2	31/Aug/18	0.00	6.95	0.00	45.30	1086.73	81.58	14.85	1235.40
TN-2R	31/Aug/18	0.00	4.41	0.00	35.77	1026.85	83.56	17.36	1167.94
TN-3	31/Aug/18	0.00	2.66	0.00	64.54	460.07	35.02	10.98	573.26
TN-4	31/Aug/18	0.00	1.74	0.00	230.62	469.66	84.97	1.68	788.67
TN-5	31/Aug/18	0.00	4.17	0.00	61.22	344.01	29.53	14.68	453.62

2018 Phytoplankton Cell density for Minnow Environmental--- project:18-07 Teck Koocanusa

R= QA/QC recount

Station	Date	Cyanobacteria Cells L ⁻¹	Chlorophyte Cells L ⁻¹	Euglenophyte Cells L ⁻¹	Chrysophyte Cells L ⁻¹	Diatom Cells L ⁻¹	Cryptophyte Cells L ⁻¹	Dinoflagellate Cells L ⁻¹	Total Cells L ⁻¹
T4-1	30/Aug/18	0	93592	0	474544	3965616	259440	200	4793392
T4-2	30/Aug/18	0	28736	0	503480	4161584	330096	800	5024696
T4-3	30/Aug/18	0	35920	0	539000	3773232	149496	1200	4498848
T4-4	31/Aug/18	0	43304	0	705032	3504456	244904	1000	4498696
T4-5	31/Aug/18	0	43304	0	762504	2890712	185216	3600	3885336
TN-1	31/Aug/18	0	50288	0	475144	4371088	237304	1400	5135224
TN-2	31/Aug/18	0	144080	0	395320	4814696	383984	1000	5739080
TN-2R	31/Aug/18	0	64856	0	352216	4558672	410120	1600	5387464
TN-3	31/Aug/18	0	72440	0	581904	3793384	125344	600	4573672
TN-4	31/Aug/18	0	28736	0	3060784	1999200	334312	400	5423432
TN-5	31/Aug/18	0	72840	0	654344	2784624	82640	800	3595248

2018 Phytoplankton Species data for Minnow Environmental--- project: 18-07 Teck Koocanusa

** 1st number in **species code** = group 1=cyanophyte 2=chlorophyte
3= Euglenophyte 4=chrysophyte 5=diatoms 6=Cryptophyte 7=Dinoflagellates

** total daily biomass is sum of all species on a date.

R= QA/QC recount

Station	Date	Species Code	Species Name	Density Cell ^{L-1}	Biomass mg m ⁻³	Length μm	Width μm	Cell Volume μm ³
T4-1	30-Aug-18	2105	Chlamydomonas spp.	21552	0.92	5.10	4.00	42.70
T4-1	30-Aug-18	2121	Oocystis lacustris Chodat	14368	0.41	6.00	3.00	28.30
T4-1	30-Aug-18	2206	Botryococcus braunii Kutzing	200	0.10	10.00	10.00	523.60
T4-1	30-Aug-18	2235	Ankistrodesmus spiralis Lemmermann	57472	4.08	41.00	2.10	71.00
T4-1	30-Aug-18	4351	Small chrysophyceae	71840	0.92	2.90	2.90	12.80
T4-1	30-Aug-18	4352	Large chrysophyceae	7184	1.29	7.00	7.00	179.60
T4-1	30-Aug-18	4355	Chrysochromulina parva Lackey	7184	0.47	5.00	5.00	65.40
T4-1	30-Aug-18	4357	Chrysococcus sp.	100576	6.58	5.00	5.00	65.40
T4-1	30-Aug-18	4362	Kephyrion sp.	71840	1.12	3.10	3.10	15.60
T4-1	30-Aug-18	4381	Dinobryon mucronatom Nygaard	28736	3.76	10.00	5.00	130.90
T4-1	30-Aug-18	4383	Dinobryon bavaricum Imhof	136496	30.88	12.00	6.00	226.20
T4-1	30-Aug-18	4388	Dinobryon sertularia Ehrenberg	400	0.50	0.00	0.00	1250.00
T4-1	30-Aug-18	4396	Chrysolykos skuja (Nauwerck) Willen	7184	0.20	5.60	3.10	28.20
T4-1	30-Aug-18	4411	Bitrichia chodatii (Reverdin) Chodat	7184	0.36	6.00	4.00	50.30
T4-1	30-Aug-18	4413	Chrysochromulina laurentiana Kling	14368	5.67	9.10	9.10	394.60
T4-1	30-Aug-18	4418	Salpingoeca frequentissima (Zach.) Lemmermann	21552	0.74	6.00	3.30	34.20
T4-1	30-Aug-18	5507	Cyclotella stelligera Cleve and Grunow	9400	18.60	10.80	21.60	1978.80
T4-1	30-Aug-18	5508	Cyclotella pseudostelligera	2500032	505.76	5.05	10.10	202.30
T4-1	30-Aug-18	5513	Tabellaria fenestrata (Lyngbye) Kutzing	400	0.30	80.00	6.00	754.00
T4-1	30-Aug-18	5515	Fragilaria crotonensis Kitton	10600	4.44	100.00	4.00	418.90
T4-1	30-Aug-18	5523	Synedra ulna (Nitzsch) Ehrenberg	600	3.69	235.00	10.00	6152.30
T4-1	30-Aug-18	5524	Asterionella formosa Hassall	400	0.03	79.00	2.00	82.70
T4-1	30-Aug-18	5551	Cyclotella michiganiana Skvortzow	1443984	29.46	2.35	4.70	20.40
T4-1	30-Aug-18	5720	Cyclotella bodanica Eulens.	200	1.54	17.00	34.00	7717.30
T4-1	30-Aug-18	6554	Rhodomonas minuta Skuja	237072	35.75	12.00	6.00	150.80
T4-1	30-Aug-18	6558	Cryptomonas erosa Ehrenberg	8000	14.18	25.90	14.00	1772.00
T4-1	30-Aug-18	6568	Katablepharis ovalis Skuja	14368	0.74	8.60	4.00	51.60
T4-1	30-Aug-18	7639	Peridinium pusillum (Penard) Lemmermann	200	0.76	19.40	19.40	3823.00
T4-2	30-Aug-18	2105	Chlamydomonas spp.	21552	1.08	6.00	4.00	50.30
T4-2	30-Aug-18	2167	Elakatothrix gelatinosa Willen	7184	0.16	14.00	2.00	22.00
T4-2	30-Aug-18	4351	Small chrysophyceae	129312	1.19	2.60	2.60	9.20
T4-2	30-Aug-18	4352	Large chrysophyceae	7184	1.29	7.00	7.00	179.60
T4-2	30-Aug-18	4355	Chrysochromulina parva Lackey	57472	3.76	5.00	5.00	65.40
T4-2	30-Aug-18	4357	Chrysococcus sp.	122128	7.99	5.00	5.00	65.40
T4-2	30-Aug-18	4362	Kephyrion sp.	14368	0.27	3.30	3.30	18.80
T4-2	30-Aug-18	4368	Mallomonas crassisquama (Asmund) Fott	400	0.42	20.00	10.00	1047.20
T4-2	30-Aug-18	4381	Dinobryon mucronatom Nygaard	21552	2.82	10.00	5.00	130.90
T4-2	30-Aug-18	4383	Dinobryon bavaricum Imhof	114944	26.00	12.00	6.00	226.20
T4-2	30-Aug-18	4388	Dinobryon sertularia Ehrenberg	21552	4.88	12.00	6.00	226.20
T4-2	30-Aug-18	4388	Dinobryon sertularia Ehrenberg	200	0.25	0.00	0.00	1250.00
T4-2	30-Aug-18	4411	Bitrichia chodatii (Reverdin) Chodat	7184	0.36	6.00	4.00	50.30
T4-2	30-Aug-18	4413	Chrysochromulina laurentiana Kling	7184	2.83	9.10	9.10	394.60
T4-2	30-Aug-18	5507	Cyclotella stelligera Cleve and Grunow	12600	24.93	10.80	21.60	1978.80
T4-2	30-Aug-18	5508	Cyclotella pseudostelligera	2370720	554.51	5.30	10.60	233.90
T4-2	30-Aug-18	5513	Tabellaria fenestrata (Lyngbye) Kutzing	2600	2.01	82.00	6.00	772.80
T4-2	30-Aug-18	5515	Fragilaria crotonensis Kitton	5200	2.18	100.00	4.00	418.90
T4-2	30-Aug-18	5523	Synedra ulna (Nitzsch) Ehrenberg	2200	16.41	285.00	10.00	7461.30
T4-2	30-Aug-18	5524	Asterionella formosa Hassall	400	0.04	91.00	2.00	95.30
T4-2	30-Aug-18	5551	Cyclotella michiganiana Skvortzow	1767264	43.30	2.50	5.00	24.50
T4-2	30-Aug-18	5720	Cyclotella bodanica Eulens.	600	4.63	17.00	34.00	7717.30
T4-2	30-Aug-18	6554	Rhodomonas minuta Skuja	316096	47.67	12.00	6.00	150.80
T4-2	30-Aug-18	6558	Cryptomonas erosa Ehrenberg	14000	24.33	25.40	14.00	1737.80
T4-2	30-Aug-18	7632	Gymnodinium sp.	200	2.30	28.00	28.00	11494.00
T4-2	30-Aug-18	7639	Peridinium pusillum (Penard) Lemmermann	400	1.58	19.60	19.60	3942.50
T4-2	30-Aug-18	7644	Ceratium hirundinella (Muller) Schrank	200	10.05	60.00	40.00	50265.50
T4-3	30-Aug-18	2105	Chlamydomonas spp.	14368	0.72	6.00	4.00	50.30
T4-3	30-Aug-18	2132	Scenedesmus denticulatus Lagerhiem	14368	1.08	8.60	5.00	75.00
T4-3	30-Aug-18	2167	Elakatothrix gelatinosa Willen	7184	0.16	14.00	2.00	22.00

T4-3	30-Aug-18	4351	Small chrysophyceae	86208	0.79	2.60	2.60	9.20
T4-3	30-Aug-18	4352	Large chrysophyceae	35920	6.45	7.00	7.00	179.60
T4-3	30-Aug-18	4355	Chrysochromulina parva Lackey	172416	11.28	5.00	5.00	65.40
T4-3	30-Aug-18	4357	Chrysococcus sp.	93392	6.11	5.00	5.00	65.40
T4-3	30-Aug-18	4362	Kephyrion sp.	21552	0.53	3.60	3.60	24.40
T4-3	30-Aug-18	4368	Mallomonas crassisquama (Asmund) Fott	200	0.21	20.00	10.00	1047.20
T4-3	30-Aug-18	4381	Dinobryon mucronatom Nygaard	14368	1.88	10.00	5.00	130.90
T4-3	30-Aug-18	4383	Dinobryon bavaricum Imhof	86208	19.50	12.00	6.00	226.20
T4-3	30-Aug-18	4388	Dinobryon sertularia Ehrenberg	21552	4.88	12.00	6.00	226.20
T4-3	30-Aug-18	4400	Ochromonas sp.	7184	0.70	10.00	4.30	96.80
T4-3	30-Aug-18	5507	Cyclotella stelligera Cleve and Grunow	11600	26.29	11.30	22.60	2266.50
T4-3	30-Aug-18	5508	Cyclotella pseudostelligera	1479904	376.34	5.45	10.90	254.30
T4-3	30-Aug-18	5511	Rhizosolenia eriense H.L. Smith	7184	0.46	9.00	3.00	63.60
T4-3	30-Aug-18	5515	Fragilaria crotonensis Kitton	2000	0.85	101.00	4.00	423.10
T4-3	30-Aug-18	5523	Synedra ulna (Nitzsch) Ehrenberg	200	1.36	260.00	10.00	6806.80
T4-3	30-Aug-18	5524	Asterionella formosa Hassall	1600	0.15	91.00	2.00	95.30
T4-3	30-Aug-18	5551	Cyclotella michiganiana Skvortzow	2270144	62.66	2.60	5.20	27.60
T4-3	30-Aug-18	5720	Cyclotella bodanica Eulens.	600	3.82	15.95	31.90	6373.90
T4-3	30-Aug-18	6554	Rhodomonas minuta Skuja	136496	20.58	12.00	6.00	150.80
T4-3	30-Aug-18	6558	Cryptomonas erosa Ehrenberg	13000	22.50	25.30	14.00	1730.90
T4-3	30-Aug-18	7632	Gymnodinium sp.	200	2.30	28.00	28.00	11494.00
T4-3	30-Aug-18	7639	Peridinium pusillum (Penard) Lemmermann	400	1.58	19.60	19.60	3942.50
T4-3	30-Aug-18	7644	Ceratium hirundinella (Muller) Schrank	600	28.60	56.90	40.00	47668.40
T4-4	31-Aug-18	2105	Chlamydomonas spp.	28736	1.45	6.00	4.00	50.30
T4-4	31-Aug-18	2125	Paulschulzia pseudovolvox (Schulz and Teiling) Skuja	200	0.54	0.00	0.00	2680.00
T4-4	31-Aug-18	2132	Scenedesmus denticulatus Lagerhiem	14368	0.65	8.10	4.00	45.20
T4-4	31-Aug-18	4351	Small chrysophyceae	43104	0.55	2.90	2.90	12.80
T4-4	31-Aug-18	4352	Large chrysophyceae	7184	1.29	7.00	7.00	179.60
T4-4	31-Aug-18	4355	Chrysochromulina parva Lackey	165232	10.81	5.00	5.00	65.40
T4-4	31-Aug-18	4357	Chrysococcus sp.	93392	6.11	5.00	5.00	65.40
T4-4	31-Aug-18	4362	Kephyrion sp.	100576	1.73	3.20	3.20	17.20
T4-4	31-Aug-18	4368	Mallomonas crassisquama (Asmund) Fott	600	0.63	20.00	10.00	1047.20
T4-4	31-Aug-18	4381	Dinobryon mucronatom Nygaard	14368	1.81	9.60	5.00	125.70
T4-4	31-Aug-18	4383	Dinobryon bavaricum Imhof	193968	43.88	12.00	6.00	226.20
T4-4	31-Aug-18	4383	Dinobryon bavaricum Imhof	200	0.68	0.00	0.00	3390.00
T4-4	31-Aug-18	4388	Dinobryon sertularia Ehrenberg	21552	4.88	12.00	6.00	226.20
T4-4	31-Aug-18	4388	Dinobryon sertularia Ehrenberg	200	0.25	0.00	0.00	1250.00
T4-4	31-Aug-18	4396	Chrysolykos skuja (Nauwerck) Willen	50288	1.42	5.60	3.10	28.20
T4-4	31-Aug-18	4411	Bitrichia chodatii (Reverdin) Chodat	7184	1.02	10.00	5.20	141.60
T4-4	31-Aug-18	4413	Chrysochromulina laurentiana Kling	7184	3.12	9.40	9.40	434.90
T4-4	31-Aug-18	5507	Cyclotella stelligera Cleve and Grunow	16200	35.27	11.15	22.30	2177.40
T4-4	31-Aug-18	5508	Cyclotella pseudostelligera	1278752	282.48	5.20	10.40	220.90
T4-4	31-Aug-18	5515	Fragilaria crotonensis Kitton	8400	3.73	106.00	4.00	444.00
T4-4	31-Aug-18	5523	Synedra ulna (Nitzsch) Ehrenberg	1400	8.80	240.00	10.00	6283.20
T4-4	31-Aug-18	5551	Cyclotella michiganiana Skvortzow	2198304	57.16	2.55	5.10	26.00
T4-4	31-Aug-18	5720	Cyclotella bodanica Eulens.	1400	9.88	16.50	33.00	7056.20
T4-4	31-Aug-18	6554	Rhodomonas minuta Skuja	215520	32.50	12.00	6.00	150.80
T4-4	31-Aug-18	6558	Cryptomonas erosa Ehrenberg	22200	38.88	25.60	14.00	1751.50
T4-4	31-Aug-18	6568	Katablepharis ovalis Skuja	7184	0.37	8.60	4.00	51.60
T4-4	31-Aug-18	7632	Gymnodinium sp.	200	2.83	30.00	30.00	14137.20
T4-4	31-Aug-18	7639	Peridinium pusillum (Penard) Lemmermann	600	2.26	19.30	19.30	3764.20
T4-4	31-Aug-18	7644	Ceratium hirundinella (Muller) Schrank	200	10.05	60.00	40.00	50265.50
T4-5	31-Aug-18	2105	Chlamydomonas spp.	28736	1.45	6.00	4.00	50.30
T4-5	31-Aug-18	2113	Pediastrum duplex Meyen	200	0.75	0.00	0.00	3735.00
T4-5	31-Aug-18	2132	Scenedesmus denticulatus Lagerhiem	14368	0.67	8.40	4.00	46.90
T4-5	31-Aug-18	4351	Small chrysophyceae	79024	0.44	2.20	2.20	5.60
T4-5	31-Aug-18	4355	Chrysochromulina parva Lackey	193968	12.69	5.00	5.00	65.40
T4-5	31-Aug-18	4357	Chrysococcus sp.	100576	6.58	5.00	5.00	65.40
T4-5	31-Aug-18	4362	Kephyrion sp.	43104	0.81	3.30	3.30	18.80
T4-5	31-Aug-18	4368	Mallomonas crassisquama (Asmund) Fott	200	0.21	20.00	10.00	1047.20
T4-5	31-Aug-18	4381	Dinobryon mucronatom Nygaard	43104	5.13	9.10	5.00	119.10
T4-5	31-Aug-18	4383	Dinobryon bavaricum Imhof	265808	60.13	12.00	6.00	226.20
T4-5	31-Aug-18	4383	Dinobryon bavaricum Imhof	800	1.00	0.00	0.00	1250.00
T4-5	31-Aug-18	4388	Dinobryon sertularia Ehrenberg	28736	6.50	12.00	6.00	226.20
T4-5	31-Aug-18	4413	Chrysochromulina laurentiana Kling	7184	2.83	9.10	9.10	394.60
T4-5	31-Aug-18	5507	Cyclotella stelligera Cleve and Grunow	14000	33.01	11.45	22.90	2358.00
T4-5	31-Aug-18	5508	Cyclotella pseudostelligera	1343408	279.97	5.10	10.20	208.40
T4-5	31-Aug-18	5513	Tabellaria fenestrata (Lyngbye) Kutzing	800	0.60	80.00	6.00	754.00
T4-5	31-Aug-18	5515	Fragilaria crotonensis Kitton	45600	19.67	103.00	4.00	431.40
T4-5	31-Aug-18	5523	Synedra ulna (Nitzsch) Ehrenberg	1200	9.90	315.00	10.00	8246.70
T4-5	31-Aug-18	5524	Asterionella formosa Hassall	4400	0.47	101.00	2.00	105.80
T4-5	31-Aug-18	5551	Cyclotella michiganiana Skvortzow	1479904	38.48	2.55	5.10	26.00
T4-5	31-Aug-18	5720	Cyclotella bodanica Eulens.	1400	8.19	15.50	31.00	5849.40

T4-5	31-Aug-18	6554	Rhodomonas minuta Skuja	172416	26.00	12.00	6.00	150.80
T4-5	31-Aug-18	6558	Cryptomonas erosa Ehrenberg	12800	22.68	25.90	14.00	1772.00
T4-5	31-Aug-18	7632	Gymnodinium sp.	200	3.43	32.00	32.00	17157.30
T4-5	31-Aug-18	7639	Peridinium pusillum (Penard) Lemmermann	2000	7.65	19.40	19.40	3823.00
T4-5	31-Aug-18	7644	Ceratium hirundinella (Muller) Schrank	1400	70.37	60.00	40.00	50265.50
TN-1	31-Aug-18	2121	Oocystis lacustris Chodat	43104	1.22	6.00	3.00	28.30
TN-1	31-Aug-18	2215	Tetraedron caudatum (Corda) Hansgrig	7184	0.03	3.00	3.00	4.70
TN-1	31-Aug-18	4351	Small chrysophyceae	79024	0.81	2.70	2.70	10.30
TN-1	31-Aug-18	4352	Large chrysophyceae	14368	2.58	7.00	7.00	179.60
TN-1	31-Aug-18	4355	Chrysochromulina parva Lackey	43104	2.82	5.00	5.00	65.40
TN-1	31-Aug-18	4357	Chrysococcus sp.	122128	7.99	5.00	5.00	65.40
TN-1	31-Aug-18	4362	Kephyrion sp.	71840	1.75	3.60	3.60	24.40
TN-1	31-Aug-18	4368	Mallomonas crassisquama (Asmund) Fott	400	0.41	19.60	10.00	1026.30
TN-1	31-Aug-18	4383	Dinobryon bavaricum Imhof	79024	17.88	12.00	6.00	226.20
TN-1	31-Aug-18	4388	Dinobryon sertularia Ehrenberg	57472	13.00	12.00	6.00	226.20
TN-1	31-Aug-18	4388	Dinobryon sertularia Ehrenberg	600	1.19	0.00	0.00	1991.00
TN-1	31-Aug-18	4413	Chrysochromulina laurentiana Kling	7184	3.12	9.40	9.40	434.90
TN-1	31-Aug-18	5507	Cyclotella stelligera Cleve and Grunow	3600	7.73	11.10	22.20	2148.30
TN-1	31-Aug-18	5508	Cyclotella pseudostelligera	2485664	704.19	5.65	11.30	283.30
TN-1	31-Aug-18	5513	Tabellaria fenestrata (Lyngbye) Kutzing	200	0.17	88.00	6.00	829.40
TN-1	31-Aug-18	5514	Tabellaria flocculosa (Roth) Kutzing	400	0.51	25.00	14.00	1282.80
TN-1	31-Aug-18	5515	Fragilaria crotonensis Kitton	5400	2.28	101.00	4.00	423.10
TN-1	31-Aug-18	5523	Synedra ulna (Nitzsch) Ehrenberg	600	3.77	240.00	10.00	6283.20
TN-1	31-Aug-18	5551	Cyclotella michiganiana Skvortzow	1875024	48.75	2.55	5.10	26.00
TN-1	31-Aug-18	5720	Cyclotella bodanica Eulens.	200	1.54	17.00	34.00	7717.30
TN-1	31-Aug-18	6554	Rhodomonas minuta Skuja	215520	32.50	12.00	6.00	150.80
TN-1	31-Aug-18	6558	Cryptomonas erosa Ehrenberg	14600	25.37	25.40	14.00	1737.80
TN-1	31-Aug-18	6568	Katablepharis ovalis Skuja	7184	0.46	9.60	4.00	64.30
TN-1	31-Aug-18	7632	Gymnodinium sp.	400	6.24	31.00	31.00	15598.50
TN-1	31-Aug-18	7639	Peridinium pusillum (Penard) Lemmermann	800	3.15	19.60	19.60	3942.50
TN-1	31-Aug-18	7644	Ceratium hirundinella (Muller) Schrank	200	10.05	60.00	40.00	50265.50
TN-2	31-Aug-18	2105	Chlamydomonas spp.	93392	4.38	5.60	4.00	46.90
TN-2	31-Aug-18	2107	Chlorogonium maximum Skuja	200	0.46	81.00	6.00	2290.20
TN-2	31-Aug-18	2112	Sphaerocystis schroeteri Chodat	35920	0.56	3.10	3.10	15.60
TN-2	31-Aug-18	2132	Scenedesmus denticulatus Lagerhiem	14368	1.02	8.10	5.00	70.70
TN-2	31-Aug-18	2154	Coelastrum microporum Naegeli	200	0.54	0.00	0.00	2680.00
TN-2	31-Aug-18	4351	Small chrysophyceae	43104	0.18	2.00	2.00	4.20
TN-2	31-Aug-18	4352	Large chrysophyceae	7184	1.29	7.00	7.00	179.60
TN-2	31-Aug-18	4355	Chrysochromulina parva Lackey	107760	7.05	5.00	5.00	65.40
TN-2	31-Aug-18	4357	Chrysococcus sp.	43104	2.20	4.60	4.60	51.00
TN-2	31-Aug-18	4362	Kephyrion sp.	35920	1.12	3.90	3.90	31.10
TN-2	31-Aug-18	4363	Spiniferomonas serrata	14368	1.88	6.30	6.30	130.90
TN-2	31-Aug-18	4383	Dinobryon bavaricum Imhof	64656	14.63	12.00	6.00	226.20
TN-2	31-Aug-18	4388	Dinobryon sertularia Ehrenberg	57472	13.00	12.00	6.00	226.20
TN-2	31-Aug-18	4388	Dinobryon sertularia Ehrenberg	200	0.40	0.00	0.00	1991.00
TN-2	31-Aug-18	4411	Bitrichia chodatii (Reverdin) Chodat	14368	0.72	6.00	4.00	50.30
TN-2	31-Aug-18	4413	Chrysochromulina laurentiana Kling	7184	2.83	9.10	9.10	394.60
TN-2	31-Aug-18	5507	Cyclotella stelligera Cleve and Grunow	4800	10.17	11.05	22.10	2119.40
TN-2	31-Aug-18	5508	Cyclotella pseudostelligera	3354928	1028.29	5.80	11.60	306.50
TN-2	31-Aug-18	5513	Tabellaria fenestrata (Lyngbye) Kutzing	1000	0.76	81.00	6.00	763.40
TN-2	31-Aug-18	5515	Fragilaria crotonensis Kitton	1000	0.41	97.00	4.00	406.30
TN-2	31-Aug-18	5523	Synedra ulna (Nitzsch) Ehrenberg	1800	11.55	245.00	10.00	6414.10
TN-2	31-Aug-18	5551	Cyclotella michiganiana Skvortzow	1451168	35.55	2.50	5.00	24.50
TN-2	31-Aug-18	6554	Rhodomonas minuta Skuja	323280	48.75	12.00	6.00	150.80
TN-2	31-Aug-18	6558	Cryptomonas erosa Ehrenberg	17600	30.22	25.10	14.00	1717.30
TN-2	31-Aug-18	6568	Katablepharis ovalis Skuja	43104	2.60	9.30	4.00	60.40
TN-2	31-Aug-18	7632	Gymnodinium sp.	200	3.12	31.00	31.00	15598.50
TN-2	31-Aug-18	7639	Peridinium pusillum (Penard) Lemmermann	600	2.51	20.00	20.00	4188.80
TN-2	31-Aug-18	7644	Ceratium hirundinella (Muller) Schrank	200	9.22	55.00	40.00	46076.70
TN-2R	31-Aug-18	2132	Scenedesmus denticulatus Lagerhiem	43104	3.05	8.10	5.00	70.70
TN-2R	31-Aug-18	2178	Cosmarium sp.	200	0.37	22.00	22.00	1858.40
TN-2R	31-Aug-18	2199	Spondylosium planum (Wolle) W. and G.S. West	14368	0.54	6.00	6.00	37.70
TN-2R	31-Aug-18	2235	Ankistrodesmus spiralis Lemmermann	7184	0.45	36.00	2.10	62.30
TN-2R	31-Aug-18	4351	Small chrysophyceae	21552	0.09	2.00	2.00	4.20
TN-2R	31-Aug-18	4355	Chrysochromulina parva Lackey	86208	5.64	5.00	5.00	65.40
TN-2R	31-Aug-18	4357	Chrysococcus sp.	50288	2.56	4.60	4.60	51.00
TN-2R	31-Aug-18	4362	Kephyrion sp.	93392	4.38	5.60	4.00	46.90
TN-2R	31-Aug-18	4383	Dinobryon bavaricum Imhof	50288	11.38	12.00	6.00	226.20
TN-2R	31-Aug-18	4388	Dinobryon sertularia Ehrenberg	35920	8.13	12.00	6.00	226.20
TN-2R	31-Aug-18	4388	Dinobryon sertularia Ehrenberg	200	0.40	0.00	0.00	1991.00
TN-2R	31-Aug-18	4411	Bitrichia chodatii (Reverdin) Chodat	7184	0.36	6.00	4.00	50.30
TN-2R	31-Aug-18	4413	Chrysochromulina laurentiana Kling	7184	2.83	9.10	9.10	394.60
TN-2R	31-Aug-18	5507	Cyclotella stelligera Cleve and Grunow	6000	12.72	11.05	22.10	2119.40

TN-2R	31-Aug-18	5508	Cyclotella pseudostelligera	3153776	966.63	5.80	11.60	306.50
TN-2R	31-Aug-18	5513	Tabellaria fenestrata (Lyngbye) Kutzing	1200	0.92	81.00	6.00	763.40
TN-2R	31-Aug-18	5515	Fragilaria crotonensis Kitton	2200	0.89	97.00	4.00	406.30
TN-2R	31-Aug-18	5523	Synedra ulna (Nitzsch) Ehrenberg	1800	11.55	245.00	10.00	6414.10
TN-2R	31-Aug-18	5551	Cyclotella michiganiana Skvortzow	1393696	34.15	2.50	5.00	24.50
TN-2R	31-Aug-18	6554	Rhodomonas minuta Skuja	366384	55.25	12.00	6.00	150.80
TN-2R	31-Aug-18	6558	Cryptomonas erosa Ehrenberg	15000	25.76	25.10	14.00	1717.30
TN-2R	31-Aug-18	6568	Katablepharis ovalis Skuja	28736	2.55	9.20	6.00	88.60
TN-2R	31-Aug-18	7632	Gymnodinium sp.	200	3.12	31.00	31.00	15598.50
TN-2R	31-Aug-18	7639	Peridinium pusillum (Penard) Lemmermann	1200	5.03	20.00	20.00	4188.80
TN-2R	31-Aug-18	7644	Ceratium hirundinella (Muller) Schrank	200	9.22	55.00	40.00	46076.70
TN-3	31-Aug-18	2105	Chlamydomonas spp.	14368	0.72	6.00	4.00	50.30
TN-3	31-Aug-18	2121	Oocystis lacustris Chodat	57472	1.63	6.00	3.00	28.30
TN-3	31-Aug-18	2206	Botryococcus braunii Kutzing	600	0.31	10.00	10.00	523.60
TN-3	31-Aug-18	4351	Small chrysophyceae	43104	0.44	2.70	2.70	10.30
TN-3	31-Aug-18	4352	Large chrysophyceae	7184	1.29	7.00	7.00	179.60
TN-3	31-Aug-18	4355	Chrysochromulina parva Lackey	186784	12.22	5.00	5.00	65.40
TN-3	31-Aug-18	4357	Chrysococcus sp.	71840	4.70	5.00	5.00	65.40
TN-3	31-Aug-18	4362	Kephyrion sp.	71840	1.35	3.30	3.30	18.80
TN-3	31-Aug-18	4363	Spiniferomonas serrata	7184	0.66	5.60	5.60	92.00
TN-3	31-Aug-18	4383	Dinobryon bavaricum Imhof	114944	26.00	12.00	6.00	226.20
TN-3	31-Aug-18	4388	Dinobryon sertularia Ehrenberg	79024	17.88	12.00	6.00	226.20
TN-3	31-Aug-18	5507	Cyclotella stelligera Cleve and Grunow	2400	5.66	11.45	22.90	2358.00
TN-3	31-Aug-18	5508	Cyclotella pseudostelligera	1803184	386.96	5.15	10.30	214.60
TN-3	31-Aug-18	5515	Fragilaria crotonensis Kitton	10000	4.19	100.00	4.00	418.90
TN-3	31-Aug-18	5523	Synedra ulna (Nitzsch) Ehrenberg	2000	13.61	260.00	10.00	6806.80
TN-3	31-Aug-18	5551	Cyclotella michiganiana Skvortzow	1975600	48.40	2.50	5.00	24.50
TN-3	31-Aug-18	5720	Cyclotella bodanica Eulens.	200	1.24	15.80	31.60	6195.70
TN-3	31-Aug-18	6554	Rhodomonas minuta Skuja	114944	17.33	12.00	6.00	150.80
TN-3	31-Aug-18	6558	Cryptomonas erosa Ehrenberg	10200	17.24	24.70	14.00	1689.90
TN-3	31-Aug-18	6565	Cryptomonas rostratiformis Skuja	200	0.45	33.00	14.00	2257.80
TN-3	31-Aug-18	7639	Peridinium pusillum (Penard) Lemmermann	400	1.58	19.60	19.60	3942.50
TN-3	31-Aug-18	7644	Ceratium hirundinella (Muller) Schrank	200	9.40	56.10	40.00	46998.20
TN-4	31-Aug-18	2101	Carteria spp.	7184	0.66	7.00	5.00	91.60
TN-4	31-Aug-18	2105	Chlamydomonas spp.	14368	0.72	6.00	4.00	50.30
TN-4	31-Aug-18	2121	Oocystis lacustris Chodat	7184	0.36	6.00	4.00	50.30
TN-4	31-Aug-18	4351	Small chrysophyceae	129312	1.82	3.00	3.00	14.10
TN-4	31-Aug-18	4351	Small chrysophyceae	2212672	144.71	5.00	5.00	65.40
TN-4	31-Aug-18	4352	Large chrysophyceae	28736	5.16	7.00	7.00	179.60
TN-4	31-Aug-18	4355	Chrysochromulina parva Lackey	301728	19.73	5.00	5.00	65.40
TN-4	31-Aug-18	4357	Chrysococcus sp.	79024	5.17	5.00	5.00	65.40
TN-4	31-Aug-18	4362	Kephyrion sp.	64656	1.58	3.60	3.60	24.40
TN-4	31-Aug-18	4368	Mallomonas crassisquama (Asmund) Fott	400	0.41	19.60	10.00	1026.30
TN-4	31-Aug-18	4381	Dinobryon mucronatom Nygaard	7184	0.94	10.00	5.00	130.90
TN-4	31-Aug-18	4383	Dinobryon bavaricum Imhof	100576	22.75	12.00	6.00	226.20
TN-4	31-Aug-18	4388	Dinobryon sertularia Ehrenberg	122128	27.63	12.00	6.00	226.20
TN-4	31-Aug-18	4411	Bitrichia chodatii (Reverdin) Chodat	14368	0.72	6.00	4.00	50.30
TN-4	31-Aug-18	5507	Cyclotella stelligera Cleve and Grunow	8400	18.79	11.25	22.50	2236.50
TN-4	31-Aug-18	5508	Cyclotella pseudostelligera	1975600	436.41	5.20	10.40	220.90
TN-4	31-Aug-18	5513	Tabellaria fenestrata (Lyngbye) Kutzing	200	0.17	88.00	6.00	829.40
TN-4	31-Aug-18	5514	Tabellaria flocculosa (Roth) Kutzing	200	0.24	23.00	14.00	1180.20
TN-4	31-Aug-18	5515	Fragilaria crotonensis Kitton	9400	3.94	100.00	4.00	418.90
TN-4	31-Aug-18	5523	Synedra ulna (Nitzsch) Ehrenberg	1200	8.17	260.00	10.00	6806.80
TN-4	31-Aug-18	5524	Asterionella formosa Hassall	2000	0.20	96.00	2.00	100.50
TN-4	31-Aug-18	5720	Cyclotella bodanica Eulens.	200	1.41	16.50	33.00	7056.20
TN-4	31-Aug-18	5916	Fragilaria capucina Grunow	2000	0.34	41.00	4.00	171.70
TN-4	31-Aug-18	6554	Rhodomonas minuta Skuja	258624	39.00	12.00	6.00	150.80
TN-4	31-Aug-18	6558	Cryptomonas erosa Ehrenberg	25200	43.10	25.00	14.00	1710.40
TN-4	31-Aug-18	6565	Cryptomonas rostratiformis Skuja	200	0.45	33.00	14.00	2257.80
TN-4	31-Aug-18	6568	Katablepharis ovalis Skuja	50288	2.42	8.30	4.00	48.10
TN-4	31-Aug-18	7639	Peridinium pusillum (Penard) Lemmermann	400	1.68	20.00	20.00	4188.80
TN-5	31-Aug-18	2105	Chlamydomonas spp.	14368	0.64	5.30	4.00	44.40
TN-5	31-Aug-18	2121	Oocystis lacustris Chodat	28736	1.45	6.00	4.00	50.30
TN-5	31-Aug-18	2132	Scenedesmus denticulatus Lagerhiem	14368	0.67	8.30	4.00	46.40
TN-5	31-Aug-18	2206	Botryococcus braunii Kutzing	1000	0.52	10.00	10.00	523.60
TN-5	31-Aug-18	2235	Ankistrodesmus spiralis Lemmermann	14368	0.90	36.00	2.10	62.30
TN-5	31-Aug-18	4351	Small chrysophyceae	71840	0.83	2.80	2.80	11.50
TN-5	31-Aug-18	4355	Chrysochromulina parva Lackey	265808	17.38	5.00	5.00	65.40
TN-5	31-Aug-18	4357	Chrysococcus sp.	172416	11.28	5.00	5.00	65.40
TN-5	31-Aug-18	4362	Kephyrion sp.	7184	0.11	3.10	3.10	15.60
TN-5	31-Aug-18	4383	Dinobryon bavaricum Imhof	93392	21.13	12.00	6.00	226.20
TN-5	31-Aug-18	4388	Dinobryon sertularia Ehrenberg	43104	9.75	12.00	6.00	226.20
TN-5	31-Aug-18	4388	Dinobryon sertularia Ehrenberg	600	0.75	0.00	0.00	1250.00

TN-5	31-Aug-18	5507	Cyclotella stelligera Cleve and Grunow	7200	16.32	11.30	22.60	2266.50
TN-5	31-Aug-18	5508	Cyclotella pseudostelligera	1185360	277.26	5.30	10.60	233.90
TN-5	31-Aug-18	5511	Rhizosolenia erianse H.L. Smith	7184	0.46	9.00	3.00	63.60
TN-5	31-Aug-18	5513	Tabellaria fenestrata (Lyngbye) Kutzing	200	0.15	82.00	6.00	772.80
TN-5	31-Aug-18	5514	Tabellaria flocculosa (Roth) Kutzing	400	0.51	25.00	14.00	1282.80
TN-5	31-Aug-18	5515	Fragilaria crotonensis Kitton	1200	0.51	101.00	4.00	423.10
TN-5	31-Aug-18	5523	Synedra ulna (Nitzsch) Ehrenberg	2400	15.39	245.00	10.00	6414.10
TN-5	31-Aug-18	5551	Cyclotella michiganiana Skvortzow	1580480	32.24	2.35	4.70	20.40
TN-5	31-Aug-18	5720	Cyclotella bodanica Eulenst.	200	1.17	15.50	31.00	5849.40
TN-5	31-Aug-18	6554	Rhodomonas minuta Skuja	71840	10.83	12.00	6.00	150.80
TN-5	31-Aug-18	6558	Cryptomonas erosa Ehrenberg	10600	18.28	25.20	14.00	1724.10
TN-5	31-Aug-18	6565	Cryptomonas rostratiformis Skuja	200	0.42	31.00	14.00	2120.90
TN-5	31-Aug-18	7632	Gymnodinium sp.	200	3.12	31.00	31.00	15598.50
TN-5	31-Aug-18	7639	Peridinium pusillum (Penard) Lemmermann	400	1.68	20.00	20.00	4188.80
TN-5	31-Aug-18	7644	Ceratium hirundinella (Muller) Schrank	200	9.89	59.00	40.00	49427.70

2018 Minnow Zooplankton Abundance Individuals/L	Analytical #	1	2	3	4	5	5x	6
	Lake	Miin	Miin	Miin	Miin	Miin	Miin	Miin
	Station	TN1	TN2	TN3	TN4	TN5	TN5	T42
	Year	2018	2018	2018	2018	2018	2018	2018
	Month	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE
	Day	11	11	11	11	11	11	9
	Time	AM	AM	AM	AM	AM	AM	AM
	Depth	10.0	8.5	10.0	9.0	9.0	9.0	20.0
	Collect	Miin	Miin	Miin	Miin	Miin	Miin	Miin
	Gear	WJ	WJ	WJ	WJ	WJ	WJ	WJ
	Sub-sample Fraction #1	20.0	20.0	20.0	20.0	20.0	20.0	80.0
	Sub-sample Fraction #2	10.5	10.5	10.5	10.5	10.5	10.5	10.5
	Sub-sample Fraction#3	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	Net Mouth Area (cm2)	283.4	283.4	283.4	283.4	283.4	283.4	283.4
INSTAR IDENTIFICATION & SIZE CLASS		Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L
COPEPODA								
CALANOIDA								
Epischura nevadensis Lilljeborg								
E.n. adult female		0.111	0.021	0.028	0.059	0.051	0.047	
E.n. adult male		0.037	0.025	0.060	0.090	0.043	0.039	0.004
E.n. immature 0.5-1.0 mm					0.078	0.078	0.078	
Total E. nevadensis		0.15	0.05	0.09	0.23	0.17	0.16	0.00
Diaptomus pallidus Herrick								
D.p. adult female		0.148	0.087	0.071	0.124	0.124	0.206	0.002
D.p. gravid female				0.042	0.027	0.027	0.027	
D.p. adult male		0.111	0.131	0.353	0.165	0.247	0.165	
D.p. immature 2.0 mm								
D.p. immature 1.0 mm		0.185	0.044		0.078	0.078	0.157	
D.p. immature 0.75 mm			0.083					
D.p. immature 0.5 mm		0.037	0.083	0.071				
Total D. pallidus		0.48	0.43	0.54	0.39	0.48	0.55	0.00
Diaptomus tyrrelli Poppe								
D.t. adult female						0.012	0.016	
D.t. gravid female		0.014	0.004	0.141				0.019
D.t. adult male		0.007		0.004	0.004	0.055	0.059	0.002
D.t. immature 2.0 mm		0.111	0.131	0.071	0.041			0.037
D.t. immature 1.0 mm								
D.t. immature 0.75 mm			0.166	0.212				
D.t. immature 0.5 mm								
Total D. tyrrelli		0.13	0.30	0.43	0.05	0.07	0.07	0.06
Calanoid nauplius								
small		0.565	0.664	0.011	0.784	0.470	0.314	0.565
large		0.071						
Total Calanoid nauplii		0.64	0.66	0.01	0.78	0.47	0.31	0.56
Total Calanoida ind/L		1.40	1.44	1.06	1.45	1.19	1.83	0.63
CYLOPOIDA								
Cyclops bicuspidatus thomasi S.A.Forbes								
C. b. t. adult female		0.071		0.212		0.078	0.078	2.541
C. b. t. gravid female				0.004	0.004	0.004	0.041	0.282
C. b. t. adult male		0.071		0.141	0.078			2.964
C. b. t. immature 1.0 mm			0.083	0.071	0.078			2.823
C. b. t. immature 0.75 mm		1.059	0.249	1.764	0.235	0.392	0.627	23.994
C. b. t. immature 0.5 mm		0.282	0.083	2.470	0.863	0.706	0.706	38.673
Total C. b. thomasi		1.48	0.42	4.66	1.26	1.18	1.45	
Acanthocyclops vernalis (?) immature								
0.5mm		0.141	0.083	0.071				0.282
Total A. vernalis		0.141	0.083	0.071				0.282
Cyclopoid nauplius			0.083	0.071	0.157	0.078		8.186
Total Cyclopoida ind/L		1.62	0.58	4.80	1.42	1.26	1.45	79.75
CLADOCERA								
Daphnia schoedleri Sars								
D. s. 2.0 mm					0.235	0.157	0.078	0.565
D. s. 1.5 mm								
D. s. 1.0 mm					0.235	0.235	0.157	0.282
D. s. 0.5 mm								
Total D. schoedleri					0.47	0.39	0.24	0.85
Daphnia galeata mendotae Birge								
D. g. m. 2.0 mm								
D. g. m. 1.5 mm		0.141	0.249	1.341	0.941	0.706	0.235	0.988
D. g. m. 1.0 mm		1.764	1.827	3.599	3.372	2.039	1.411	2.541
D. g. m. 0.5 mm		0.494	1.162	3.740	1.960	1.255	1.176	2.399
Total D. g. mendotae		2.40	3.24	8.68	6.27	4.00	2.82	5.93
Daphnia retrocurva Forbes								
D. r. 2.0 mm				0.071				
D. r. 1.0 mm								
D. r. 0.5 mm								
Total D. retrocurva				0.07				

2018 Minnow Zooplankton Abundance Individuals/L	Analytical #	1	2	3	4	5	5x	6
	Lake	Miin	Miin	Miin	Miin	Miin	Miin	Miin
	Station	TN1	TN2	TN3	TN4	TN5	TN5	T42
	Year	2018	2018	2018	2018	2018	2018	2018
	Month	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE
	Day	11	11	11	11	11	11	9
	Time	AM	AM	AM	AM	AM	AM	AM
	Depth	10.0	8.5	10.0	9.0	9.0	9.0	20.0
	Collect	Miin	Miin	Miin	Miin	Miin	Miin	Miin
	Gear	WJ	WJ	WJ	WJ	WJ	WJ	WJ
	Sub-sample Fraction #1	20.0	20.0	20.0	20.0	20.0	20.0	80.0
	Sub-sample Fraction #2	10.5	10.5	10.5	10.5	10.5	10.5	10.5
	Sub-sample Fraction#3	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	Net Mouth Area (cm2)	283.4	283.4	283.4	283.4	283.4	283.4	283.4
Holopedium gibberum Zaddach 0.5 mm								
Bosmina longirostris O.F. Mueller								
B. l. 1.0 mm								
B. l. 0.75 mm								
B. l. 0.5 mm								
B. l. 0.25 mm				1.059				5.505
Total B. longirostris				1.06				5.50
Scapholeberis kingii Sars		0.037						
Leptodora kindtii Focke		0.004		0.004	0.004	0.004	0.004	
Diaphanosoma leuchtenbergianum Fisher								
Total Cladocera ind/L		2.44	3.24	9.81	6.75	4.40	3.06	12.28
TOTAL CRUSTACEA ind/L		5.46	5.26	15.68	9.61	6.84	6.35	92.65
ROTIFERA								
Kellicottia sps		1.553	0.747	2.117	1.176	1.019	0.941	49.400
Keratella sps		0.776	0.332	1.341	0.078	0.549	0.784	170.219
Polyarthra sps					0.078			1.694
Conochilus sps								
Gastropus sps								
Synchaeta sps (at least 2 forms)								
Brachionus sps								
Total Rotifera ind/L		2.33	1.08	3.46	1.33	1.57	1.73	221.31
Total Calanoida ind/L		1.40	1.44	1.06	1.45	1.19	1.83	0.63
Total Cyclopoida ind/L		1.62	0.58	4.80	1.42	1.26	1.45	79.75
Total Cladocera ind/L		2.44	3.24	9.81	6.75	4.40	3.06	12.28
Total Rotifera ind/L		2.33	1.08	3.46	1.33	1.57	1.73	221.31
TOTAL ZOOPLANKTON ind/L		7.79	6.34	19.14	10.95	8.41	8.07	313.97
Diptera (adults, exuvia, larvae DA, DE, DL)			1					
Specimens counted in sample		181	100	322	203	158	159	2234

*all specimens dead before trapped

2018 Minnow Zooplankton Abundance Individuals/L	7	8	9	10	11	12	13	14
	Miin	Miin	Miin	Miin	Miin	Miin	Miin	Miin
	T43	T44	T45	T46	TN1	TN2	TN3	TN4
	2018	2018	2018	2018	2018	2018	2018	2018
	JUNE	JUNE	JUNE	JUNE	AUGUST	AUGUST	AUGUST	AUGUST
	8	9	9	8	31	31	31	31
	AM	AM	AM	AM	9:30:00	10:30:00	11:15:00	12:00:00
	18.0	18.0	18.0	19.0	10.0	10.0	10.0	10.0
	Miin	Miin	Miin	Miin	Miin	Miin	Miin	Miin
	WJ	WJ	WJ	WJ	WJ60	WJ60	WJ60	WJ60
Sub-sa	160.0	160.0	160.0	160.0	40.0	40.0	40.0	40.0
Sub-sa	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
Sub-s:	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Net I	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
INSTAR IDENTIFICATION & SIZE CLASS	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L
COPEPODA								
CALANOIDA								
Epischura nevadensis Lilljeborg								
E.n. adult female	0.010	0.002	0.002	0.002	0.148	0.148	0.148	0.222
E.n. adult male	0.002	0.002	0.021	0.002	0.222	0.141	0.259	0.148
E.n. immature 0.5-1.0 mm	0.002			0.002	0.847	0.423	0.282	0.423
Total E. nevadensis	0.01	0.00	0.02	0.01	1.22	0.71	0.69	0.79
Diaptomus pallidus Herrick								
D.p. adult female	0.021	0.314	0.062	0.039	0.282	0.141		0.141
D.p. gravid female		0.002				0.074		0.011
D.p. adult male	0.103				0.282	0.423		0.074
D.p. immature 2.0 mm								
D.p. immature 1.0 mm		0.314	0.314			0.282		0.141
D.p. immature 0.75 mm			0.314	0.297	0.141	0.706	0.141	0.282
D.p. immature 0.5 mm		0.314			0.282	0.565		
Total D. pallidus	0.12	0.94	0.69	0.34	0.99	2.19	0.14	0.65
Diaptomus tyrrelli Poppe								
D.t. adult female						0.141	0.141	0.111
D.t. gravid female	0.041	0.010	0.062	0.006		0.039	0.014	0.018
D.t. adult male	0.021	0.002			0.004		0.141	0.185
D.t. immature 2.0 mm	0.062	0.002	0.041	0.017	0.037	0.282		0.141
D.t. immature 1.0 mm				0.297		0.141	0.141	0.141
D.t. immature 0.75 mm					0.282			
D.t. immature 0.5 mm								
Total D. tyrrelli	0.12	0.01	0.10	0.32	0.32	0.60	0.44	0.60
Calanoid nauplius								
small	1.255	0.314		0.297	0.141	0.988	0.565	0.282
large				0.297				
Total Calanoid nauplii	1.25	0.31		0.59	0.14	0.99	0.56	0.28
Total Calanoida ind/L	1.52	1.27	0.81	1.26	2.67	4.50	1.83	2.32
CYLOPOIDA								
Cyclops bicuspidatus thomasi S.A.Forbes								
C. b. t. adult female	0.627	3.764	1.882	4.160	0.141	0.847	0.565	0.423
C. b. t. gravid female	0.165	0.247	0.124	0.078		0.141		
C. b. t. adult male	0.627	1.882	1.255	1.486	0.423	0.847	0.282	0.847
C. b. t. immature 1.0 mm	0.941	2.196	0.941	0.891	0.282			
C. b. t. immature 0.75 mm	9.410	11.919	28.542	16.937	5.222	2.682	3.105	3.529
C. b. t. immature 0.5 mm	12.860	32.620	38.579	35.954	6.493	4.093	3.952	3.811
Total C. b. thomasi	24.63	52.63	71.32	59.51	12.56	8.61	7.90	8.61
Acanthocyclops vernalis (?) immature								
0.5mm	0.941	0.314	0.314		0.706	0.282	0.141	0.141
Total A. vernalis	0.941	0.314	0.314		0.706	0.282	0.141	0.141
Cyclopoid nauplius	6.587	13.173	10.664	2.377	1.694	2.399	3.529	2.258
Total Cyclopoida ind/L	32.16	66.11	82.30	61.88	14.96	11.29	11.57	11.01
CLADOCERA								
Daphnia schoedleri Sars								
D. s. 2.0 mm	0.314	0.627	0.627	0.297	0.706	0.037	0.074	0.423
D. s. 1.5 mm						0.037	0.111	
D. s. 1.0 mm	0.627	1.568	3.450	1.189	0.141		0.141	0.141
D. s. 0.5 mm	1.255	1.255	1.255	2.080		0.037	0.423	
Total D. schoedleri	2.20	3.45	5.33	3.57	0.85	0.11	0.75	0.56
Daphnia galeata mendotae Birge								
D. g. m. 2.0 mm					0.282	1.129	0.282	0.565
D. g. m. 1.5 mm			0.627	1.189				
D. g. m. 1.0 mm	1.255	2.196	1.882	4.160			0.141	0.565
D. g. m. 0.5 mm	0.627	1.882	3.137	5.349		0.141	0.141	0.282
Total D. g. mendotae	1.88	4.08	5.65	10.70	0.28	1.27	0.56	1.41
Daphnia retrocurva Forbes								
D. r. 2.0 mm				0.297	0.282	0.148	0.018	0.282
D. r. 1.0 mm					0.141			
D. r. 0.5 mm					0.141	0.141		
Total D. retrocurva				0.30	0.56	0.29	0.02	0.28

2018 Minnow Zooplankton Abundance Individuals/L	7	8	9	10	11	12	13	14
	Miin	Miin	Miin	Miin	Miin	Miin	Miin	Miin
	T43	T44	T45	T46	TN1	TN2	TN3	TN4
	2018	2018	2018	2018	2018	2018	2018	2018
	JUNE	JUNE	JUNE	JUNE	AUGUST	AUGUST	AUGUST	AUGUST
	8	9	9	8	31	31	31	31
	AM	AM	AM	AM	9:30:00	10:30:00	11:15:00	12:00:00
	18.0	18.0	18.0	19.0	10.0	10.0	10.0	10.0
	Miin	Miin	Miin	Miin	Miin	Miin	Miin	Miin
	WJ	WJ	WJ	WJ	WJ60	WJ60	WJ60	WJ60
Sub-sa	160.0	160.0	160.0	160.0	40.0	40.0	40.0	40.0
Sub-sa1	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
Sub-s:	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Net I	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
Holopedium gibberum Zaddach 0.5 mm	0.627							
Bosmina longirostris O.F. Mueller								
B. l. 1.0 mm				0.297				
B. l. 0.75 mm								
B. l. 0.5 mm	0.314	0.314	1.255	0.891				
B. l. 0.25 mm	3.764	4.391	11.919	11.886				
Total B. longirostris	4.08	4.70	13.17	13.07				
Scapholeberis kingii Sars								
Leptodora kindtii Focke	0.008	0.002	0.018		0.021	0.011		
Diaphanosoma leuchtenbergianum Fisher					0.007	0.111	0.282	0.074
Total Cladocera ind/L	8.79	12.23	24.17	27.63	1.72	1.79	1.61	2.33
TOTAL CRUSTACEA ind/L	42.46	79.62	107.28	90.77	19.35	17.58	15.02	15.66
ROTIFERA								
Kellicottia sps	17.878	24.778	32.620	12.777	1.270	0.706	0.847	0.847
Keratella sps	104.132	212.656	150.553	106.377	1.129	1.129	1.553	1.976
Polyarthra sps	7.214	11.291	5.646	4.457	0.282	0.847	1.553	2.117
Conochilus sps		0.627	0.941	0.594				
Gastropus sps					2.541	3.670	3.952	2.964
Synchaeta sps (at least 2 forms)	0.314	1.882	0.627			0.141		0.074
Brachionus sps								
Total Rotifera ind/L	129.54	251.24	190.39	124.21	5.22	6.49	7.90	7.98
Total Calanoida ind/L	1.52	1.27	0.81	1.26	2.67	4.50	1.83	2.32
Total Cyclopoida ind/L	32.16	66.11	82.30	61.88	14.96	11.29	11.57	11.01
Total Cladocera ind/L	8.79	12.23	24.17	27.63	1.72	1.79	1.61	2.33
Total Rotifera ind/L	129.54	251.24	190.39	124.21	5.22	6.49	7.90	7.98
TOTAL ZOOPLANKTON ind/L	172.00	330.86	297.67	214.98	24.57	24.07	22.93	23.64
Diptera (adults, exuvia, larvae DA, DE, DL)								
Specimens counted in sample	581	1079	975	744	195	202	186	193

*all specimens dead before trapped

2018 Minnow Zooplankton Abundance Individuals/L	14x	15	16	17	18	19	20	21
	Miin	Miin	Miin	Miin	Miin	Miin	Miin	Miin
	TN4	TN5	T41	T42	T43	T44	T45	TN1
	2018	2018	2018	2018	2018	2018	2018	2018
	AUGUST	AUGUST	AUGUST	AUGUST	AUGUST	AUGUST	AUGUST	SEPTEMBER
	31	31	30	30	30	31	31	4
	12:00:00	13:00:00	11:00:00	12:30:00	14:00:00	15:30:00	16:30:00	11:00:00
	10.0	10.0	10.0	10.0	10.0	10.0	10.0	14.0
	Miin	Miin	Miin	Miin	Miin	Miin	Miin	Miin
	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60
Sub-sa	40.0	20.0	40.0	40.0	40.0	40.0	40.0	40.0
Sub-sa	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
Sub-sa	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Net I	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
INSTAR IDENTIFICATION & SIZE CLASS	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L
COPEPODA								
CALANOIDA								
Epischura nevadensis Lilljeborg								
E.n. adult female	0.074	0.004	0.074	0.074	0.037	0.037	0.037	0.053
E.n. adult male	0.074			0.074	0.074	0.037	0.185	0.053
E.n. immature 0.5-1.0 mm	0.141	0.004		0.141		0.141	0.565	0.202
Total E. nevadensis	0.29	0.01	0.07	0.29	0.11	0.22	0.79	0.31
Diaptomus pallidus Herrick								
D.p. adult female							0.282	0.101
D.p. gravid female	0.014		0.004			0.007	0.037	0.005
D.p. adult male	0.148		0.141	0.141	0.141	0.282	0.141	0.026
D.p. immature 2.0 mm	0.141						0.141	0.101
D.p. immature 1.0 mm	0.141						0.565	
D.p. immature 0.75 mm			0.282	0.847	0.282			0.202
D.p. immature 0.5 mm	0.141		0.282	0.141	0.282	0.282	0.141	
Total D. pallidus	0.59		0.71	1.13	0.71	0.57	1.31	0.43
Diaptomus tyrrelli Poppe								
D.t. adult female	0.148		0.141	0.037	0.423	0.141		0.053
D.t. gravid female	0.025		0.053	0.060	0.074	0.035	0.037	0.018
D.t. adult male	0.148		1.129	1.129	0.847	0.847	0.565	0.159
D.t. immature 2.0 mm	0.423		0.282	0.141	0.141	0.141		
D.t. immature 1.0 mm				1.129	0.423			
D.t. immature 0.75 mm			0.282					
D.t. immature 0.5 mm	0.111							
Total D. tyrrelli	0.86		1.89	2.50	1.91	1.16	0.60	0.23
Calanoid nauplius								
small	0.847		1.270	0.141	0.706	0.988	0.988	0.605
large								
Total Calanoid nauplii	0.85		1.27	0.14	0.71	0.99	0.99	0.60
Total Calanoida ind/L	2.58	0.01	3.94	4.06	3.43	2.94	3.68	1.58
CYLOPOIDA								
Cyclops bicuspidatus thomasi S.A.Forbes								
C. b. t. adult female	0.565	0.007	1.553	1.270	2.682	1.270	1.411	
C. b. t. gravid female	0.004		0.004	0.011	0.074	0.004	0.141	0.005
C. b. t. adult male	0.565		1.270	0.988	2.823	0.282	0.847	0.202
C. b. t. immature 1.0 mm	0.141							
C. b. t. immature 0.75 mm	2.117	0.004	7.481	7.481	9.174	6.069	11.715	1.411
C. b. t. immature 0.5 mm	2.682		12.844	12.279	13.691	17.219	28.370	0.605
Total C. b. thomasi	6.07	0.01	23.15	22.03	28.44	24.84	42.48	2.22
Acanthocyclops vernalis (?) immature								
0.5mm	0.141		0.282			0.282	0.282	0.101
Total A. vernalis	0.141		0.282			0.282	0.282	0.101
Cyclopoid nauplius	2.823	0.071	1.129	2.258	2.541	3.246	2.541	2.218
Total Cyclopoida ind/L	9.04	0.08	24.56	24.29	30.98	28.37	45.31	4.54
CLADOCERA								
Daphnia schoedleri Sars								
D. s. 2.0 mm	0.141		0.141	0.037				0.159
D. s. 1.5 mm	0.141	0.004		0.141				0.026
D. s. 1.0 mm								
D. s. 0.5 mm			0.423		0.141			
Total D. schoedleri	0.28	0.00	0.56	0.18	0.14			0.19
Daphnia galeata mendotae Birge								
D. g. m. 2.0 mm	1.129	0.007			0.282	0.423	0.282	0.053
D. g. m. 1.5 mm								
D. g. m. 1.0 mm	0.423		0.565	1.129	1.270	0.423	0.423	0.106
D. g. m. 0.5 mm	0.565		0.565	0.847	1.835	0.847	0.847	0.605
Total D. g. mendotae	2.12	0.01	1.13	1.98	3.39	1.69	1.55	0.76
Daphnia retrocurva Forbes								
D. r. 2.0 mm	0.141		0.282	0.111		0.141	0.141	0.053
D. r. 1.0 mm			0.282		0.141		0.141	
D. r. 0.5 mm			0.141		0.282	0.141	0.141	0.101
Total D. retrocurva	0.14		0.71	0.11	0.42	0.28	0.42	0.15

2018 Minnow Zooplankton Abundance Individuals/L	14x	15	16	17	18	19	20	21
	Miin	Miin	Miin	Miin	Miin	Miin	Miin	Miin
	TN4	TN5	T41	T42	T43	T44	T45	TN1
	2018	2018	2018	2018	2018	2018	2018	2018
	AUGUST	AUGUST	AUGUST	AUGUST	AUGUST	AUGUST	AUGUST	SEPTEMBER
	31	31	30	30	30	31	31	4
	12:00:00	13:00:00	11:00:00	12:30:00	14:00:00	15:30:00	16:30:00	11:00:00
	10.0	10.0	10.0	10.0	10.0	10.0	10.0	14.0
	Miin	Miin	Miin	Miin	Miin	Miin	Miin	Miin
	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60
Sub-sa	40.0	20.0	40.0	40.0	40.0	40.0	40.0	40.0
Sub-sa	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
Sub-s:	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Net I	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
Holopedium gibberum Zaddach 0.5 mm								
Bosmina longirostris O.F. Mueller								
B. l. 1.0 mm								
B. l. 0.75 mm								
B. l. 0.5 mm								
B. l. 0.25 mm								
Total B. longirostris								
Scapholeberis kingii Sars			0.007	0.004		0.007		
Leptodora kindtii Focke			0.011		0.011		0.007	0.018
Diaphanosoma leuchtenbergianum Fisher	0.282			0.706	0.988	0.222	0.185	0.504
Total Cladocera ind/L	2.82	0.01	2.42	2.97	4.95	2.21	2.17	1.62
TOTAL CRUSTACEA ind/L	14.44	0.10	30.92	31.32	39.37	33.52	51.16	7.74
ROTIFERA								
Kellicottia sps	0.988	0.141	1.835	1.835	3.246	4.234	2.823	0.302
Keratella sps	1.553	0.071	4.234	3.105	5.363	6.210	7.057	1.311
Polyarthra sps	1.129		0.423	0.282		0.988	0.706	0.403
Conochilus sps								
Gastropus sps	3.670		6.210	6.351	6.916	3.246	3.952	1.916
Synchaeta sps (at least 2 forms)	0.282					0.141		
Brachionus sps								
Total Rotifera ind/L	7.62	0.21	12.70	11.57	15.53	14.82	14.54	3.93
Total Calanoida ind/L	2.58	0.01	3.94	4.06	3.43	2.94	3.68	1.58
Total Cyclopoida ind/L	9.04	0.08	24.56	24.29	30.98	28.37	45.31	4.54
Total Cladocera ind/L	2.82	0.01	2.42	2.97	4.95	2.21	2.17	1.62
Total Rotifera ind/L	7.62	0.21	12.70	11.57	15.53	14.82	14.54	3.93
TOTAL ZOOPLANKTON ind/L	22.06	0.31	43.62	42.89	54.89	48.34	65.70	11.67
Diptera (adults, exuvia, larvae DA, DE, DL)			1					
Specimens counted in sample	187	14*	337	332	399	372	480	165

*all specimens dead before trapped

2018 Minnow Zooplankton Abundance Individuals/L	21x	22	23	24	25	26	27	28	
	Miin	Miin	Miin	Miin	Miin	Miin	Miin	Miin	
	TN1	TN2	TN3	TN4	TN5	T41	T42	T43	
	2018	2018	2018	2018	2018	2018	2018	2018	
	EPT	EM	BEE	PTE	M	BEE	PTE	M	BEE
	4	4	4	4	4	4	4	4	
	11:00:00	11:15:00	11:30:00	11:45:00	12:00:00	12:30:00	12:45:00	13:00:00	
	14.0	11.5	12.5	12.0	12.0	21.0	22.0	22.0	
	Miin	Miin	Miin	Miin	Miin	Miin	Miin	Miin	
	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60	
Sub-sa	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	
Sub-sa	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	
Sub-s:	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
Net I	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4	
INSTAR IDENTIFICATION & SIZE CLASS	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	
COPEPODA									
CALANOIDA									
Epischura nevadensis Lilljeborg									
E.n. adult female	0.053	0.055	0.089	0.247	0.247	0.035	0.101	0.034	
E.n. adult male	0.026	0.071	0.178	0.371	0.185	0.018	0.017	0.034	
E.n. immature 0.5-1.0 mm	0.302	0.123	0.226	0.118	0.235	0.202	0.064	0.064	
Total E. nevadensis	0.38	0.25	0.49	0.74	0.67	0.25	0.18	0.13	
Diaptomus pallidus Herrick									
D.p. adult female	0.403	0.245	0.113	0.031	0.118				
D.p. gravid female	0.010	0.009	0.003	0.003	0.003	0.003			
D.p. adult male		0.123		0.031			0.192		
D.p. immature 2.0 mm									
D.p. immature 1.0 mm									
D.p. immature 0.75 mm						0.067			
D.p. immature 0.5 mm						0.067	0.064	0.064	
Total D. pallidus	0.41	0.38	0.12	0.06	0.12	0.14	0.26	0.06	
Diaptomus tyrrelli Poppe									
D.t. adult female	0.079	0.123	0.059	0.031	0.118	0.053		0.064	
D.t. gravid female	0.018	0.006	0.008	0.003	0.009	0.013	0.011	0.003	
D.t. adult male	0.053	0.123	0.113	0.706	0.235	0.212	0.449	0.064	
D.t. immature 2.0 mm		0.123					0.128		
D.t. immature 1.0 mm							0.064	0.064	
D.t. immature 0.75 mm									
D.t. immature 0.5 mm			0.059						
Total D. tyrrelli	0.15	0.37	0.24	0.74	0.36	0.28	0.65	0.20	
Calanoid nauplius									
small	1.008	1.350	0.339	0.706	0.823	0.807	2.053	1.026	
large								0.064	
Total Calanoid nauplii	1.01	1.35	0.34	0.71	0.82	0.81	2.05	1.09	
Total Calanoida ind/L	1.95	2.35	1.19	2.25	1.97	1.48	3.14	1.48	
CYLOPOIDA									
Cyclops bicuspidatus thomasi S.A.Forbes									
C. b. t. adult female	0.302	0.368	0.113			0.941	0.898	0.385	
C. b. t. gravid female	0.008				0.031	0.035	0.002	0.051	
C. b. t. adult male	0.202	0.123	0.339	0.118	0.118	0.134	1.026	0.128	
C. b. t. immature 1.0 mm	0.302				0.118		0.064		
C. b. t. immature 0.75 mm	1.916	0.123	0.339	0.470	0.470	3.092	3.593	1.668	
C. b. t. immature 0.5 mm	0.101	1.227	0.113	0.470	0.470	3.629	4.106	2.759	
Total C. b. thomasi	2.83	1.84	0.90	1.06	1.21	7.83	9.69	4.99	
Acanthocyclops vernalis (?) immature									
0.5mm	0.101	0.736	0.113	0.235	0.118	0.269	0.128	0.064	
Total A. vernalis	0.101	0.736	0.113	0.235	0.118	0.269	0.128	0.064	
Cyclopoid nauplius	3.327	3.068	2.936	3.411	2.000	3.293	3.978	3.144	
Total Cyclopoida ind/L	6.26	5.65	3.95	4.70	3.32	11.39	13.80	8.20	
CLADOCERA									
Daphnia schoedleri Sars									
D. s. 2.0 mm	0.053	0.032	0.089		0.003	0.134		0.006	
D. s. 1.5 mm	0.053		0.089	0.031	0.031	0.067		0.003	
D. s. 1.0 mm	0.026	0.064	0.059		0.031		0.064		
D. s. 0.5 mm			0.030				0.064	0.017	
Total D. schoedleri	0.13	0.10	0.27	0.03	0.06	0.20	0.13	0.03	
Daphnia galeata mendotae Birge									
D. g. m. 2.0 mm	0.079	0.129	0.267	0.247	0.216		0.064	0.064	
D. g. m. 1.5 mm									
D. g. m. 1.0 mm	0.132	0.064	0.119	0.062	0.031	0.067	0.064		
D. g. m. 0.5 mm		0.123	0.113	0.235	0.235		0.257	0.128	
Total D. g. mendotae	0.21	0.32	0.50	0.54	0.48	0.07	0.38	0.19	
Daphnia retrocurva Forbes									
D. r. 2.0 mm	0.132	0.064	0.237	0.216	0.185	0.269	0.192	0.064	
D. r. 1.0 mm	0.026		0.059						
D. r. 0.5 mm	0.026		0.113		0.062		0.064	0.064	
Total D. retrocurva	0.19	0.06	0.41	0.22	0.25	0.27	0.26	0.13	

2018 Minnow Zooplankton Abundance Individuals/L	21x	22	23	24	25	26	27	28
	Miin	Miin	Miin	Miin	Miin	Miin	Miin	Miin
	TN1	TN2	TN3	TN4	TN5	T41	T42	T43
	2018	2018	2018	2018	2018	2018	2018	2018
	EPT	EMB	EPT	EMB	EPT	EMB	EPT	EMB
	4	4	4	4	4	4	4	4
	11:00:00	11:15:00	11:30:00	11:45:00	12:00:00	12:30:00	12:45:00	13:00:00
	14.0	11.5	12.5	12.0	12.0	21.0	22.0	22.0
	Miin	Miin	Miin	Miin	Miin	Miin	Miin	Miin
	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60
Sub-sa	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0
Sub-sa	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
Sub-s:	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Net I	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
Holopedium gibberum Zaddach 0.5 mm								
Bosmina longirostris O.F. Mueller								
B. l. 1.0 mm								
B. l. 0.75 mm						0.067		
B. l. 0.5 mm								
B. l. 0.25 mm								
Total B. longirostris						0.07		
Scapholeberis kingii Sars				0.003	0.003			
Leptodora kindtii Focke	0.020	0.018	0.014	0.003	0.006	0.002		
Diaphanosoma leuchtenbergianum Fisher	0.212	0.129	0.059	0.185	0.124	0.134	0.449	0.513
Total Cladocera ind/L	0.76	0.62	1.25	0.98	0.93	0.74	1.22	0.86
TOTAL CRUSTACEA ind/L	8.97	8.62	6.39	7.93	6.22	13.61	18.16	10.54
ROTIFERA								
Kellicottia sps	0.605	0.736	0.903	0.941	0.706	2.420	2.951	1.796
Keratella sps	1.109	1.473	1.016	1.529	2.352	3.092	2.823	2.374
Polyarthra sps	0.706	8.837	1.920	1.411	0.941	0.739	1.411	1.026
Conochilus sps								
Gastropus sps	2.218	2.086	2.484	1.411	1.294	1.613	1.476	0.577
Synchaeta sps (at least 2 forms)	0.101	0.368		0.118	0.118			
Brachionus sps								
Total Rotifera ind/L	4.74	13.50	6.32	5.41	5.41	7.86	8.66	5.77
Total Calanoida ind/L	1.95	2.35	1.19	2.25	1.97	1.48	3.14	1.48
Total Cyclopoida ind/L	6.26	5.65	3.95	4.70	3.32	11.39	13.80	8.20
Total Cladocera ind/L	0.76	0.62	1.25	0.98	0.93	0.74	1.22	0.86
Total Rotifera ind/L	4.74	13.50	6.32	5.41	5.41	7.86	8.66	5.77
TOTAL ZOOPLANKTON ind/L	13.71	22.12	12.71	13.34	11.63	21.48	26.82	16.31
Diptera (adults, exuvia, larvae DA, DE, DL)								
Specimens counted in sample	207	257	164	165	148	355	425	273

*all specimens dead before trapped

2018 Minnow Zooplankton Abundance Individuals/L	29	30
	Miin	Miin
	T44	T45
	2018	2018
	EPTSEMBEPTSEMBER	
	4	4
	13:15:00	13:30:00
	22.0	22.0
	Miin	Miin
	WJ60	WJ60
Sub-sa	40.0	40.0
Sub-sa	10.5	10.5
Sub-s:	1.0	1.0
Net I	283.4	283.4
	Ind/L	Ind/L
INSTAR IDENTIFICATION & SIZE CLASS		
COPEPODA		
CALANOIDA		
Epischura nevadensis Lilljeborg		
E.n. adult female	0.034	0.067
E.n. adult male	0.017	0.051
E.n. immature 0.5-1.0 mm	0.064	0.321
Total E. nevadensis	0.11	0.44
Diaptomus pallidus Herrick		
D.p. adult female		
D.p. gravid female		
D.p. adult male		
D.p. immature 2.0 mm		0.002
D.p. immature 1.0 mm		
D.p. immature 0.75 mm	0.064	0.064
D.p. immature 0.5 mm		0.064
Total D. pallidus	0.06	0.13
Diaptomus tyrrelli Poppe		
D.t. adult female	0.128	0.321
D.t. gravid female	0.010	0.030
D.t. adult male	0.192	0.257
D.t. immature 2.0 mm		0.064
D.t. immature 1.0 mm		0.128
D.t. immature 0.75 mm		0.064
D.t. immature 0.5 mm		
Total D. tyrrelli	0.33	0.86
Calanoid nauplius		
small	1.989	1.155
large		
Total Calanoid nauplii	1.99	1.15
Total Calanoida ind/L	2.50	2.59
CYLOPOIDA		
Cyclops bicuspidatus thomasi S.A.Forbes		
C. b. t. adult female	0.192	0.385
C. b. t. gravid female	0.005	0.192
C. b. t. adult male	0.128	0.642
C. b. t. immature 1.0 mm		
C. b. t. immatue 0.75 mm	1.219	2.887
C. b. t. immature 0.5 mm	3.272	3.785
Total C. b. thomasi	4.82	7.89
Acanthocyclops vernalis (?) immature		
0.5mm	0.192	0.192
Total A. vernalis	0.192	0.192
Cyclopoid nauplius	4.170	4.619
Total Cyclopoida ind/L	9.18	12.70
CLADOCERA		
Daphnia schoedleri Sars		
D. s. 2.0 mm	0.002	
D. s. 1.5 mm	0.003	0.008
D. s. 1.0 mm		
D. s. 0.5 mm	0.192	
Total D. schoedleri	0.20	0.01
Daphnia galeata mendotae Birge		
D. g. m. 2.0 mm	0.064	0.192
D. g. m. 1.5 mm		
D. g. m. 1.0 mm	0.192	0.064
D. g. m. 0.5 mm	0.064	0.064
Total D. g. mendotae	0.32	0.32
Daphnia retrocurva Forbes		
D. r. 2.0 mm	0.064	0.128
D. r. 1.0 mm		0.064
D. r. 0.5 mm		0.064
Total D. retrocurva	0.06	0.26

2018 Minnow Zooplankton Abundance Individuals/L	29 Miin T44 2018	30 Miin T45 2018
	EPTSEMBEPTSEMBER	
	4	4
	13:15:00	13:30:00
	22.0	22.0
	Miin	Miin
	WJ60	WJ60
Sub-sa	40.0	40.0
Sub-sa	10.5	10.5
Sub-s:	1.0	1.0
Net I	283.4	283.4
Holopedium gibberum Zaddach 0.5 mm		
Bosmina longirostris O.F. Mueller		
B. l. 1.0 mm		
B. l. 0.75 mm		
B. l. 0.5 mm		
B. l. 0.25 mm		
Total B. longirostris		
Scapholeberis kingii Sars		
Leptodora kindtii Focke		
Diaphanosoma leuchtenbergianum Fisher	0.257	0.192
Total Cladocera ind/L	0.84	0.78
TOTAL CRUSTACEA ind/L	12.52	16.07
ROTIFERA		
Kellicottia sps	1.989	1.925
Keratella sps	1.925	2.374
Polyarthra sps	1.796	1.026
Conochilus sps		
Gastropus sps	0.898	1.861
Synchaeta sps (at least 2 forms)	0.128	0.064
Brachionus sps	0.064	
Total Rotifera ind/L	6.80	7.25
Total Calanoida ind/L	2.50	2.59
Total Cyclopoida ind/L	9.18	12.70
Total Cladocera ind/L	0.84	0.78
Total Rotifera ind/L	6.80	7.25
TOTAL ZOOPLANKTON ind/L	19.32	23.32
Diptera (adults, exuvia, larvae DA, DE, DL)		
Specimens counted in sample	317	399

*all specimens dead before trapped

LAKE Mean LENGTH Lmm	Malley et al 1989*				b	Calculate LnW	Calculate DryWt ug	Formula		Sub-sample Fraction #1	Sub-sample Fraction #2	Sub-sample Fraction #3	Net Mouth Area (cm2)
	Regression							Wet Weight ug	Wet Weight ug				
	LnL	#	Lna										

INSTAR IDENTIFICATION & SIZE CLASSES

COPEPODA

CALANOIDA

Epischura nevadensis Lilljeborg

E.n. adult female	1.7	0.531	32	1.134	2.7882	2.613	13.643	194.89	194.89
E.n. adult male	1.6	0.470	32	1.134	2.7882	2.444	11.521	164.58	164.58
E.n. immature 0.5-1.3 mm	1.05	0.0488	32	1.134	2.7882	1.27	3.5599	50.856	50.856

Total E. nevadensis

Diaptomus pallidus Herrick

D.p. adult female	1.29	0.255	30	0.977	2.538	1.623	5.071	72.439	72.439
D.p. gravid female	1.29	0.255	30	0.977	2.538	1.623	5.071	72.439	72.439
D.p. adult male	1.07	0.068	30	0.977	2.538	1.150	3.158	45.108	45.108
D.p. immature 2.0 mm	1.04	0.039	30	0.977	2.538	1.077	2.935	41.930	41.930
D.p. immature 1.0 mm	0.99	-0.010	30	0.977	2.538	0.952	2.590	37.006	37.006
D.p. immature 0.75 mm	0.75	-0.288	30	0.977	2.538	0.246	1.279	18.275	18.275
D.p. immature 0.5 mm	0.5	-0.693	30	0.977	2.538	-0.782	0.458	6.538	6.538

Total D. pallidus

Diaptomus tyrrelli Poppe

D.t. adult female	1.4	0.336	30	0.977	2.538	1.831	6.242	89.171	89.171
D.t. gravid female	1.4	0.336	30	0.977	2.538	1.831	6.242	89.171	89.171
D.t. adult male	1.2	0.182	30	0.977	2.538	1.440	4.221	60.296	60.296
D.t. immature 2.0 mm	1.18	0.166	30	0.977	2.538	1.397	4.044	57.778	57.778
D.t. immature 1.0 mm	0.99	-0.010	30	0.977	2.538	0.952	2.590	37.001	37.001
D.t. immature 0.75 mm	0.75	-0.288	30	0.977	2.538	0.247	1.280	18.287	18.287
D.t. immature 0.5 mm	0.5	-0.693	30	0.977	2.538	-0.782	0.457	6.534	6.534

Total D. tyrrelli

Calanoid nauplius

small	0.293	-1.228	6	0.993	2.0997	-1.585	0.205	2.928	2.928
large	0.330	-1.109	6	0.993	2.0997	-1.336	0.263	3.756	3.756

Total Calanoid nauplii

Total Calanoida ug/L

CYLOPOIDA

Cyclops bicuspidatus thomasi S. A. Forbes

C.b.t. female	0.890	-0.117	68	0.761	3.9145	0.303	1.353	19.334	19.334
C.b.t. gravid	0.89	-0.117	68	0.761	3.9145	0.303	1.353	19.334	19.334
C.b.t. male	0.75	-0.288	68	0.761	3.9145	-0.367	0.693	9.899	9.899
C.b.t. immature 1.0	0.99	-0.010	51	0.903	2.7307	0.876	2.401	34.300	34.300
C.b.t. immature .75	0.75	-0.288	51	0.903	2.7307	0.117	1.124	16.055	16.055
C.b.t. immature .5	0.5	-0.693	51	0.903	2.7307	-0.989	0.372	5.313	5.313

Total C. b. thomasi

Acanthocyclops vernalis Fischer ?

A.v. Immature 0.5	0.5	-0.693	92	0.834	2.576	-0.95	0.3863	5.5185	5.519
-------------------	-----	--------	----	-------	-------	-------	--------	--------	-------

Total A. vernalis

Cyclopoid nauplius

	0.14	-1.966	49	1.639	2.4474	-1.649	0.192	2.747	2.747
--	------	--------	----	-------	--------	--------	-------	-------	-------

Total Cyclopoida ug/L

CLADOCERA

Daphnia schoedleri Sars

D. s. 2.0 mm	2.000	0.693	1sL88	1.393	3.0114	3.481	32.481	464.01	464.01
D. s. 1.5 mm	1.500	0.405	1sL88	1.393	3.0114	2.614	13.658	195.11	195.11
D. s. 1.0 mm	0.990	-0.010	1sL88	1.393	3.0114	1.363	3.908	55.829	55.829
D. s. 0.5 mm	0.500	-0.693	1sL88	1.393	3.0114	-0.69	0.4996	7.136	7.136

Total D. schoedleri

Daphnia galeata mendotae Birge

D. g. m. 2.0 mm	1.95	0.6678	L223	1.08	2.7188	3.44	31.182	445.46	445.46
D. g. m. 1.5 mm	1.5	0.4055	L223	1.08	2.7188	3.157	23.49	335.57	335.57
D. g. m. 1.0 mm	1.01	0.010	L223	1.08	2.7188	1.108	3.027	43.243	43.243
D. g. m. 0.5 mm	0.38	-0.968	L223	1.08	2.7188	-1.619	0.198	2.830	2.830

Total D. g. mendotae

	LAKE				Formula								
	Mean LENGTH Lmm	Malley et al 1989* LnL	Regression #	Lna	b	Calculate LnW	Calculate DryWt ug	Wet Weight ug	Wet Weight ug	Sub-sample Fraction #1	Sub-sample Fraction #2	Sub-sample Fraction #3	Net Mouth Area (cm2)
INSTAR IDENTIFICATION & SIZE CLASSES													
Daphnia retrocurva Forbes													
D. r. 2.0 mm	1.99	0.6881	L227	0.864	3.1262	3.015	20.388	291.26	291.26				
D. r. 1.0 mm	0.8	-0.223	L227	0.864	3.1262	0.167	1.181	16.875	16.875				
D. r. 0.5 mm	0.5	-0.693	L227	0.864	3.1262	-1.303	0.272	3.883	3.883				
Total D. retrocurva													
Holopedium gibberum Zaddach 0,5 mm	0.500	-0.693	223H	2.117	2.6972	0.247	1.2806	18.295	18.295				
Bosmina longirostris O.F.Muller													
B. l. 1.0mm	0.99	-0.010	.223B	2.475	3.3614	2.441	11.488	164.12	164.12				
B. l. 0.75mm	0.750	-0.288	.223B	2.475	3.3614	1.508	4.518	64.544	64.544				
B. l. 0.5mm	0.5	-0.693	.223B	2.475	3.3614	0.145	1.156	16.517	16.517				
B. l. 0.25mm	0.250	-1.386	.223B	2.475	3.3614	-2.185	0.113	1.607	1.607				
Total B. longirostris													
Scapholeberis kingii Sars*****	0.99	-0.01	Clay	2.729	3.337	2.695	14.806	211.52	211.52				
Leptodora kindtii Focke							12**	171.43	171.43				
Diaphanosoma leuchtenbergianum Fisher***	0.73	-0.315	L223	1.274	3.2454	0.253	1.2874	18.392	18.392				
Total Cladocera ug/L													
TOTAL CRUSTACEA ug/L													
ROTIFERA													
Kellicottia sps	0.128	-2.056	L224				0.015	0.214	0.214				
Keratella sps	0.102	-2.283	L224				0.011	0.157	0.157				
Polyarthra sps****	0.126	-2.071	L227				0.041	0.586	0.586				
Conochilus sps	0.186	-1.682	L223				0.042	0.600	0.600				
Gastropus sps	0.05	-2.996	L224				0.015	0.214	0.214				
Synchaeta sp	0.156	-1.858	L227				0.07	1.000	1.000				
Brachionus sps*****	0.2	-1.609	Clay				0.044	0.629	0.629				
Total Rotifera ug/L													
Total Calanoida ug/L													
Total Cyclopoida ug/L													
Total Cladocera ug/L													
Total Rotifera ug/L													
TOTAL ZOOPLANKTON ug/L													

*Length/DryWeight Regressions in form LnW = Lna + bLnL from Malley et al. 1989

R6 LnW= 0.9926-2.0997 LnL

R27 LnW = 1.0542 -2.748 LnL

R30 LnW =0.9772-2.5384 LnL

R32 LnW = 1.1337 + 2.7882 LnL

R49 LnW= 1.6388 - 2.4474 LnL

R77 LnW= 1.3472+3.0087LnL

R92 LnW= 0.8344-2.5760 LnL

R94 LnW = 1.3169 - 2.7197 LnL

DsL885 LnW = 1.3933 - 3.0114 LnL

RL302 LnW = 1.6274 - 3.3367 LnL

RL223Hg LnW = 2.1169 + 2.6972 LnL

RL223BI LnW = 2.4751 - 3.3614 LnL

RL223Cs LnW = 3.1270 -3.3678 LnL

** Table A2 Malley et al. 1989 Lake Ontario

***used formula for Diaphanosoma birgei Table 10 Malley et al 1989.

****Table 10 Malley et al 1989 Lake 227

***** used formula for Keratella cochlearis Clay Lake Table 11 Malley et all 1989

*****used formula for Ceriodaphnia lacustris Clay Lake Table 10 Malley et al 1989

2018 Minnow Zooplankton Wet Weight ug/L

	1	2	3	4	5	5x	6	7	8
	Min	Min	Min	Min	Min	Min	Min	Min	Min
	TN1	TN2	TN3	TN4	TN5	TN5	T42	T43	T44
	2018	2018	2018	2018	2018	2018	2018	2018	2018
	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE
	11	11	11	11	11	11	9	8	9
	AM	AM	AM	AM	AM	AM	AM	AM	AM
	10.0	8.5	10.0	9.0	9.0	9.0	20.0	18.0	18.0
	Min	Min	Min	Min	Min	Min	Min	Min	Min
	WJ	WJ	WJ	WJ	WJ	WJ	WJ	WJ	WJ
	20.0	20.0	20.0	20.0	20.0	20.0	80.0	160.0	160.0
L	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
INSTAR IDENTIFICATION & SIZE CLASSES									
COPEPODA									
CALANOIDA									
Epischura nevadensis Lilljeborg									
E.n. adult female	21.66	4.05	5.50	11.46	9.93	9.17		1.91	0.38
E.n. adult male	6.10	4.10	9.87	14.84	7.10	6.45	0.58	0.32	0.32
E.n. immature 0.5-1.3 mm				3.99	3.99	3.99		0.10	
Total E. nevadensis	27.76	8.14	15.37	30.29	21.02	19.61	0.58	2.33	0.70
Diaptomus pallidus Herrick									
D.p. adult female	10.74	6.31	5.11	8.95	8.95	14.91	0.13	1.49	22.72
D.p. gravid female			3.07	1.99	1.99	1.99			0.14
D.p. adult male	5.01	5.90	15.92	7.43	11.14	7.43		4.64	
D.p. immature 2.0 mm									
D.p. immature 1.0 mm	6.86	1.61		2.90	2.90	5.80			11.61
D.p. immature 0.75 mm		1.52							
D.p. immature 0.5 mm	0.24	0.54	0.46						2.05
Total D. pallidus	22.85	15.89	24.56	21.26	24.98	30.13	0.13	6.13	36.52
Diaptomus tyrrelli Poppe									
D.t. adult female					1.05	1.40			
D.t. gravid female	1.26	0.37	12.59				1.65	3.67	0.87
D.t. adult male	0.43		0.21	0.24	3.316	3.557	0.11	1.24	0.12
D.t. immature 2.0 mm	6.42	7.56	4.08	2.38			2.14	3.57	0.11
D.t. immature 1.0 mm									
D.t. immature 0.75 mm		3.04	3.87						
D.t. immature 0.5 mm									
Total D. tyrrelli	8.11	10.96	20.75	2.61	4.36	4.96	3.90	8.48	1.11
Calanoid nauplius									
small	1.65	1.94	0.03	2.30	1.38	0.92	1.65	3.67	0.92
large	0.27								
Total Calanoid nauplii	1.92	1.94	0.03	2.30	1.38	0.92	1.65	3.67	0.92
Total Calanoida ug/L	60.63	36.94	60.71	56.47	51.74	55.61	6.26	20.62	39.25
CYLOPOIDA									
Cyclops bicuspidatus thomasi S. A. Forbes									
C.b.t. female	1.36		4.09		1.52	1.52	49.12	12.13	72.77
C.b.t. gravid			0.07	0.08	0.08	0.80	5.46	3.18	4.78
C.b.t. male	0.70		1.40	0.78			29.34	6.21	18.63
C.b.t. immature 1.0		2.85	2.42	2.69			96.83	32.28	75.31
C.b.t. immature .75	17.00	4.00	28.33	3.78	6.29	10.07	385.23	151.07	191.36
C.b.t. immature .5	1.50	0.44	13.12	4.58	3.75	3.75	205.46	68.32	173.30
Total C. b. thomasi	20.56	7.29	49.43	11.90	11.64	16.13	771.43	273.19	536.14
Acanthocyclops vernalis Fischer ?									
A.v. Immature 0.5	0.78	0.46	0.39				1.56	5.19	1.73
Total A. vernalis	0.78	0.46	0.39				1.56	5.19	1.73
Cyclopoid nauplius		0.23	0.19	0.43	0.22		22.49	18.10	36.19
Total Cyclopoida ug/L	21.34	7.97	50.01	12.33	11.85	16.13	795.48	296.47	574.06
CLADOCERA									
Daphnia schoedleri Sars									
D. s. 2.0 mm				109.15	72.77	36.38	261.97	145.54	291.07
D. s. 1.5 mm									
D. s. 1.0 mm				13.13	13.13	8.76	15.76	35.02	87.55
D. s. 0.5 mm								8.95	8.95
Total D. schoedleri				122.29	85.90	45.14	277.73	189.51	387.58
Daphnia galeata mendotae Birge									
D. g. m. 2.0 mm									
D. g. m. 1.5 mm	47.36	83.58	449.96	315.76	236.82	78.94	331.55		
D. g. m. 1.0 mm	76.29	78.99	155.64	145.81	88.16	61.03	109.86	54.25	94.94
D. g. m. 0.5 mm	1.40	3.29	10.58	5.55	3.55	3.33	6.79	1.78	5.33
Total D. g. mendotae	125.06	165.86	616.18	467.11	328.53	143.30	448.20	56.03	100.27

2018 Minnow Zooplankton Wet Weight ug/L	1	2	3	4	5	5x	6	7	8
	Min	Min	Min	Min	Min	Min	Min	Min	Min
	TN1	TN2	TN3	TN4	TN5	TN5	T42	T43	T44
	2018	2018	2018	2018	2018	2018	2018	2018	2018
	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE
	11	11	11	11	11	11	9	8	9
	AM	AM	AM	AM	AM	AM	AM	AM	AM
	10.0	8.5	10.0	9.0	9.0	9.0	20.0	18.0	18.0
	Min	Min	Min	Min	Min	Min	Min	Min	Min
	WJ	WJ	WJ	WJ	WJ	WJ	WJ	WJ	WJ
	20.0	20.0	20.0	20.0	20.0	20.0	80.0	160.0	160.0
L	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
INSTAR IDENTIFICATION & SIZE CLASSES									
Daphnia retrocurva Forbes									
D. r. 2.0 mm			20.55						
D. r. 1.0 mm									
D. r. 0.5 mm									
Total D. retrocurva			20.55						
Holopedium gibberum Zaddach 0,5 mm								11.48	
Bosmina longirostris O.F.Muller									
B. l. 1.0mm								5.18	5.18
B. l. 0.75mm									
B. l. 0.5mm								6.05	7.06
B. l. 0.25mm			1.70				8.85		
Total B. longirostris			1.70				8.85	11.23	12.24
Scapholeberis kingii Sars*****	7.84								
Leptodora kindtii Focke	0.60		0.60	0.67	0.67	0.67		1.34	0.34
Diaphanosoma leuchtenbergianum Fisher***									
Total Cladocera ug/L	133.50	165.86	639.04	590.07	415.11	189.11	734.77	269.59	500.42
TOTAL CRUSTACEA ug/L	215.47	210.77	749.76	658.87	478.70	260.86	1536.51	586.68	1113.73
ROTIFERA									
Kellicottia sps	0.33	0.16	0.45	0.25	0.22	0.20	10.59	3.83	5.31
Keratella sps	0.12	0.05	0.21	0.01	0.09	0.12	26.75	16.36	33.42
Polyarthra sps****				0.05			0.99	4.23	6.62
Conochilus sps									0.38
Gastropus sps									
Synchaeta sp								0.31	1.88
Brachionus sps*****									
Total Rotifera ug/L	0.45	0.21	0.66	0.31	0.30	0.32	38.33	24.74	47.60
Total Calanoida ug/L	60.63	36.94	60.71	56.47	51.74	55.61	6.26	20.62	39.25
Total Cyclopoida ug/L	21.34	7.97	50.01	12.33	11.85	16.13	795.48	296.47	574.06
Total Cladocera ug/L	133.50	165.86	639.04	590.07	415.11	189.11	734.77	269.59	500.42
Total Rotifera ug/L	0.45	0.21	0.66	0.31	0.30	0.32	38.33	24.74	47.60
TOTAL ZOOPLANKTON ug/L	215.92	210.98	729.87	659.18	479.00	261.19	1574.84	611.42	1161.33

*Length/DryWeight Regressions in form LnW = Lna + bLnL

R6 LnW= 0.9926-2.0997 LnL

R27 LnW = 1.0542 -2.748 LnL

R30 LnW =0.9772-2.5384 LnL

R32 LnW = 1.1337 + 2.7882 LnL

R49 LnW= 1.6388 - 2.4474 LnL

R77 LnW= 1.3472+3.0087LnL

R92 LnW= 0.8344-2.5760 LnL

R94 LnW = 1.3169 - 2.7197 LnL

DsL885 LnW = 1.3933 - 3.0114 LnL

RL302 LnW = 1.6274 - 3.3367 LnL

RL223Hg LnW = 2.1169 + 2.6972 LnL

RL223BI LnW = 2.4751 - 3.3614 LnL

RL223Cs LnW = 3.1270 -3.3678 LnL

** Table A2 Malley et al. 1989 Lake Ontario

***used formula for Diaphanosoma birgei Table 10 Malley e

****Table 10 Malley et al 1989 Lake 227

***** used formula for Keratella cochlearis Clay Lake Table

*****used formula for Ceriodaphnia lacustris Clay Lake Tat

2018 Minnow Zooplankton Wet Weight ug/L	9	10	11	12	13	14	14x	15	16
	Min	Min	Min	Min	Min	Min	Min	Min	Min
	T45	T46	TN1	TN2	TN3	TN4	TN4	TN5	T41
	2018	2018	2018	2018	2018	2018	2018	2018	2018
	JUNE	JUNE	AUGUST	AUGUST	AUGUST	AUGUST	AUGUST	AUGUST	AUGUST
	9	8	31	31	31	31	31	31	30
	AM	AM	9:30:00	10:30:00	11:15:00	12:00:00	12:00:00	13:00:00	11:00:00
	18.0	19.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
	Min	Min	Min	Min	Min	Min	Min	Min	Min
	WJ	WJ	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60
	160.0	160.0	40.0	40.0	40.0	40.0	40.0	20.0	40.0
L	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
INSTAR IDENTIFICATION & SIZE CLASSES									
COPEPODA									
CALANOIDA									
Epischura nevadensis Lilljeborg									
E.n. adult female	0.38	0.36	28.88	28.88	28.88	43.33	14.44	0.69	14.44
E.n. adult male	3.39	0.31	36.59	23.23	42.69	24.39	12.20		
E.n. immature 0.5-1.3 mm		0.09	43.07	21.53	14.36	21.53	7.18	0.18	
Total E. nevadensis	3.77	0.76	108.54	73.65	85.92	89.25	33.82	0.87	14.44
Diaptomus pallidus Herrick									
D.p. adult female	4.47	2.83	20.45	10.22		10.22			
D.p. gravid female				5.37		0.77	1.02		0.26
D.p. adult male			12.73	19.10		3.34	6.69		6.37
D.p. immature 2.0 mm							5.92		
D.p. immature 1.0 mm	11.61			10.45		5.22	5.22		
D.p. immature 0.75 mm	5.73	5.43	2.58	12.90	2.58	5.16			5.16
D.p. immature 0.5 mm			1.85	3.69			0.92		1.85
Total D. pallidus	21.81	8.26	37.61	61.73	2.58	24.72	19.77		13.63
Diaptomus tyrrelli Poppe									
D.t. adult female				12.59	12.59	9.91	13.22		12.59
D.t. gravid female	5.51	0.50		3.46	1.26	1.57	2.20		4.72
D.t. adult male			0.21		8.51	11.17	8.94		68.08
D.t. immature 2.0 mm	2.38	0.97	2.14	16.31		8.15	24.46		16.31
D.t. immature 1.0 mm		10.99		5.22	5.22	5.22			
D.t. immature 0.75 mm			5.16						5.16
D.t. immature 0.5 mm							0.73		
Total D. tyrrelli	7.88	12.46	7.52	37.58	27.58	36.03	49.54		106.86
Calanoid nauplius									
small		0.87	0.41	2.89	1.65	0.83	2.48		3.72
large		1.12							
Total Calanoid nauplii		1.99	0.41	2.89	1.65	0.83	2.48		3.72
Total Calanoida ug/L	33.47	23.46	154.07	175.85	117.73	150.82	105.61	0.87	138.65
CYLOPOIDA									
Cyclops bicuspidatus thomasi S. A. Forbes									
C.b.t. female	36.38	80.43	2.73	16.37	10.92	8.19	10.92	0.14	30.02
C.b.t. gravid	2.39	1.51		2.73			0.07		0.07
C.b.t. male	12.42	14.71	4.19	8.38	2.79	8.38	5.59		12.58
C.b.t. immature 1.0	32.28	30.58	9.68				4.84		
C.b.t. immature .75	458.25	271.93	83.84	43.05	49.85	56.65	33.99	0.06	120.10
C.b.t. immature .5	204.96	191.01	34.49	21.75	21.00	20.25	14.25		68.24
Total C. b. thomasi	746.67	590.16	134.94	92.29	84.56	93.47	69.65	0.19	231.00
Acanthocyclops vernalis Fischer ?									
A.v. Immature 0.5	1.73		3.89	1.56	0.78	0.78	0.78		1.56
Total A. vernalis	1.73		3.89	1.56	0.78	0.78	0.78		1.56
Cyclopoid nauplius	29.30	6.53	4.65	6.59	9.69	6.20	7.76	0.19	3.10
Total Cyclopoida ug/L	777.70	596.69	143.49	100.44	95.03	100.45	78.19	0.39	235.66
CLADOCERA									
Daphnia schoedleri Sars									
D. s. 2.0 mm	291.07	137.88	327.46	17.19	34.38	196.48	65.49		65.49
D. s. 1.5 mm				7.23	21.69		27.54	0.69	
D. s. 1.0 mm	192.62	66.36	7.88		7.88	7.88			
D. s. 0.5 mm	8.95	14.84		0.26	3.02				3.02
Total D. schoedleri	492.65	219.08	335.34	24.68	66.97	204.36	93.03	0.69	68.51
Daphnia galeata mendotae Birge									
D. g. m. 2.0 mm			125.75	502.99	125.75	251.50	502.99	3.14	
D. g. m. 1.5 mm	210.51	398.85							
D. g. m. 1.0 mm	81.38	179.89			6.10	24.41	18.31		24.41
D. g. m. 0.5 mm	8.88	15.13		0.40	0.40	0.80	1.60		1.60
Total D. g. mendotae	300.76	593.88	125.75	503.39	132.25	276.71	522.90	3.14	26.01

2018 Minnow Zooplankton Wet Weight ug/L	9	10	11	12	13	14	14x	15	16
	Min	Min	Min	Min	Min	Min	Min	Min	Min
	T45	T46	TN1	TN2	TN3	TN4	TN4	TN5	T41
	2018	2018	2018	2018	2018	2018	2018	2018	2018
	JUNE	JUNE	AUGUST	AUGUST	AUGUST	AUGUST	AUGUST	AUGUST	AUGUST
	9	8	31	31	31	31	31	31	30
	AM	AM	9:30:00	10:30:00	11:15:00	12:00:00	12:00:00	13:00:00	11:00:00
	18.0	19.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
	Min	Min	Min	Min	Min	Min	Min	Min	Min
	WJ	WJ	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60
	160.0	160.0	40.0	40.0	40.0	40.0	40.0	20.0	40.0
L	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
INSTAR IDENTIFICATION & SIZE CLASSES									
Daphnia retrocurva Forbes									
D. r. 2.0 mm		86.55	82.22	43.16	5.14	82.22	41.11		82.22
D. r. 1.0 mm			2.38						4.76
D. r. 0.5 mm			0.55	0.55					0.55
Total D. retrocurva		86.55	85.15	43.71	5.14	82.22	41.11		87.53
Holopedium gibberum Zaddach 0,5 mm									
Bosmina longirostris O.F.Muller									
B. l. 1.0mm		48.77							
B. l. 0.75mm									
B. l. 0.5mm	20.72	14.72							
B. l. 0.25mm	19.16	19.10							
Total B. longirostris	39.88	82.59							
Scapholeberis kingii Sars*****									
									1.49
Leptodora kindtii Focke									
	3.02		3.63	1.81					1.81
Diaphanosoma leuchtenbergianum Fisher***									
			0.13	2.04	5.19	1.36	5.19		
Total Cladocera ug/L	836.31	982.10	549.99	575.65	209.55	564.65	662.23	3.83	185.36
TOTAL CRUSTACEA ug/L	1647.48	1602.25	847.56	851.93	422.32	815.92	846.03	5.09	559.67
ROTIFERA									
Kellicottia sps	6.99	2.74	0.27	0.15	0.18	0.18	0.21	0.03	0.39
Keratella sps	23.66	16.72	0.18	0.18	0.24	0.31	0.24	0.01	0.67
Polyarthra sps****	3.31	2.61	0.17	0.50	0.91	1.24	0.66		0.25
Conochilus sps	0.56	0.36							
Gastropus sps			0.54	0.79	0.85	0.64	0.79		1.33
Synchaeta sp	0.63			0.14		0.07	0.28		
Brachionus sps*****									
Total Rotifera ug/L	35.15	22.42	1.16	1.75	2.18	2.44	2.19	0.04	2.64
Total Calanoida ug/L	33.47	23.46	154.07	175.85	117.73	150.82	105.61	0.87	138.65
Total Cyclopoida ug/L	777.70	596.69	143.49	100.44	95.03	100.45	78.19	0.39	235.66
Total Cladocera ug/L	836.31	982.10	549.99	575.65	209.55	564.65	662.23	3.83	185.36
Total Rotifera ug/L	35.15	22.42	1.16	1.75	2.18	2.44	2.19	0.04	2.64
TOTAL ZOOPLANKTON ug/L	1682.63	1538.13	766.50	810.52	419.36	736.14	807.11	5.13	480.09

*Length/DryWeight Regressions in form LnW = Lna + bLnL

R6 LnW= 0.9926-2.0997 LnL

R27 LnW = 1.0542 -2.748 LnL

R30 LnW =0.9772-2.5384 LnL

R32 LnW = 1.1337 + 2.7882 LnL

R49 LnW= 1.6388 - 2.4474 LnL

R77 LnW= 1.3472+3.0087LnL

R92 LnW= 0.8344-2.5760 LnL

R94 LnW = 1.3169 - 2.7197 LnL

DsL885 LnW = 1.3933 - 3.0114 LnL

RL302 LnW = 1.6274 - 3.3367 LnL

RL223Hg LnW = 2.1169 + 2.6972 LnL

RL223BI LnW = 2.4751 - 3.3614 LnL

RL223Cs LnW = 3.1270 -3.3678 LnL

** Table A2 Malley et al. 1989 Lake Ontario

***used formula for Diaphanosoma birgei Table 10 Malley e

****Table 10 Malley et al 1989 Lake 227

***** used formula for Keratella cochlearis Clay Lake Table

*****used formula for Ceriodaphnia lacustris Clay Lake Tat

2018 Minnow Zooplankton Wet Weight ug/L	17	18	19	20	21	21x	22	23	24
	Min	Min	Min	Min	Min	Min	Min	Min	Min
	T42	T43	T44	T45	TN1	TN1	TN2	TN3	TN4
	2018	2018	2018	2018	2018	2018	2018	2018	2018
	AUGUST	AUGUST	AUGUST	AUGUST	SEPTEMBER	SEPTEMBER	SEPTEMBER	SEPTEMBER	SEPTEMBER
	30	30	31	31	4	4	4	4	4
	12:30:00	14:00:00	15:30:00	16:30:00	11:00:00	11:00:00	11:15:00	11:30:00	11:45:00
	10.0	10.0	10.0	10.0	14.0	14.0	11.5	12.5	12.0
	Min	Min	Min	Min	Min	Min	Min	Min	Min
	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60
	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0
L	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
INSTAR IDENTIFICATION & SIZE CLASSES	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
COPEPODA									
CALANOIDA									
Epischura nevadensis Lilljeborg									
E.n. adult female	14.44	7.22	7.22	7.22	10.32	10.32	10.76	17.33	48.14
E.n. adult male	12.20	12.20	6.10	30.49	8.71	4.36	11.61	29.27	60.98
E.n. immature 0.5-1.3 mm	7.18		7.18	28.71	10.25	15.38	6.24	11.48	5.98
Total E. nevadensis	33.82	19.42	20.50	66.42	29.28	30.05	28.62	58.08	115.10
Diaptomus pallidus Herrick									
D.p. adult female				20.45	7.30	29.21	17.78	8.18	2.24
D.p. gravid female			0.51	2.68	0.37	0.73	0.67	0.20	0.21
D.p. adult male	6.37	6.37	12.73	6.37	1.19		5.54		1.39
D.p. immature 2.0 mm				5.92	4.23				
D.p. immature 1.0 mm				20.89					
D.p. immature 0.75 mm	15.48	5.16			3.68				
D.p. immature 0.5 mm	0.92	1.85	1.85	0.92					
Total D. pallidus	22.77	13.37	15.09	57.23	16.77	29.94	23.98	8.38	3.84
Diaptomus tyrrelli Poppe									
D.t. adult female	3.30	37.76	12.59		4.72	7.08	10.94	5.29	2.75
D.t. gravid female	5.35	6.61	3.15	3.30	1.57	1.57	0.55	0.76	0.26
D.t. adult male	68.08	51.06	51.06	34.04	9.57	3.19	7.40	6.81	42.55
D.t. immature 2.0 mm	8.15	8.15	8.15				7.09		
D.t. immature 1.0 mm	41.78	15.67							
D.t. immature 0.75 mm									
D.t. immature 0.5 mm								0.39	
Total D. tyrrelli	126.67	119.25	74.95	37.35	15.87	11.84	25.98	13.24	45.57
Calanoid nauplius									
small	0.41	2.07	2.89	2.89	1.77	2.95	3.95	0.99	2.07
large									
Total Calanoid nauplii	0.41	2.07	2.89	2.89	1.77	2.95	3.95	0.99	2.07
Total Calanoida ug/L	183.66	154.10	113.43	163.89	63.69	74.79	82.54	80.70	166.58
CYLOPOIDA									
Cyclops bicuspidatus thomasi S. A. Forbes									
C.b.t. female	24.56	51.85	24.56	27.29		5.85	7.12	2.18	
C.b.t. gravid	0.20	1.43	0.07	2.73	0.10	0.15			
C.b.t. male	9.78	27.94	2.79	8.38	2.00	2.00	1.21	3.35	1.16
C.b.t. immature 1.0						10.37			
C.b.t. immature .75	120.10	147.29	97.44	188.08	22.66	30.75	1.97	5.44	7.55
C.b.t. immature .5	65.24	72.73	91.48	150.72	3.21	0.54	6.52	0.60	2.50
Total C. b. thomasi	219.88	301.25	216.34	377.20	27.97	49.65	16.82	11.57	11.22
Acanthocyclops vernalis Fischer ?									
A.v. Immature 0.5			1.56	1.56	0.56	0.56	4.06	0.62	1.30
Total A. vernalis			1.56	1.56	0.56	0.56	4.06	0.62	1.30
Cyclopoid nauplius	6.20	6.98	8.92	6.98	6.09	9.14	8.43	8.07	9.37
Total Cyclopoida ug/L	226.09	308.23	226.82	385.74	34.62	59.35	29.32	20.26	21.89
CLADOCERA									
Daphnia schoedleri Sars									
D. s. 2.0 mm	17.19				73.68	24.56	14.95	41.26	
D. s. 1.5 mm	27.54				5.16	10.33		17.35	6.02
D. s. 1.0 mm						1.48	3.60	3.31	
D. s. 0.5 mm		1.01						0.21	
Total D. schoedleri	44.73	1.01			78.84	36.36	18.55	62.13	6.02
Daphnia galeata mendotae Birge									
D. g. m. 2.0 mm		125.75	188.62	125.75	23.58	35.37	57.41	118.83	110.03
D. g. m. 1.5 mm									
D. g. m. 1.0 mm	48.83	54.93	18.31	18.31	4.58	5.72	2.79	5.13	2.67
D. g. m. 0.5 mm	2.40	5.19	2.40	2.40	1.71		0.35	0.32	0.67
Total D. g. mendotae	51.22	185.87	209.33	146.46	29.87	41.09	60.54	124.28	113.37

2018 Minnow Zooplankton Wet Weight ug/L	17	18	19	20	21	21x	22	23	24
	Min	Min	Min	Min	Min	Min	Min	Min	Min
	T42	T43	T44	T45	TN1	TN1	TN2	TN3	TN4
	2018	2018	2018	2018	2018	2018	2018	2018	2018
	AUGUST	AUGUST	AUGUST	AUGUST	SEPTEMBER	SEPTEMBER	SEPTEMBER	SEPTEMBER	SEPTEMBER
	30	30	31	31	4	4	4	4	4
	12:30:00	14:00:00	15:30:00	16:30:00	11:00:00	11:00:00	11:15:00	11:30:00	11:45:00
	10.0	10.0	10.0	10.0	14.0	14.0	11.5	12.5	12.0
	Min	Min	Min	Min	Min	Min	Min	Min	Min
	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60
	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0
L	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
INSTAR IDENTIFICATION & SIZE CLASSES									
Daphnia retrocurva Forbes									
D. r. 2.0 mm	32.37		41.11	41.11	15.42	38.54	18.77	69.06	62.95
D. r. 1.0 mm		2.38		2.38		0.45		1.00	
D. r. 0.5 mm		1.10	0.55	0.55	0.39	0.10		0.44	
Total D. retrocurva	32.37	3.48	41.66	44.04	15.81	39.09	18.77	70.50	62.95
Holopedium gibberum Zaddach 0,5 mm									
Bosmina longirostris O.F.Muller									
B. l. 1.0mm									
B. l. 0.75mm									
B. l. 0.5mm									
B. l. 0.25mm									
Total B. longirostris									
Scapholeberis kingii Sars*****	0.75		1.49						0.62
Leptodora kindtii Focke		1.81		1.21	3.02	3.46	3.16	2.42	0.50
Diaphanosoma leuchtenbergianum Fisher***	12.98	18.17	4.09	3.41	9.27	3.89	2.37	1.09	3.41
Total Cladocera ug/L	142.05	210.34	256.57	195.11	136.81	123.89	103.38	260.42	186.87
TOTAL CRUSTACEA ug/L	551.80	672.68	596.82	744.74	235.12	258.03	215.24	361.38	375.33
ROTIFERA									
Kellicottia sps	0.39	0.70	0.91	0.60	0.06	0.13	0.16	0.19	0.20
Keratella sps	0.49	0.84	0.98	1.11	0.21	0.17	0.23	0.16	0.24
Polyarthra sps****	0.17		0.58	0.41	0.24	0.41	5.18	1.12	0.83
Conochilus sps									
Gastropus sps	1.36	1.48	0.70	0.85	0.41	0.48	0.45	0.53	0.30
Synchaeta sp			0.14			0.10	0.37		0.12
Brachionus sps*****									
Total Rotifera ug/L	2.41	3.02	3.30	2.97	0.92	1.29	6.38	2.01	1.69
Total Calanoida ug/L	183.66	154.10	113.43	163.89	63.69	74.79	82.54	80.70	166.58
Total Cyclopoida ug/L	226.09	308.23	226.82	385.74	34.62	59.35	29.32	20.26	21.89
Total Cladocera ug/L	142.05	210.34	256.57	195.11	136.81	123.89	103.38	260.42	186.87
Total Rotifera ug/L	2.41	3.02	3.30	2.97	0.92	1.29	6.38	2.01	1.69
TOTAL ZOOPLANKTON ug/L	521.84	675.70	559.01	706.61	220.62	220.79	202.86	294.33	314.07

*Length/DryWeight Regressions in form LnW = Lna + bLnL

R6 LnW= 0.9926-2.0997 LnL

R27 LnW = 1.0542 -2.748 LnL

R30 LnW =0.9772-2.5384 LnL

R32 LnW = 1.1337 + 2.7882 LnL

R49 LnW= 1.6388 - 2.4474 LnL

R77 LnW= 1.3472+3.0087LnL

R92 LnW= 0.8344-2.5760 LnL

R94 LnW = 1.3169 - 2.7197 LnL

DsL885 LnW = 1.3933 - 3.0114 LnL

RL302 LnW = 1.6274 - 3.3367 LnL

RL223Hg LnW = 2.1169 + 2.6972 LnL

RL223BI LnW = 2.4751 - 3.3614 LnL

RL223Cs LnW = 3.1270 -3.3678 LnL

** Table A2 Malley et al. 1989 Lake Ontario

***used formula for Diaphanosoma birgei Table 10 Malley e

****Table 10 Malley et al 1989 Lake 227

***** used formula for Keratella cochlearis Clay Lake Table

*****used formula for Ceriodaphnia lacustris Clay Lake Tat

2018 Minnow Zooplankton Wet Weight ug/L

	25	26	27	28	29	30
	Min	Min	Min	Min	Min	Min
	TN5	T41	T42	T43	T44	T45
	2018	2018	2018	2018	2018	2018
	EPT	EMB	EPT	EMB	EPT	EMB
	4	4	4	4	4	4
	12:00:00	12:30:00	12:45:00	13:00:00	13:15:00	13:30:00
	12.0	21.0	22.0	22.0	22.0	22.0
	Min	Min	Min	Min	Min	Min
	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60
	40.0	40.0	40.0	40.0	40.0	40.0
L	10.5	10.5	10.5	10.5	10.5	10.5
	1.0	1.0	1.0	1.0	1.0	1.0
	283.4	283.4	283.4	283.4	283.4	283.4
	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
INSTAR IDENTIFICATION & SIZE CLASSES						
COPEPODA						
CALANOIDA						
Epischura nevadensis Lilljeborg						
E.n. adult female	48.14	6.88	19.69	6.56	6.56	13.13
E.n. adult male	30.49	2.90	2.77	5.54	2.77	8.32
E.n. immature 0.5-1.3 mm	11.96	10.25	3.26	3.26	3.26	16.31
Total E. nevadensis	90.59	20.04	25.73	15.37	12.60	37.76
Diaptomus pallidus Herrick						
D.p. adult female	8.52					
D.p. gravid female	0.21	0.24				
D.p. adult male			8.68			
D.p. immature 2.0 mm						0.07
D.p. immature 1.0 mm						
D.p. immature 0.75 mm		1.23			1.17	1.17
D.p. immature 0.5 mm		0.44	0.42	0.42		0.42
Total D. pallidus	8.73	1.91	9.10	0.42	1.17	1.66
Diaptomus tyrrelli Poppe						
D.t. adult female	10.49	4.72		5.72	11.44	28.60
D.t. gravid female	0.79	1.20	1.00	0.29	0.86	2.72
D.t. adult male	14.18	12.77	27.08	3.87	11.61	15.47
D.t. immature 2.0 mm			7.41			3.71
D.t. immature 1.0 mm			2.37	2.37		4.75
D.t. immature 0.75 mm						1.17
D.t. immature 0.5 mm						
Total D. tyrrelli	25.46	18.68	37.87	12.25	23.90	56.42
Calanoid nauplius						
small	2.41	2.36	6.01	3.01	5.82	3.38
large				0.24		
Total Calanoid nauplii	2.41	2.36	6.01	3.25	5.82	3.38
Total Calanoida ug/L	127.19	42.99	78.71	31.29	43.50	99.22
CYLOPOIDA						
Cyclops bicuspidatus thomasi S. A. Forbes						
C.b.t. female		18.19	17.37	7.44	3.72	7.44
C.b.t. gravid	0.60	0.68	0.03	0.98	0.09	3.72
C.b.t. male	1.16	1.33	10.16	1.27	1.27	6.35
C.b.t. immature 1.0	4.03		2.20			
C.b.t. immature .75	7.55	49.64	57.68	26.78	19.57	46.35
C.b.t. immature .5	2.50	19.28	21.81	14.66	17.38	20.11
Total C. b. thomasi	15.85	89.12	109.25	51.13	42.04	83.98
Acanthocyclops vernalis Fischer ?						
A.v. Immature 0.5	0.65	1.48	0.71	0.35	1.06	1.06
Total A. vernalis	0.65	1.48	0.71	0.35	1.06	1.06
Cyclopoid nauplius	5.49	9.05	10.93	8.64	11.46	12.69
Total Cyclopoida ug/L	21.99	99.66	120.89	60.12	54.56	97.73
CLADOCERA						
Daphnia schoedleri Sars						
D. s. 2.0 mm	1.36	62.37		2.98	0.74	
D. s. 1.5 mm	6.02	13.11		0.63	0.63	1.56
D. s. 1.0 mm	1.72		3.58			
D. s. 0.5 mm			0.46	0.12	1.37	
Total D. schoedleri	9.11	75.49	4.04	3.72	2.74	1.56
Daphnia galeata mendotae Birge						
D. g. m. 2.0 mm	96.28		28.58	28.58	28.58	85.74
D. g. m. 1.5 mm						
D. g. m. 1.0 mm	1.34	2.91	2.77		8.32	2.77
D. g. m. 0.5 mm	0.67		0.73	0.36	0.18	0.18
Total D. g. mendotae	98.28	2.91	32.08	28.94	37.08	88.69

2018 Minnow Zooplankton Wet Weight ug/L	25	26	27	28	29	30
	Min	Min	Min	Min	Min	Min
	TN5	T41	T42	T43	T44	T45
	2018	2018	2018	2018	2018	2018
	EPT	EMB	EET	PT	EMB	EET
	4	4	4	4	4	4
	12:00:00	12:30:00	12:45:00	13:00:00	13:15:00	13:30:00
	12.0	21.0	22.0	22.0	22.0	22.0
	Min	Min	Min	Min	Min	Min
	WJ60	WJ60	WJ60	WJ60	WJ60	WJ60
	40.0	40.0	40.0	40.0	40.0	40.0
L	10.5	10.5	10.5	10.5	10.5	10.5
	1.0	1.0	1.0	1.0	1.0	1.0
	283.4	283.4	283.4	283.4	283.4	283.4
	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
INSTAR IDENTIFICATION & SIZE CLASSES						
Daphnia retrocurva Forbes						
D. r. 2.0 mm	53.96	78.30	56.06	18.69	18.69	37.37
D. r. 1.0 mm						1.08
D. r. 0.5 mm	0.24		0.25	0.25		0.25
Total D. retrocurva	54.20	78.30	56.31	18.93	18.69	38.70
Holopedium gibberum Zaddach 0,5 mm						
Bosmina longirostris O.F.Muller						
B. l. 1.0mm						
B. l. 0.75mm		4.34				
B. l. 0.5mm						
B. l. 0.25mm						
Total B. longirostris		4.34				
Scapholeberis kingii Sars*****	0.62					
Leptodora kindtii Focke	1.01	0.29				
Diaphanosoma leuchtenbergianum Fisher***	2.27	2.47	8.26	9.44	4.72	3.54
Total Cladocera ug/L	165.49	163.79	100.69	61.04	63.23	132.50
TOTAL CRUSTACEA ug/L	314.67	306.44	300.28	152.44	161.29	329.45
ROTIFERA						
Kellicottia sps	0.15	0.52	0.63	0.38	0.43	0.41
Keratella sps	0.37	0.49	0.44	0.37	0.30	0.37
Polyarthra sps****	0.55	0.43	0.83	0.60	1.05	0.60
Conochilus sps						
Gastropus sps	0.28	0.35	0.32	0.12	0.19	0.40
Synchaeta sp	0.12				0.13	0.06
Brachionus sps*****					0.04	
Total Rotifera ug/L	1.47	1.78	2.22	1.48	2.14	1.85
Total Calanoida ug/L	127.19	42.99	78.71	31.29	43.50	99.22
Total Cyclopoida ug/L	21.99	99.66	120.89	60.12	54.56	97.73
Total Cladocera ug/L	165.49	163.79	100.69	61.04	63.23	132.50
Total Rotifera ug/L	1.47	1.78	2.22	1.48	2.14	1.85
TOTAL ZOOPLANKTON ug/L	262.18	229.92	246.44	135.24	144.75	293.93

*Length/DryWeight Regressions in form $LnW = LnA + bLnL$

R6 $LnW = 0.9926 - 2.0997 LnL$

R27 $LnW = 1.0542 - 2.748 LnL$

R30 $LnW = 0.9772 - 2.5384 LnL$

R32 $LnW = 1.1337 + 2.7882 LnL$

R49 $LnW = 1.6388 - 2.4474 LnL$

R77 $LnW = 1.3472 + 3.0087 LnL$

R92 $LnW = 0.8344 - 2.5760 LnL$

R94 $LnW = 1.3169 - 2.7197 LnL$

DsL885 $LnW = 1.3933 - 3.0114 LnL$

RL302 $LnW = 1.6274 - 3.3367 LnL$

RL223Hg $LnW = 2.1169 + 2.6972 LnL$

RL223BI $LnW = 2.4751 - 3.3614 LnL$

RL223Cs $LnW = 3.1270 - 3.3678 LnL$

** Table A2 Malley et al. 1989 Lake Ontario

***used formula for Diaphanosoma birgei Table 10 Malley e









****Table 10 Malley et al 1989 Lake 227

***** used formula for Keratella cochlearis Clay Lake Table

*****used formula for Ceriodaphnia lacustris Clay Lake Tat

Images of identified specimens

- 1 Diaptomus tyrrelli male 5th leg
- 2 Diaptomus tyrrelli female
- 3 Daphnia retrocurva females
- 4 Scaphloeris kingii
- 5 Daphnia schoedleri females
- 6 Daphnia galeata mendotae females
- 7 Cyclops bicuspidatus thomasi various instars
- 8 Leptodora kindtii
- 9 Gastropus variety rotifer
- 10 Diaptomus pallidus female
- 11 Diaptomus pallidus male
- 12 Synchaeta type rotifers
- 13 Diaptomus tyrrelli male
- 14 Epischura nevadensis female



2019 Minnow Zooplankton Individuals/L	1	2	3	4	5	6	7	8
			Lake?	Lake?	Lake?	Lake?	Lake?	Lake?
	RGTN1	RGTN2	RGTN3	RGTN4	RGTN5	RGT41	RGT42	RGT43
	2019	2019	2019	2019	2019	2019	2019	2019
	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE
	12	12	12	12	12	14	14	14
	AM	AM	AM	AM	AM	AM	AM	AM
	6	6	6	6	6	16	16	16
	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW
	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM
	80.0	80.0	40.0	40.0	40.0	80.0	80.0	160.0
	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
INSTAR IDENTIFICATION & SIZE CLASS	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L
COPEPODA								
CALANOIDA								
Epischura nevadensis Lilljeborg								
E.n. adult female 2.0mm						0.05	0.09	0.05
E.n. adult male 1.8mm	0.01					0.05	0.16	
E.n. immature 0.5-1.0 mm						0.12	0.35	0.07
Total E. nevadensis	0.01					0.21	0.61	0.12
Diaptomus pallidus Herrick								
D.p. adult female 1.25mm								
D.p. gravid female								
D.p. adult male 0.97mm								
D.p. immature 2.0 mm								
D.p. immature 1.0 mm								
D.p. immature 0.75 mm						0.18		
D.p. immature 0.5 mm								
Total D. pribilofensis						0.18		
Diaptomus tyrrelli Poppe								
D.p. adult female 1.39mm						0.12		0.16
D.p. gravid female 1.39 mm						0.03	0.09	0.02
D.p. adult male 1.21mm						0.12	0.23	0.19
D.p. immature 1.16mm								
D.p. immature 1.0 mm						0.35		
D.p. immature 0.75 mm								0.35
D.p. immature 0.5 mm								
Total D. tyrrelli ind/L						0.62	0.32	0.72
Calanoid nauplius 0.3mm								
						0.18		
Total Calanoida ind/L	0.01					1.18	0.93	0.84
CYLOPOIDA								
Cyclops bicuspidatus thomasi S.A.Forbes								
C. b. t. adult female 0.92mm						1.41	1.59	2.47
C. b. t. gravid female 0.92mm						0.01	0.12	0.12
C. b. t. adult male 0.77mm						0.88	2.82	2.12
C. b. t. immature 1.0 mm						0.35	0.18	1.06
C. b. t. immatue 0.75 mm					0.24	3.18	5.47	4.94
C. b. t. immature 0.5 mm					0.01	4.06	8.82	4.59
Total C. b. thomasi					0.24	9.89	18.99	15.29
C.vernalis (?) immature 0.5 mm								
						0.18		
Eucyclops agilis (?) immature 0.87mm								
		0.01	0.01	0.01				
Cyclops capillatus (?) dried out 1.2mm								
					0.01			
Cyclopoid nauplius 0.2mm								
					0.24	4.23	8.29	7.06
Total Cyclopoida ind/L		0.01	0.01	0.01	0.48	14.30	27.29	22.35
CLADOCERA								
Daphnia schoedleri Sars 1.25mm								
						0.18	0.12	

2019 Minnow Zooplankton Individuals/L	1	2	3	4	5	6	7	8
			Lake?	Lake?	Lake?	Lake?	Lake?	Lake?
	RGTN1	RGTN2	RGTN3	RGTN4	RGTN5	RGT41	RGT42	RGT43
	2019	2019	2019	2019	2019	2019	2019	2019
	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE
	12	12	12	12	12	14	14	14
	AM	AM	AM	AM	AM	AM	AM	AM
	6	6	6	6	6	16	16	16
	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW
	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM
	80.0	80.0	40.0	40.0	40.0	80.0	80.0	160.0
	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
Daphnia galeata mendotae Birge								
D. g. m. 2.5 mm								0.71
D. g. m. 2.0 mm								
D. g. m. 1.5 mm	0.06				0.01	0.35	0.05	0.05
D. g. m. 1.0 mm						0.09		0.05
D. g. m. 0.5 mm						0.18	0.35	
Total D. g. mendotae	0.06				0.01	0.62	0.40	0.80
Bosmina longirostris O.F. Mueller								
B. l. 0.5 mm			0.01		0.01	4.06	7.06	3.88
B. l. 0.25 mm					0.24	38.99	70.04	46.93
Total B. longirostris			0.01		0.24	43.05	77.10	50.81
Daphnia retrocurva Forbes								
D. r. 1.52 mm						0.07	0.02	0.02
D. r. 1.24 mm						0.07	0.18	0.07
D. r. 0.8 mm								
Total D. retrocurva						0.14	0.20	0.09
Scapholeberis kingii Sars 1.0mm								
Sida crystallina O.F.Mueller 1.3mm								
Leptodora kindtii Focke 5.1mm						0.05	0.12	0.00
Diaphanosoma leuchtenbergianum Fisher 0.8mm								0.02
Alona sps (?) 0.5mm	0.01	0.12						
Chydorus sps (?) 0.4mm					0.02			
Total Cladocera ind/L	0.07	0.12	0.01		0.26	44.03	77.93	51.73
TOTAL CRUSTACEA ind/L	0.08	0.13	0.02	0.01	0.75	59.51	106.15	74.91
ROTIFERA								
Kellicottia sps					0.47	30.88	35.11	36.34
Keratella sps					0.24	1.94	3.88	3.18
Polyarthra sps						0.53	1.59	0.35
Gastropus sps								
Brachionus sps							0.53	
Asplanchna sps					0.24	3.71	3.88	1.76
Unknown rotifer		0.47						
Total Rotifera ind/L		0.47			0.94	37.05	44.99	41.64
Total Calanoida ind/L	0.01					1.18	0.93	0.84
Total Cyclopoida ind/L		0.01	0.01	0.01	0.48	14.30	27.29	22.35
Total Cladocera ind/L	0.07	0.12	0.01		0.26	44.03	77.93	51.73
Total Rotifera ind/L		0.47			0.94	37.05	44.99	41.64
Total zooplankton ind/L		0.60	0.02	0.01	1.69	96.56	151.14	116.55
Diptera (adults, exuvia, larvae DA, DE, DL)	0.01	0.02				0.00	0.02	
Specimens counted in sample	5	9	3	2	14	598	897	371

2019 Minnow Zooplankton Individuals/L	9	10	11	12	13	14	14x	15
	Lake?	Lake?	Lake?	Lake?	Lake?	Lake?	Lake?	Lake?
	RGT44	RGT45	RGTN1	RGTN2	RGTN3	RGTN4	RTTN4	RGTN5
	2019	2019	2019	2019	2019	2019	2019	2019
	JUNE	JUNE	AUGUST	AUG	AUG	AUG	AUG	AUG
	14	14	22	22	22	22	22	22
	AM	AM	AM	AM	AM	AM	AM	AM
	16	16	13	13	13	13	13	13
	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW
	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM
	160.0	80.0	40.0	40.0	40.0	40.0	40.0	40.0
	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
INSTAR IDENTIFICATION & SIZE CLASS	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L
COPEPODA								
CALANOIDA								
Epischura nevadensis Lilljeborg								
E.n. adult female 2.0mm		0.07	0.01		0.01	0.02	0.03	0.06
E.n. adult male 1.8mm	0.07	0.05	0.01	0.01	0.01	0.01	0.06	0.11
E.n. immature 0.5-1.0 mm	0.05	0.35	0.00	0.03		0.22	0.11	
Total E. nevadensis	0.12	0.47	0.02	0.03	0.02	0.25	0.19	0.17
Diaptomus pallidus Herrick								
D.p. adult female 1.25mm					0.22		0.11	
D.p. gravid female								
D.p. adult male 0.97mm								
D.p. immature 2.0 mm								0.11
D.p. immature 1.0 mm			0.00			0.11		
D.p. immature 0.75 mm			0.43			0.22		
D.p. immature 0.5 mm			0.11		0.54	0.11		0.11
Total D. pribilofensis			0.55		0.76	0.43	0.11	0.22
Diaptomus tyrrelli Poppe								
D.p. adult female 1.39mm	0.16	0.18	0.03	0.03	0.00	0.11	0.11	0.06
D.p. gravid female 1.39 mm	0.02	0.09		0.01	0.00			0.03
D.p. adult male 1.21mm	0.30	0.53	0.06	0.03	0.06	0.33	0.22	0.17
D.p. immature 1.16mm	0.35				0.03		0.11	
D.p. immature 1.0 mm	0.02		0.11				0.11	0.11
D.p. immature 0.75 mm		0.35					0.11	
D.p. immature 0.5 mm								0.03
Total D. tyrrelli ind/L	0.86	1.15	0.19	0.06	0.09	0.43	0.65	0.39
Calanoid nauplius 0.3mm	0.71	0.35	0.11		0.43	0.43	0.33	0.54
Total Calanoida ind/L	1.68	1.97	0.86	0.10	1.30	1.55	1.28	1.32
CYLOPOIDA								
Cyclops bicuspidatus thomasi S.A.Forbes								
C. b. t. adult female 0.92mm	2.12	1.94	0.65	0.33	0.22	0.43	0.43	0.54
C. b. t. gravid female 0.92mm	0.07	0.21	0.09	0.06				0.11
C. b. t. adult male 0.77mm	1.06	0.88	0.33	0.11	0.43	0.33	0.43	0.11
C. b. t. immature 1.0 mm	0.71	0.88	0.11	0.11	0.11	0.22	0.43	
C. b. t. immatue 0.75 mm	4.94	3.53	1.09	2.17	1.41	3.91	3.80	3.26
C. b. t. immature 0.5 mm	2.82	2.47	2.61	2.82	1.63	4.34	5.54	4.78
Total C. b. thomasi	11.71	9.91	4.86	5.59	3.80	9.23	10.64	8.80
C.vernalis (?) immature 0.5 mm						0.11		
Eucyclops agilis (?) immature 0.87mm								
Cyclops capillatus (?) dried out 1.2mm								
Cyclopoid nauplius 0.2mm	6.70	8.29	1.95	0.98	2.28	1.09	2.50	2.50
Total Cyclopoida ind/L	18.42	18.20	6.82	6.57	6.08	10.42	13.14	11.30
CLADOCERA								
Daphnia schoedleri Sars 1.25mm	0.07	0.14	0.11				0.00	

2019 Minnow Zooplankton Individuals/L	9	10	11	12	13	14	14x	15
	Lake?	Lake?	Lake?	Lake?	Lake?	Lake?	Lake?	Lake?
	RGT44	RGT45	RGTN1	RGTN2	RGTN3	RGTN4	RTTN4	RGTN5
	2019	2019	2019	2019	2019	2019	2019	2019
	JUNE	JUNE	AUGUST	AUG	AUG	AUG	AUG	AUG
	14	14	22	22	22	22	22	22
	AM	AM	AM	AM	AM	AM	AM	AM
	16	16	13	13	13	13	13	13
	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW
	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM
	160.0	80.0	40.0	40.0	40.0	40.0	40.0	40.0
	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
Daphnia galeata mendotae Birge								
D. g. m. 2.5 mm								
D. g. m. 2.0 mm			0.01	0.01	0.03	0.03	0.03	0.01
D. g. m. 1.5 mm	0.02		0.76	0.22	0.14	0.54	0.43	0.33
D. g. m. 1.0 mm	0.02	0.05	0.33	0.22	0.22	0.11		0.54
D. g. m. 0.5 mm		0.18	0.65	0.33	0.33	0.98	0.65	0.76
Total D. g. mendotae	0.05	0.22	1.75	0.77	0.71	1.66	1.11	1.63
Bosmina longirostris O.F. Mueller								
B. l. 0.5 mm	2.82	2.12						
B. l. 0.25 mm	35.64	14.82	0.11					0.11
Total B. longirostris	38.46	16.94	0.11					0.11
Daphnia retrocurva Forbes								
D. r. 1.52 mm	0.07					0.11		0.11
D. r. 1.24 mm	0.02	0.02	0.11					
D. r. 0.8 mm								0.11
Total D. retrocurva	0.09	0.02	0.11			0.11		0.22
Scapholeberis kingii Sars 1.0mm				0.03	0.00	0.06	0.06	0.02
Sida crystallina O.F.Mueller 1.3mm					0.00			
Leptodora kindtii Focke 5.1mm	0.01	0.01		0.00		0.00	0.01	0.01
Diaphanosoma leuchtenbergianum Fisher 0.8mm		0.02	0.00			0.00	0.00	
Alona sps (?) 0.5mm								
Chydorus sps (?) 0.4mm								
Total Cladocera ind/L	38.68	17.35	2.07	0.80	0.72	1.83	1.18	1.98
TOTAL CRUSTACEA ind/L	58.79	37.53	9.76	7.46	8.10	13.80	15.60	14.60
ROTIFERA								
Kellicottia sps	38.11	14.82	0.43	0.22	0.11	0.54	0.54	0.87
Keratella sps	2.12	1.24	0.98	0.65	1.52	0.98	0.65	0.98
Polyarthra sps	1.06	1.06	0.76	0.65	1.30	0.87	1.52	1.52
Gastropus sps			0.11		0.33	0.33	0.98	0.87
Brachionus sps		0.18						
Asplanchna sps	2.82	0.35						
Unknown rotifer								
Total Rotifera ind/L	44.11	17.64	2.28	1.52	3.26	2.71	3.69	4.23
Total Calanoida ind/L	1.68	1.97	0.86	0.10	1.30	1.55	1.28	1.32
Total Cyclopoida ind/L	18.42	18.20	6.82	6.57	6.08	10.42	13.14	11.30
Total Cladocera ind/L	38.68	17.35	2.07	0.80	0.72	1.83	1.18	1.98
Total Rotifera ind/L	44.11	17.64	2.28	1.52	3.26	2.71	3.69	4.23
Total zooplankton ind/L	102.89	55.17	12.04	8.98	11.36	16.52	19.29	18.84
Diptera (adults, exuvia, larvae DA, DE, DL)		0.07						
Specimens counted in sample	341	348	127	96	126	169	187	203

2019 Minnow Zooplankton Individuals/L	16	17	17x	18	19	20
	Lake?	Lake?	Lake?	Lake?	Lake?	Lake?
	RGT41	RGT42	RGT43	RG4T3	RG4T4	RGT45
	2019	2019	2019	2019	2019	2019
	AUG	AUG	AUG	AUG	AUG	AUG
	21	21	21	21	21	21
	AM	AM	AM	AM	AM	AM
	23	23	23	23	23	23
	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW
	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM
	40.0	80.0	80.0	80.0	160.0	160.0
	10.5	10.5	10.5	10.5	10.5	10.5
	1.0	1.0	1.0	1.0	1.0	1.0
	283.4	283.4	283.4	283.4	283.4	283.4
INSTAR IDENTIFICATION & SIZE CLASS	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L	Ind/L
COPEPODA						
CALANOIDA						
Epischura nevadensis Lilljeborg						
E.n. adult female 2.0mm	0.01	0.02	0.02	0.02	0.02	0.02
E.n. adult male 1.8mm		0.01	0.01	0.02	0.06	0.03
E.n. immature 0.5-1.0 mm	0.00	0.01	0.01		0.03	0.03
Total E. nevadensis	0.01	0.04	0.03	0.03	0.11	0.08
Diaptomus pallidus Herrick						
D.p. adult female 1.25mm			0.12		0.02	
D.p. gravid female						
D.p. adult male 0.97mm						
D.p. immature 2.0 mm						
D.p. immature 1.0 mm	0.06				0.25	
D.p. immature 0.75 mm			0.25	0.12	0.25	
D.p. immature 0.5 mm	0.31	0.12		0.12	0.49	
Total D. pribilofensis	0.37	0.12	0.37	0.25	1.00	
Diaptomus tyrrelli Poppe						
D.p. adult female 1.39mm	0.02	0.10	0.03		0.03	0.05
D.p. gravid female 1.39 mm		0.00	0.00	0.01	0.02	0.01
D.p. adult male 1.21mm	0.06	0.27	0.21	0.10	0.21	0.13
D.p. immature 1.16mm			0.12			
D.p. immature 1.0 mm	0.06		0.25	0.12		
D.p. immature 0.75 mm	0.06		0.12			
D.p. immature 0.5 mm						
Total D. tyrrelli ind/L	0.20	0.37	0.74	0.23	0.26	0.18
Calanoid nauplius 0.3mm	0.37	0.37	0.49	0.86		
Total Calanoida ind/L	0.95	0.90	1.63	1.36	1.37	0.27
CYLOPOIDA						
Cyclops bicuspidatus thomasi S.A.Forbes						
C. b. t. adult female 0.92mm	0.31	0.25	0.12	0.25	0.25	0.49
C. b. t. gravid female 0.92mm	0.02	0.03	0.03	0.03	0.05	0.02
C. b. t. adult male 0.77mm	0.12	0.12	0.25	0.61	0.49	0.25
C. b. t. immature 1.0 mm	0.12			0.25		
C. b. t. immatue 0.75 mm	0.98	0.98	0.98	1.96	3.93	1.72
C. b. t. immature 0.5 mm	2.64	2.70	3.44	5.77	6.63	5.15
Total C. b. thomasi	4.19	4.08	4.82	8.87	11.34	7.63
C.vernalis (?) immature 0.5 mm	0.06					
Eucyclops agilis (?) immature 0.87mm						
Cyclops capillatus (?) dried out1.2mm						
Cyclopoid nauplius 0.2mm	3.50	3.19	4.30	3.68	1.96	6.38
Total Cyclopoida ind/L	7.75	7.27	9.11	12.55	13.30	14.01
CLADOCERA						
Daphnia schoedleri Sars 1.25mm				0.00		

2019 Minnow Zooplankton Individuals/L	16	17	17x	18	19	20
	Lake?	Lake?	Lake?	Lake?	Lake?	Lake?
	RGT41	RGT42	RGT43	RG4T3	RG4T4	RGT45
	2019	2019	2019	2019	2019	2019
	AUG	AUG	AUG	AUG	AUG	AUG
	21	21	21	21	21	21
	AM	AM	AM	AM	AM	AM
	23	23	23	23	23	23
	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW
	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM
	40.0	80.0	80.0	80.0	160.0	160.0
	10.5	10.5	10.5	10.5	10.5	10.5
	1.0	1.0	1.0	1.0	1.0	1.0
	283.4	283.4	283.4	283.4	283.4	283.4
Daphnia galeata mendotae Birge						
D. g. m. 2.5 mm						
D. g. m. 2.0 mm	0.02		0.00			0.03
D. g. m. 1.5 mm	0.25	0.37	0.98	0.25	0.23	0.98
D. g. m. 1.0 mm	0.25	0.49	0.61	0.37	0.25	0.25
D. g. m. 0.5 mm	0.37	0.12	0.12			0.25
Total D. g. mendotae	0.88	0.98	1.72	0.61	0.47	1.51
Bosmina longirostris O.F. Mueller						
B. l. 0.5 mm	0.02				0.25	
B. l. 0.25 mm				0.02		
Total B. longirostris	0.02			0.02	0.25	
Daphnia retrocurva Forbes						
D. r. 1.52 mm	0.06	0.12				
D. r. 1.24 mm	0.06	0.12				
D. r. 0.8 mm						
Total D. retrocurva	0.12	0.25				
Scapholeberis kingii Sars 1.0mm		0.12	0.02			
Sida crystallina O.F.Mueller 1.3mm					0.00	
Leptodora kindtii Focke 5.1mm		0.00	0.00	0.00		0.00
Diaphanosoma leuchtenbergianum Fisher 0.8mm						
Alona sps (?) 0.5mm						
Chydorus sps (?) 0.4mm						
Total Cladocera ind/L	1.01	1.35	1.74	0.63	0.72	1.51
TOTAL CRUSTACEA ind/L	9.71	9.52	12.48	14.55	15.39	15.78
ROTIFERA						
Kellicottia sps	1.23	2.33	2.21	0.98	0.74	1.72
Keratella sps	1.66	3.19	4.66	1.96	3.93	4.66
Polyarthra sps	0.74	0.37	0.49	0.61		0.25
Gastropus sps	0.31	0.98	1.23	0.49	0.49	1.72
Brachionus sps						
Asplanchna sps						
Unknown rotifer			0.25		0.25	
Total Rotifera ind/L	3.93	6.87	8.84	4.05	5.40	8.35
Total Calanoida ind/L	0.95	0.90	1.63	1.36	1.37	0.27
Total Cyclopoida ind/L	7.75	7.27	9.11	12.55	13.30	14.01
Total Cladocera ind/L	1.01	1.35	1.74	0.63	0.72	1.51
Total Rotifera ind/L	3.93	6.87	8.84	4.05	5.40	8.35
Total zooplankton ind/L	13.64	16.40	21.32	18.60	20.79	24.13
Diptera (adults, exuvia, larvae DA, DE, DL)				0.02		
Specimens counted in sample	236	182	226	171	126	126

2019 Minnow Zooplankton Wet Weight ug/L

	LAKE Mean LENGTH Lmm		Malley et al 1989* Regression #	LnL	Ln a	b	Calculated LnW	Calculated DryWt ug	Formula Wet Weight ug
INSTAR IDENTIFICATION & SIZE CLASSES									
COPEPODA									
CALANOIDA									
Epischura nevadensis Lilljeborg									
E.n. adult female	1.7	0.531	32	1.1337	2.7882	2.6132	13.6426	194.89	
E.n. adult male	1.6	0.470	32	1.1337	2.7882	2.44416	11.5209	164.58	
E.n. immature 0.5-1.3 mm	1.13	0.122	32	1.1337	2.7882	1.47447	4.36871	62.41	
Total E. nevadensis									
Diaptomus pallidus Herrick									
D.p. adult female	1.25	0.223	30	0.9772	2.538	1.54354	4.68112	66.87	
D.p. gravid female	1.25	0.223	30	0.9772	2.538	1.54354	4.68112	66.87	
D.p. adult male	0.97	-0.030	30	0.9772	2.538	0.89989	2.45934	35.13	
D.p. immature 2.0 mm	1.15	0.140	30	0.9772	2.538	1.33192	3.78829	54.12	
D.p. immature 1.0 mm	0.99	-0.010	30	0.9772	2.538	0.95169	2.59009	37.00	
D.p. immature 0.75 mm	0.75	-0.288	30	0.9772	2.538	0.24706	1.28026	18.29	
D.p. immature 0.5 mm	0.5	-0.693	30	0.9772	2.538	-0.782	0.45749	6.54	
Total D. pallidus									
Diaptomus tyrrelli Poppe									
D.t. adult female	1.4	0.336	30	0.977	2.538	1.8313	6.242	89.17	
D.t. gravid female	1.4	0.336	30	0.977	2.538	1.8313	6.242	89.17	
D.t. adult male	1.2	0.182	30	0.977	2.538	1.44001	4.22072	60.30	
D.t. immature 2.0 mm	1.18	0.166	30	0.977	2.538	1.39734	4.04443	57.78	
D.t. immature 1.0 mm	0.99	-0.010	30	0.977	2.538	0.95169	2.59008	37.00	
D.t. immature 0.75 mm	0.75	-0.288	30	0.977	2.538	0.24695	1.28011	18.29	
D.t. immature 0.5 mm	0.5	-0.693	30	0.977	2.538	-0.7823	0.45736	6.53	
Total D. tyrrelli									
Calanoid nauplii	0.293	-1.228	6	0.9926	2.0997	-1.585	0.20496	2.93	
Total Calanoida ug/L									
CYLOPOIDA									
Cyclops bicuspidatus thomasi S. A. Forbes									
C.b.t. female	0.920	-0.083	68	0.7606	3.9145	0.4342	1.54373	22.05	
C.b.t. gravid	0.92	-0.083	68	0.7606	3.9145	0.4342	1.54373	22.05	
C.b.t. male	0.77	-0.261	68	0.7606	3.9145	-0.2625	0.76912	10.99	
C.b.t. immature 1.0	0.99	-0.010	51	0.9032	2.7307	0.876	2.401	34.300	
C.b.t. immature .75	0.75	-0.288	51	0.9032	2.7307	0.117	1.124	16.055	
C.b.t. immature .5	0.5	-0.693	51	0.9032	2.7307	-0.989	0.372	5.313	
Total C. b. thomasi									
Acanthocyclops vernalis Fischer ?	0.5	-0.6931	92	0.8344	2.576	-0.9511	0.3863	5.51854	
Eucyclops agilis (?) immature 0.87mm	0.87	-0.139	68	0.7606	3.9145	0.21546	1.24043	17.72	
Cyclops capillatus (?) dried out 1.2mm	1.2	0.182	68	0.7606	3.9145	1.4743	4.36797	62.40	
Cyclopoid nauplius	0.14	-1.966	49	1.6388	2.4474	-1.649	0.192	2.747	
Total Cyclopoida ug/L									
CLADOCERA									
Daphnia schoedleri Sars 1.25mm									
D. g. m. 2.5 mm	1.250	0.223	DsL885	1.3933	3.0114	2.06527	7.88746	112.68	
Daphnia galeata mendotae Birge									
D. g. m. 2.5 mm	2.50	0.916	L223	1.0797	2.7188	3.57091	35.549	507.84	
D. g. m. 2.0 mm	1.95	0.66783	L223	1.0797	2.7188	3.43986	31.1824	445.464	
D. g. m. 1.5 mm	1.5	0.40547	L223	1.0797	2.7188	3.15658	23.4901	335.573	
D. g. m. 1.0 mm	1.01	0.010	L223	1.0797	2.7188	1.108	3.027	43.243	
D. g. m. 0.5 mm	0.38	-0.968	L223	1.0797	2.7188	-1.619	0.198	2.830	
Total D. g. mendotae									
Bosmina longirostris O.F.Muller									

2019 Minnow Zooplankton Wet Weight ug/L

	LAKE Mean LENGTH Lmm		Malley et al 1989* Regression			Calculatec LnW	Calculatec DryWt ug	Formula Wet Weight ug
		LnL	#	Lna	b			
B. l. 0.5mm	0.5	-0.693	L223BI	2.4751	3.3614	0.145	1.156	16.517
B. l. 0.25mm	0.250	-1.386	L223BI	2.4751	3.3614	-2.185	0.113	1.607
Total B. longirostris								

2019 Minnow Zooplankton Wet Weight ug/L

	LAKE	Malley et al 1989*			b	Calculatec	Calculatec	Formula
	Mean	Regression		LnW		DryWt	Wet	
	LENGTH	LnL	#	Lna		ug	Weight	
	Lmm						ug	
Daphnia retrocurva Forbes								
D. r. 2.0 mm	1.52	0.419	L227	0.8637	3.1262	2.17267	8.78172	125.45
D. r. 1.0 mm	1.24	0.215	L227	0.8637	3.1262	1.53618	4.64681	66.38
D. r. 0.5 mm	0.8	-0.223	L227	0.8637	3.1262	0.16611	1.1807	16.87
Total D. retrocurva								
Scapholeberis kingii Sars*****	0.99	-0.0101	Clay	2.7286	3.337	2.69506	14.8064	211.521
Sida crystallina O.F.Mueller 1.3mm							25*****	357.14
Leptodora kindtii Focke							12**	171.43
Diaphanosoma leuchtenbergianum Fisher***	0.73	-0.3147	L223	1.274	3.2454	0.25264	1.28742	18.3917
Alona sps (?) 0.5mm							.708*****	10.1143
Chydorus sps (?) 0.4mm							.741*****	10.5857
Total Cladocera ug/L								
TOTAL CRUSTACEA ug/L								
ROTIFERA								
Kellicottia sps	0.128	-2.056	L224				0.015	0.214
Keratella sps	0.102	-2.283	L224				0.011	0.157
Polyarthra sps****	0.126	-2.071	L227				0.041	0.586
Gastropus sps	0.05	-2.996	L224				0.015	0.214
Brachionus sps*****	0.2	-1.6094	Clay				0.044	0.629
Asplanchna sps****	0.500		302					
Unknown rotifer (Gastropus like) ?	0.05	-2.996	L224				0.015	0.214
Total Rotifera ug/L								

Total Calanoida ug/L
 Total Cyclopoida ug/L
 Total Cladocera ug/L
 Total Rotifera ug/L

TOTAL ZOOPLANKTON ug/L

*Length/DryWeight Regressions in form LnW = Lna + bLnL from Malley et al. 1989

- R6 LnW= 0.9926-2.0997 LnL
- R27 LnW = 1.0542 -2.748 LnL
- R30 LnW =0.9772-2.5384 LnL
- R32 LnW = 1.1337 + 2.7882 LnL
- R49 LnW= 1.6388 - 2.4474 LnL
- R77 LnW= 1.3472+3.0087LnL
- R92 LnW= 0.8344-2.5760 LnL
- R94 LnW = 1.3169 - 2.7197 LnL
- DsL885 LnW = 1.3933 - 3.0114 LnL
- RL302 LnW = 1.6274 - 3.3367 LnL
- RL223Hg LnW = 2.1169 + 2.6972 LnL
- RL223BI LnW = 2.4751 - 3.3614 LnL
- RL223Cs LnW = 3.1270 -3.3678 LnL

** Table A2 Malley et al. 1989 Lake Ontario

***used formula for Diaphanosoma birgei Table 10 Malley et al 1989.

****Table 11 Malley et al 1989

***** used formula for Keratella cochlearis Clay Lake Table 11 Malley et all 1989

*****used formula for Ceriodaphnia lacustris Clay Lake Table 10 Malley et al 1989

*****Table A1 Malley et al 1989

2019 Minnow Zooplankton Wet Weight ug/L	1	2	3	4	5	6	7
	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?
	RGTN1	RGTN2	RGTN3	RGTN4	RGTN5	RGT41	RGT42
	2019	2019	2019	2019	2019	2019	2019
	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE
	12	12	12	12	12	14	14
	AM	AM	AM	AM	AM	AM	AM
	6	6	6	6	6	16	16
	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW
	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM
	80	80	40	40	40	80	80
	11	11	11	11	11	11	11
	1	1	1	1	1	1	1
	283.4	283.4	283.4	283.4	283.4	283.4	283.4
	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
INSTAR IDENTIFICATION & SIZE CLASSES							
COPEPODA							
CALANOIDA							
Epischura nevadensis Lilljeborg							
E.n. adult female	194.89					9.03	18.05
E.n. adult male	164.58	1.94				7.62	26.68
E.n. immature 0.5-1.3 mm	62.41					7.23	22.02
Total E. nevadensis		1.94				23.87	66.75
Diaptomus pallidus Herrick							
D.p. adult female	66.87						
D.p. gravid female	66.87						
D.p. adult male	35.13						
D.p. immature 2.0 mm	54.12						
D.p. immature 1.0 mm	37.00						
D.p. immature 0.75 mm	18.29					3.23	
D.p. immature 0.5 mm	6.54						
Total D. pallidus						3.23	
Diaptomus tyrrelli Poppe							
D.t. adult female	89.17					10.32	
D.t. gravid female	89.17					2.75	8.26
D.t. adult male	60.30					6.98	13.96
D.t. immature 2.0 mm	57.78						
D.t. immature 1.0 mm	37.00					13.06	
D.t. immature 0.75 mm	18.29						
D.t. immature 0.5 mm	6.53						
Total D. tyrrelli						33.11	22.22
Calanoid nauplii	2.928					0.52	
Total Calanoida ug/L		1.94				60.73	88.97
CYLOPOIDA							
Cyclops bicuspidatus thomasi S. A. Forbes							
C.b.t. female	22.05					31.13	35.02
C.b.t. gravid	22.05					0.15	2.55
C.b.t. male	10.99					9.69	31.02
C.b.t. immature 1.0	34.300					12.10	6.05
C.b.t. immature .75	16.055				3.78	50.99	87.81
C.b.t. immature .5	5.313				0.03	21.56	46.87
Total C. b. thomasi					3.81	125.61	209.31
Acanthocyclops vernalis Fischer ?	5.519					0.97	
Eucyclops agilis (?) immature 0.87mm	17.72	0.10	0.21	0.21			
Cyclops capillatus (?) dried out1.2mm	62.40					0.37	
Cyclopoid nauplius	2.747					0.65	11.63
Total Cyclopoida ug/L		0.10	0.21	0.21	4.82	138.22	232.09
CLADOCERA							
Daphnia schoedleri Sars 1.25mm	112.68					19.88	13.05
Daphnia galeata mendotae Birge							
D. g. m. 2.5 mm	507.84						
D. g. m. 2.0 mm	445.464						
D. g. m. 1.5 mm	335.573	20.72			1.97	118.41	15.54
D. g. m. 1.0 mm	43.243					4.01	
D. g. m. 0.5 mm	2.830					0.50	1.00
Total D. g. mendotae		20.72			1.97	122.91	16.54
Bosmina longirostris O.F.Muller							

2019 Minnow Zooplankton Wet Weight ug/L		1	2	3	4	5	6	7
		Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?
		RGTN1	RGTN2	RGTN3	RGTN4	RGTN5	RGT41	RGT42
		2019	2019	2019	2019	2019	2019	2019
		JUNE	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE
		12	12	12	12	12	14	14
		AM	AM	AM	AM	AM	AM	AM
		6	6	6	6	6	16	16
		MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW
		WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM
	Wet	80	80	40	40	40	80	80
	Weight	11	11	11	11	11	11	11
	ug	1	1	1	1	1	1	1
		283.4	283.4	283.4	283.4	283.4	283.4	283.4
B. l. 0.5mm	16.517			0.10		0.10	67.03	116.57
B. l. 0.25mm	1.607					0.38	62.66	112.57
Total B. longirostris				0.10		0.48	129.69	229.14

2019 Minnow Zooplankton Wet Weight ug/L	1	2	3	4	5	6	7
	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?
	RGTN1	RGTN2	RGTN3	RGTN4	RGTN5	RGT41	RGT42
	2019	2019	2019	2019	2019	2019	2019
	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE	JUNE
	12	12	12	12	12	14	14
	AM	AM	AM	AM	AM	AM	AM
	6	6	6	6	6	16	16
	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW
	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM
	80	80	40	40	40	80	80
	11	11	11	11	11	11	11
	1	1	1	1	1	1	1
	283.4	283.4	283.4	283.4	283.4	283.4	283.4
Daphnia retrocurva Forbes							
D. r. 2.0 mm	125.45					8.72	2.91
D. r. 1.0 mm	66.38					4.61	11.71
D. r. 0.5 mm	16.87						
Total D. retrocurva						13.33	14.62
Scapholeberis kingii Sars*****	211.521						
Sida crystallina O.F.Mueller 1.3mm	357.14						
Leptodora kindtii Focke	171.43					7.94	19.85
Diaphanosoma leuchtenbergianum Fisher***	18.3917						
Alona sps (?) 0.5mm	10.1143	0.06	1.25				
Chydorus sps (?) 0.4mm	10.5857				0.19		
Total Cladocera ug/L	20.78	1.25	0.10		2.64	293.75	293.19
TOTAL CRUSTACEA ug/L	22.72	1.35	0.31	0.21	7.46	492.70	614.25
ROTIFERA							
Kellicottia sps	0.214				0.10	6.62	7.52
Keratella sps	0.157				0.04	0.30	0.61
Polyarthra sps****	0.586					0.31	0.93
Gastropus sps	0.214						
Brachionus sps*****	0.629						0.33
Asplanchna sps****	1.501				0.35	5.56	5.83
Unknown rotifer (Gastropus like) ?	0.214		0.10				
Total Rotifera ug/L			0.10		0.49	12.79	15.22
Total Calanoida ug/L	1.94					60.73	88.97
Total Cyclopoida ug/L		0.10	0.21	0.21	4.82	138.22	232.09
Total Cladocera ug/L	20.78	1.25	0.10		2.64	293.75	293.19
Total Rotifera ug/L		0.10			0.49	12.79	15.22
TOTAL ZOOPLANKTON ug/L	22.72	1.45	0.31	0.21	7.95	505.49	629.48
*Length/DryWeight Regressions in form LnW = Lr							
R6 LnW= 0.9926-2.0997 LnL							
R27 LnW = 1.0542 -2.748 LnL							
R30 LnW =0.9772-2.5384 LnL							
R32 LnW = 1.1337 + 2.7882 LnL							
R49 LnW= 1.6388 - 2.4474 LnL							
R77 LnW= 1.3472+3.0087LnL							
R92 LnW= 0.8344-2.5760 LnL							
R94 LnW = 1.3169 - 2.7197 LnL							
DsL885 LnW = 1.3933 - 3.0114 LnL							
RL302 LnW = 1.6274 - 3.3367 LnL							
RL223Hg LnW = 2.1169 + 2.6972 LnL							
RL223BI LnW = 2.4751 - 3.3614 LnL							
RL223Cs LnW = 3.1270 -3.3678 LnL							
** Table A2 Malley et al. 1989 Lake Ontario							
***used formula for Diaphanosoma birgei Table 1							
****Table 11 Malley et al 1989							
***** used formula for Keratella cochlearis Clay L							
*****used formula for Ceriodaphnia lacustris Clay							
*****Table A1 Malley et al 1989							

2019 Minnow Zooplankton Wet Weight ug/L	8	9	10	11	12	13	14	14x
	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?
	RGT43	RGT44	RGT45	RGTN1	RGTN2	RGTN3	RGTN4	RTTN4
	2019	2019	2019	2019	2019	2019	2019	2019
	JUNE	JUNE	JUNE	AUGUST	AUG	AUG	AUG	AUG
	14	14	14	22	22	22	22	22
	AM	AM	AM	AM	AM	AM	AM	AM
	16	16	16	13	13	13	13	13
	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW
	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM
	160	160	80	40	40	40	40	40
	11	11	11	11	11	11	11	11
	1	1	1	1	1	1	1	1
	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
INSTAR IDENTIFICATION & SIZE CLASSES	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
COPEPODA								
CALANOIDA								
Epischura nevadensis Lilljeborg								
E.n. adult female	9.03		13.54	1.59		1.59	4.23	5.55
E.n. adult male		11.43	7.62	0.89	0.89	1.79	1.34	9.38
E.n. immature 0.5-1.3 mm	4.34	2.89	22.02	0.17	1.78		13.55	6.78
Total E. nevadensis	13.36	14.32	43.18	2.65	2.67	3.37	19.12	21.71
Diaptomus pallidus Herrick								
D.p. adult female						14.52		7.26
D.p. gravid female								
D.p. adult male								
D.p. immature 2.0 mm								
D.p. immature 1.0 mm				0.10			4.02	
D.p. immature 0.75 mm				7.94			3.97	
D.p. immature 0.5 mm				0.71		3.55	0.71	
Total D. pallidus				8.75		18.07	8.70	7.26
Diaptomus tyrrelli Poppe								
D.t. adult female	14.45	14.45	15.73	2.54	2.54	0.24	9.68	9.68
D.t. gravid female	2.06	2.06	8.26		0.48	0.24		
D.t. adult male	11.17	18.15	31.91	3.44	1.72	3.44	19.64	13.09
D.t. immature 2.0 mm		20.39				1.65		6.27
D.t. immature 1.0 mm		0.86		4.02				4.02
D.t. immature 0.75 mm	6.45		6.45					1.99
D.t. immature 0.5 mm								
Total D. tyrrelli	34.14	55.91	62.36	10.00	4.74	5.57	29.32	35.05
Calanoid nauplii		2.07	1.03	0.32		1.27	1.27	0.95
Total Calanoida ug/L	47.50	72.30	106.58	21.72	7.42	28.28	58.41	64.98
CYLOPOIDA								
Cyclops bicuspidatus thomasi S. A. Forbes								
C.b.t. female	54.47	46.69	42.80	14.37	7.18	4.79	9.58	9.58
C.b.t. gravid	2.55	1.53	4.60	1.89	1.26			
C.b.t. male	23.26	11.63	9.69	3.58	1.19	4.77	3.58	4.77
C.b.t. immature 1.0	36.31	24.21	30.26	3.72	3.72	3.72	7.45	14.90
C.b.t. immature .75	79.31	79.31	56.65	17.43	34.86	22.66	62.75	61.01
C.b.t. immature .5	24.37	15.00	13.12	13.84	15.00	8.65	23.07	29.42
Total C. b. thomasi	220.28	178.37	157.12	54.83	63.22	44.60	106.43	119.67
Acanthocyclops vernalis Fischer ?							0.60	
Eucyclops agilis (?) immature 0.87mm								
Cyclops capillatus (?) dried out 1.2mm								
Cyclopoid nauplius	19.39	18.42	22.78	5.37	2.68	6.26	2.98	6.86
Total Cyclopoida ug/L	239.67	196.79	179.90	60.20	65.90	50.86	110.01	126.53
CLADOCERA								
Daphnia schoedleri Sars 1.25mm								
		7.83	15.66	12.23				0.31
Daphnia galeata mendotae Birge								
D. g. m. 2.5 mm	358.39							
D. g. m. 2.0 mm				3.63	2.42	12.70	12.70	12.70
D. g. m. 1.5 mm	15.54	7.77		255.04	72.87	47.82	182.17	145.74
D. g. m. 1.0 mm	2.00	1.00	2.00	14.08	9.39	9.39	4.69	
D. g. m. 0.5 mm			0.50	1.84	0.92	0.92	2.77	1.84
Total D. g. mendotae	375.94	8.77	2.50	274.59	85.60	70.83	202.32	160.27
Bosmina longirostris O.F.Muller								

2019 Minnow Zooplankton Wet Weight ug/L	8	9	10	11	12	13	14	14x
	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?
	RGT43	RGT44	RGT45	RGTN1	RGTN2	RGTN3	RGTN4	RTTN4
	2019	2019	2019	2019	2019	2019	2019	2019
	JUNE	JUNE	JUNE	AUGUST	AUG	AUG	AUG	AUG
	14	14	14	22	22	22	22	22
	AM	AM	AM	AM	AM	AM	AM	AM
	16	16	16	13	13	13	13	13
	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW
	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM
	160	160	80	40	40	40	40	40
	11	11	11	11	11	11	11	11
	1	1	1	1	1	1	1	1
	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
B. l. 0.5mm	64.11	46.63	34.97					
B. l. 0.25mm	75.42	57.28	23.82	0.17				
Total B. longirostris	139.54	103.90	58.79	0.17				

2019 Minnow Zooplankton Wet Weight ug/L	8	9	10	11	12	13	14	14x
	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?
	RGT43	RGT44	RGT45	RGTN1	RGTN2	RGTN3	RGTN4	RTTN4
	2019	2019	2019	2019	2019	2019	2019	2019
	JUNE	JUNE	JUNE	AUGUST	AUG	AUG	AUG	AUG
	14	14	14	22	22	22	22	22
	AM	AM	AM	AM	AM	AM	AM	AM
	16	16	16	13	13	13	13	13
	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW
	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM
	160	160	80	40	40	40	40	40
	11	11	11	11	11	11	11	11
	1	1	1	1	1	1	1	1
	283.4	283.4	283.4	283.4	283.4	283.4	283.4	283.4
Daphnia retrocurva Forbes								
D. r. 2.0 mm	2.91	8.72					13.62	
D. r. 1.0 mm	4.61	1.54	1.54	7.21				
D. r. 0.5 mm								
Total D. retrocurva	7.52	10.25	1.54	7.21			13.62	
Scapholeberis kingii Sars*****					6.03	0.57	12.06	12.06
Sida crystallina O.F.Mueller 1.3mm						0.97		
Leptodora kindtii Focke	0.38	2.27	1.13		0.47		0.47	0.93
Diaphanosoma leuchtenbergianum Fisher***	0.43		0.43	0.05			0.05	0.05
Alona sps (?) 0.5mm								
Chydorus sps (?) 0.4mm								
Total Cladocera ug/L	523.79	133.02	80.04	294.26	92.09	72.37	228.52	173.62
TOTAL CRUSTACEA ug/L	810.96	402.12	366.52	376.17	165.41	151.51	396.94	365.13
ROTIFERA								
Kellicottia sps	7.79	8.17	3.18	0.09	0.05	0.02	0.12	0.12
Keratella sps	0.50	0.33	0.19	0.15	0.10	0.24	0.15	0.10
Polyarthra sps****	0.21	0.62	0.62	0.45	0.38	0.76	0.51	0.89
Gastropus sps				0.02		0.07	0.07	0.21
Brachionus sps*****			0.11					
Asplanchna sps****	2.65	4.24	0.53					
Unknown rotifer (Gastropus like) ?								
Total Rotifera ug/L	11.14	13.36	4.63	0.72	0.53	1.10	0.85	1.32
Total Calanoida ug/L	47.50	72.30	106.58	21.72	7.42	28.28	58.41	64.98
Total Cyclopoida ug/L	239.67	196.79	179.90	60.20	65.90	50.86	110.01	126.53
Total Cladocera ug/L	523.79	133.02	80.04	294.26	92.09	72.37	228.52	173.62
Total Rotifera ug/L	11.14	13.36	4.63	0.72	0.53	1.10	0.85	1.32
TOTAL ZOOPLANKTON ug/L	822.10	415.47	371.15	376.89	165.94	152.61	397.79	366.44
*Length/DryWeight Regressions in form LnW = Lr								
R6 LnW= 0.9926-2.0997 LnL								
R27 LnW = 1.0542 -2.748 LnL								
R30 LnW =0.9772-2.5384 LnL								
R32 LnW = 1.1337 + 2.7882 LnL								
R49 LnW= 1.6388 - 2.4474 LnL								
R77 LnW= 1.3472+3.0087LnL								
R92 LnW= 0.8344-2.5760 LnL								
R94 LnW = 1.3169 - 2.7197 LnL								
DsL885 LnW = 1.3933 - 3.0114 LnL								
RL302 LnW = 1.6274 - 3.3367 LnL								
RL223Hg LnW = 2.1169 + 2.6972 LnL								
RL223Bl LnW = 2.4751 - 3.3614 LnL								
RL223Cs LnW = 3.1270 -3.3678 LnL								
** Table A2 Malley et al. 1989 Lake Ontario								
***used formula for Diaphanosoma birgei Table 1								
****Table 11 Malley et al 1989								
***** used formula for Keratella cochlearis Clay L								
*****used formula for Ceriodaphnia lacustris Clay								
*****Table A1 Malley et al 1989								
















2019 Minnow Zooplankton Wet Weight ug/L	15	16	17	17x	18	19	20
	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?
	RGTN5	RGT41	RGT42	RGT43	RG4T3	RG4T4	RGT45
	2019	2019	2019	2019	2019	2019	2019
	AUG	AUG	AUG	AUG	AUG	AUG	AUG
	22	21	21	21	21	21	21
	AM	AM	AM	AM	AM	AM	AM
	13	23	23	23	23	23	23
	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW
	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM
	40	40	80	80	80	160	160
	11	11	11	11	11	11	11
	1	1	1	1	1	1	1
	283.4	283.4	283.4	283.4	283.4	283.4	283.4
INSTAR IDENTIFICATION & SIZE CLASSES	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
COPEPODA							
CALANOIDA							
Epischura nevadensis Lilljeborg							
E.n. adult female	11.11	1.50	4.19	3.89	3.14	3.14	3.14
E.n. adult male	18.76		1.51	1.01	2.65	10.60	5.30
E.n. immature 0.5-1.3 mm		0.10	0.38	0.38		2.01	2.01
Total E. nevadensis	29.87	1.59	6.08	5.28	5.79	15.76	10.45
Diaptomus pallidus Herrick							
D.p. adult female				8.21		1.08	
D.p. gravid female							
D.p. adult male							
D.p. immature 2.0 mm	5.88						
D.p. immature 1.0 mm		2.27				9.08	
D.p. immature 0.75 mm				4.49	2.24	4.49	
D.p. immature 0.5 mm	0.71	2.01	0.80		0.80	3.21	
Total D. pallidus	6.59	4.28	0.80	12.70	3.05	17.86	
Diaptomus tyrrelli Poppe							
D.t. adult female	5.08	1.44	8.62	2.87		2.87	4.31
D.t. gravid female	2.54		0.14	0.27	0.68	1.44	0.68
D.t. adult male	10.31	3.89	16.51	12.63	5.83	12.63	7.77
D.t. immature 2.0 mm				7.09			
D.t. immature 1.0 mm	4.02	2.27		9.08	4.54		
D.t. immature 0.75 mm		1.12		2.24			
D.t. immature 0.5 mm	0.19						
Total D. tyrrelli	22.14	8.71	25.27	34.19	11.05	16.94	12.76
Calanoid nauplii	1.59	1.08	1.08	1.44	2.52		
Total Calanoida ug/L	60.18	15.66	33.23	53.61	22.41	50.55	23.22
CYLOPOIDA							
Cyclops bicuspidatus thomasi S. A. Forbes							
C.b.t. female	11.97	6.77	5.41	2.71	5.41	5.41	10.83
C.b.t. gravid	2.51	0.36	0.71	0.71	0.71	1.07	0.36
C.b.t. male	1.19	1.35	1.35	2.70	6.74	5.39	2.70
C.b.t. immature 1.0		4.21			8.42		
C.b.t. immature .75	52.29	15.76	15.76	15.76	31.53	63.06	27.59
C.b.t. immature .5	25.38	14.02	14.34	18.26	30.65	35.21	27.39
Total C. b. thomasi	93.35	42.46	37.58	40.14	83.46	110.14	68.85
Acanthocyclops vernalis Fischer ?		0.34					
Eucyclops agilis (?) immature 0.87mm							
Cyclops capillatus (?) dried out 1.2mm							
Cyclopoid nauplius	6.86	9.61	8.77	11.80	10.12	5.40	17.53
Total Cyclopoida ug/L	100.21	52.41	46.35	51.94	93.57	115.53	86.38
CLADOCERA							
Daphnia schoedleri Sars 1.25mm					0.17		
Daphnia galeata mendotae Birge							
D. g. m. 2.5 mm							
D. g. m. 2.0 mm	2.42	7.18		0.68			14.35
D. g. m. 1.5 mm	109.30	82.37	123.56	329.49	82.37	75.68	329.49
D. g. m. 1.0 mm	23.47	10.61	21.23	26.54	15.92	10.61	10.61
D. g. m. 0.5 mm	2.15	1.04	0.35	0.35			0.69
Total D. g. mendotae	137.35	101.20	145.13	357.06	98.29	86.29	355.15
Bosmina longirostris O.F.Muller							

2019 Minnow Zooplankton Wet Weight ug/L	15	16	17	17x	18	19	20
	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?
	RGTN5	RGT41	RGT42	RGT43	RG4T3	RG4T4	RGT45
	2019	2019	2019	2019	2019	2019	2019
	AUG	AUG	AUG	AUG	AUG	AUG	AUG
	22	21	21	21	21	21	21
	AM	AM	AM	AM	AM	AM	AM
	13	23	23	23	23	23	23
	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW
	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM
	40	40	80	80	80	160	160
	11	11	11	11	11	11	11
	1	1	1	1	1	1	1
	283.4	283.4	283.4	283.4	283.4	283.4	283.4
B. l. 0.5mm		0.27				4.05	
B. l. 0.25mm	0.17				0.03		
Total B. longirostris	0.17	0.27			0.03	4.05	

2019 Minnow Zooplankton Wet Weight ug/L	15	16	17	17x	18	19	20
	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?	Lake ?
	RGTN5	RGT41	RGT42	RGT43	RG4T3	RG4T4	RGT45
	2019	2019	2019	2019	2019	2019	2019
	AUG	AUG	AUG	AUG	AUG	AUG	AUG
	22	21	21	21	21	21	21
	AM	AM	AM	AM	AM	AM	AM
	13	23	23	23	23	23	23
	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW	MINNOW
	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM	WJ19CM
	40	40	80	80	80	160	160
	11	11	11	11	11	11	11
	1	1	1	1	1	1	1
	283.4	283.4	283.4	283.4	283.4	283.4	283.4
Daphnia retrocurva Forbes							
D. r. 2.0 mm	13.62	7.70	15.40				
D. r. 1.0 mm		4.07	8.15				
D. r. 0.5 mm	1.83						
Total D. retrocurva	15.45	11.77	23.54				
Scapholeberis kingii Sars*****	3.44		25.96	3.41			
Sida crystallina O.F.Mueller 1.3mm						0.55	
Leptodora kindtii Focke	0.93		0.26	0.26	0.53		0.53
Diaphanosoma leuchtenbergianum Fisher***							
Alona sps (?) 0.5mm							
Chydorus sps (?) 0.4mm							
Total Cladocera ug/L	157.35	113.24	194.90	360.73	99.02	90.90	355.68
TOTAL CRUSTACEA ug/L	317.74	181.31	274.48	466.27	215.00	256.98	465.28
ROTIFERA							
Kellicottia sps	0.19	0.26	0.50	0.47	0.21	0.16	0.37
Keratella sps	0.15	0.26	0.50	0.73	0.31	0.62	0.73
Polyarthra sps****	0.89	0.43	0.22	0.29	0.36		0.14
Gastropus sps	0.19	0.07	0.21	0.26	0.11	0.11	0.37
Brachionus sps*****							
Asplanchna sps****							
Unknown rotifer (Gastropus like) ?				0.05		0.05	
Total Rotifera ug/L	1.42	1.02	1.43	1.81	0.98	0.93	1.61
Total Calanoida ug/L	60.18	15.66	33.23	53.61	22.41	50.55	23.22
Total Cyclopoida ug/L	100.21	52.41	46.35	51.94	93.57	115.53	86.38
Total Cladocera ug/L	157.35	113.24	194.90	360.73	99.02	90.90	355.68
Total Rotifera ug/L	1.42	1.02	1.43	1.81	0.98	0.93	1.61
TOTAL ZOOPLANKTON ug/L	319.16	182.33	275.91	468.08	215.98	257.91	466.89
*Length/DryWeight Regressions in form LnW = Lr							
R6 LnW= 0.9926-2.0997 LnL							
R27 LnW = 1.0542 -2.748 LnL							
R30 LnW =0.9772-2.5384 LnL							
R32 LnW = 1.1337 + 2.7882 LnL							
R49 LnW= 1.6388 - 2.4474 LnL							
R77 LnW= 1.3472+3.0087LnL							
R92 LnW= 0.8344-2.5760 LnL							
R94 LnW = 1.3169 - 2.7197 LnL							
DsL885 LnW = 1.3933 - 3.0114 LnL							
RL302 LnW = 1.6274 - 3.3367 LnL							
RL223Hg LnW = 2.1169 + 2.6972 LnL							
RL223BI LnW = 2.4751 - 3.3614 LnL							
RL223Cs LnW = 3.1270 -3.3678 LnL							
** Table A2 Malley et al. 1989 Lake Ontario							
***used formula for Diaphanosoma birgei Table 1							
****Table 11 Malley et al 1989							
***** used formula for Keratella cochlearis Clay L:							
*****used formula for Ceriodaphnia lacustris Clay							
*****Table A1 Malley et al 1989							

Images of identified specimens

- 1 Eucyclops sps? Immature
- 2 Bosmina longirostris
- 3 Dried Eucyclops sps ? immature
- 4 Eucyclops agilis (?)
- 5 Alona sps?
- 6 Daphnia galeata mendotae
- 7 Cyclops capillatus dried specimen
- 8 Diaptomus tyrelli male 5th leg
- 9 Epischura nevadensis male
- 10 Daphnia retrocurva
- 11 Diaptomus tyrelli males and Daphnia
- 12 Daphnia galeata (round helmet form)
- 13 Daphnia galeata (pointed helmet form)
- 14 Daphnia schoedleri
- 15 D. schoedleri pecten
- 16 D. schoedleri and D. galeata m
- 17 Diaptomus pallidus female
- 18 Daphnia retrocurva and Scapholeberis kingii
- 19 Daphnia galeata mendotae
- 20 Rotifer sps? (gastropus forma)
- 21 Cyclops bicuspidatus thomasi female
- 22 C.b.thomasi gravid female
- 23 Rotifer sps unknown



Sample ID	Species	Date Caught	Plus Growth	Ageing Method	Primary Ager	Age Estimate	CI	QAQC Ager	QAQC Age Estimate	CI	Final Age Estimate	Notes
ER-NSC-01	NPM	Jun-18	-	Read Whole	KM	10	F	MM	10	F	10	
ER-NSC-02	NPM	Jun-18	-	Read Whole	KM	9	F	MM	9	FG	9	
ER-NSC-03	NPM	Jun-18	-	Read Whole	KM	10	F	MM	9	F	10	
ER-NSC-04	NPM	Jun-18	-	Read Whole	KM	12	F	MM	12	F	12	
ER-NSC-05	NPM	Jun-18	-	Read Whole	KM	11	F	MM	11	FG	11	
ER-NSC-06	NPM	Jun-18	-	Read Whole	KM	6	F	MM	6	FG	6	
GC-NSC-01	NPM	Jun-18	-	Read Whole	KM	9	F	MM	9	FG	9	
GC-NSC-02	NPM	Jun-18	-	Read Whole	KM	9	F	MM	9	F	9	
GC-NSC-03	NPM	Jun-18	-	Read Whole	KM	15	F	MM	15	FG	15	
SC-NSC-01	NPM	Jun-18	-	Read Whole	KM	12	F				12	
SC-NSC-02	NPM	Jun-18	-	Read Whole	KM	13	F				13	
SC-NSC-03	NPM	Jun-18	-	Read Whole	KM	10	F				10	
SC-NSC-04	NPM	Jun-18	-	Read Whole	KM	9	F				9	
SC-NSC-05	NPM	Jun-18	-	Read Whole	KM	8	F				8	
SC-NSC-06	NPM	Jun-18	-	Read Whole	KM	11	F				11	
SC-NSC-07	NPM	Jun-18	-	Read Whole	KM	17	F	MM	17	F	17	
ERKR-PCC-01	PCC	Apr-18	-	Section	MM	12	FG				12	
ERKR-PCC-02	PCC	Apr-18	-	Section	MM	5	FG				5	
ERKR-PCC-03	PCC	Apr-18	-	Section	MM	7	F	KM	7	F	7	
ERKR-PCC-04	PCC	Apr-18	-	Section	MM	5	F	KM	5	F	5	
ERKR-PCC-05	PCC	Apr-18	-	Section	KM	5	FG				5	
ERKR-PCC-06	PCC	Apr-18	-	Section	MM	5	F	KM	5	F	5	
ERKR-PCC-07	PCC	Apr-18	-	Section	MM	7	F	KM	7	F	7	
ERKR-PCC-08	PCC	Apr-18	-	Section	MM	6	FG				6	
ERKR-PCC-09	PCC	Apr-18	-	Section	MM	11	F	KM	11	FG	11	
ERKR-PCC-11	PCC	Apr-18	-	Section	MM	11	F	KM	12	F	11	
ERKR-PCC-12	PCC	Apr-18	-	Section	MM	13	F	KM	13	FG	13	
ERKR-PCC-13	PCC	Apr-18	-	Section	MM	4	FG				4	
ERKR-PCC-14	PCC	Apr-18	-	Section	MM	5	FG				5	
ERKR-PCC-15	PCC	Apr-18	-	Section	MM	5	F	KM	5	F	5	
ERKR-PCC-16	PCC	Apr-18	-	Section	MM	15	F	KM	15	FG	15	
ERKR-PCC-17	PCC	Apr-18	-	Section	MM	5	FG				5	
ERKR-PCC-18	PCC	Apr-18	-	Section	MM	7	FG				7	
ERKR-PCC-19	PCC	Apr-18	-	Section	MM	4	F	KM	3	FP	4	
ERKR-PCC-20	PCC	Apr-18	-	Section	MM	6	FG				6	
ERKR-PCC-21	PCC	Apr-18	-	Section	MM	4	FG				4	
ERKR-PCC-22	PCC	Apr-18	-	Section	MM	6	F	KM	5	FG	5	
ERKR-PCC-23	PCC	Apr-18	-	Section	MM	6	F	KM	6	F	6	
ERKR-PCC-24	PCC	Apr-18	-	Section	MM	5	F				5	
ERKR-PCC-25	PCC	Apr-18	-	Section	MM	5	FG	KM	5	FG	5	
ERKR-PCC-26	PCC	Apr-18	-	Section	MM	5	FG				5	
ERKR-PCC-27	PCC	Apr-18	-	Section	MM	15	F				15	
ERKR-PCC-28	PCC	Apr-18	-	Section	MM	5	F				5	
ERKR-PCC-29	PCC	Apr-18	-	Section	MM	5	FG				5	
ERKR-PCC-30	PCC	Apr-18	-	Section	MM	12	FP				12	
ERKR-PCC-31	PCC	Apr-18	-	Section	MM	5	FG	KM	5	FG	5	
ERKR-PCC-32	PCC	Apr-18	-	Section	MM	14	F	KM	14	F	14	
ERKR-PCC-33	PCC	Apr-18	-	Section	MM	6	FG				6	
ERKR-PCC-34	PCC	Apr-18	-	Section	MM	15	FG				15	
ERKR-PCC-35	PCC	Apr-18	-	Section	MM	5	FG	KM	5	F	5	
ERKR-PCC-36	PCC	Apr-18	-	Section	MM	14	F				14	
ERKR-PCC-37	PCC	Apr-18	-	Section	MM	6	FG				6	
ERKR-PCC-38	PCC	Apr-18	-	Section	MM	5	FG	KM	5	F	5	
ERKR-PCC-39	PCC	Apr-18	-	Section	MM	7	FG				7	
ERKR-PCC-40	PCC	Apr-18	-	Section	MM	6	F				6	
ERKR-PCC-41	PCC	Apr-18	-	Section	MM	5	F				5	
ERKR-PCC-42	PCC	Apr-18	-	Section	MM	6	F	KM	6	FG	6	
ERKR-PCC-43	PCC	Apr-18	-	Section	MM	5	FG				5	
ERKR-PCC-44	PCC	Apr-18	-	Section	MM	4	FG				4	
ERKR-PCC-45	PCC	Apr-18	-	Section	MM	4	FG				4	
ERKR-PCC-46	PCC	Apr-18	-	Section	MM	4	FG				4	
ERKR-PCC-47	PCC	Apr-18	-	Section	MM	6	FG	KM	6	FG	6	
ERKR-PCC-48	PCC	Apr-18	-	Section	MM	5	FG				5	
ERKR-PCC-49	PCC	Apr-18	-	Section	MM	4	FG				4	
ERKR-PCC-50	PCC	Apr-18	-	Section	MM	4	FG				4	
ERKR-PCC-51	PCC	Apr-18	-	Section	MM	5	FG				5	
ERKR-PCC-52	PCC	Apr-18	-	Section	MM	5	F	KM	5	FG	5	
ERKR-PCC-53	PCC	Apr-18	-	Section	KM	5	FP				5	
ERKR-PCC-54	PCC	Apr-18	-	Section	KM	5	FG				5	
ERKR-PCC-55	PCC	Apr-18	-	Section	MM	5	FG				5	
ERKR-PCC-56	PCC	Apr-18	-	Section	MM	5	FG				5	
ERKR-PCC-57	PCC	Apr-18	-	Section	KM	5	FG				5	
ERKR-PCC-58	PCC	Apr-18	-	Section	MM	5	FG	KM	5	FG	5	
GCKR-PCC-01	PCC	Apr-18	-	Section	MM	8	F				8	
GCKR-PCC-02	PCC	Apr-18	-	Section	MM	6	FG				6	
GCKR-PCC-03	PCC	Apr-18	-	Section	MM	6	F				6	
GCKR-PCC-04	PCC	Apr-18	-	Section	MM	7	FG				7	
GCKR-PCC-05	PCC	Apr-18	-	Section	MM	7	FG				7	
GCKR-PCC-06	PCC	Apr-18	-	Section	MM	4	FG				4	
GCKR-PCC-07	PCC	Apr-18	-	Section	MM	4	FG				4	
GCKR-PCC-08	PCC	Apr-18	-	Section	MM	5	FG				5	
GCKR-PCC-09	PCC	Apr-18	-	Section	MM	9	FG				9	
GCKR-PCC-10	PCC	Apr-18	-	Section	MM	5	FG				5	
GCKR-PCC-11	PCC	Apr-18	-	Section	MM	6	FG				6	
GCKR-PCC-12	PCC	Apr-18	-	Section	MM	5	FG				5	
GCKR-PCC-13	PCC	Apr-18	-	Section	MM	8	FG				8	
GCKR-PCC-14	PCC	Apr-18	-	Section	MM	11	FG				11	

Sample ID	Species	Date Caught	Plus Growth	Ageing Method	Primary Ager	Age Estimate	CI	QAQC Ager	QAQC Age Estimate	CI	Final Age Estimate	Notes
GCKR-PCC-15	PCC	Apr-18	-	Section	MM	7	FG				7	
GCKR-PCC-16	PCC	Apr-18	-	Section	MM	7	FG				7	
GCKR-PCC-17	PCC	Apr-18	-	Section	MM	5	FG				5	
GCKR-PCC-18	PCC	Apr-18	-	Section	MM	7	F	KM	7	FG	7	
GCKR-PCC-19	PCC	Apr-18	-	Section	MM	5	FG				5	
GCKR-PCC-20	PCC	Apr-18	-	Section	MM	6	FG				6	
GCKR-PCC-21	PCC	Apr-18	-	Section	MM	6	FG				6	
GCKR-PCC-22	PCC	Apr-18	-	Section	MM	7	F				7	
GCKR-PCC-23	PCC	Apr-18	-	Section	MM	5	FG				5	
GCKR-PCC-24	PCC	Apr-18	-	Section	MM	7	FG				7	
GCKR-PCC-25	PCC	Apr-18	-	Section	MM	11	F				11	
GCKR-PCC-26	PCC	Apr-18	-	Section	MM	5	FG				5	
GCKR-PCC-27	PCC	Apr-18	-	Section	MM	7	F				7	
GCKR-PCC-28	PCC	Apr-18	-	Section	MM	7	F				7	
GCKR-PCC-29	PCC	Apr-18	-	Section	MM	5	FG				5	
GCKR-PCC-30	PCC	Apr-18	-	Section	MM	11	FG				11	
GCKR-PCC-31	PCC	Apr-18	-	Section	MM	7	FG				7	
GCKR-PCC-32	PCC	Apr-18	-	Section	MM	5	F	KM	5	F	5	
GCKR-PCC-33	PCC	Apr-18	-	Section	MM	6	FG				6	
GCKR-PCC-34	PCC	Apr-18	-	Section	MM	6	FG				6	
GCKR-PCC-35	PCC	Apr-18	-	Section	MM	7	F				7	
GCKR-PCC-36	PCC	Apr-18	-	Section	MM	5	FG				5	
GCKR-PCC-37	PCC	Apr-18	-	Section	MM	4	FG				4	
GCKR-PCC-38	PCC	Apr-18	-	Section	MM	6	F				6	
GCKR-PCC-39	PCC	Apr-18	-	Section	MM	6	FG				6	
GCKR-PCC-40	PCC	Apr-18	-	Section	MM	6	F				6	
GCKR-PCC-41	PCC	Apr-18	-	Section	MM	6	FG				6	
GCKR-PCC-42	PCC	Apr-18	-	Section	MM	7	F	KM	6	F	7	
GCKR-PCC-43	PCC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
GCKR-PCC-44	PCC	Apr-18	-	Section	MM	5	FG				5	
GCKR-PCC-45	PCC	Apr-18	-	Section	MM	5	FG				5	
GCKR-PCC-46	PCC	Apr-18	-	Section	MM	4	FG				4	
GCKR-PCC-47	PCC	Apr-18	-	Section	MM	11	FG				11	
GCKR-PCC-48	PCC	Apr-18	-	Section	MM	9	F				9	
GCKR-PCC-49	PCC	Apr-18	-	Section	MM	5	FG	KM	5	FG	5	
GCKR-PCC-50	PCC	Apr-18	-	Section	MM	5	FG				5	
GCKR-PCC-51	PCC	Apr-18	-	Section	MM	4	FP	KM	4	FP	4	
GCKR-PCC-52	PCC	Apr-18	-	Section	MM	8	F				8	
GCKR-PCC-53	PCC	Apr-18	-	Section	MM	5	FG	KM	5	FG	5	
GCKR-PCC-54	PCC	Apr-18	-	Section	MM	6	FG	KM	6	F	6	
GCKR-PCC-55	PCC	Apr-18	-	Section	MM	6	FG	KM	6	FG	6	
GCKR-PCC-56	PCC	Apr-18	-	Section	MM	10	F	KM	10	FG	10	
GCKR-PCC-57	PCC	Apr-18	-	Section	MM	6	FG	KM	6	F	6	
GCKR-PCC-58	PCC	Apr-18	-	Section	MM	6	F	KM	6	F	6	
GCKR-PCC-59	PCC	Apr-18	-	Section	MM	5	F	KM	5	FG	5	
GCKR-PCC-60	PCC	Apr-18	-	Section	MM	8	F				8	
GCKR-PCC-61	PCC	Apr-18	-	Section	MM	5	FP				5	
SCKR-PCC-01	PCC	Apr-18	-	Section	MM	12	FG				12	
SCKR-PCC-02	PCC	Apr-18	-	Section	MM	11	F				11	
SCKR-PCC-03	PCC	Apr-18	-	Section	MM	11	FP				11	
SCKR-PCC-04	PCC	Apr-18	-	Section	MM	9	FG				9	
SCKR-PCC-05	PCC	Apr-18	-	Section	MM	5	F	KM	5	F	5	
SCKR-PCC-06	PCC	Apr-18	-	Section	MM	8	FG				8	
SCKR-PCC-07	PCC	Apr-18	-	Section	MM	6	F				6	
SCKR-PCC-08	PCC	Apr-18	-	Section	MM	14	F				14	
SCKR-PCC-09	PCC	Apr-18	-	Section	MM	5	FG				5	
SCKR-PCC-10	PCC	Apr-18	-	Section	MM	6	FG				6	
SCKR-PCC-11	PCC	Apr-18	-	Section	MM	7	FG				7	
SCKR-PCC-12	PCC	Apr-18	-	Section	MM	6	FG				6	
SCKR-PCC-13	PCC	Apr-18	-	Section	MM	7	F	KM	6	F	7	
SCKR-PCC-14	PCC	Apr-18	-	Section	MM	5	FG				5	
SCKR-PCC-16	PCC	Apr-18	-	Section	MM	5	F				5	
SCKR-PCC-17	PCC	Apr-18	-	Section	MM	6	FG				6	
SCKR-PCC-18	PCC	Apr-18	-	Section	MM	7	F				7	
SCKR-PCC-19	PCC	Apr-18	-	Section	MM	5	F				5	
SCKR-PCC-20	PCC	Apr-18	-	Section	MM	10	FP				10	
SCKR-PCC-21	PCC	Apr-18	-	Section	MM	18	FP	KM	18	F	18	
SCKR-PCC-22	PCC	Apr-18	-	Section	MM	15	F				15	
SCKR-PCC-23	PCC	Apr-18	-	Section	MM	5	F				5	
SCKR-PCC-24	PCC	Apr-18	-	Section	MM	6	F				6	
SCKR-PCC-25	PCC	Apr-18	-	Section	MM	9	F				9	
SCKR-PCC-26	PCC	Apr-18	-	Section	MM	7	F				7	
SCKR-PCC-27	PCC	Apr-18	-	Section	MM	5	FG				5	
SCKR-PCC-28	PCC	Apr-18	-	Section	MM	11	F				11	
SCKR-PCC-29	PCC	Apr-18	-	Section	MM	7	F	KM	5	FG	5	
SCKR-PCC-30	PCC	Apr-18	-	Section	MM	4	FG				4	
SCKR-PCC-31	PCC	Apr-18	-	Section	MM	6	F				6	
SCKR-PCC-33	PCC	Apr-18	-	Section	MM	5	FG				5	
SCKR-PCC-34	PCC	Apr-18	-	Section	MM	5	FG				5	
SCKR-PCC-35	PCC	Apr-18	-	Section	MM	5	FG				5	
SCKR-PCC-36	PCC	Apr-18	-	Section	MM	5	FG	KM	5	FG	5	
SCKR-PCC-37	PCC	Apr-18	-	Section	MM	7	FG				7	
SCKR-PCC-38	PCC	Apr-18	-	Section	MM	5	FG				5	
SCKR-PCC-39	PCC	Apr-18	-	Section	MM	6	FG				6	
SCKR-PCC-40	PCC	Apr-18	-	Section	MM	5	FG				5	
SCKR-PCC-41	PCC	Apr-18	-	Section	MM	4	FG				4	
SCKR-PCC-42	PCC	Apr-18	-	Section	MM	5	FG				5	

Sample ID	Species	Date Caught	Plus Growth	Ageing Method	Primary Ager	Age Estimate	CI	QAQC Ager	QAQC Age Estimate	CI	Final Age Estimate	Notes
SCKR-PCC-43	PCC	Apr-18	-	Section	MM	5	FG				5	
SCKR-PCC-44	PCC	Apr-18	-	Section	MM	11	F				11	
SCKR-PCC-45	PCC	Apr-18	-	Section	MM	7	F	KM	6	FP	7	
SCKR-PCC-46	PCC	Apr-18	-	Section	MM	6	F				6	
SCKR-PCC-47	PCC	Apr-18	-	Section	MM	7	F				7	
SCKR-PCC-48	PCC	Apr-18	-	Section	MM	5	FG				5	
SCKR-PCC-49	PCC	Apr-18	-	Section	MM	6	FG				6	
SCKR-PCC-50	PCC	Apr-18	-	Section	MM	6	F				6	
SCKR-PCC-51	PCC	Apr-18	-	Section	MM	5	F				5	
SCKR-PCC-52	PCC	Apr-18	-	Section	MM	6	F	KM	6	FG	6	
SCKR-PCC-53	PCC	Apr-18	-	Section	MM	4	FG				4	
SCKR-PCC-54	PCC	Apr-18	-	Section	MM	5	FG				5	
SCKR-PCC-55	PCC	Apr-18	-	Section	MM	5	FG				5	
SCKR-PCC-56	PCC	Apr-18	-	Section	MM	5	FG				5	
SCKR-PCC-57	PCC	Apr-18	-	Section	MM	n/a	n/a				n/a	both otoliths crystallized, unable to age
SCKR-PCC-58	PCC	Apr-18	-	Section	MM	6	FG				6	
SCKR-PCC-59	PCC	Apr-18	-	Section	MM	11	FG				11	
SCKR-PCC-60	PCC	Apr-18	-	Section	MM	6	F	KM	6	F	6	
ERKR-RSC-01	RSC	Apr-18	-	Section	MM	4	FG				4	
ERKR-RSC-02	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-04	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-05	RSC	Apr-18	-	Section	MM	3	FG				3	
ERKR-RSC-06	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-07	RSC	Apr-18	-	Section	MM	4	F				4	
ERKR-RSC-08	RSC	Apr-18	-	Section	MM	5	FG				5	
ERKR-RSC-09	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-10	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-11	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-12	RSC	Apr-18	-	Section	MM	4	FP				4	
ERKR-RSC-13	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-14	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-15	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-16	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-17	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
ERKR-RSC-19	RSC	Apr-18	-	Section	MM	3	FG				3	
ERKR-RSC-21	RSC	Apr-18	-	Section	MM	3	FG				3	
ERKR-RSC-22	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-23	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-24	RSC	Apr-18	-	Section	MM	4	FG				4	
ERKR-RSC-25	RSC	Apr-18	-	Section	MM	5	F	KM	5	F	5	
ERKR-RSC-26	RSC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
ERKR-RSC-27	RSC	Apr-18	-	Section	MM	3	FG				3	
ERKR-RSC-28	RSC	Apr-18	-	Section	MM	3	FG	KM	3	F	3	
ERKR-RSC-29	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-30	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-31	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-32	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
ERKR-RSC-33	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-34	RSC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
ERKR-RSC-35	RSC	Apr-18	-	Section	MM	4	F	KM	4	FG	4	
ERKR-RSC-36	RSC	Apr-18	-	Section	MM	4	FG	KM	4	FG	4	
ERKR-RSC-37	RSC	Apr-18	-	Section	MM	4	F				4	
ERKR-RSC-38	RSC	Apr-18	-	Section	MM	2	P	KM	2	FP	2	
ERKR-RSC-39	RSC	Apr-18	-	Section	MM	3	FP	KM	2	FP	2	
ERKR-RSC-40	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-41	RSC	Apr-18	-	Section	KM	3	F				3	
ERKR-RSC-42	RSC	Apr-18	-	Section	MM	3	FP	KM	3	F	3	
ERKR-RSC-43	RSC	Apr-18	-	Section	MM	3	P	KM	3	F	3	
ERKR-RSC-44	RSC	Apr-18	-	Section	MM	3	FG	KM	3	FG	3	
ERKR-RSC-45	RSC	Apr-18	-	Section	MM	5	FG	KM	5	FG	5	
ERKR-RSC-46	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
ERKR-RSC-47	RSC	Apr-18	-	Section	MM	2	FG	KM	2	F	2	
ERKR-RSC-48	RSC	Apr-18	-	Section	MM	5	F	KM	4	FG	4	
ERKR-RSC-49	RSC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
ERKR-RSC-50	RSC	Apr-18	-	Section	MM	3	FG	KM	3	F	3	
ERKR-RSC-51	RSC	Apr-18	-	Section	MM	4	FG				4	
ERKR-RSC-52	RSC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
ERKR-RSC-53	RSC	Apr-18	-	Section	MM	4	F	KM	4	FG	4	
ERKR-RSC-54	RSC	Apr-18	-	Section	MM	3	FG				3	
ERKR-RSC-55	RSC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
ERKR-RSC-56	RSC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
ERKR-RSC-57	RSC	Apr-18	-	Section	MM	8	F	KM	7	F	7	
ERKR-RSC-58	RSC	Apr-18	-	N/A	N/A	-	-	-	-	-	n/a	head cut off too close to front - otoliths no longer present
ERKR-RSC-59	RSC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
ERKR-RSC-60	RSC	Apr-18	-	Section	MM	5	F	KM	5	F	5	
ERKR-RSC-61	RSC	Apr-18	-	Section	MM	5	F				5	
ERKR-RSC-62	RSC	Apr-18	-	Section	MM	5	F	KM	5	F	5	
ERKR-RSC-63	RSC	Apr-18	-	Section	MM	5	F				5	
ERKR-RSC-64	RSC	Apr-18	-	Section	MM	4	FP	KM	4	F	4	
ERKR-RSC-66	RSC	Apr-18	-	Section	MM	5	FG				5	
ERKR-RSC-67	RSC	Apr-18	-	Section	MM	4	FG				4	
ERKR-RSC-68	RSC	Apr-18	-	Section	MM	4	FP	KM	5	FP	4	otolith crystalized

Sample ID	Species	Date Caught	Plus Growth	Ageing Method	Primary Ager	Age Estimate	CI	QAQC Ager	QAQC Age Estimate	CI	Final Age Estimate	Notes
ERKR-RSC-69	RSC	Apr-18	-	Section	MM	3	FG				3	
ERKR-RSC-70	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-71	RSC	Apr-18	-	Section	MM	4	F	KM	4	FG	4	
ERKR-RSC-72	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
ERKR-RSC-73	RSC	Apr-18	-	Section	MM	3	F				3	
ERKR-RSC-74	RSC	Apr-18	-	Section	MM	3	F	KM	3	FG	3	
ERKR-RSC-75	RSC	Apr-18	-	Section	MM	4	FG	KM	4	FG	4	
ERKR-RSC-76	RSC	Apr-18	-	Section	MM	7	F	KM	7	F	7	
ERKR-RSC-77	RSC	Apr-18	-	Section	MM	4	FG	KM	4	F	4	
ERKR-RSC-78	RSC	Apr-18	-	Section	MM	4	F	KM	5	F	5	
ERKR-RSC-79	RSC	Apr-18	-	Section	MM	4	F	KM	4	FG	4	
ERKR-RSC-80	RSC	Apr-18	-	Section	MM	6	F	KM	5	F	5	
ERKR-RSC-81	RSC	Apr-18	-	Section	MM	4	F	KM	5	F	5	
ERKR-RSC-82	RSC	Apr-18	-	Section	MM	4	F	KM	4	FG	4	
ERKR-RSC-83	RSC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
ERKR-RSC-84	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
ERKR-RSC-85	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
ERKR-RSC-86	RSC	Apr-18	-	Section	MM	3	F	KM	3	FG	3	
ERKR-RSC-87	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
GCKR-RSC-01	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
GCKR-RSC-02	RSC	Apr-18	-	Section	MM	3	FG				3	
GCKR-RSC-04	RSC	Apr-18	-	Section	MM	3	FP	KM	3	FP	3	
GCKR-RSC-05	RSC	Apr-18	-	Section	MM	3	F	KM	3	FG	3	
GCKR-RSC-06	RSC	Apr-18	-	Section	MM	2	F	KM	2	FG	2	
GCKR-RSC-07	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-08	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-09	RSC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
GCKR-RSC-10	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
GCKR-RSC-12	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-13	RSC	Apr-18	-	Section	MM	2	F	KM	2	F	2	
GCKR-RSC-14	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-15	RSC	Apr-18	-	Section	MM	4	FG	KM	4	FG	4	
GCKR-RSC-16	RSC	Apr-18	-	Section	MM	3	FG				3	
GCKR-RSC-17	RSC	Apr-18	-	Section	MM	5	F	KM	5	F	5	
GCKR-RSC-18	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
GCKR-RSC-19	RSC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
GCKR-RSC-20	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
GCKR-RSC-21	RSC	Apr-18	-	Section	MM	4	F	KM	4	FG	4	
GCKR-RSC-22	RSC	Apr-18	-	Section	MM	3	FG	KM	3	F	3	
GCKR-RSC-23	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-24	RSC	Apr-18	-	Section	MM	3	FG	KM	3	F	3	
GCKR-RSC-25	RSC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
GCKR-RSC-26	RSC	Apr-18	-	Section	MM	2	FP				2	
GCKR-RSC-27	RSC	Apr-18	-	Section	MM	3	FG	KM	3	FG	3	
GCKR-RSC-28	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
GCKR-RSC-29	RSC	Apr-18	-	Section	MM	3	FG				3	
GCKR-RSC-30	RSC	Apr-18	-	Section	MM	3	FG				3	
GCKR-RSC-31	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
GCKR-RSC-32	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-33	RSC	Apr-18	-	Section	MM	3	F	KM	3	FG	3	
GCKR-RSC-34	RSC	Apr-18	-	Section	MM	3	FG				3	
GCKR-RSC-35	RSC	Apr-18	-	Section	MM	2	F	KM	2	F	2	
GCKR-RSC-36	RSC	Apr-18	-	Section	MM	3	FG	KM	3	FG	3	
GCKR-RSC-37	RSC	Apr-18	-	Section	MM	4	FG	KM	5	F	4	
GCKR-RSC-38	RSC	Apr-18	-	Section	MM	2	FG	KM	2	F	2	
GCKR-RSC-39	RSC	Apr-18	-	Section	MM	3	FG				3	
GCKR-RSC-40	RSC	Apr-18	-	Section	MM	3	FG				3	
GCKR-RSC-41	RSC	Apr-18	-	Section	MM	3	FG				3	
GCKR-RSC-42	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-43	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-44	RSC	Apr-18	-	Section	MM	4	FG				4	
GCKR-RSC-45	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-46	RSC	Apr-18	-	Section	MM	3	FG				3	
GCKR-RSC-47	RSC	Apr-18	-	Section	MM	4	FG				4	
GCKR-RSC-49	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-50	RSC	Apr-18	-	Section	KM	3	F				3	
GCKR-RSC-51	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-52	RSC	Apr-18	-	Section	MM	4	FP				4	
GCKR-RSC-53	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-54	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-55	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-56	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-57	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-58	RSC	Apr-18	-	Section	MM	3	FG				3	
GCKR-RSC-59	RSC	Apr-18	-	Section	MM	3	FG				3	
GCKR-RSC-60	RSC	Apr-18	-	Section	MM	4	F				4	
GCKR-RSC-62	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-63	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-64	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
GCKR-RSC-65	RSC	Apr-18	-	Section	MM	4	F				4	
GCKR-RSC-66	RSC	Apr-18	-	Section	MM	4	F				4	
GCKR-RSC-67	RSC	Apr-18	-	Section	MM	3	FG				3	
GCKR-RSC-68	RSC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
GCKR-RSC-69	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
GCKR-RSC-70	RSC	Apr-18	-	Section	MM	4	F	KM	5	F	5	
GCKR-RSC-72	RSC	Apr-18	-	Section	MM	4	FG	KM	4	F	4	
GCKR-RSC-73	RSC	Apr-18	-	Section	MM	3	FG	KM	3	F	3	

Sample ID	Species	Date Caught	Plus Growth	Ageing Method	Primary Ager	Age Estimate	CI	QAQC Ager	QAQC Age Estimate	CI	Final Age Estimate	Notes
GCKR-RSC-74	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-75	RSC	Apr-18	-	Section	MM	4	FP	KM	4	F	4	
GCKR-RSC-76	RSC	Apr-18	-	Section	MM	3	FG	KM	3	FG	3	
GCKR-RSC-77	RSC	Apr-18	-	Section	MM	5	F	KM	5	F	5	
GCKR-RSC-78	RSC	Apr-18	-	Section	MM	4	F	KM	3	FG	3	
GCKR-RSC-79	RSC	Apr-18	-	Section	MM	2	F	KM	2	FG	2	
GCKR-RSC-80	RSC	Apr-18	-	Section	MM	3	F	KM	2	FG	2	
GCKR-RSC-81	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-82	RSC	Apr-18	-	Section	MM	4	FP	KM	3	F	3	
GCKR-RSC-83	RSC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
GCKR-RSC-84	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
GCKR-RSC-85	RSC	Apr-18	-	Section	MM	3	FG	KM	3	F	3	
GCKR-RSC-86	RSC	Apr-18	-	Section	MM	3	F				3	
GCKR-RSC-87	RSC	Apr-18	-	Section	MM	3	FP	KM	3	FP	3	
GCKR-RSC-88	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-02	RSC	Apr-18	-	Section	MM	4	F	KM	3	F	3	
SCKR-RSC-04	RSC	Apr-18	-	Section	MM	2	F				2	
SCKR-RSC-05	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-06	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-08	RSC	Apr-18	-	Section	MM	4	FP	KM	3	FP	4	
SCKR-RSC-09	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
SCKR-RSC-10	RSC	Apr-18	-	Section	MM	2	F				2	
SCKR-RSC-11	RSC	Apr-18	-	Section	MM	3	FG				3	
SCKR-RSC-12	RSC	Apr-18	-	Section	MM	3	FG				3	
SCKR-RSC-123	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-13	RSC	Apr-18	-	Section	MM	3	FP				3	
SCKR-RSC-14	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-15	RSC	Apr-18	-	Section	MM	3	FG				3	
SCKR-RSC-16	RSC	Apr-18	-	Section	MM	2	F				2	
SCKR-RSC-17	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-18	RSC	Apr-18	-	Section	MM	4	F				4	
SCKR-RSC-19	RSC	Apr-18	-	Section	MM	3	FG				3	
SCKR-RSC-20	RSC	Apr-18	-	Section	MM	4	F				4	
SCKR-RSC-21	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-22	RSC	Apr-18	-	Section	MM	3	FG	KM	4	F	3	
SCKR-RSC-23	RSC	Apr-18	-	Section	MM	3	F				3	Envelope labeled RSC-60
SCKR-RSC-24	RSC	Apr-18	-	Section	MM	4	FG	KM	4	FG	4	
SCKR-RSC-25	RSC	Apr-18	-	Section	MM	3	F	KM	4	F	4	
SCKR-RSC-26	RSC	Apr-18	-	Section	MM	3	FG				3	
SCKR-RSC-27	RSC	Apr-18	-	Section	MM	3	FG				3	
SCKR-RSC-28	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
SCKR-RSC-29	RSC	Apr-18	-	Section	MM	4	F	KM	4	FG	4	
SCKR-RSC-30	RSC	Apr-18	-	Section	MM	5	F	KM	5	F	5	
SCKR-RSC-31	RSC	Apr-18	-	Section	MM	4	F	KM	5	F	5	
SCKR-RSC-32	RSC	Apr-18	-	Section	MM	3	F	KM	4	F	4	
SCKR-RSC-33	RSC	Apr-18	-	Section	MM	3	F	KM	4	F	4	
SCKR-RSC-34	RSC	Apr-18	-	Section	MM	4	FP	KM	4	F	4	
SCKR-RSC-35	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-36	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-37	RSC	Apr-18	-	Section	MM	3	FG				3	
SCKR-RSC-38	RSC	Apr-18	-	Section	MM	3	FG				3	
SCKR-RSC-39	RSC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
SCKR-RSC-40	RSC	Apr-18	-	Section	MM	5	F	KM	5	F	5	
SCKR-RSC-41	RSC	Apr-18	-	Section	MM	3	FG	KM	3	F	3	
SCKR-RSC-42	RSC	Apr-18	-	Section	MM	4	F				4	
SCKR-RSC-43	RSC	Apr-18	-	Section	MM	5	F	KM	5	F	5	
SCKR-RSC-44	RSC	Apr-18	-	Section	MM	3	FG	KM	3	F	3	
SCKR-RSC-45	RSC	Apr-18	-	Section	MM	6	F				6	
SCKR-RSC-46	RSC	Apr-18	-	Section	MM	4	FG	KM	4	FG	4	
SCKR-RSC-47	RSC	Apr-18	-	Section	MM	5	F	KM	5	FG	5	
SCKR-RSC-48	RSC	Apr-18	-	Section	MM	n/a	n/a				n/a	Otoliths crystallized
SCKR-RSC-49	RSC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
SCKR-RSC-50	RSC	Apr-18	-	Section	MM	3	FP				3	
SCKR-RSC-51	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-52	RSC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
SCKR-RSC-53	RSC	Apr-18	-	Section	MM	3	F	KM	3	FG	3	
SCKR-RSC-54	RSC	Apr-18	-	Section	MM	3	FG				3	
SCKR-RSC-55	RSC	Apr-18	-	Section	MM	3	FG	KM	2	F	3	
SCKR-RSC-56	RSC	Apr-18	-	Section	MM	2	F	KM	2	F	2	
SCKR-RSC-57	RSC	Apr-18	-	Section	MM	4	FP	KM	3	F	3	
SCKR-RSC-58	RSC	Apr-18	-	Section	MM	4	F				4	
SCKR-RSC-59	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-60	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-61	RSC	Apr-18	-	Section	MM	5	F	KM	5	F	5	
SCKR-RSC-62	RSC	Apr-18	-	Section	MM	6	F				6	
SCKR-RSC-63	RSC	Apr-18	-	Section	MM	2	F				2	
SCKR-RSC-64	RSC	Apr-18	-	Section	MM	3	FG				3	
SCKR-RSC-65	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-66	RSC	Apr-18	-	Section	MM	5	FP				5	
SCKR-RSC-67	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-68	RSC	Apr-18	-	Section	MM	4	F	KM	4	F	4	
SCKR-RSC-69	RSC	Apr-18	-	Section	MM	3	FG	KM	3	F	3	
SCKR-RSC-70	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-71	RSC	Apr-18	-	Section	MM	4	FG	KM	4	F	4	
SCKR-RSC-72	RSC	Apr-18	-	Section	MM	5	FG	KM	5	F	5	
SCKR-RSC-73	RSC	Apr-18	-	Section	MM	3	F				3	

Sample ID	Species	Date Caught	Plus Growth	Ageing Method	Primary Ager	Age Estimate	CI	QAQC Ager	QAQC Age Estimate	CI	Final Age Estimate	Notes
SCKR-RSC-74	RSC	Apr-18	-	Section	MM	2	F				2	
SCKR-RSC-75	RSC	Apr-18	-	Section	MM	4	F				4	
SCKR-RSC-76	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
SCKR-RSC-77	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-78	RSC	Apr-18	-	Section	MM	3	FG	KM	3	FG	3	
SCKR-RSC-79	RSC	Apr-18	-	Section	MM	4	FG				4	
SCKR-RSC-80	RSC	Apr-18	-	Section	MM	3	F	KM	3	F	3	
SCKR-RSC-81	RSC	Apr-18	-	Section	MM	4	F				4	
SCKR-RSC-82	RSC	Apr-18	-	Section	MM	5	FG	KM	5	F	5	
SCKR-RSC-83	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-84	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-85	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-86	RSC	Apr-18	-	Section	MM	3	F				3	
SCKR-RSC-87	RSC	Apr-18	-	Section	MM	4	F				4	
SCKR-RT-02	RT	Apr-18	-	Read Whole	KM	3	FG	MM	3	FG	3	
GCKR-YP-01	YP	Apr-18	-	Read Whole	KM	6	F	MM	7	F	7	
GCKR-YP-02	YP	Apr-18	-	Section	KM	6	F				6	
GCKR-YP-03	YP	Apr-18	-	Read Whole	KM	4	F	MM	4	F	4	
GCKR-YP-04	YP	Apr-18	-	Fin Ray	KM	3	FG				3	
GCKR-YP-05	YP	Apr-18	-	Section	KM	3	FG				3	
GCKR-YP-06	YP	Apr-18	-	Section	KM	5	FG				5	
GCKR-YP-07	YP	Apr-18	-	Read Whole	KM	5	F	MM	5	F	5	
GCKR-YP-08	YP	Apr-18	-	Read Whole	KM	3	F	MM	3	F	3	
GCKR-YP-09	YP	Apr-18	-	Read Whole	KM	4	FG	MM	4	F	4	
SCKR-YP-01	YP	Apr-18	-	Read Whole	KM	5	F	MM	5	F	5	
SCKR-YP-02	YP	Apr-18	-	Read Whole	KM	3	F				3	

Sample ID	Species	Date Caught	Plus Growth	Ageing Method	Primary Ager	Age Estimate	CI	QAQC Ager	QAQC Age Estimate	CI	Final Age Estimate	Notes
SC-RSC-83	RSC	Aug-2018	+	Aged whole	MM	1	FG	CC	1	F	1	All otoliths aged whole due to very small otolith size - not able to section
SC-RSC-06	RSC	Aug-2018	+	Aged whole	MM	0	G	CC	0	FG	0	
SC-RSC-05	RSC	Aug-2018	+	Aged whole	MM	0	P	CC	0	FP	0	otolith crystalized, disc shaped - based on size, aged as 0
SC-RSC-49	RSC	Aug-2018	+	Aged whole	MM	0	FG	CC	0	FG	0	
SC-RSC-01	RSC	Aug-2018	+	Aged whole	MM	0	G	CC	0	FG	0	
ER-RSC-10	RSC	Aug-2018	+	Aged whole	MM	0	FG	CC	0	FG	0	
ER-RSC-14	RSC	Aug-2018	+	Aged whole	MM	0	G	CC	0	FG	0	
ER-RSC-15	RSC	Aug-2018	+	Aged whole	MM	0	G	CC	0	FG	0	
ER-RSC-17	RSC	Aug-2018	+	Aged whole	MM	0	P	CC	0	FP	0	otolith crystalized, disc shaped - based on size, aged as 0
ER-RSC-41	RSC	Aug-2018	+	Aged whole	MM	0	G	CC	0	FG	0	
GC-RSC-27	RSC	Aug-2018	+	Aged whole	MM	0	P	CC	0	P	0	otolith crystalized - based on size, aged as 0
GC-RSC-28	RSC	Aug-2018	+	Aged whole	MM	0	P	CC	0	P	0	otolith crystalized - based on size, aged as 0
GC-RSC-32	RSC	Aug-2018	+	Aged whole	MM	0	G	CC	0	FG	0	
GC-RSC-34	RSC	Aug-2018	+	Aged whole	MM	0	G	CC	0	FG	0	
GC-RSC-47	RSC	Aug-2018	+	Aged whole	MM	0	FG	CC	0	FG	0	

Sample ID	Species	Date Caught	Plus Growth	Ageing Structure	Ageing Method	Primary Ager	Age Estimate	CI	QAQC Ager 1	QAQC Age Estimate	CI	Final Age Estimate	Notes
RG_SC_PCC-01	Peamouth Chub	24-Apr-19	-	Otolith	Sectioning	TB	6	F				6	
RG_SC_PCC-02	Peamouth Chub	24-Apr-19	-	Otolith	Sectioning	TB	6	FG	CC	6	FG	6	
RG_SC_PCC-03	Peamouth Chub	24-Apr-19	-	Otolith	Sectioning	TB	6	F				6	
RG_SC_PCC-04	Peamouth Chub	24-Apr-19	-	Otolith	Sectioning	TB	6	FG	CC	6	FG	6	
RG_SC_PCC-05	Peamouth Chub	24-Apr-19	-	Otolith	Sectioning	TB	5	FG				5	
RG_SC_PCC-06	Peamouth Chub	24-Apr-19	-	Otolith	Sectioning	TB	7	F	CC	7	FG	7	
RG_SC_PCC-07	Peamouth Chub	24-Apr-19	-	Otolith	Sectioning	TB	6	F				6	
RG_SC_PCC-08	Peamouth Chub	24-Apr-19	-	Otolith	Sectioning	TB	6	F	CC	6	FG	6	
RG_SC_PCC-09	Peamouth Chub	24-Apr-19	-	Otolith	Sectioning	TB	6	F				6	
RG_SC_PCC-10	Peamouth Chub	24-Apr-19	-	Otolith	Sectioning	TB	5	FP	CC	5	F	5	
RG_SC_RSC-01	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	2	F				2	
RG_SC_RSC-02	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	3	F	CC	3	F	3	
RG_SC_RSC-03	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	2	FP				2	
RG_SC_RSC-04	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	3	F	CC	3	F	3	
RG_SC_RSC-05	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	3	F				3	
RG_SC_RSC-06	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	3	F	CC	3	F	3	
RG_SC_RSC-07	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	3	F				3	
RG_SC_RSC-08	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	2	FP	CC	2	F	2	
RG_SC_RSC-09	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	2	FP				2	
RG_SC_RSC-10	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	2	F	CC	2	FG	2	
RG_ER_PCC-01	Peamouth Chub	23-Apr-19	-	Otolith	Sectioning	TB	6	F				6	
RG_ER_PCC-02	Peamouth Chub	23-Apr-19	-	Otolith	Sectioning	TB	6	FG	CC	6	F	6	
RG_ER_PCC-03	Peamouth Chub	23-Apr-19	-	Otolith	Sectioning	TB	7	FG				7	
RG_ER_PCC-04	Peamouth Chub	23-Apr-19	-	Otolith	Sectioning	TB	6	FP	CC	6	FP	6	
RG_ER_PCC-05	Peamouth Chub	23-Apr-19	-	Otolith	Sectioning	TB	6	F				6	
RG_ER_PCC-06	Peamouth Chub	23-Apr-19	-	Otolith	Sectioning	TB	6	F	CC	6	FP	6	
RG_ER_PCC-07	Peamouth Chub	23-Apr-19	-	Otolith	Sectioning	TB	6	F				6	
RG_ER_PCC-08	Peamouth Chub	23-Apr-19	-	Otolith	Sectioning	TB	5	FG	CC	5	F	6	
RG_ER_PCC-09	Peamouth Chub	23-Apr-19	-	Otolith	Sectioning	TB	7	F				7	
RG_ER_PCC-10	Peamouth Chub	23-Apr-19	-	Otolith	Sectioning	TB	6	FG	CC	6	FG	6	
RG_ER_RSC-01	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	3	F				3	
RG_ER_RSC-02	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	2	F	CC	2	F	2	
RG_ER_RSC-03	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	2	FP				2	
RG_ER_RSC-04	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	2	F	CC	2	F	2	
RG_ER_RSC-05	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	2	F				2	
RG_ER_RSC-06	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	3	F	CC	3	FG	3	
RG_ER_RSC-07	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	2	F				2	
RG_ER_RSC-08	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	2	F	CC	2	F	2	
RG_ER_RSC-09	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	3	F				3	
RG_ER_RSC-10	Redside Shiner	24-Apr-19	-	Otolith	Sectioning	TB	2	F	CC	2	FG	2	
RG_GC_PCC-01	Peamouth Chub	25-Apr-19	-	Otolith	Sectioning	TB	8	FP				8	
RG_GC_PCC-02	Peamouth Chub	25-Apr-19	-	Otolith	Sectioning	TB	15	FP	CC	15	FP	15	
RG_GC_PCC-03	Peamouth Chub	25-Apr-19	-	Otolith	Sectioning	TB	6	F				6	
RG_GC_PCC-04	Peamouth Chub	25-Apr-19	-	Otolith	Sectioning	TB	7	F	CC	7	F	7	
RG_GC_PCC-05	Peamouth Chub	25-Apr-19	-	Otolith	Sectioning	TB	6	F				6	
RG_GC_PCC-06	Peamouth Chub	25-Apr-19	-	Otolith	Sectioning	TB	6	F	CC	6	F	6	
RG_GC_PCC-07	Peamouth Chub	25-Apr-19	-	Otolith	Sectioning	TB	6	F				6	
RG_GC_PCC-08	Peamouth Chub	25-Apr-19	-	Otolith	Sectioning	TB	6	F	CC	6	F	6	
RG_GC_PCC-09	Peamouth Chub	25-Apr-19	-	Otolith	Sectioning	TB	5	FG				5	
RG_GC_PCC-10	Peamouth Chub	25-Apr-19	-	Otolith	Sectioning	TB	6	F	CC	6	FG	6	
RG_GC_RSC-01	Redside Shiner	25-Apr-19	-	Otolith	Sectioning	TB	3	F				3	
RG_GC_RSC-02	Redside Shiner	25-Apr-19	-	Otolith	Sectioning	TB	3	F	CC	3	F	3	
RG_GC_RSC-03	Redside Shiner	25-Apr-19	-	Otolith	Sectioning	TB	3	F				3	
RG_GC_RSC-04	Redside Shiner	25-Apr-19	-	Otolith	Sectioning	TB	3	F	CC	3	F	3	
RG_GC_RSC-05	Redside Shiner	25-Apr-19	-	Otolith	Sectioning	TB	3	F				3	
RG_GC_RSC-06	Redside Shiner	25-Apr-19	-	Otolith	Sectioning	TB	3	F	CC	3	F	3	
RG_GC_RSC-07	Redside Shiner	25-Apr-19	-	Otolith	Sectioning	TB	3	F				3	
RG_GC_RSC-08	Redside Shiner	25-Apr-19	-	Otolith	Sectioning	TB	2	F	CC	2	FG	2	
RG_GC_RSC-09	Redside Shiner	25-Apr-19	-	Otolith	Sectioning	TB	3	F				3	
RG_GC_RSC-10	Redside Shiner	25-Apr-19	-	Otolith	Sectioning	TB	2	F	CC	2	F	2	

Sample ID	Species	Plus Growth	Ageing Structure	Ageing Method	Primary Ager	Age Estimate	CI	QAQC Ager 1	QAQC Age Estimate	CI	Final Age Estimate	NOTES
RG_SC-RSC-02	Redside Shiner	+	Otolith	Age Whole	CC	1	F	TB	1	FG	1	
RG_SC-RSC-31	Redside Shiner	+	Otolith	Age Whole	CC	0	FG	TB	0	FG	0	
RG_SC-RSC-32	Redside Shiner	+	Otolith	Age Whole	CC	0	FG	TB	0	F	0	
RG_SC-RSC-41	Redside Shiner	+	Otolith	Age Whole	CC	1	F	KM	2	FG	2	
RG_SC-RSC-47	Redside Shiner	+	Otolith	Age Whole	CC	1	F	TB	1	F	1	
RG_SC-RSC-49	Redside Shiner	+	Otolith	Age Whole	CC	1	F	TB	0	F	1	
RG_SC-RSC-52	Redside Shiner	+	Otolith	Age Whole	CC	1	F	TB	1	FG	1	
RG_SC-RSC-53	Redside Shiner	+	Otolith	Age Whole	CC	0	F	TB	0	F	0	
RG_SC-RSC-54	Redside Shiner	+	Otolith	Age Whole	CC	1	F	TB	1	F	1	
RG_SC-RSC-55	Redside Shiner	+	Otolith	Age Whole	CC	1	F	TB	1	F	1	
RG_GC-RSC-01	Redside Shiner	+	Otolith	Age Whole	CC	0	FG	TB	0	F	0	
RG_GC-RSC-04	Redside Shiner	+	Otolith	Age Whole	CC	1	FG	TB	1	F	1	
RG_GC-RSC-06	Redside Shiner	+	Otolith	Age Whole	CC	0	F	TB	0	F	0	
RG_GC-RSC-08	Redside Shiner	+	Otolith	Age Whole	CC	0	F	TB	0	F	0	
RG_GC-RSC-10	Redside Shiner	+	Otolith	Age Whole	TB	0	F	CC	0	F	0	
RG_GC-RSC-12	Redside Shiner	+	Otolith	Age Whole	CC	0	F	TB	0	FG	0	
RG_GC-RSC-15	Redside Shiner	+	Otolith	Age Whole	CC	0	F	TB	0	F	0	
RG_GC-RSC-16	Redside Shiner	+	Otolith	Age Whole	CC	0	F	TB	0	FG	0	
RG_GC-RSC-23	Redside Shiner	+	Otolith	Age Whole	CC	0	F	TB	0	F	0	
RG_GC-RSC-42	Redside Shiner	+	Otolith	Age Whole	CC	0	F	TB	0	F	0	
RG_ER-RSC-02	Redside Shiner	+	Otolith	Age Whole	CC	0	F	TB	0	FG	0	
RG_ER-RSC-08	Redside Shiner	+	Otolith	Age Whole	CC	0	F	TB	0	F	0	
RG_ER-RSC-10	Redside Shiner	+	Otolith	Age Whole	CC	0	F	TB	0	FG	0	
RG_ER-RSC-13	Redside Shiner	+	Otolith	Age Whole	CC	0	F	TB	0	F	0	
RG_ER-RSC-14	Redside Shiner	+	Otolith	Age Whole	CC	0	F	TB	0	F	0	
RG_ER-RSC-15	Redside Shiner	+	Otolith	Age Whole	CC	0	F	TB	0	F	0	
RG_ER-RSC-16	Redside Shiner	+	Otolith	Age Whole	CC	0	F	TB	0	F	0	
RG_ER-RSC-17	Redside Shiner	+	Otolith	Age Whole	CC	1	F	TB	0	F	1	
RG_ER-RSC-18	Redside Shiner	+	Otolith	Age Whole	CC	0	F	TB	0	FG	0	
RG_ER-RSC-72	Redside Shiner	+	Otolith	Age Whole	CC	0	F	TB	0	F	0	

APPENDIX B
WATER




Figure B.1: Total Antimony Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.1: Total Antimony Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.1: Total Antimony Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.2: Total Barium Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.2: Total Barium Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.3: Total Boron Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).





Figure B.3: Total Boron Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).



-- BCWQG (long term) -- BCWQG (short term) -- EVWQP Level 1 Benchmark^a -- EVWQP Level 2 Benchmark^a -- EVWQP Level 3 Benchmark^a

Figure B.4: Dissolved Cadmium Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.

^aElk Valley Water Quality Plan; Teck 2014.




Figure B.4: Dissolved Cadmium Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.4: Dissolved Cadmium Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.5: Dissolved Cobalt Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.5: Dissolved Cobalt Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.6: Total Lithium Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.6: Total Lithium Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.7: Total Manganese Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.7: Total Manganese Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.8: Total Molybdenum Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.8: Total Molybdenum Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.9: Total Nickel Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.

^aElk Valley Water Quality Plan; Teck 2014.




Figure B.9: Total Nickel Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.

^aElk Valley Water Quality Plan; Teck 2014.




Figure B.10: Nitrate-N Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.10: Nitrate-N Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.11: Nitrite-N Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water chloride concentrations.




Figure B.11: Nitrite-N Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water chloride concentrations.




Figure B.12: Total Selenium Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). EPA Criterion for the dissolved fraction.




Figure B.12: Total Selenium Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). EPA Criterion for the dissolved fraction.






Figure B.12: Total Selenium Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). EPA Criterion for the dissolved fraction.

RG_WARDB



RG_USELK (replaced by RG_KERRRD in 2015)






Figure B.15: Total Uranium Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.16: Total Zinc Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.

^aElk Valley Water Quality Plan; Teck 2014.




Figure B.16: Total Zinc Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.16: Total Zinc Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.17: Monthly Mean Total Antimony Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.17: Monthly Mean Total Antimony Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.17: Monthly Mean Total Antimony Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.18: Monthly Mean Total Barium Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.18: Monthly Mean Total Barium Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.19: Monthly Mean Total Boron Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).








Figure B.19: Monthly Mean Total Boron Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019





Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).



-- BCWQG (long term)
 -- BCWQG (short term)
 -- EVWQP Level 1 Benchmark
 -- EVWQP Level 2 Benchmark
 -- EVWQP Level 3 Benchmark

Figure B.20: Monthly Mean Dissolved Cadmium Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.



-- BCWQG (long term)
 -- BCWQG (short term)
 -- EVWQP Level 1 Benchmark
 -- EVWQP Level 2 Benchmark
 -- EVWQP Level 3 Benchmark

Figure B.20: Monthly Mean Dissolved Cadmium Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.20: Monthly Mean Dissolved Cadmium Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.21: Monthly Mean Dissolved Cobalt Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.21: Monthly Mean Dissolved Cobalt Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.22: Monthly Mean Total Lithium Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.22: Monthly Mean Total Lithium Concentrations at Kooconusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.23: Monthly Mean Total Manganese Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.23: Monthly Mean Total Manganese Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.24: Monthly Mean Total Molybdenum Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.24: Monthly Mean Total Molybdenum Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.25: Monthly Mean Total Nickel Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.25: Monthly Mean Total Nickel Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.26: Monthly Mean Nitrate-N Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.26: Monthly Mean Nitrate-N Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.27: Monthly Mean Nitrite-N Concentrations at Koochanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water chloride concentrations.




Figure B.27: Monthly Mean Nitrite-N Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water chloride concentrations.




Figure B.28: Monthly Mean Total Selenium Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). EPA Criterion is for the dissolved fraction.




Figure B.28: Monthly Mean Total Selenium Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). EPA Criterion is for the dissolved fraction.




Figure B.28: Monthly Mean Total Selenium Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). EPA Criterion is for the dissolved fraction.




Figure B.29: Monthly Mean Sulphate Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.29: Monthly Mean Sulphate Concentrations at Kooconusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.29: Monthly Mean Sulphate Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.30: Monthly Mean Total Dissolved Solids Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.30: Monthly Mean Total Dissolved Solids Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.30: Monthly Mean Total Dissolved Solids Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.31: Monthly Mean Total Uranium Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.31: Monthly Mean Total Uranium Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018).




Figure B.32: Monthly Mean Total Zinc Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.32: Monthly Mean Total Zinc Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.32: Monthly Mean Total Zinc Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River. Water quality parameter identified as a constituent with an Early Warning Trigger (EWT; Teck 2018). Guidelines are dependent on water hardness.




Figure B.33: Chlorophyll-a Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.




Figure B.33: Chlorophyll-a Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.




Figure B.33: Chlorophyll-a Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.




Figure B.34: Secchi Depth Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.




Figure B.34: Secchi Depth Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.




Figure B.34: Secchi Depth Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.




Figure B.35: Nitrogen:Phosphorus Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.




Figure B.35: Nitrogen:Phosphorus Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.




Figure B.35: Nitrogen:Phosphorus Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.




Figure B.36: Orthophosphate Concentrations at Kooconasa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.




Figure B.36: Orthophosphate Concentrations at Kooconasa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.




Figure B.36: Orthophosphate Concentrations at Kooconusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.




Figure B.37: Total Phosphorous Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.




Figure B.37: Total Phosphorous Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.




Figure B.37: Total Phosphorous Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Notes: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.




Figure B.38: Total Nitrogen Concentrations at Kooconasa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.




Figure B.38: Total Nitrogen Concentrations at Koocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.




Figure B.38: Total Nitrogen Concentrations at Kocanusa Reservoir Water Quality Monitoring Stations, 2013 to 2019

Note: Concentrations reported below the laboratory reporting limit (LRL) are plotted as open symbols at the LRL. Green points indicate stations upstream of the Elk River; blue points indicate stations downstream of the Elk River.

Table B.1: Depth Profiles for Stations in Kooconusa Reservoir, April 2019

Station	UTM (11U, NAD83)		Depth (m)	Temperature (°C)	pH	Dissolved Oxygen		Conductivity (µS/cm)	Specific Conductivity (µS/cm)	Turbidity (NTU)
	Easting	Northing				(mg/L)	(%)			
RG_SC	625585	5459973	S	8.90	7.96	10.67	100.2	176.4	254.8	-
			1	8.90	7.91	10.74	101.0	174.9	252.8	-
			2	8.90	7.88	10.74	101.0	175.0	252.7	-
			3	8.90	7.88	10.74	101.1	174.5	252.0	-
			4	8.90	7.89	10.74	101.1	173.8	251.0	-
			5	8.90	7.90	10.72	100.9	173.6	250.3	-
			6	8.90	7.90	10.71	100.8	173.3	250.0	-
			7	8.90	7.91	10.71	100.8	173.3	250.0	-
			8	8.90	7.92	10.71	100.8	173.1	249.7	-
			9	8.80	-	-	-	-	-	
RG-TN	627107	5453366	0	9.60	8.16	10.69	101.4	178.3	252.6	-
			1	9.50	8.17	10.70	101.3	177.8	252.7	-
			2	9.40	8.17	10.69	101.1	177.6	252.9	-
			3	9.40	8.16	10.66	100.6	177.4	253.0	-
			4	9.30	8.16	10.65	100.5	177.3	253.0	-
			5	9.30	8.15	10.64	100.4	177.1	252.9	-
			B	9.30	8.15	10.62	100.2	177.1	252.8	-
RG-ER	627976	5447551	0	10.10	8.17	10.60	101.8	188.4	263.2	-
			1	10.10	8.17	10.60	101.8	188.5	263.4	-
			2	10.00	8.17	10.61	101.4	187.7	263.3	-
			3	8.70	8.16	10.80	100.2	183.0	265.5	-
			4	8.30	8.16	10.84	99.6	180.5	264.7	-
			5	8.30	8.15	10.84	99.6	179.4	264.4	-
			6	8.10	8.15	10.86	99.4	178.6	264.0	-
			7	8.00	8.15	10.87	99.3	178.1	263.6	-
RG-T4	629235	5441654	0	10.40	8.20	10.89	97.4	203.0	282.0	7.74
			1	10.00	8.15	10.93	96.8	196.0	276.0	8.11
			2	9.70	8.18	10.94	96.4	195.0	276.0	8.69
			3	9.60	8.18	10.89	95.7	195.0	276.0	8.58
			4	9.60	8.18	10.87	95.5	195.0	276.0	8.02
			5	9.60	8.17	10.86	95.4	196.0	278.0	7.84
			6	9.60	8.18	10.86	95.3	197.0	280.0	8.50
			7	9.50	8.16	10.88	95.4	198.0	283.0	7.90
			8	9.40	8.16	10.94	95.6	201.0	286.0	7.88
			9	9.40	8.17	10.98	96.0	204.0	291.0	7.01
			10	9.40	8.17	11.02	96.4	207.0	295.0	6.48
			11	9.10	8.17	11.01	95.5	200.0	288.0	7.68
			12	8.30	8.14	10.89	92.3	200.0	295.0	8.45
			13	8.00	8.10	10.76	90.5	200.0	298.0	8.40
			14	7.60	8.06	10.46	87.1	201.0	302.0	10.32
RG-GC	630926	5436344	0	10.4	8.14	11.07	99.4	212.4	293.9	6.19
			1	10.2	8.12	11.14	99.2	209.0	291.3	6.45
			2	10.2	8.09	11.15	99.1	207.0	290.0	6.93
			3	10.1	8.08	11.14	98.9	207.0	290.0	6.58
			4	10.1	8.09	11.14	99.0	207.0	289.0	7.20
			5	10.1	8.08	11.14	98.9	207.0	290.0	7.20
			6	10.0	8.09	11.13	98.8	207.0	290.0	6.25
			7	10.0	8.09	11.13	98.8	207.0	290.0	6.61
			8	10.0	8.09	11.13	98.7	207.0	290.0	6.15
			9	10.0	8.09	11.13	98.7	206.0	289.0	6.52
			10	10.0	8.09	11.14	98.7	206.0	289.0	6.04
			11	9.60	8.09	11.19	98.2	200.0	285.0	5.60
			12	9.20	8.08	11.24	97.8	202.0	290.0	5.33
			13	8.90	8.07	11.11	94.8	201.0	294.0	5.40
			14	7.30	8.03	10.96	91.0	198.0	299.0	6.21
			15	6.70	8.00	10.93	89.5	195.0	301.0	5.10
			16	6.00	7.98	11.11	89.4	191.0	299.0	3.62

Notes: S = Shore B= Bottom, "-" = no data.

Table B.2: Depth Profiles for Stations in Koocanusa Reservoir, June 2019

Station	UTM (11U, NAD83)		Depth (m)	Temperature (°C)	pH	Dissolved Oxygen		Conductivity (µS/cm)	Specific Conductivity (µS/cm)	Turbidity (NTU)	ORP (Mv)
	Easting	Northing				(mg/L)	(%)				
RG_SC	625547	5458929	0.5	12.6	8.22	10.11	103.6	185.1	242.6	29.59	185.2
			1	12.6	8.22	10.08	103.4	184.8	242.0	37.31	185.3
			2	12.4	8.22	10.08	102.8	183.4	241.8	33.20	185.9
			3	12.4	8.22	10.09	103.0	184.1	242.4	31.59	185.7
			4	12.3	8.22	10.05	102.4	183.2	241.7	33.67	186.0
			5	12.2	8.22	10.03	102.0	183.1	242.1	56.50	185.9
			6	12.2	8.22	10.01	101.8	182.4	241.2	36.35	186.2
			7	12.3	8.22	10.00	101.7	182.3	241.0	39.68	186.1
			8	12.3	8.22	10.00	101.7	182.3	241.0	44.52	186.2
			9	12.3	8.22	9.98	101.5	180.6	238.6	78.16	186.4
10	12.3	8.22	9.95	101.4	180.7	238.3	81.98	186.0			
RG_TN	627112	5453380	0.5	13.7	8.21	-	112.6	195.5	253.1	24.53	185.2
			1	12.8	8.22	-	104.9	187.1	244.0	32.86	186.5
			2	12.1	8.23	-	102.8	181.9	241.6	32.08	186.8
			3	11.8	8.23	-	102.0	181.0	241.8	42.97	187.0
			4	11.7	8.23	-	101.5	180.3	241.6	43.36	187.3
			5	11.7	8.23	-	101.3	179.8	240.8	51.51	187.1
			6	11.7	8.23	-	101.3	179.5	240.4	63.73	187.1
			7	11.8	8.22	-	101.3	179.2	239.7	45.80	187.1
			8	11.8	8.23	-	101.0	178.1	238.4	52.14	187.2
			9	11.7	8.23	-	100.9	177.7	238.0	51.21	187.2
10	11.9	8.22	-	100.6	177.9	237.4	60.90	187.3			
RG_ER	627959	5447572	0.5	14.9	8.16	10.00	107.6	185.5	230.0	26.57	185.2
			1	14.7	8.17	10.01	107.3	184.9	230.1	27.14	185.4
			2	14.7	8.18	10.01	107.3	184.7	230.2	29.26	185.3
			3	14.6	8.18	10.03	107.2	184.7	230.5	28.29	185.3
			4	14.5	8.19	10.03	107.2	185.0	231.2	27.94	185.2
			5	12.4	8.19	10.12	103.1	177.1	233.4	35.61	186.8
			6	12.2	8.19	10.13	102.8	176.4	233.4	37.71	187.2
			7	12.0	8.18	10.07	101.6	174.7	232.6	46.30	187.9
			8	11.9	8.17	10.01	100.7	172.8	230.6	53.64	188.5
9	11.9	8.17	9.99	100.5	171.2	228.5	46.85	189.0			
RG_T4	629235	5441654	0.5	16.2	8.17	10.09	111.6	17.9	21.5	49.63	158.3
			1	15.9	8.35	10.20	112.2	212.9	257.6	4.67	158.6
			2	15.6	8.37	10.23	111.8	211.3	257.2	5.86	158.4
			3	15.4	8.38	10.22	111.0	208.5	255.5	5.78	158.5
			4	14.9	8.38	10.24	110.2	207.8	257.4	6.01	158.7
			5	13.8	8.25	9.90	104.0	194.5	248.9	9.64	161.7
			6	13.4	8.25	9.93	103.4	190.8	244.8	16.84	162.0
			7	13.0	8.25	10.06	103.7	186.5	242.1	25.58	161.6
			8	12.7	8.24	10.05	103.0	183.6	240.1	30.08	161.8
			9	12.5	8.24	10.11	103.2	183.6	241.2	30.31	161.8
			10	12.0	8.23	10.09	101.6	175.8	234.3	38.46	162.2
			11	11.8	8.23	10.12	101.6	175.5	234.9	40.27	162.3
			12	11.5	8.22	10.08	100.5	173.5	234.0	50.11	162.6
			13	11.4	8.22	10.07	100.3	173.7	234.6	62.34	162.7
			14	11.4	8.22	10.08	100.2	173.7	234.8	61.04	162.6
			15	11.3	8.23	10.08	100.0	174.4	236.3	58.20	162.4
			16	11.2	8.24	10.06	99.7	183.6	246.6	59.75	162.8
			17	11.2	8.24	10.03	99.4	186.4	252.9	56.99	163.0
			18	11.3	8.24	10.01	99.2	188.7	255.9	62.67	163.1
19	11.3	8.24	10.00	99.3	188.9	255.8	62.45	163.0			

Note: "-" indicates no data.

Table B.2: Depth Profiles for Stations in Koocanusa Reservoir, June 2019

Station	UTM (11U, NAD83)		Depth (m)	Temperature (°C)	pH	Dissolved Oxygen		Conductivity (µS/cm)	Specific Conductivity (µS/cm)	Turbidity (NTU)	ORP (Mv)
	Easting	Northing				(mg/L)	(%)				
RG_GC	630926	5436344	0.5	16.3	7.89	9.98	110.5	29.1	34.3	32.43	101.7
			1	16.1	8.33	10.25	112.9	204.3	246.4	5.07	95.1
			2	15.6	8.35	10.42	113.7	203.3	247.9	4.47	94.6
			3	14.9	8.36	10.35	111.3	198.8	246.1	35.14	94.1
			4	14.5	8.32	10.07	107.3	192.7	241.0	78.26	94.8
			5	14.0	8.23	9.79	103.2	188.2	238.0	9.51	96.4
			6	13.7	8.18	9.64	100.9	183.8	234.6	10.68	96.7
			7	13.6	8.18	9.66	100.9	184.1	235.5	9.99	96.4
			8	13.2	8.17	9.62	99.7	179.6	231.8	16.92	96.6
			9	13.1	8.17	9.67	99.9	178.4	230.9	18.50	96.4
			10	12.9	8.18	9.75	100.2	178.2	231.7	25.47	96.0
			11	12.8	8.18	9.78	100.4	179.0	233.3	26.72	95.5
			12	12.7	8.19	9.81	100.4	179.2	234.3	30.02	94.9
			13	12.4	8.19	9.85	100.2	177.7	233.9	31.95	95.1
			14	12.2	8.19	9.82	99.5	176.4	233.2	37.24	95.0
			15	12.1	8.18	9.85	99.5	175.3	232.9	38.79	94.4
			16	11.4	8.18	9.81	97.4	175.2	236.8	65.13	94.6
			17	11.3	8.17	9.80	97.3	175.2	237.0	74.30	94.6
			18	11.3	8.17	9.79	97.2	175.2	237.0	82.81	94.1
			19	11.4	8.17	9.78	97.1	175.2	236.9	75.90	94.2
			20	11.4	8.15	9.76	97.0	175.3	236.7	83.32	93.9
21	11.5	8.14	9.67	96.4	175.6	236.5	113.98	89.9			

Note: "-" indicates no data.

Table B.3: Depth Profiles for Stations in Kooconusa Reservoir, August 2019

Station	UTM (11U, NAD83)		Depth (m)	Temperature (°C)	pH	Dissolved Oxygen		Conductivity (µS/cm)	Specific Conductivity (µS/cm)	Turbidity (NTU)	ORP (Mv)
	Easting	Northing				(mg/L)	(%)				
RG_SC	625547	5458929	0	20.4	8.50	9.02	99.9	225.8	247.8	0.59	151.8
			1	20.2	8.51	9.05	99.7	224.1	247.4	0.69	152.2
			2	20.0	8.51	9.05	99.6	224.0	247.5	0.71	153.2
			3	20.0	8.51	9.05	99.5	223.6	247.5	0.73	154.1
			4	19.4	8.48	9.26	100.8	224.2	250.7	0.98	156.8
			5	18.9	8.45	9.36	100.9	224.1	253.2	1.56	159.9
			6	18.3	8.41	9.41	99.8	222.9	256.3	2.46	162.6
			7	17.7	8.38	9.37	98.3	221.2	257.2	3.34	165.7
			8	17.3	8.35	9.31	96.9	219.8	257.9	3.47	167.8
			9	16.7	8.29	9.15	94.3	217.7	258.8	4.46	170.5
			10	16.4	8.28	9.04	92.5	216.9	259.6	5.35	172.4
			11	16.2	8.25	8.86	90.2	216.6	260.6	6.13	174.8
			12	16.1	8.23	8.74	88.9	216.4	260.5	6.20	176.4
13	16.0	8.17	8.29	84.2	215.9	260.6	7.60	178.8			
RG_TN	627112	5453380	0	20.2	8.22	8.95	98.9	220.4	242.5	0.55	169.6
			1	20.2	8.26	8.99	99.3	220.7	242.9	0.63	163.4
			2	20.2	8.28	8.98	99.3	220.8	243.0	0.59	162.0
			3	20.2	8.29	8.98	99.2	220.8	242.9	0.57	161.5
			4	20.2	8.32	8.98	99.2	220.7	242.9	0.56	160.7
			5	20.2	8.41	8.98	99.2	220.8	243.0	0.61	155.1
			6	20.2	8.44	8.98	99.2	221.0	243.3	0.66	154.6
			7	20.2	8.43	9.00	99.3	221.4	243.9	0.74	156.0
			8	19.6	8.39	9.10	99.1	222.6	248.1	1.09	158.4
			9	18.4	8.29	9.13	97.0	221.5	254.3	2.25	162.8
			10	17.8	8.24	9.09	95.4	220.2	256.8	3.15	165.2
			11	17.0	8.17	8.83	91.4	218.4	258.5	4.56	167.9
			12	16.7	8.15	8.72	89.8	218.2	259.1	5.31	169.4
			13	16.7	8.14	8.72	89.7	218.2	259.3	5.74	170.9
			14	16.5	8.13	8.65	88.8	217.9	259.8	5.85	171.8
15	16.5	8.14	8.66	88.8	217.6	259.6	6.09	172.8			
RG_ER	627959	5447572	0	21.7	8.40	8.93	100.6	226.9	244.6	0.53	163.5
			1	20.7	8.44	8.97	100.1	223.4	243.9	0.55	160.4
			2	20.3	8.45	9.04	100.1	221.9	243.7	0.65	159.4
			3	20.3	8.46	9.04	100.0	221.7	243.6	0.64	159.8
			4	20.3	8.45	9.04	100.0	221.3	243.4	0.64	161.8
			5	20.2	8.45	9.04	99.9	221.3	243.4	0.65	163.8
			6	20.2	8.45	9.01	99.5	221.4	243.7	0.60	165.7
			7	20.1	8.45	9.00	99.3	221.4	244.1	0.61	166.8
			8	20.1	8.48	9.01	99.4	221.8	244.8	0.65	167.0
			9	20.1	8.50	9.03	99.6	222.2	245.4	0.67	169.5
			10	19.8	8.47	9.10	99.8	224.8	252.9	0.96	172.3
			11	18.4	8.38	9.21	97.8	224.2	258.0	1.53	176.9
			12	17.9	8.34	9.20	96.9	223.9	259.0	1.63	180.0
			13	17.5	8.31	9.09	95.3	223.9	260.2	1.71	183.7
			14	17.6	8.29	9.03	93.6	225.3	263.5	1.97	187.2
			15	17.3	8.26	8.84	91.8	226.0	265.0	2.14	189.0
			16	16.7	8.17	8.20	84.0	229.1	273.2	3.33	192.6
17	16.5	8.16	8.07	82.7	231.2	275.8	3.69	194.0			

Notes: S = Shore B= Bottom, "-" = no data.

Table B.3: Depth Profiles for Stations in Koocanusa Reservoir, August 2019

Station	UTM (11U, NAD83)		Depth (m)	Temperature (°C)	pH	Dissolved Oxygen		Conductivity (µS/cm)	Specific Conductivity (µS/cm)	Turbidity (NTU)	ORP (Mv)
	Easting	Northing				(mg/L)	(%)				
RG-T4	629235	5441654	0	20.6	8.46	8.96	99.7	220.2	240.4	0.38	173.4
			1	20.4	8.46	8.97	99.6	219.4	240.4	0.40	173.3
			2	20.2	8.48	9.04	99.3	217.8	240.2	0.45	173.2
			3	20.1	8.48	9.02	99.4	217.7	240.3	0.46	174.1
			4	20.1	8.49	9.01	99.2	217.7	240.4	0.45	174.4
			5	20.0	8.49	9.01	99.2	217.7	240.5	0.48	175.7
			6	20.0	8.48	9.00	99.0	217.9	241.1	0.49	177.4
			7	19.9	8.46	8.99	98.6	218.7	242.6	0.50	179.2
			8	19.8	8.46	8.99	98.4	219.9	244.3	0.47	180.4
			9	19.7	8.44	8.98	98.3	220.6	245.5	0.52	181.9
			10	19.2	8.40	8.87	96.0	229.4	258.2	0.61	184.4
			11	19.1	8.40	8.86	95.7	229.1	258.6	0.62	185.2
			12	19.0	8.41	8.85	95.5	228.5	258.1	0.66	186.0
			13	18.9	8.40	8.84	95.2	229.1	259.1	0.67	187.4
			14	18.5	8.37	8.79	93.9	232.0	264.8	0.93	189.6
			15	18.4	8.36	8.76	93.4	235.8	269.8	0.95	190.9
			16	17.9	8.32	8.69	91.7	233.2	268.9	1.04	193.0
			17	17.4	8.25	8.50	88.6	232.1	271.5	1.91	196.5
			18	17.2	8.23	8.37	86.9	232.9	273.4	2.66	198.5
			19	17.1	8.21	8.29	86.0	232.7	274.1	3.20	200.4
			20	17.0	8.20	8.26	85.5	232.2	276.4	3.52	203.2
			21	16.9	8.17	8.14	85.1	232.0	276.0	3.61	204.0
			22	16.5	8.12	7.73	79.0	230.8	275.3	3.85	205.7
			23	16.1	8.07	7.40	75.3	230.4	281.5	4.71	268.2
			24	15.9	8.03	7.20	72.9	229.4	277.4	3.88	210.3
25	14.8	7.84	6.21	71.4	208.1	260.8	5.31	215.1			
RG-GC	630926	5436344	0	20.4	8.28	8.90	98.9	213.6	234.1	0.75	199.2
			1	20.3	8.34	8.93	98.9	214.2	235.3	0.73	196.9
			2	20.3	8.36	8.94	98.9	214.6	236.1	0.72	196.8
			3	20.2	8.40	8.95	98.9	214.7	236.2	0.64	195.3
			4	20.2	8.40	8.95	98.9	215.0	236.7	0.65	197.2
			5	20.2	8.38	8.95	98.9	215.2	237.0	0.62	198.8
			6	20.2	8.38	8.95	98.8	215.2	237.1	0.58	200.1
			7	20.2	8.37	8.95	98.8	215.3	237.3	0.58	201.2
			8	20.1	8.37	8.94	98.7	215.5	237.6	0.53	202.1
			9	20.0	8.35	8.89	97.9	216.3	237.4	0.54	203.3
			10	19.4	8.37	8.89	96.6	219.4	245.0	0.51	203.2
			11	19.2	8.29	8.73	94.6	218.9	246.1	1.01	207.1
			12	18.8	8.25	8.65	92.8	224.3	254.6	0.80	209.3
			13	18.1	8.17	8.43	89.2	228.1	263.1	0.98	212.9
			14	17.8	8.15	8.34	87.7	229.9	266.9	0.98	214.6
			15	17.5	8.12	8.25	86.2	229.5	267.5	1.09	215.5
			16	17.5	8.12	8.23	86.1	229.5	268.0	1.11	216.4
			17	17.4	8.11	8.19	85.6	229.2	268.1	1.06	217.2
			18	17.3	8.10	8.15	85.0	229.4	268.8	1.18	218.1
			19	17.2	8.10	8.11	84.4	229.2	269.2	1.05	219.0
			20	17.1	8.10	8.05	83.4	228.4	269.2	1.19	219.3
			21	16.8	8.08	7.91	81.6	225.8	267.9	1.14	219.9
			22	16.7	8.07	7.84	80.7	225.5	268.0	1.42	221.2
			23	16.5	8.04	7.76	79.6	222.5	265.4	1.19	222.4
			24	16.4	8.03	7.63	78.1	221.2	264.8	1.61	223.2
			25	15.5	7.90	6.74	67.7	214.0	262.1	5.35	226.8
26	15.0	7.84	6.47	64.4	207.0	259.3	4.22	229.2			

Notes: S = Shore B= Bottom, "-" = no data.

Table B.4: Water Quality for Biological Monitoring Stations in the Kocanusa Reservoir, 2019

Analyte		Units	Long Term Guidelines	Short Term Guidelines	RG_SC_U1	RG_SC_U2	RG_SC_U1	RG_SC_U2	RG_SC_U1	RG_SC_U2	RG_SC_U3	RG_TN_U1	RG_TN_U1	RG_TN_U2	RG_TN_U1	RG_TN_U2	RG_TN_U3
					3 m	6 m	3 m	6 m	3 m	6 m	10 m	3 m	3 m	6 m	3 m	8 m	13 m
					24-Apr-19	24-Apr-19	12-Jun-19	12-Jun-19	20-Aug-19	20-Aug-19	20-Aug-19	25-Apr-19	12-Jun-19	12-Jun-19	20-Aug-19	20-Aug-19	20-Aug-19
Physical Characteristics	Hardness (as CaCO3)	mg/L	-	-	126	128	106	108	129	132	135	123	108	111	128	128	132
	pH, Field	pH	> 6.5 or < 9.0	-	7.88	7.9	8.22	8.22	8.51	8.41	8.28	8.16	8.22	8.23	8.29	8.39	8.14
	pH, Lab	pH	> 6.5 or < 9.0	-	8.22	8.26	8.21	8.16	8.28	8.23	8.18	8.24	8.15	8.17	8.29	8.26	8.17
	Total Suspended Solids, Lab	mg/L	-	-	27	26.4	10.4	11	<1.00	<1.00	2.5	13.7	10.4	10.9	<1.00	1.2	3.9
	Total Dissolved Solids	mg/L	-	-	151	152	125	116	146	153	157	161	123	119	145	143	152
	Dissolved Oxygen-Field	mg/L	< 8	< 5	10.74	10.71	10.07	10.01	9.05	9.41	9.04	10.66	-	-	8.98	9.1	8.72
	Dissolved Oxygen-Field	%	-	-	101.1	100.8	102.7	101.8	99.5	99.8	92.5	100.6	101.7	101.3	99.2	99.1	89.7
	Temperature-Field	C	-	-	8.9	8.9	12.41	12.2	20	18.3	16.4	9.4	11.8	11.7	20.2	19.6	16.7
Anions and Nutrients	Ammonia as N	mg/L	1.4	7	0.0051	0.0064	0.01	0.0054	0.0134	0.0086	0.0126	<0.00500	0.007	0.0111	0.0137	0.009	0.015
	Bromide (Br)	mg/L	-	-	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500
	Chloride (Cl)	mg/L	150	600	3.62	3.47	1.94	1.96	2.36	2.79	2.91	3.71	1.96	1.94	1.97	2.24	2.9
	Fluoride (F)	mg/L	-	1.5	0.076	0.075	0.069	0.071	0.06	0.058	0.063	0.078	0.07	0.069	0.063	0.059	0.057
	Nitrate (as N)	mg/L	3	33	0.152	0.144	0.128	0.126	0.0567	0.0474	0.0705	0.143	0.13	0.127	0.126	0.0896	0.0831
	Nitrite (as N)	mg/L	0.06	0.6	<0.00100	<0.00100	<0.00100	<0.00100	0.0014	0.0011	0.0012	<0.00100	<0.00100	<0.00100	0.0038	0.0031	0.0025
	Phosphorus (P)-Total	mg/L	-	-	0.0171	0.017	0.0053	0.005	<0.00200	<0.00200	<0.00200	0.0106	0.0055	0.005	<0.00200	<0.00200	0.0023
	Sulphate (SO ₄)	mg/L	309	-	26.5	24.7	19.8	19.9	23.5	25	25.7	27.5	19.8	19.8	23.5	23.4	25.6
Total Metals	Aluminum (Al)	mg/L	-	-	0.263	0.266	0.0803	0.0663	0.0083	0.0258	0.0381	0.148	0.0752	0.083	0.0081	0.0148	0.0514
	Antimony (Sb)	mg/L	0.009	-	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100
	Arsenic (As)	mg/L	0.005	0.005	0.00059	0.00058	0.00036	0.00035	0.00032	0.00037	0.00035	0.00054	0.00032	0.00034	0.00034	0.00034	0.00037
	Barium (Ba)	mg/L	1	-	0.0346	0.035	0.0265	0.0266	0.0355	0.0357	0.0358	0.0334	0.0271	0.0278	0.0386	0.0365	0.0356
	Beryllium (Be)	mg/L	0.00013	-	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200
	Bismuth (Bi)	mg/L	-	-	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500
	Boron (B)	mg/L	1.2	-	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100
	Cadmium (Cd)	mg/L	-	-	0.0000083	0.0000101	<0.00000500	0.0000067	<0.00000500	<0.00000500	0.0000055	0.0000087	<0.00000500	0.0000053	<0.00000500	<0.00000500	<0.00000500
	Calcium (Ca)	mg/L	-	-	36	35.1	30	30.2	37.5	39.1	38.2	35.3	30.2	30.7	35.2	37.2	38.7
	Chromium (Cr)	mg/L	0.001	-	0.00047	0.00049	0.00017	0.00036	0.0001	<0.000100	0.00015	0.00029	0.00018	0.00026	0.00012	<0.000100	0.00015
	Cobalt (Co)	mg/L	0.004	0.11	0.00021	0.00023	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	0.00014	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100
	Copper (Cu)	mg/L	-	-	0.00093	0.00108	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	0.00075	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500
	Iron (Fe)	mg/L	-	1	0.393	0.426	0.109	0.109	<0.0100	0.017	0.03	0.194	0.104	0.115	<0.0100	<0.0100	0.038
	Lead (Pb)	mg/L	0.0091	0.15	0.000745	0.00114	0.000185	0.000192	<0.0000500	<0.0000500	0.00008	0.000366	0.000209	0.000209	<0.0000500	<0.0000500	0.000105
	Lithium (Li)	mg/L	-	-	0.0019	0.0018	0.001	<0.00100	0.0015	0.0014	0.0014	0.0017	<0.00100	0.001	0.0017	0.0016	0.0014
	Magnesium (Mg)	mg/L	-	-	10.8	10.9	8.49	8.06	10.6	11	11.1	10.5	8.13	8.47	10	10.3	10.7
	Manganese (Mn)	mg/L	1.3	2.3	0.0223	0.0238	0.00788	0.00785	0.00133	0.00284	0.00452	0.0171	0.00818	0.00867	0.00093	0.00133	0.00517
	Mercury (Hg)	µg/L	0.0012	-	0.011	0.021	0.00055	0.00055	<0.000500	<0.000500	<0.000500	0.00896	<0.000500	0.00055	<0.000500	<0.000500	<0.000500
	Molybdenum (Mo)	mg/L	1	2	0.000562	0.000542	0.000548	0.000532	0.00069	0.000727	0.00062	0.000522	0.000533	0.000558	0.000676	0.000634	0.000647
	Nickel (Ni)	mg/L	0.025	-	0.00057	0.00092	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500
	Potassium (K)	mg/L	-	-	0.653	0.654	0.424	0.411	0.462	0.478	0.485	0.648	0.41	0.428	0.442	0.455	0.487
	Selenium (Se)	mg/L	0.002	-	0.000118	0.000127	0.00013	0.00012	0.000423	0.000156	0.000124	0.000145	0.000105	0.000083	0.000938	0.000565	0.000172
	Silicon (Si)-Total	mg/L	-	-	2.83	2.82	2.27	2.34	1.62	2.02	2.14	2.74	2.24	2.34	1.29	1.47	2.12
	Silver (Ag)	mg/L	0.0015	0.003	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100
	Sodium (Na)	mg/L	-	-	4.25	4.46	2.57	2.36	3.34	3.97	4.03	4.41	2.48	2.53	2.84	3.19	4.05
	Strontium (Sr)	mg/L	-	-	0.127	0.124	0.126	0.128	0.16	0.17	0.171	0.122	0.124	0.123	0.148	0.152	0.164
	Thallium (Tl)	mg/L	0.0008	-	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100
	Tin (Sn)	mg/L	-	-	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100
	Titanium (Ti)	mg/L	-	-	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100
	Uranium (U)	mg/L	0.0085	-	0.000671	0.000658	0.000627	0.000629	0.000654	0.000701	0.000679	0.000679	0.00066	0.00063	0.000658	0.000682	0.000696
	Vanadium (V)	mg/L	-	-	<0.000500	0.00051	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500
	Zinc (Zn)	mg/L	0.059	0.085	0.0053	0.0159	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300

Exceeds CCME Long Term Guideline.
 Exceeds CCME Short Term Guideline.

Notes: "-" indicates no data.

Table B.4: Water Quality for Biological Monitoring Stations in the Kooconusa Reservoir, 2019

Analyte	Units	Long Term Guidelines	Short Term Guidelines	RG_SC_U1	RG_SC_U2	RG_SC_U1	RG_SC_U2	RG_SC_U1	RG_SC_U2	RG_SC_U3	RG_TN_U1	RG_TN_U1	RG_TN_U2	RG_TN_U1	RG_TN_U2	RG_TN_U3
				3 m	6 m	3 m	6 m	3 m	6 m	10 m	3 m	3 m	6 m	3 m	8 m	13 m
				24-Apr-19	24-Apr-19	12-Jun-19	12-Jun-19	20-Aug-19	20-Aug-19	20-Aug-19	25-Apr-19	12-Jun-19	12-Jun-19	20-Aug-19	20-Aug-19	20-Aug-19
Aluminum (Al)	mg/L	0.05	0.1	0.0077	0.0111	0.0092	0.0091	0.0031	0.0041	0.0051	0.0068	0.0092	0.0091	0.0034	0.0034	0.0056
Antimony (Sb)	mg/L	-	-	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100
Arsenic (As)	mg/L	-	-	0.00043	0.00044	0.00027	0.0003	0.00035	0.00036	0.00034	0.00045	0.00028	0.0003	0.00036	0.00034	0.00034
Barium (Ba)	mg/L	-	-	0.0329	0.033	0.0249	0.0253	0.0368	0.0362	0.0362	0.0345	0.0247	0.0245	0.0391	0.037	0.0357
Beryllium (Be)	mg/L	-	-	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200
Bismuth (Bi)	mg/L	-	-	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500
Boron (B)	mg/L	-	-	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100
Cadmium (Cd)	mg/L	-	0.00095	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500
Calcium (Ca)	mg/L	-	-	33.2	34.1	29.3	29.5	33.4	34.8	35.8	32.7	29.7	30.7	33.7	33.6	34.3
Chromium (Cr)	mg/L	0.0003	-	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100
Cobalt (Co)	mg/L	-	-	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100
Copper (Cu)	mg/L	0.0015	0.0089	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500
Iron (Fe)	mg/L	-	0.35	0.014	0.015	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	0.015	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100
Lead (Pb)	mg/L	-	-	0.000055	0.000089	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	0.000054	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500
Lithium (Li)	mg/L	-	-	0.0014	0.0014	<0.00100	<0.00100	0.0015	0.0014	0.0014	0.0014	<0.00100	<0.00100	0.0018	0.0016	0.0014
Magnesium (Mg)	mg/L	-	-	10.5	10.4	8.08	8.27	11.1	11	11.1	9.97	8.13	8.35	10.7	10.7	11.2
Manganese (Mn)	mg/L	-	-	0.00723	0.00842	0.00128	0.00143	<0.000100	<0.000100	<0.000100	0.00796	0.00151	0.00157	<0.000100	<0.000100	0.00011
Mercury (Hg)	mg/L	-	-	<0.00000500	0.0000064	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500
Molybdenum (Mo)	mg/L	-	-	0.000536	0.000512	0.000529	0.000517	0.000671	0.000663	0.000685	0.000584	0.000524	0.000544	0.000641	0.000645	0.000675
Nickel (Ni)	mg/L	-	-	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500
Potassium (K)	mg/L	-	-	0.583	0.573	0.389	0.399	0.486	0.511	0.504	0.578	0.388	0.399	0.48	0.481	0.492
Selenium (Se)	mg/L	-	-	0.000142	0.000128	0.000089	0.000129	0.000508	0.000172	0.00012	0.000131	0.000099	0.000114	0.00103	0.00072	0.000173
Silicon (Si)	mg/L	-	-	2.49	2.49	2.18	2.28	1.59	1.91	2.02	2.51	2.17	2.18	1.25	1.47	2
Silver (Ag)	mg/L	-	-	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100
Sodium (Na)	mg/L	-	-	4.28	4.34	2.36	2.36	3.28	3.69	3.77	4.23	2.37	2.37	2.75	3.17	3.8
Strontium (Sr)	mg/L	-	-	0.132	0.127	0.118	0.117	0.142	0.15	0.157	0.135	0.116	0.119	0.134	0.134	0.151
Thallium (Tl)	mg/L	-	-	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100
Tin (Sn)	mg/L	-	-	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	0.00012	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100
Titanium (Ti)	mg/L	-	-	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100
Uranium (U)	mg/L	-	-	0.000682	0.000646	0.00061	0.000611	0.000653	0.000667	0.000677	0.000722	0.000614	0.000604	0.000612	0.000619	0.00065
Vanadium (V)	mg/L	-	-	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500
Zinc (Zn)	mg/L	-	-	<0.00100	0.0054	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100

Exceeds CCME Long Term Guideline.
 Exceeds CCME Short Term Guideline.

Notes: "-" indicates no data.

Table B.4: Water Quality for Biological Monitoring Stations in the Kocanusa Reservoir, 2019

Analyte	Units	Long Term Guidelines	Short Term Guidelines	RG_ER_U1	RG_ER_U1	RG_ER_U2	RG_ER_U1	RG_ER_U2	RG_ER_U3	RG_T4_U1	RG_T4_U2	RG_T4_U3	RG_T4_U1	RG_T4_U2	RG_T4_U3	RG_T4_U1	
				3 m	3 m	6 m	3 m	8 m	14 m	3 m	8 m	12 m	3 m	10 m	17 m	3 m	
				25-Apr-19	12-Jun-19	12-Jun-19	19-Aug-19	19-Aug-19	19-Aug-19	25-Apr-19	25-Apr-19	25-Apr-19	12-Jun-19	12-Jun-19	12-Jun-19	19-Aug-19	
Physical Characteristics	Hardness (as CaCO3)	mg/L	-	-	133	103	106	117	119	119	149	154	158	109	104	103	123
	pH, Field	pH	> 6.5 or < 9.0		8.16	8.18	8.19	8.46	8.48	8.29	8.18	8.16	8.14	8.38	8.23	8.24	8.48
	pH, Lab	pH	> 6.5 or < 9.0		8.28	8.15	8.2	8.33	8.32	8.3	8.3	8.3	8.32	8.2	8.17	8.18	8.31
	Total Suspended Solids, Lab	mg/L	-	-	14.1	6.8	9.3	<1.00	<1.00	<1.00	8.6	7.6	6.2	2.6	8	15	<1.00
	Total Dissolved Solids	mg/L	-	-	162	122	104	206	206	202	180	177	180	123	119	125	199
	Dissolved Oxygen-Field	mg/L	< 8	< 5	10.8	10.03	10.13	9.04	9.01	9.03	10.89	10.94	10.89	10.21	10.09	10.03	9.02
	Dissolved Oxygen-Field	%	-	-	100.2	107.2	102.8	100	99.4	93.6	95.7	95.6	92.3	111	101.6	99.4	99.4
	Temperature-Field	C	-	-	8.7	14.6	12.23	20.3	20.1	17.6	9.6	9.4	8.3	15.37	11.95	11.22	20.1
Anions and Nutrients	Ammonia as N	mg/L	1.4	7	0.0072	0.0056	0.0071	0.0055	0.0077	0.0062	0.0077	0.0099	0.0088	<0.00500	0.0094	0.0153	0.0054
	Bromide (Br)	mg/L	-	-	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500
	Chloride (Cl)	mg/L	150	600	3.15	1.68	1.79	2.39	2.03	2.27	3.84	3.92	3.86	1.69	1.4	1.46	1.97
	Fluoride (F)	mg/L	-	1.5	0.093	0.067	0.068	0.087	0.093	0.092	0.099	0.095	0.101	0.076	0.066	0.075	0.091
	Nitrate (as N)	mg/L	3	33	0.268	0.148	0.137	0.161	0.147	0.139	0.243	0.255	0.322	0.301	0.177	0.251	0.143
	Nitrite (as N)	mg/L	0.06	0.6	<0.00100	<0.00100	<0.00100	0.002	0.0023	0.0015	<0.00100	<0.00100	<0.00100	0.0012	<0.00100	<0.00100	0.0021
	Phosphorus (P)-Total	mg/L	-	-	0.0156	0.0026	0.0062	<0.00200	<0.00200	0.0031	0.0116	0.0124	0.0124	0.0065	0.006	0.0081	<0.00200
	Sulphate (SO ₄)	mg/L	309	-	28.7	17.9	18.7	23.7	23.8	24.8	34.8	35.5	36.8	18.2	15.8	18.3	23.1
Total Metals	Aluminum (Al)	mg/L	-	-	0.341	0.0529	0.0857	0.0115	0.0101	0.0122	0.237	0.228	0.205	0.0385	0.097	0.116	0.0116
	Antimony (Sb)	mg/L	0.009	-	<0.000100	<0.000100	<0.000100	<0.000100	0.00012	<0.000100	<0.000100	<0.000100	0.0001	<0.000100	<0.000100	<0.000100	<0.000100
	Arsenic (As)	mg/L	0.005	0.005	0.00053	0.00035	0.00032	0.00032	0.00033	0.00033	0.00054	0.00052	0.00048	0.00039	0.00035	0.00037	0.00033
	Barium (Ba)	mg/L	1	-	0.052	0.0244	0.0253	0.0406	0.0413	0.0399	0.0537	0.0547	0.0582	0.0352	0.0294	0.0318	0.0415
	Beryllium (Be)	mg/L	0.00013	-	0.000022	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200
	Bismuth (Bi)	mg/L	-	-	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500
	Boron (B)	mg/L	1.2	-	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	0.011	<0.0100	<0.0100	<0.0100	<0.0100
	Cadmium (Cd)	mg/L	-	-	0.0000166	<0.00000500	0.0000066	<0.00000500	<0.00000500	<0.00000500	0.0000114	0.000013	0.0000142	0.0000051	0.0000056	0.0000069	<0.00000500
	Calcium (Ca)	mg/L	-	-	36.3	28.6	29.5	32.4	32.2	32.2	42.6	41.6	42.7	30	30.4	30.5	33
	Chromium (Cr)	mg/L	0.001	-	0.00055	0.00014	0.00017	0.00011	0.0001	0.00013	0.00042	0.0004	0.00046	0.00011	0.00022	0.00024	0.0001
	Cobalt (Co)	mg/L	0.004	0.11	0.0002	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	0.00015	0.00016	0.00012	<0.000100	<0.000100	0.00012	<0.000100
	Copper (Cu)	mg/L	-	-	0.00086	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	0.00236	0.00097	0.00073	<0.000500	<0.000500	<0.000500	<0.000500
	Iron (Fe)	mg/L	-	1	0.338	0.058	0.098	<0.0100	<0.0100	<0.0100	0.232	0.225	0.173	0.031	0.101	0.158	<0.0100
	Lead (Pb)	mg/L	0.0091	0.15	0.000506	0.000147	0.000175	<0.0000500	<0.0000500	<0.0000500	0.000325	0.000296	0.000241	0.000066	0.00018	0.000259	<0.0000500
	Lithium (Li)	mg/L	-	-	0.0028	<0.00100	<0.00100	0.0019	0.0019	0.0018	0.0029	0.0029	0.0035	0.0014	0.0012	0.0015	0.0018
	Magnesium (Mg)	mg/L	-	-	11.4	7.75	7.69	10.3	10.1	11	13	13.1	13.1	8.33	7.72	8.32	10.1
	Manganese (Mn)	mg/L	1.3	2.3	0.0191	0.00669	0.00793	0.0011	0.00109	0.0014	0.0165	0.0164	0.0132	0.00376	0.00785	0.0119	0.0012
	Mercury (Hg)	µg/L	0.0012	-	0.0136	0.00055	0.00056	<0.000500	<0.000500	<0.000500	0.00135	0.00133	0.00145	<0.000500	0.00064	0.00075	<0.000500
	Molybdenum (Mo)	mg/L	1	2	0.00062	0.000539	0.000509	0.000636	0.000656	0.00066	0.00069	0.000665	0.000725	0.000556	0.000549	0.000547	0.000636
	Nickel (Ni)	mg/L	0.025	-	0.00064	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500
	Potassium (K)	mg/L	-	-	0.704	0.39	0.4	0.464	0.455	0.47	0.703	0.707	0.689	0.445	0.412	0.416	0.468
	Selenium (Se)	mg/L	0.002	-	0.00125	0.0002	0.000154	0.000989	0.00102	0.000853	0.00113	0.00127	0.00164	0.000782	0.000507	0.000789	0.000937
	Silicon (Si)-Total	mg/L	-	-	3.01	2.13	2.18	1.28	1.29	1.41	2.75	2.66	2.6	2.19	2.29	2.34	1.36
	Silver (Ag)	mg/L	0.0015	0.003	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100
	Sodium (Na)	mg/L	-	-	3.98	2.14	2.25	2.66	2.71	3.01	4.86	4.89	4.68	2.33	2.03	1.94	2.71
	Strontium (Sr)	mg/L	-	-	0.126	0.116	0.117	0.128	0.13	0.137	0.145	0.142	0.15	0.113	0.114	0.12	0.128
	Thallium (Tl)	mg/L	0.0008	-	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100
	Tin (Sn)	mg/L	-	-	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	0.00016	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100
	Titanium (Ti)	mg/L	-	-	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100
	Uranium (U)	mg/L	0.0085	-	0.000657	0.000593	0.000596	0.000582	0.000565	0.000598	0.000746	0.000731	0.000725	0.000602	0.000592	0.00061	0.000577
	Vanadium (V)	mg/L	-	-	0.00081	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	0.00059	0.00062	0.00064	<0.000500	<0.000500	<0.000500	<0.000500
	Zinc (Zn)	mg/L	0.059	0.085	0.0046	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300

Exceeds CCME Long Term Guideline.
 Exceeds CCME Short Term Guideline.

Notes: "-" indicates no data.

Table B.4: Water Quality for Biological Monitoring Stations in the Kooconusa Reservoir, 2019

Analyte	Units	Long Term Guidelines	Short Term Guidelines	RG_ER_U1	RG_ER_U1	RG_ER_U2	RG_ER_U1	RG_ER_U2	RG_ER_U3	RG_T4_U1	RG_T4_U2	RG_T4_U3	RG_T4_U1	RG_T4_U2	RG_T4_U3	RG_T4_U1	
				3 m	3 m	6 m	3 m	8 m	14 m	3 m	8 m	12 m	3 m	10 m	17 m	3 m	
				25-Apr-19	12-Jun-19	12-Jun-19	19-Aug-19	19-Aug-19	19-Aug-19	25-Apr-19	25-Apr-19	25-Apr-19	12-Jun-19	12-Jun-19	12-Jun-19	19-Aug-19	
Dissolved Metals	Aluminum (Al)	mg/L	0.05	0.1	0.014	0.0104	0.0104	0.0039	0.004	0.0033	0.0098	0.0109	0.0131	0.0098	0.0098	0.0102	0.0037
	Antimony (Sb)	mg/L	-	-	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100
	Arsenic (As)	mg/L	-	-	0.00041	0.00028	0.00027	0.0003	0.00032	0.0003	0.00041	0.00042	0.00038	0.00032	0.0003	0.00024	0.00029
	Barium (Ba)	mg/L	-	-	0.0504	0.0238	0.0243	0.0395	0.0388	0.0372	0.0527	0.0543	0.0617	0.0332	0.0275	0.032	0.0396
	Beryllium (Be)	mg/L	-	-	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200
	Bismuth (Bi)	mg/L	-	-	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500
	Boron (B)	mg/L	-	-	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100
	Cadmium (Cd)	mg/L	-	0.00095	0.000008	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	0.0000061	<0.00000500	0.0000054	<0.00000500	<0.00000500	<0.00000500	<0.00000500
	Calcium (Ca)	mg/L	-	-	35.2	28.7	29.7	31.6	32.6	32.5	39.1	41	41.8	30.3	29	28.4	33.9
	Chromium (Cr)	mg/L	0.0003	-	0.00011	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	0.00011	0.00012	0.00012	<0.000100	<0.000100	<0.000100	<0.000100
	Cobalt (Co)	mg/L	-	-	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100
	Copper (Cu)	mg/L	0.0015	0.0089	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500
	Iron (Fe)	mg/L	-	0.35	0.018	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	0.014	0.014	0.013	<0.0100	<0.0100	<0.0100	<0.0100
	Lead (Pb)	mg/L	-	-	0.000052	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500
	Lithium (Li)	mg/L	-	-	0.0022	<0.00100	<0.00100	0.0018	0.0018	0.0018	0.0023	0.0024	0.0029	0.0014	0.0012	0.0014	0.0019
	Magnesium (Mg)	mg/L	-	-	11.1	7.7	7.79	9.39	9.27	9.25	12.6	12.5	13.1	8.01	7.69	7.71	9.39
	Manganese (Mn)	mg/L	-	-	0.00721	0.00224	0.00261	<0.000100	<0.000100	<0.000100	0.00511	0.00484	0.00353	0.00018	0.00027	0.00121	<0.000100
	Mercury (Hg)	mg/L	-	-	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500
	Molybdenum (Mo)	mg/L	-	-	0.000608	0.000518	0.000519	0.000599	0.000604	0.00059	0.000639	0.00065	0.000703	0.000532	0.000528	0.000575	0.000593
	Nickel (Ni)	mg/L	-	-	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500
	Potassium (K)	mg/L	-	-	0.578	0.368	0.382	0.431	0.444	0.431	0.618	0.619	0.625	0.412	0.372	0.364	0.438
	Selenium (Se)	mg/L	-	-	0.0013	0.00019	0.000149	0.000979	0.00101	0.000871	0.00136	0.00146	0.00197	0.000769	0.000506	0.000736	0.00101
	Silicon (Si)	mg/L	-	-	2.37	2.01	2.08	1.13	1.13	1.28	2.33	2.28	2.21	2.1	2.05	2.04	1.22
	Silver (Ag)	mg/L	-	-	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100
	Sodium (Na)	mg/L	-	-	3.88	2.02	2.24	2.45	2.56	2.81	4.79	4.71	4.63	2.18	1.94	1.69	2.58
	Strontium (Sr)	mg/L	-	-	0.133	0.111	0.117	0.129	0.123	0.133	0.152	0.155	0.161	0.106	0.105	0.111	0.129
	Thallium (Tl)	mg/L	-	-	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100
	Tin (Sn)	mg/L	-	-	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100
Titanium (Ti)	mg/L	-	-	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	
Uranium (U)	mg/L	-	-	0.000642	0.000578	0.000579	0.000662	0.000626	0.000653	0.000737	0.000782	0.000768	0.000582	0.00058	0.000524	0.000626	
Vanadium (V)	mg/L	-	-	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	
Zinc (Zn)	mg/L	-	-	0.001	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	

Exceeds CCME Long Term Guideline.
 Exceeds CCME Short Term Guideline.

Notes: "-" indicates no data.

Table B.4: Water Quality for Biological Monitoring Stations in the Kooconusa Reservoir, 2019

	Analyte	Units	Long Term Guidelines	Short Term Guidelines	RG_T4_U2	RG_T4_U3	RG_GC_U1	RG_GC_U2	RG_GC_U3	RG_GC_U1	RG_GC_U2	RG_GC_U3	RG_GC_U1	RG_GC_U2	RG_GC_U3
					13m	23 m	3 m	8 m	13 m	3 m	9 m	19 m	3 m	13 m	24 m
					19-Aug-19	19-Aug-19	25-Apr-19	25-Apr-19	25-Apr-19	12-Jun-19	12-Jun-19	12-Jun-19	19-Aug-19	19-Aug-19	19-Aug-19
Physical Characteristics	Hardness (as CaCO3)	mg/L	-	-	126	133	158	158	159	108	104	107	118	128	130
	pH, Field	pH	> 6.5 or < 9.0	-	8.4	8.07	8.08	8.09	8.07	8.36	8.17	8.17	8.4	8.17	8.04
	pH, Lab	pH	> 6.5 or < 9.0	-	8.26	8.21	8.27	8.34	8.33	8.19	8.12	8.16	8.33	8.26	8.1
	Total Suspended Solids, Lab	mg/L	-	-	<1.00	3.9	5.5	5.7	5	2.9	3.8	17.1	<1.00	1.5	9.7
	Total Dissolved Solids	mg/L	-	-	220	159	190	182	189	117	114	118	125	141	148
	Dissolved Oxygen-Field	mg/L	< 8	< 5	8.84	7.4	11.14	11.13	11.11	10.34	9.66	9.78	8.95	8.43	7.76
	Dissolved Oxygen-Field	%	-	-	95.2	75.3	98.9	98.7	94.8	111.3	99.7	97.1	98.9	89.2	79.6
	Temperature-Field	C	-	-	18.9	16.1	10.1	10	8.9	14.9	13	11.35	20.2	18.1	16.5
Anions and Nutrients	Ammonia as N	mg/L	1.4	7	0.0082	0.0154	<0.00500	<0.00500	0.0087	0.0193	0.0234	0.0101	0.0103	0.0119	0.0102
	Bromide (Br)	mg/L	-	-	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500
	Chloride (Cl)	mg/L	150	600	2.25	2.7	4.26	4.21	4.05	1.56	1.45	1.39	1.87	2.25	2.08
	Fluoride (F)	mg/L	-	1.5	0.099	0.105	0.1	0.096	0.1	0.072	0.071	0.077	0.088	0.094	0.101
	Nitrate (as N)	mg/L	3	33	0.209	0.251	0.256	0.256	0.308	0.208	0.207	0.269	0.139	0.192	0.318
	Nitrite (as N)	mg/L	0.06	0.6	0.0021	0.0027	0.001	<0.00100	0.0011	<0.00100	<0.00100	<0.00100	0.002	0.0024	0.0036
	Phosphorus (P)-Total	mg/L	-	-	<0.00200	0.0033	0.0107	0.0112	0.0081	0.004	0.0039	0.0089	<0.00200	<0.00200	0.0035
	Sulphate (SO ₄)	mg/L	309	-	26.6	29.8	37.8	37.3	37.2	17.3	16.1	18.6	21.9	25.4	25.7
Total Metals	Aluminum (Al)	mg/L	-	-	0.0165	0.0443	0.163	0.21	0.117	0.0456	0.056	0.175	0.0198	0.0171	0.131
	Antimony (Sb)	mg/L	0.009	-	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100
	Arsenic (As)	mg/L	0.005	0.005	0.00037	0.00039	0.00048	0.00046	0.00041	0.00035	0.00033	0.0004	0.00035	0.00032	0.00042
	Barium (Ba)	mg/L	1	-	0.0435	0.0437	0.0536	0.0548	0.0602	0.0346	0.0356	0.0333	0.0398	0.0433	0.0447
	Beryllium (Be)	mg/L	0.00013	-	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200
	Bismuth (Bi)	mg/L	-	-	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500
	Boron (B)	mg/L	1.2	-	<0.0100	<0.0100	0.011	0.01	0.01	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100
	Cadmium (Cd)	mg/L	-	-	<0.0000500	0.0000057	0.0000121	0.0000143	0.0000117	0.0000056	<0.0000500	0.0000085	<0.0000500	<0.0000500	0.0000071
	Calcium (Ca)	mg/L	-	-	34.3	34.8	41.2	43.8	41	28.1	28.3	30.1	31	35.5	33.9
	Chromium (Cr)	mg/L	0.001	-	0.00014	0.00026	0.00033	0.00039	0.00026	0.00013	0.00015	0.0003	0.00013	0.00012	0.00028
	Cobalt (Co)	mg/L	0.004	0.11	<0.000100	<0.000100	0.00011	0.00012	<0.000100	<0.000100	<0.000100	0.00015	<0.000100	<0.000100	0.00011
	Copper (Cu)	mg/L	-	-	<0.000500	<0.000500	0.00062	0.00066	0.00058	<0.000500	<0.000500	0.00051	<0.000500	<0.000500	0.0005
	Iron (Fe)	mg/L	-	1	0.012	0.064	0.141	0.17	0.107	0.036	0.051	0.201	0.013	0.017	0.184
	Lead (Pb)	mg/L	0.0091	0.15	<0.0000500	0.000092	0.000229	0.000242	0.000138	0.000068	0.0001	0.000297	<0.0000500	<0.0000500	0.000187
	Lithium (Li)	mg/L	-	-	0.0022	0.0023	0.0031	0.0032	0.0034	0.0013	0.0012	0.0015	0.0017	0.002	0.0022
	Magnesium (Mg)	mg/L	-	-	11	11.8	13.2	13.4	14.1	7.83	7.6	8.15	9.73	10.5	10.7
	Manganese (Mn)	mg/L	1.3	2.3	0.00196	0.00588	0.0126	0.0131	0.0114	0.00443	0.00524	0.0133	0.00119	0.00281	0.0169
	Mercury (Hg)	µg/L	0.0012	-	<0.000500	<0.000500	0.00126	0.00122	0.00092	0.00052	0.00061	0.00065	<0.000500	<0.000500	0.00066
	Molybdenum (Mo)	mg/L	1	2	0.000698	0.000749	0.000667	0.000621	0.000676	0.000522	0.000481	0.000497	0.00061	0.000654	0.000698
	Nickel (Ni)	mg/L	0.025	-	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500
	Potassium (K)	mg/L	-	-	0.472	0.505	0.725	0.753	0.736	0.435	0.447	0.424	0.449	0.468	0.482
	Selenium (Se)	mg/L	0.002	-	0.00121	0.00131	0.00134	0.00119	0.00169	0.000624	0.000498	0.000751	0.000926	0.000978	0.00113
	Silicon (Si)-Total	mg/L	-	-	1.55	1.97	2.5	2.69	2.58	2.22	2.6	2.45	1.34	1.83	2.62
	Silver (Ag)	mg/L	0.0015	0.003	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100
	Sodium (Na)	mg/L	-	-	3	3.48	5.26	5.49	5.06	2.11	2	1.77	2.48	3.06	2.61
	Strontium (Sr)	mg/L	-	-	0.142	0.155	0.15	0.15	0.15	0.103	0.0988	0.112	0.126	0.14	0.147
	Thallium (Tl)	mg/L	0.0008	-	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100
	Tin (Sn)	mg/L	-	-	0.00014	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	0.00017	0.00014	0.00052
	Titanium (Ti)	mg/L	-	-	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100
	Uranium (U)	mg/L	0.0085	-	0.000609	0.000674	0.000771	0.000774	0.000782	0.000581	0.000574	0.000604	0.000571	0.000607	0.000626
	Vanadium (V)	mg/L	-	-	<0.000500	<0.000500	0.00054	0.00061	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500
	Zinc (Zn)	mg/L	0.059	0.085	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300	<0.00300

Exceeds CCME Long Term Guideline.
 Exceeds CCME Short Term Guideline.

Notes: "-" indicates no data.

Table B.4: Water Quality for Biological Monitoring Stations in the Kooconusa Reservoir, 2019

Analyte	Units	Long Term Guidelines	Short Term Guidelines	RG_T4_U2	RG_T4_U3	RG_GC_U1	RG_GC_U2	RG_GC_U3	RG_GC_U1	RG_GC_U2	RG_GC_U3	RG_GC_U1	RG_GC_U2	RG_GC_U3	
				13m	23 m	3 m	8 m	13 m	3 m	9 m	19 m	3 m	13 m	24 m	
				19-Aug-19	19-Aug-19	25-Apr-19	25-Apr-19	25-Apr-19	12-Jun-19	12-Jun-19	12-Jun-19	19-Aug-19	19-Aug-19	19-Aug-19	
Dissolved Metals	Aluminum (Al)	mg/L	0.05	0.1	0.0033	0.0035	0.0091	0.0101	0.0066	0.009	0.008	0.0107	0.0036	0.0032	0.003
	Antimony (Sb)	mg/L	-	-	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100
	Arsenic (As)	mg/L	-	-	0.00031	0.00033	0.00039	0.00041	0.00037	0.00033	0.00032	0.00027	0.00033	0.00028	0.0003
	Barium (Ba)	mg/L	-	-	0.0429	0.0423	0.0553	0.0579	0.0634	0.0336	0.0355	0.03	0.0394	0.0414	0.0412
	Beryllium (Be)	mg/L	-	-	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200	<0.0000200
	Bismuth (Bi)	mg/L	-	-	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500
	Boron (B)	mg/L	-	-	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100
	Cadmium (Cd)	mg/L	-	0.00095	<0.0000500	<0.0000500	<0.0000500	0.000054	0.000058	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500
	Calcium (Ca)	mg/L	-	-	34	36.2	41.5	41.5	41.7	29.7	28.8	29.7	32.2	34.7	35.4
	Chromium (Cr)	mg/L	0.0003	-	<0.000100	<0.000100	0.00011	0.00011	0.0001	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100
	Cobalt (Co)	mg/L	-	-	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100
	Copper (Cu)	mg/L	0.0015	0.0089	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500
	Iron (Fe)	mg/L	-	0.35	<0.0100	<0.0100	0.01	0.011	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100
	Lead (Pb)	mg/L	-	-	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500	<0.0000500
	Lithium (Li)	mg/L	-	-	0.0022	0.0023	0.0026	0.0026	0.0029	0.0013	0.0012	0.0014	0.0018	0.002	0.0022
	Magnesium (Mg)	mg/L	-	-	9.97	10.5	13.2	13.3	13.3	8.19	7.67	7.91	9.19	10	10.1
	Manganese (Mn)	mg/L	-	-	<0.000100	<0.000100	0.00133	0.00123	0.00065	0.00011	0.00015	0.00051	<0.000100	<0.000100	0.00102
	Mercury (Hg)	mg/L	-	-	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500	<0.00000500
	Molybdenum (Mo)	mg/L	-	-	0.00065	0.000702	0.000665	0.000668	0.000676	0.000491	0.000463	0.00054	0.000585	0.000615	0.000656
	Nickel (Ni)	mg/L	-	-	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500
	Potassium (K)	mg/L	-	-	0.455	0.479	0.647	0.664	0.66	0.414	0.415	0.363	0.443	0.471	0.452
	Selenium (Se)	mg/L	-	-	0.00129	0.00135	0.00153	0.00147	0.00202	0.000657	0.000599	0.000829	0.000949	0.000935	0.00131
	Silicon (Si)	mg/L	-	-	1.42	1.81	2.27	2.27	2.25	2.2	2.41	2.03	1.19	1.64	2.24
	Silver (Ag)	mg/L	-	-	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100
	Sodium (Na)	mg/L	-	-	2.83	3.23	5.19	5.18	4.8	2.08	1.98	1.68	2.41	2.79	2.61
	Strontium (Sr)	mg/L	-	-	0.135	0.145	0.164	0.164	0.166	0.106	0.095	0.108	0.123	0.133	0.141
	Thallium (Tl)	mg/L	-	-	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100	<0.0000100
	Tin (Sn)	mg/L	-	-	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	0.00011	0.00034
Titanium (Ti)	mg/L	-	-	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	
Uranium (U)	mg/L	-	-	0.000682	0.000719	0.000782	0.0008	0.000854	0.00059	0.000564	0.000568	0.000653	0.00067	0.00067	
Vanadium (V)	mg/L	-	-	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	<0.000500	
Zinc (Zn)	mg/L	-	-	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	0.0016	

Exceeds CCME Long Term Guideline.
 Exceeds CCME Short Term Guideline.

Notes: "-" indicates no data.

Table B.5: Summary of Water Chemistry Data for Key Parameters for the Kooconusa Monitoring Stations, 2019

Station	Summary Statistic	Total Hardness (CaCO3 mg/L)	Temperature (Degrees C)	Total Dissolved Solids	Lab pH	Field pH	Dissolved Oxygen (mg/L)	Dissolved Organic Carbon	Alkalinity (CaCO3 mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Ammonia (mg/L)	Total Kjeldahl (mg/L)	Orthophosphate (mg/L)	Phosphorus (mg/L)	
RG_WARDB	n	12	12	12	12	12	12	12	12	12	12	12	12	12	11	
	Annual Minimum	93.0	0	114	8.09	7.14	6.50	<0.500	83.0	0.0594	<0.00100	<0.00500	0.0540	<0.00100	0.00320	
	Annual Maximum	171	16.1	226	8.23	8.75	16.7	2.24	164	0.176	0.00318	0.0493	0.207	0.00890	0.0368	
	Annual Mean	140	7.09	176	8.16	8.09	11.2	1.36	119	0.124	0.00146	0.0218	0.110	0.00260	0.0122	
	Annual Median	141	7.07	183	8.16	8.07	10.8	1.35	117	0.132	0.00115	0.0170	0.109	0.00155	0.0105	
	% < LRL	0%	0%	0%	0%	0%	0%	8.3%	0%	0%	0%	42%	8.3%	0%	25%	0%
	% > BCWQG ^a	-	-	-	0%	0%	17%	-	0%	0%	0%	0%	0%	0%	-	-
	% > BCWQG ^b	-	-	-	-	-	17%	-	-	0%	0%	0%	0%	-	-	-
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_SC	n	1	3	1	1	3	3	1	1	1	1	1	1	1	1	
	Annual Minimum	107	8.90	120	8.18	7.89	9.17	1.05	90.5	0.127	<0.00100	0.00770	0.0650	<0.00100	0.00515	
	Annual Maximum	107	18.2	120	8.18	8.40	10.7	1.05	90.5	0.127	<0.00100	0.00770	0.0650	<0.00100	0.00515	
	Annual Mean	107	13.1	120	8.18	8.17	9.98	1.05	90.5	0.127	<0.00100	0.00770	0.0650	<0.00100	0.00515	
	Annual Median	107	12.3	120	8.18	8.22	10.0	1.05	90.5	0.127	<0.00100	0.00770	0.0650	<0.00100	0.00515	
	% < LRL	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%	0%
	% > BCWQG ^a	-	-	-	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-	-
	% > BCWQG ^b	-	-	-	-	-	0%	-	-	0%	0%	0%	0%	-	-	-
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_KERRRD	n	8	8	8	8	8	8	8	8	8	8	8	8	8	8	
	Annual Minimum	96.1	5.97	114	8.09	8.20	8.36	0.654	91.3	0.0896	0.00101	0.00599	0.0595	<0.00100	0.00212	
	Annual Maximum	140	20.2	168	8.37	8.62	11.1	1.76	130	0.191	0.00232	0.0164	0.126	0.00132	0.0130	
	Annual Mean	125	13.2	143	8.24	8.37	9.78	1.10	108	0.118	0.00140	0.00936	0.0920	0.00111	0.00661	
	Annual Median	130	12.5	145	8.22	8.32	9.72	0.984	110	0.107	0.00123	0.00878	0.0890	0.00106	0.00497	
	% < LRL	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	
	% > BCWQG ^a	-	-	-	0%	0%	0%	-	0%	0%	0%	25%	25%	-	-	
	% > BCWQG ^b	-	-	-	-	-	0%	-	-	0%	0%	25%	-	-	-	
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
RG_TN	n	1	3	1	1	3	2	1	1	1	1	1	1	1	1	
	Annual Minimum	110	9.40	121	8.16	8.16	8.93	0.880	89.0	0.128	<0.00100	0.00905	0.0715	<0.00100	0.00525	
	Annual Maximum	110	18.8	121	8.16	8.27	10.7	0.880	89.0	0.128	<0.00100	0.00905	0.0715	<0.00100	0.00525	
	Annual Mean	110	13.3	121	8.16	8.22	9.80	0.880	89.0	0.128	<0.00100	0.00905	0.0715	<0.00100	0.00525	
	Annual Median	110	11.8	121	8.16	8.22	9.80	0.880	89.0	0.128	<0.00100	0.00905	0.0715	<0.00100	0.00525	
	% < LRL	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%	0%
	% > BCWQG ^a	-	-	-	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-	-
	% > BCWQG ^b	-	-	-	-	-	0%	-	-	0%	0%	0%	0%	-	-	-
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

- > 5% of samples exceed the guideline or benchmark.
- > 50% of samples exceed the guideline or benchmark.
- > 95% of samples exceed the guideline or benchmark.

Notes: "-" = no applicable guideline. "LRL" = laboratory reporting limit. "BCWQG" = British Columbia Working or Accepted Water Quality Guideline. For guidelines dependent on other analytes (e.g., hardness or chloride), guidelines were screened using concurrent concentrations. When concurrent hardness or chloride concentrations were not measured, the most conservative concentration observed for that station was used to estimate the guidelines or benchmark. All summary statistics are reported to 3 significant figures.

^a Long-term average BCQWG for the Protection of Aquatic Life.

^b Short-term maximum BCQWG for the Protection of Aquatic Life.

Table B.5: Summary of Water Chemistry Data for Key Parameters for the Koochanusa Monitoring Stations, 2019

Station	Summary Statistic	Sulphate (mg/L)	Dissolved Chloride (mg/L)	Dissolve Fluoride (mg/L)	Antimony (mg/L)	Arsenic (mg/L)	Barium (mg/L)	Beryllium (mg/L)	Boron (mg/L)	Chromium (mg/L)	Cobalt (mg/L)	Copper (mg/L)	Iron (mg/L)	Lead (mg/L)	Lithium (mg/L)
RG_WARDB	n	12	12	12	12	12	12	12	12	12	12	12	12	12	12
	Annual Minimum	16.8	1.71	0.0607	<0.000100	0.000400	0.0295	<0.0000200	<0.0100	0.000100	<0.000100	<0.000500	0.0460	<0.0000500	0.00130
	Annual Maximum	51.6	8.32	0.105	0.000110	0.000738	0.0487	0.0000388	0.0280	0.000997	0.000708	0.00156	1.23	0.00127	0.00257
	Annual Mean	37.2	5.08	0.0848	0.000101	0.000530	0.0394	0.0000226	0.0167	0.000291	0.000187	0.000684	0.260	0.000306	0.00198
	Annual Median	41.9	5.16	0.0877	<0.000100	0.000519	0.0389	<0.0000200	0.0145	0.000187	<0.000100	<0.000500	0.0898	0.000119	0.00204
	% < LRL	0%	0%	0%	83%	0%	0%	75%	33%	0%	58%	58%	0%	8.3%	0%
	% > BCWQG ^a	0%	0%	-	0%	-	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	-	0%	0%	-	0%	-	-	-	-	0%	0%	8.3%	0%	-
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_SC	n	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Annual Minimum	19.8	1.95	0.0700	<0.000100	0.000355	0.0266	<0.0000200	<0.0100	0.000265	<0.000100	<0.000500	0.109	0.000188	0.00100
	Annual Maximum	19.8	1.95	0.0700	<0.000100	0.000355	0.0266	<0.0000200	<0.0100	0.000265	<0.000100	<0.000500	0.109	0.000188	0.00100
	Annual Mean	19.8	1.95	0.0700	<0.000100	0.000355	0.0266	<0.0000200	<0.0100	0.000265	<0.000100	<0.000500	0.109	0.000188	0.00100
	Annual Median	19.8	1.95	0.0700	<0.000100	0.000355	0.0266	<0.0000200	<0.0100	0.000265	<0.000100	<0.000500	0.109	0.000188	0.00100
	% < LRL	0%	0%	0%	100%	0%	0%	100%	100%	0%	100%	100%	0%	0%	0%
	% > BCWQG ^a	0%	0%	-	0%	-	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	-	0%	0%	-	0%	-	-	-	-	0%	0%	0%	0%	-
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_KERRRD	n	8	8	8	8	8	8	8	8	8	8	8	8	8	8
	Annual Minimum	15.5	1.40	0.0610	<0.000100	0.000327	0.0260	<0.0000200	<0.0100	0.000105	<0.000100	<0.000500	0.0127	0.0000517	0.00114
	Annual Maximum	34.3	4.29	0.0931	0.000100	0.000548	0.0403	0.0000213	0.0113	0.000333	0.000195	0.000660	0.314	0.000448	0.00201
	Annual Mean	25.8	2.75	0.0783	0.000100	0.000408	0.0350	0.0000202	0.0102	0.000195	0.000130	0.000537	0.123	0.000188	0.00160
	Annual Median	24.9	2.86	0.0783	<0.000100	0.000381	0.0378	<0.0000200	<0.0100	0.000150	0.000100	0.000509	0.0462	0.0000978	0.00167
	% < LRL	0%	0%	0%	88%	0%	0%	75%	63%	13%	50%	38%	0%	0%	0%
	% > BCWQG ^a	0%	0%	-	0%	-	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	-	0%	0%	-	0%	-	-	-	-	0%	0%	0%	0%	-
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_TN	n	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Annual Minimum	19.8	1.95	0.0695	<0.000100	0.000330	0.0274	<0.0000200	<0.0100	0.000220	<0.000100	<0.000500	0.110	0.000209	0.00100
	Annual Maximum	19.8	1.95	0.0695	<0.000100	0.000330	0.0274	<0.0000200	<0.0100	0.000220	<0.000100	<0.000500	0.110	0.000209	0.00100
	Annual Mean	19.8	1.95	0.0695	<0.000100	0.000330	0.0274	<0.0000200	<0.0100	0.000220	<0.000100	<0.000500	0.110	0.000209	0.00100
	Annual Median	19.8	1.95	0.0695	<0.000100	0.000330	0.0274	<0.0000200	<0.0100	0.000220	<0.000100	<0.000500	0.110	0.000209	0.00100
	% < LRL	0%	0%	0%	100%	0%	0%	100%	100%	0%	100%	100%	0%	0%	0%
	% > BCWQG ^a	0%	0%	-	0%	-	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	-	0%	0%	-	0%	-	-	-	-	0%	0%	0%	0%	-
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

> 5% of samples exceed the guideline or benchmark.
 > 50% of samples exceed the guideline or benchmark.
 > 95% of samples exceed the guideline or benchmark.

Notes: "-" = no applicable guideline. "LRL" = laboratory reporting limit. "BCWQG" = British Columbia Working or Accepted Water Quality Guideline. For guidelines dependent on other analytes (e.g., hardness or chloride), guidelines were screened using concurrent concentrations. When concurrent hardness or chloride concentrations were not measured, the most conservative concentration observed for that station was used to estimate the guidelines or benchmark. All summary statistics are reported to 3 significant figures.

^a Long-term average BCQWG for the Protection of Aquatic Life.
^b Short-term maximum BCQWG for the Protection of Aquatic Life.

Table B.5: Summary of Water Chemistry Data for Key Parameters for the Koocanusa Monitoring Stations, 2019

Station	Summary Statistic	Manganese (mg/L)	Mercury (mg/L)	Molybdenum (mg/L)	Nickel (mg/L)	Selenium (mg/L)	Silver (mg/L)	Thallium (mg/L)	Uranium (mg/L)	Zinc (mg/L)	Dissolved Aluminum (mg/L)	Dissolved Cadmium (mg/L)	Dissolved Cobalt (mg/L)	Dissolved Copper (mg/L)	Dissolved Iron (mg/L)
RG_WARDB	n	12	12	12	12	12	12	12	12	12	12	12	12	12	12
	Annual Minimum	0.00578	<0.000000500	0.000516	<0.000500	0.0000812	<0.0000100	<0.0000100	0.000621	<0.00300	<0.00300	<0.00000500	<0.000100	<0.000200	<0.0100
	Annual Maximum	0.0462	0.00000224	0.000804	0.00128	0.000153	0.0000108	0.0000130	0.00106	0.00558	0.0152	0.00000780	<0.000100	<0.000500	0.0213
	Annual Mean	0.0167	0.000000878	0.000690	0.000612	0.000114	0.0000101	0.0000104	0.000835	0.00340	0.00692	0.00000529	<0.000100	0.000213	0.0128
	Annual Median	0.0159	0.000000700	0.000692	<0.000500	0.000110	<0.0000100	<0.0000100	0.000807	<0.00300	0.00577	<0.00000500	<0.000100	<0.000200	0.0110
	% < LRL	0%	8.3%	0%	75%	0%	83%	83%	0%	67%	17%	75%	100%	92%	50%
	% > BCWQG ^a	0%	17%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	8.3%	-
	% > BCWQG ^b	0%	-	0%	-	-	0%	-	-	0%	0%	0%	-	0%	0%
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_SC	n	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Annual Minimum	0.00786	0.000000550	0.000540	<0.000500	0.000125	<0.0000100	<0.0000100	0.000628	<0.00300	0.00915	<0.00000500	<0.000100	<0.000500	<0.0100
	Annual Maximum	0.00786	0.000000550	0.000540	<0.000500	0.000125	<0.0000100	<0.0000100	0.000628	<0.00300	0.00915	<0.00000500	<0.000100	<0.000500	<0.0100
	Annual Mean	0.00786	0.000000550	0.000540	<0.000500	0.000125	<0.0000100	<0.0000100	0.000628	<0.00300	0.00915	<0.00000500	<0.000100	<0.000500	<0.0100
	Annual Median	0.00786	0.000000550	0.000540	<0.000500	0.000125	<0.0000100	<0.0000100	0.000628	<0.00300	0.00915	<0.00000500	<0.000100	<0.000500	<0.0100
	% < LRL	0%	0%	0%	100%	0%	100%	100%	0%	100%	0%	100%	100%	100%	100%
	% > BCWQG ^a	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	0%	-	0%	-	-	0%	-	-	0%	0%	0%	-	0%	0%
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_KERRRD	n	8	8	8	8	8	8	8	8	8	8	8	8	8	8
	Annual Minimum	0.00177	<0.000000500	0.000502	<0.000500	0.000100	<0.0000100	<0.0000100	0.000557	<0.00300	0.00303	<0.00000500	<0.000100	0.000207	<0.0100
	Annual Maximum	0.0182	0.000000986	0.000709	0.000568	0.000674	0.0000136	0.0000107	0.000741	0.00472	0.0123	0.00000598	<0.000100	<0.000500	0.0133
	Annual Mean	0.00773	0.000000680	0.000602	0.000520	0.000373	0.0000104	0.0000101	0.000663	0.00331	0.00621	0.00000512	<0.000100	0.000263	0.0107
	Annual Median	0.00389	0.000000568	0.000592	<0.000500	0.000366	<0.0000100	<0.0000100	0.000682	0.00301	0.00494	<0.00000500	<0.000100	0.000263	<0.0100
	% < LRL	0%	38%	0%	63%	0%	88%	88%	0%	38%	0%	88%	100%	75%	63%
	% > BCWQG ^a	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	0%	-	0%	-	-	0%	-	-	0%	0%	0%	-	0%	0%
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_TN	n	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Annual Minimum	0.00842	0.000000525	0.000546	<0.000500	0.0000940	<0.0000100	<0.0000100	0.000645	<0.00300	0.00915	<0.00000500	<0.000100	<0.000500	<0.0100
	Annual Maximum	0.00842	0.000000525	0.000546	<0.000500	0.0000940	<0.0000100	<0.0000100	0.000645	<0.00300	0.00915	<0.00000500	<0.000100	<0.000500	<0.0100
	Annual Mean	0.00842	0.000000525	0.000546	<0.000500	0.0000940	<0.0000100	<0.0000100	0.000645	<0.00300	0.00915	<0.00000500	<0.000100	<0.000500	<0.0100
	Annual Median	0.00842	0.000000525	0.000546	<0.000500	0.0000940	<0.0000100	<0.0000100	0.000645	<0.00300	0.00915	<0.00000500	<0.000100	<0.000500	<0.0100
	% < LRL	0%	0%	0%	100%	0%	100%	100%	0%	100%	0%	100%	100%	100%	100%
	% > BCWQG ^a	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	0%	-	0%	-	-	0%	-	-	0%	0%	0%	-	0%	0%
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

- > 5% of samples exceed the guideline or benchmark.
- > 50% of samples exceed the guideline or benchmark.
- > 95% of samples exceed the guideline or benchmark.

Notes: "-" = no applicable guideline. "LRL" = laboratory reporting limit. "BCWQG" = British Columbia Working or Accepted Water Quality Guideline. For guidelines dependent on other analytes (e.g., hardness or chloride), guidelines were screened using concurrent concentrations. When concurrent hardness or chloride concentrations were not measured, the most conservative concentration observed for that station was used to estimate the guidelines or benchmark. All summary statistics are reported to 3 significant figures.

^a Long-term average BCQWG for the Protection of Aquatic Life.
^b Short-term maximum BCQWG for the Protection of Aquatic Life.

Table B.5: Summary of Water Chemistry Data for Key Parameters for the Koocanusa Monitoring Stations, 2019

Station	Summary Statistic	Total Hardness (CaCO3 mg/L)	Temperature (Degrees C)	Total Dissolved Solids	Lab pH	Field pH	Dissolved Oxygen (mg/L)	Dissolved Organic Carbon	Alkalinity (CaCO3 mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Ammonia (mg/L)	Total Kjeldahl (mg/L)	Orthophosphate (mg/L)	Phosphorus (mg/L)	
RG_ELKMOUTH	n	12	12	12	12	12	12	12	12	12	12	12	12	12	11	
	Annual Minimum	144	-0.0200	162	8.21	7.99	6.90	<0.500	115	0.682	0.00110	<0.00500	0.0730	<0.00100	<0.00200	
	Annual Maximum	238	14.0	284	8.37	8.47	16.8	1.91	210	1.29	0.00540	0.0726	0.458	0.00383	0.0429	
	Annual Mean	200	5.85	223	8.29	8.24	12.2	0.936	155	1.09	0.00225	0.0205	0.274	0.00157	0.0118	
	Annual Median	212	4.78	234	8.30	8.25	12.1	0.775	154	1.18	0.00183	0.00925	0.263	0.00130	0.00360	
	% < LRL	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	17%	0%	0%	42%	36%
	% > BCWQG ^a	-	-	-	0%	0%	8.3%	-	0%	0%	0%	0%	0%	0%	-	-
	% > BCWQG ^b	-	-	-	-	-	8.3%	-	-	0%	0%	0%	0%	-	-	-
	% > Level 1 Benchmark	-	-	0%	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_ER	n	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
	Annual Minimum	99.7	8.70	110	8.12	8.16	9.03	1.07	83.6	0.137	0.00107	<0.00500	0.111	0.000500	0.00217	
	Annual Maximum	130	19.3	204	8.32	8.41	10.8	1.78	116	0.201	0.00192	0.0120	0.143	0.00300	0.0151	
	Annual Mean	116	13.8	159	8.21	8.25	9.97	1.31	103	0.162	0.00137	0.00786	0.124	0.00133	0.00753	
	Annual Median	118	13.4	163	8.20	8.18	10.1	1.08	108	0.147	0.00113	0.00663	0.118	0.000500	0.00537	
	% < LRL	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	0%	
	% > BCWQG ^a	-	-	-	0%	0%	0%	-	0%	0%	0%	-	-	-	-	-
	% > BCWQG ^b	-	-	-	-	-	0%	-	-	0%	0%	-	-	-	-	-
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_DSELK	n	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
	Annual Minimum	106	0.657	128	8.05	8.00	8.35	0.807	99.4	0.178	0.00114	0.00561	0.0807	<0.00100	0.00235	
	Annual Maximum	182	20.1	225	8.34	8.72	12.3	1.83	161	0.389	0.00259	0.0271	3.31	0.00207	0.0114	
	Annual Mean	139	11.4	162	8.24	8.33	10.1	1.18	118	0.258	0.00163	0.0125	0.432	0.00112	0.00589	
	Annual Median	135	11.9	160	8.26	8.37	9.98	1.05	114	0.229	0.00158	0.0115	0.119	0.00100	0.00449	
	% < LRL	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	
	% > BCWQG ^a	-	-	-	0%	0%	0%	-	0%	0%	0%	20%	30%	-	-	
	% > BCWQG ^b	-	-	-	-	-	0%	-	-	0%	0%	20%	-	-	-	
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
RG_GRASMERE	n	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
	Annual Minimum	105	1.43	127	8.18	7.96	7.53	0.739	99.0	0.210	<0.00100	0.00723	0.0553	<0.00100	0.00218	
	Annual Maximum	178	18.5	216	8.31	8.55	13.0	1.76	148	0.377	0.00263	0.0128	0.116	0.00180	0.0100	
	Annual Mean	136	11.4	159	8.25	8.35	10.1	1.16	116	0.260	0.00162	0.0104	0.0926	0.00114	0.00504	
	Annual Median	135	11.7	155	8.25	8.39	10.1	1.12	114	0.233	0.00131	0.0103	0.0927	0.00103	0.00334	
	% < LRL	0%	0%	0%	0%	0%	0%	0%	0%	0%	10%	0%	0%	30%	0%	
	% > BCWQG ^a	-	-	-	0%	0%	10%	-	0%	0%	0%	0%	0%	-	-	
	% > BCWQG ^b	-	-	-	-	-	10%	-	-	0%	0%	0%	-	-	-	
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

> 5% of samples exceed the guideline or benchmark.
 > 50% of samples exceed the guideline or benchmark.
 > 95% of samples exceed the guideline or benchmark.

Notes: "-" = no applicable guideline. "LRL" = laboratory reporting limit. "BCWQG" = British Columbia Working or Accepted Water Quality Guideline. For guidelines dependent on other analytes (e.g., hardness or chloride), guidelines were screened using concurrent concentrations. When concurrent hardness or chloride concentrations were not measured, the most conservative concentration observed for that station was used to estimate the guidelines or benchmark. All summary statistics are reported to 3 significant figures.

^a Long-term average BCQWG for the Protection of Aquatic Life.

^b Short-term maximum BCQWG for the Protection of Aquatic Life.

Table B.5: Summary of Water Chemistry Data for Key Parameters for the Kooconusa Monitoring Stations, 2019

Station	Summary Statistic	Sulphate (mg/L)	Dissolved Chloride (mg/L)	Dissolve Fluoride (mg/L)	Antimony (mg/L)	Arsenic (mg/L)	Barium (mg/L)	Beryllium (mg/L)	Boron (mg/L)	Chromium (mg/L)	Cobalt (mg/L)	Copper (mg/L)	Iron (mg/L)	Lead (mg/L)	Lithium (mg/L)	
RG_ELKMOUTH	n	12	12	12	12	12	12	12	12	12	12	12	12	12	12	
	Annual Minimum	28.2	0.852	0.109	<0.000100	0.000220	0.0652	<0.0000200	<0.0100	0.000200	<0.000100	<0.000500	<0.0100	<0.0000500	0.00422	
	Annual Maximum	68.1	4.47	0.189	0.000105	0.000432	0.103	0.0000345	<0.0100	0.000835	0.000250	0.000850	0.493	0.000360	0.00840	
	Annual Mean	50.2	2.35	0.148	0.000101	0.000304	0.0863	0.0000225	<0.0100	0.000368	0.000130	0.000570	0.134	0.000128	0.00625	
	Annual Median	54.8	2.36	0.138	<0.000100	0.000265	0.0891	<0.0000200	<0.0100	0.000273	<0.000100	<0.000500	0.0482	0.0000578	0.00655	
	% < LRL	0%	0%	0%	75%	0%	0%	67%	100%	0%	67%	67%	8.3%	50%	0%	
	% > BCWQG ^a	0%	0%	-	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	-	0%	0%	-	0%	-	-	-	-	0%	0%	0%	0%	0%	-
	% > Level 1 Benchmark	0%	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	0%	-	-	-	-	0%	-	0%	0%	0%	-	
RG_ER	n	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
	Annual Minimum	16.0	1.47	0.0602	0.0000867	0.000328	0.0274	0.0000100	0.00500	0.000113	0.0000500	0.000250	0.00500	0.0000250	0.00113	
	Annual Maximum	25.1	3.52	0.0913	<0.000100	0.000497	0.0441	<0.0000200	<0.0100	0.000333	0.000157	0.000697	0.240	0.000320	0.00207	
	Annual Mean	21.8	2.40	0.0791	0.0000867	0.000404	0.0374	0.0000100	0.00500	0.000247	0.000117	0.000502	0.138	0.000212	0.00169	
	Annual Median	24.2	2.20	0.0857	0.0000867	0.000388	0.0406	0.0000100	0.00500	0.000295	0.000143	0.000560	0.168	0.000292	0.00187	
	% < LRL	0%	0%	0%	67%	0%	0%	67%	67%	0%	0%	0%	0%	0%	0%	0%
	% > BCWQG ^a	0%	0%	-	0%	-	0%	0%	0%	0%	0%	0%	-	0%	-	
	% > BCWQG ^b	-	0%	0%	-	0%	-	-	-	-	0%	0%	0%	0%	-	
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
RG_DSELK	n	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
	Annual Minimum	17.2	1.26	0.0745	<0.000100	0.000319	0.0341	<0.0000200	<0.0100	0.000112	<0.000100	<0.000500	0.0151	<0.0000500	0.00153	
	Annual Maximum	50.9	6.08	0.106	0.000100	0.000465	0.0599	0.0000221	0.0167	0.000455	0.000166	0.000608	0.261	0.000319	0.00307	
	Annual Mean	29.8	2.84	0.0871	0.000100	0.000389	0.0458	0.0000202	0.0109	0.000225	0.000112	0.000529	0.0761	0.000122	0.00222	
	Annual Median	28.5	2.54	0.0825	<0.000100	0.000383	0.0450	<0.0000200	<0.0100	0.000151	<0.000100	0.000504	0.0246	0.0000662	0.00206	
	% < LRL	0%	0%	0%	90%	0%	0%	90%	60%	0%	70%	50%	0%	10%	0%	
	% > BCWQG ^a	0%	0%	-	0%	-	0%	0%	0%	0%	0%	0%	-	0%	-	
	% > BCWQG ^b	-	0%	0%	-	0%	-	-	-	-	0%	0%	0%	0%	-	
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
RG_GRASMERE	n	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
	Annual Minimum	17.4	1.37	0.0751	<0.000100	0.000306	0.0330	<0.0000200	<0.0100	0.000109	<0.000100	<0.000500	0.0124	<0.0000500	0.00145	
	Annual Maximum	44.8	4.97	0.111	0.000104	0.000470	0.0586	0.0000205	0.0157	0.000335	0.000139	0.000657	0.192	0.000262	0.00317	
	Annual Mean	28.9	2.68	0.0890	0.000100	0.000387	0.0455	0.0000201	0.0107	0.000180	0.000109	0.000528	0.0640	0.000106	0.00224	
	Annual Median	27.4	2.39	0.0878	<0.000100	0.000380	0.0448	<0.0000200	<0.0100	0.000142	<0.000100	<0.000500	0.0246	0.0000548	0.00215	
	% < LRL	0%	0%	0%	90%	0%	0%	90%	80%	0%	70%	60%	0%	10%	0%	
	% > BCWQG ^a	0%	0%	-	0%	-	0%	0%	0%	0%	0%	0%	-	0%	-	
	% > BCWQG ^b	-	0%	0%	-	0%	-	-	-	-	0%	0%	0%	0%	-	
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

- > 5% of samples exceed the guideline or benchmark.
- > 50% of samples exceed the guideline or benchmark.
- > 95% of samples exceed the guideline or benchmark.

Notes: "-" = no applicable guideline. "LRL" = laboratory reporting limit. "BCWQG" = British Columbia Working or Accepted Water Quality Guideline. For guidelines dependent on other analytes (e.g., hardness or chloride), guidelines were screened using concurrent concentrations. When concurrent hardness or chloride concentrations were not measured, the most conservative concentration observed for that station was used to estimate the guidelines or benchmark. All summary statistics are reported to 3 significant figures.

^a Long-term average BCQWG for the Protection of Aquatic Life.

^b Short-term maximum BCQWG for the Protection of Aquatic Life.

Table B.5: Summary of Water Chemistry Data for Key Parameters for the Kooconusa Monitoring Stations, 2019

Station	Summary Statistic	Manganese (mg/L)	Mercury (mg/L)	Molybdenum (mg/L)	Nickel (mg/L)	Selenium (mg/L)	Silver (mg/L)	Thallium (mg/L)	Uranium (mg/L)	Zinc (mg/L)	Dissolved Aluminum (mg/L)	Dissolved Cadmium (mg/L)	Dissolved Cobalt (mg/L)	Dissolved Copper (mg/L)	Dissolved Iron (mg/L)
RG_ELKMOUTH	n	12	12	12	12	12	12	12	12	12	12	12	12	12	12
	Annual Minimum	0.000720	<0.000000500	0.000720	<0.000500	0.00356	<0.0000100	<0.0000100	0.000598	<0.00300	<0.00300	0.00000550	<0.000100	<0.000200	<0.0100
	Annual Maximum	0.0262	0.00000263	0.00113	0.00122	0.00743	0.0000130	0.0000198	0.00113	0.00507	0.0144	0.0000118	<0.000100	0.000673	0.0135
	Annual Mean	0.00681	0.000000980	0.000948	0.000637	0.00589	0.0000105	0.0000116	0.000891	0.00332	0.00559	0.00000824	<0.000100	0.000239	0.0105
	Annual Median	0.00350	<0.000000500	0.000975	<0.000500	0.00632	<0.0000100	<0.0000100	0.000928	<0.00300	0.00380	0.00000808	<0.000100	<0.000500	<0.0100
	% < LRL	0%	58%	0%	67%	0%	75%	67%	0%	75%	25%	0%	100%	92%	83%
	% > BCWQG ^a	0%	25%	0%	-	100%	0%	0%	0%	0%	0%	0%	-	8.3%	-
	% > BCWQG ^b	0%	-	0%	-	-	0%	-	-	0%	0%	0%	-	0%	0%
	% > Level 1 Benchmark	-	-	-	0%	0%	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	0%	0%	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	0%	-	0%	-	0%	-	-	0%	-	-	-	-	-	
RG_ER	n	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	Annual Minimum	0.00121	0.000000250	0.000507	0.000250	0.000224	0.00000500	0.00000500	0.000582	0.00150	0.00370	0.00000300	0.0000500	0.000250	0.00500
	Annual Maximum	0.0153	0.000000990	0.000653	0.000517	0.000948	<0.0000100	<0.0000100	0.000775	0.00663	0.0119	0.00000510	<0.000100	<0.000500	<0.0100
	Annual Mean	0.00868	0.000000673	0.000582	0.000339	0.000606	0.00000500	0.00000500	0.000652	0.00391	0.00748	0.00000370	0.0000500	0.000250	0.00500
	Annual Median	0.00957	0.000000780	0.000587	0.000250	0.000646	0.00000500	0.00000500	0.000600	0.00360	0.00680	0.00000300	0.0000500	0.000250	0.00500
	% < LRL	0%	0%	0%	33%	0%	67%	67%	0%	0%	0%	33%	67%	67%	67%
	% > BCWQG ^a	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	0%	-	0%	-	-	0%	-	-	0%	0%	0%	-	0%	0%
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_DSELK	n	10	10	10	10	10	10	10	10	10	10	10	10	10	10
	Annual Minimum	0.00159	<0.000000500	0.000536	<0.000500	0.000842	<0.0000100	<0.0000100	0.000555	<0.00300	0.00300	<0.00000500	<0.000100	0.000208	<0.0100
	Annual Maximum	0.0149	0.00000113	0.000845	0.000673	0.00174	<0.0000100	0.0000111	0.00106	0.00338	0.0109	0.0000107	<0.000100	<0.000500	0.0183
	Annual Mean	0.00670	0.000000676	0.000667	0.000528	0.00122	<0.0000100	0.0000101	0.000700	0.00306	0.00562	0.00000597	<0.000100	0.000261	0.0112
	Annual Median	0.00386	0.000000524	0.000657	<0.000500	0.00115	<0.0000100	<0.0000100	0.000671	<0.00300	0.00393	0.00000510	<0.000100	0.000252	<0.0100
	% < LRL	0%	50%	0%	60%	0%	100%	80%	0%	70%	0%	40%	100%	70%	70%
	% > BCWQG ^a	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	0%	-	0%	-	-	0%	-	-	0%	0%	0%	-	0%	0%
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_GRASMERE	n	10	10	10	10	10	10	10	10	10	10	10	10	10	10
	Annual Minimum	0.00168	<0.000000500	0.000534	<0.000500	0.000730	<0.0000100	<0.0000100	0.000565	<0.00300	<0.00300	<0.00000500	<0.000100	0.000204	<0.0100
	Annual Maximum	0.0131	0.000000985	0.000870	0.000558	0.00170	0.0000109	0.0000102	0.000890	0.00375	0.0102	0.00000611	0.000107	<0.000500	0.0105
	Annual Mean	0.00605	0.000000624	0.000673	0.000513	0.00123	0.0000101	0.0000100	0.000682	0.00310	0.00514	0.00000523	0.000101	0.000253	0.0101
	Annual Median	0.00344	<0.000000500	0.000668	<0.000500	0.00117	<0.0000100	<0.0000100	0.000663	<0.00300	0.00366	0.00000507	<0.000100	0.000227	<0.0100
	% < LRL	0%	60%	0%	60%	0%	80%	90%	0%	60%	30%	40%	90%	70%	70%
	% > BCWQG ^a	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	0%	-	0%	-	-	0%	-	-	0%	0%	0%	-	0%	0%
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

- > 5% of samples exceed the guideline or benchmark.
- > 50% of samples exceed the guideline or benchmark.
- > 95% of samples exceed the guideline or benchmark.

Notes: "-" = no applicable guideline. "LRL" = laboratory reporting limit. "BCWQG" = British Columbia Working or Accepted Water Quality Guideline. For guidelines dependent on other analytes (e.g., hardness or chloride), guidelines were screened using concurrent concentrations. When concurrent hardness or chloride concentrations were not measured, the most conservative concentration observed for that station was used to estimate the guidelines or benchmark. All summary statistics are reported to 3 significant figures.

^a Long-term average BCQWG for the Protection of Aquatic Life.
^b Short-term maximum BCQWG for the Protection of Aquatic Life.

Table B.5: Summary of Water Chemistry Data for Key Parameters for the Koocanusa Monitoring Stations, 2019

Station	Summary Statistic	Total Hardness (CaCO3 mg/L)	Temperature (Degrees C)	Total Dissolved Solids	Lab pH	Field pH	Dissolved Oxygen (mg/L)	Dissolved Organic Carbon	Alkalinity (CaCO3 mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Ammonia (mg/L)	Total Kjeldahl (mg/L)	Orthophosphate (mg/L)	Phosphorus (mg/L)	
RG_T4	n	2	3	2	2	3	3	2	2	2	2	2	2	2	2	
	Annual Minimum	105	9.10	122	8.18	8.16	8.42	0.958	89.2	0.211	0.00107	0.00990	0.0973	0.000500	0.00230	
	Annual Maximum	128	18.4	192	8.25	8.32	10.9	1.10	112	0.243	0.00233	0.0104	0.163	<0.00100	0.00687	
	Annual Mean	117	13.4	157	8.22	8.25	9.81	1.03	101	0.227	0.00170	0.0101	0.130	0.000500	0.00458	
	Annual Median	117	12.8	157	8.22	8.28	10.1	1.03	101	0.227	0.00170	0.0101	0.130	0.000500	0.00458	
	% < LRL	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%
	% > BCWQG ^a	-	-	-	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-	-
	% > BCWQG ^b	-	-	-	-	-	0%	-	-	0%	0%	0%	0%	-	-	-
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_GC	n	2	3	2	2	3	3	2	2	2	2	2	2	2	2	
	Annual Minimum	97.6	9.67	116	8.10	8.08	8.38	1.26	89.0	0.111	<0.00100	0.00830	0.0870	<0.00100	0.00560	
	Annual Maximum	106	18.3	119	8.16	8.23	11.1	2.31	92.9	0.228	0.00113	0.0176	0.115	0.00170	0.00993	
	Annual Mean	102	13.7	118	8.13	8.17	9.81	1.78	90.9	0.169	0.00107	0.0130	0.101	0.00135	0.00777	
	Annual Median	102	13.1	118	8.13	8.20	9.93	1.78	90.9	0.169	0.00107	0.0130	0.101	0.00135	0.00777	
	% < LRL	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	50%	0%	
	% > BCWQG ^a	-	-	-	0%	0%	0%	-	0%	0%	0%	-	-	-	-	-
	% > BCWQG ^b	-	-	-	-	-	0%	-	-	0%	0%	-	-	-	-	-
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_USGOLD	n	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
	Annual Minimum	108	1.45	121	8.18	8.05	7.69	0.856	97.0	0.194	<0.00100	0.00876	0.0525	<0.00100	0.00223	
	Annual Maximum	171	19.1	200	8.30	8.56	12.9	1.72	142	0.342	0.00309	0.0148	0.163	0.00122	0.0107	
	Annual Mean	135	11.6	149	8.26	8.33	9.97	1.24	114	0.253	0.00179	0.0117	0.106	0.00105	0.00479	
	Annual Median	133	12.0	142	8.27	8.33	9.86	1.19	112	0.238	0.00161	0.0116	0.107	0.00102	0.00299	
	% < LRL	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	0%	0%	40%	0%	
	% > BCWQG ^a	-	-	-	0%	0%	10%	-	0%	0%	0%	0%	0%	-	-	
	% > BCWQG ^b	-	-	-	-	-	10%	-	-	0%	0%	0%	-	-	-	
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
RG_BORDER	n	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
	Annual Minimum	111	2.26	139	8.15	8.05	7.70	0.736	103	0.206	<0.00100	0.00723	0.0625	<0.00100	<0.00200	
	Annual Maximum	164	17.6	185	8.31	8.61	12.5	1.66	140	0.309	0.00257	0.0161	0.146	0.00113	0.00662	
	Annual Mean	136	11.0	159	8.25	8.32	9.87	1.14	114	0.243	0.00176	0.0116	0.103	0.00104	0.00394	
	Annual Median	137	11.2	156	8.26	8.34	9.80	1.13	111	0.232	0.00165	0.0111	0.101	0.00103	0.00344	
	% < LRL	0%	0%	0%	0%	0%	0%	0%	0%	0%	10%	0%	0%	40%	20%	
	% > BCWQG ^a	-	-	-	0%	0%	10%	-	0%	0%	0%	0%	0%	-	-	
	% > BCWQG ^b	-	-	-	-	-	10%	-	-	0%	0%	0%	-	-	-	
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

> 5% of samples exceed the guideline or benchmark.
 > 50% of samples exceed the guideline or benchmark.
 > 95% of samples exceed the guideline or benchmark.
 Notes: "-" = no applicable guideline. "LRL" = laboratory reporting limit. "BCWQG" = British Columbia Working or Accepted Water Quality Guideline. For guidelines dependent on other analytes (e.g., hardness or chloride), guidelines were screened using concurrent concentrations. When concurrent hardness or chloride concentrations were not measured, the most conservative concentration observed for that station was used to estimate the guidelines or benchmark. All summary statistics are reported to 3 significant figures.
^a Long-term average BCQWG for the Protection of Aquatic Life.
^b Short-term maximum BCQWG for the Protection of Aquatic Life.

Table B.5: Summary of Water Chemistry Data for Key Parameters for the Kooconusa Monitoring Stations, 2019

Station	Summary Statistic	Sulphate (mg/L)	Dissolved Chloride (mg/L)	Dissolve Fluoride (mg/L)	Antimony (mg/L)	Arsenic (mg/L)	Barium (mg/L)	Beryllium (mg/L)	Boron (mg/L)	Chromium (mg/L)	Cobalt (mg/L)	Copper (mg/L)	Iron (mg/L)	Lead (mg/L)	Lithium (mg/L)
RG_T4	n	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Annual Minimum	17.4	1.52	0.0723	0.0000500	0.000368	0.0321	0.0000100	0.00500	0.000178	0.0000500	0.000250	0.0315	0.0000620	0.00137
	Annual Maximum	27.1	2.36	0.0995	<0.000100	0.000370	0.0431	<0.0000200	<0.0100	0.000190	0.000107	<0.000500	0.0967	0.000168	0.00215
	Annual Mean	22.2	1.94	0.0859	0.0000500	0.000369	0.0376	0.0000100	0.00500	0.000184	0.0000783	0.000250	0.0641	0.000115	0.00176
	Annual Median	22.2	1.94	0.0859	0.0000500	0.000369	0.0376	0.0000100	0.00500	0.000184	0.0000783	0.000250	0.0641	0.000115	0.00176
	% < LRL	0%	0%	0%	50%	0%	0%	50%	50%	0%	0%	50%	0%	0%	0%
	% > BCWQG ^a	0%	0%	-	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%
	% > BCWQG ^b	-	0%	0%	-	0%	-	-	-	-	0%	0%	0%	0%	-
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_GC	n	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Annual Minimum	9.24	1.24	0.0567	<0.000100	0.000290	0.0345	<0.0000200	<0.0100	0.000193	0.000113	0.000503	0.0960	0.000113	0.00127
	Annual Maximum	17.3	1.47	0.0733	<0.000100	0.000360	0.0482	<0.0000200	<0.0100	0.000213	0.000117	0.000593	0.141	0.000155	0.00133
	Annual Mean	13.3	1.35	0.0650	<0.000100	0.000325	0.0413	<0.0000200	<0.0100	0.000203	0.000115	0.000548	0.119	0.000134	0.00130
	Annual Median	13.3	1.35	0.0650	<0.000100	0.000325	0.0413	<0.0000200	<0.0100	0.000203	0.000115	0.000548	0.119	0.000134	0.00130
	% < LRL	0%	0%	0%	100%	0%	0%	100%	100%	0%	0%	0%	0%	0%	0%
	% > BCWQG ^a	0%	0%	-	0%	-	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	-	0%	0%	-	0%	-	-	-	-	0%	0%	0%	0%	-
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_USGOLD	n	10	10	10	10	10	10	10	10	10	10	10	10	10	10
	Annual Minimum	18.2	1.47	0.0662	<0.000100	0.000297	0.0352	<0.0000200	<0.0100	0.000112	<0.000100	<0.000500	0.0115	<0.0000500	0.00155
	Annual Maximum	40.9	4.61	0.105	<0.000100	0.000448	0.0590	0.0000201	0.0150	0.000321	0.000138	0.00111	0.196	0.000282	0.00323
	Annual Mean	28.2	2.61	0.0874	<0.000100	0.000373	0.0450	0.0000200	0.0106	0.000166	0.000106	0.000619	0.0544	0.000103	0.00220
	Annual Median	26.9	2.38	0.0879	<0.000100	0.000372	0.0434	<0.0000200	<0.0100	0.000136	<0.000100	0.000515	0.0249	0.0000536	0.00214
	% < LRL	0%	0%	0%	100%	0%	0%	90%	80%	0%	70%	30%	0%	10%	0%
	% > BCWQG ^a	0%	0%	-	0%	-	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	-	0%	0%	-	0%	-	-	-	-	0%	0%	0%	0%	-
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_BORDER	n	10	10	10	10	10	10	10	10	10	10	10	10	10	10
	Annual Minimum	18.6	1.58	0.0762	<0.000100	0.000317	0.0365	<0.0000200	<0.0100	0.000103	<0.000100	<0.000500	0.0123	<0.0000500	0.00173
	Annual Maximum	35.5	3.81	0.102	0.000106	0.000433	0.0574	<0.0000200	0.0108	0.000367	0.000118	0.00105	0.122	0.000169	0.00278
	Annual Mean	27.1	2.51	0.0874	0.000101	0.000368	0.0456	<0.0000200	0.0101	0.000167	0.000103	0.000605	0.0415	0.0000849	0.00216
	Annual Median	27.7	2.48	0.0860	<0.000100	0.000354	0.0451	<0.0000200	<0.0100	0.000131	<0.000100	0.000517	0.0230	0.0000525	0.00211
	% < LRL	0%	0%	0%	70%	0%	0%	100%	70%	0%	70%	40%	0%	20%	0%
	% > BCWQG ^a	0%	0%	-	0%	-	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	-	0%	0%	-	0%	-	-	-	-	0%	0%	0%	0%	-
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

> 5% of samples exceed the guideline or benchmark.
 > 50% of samples exceed the guideline or benchmark.
 > 95% of samples exceed the guideline or benchmark.
 Notes: "-" = no applicable guideline. "LRL" = laboratory reporting limit. "BCWQG" = British Columbia Working or Accepted Water Quality Guideline. For guidelines dependent on other analytes (e.g., hardness or chloride), guidelines were screened using concurrent concentrations. When concurrent hardness or chloride concentrations were not measured, the most conservative concentration observed for that station was used to estimate the guidelines or benchmark. All summary statistics are reported to 3 significant figures.
^a Long-term average BCQWG for the Protection of Aquatic Life.
^b Short-term maximum BCQWG for the Protection of Aquatic Life.

Table B.5: Summary of Water Chemistry Data for Key Parameters for the Kooconusa Monitoring Stations, 2019

Station	Summary Statistic	Manganese (mg/L)	Mercury (mg/L)	Molybdenum (mg/L)	Nickel (mg/L)	Selenium (mg/L)	Silver (mg/L)	Thallium (mg/L)	Uranium (mg/L)	Zinc (mg/L)	Dissolved Aluminum (mg/L)	Dissolved Cadmium (mg/L)	Dissolved Cobalt (mg/L)	Dissolved Copper (mg/L)	Dissolved Iron (mg/L)
RG_T4	n	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Annual Minimum	0.00332	0.000000250	0.000551	0.000250	0.000693	0.00000500	0.00000500	0.000601	0.00150	0.00347	0.00000300	0.0000500	0.000250	0.00500
	Annual Maximum	0.00784	0.000000630	0.000704	<0.000500	0.00119	<0.0000100	<0.0000100	0.000627	<0.00300	0.00993	<0.00000500	<0.000100	<0.000500	<0.0100
	Annual Mean	0.00558	0.000000440	0.000627	0.000250	0.000940	0.00000500	0.00000500	0.000614	0.00150	0.00670	0.00000300	0.0000500	0.000250	0.00500
	Annual Median	0.00558	0.000000440	0.000627	0.000250	0.000940	0.00000500	0.00000500	0.000614	0.00150	0.00670	0.00000300	0.0000500	0.000250	0.00500
	% < LRL	0%	0%	0%	50%	0%	50%	50%	0%	50%	0%	50%	50%	50%	50%
	% > BCWQG ^a	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	0%	-	0%	-	-	0%	-	-	0%	0%	0%	-	0%	0%
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_GC	n	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Annual Minimum	0.00723	0.000000593	0.000262	<0.000500	0.000335	<0.0000100	<0.0000100	0.000451	<0.00300	0.00923	<0.00000500	<0.000100	<0.000500	<0.0100
	Annual Maximum	0.00766	0.00000124	0.000500	<0.000500	0.000624	<0.0000100	<0.0000100	0.000586	<0.00300	0.0103	<0.00000500	<0.000100	<0.000500	0.0103
	Annual Mean	0.00744	0.000000918	0.000381	<0.000500	0.000480	<0.0000100	<0.0000100	0.000519	<0.00300	0.00975	<0.00000500	<0.000100	<0.000500	0.0102
	Annual Median	0.00744	0.000000918	0.000381	<0.000500	0.000480	<0.0000100	<0.0000100	0.000519	<0.00300	0.00975	<0.00000500	<0.000100	<0.000500	0.0102
	% < LRL	0%	0%	0%	100%	0%	100%	100%	0%	100%	0%	100%	100%	100%	50%
	% > BCWQG ^a	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	0%	-	0%	-	-	0%	-	-	0%	0%	0%	-	0%	0%
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_USGOLD	n	10	10	10	10	10	10	10	10	10	10	10	10	10	10
	Annual Minimum	0.00148	<0.000000500	0.000533	<0.000500	0.000848	<0.0000100	<0.0000100	0.000562	<0.00300	<0.00300	<0.00000500	<0.000100	0.000201	<0.0100
	Annual Maximum	0.0123	0.000000998	0.000864	0.000514	0.00180	0.0000180	0.0000102	0.000861	0.00360	0.00989	0.00000586	<0.000100	0.000623	0.0104
	Annual Mean	0.00556	0.000000606	0.000662	0.000503	0.00120	0.0000108	0.0000100	0.000677	0.00306	0.00489	0.00000515	<0.000100	0.000291	0.0100
	Annual Median	0.00360	0.000000513	0.000665	<0.000500	0.00114	<0.0000100	<0.0000100	0.000669	<0.00300	0.00352	0.00000501	<0.000100	0.000242	<0.0100
	% < LRL	0%	50%	0%	70%	0%	90%	80%	0%	80%	30%	50%	100%	60%	90%
	% > BCWQG ^a	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	0%	-	0%	-	-	0%	-	-	0%	0%	0%	-	0%	0%
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RG_BORDER	n	10	10	10	10	10	10	10	10	10	10	10	10	10	10
	Annual Minimum	0.00148	<0.000000500	0.000596	<0.000500	0.000897	<0.0000100	<0.0000100	0.000581	<0.00300	<0.00300	<0.00000500	<0.000100	0.000224	<0.0100
	Annual Maximum	0.00794	0.000000751	0.000785	0.000526	0.00153	0.0000105	0.0000108	0.000789	0.00382	0.00910	0.00000645	<0.000100	<0.000500	0.0104
	Annual Mean	0.00410	0.000000572	0.000657	0.000503	0.00117	0.0000100	0.0000101	0.000680	0.00316	0.00436	0.00000526	<0.000100	0.000283	0.0100
	Annual Median	0.00272	0.000000530	0.000654	<0.000500	0.00112	<0.0000100	<0.0000100	0.000668	<0.00300	0.00328	0.00000506	<0.000100	0.000239	<0.0100
	% < LRL	0%	40%	0%	90%	0%	90%	90%	0%	70%	20%	30%	100%	70%	90%
	% > BCWQG ^a	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	-
	% > BCWQG ^b	0%	-	0%	-	-	0%	-	-	0%	0%	0%	-	0%	0%
	% > Level 1 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	% > Level 2 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-
% > Level 3 Benchmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

> 5% of samples exceed the guideline or benchmark.
 > 50% of samples exceed the guideline or benchmark.
 > 95% of samples exceed the guideline or benchmark.

Notes: "-" = no applicable guideline. "LRL" = laboratory reporting limit. "BCWQG" = British Columbia Working or Accepted Water Quality Guideline. For guidelines dependent on other analytes (e.g., hardness or chloride), guidelines were screened using concurrent concentrations. When concurrent hardness or chloride concentrations were not measured, the most conservative concentration observed for that station was used to estimate the guidelines or benchmark. All summary statistics are reported to 3 significant figures.

^a Long-term average BCQWG for the Protection of Aquatic Life.
^b Short-term maximum BCQWG for the Protection of Aquatic Life.

APPENDIX C
SEDIMENT

Table C.1: Profundal Sediment Sampling Locations in Koocanusa Reservoir, August 2019

Station Identifier		UTM (NAD 83, Zone 11U)		Station Depth (m)	Average Ponar Fullness (%)	Sample Texture	Macrophytes in Sample	Algae in Sample
		Easting	Northing					
Upstream of Elk River	RG_TN-1	627394	5453542	13.0	75%	90% sand and finer, 10% organics	No	No
	RG_TN-2	627291	5453642	13.3	50%	90% sand and finer, 10% organics	No	No
	RG_TN-3	627343	5456370	13.0	50%	90% sand and finer, 10% organics	No	No
	RG_TN-4	627344	5453854	13.0	75%	90% sand and finer, 10% organics	No	No
	RG_TN-5	627175	5453986	13.0	75%	90% sand and finer, 10% organics	No	No
Downstream of Elk River	RG_T4-1	630074	5441765	23.0	75%	80% sand and finer, 20% organics	No	No
	RG_T4-2	629838	5442106	24.0	75%	80% sand and finer, 20% organics	No	No
	RG_T4-3	629706	5441670	24.0	75%	80% sand and finer, 20% organics	No	No
	RG_T4-4	629512	5441745	24.0	75%	80% sand and finer, 20% organics	No	No
	RG_T4-5	629460	5441543	23.0	75%	80% sand and finer, 20% organics	No	No

Table C.2: Profundal Sediment Quality in Koocanusa Reservoir, August 2019

	Units	BC Sediment Quality Guidelines ^a	Upstream of Elk River (RG_TN)					Downstream of Elk River (RG_T4)				
			TN-1	TN-2	TN-3	TN-4	TN-5	T4-1	T4-2	T4-3	T4-4	T4-5
Non-metals												
Moisture	%	-	37	37	35	34	34	41	41	39	38	39
pH (1:2 soil:water)	pH	-	8.3	8.2	8.3	8.3	8.4	8.1	8.2	8.2	8.1	8.2
Particle size												
% Gravel (>2mm)	%	-	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
% Sand (2.00mm - 0.063mm)	%	-	9.9	13	9.5	21	26	5.0	5.0	6.8	10	7.6
% Silt (0.063mm - 0.004mm)	%	-	80	75	81	68	67	78	78	80	79	78
% Clay (<4um)	%	-	14	15	14	14	9.8	21	22	16	15	18
Carbon												
Total Organic Carbon	%	-	1.3	1.3	1.2	1.3	1.3	1.5	1.4	1.7	2.0	1.2
Metals												
Aluminum (Al)	mg/kg dw	-	11,900	12,400	12,000	11,300	11,400	12,200	12,200	12,700	12,000	12,300
Antimony (Sb)	mg/kg dw	-	0.27	0.26	0.25	0.24	0.27	0.40	0.40	0.39	0.38	0.33
Arsenic (As)	mg/kg dw	5.9/17 ^b	5.5	5.7	5.6	5.5	6.0	6.4	6.3	6.5	6.1	6.3
Barium (Ba)	mg/kg dw	-	72	76	71	71	64	151	148	134	120	115
Beryllium (Be)	mg/kg dw	-	0.39	0.42	0.38	0.36	0.36	0.54	0.57	0.54	0.51	0.48
Bismuth (Bi)	mg/kg dw	-	<0.20	0.20	<0.20	<0.20	<0.20	0.20	0.21	0.21	0.20	0.21
Boron (B)	mg/kg dw	-	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Cadmium (Cd)	mg/kg dw	0.6/3.5 ^b	0.17	0.17	0.15	0.16	0.16	0.51	0.50	0.45	0.41	0.33
Calcium (Ca)	mg/kg dw	-	105,000	112,000	109,000	112,000	98,200	98,800	100,000	103,000	96,200	105,000
Chromium (Cr)	mg/kg dw	37.3/90 ^b	18	19	18	17	18	19	19	21	19	19
Cobalt (Co)	mg/kg dw	-	8.5	8.7	8.5	8.1	8.2	8.4	8.4	9.0	8.7	8.6
Copper (Cu)	mg/kg dw	35.7/197 ^b	14	14	14	13	14	16	16	17	17	15
Iron (Fe)	mg/kg dw	21,200/43,766 ^c	22,000	23,100	22,400	21,500	21,900	22,000	22,100	23,100	21,700	22,500
Lead (Pb)	mg/kg dw	35/91 ^b	15	15	15	14	15	14	15	16	16	15
Lithium (Li)	mg/kg dw	-	26	26	25	24	24	22	24	24	24	25
Magnesium (Mg)	mg/kg dw	-	23,200	24,600	24,100	23,800	23,200	22,000	22,200	23,400	22,500	22,300
Manganese (Mn)	mg/kg dw	460/1,100 ^c	468	464	454	443	418	572	550	541	496	529
Mercury (Hg)	mg/kg dw	0.170/0.486 ^b	0.023	0.027	0.022	0.045	0.017	0.038	0.039	0.032	0.036	0.023
Molybdenum (Mo)	mg/kg dw	-	0.57	0.57	0.54	0.53	0.52	0.83	0.83	0.84	0.73	0.71
Nickel (Ni)	mg/kg dw	16/75 ^c	20	20	20	19	19	22	22	23	22	21
Phosphorus (P)	mg/kg dw	-	532	594	557	606	559	724	752	753	690	625
Potassium (K)	mg/kg dw	-	920	1,050	880	840	810	1,330	1,360	1,300	1,160	1,200
Selenium (Se)	mg/kg dw	2	<0.20	<0.20	<0.20	<0.20	<0.20	0.68	0.69	0.65	0.56	0.46
Silver (Ag)	mg/kg dw	0.5	<0.10	<0.10	<0.10	<0.10	<0.10	0.11	0.10	0.10	<0.10	<0.10
Sodium (Na)	mg/kg dw	-	91	118	93	93	88	100	102	99	91	97
Strontium (Sr)	mg/kg dw	-	252	265	257	251	221	201	197	216	202	234
Sulfur (S)	mg/kg dw	-	<1000	<1000	<1000	<1000	<1000	<1000	<1000	<1000	<1000	<1000
Thallium (Tl)	mg/kg dw	-	0.088	0.090	0.081	0.077	0.079	0.15	0.16	0.15	0.13	0.12
Tin (Sn)	mg/kg dw	-	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Titanium (Ti)	mg/kg dw	-	118	139	130	127	129	55	64	81	82	91
Tungsten (W)	mg/kg dw	-	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Uranium (U)	mg/kg dw	-	0.74	0.71	0.71	0.65	0.61	0.76	0.76	0.82	0.82	0.77
Vanadium (V)	mg/kg dw	-	14	15	14	14	14	19	20	20	18	17
Zinc (Zn)	mg/kg dw	123/315 ^b	62	64	62	59	64	74	74	76	73	70
Zirconium (Zr)	mg/kg dw	-	1.5	1.5	1.6	2.2	1.5	1.5	1.5	1.5	1.5	1.3
Polycyclic Aromatic Hydrocarbons												
Acenaphthene	mg/kg dw	0.00671/0.0889 ^b	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Acenaphthylene	mg/kg dw	0.00587/0.128 ^b	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Acridine	mg/kg dw	-	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.010
Anthracene	mg/kg dw	0.0469/0.245 ^b	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040	<0.0040
Benz(a)anthracene	mg/kg dw	0.0317/0.385 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.011	<0.010	<0.010	<0.010
Benzo(a)pyrene	mg/kg dw	0.0319/0.782 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Benzo(b&j)fluoranthene	mg/kg dw	-	<0.010	<0.010	<0.010	<0.010	<0.010	0.012	0.015	<0.010	0.011	<0.010
Benzo(b+j+k)fluoranthene	mg/kg dw	-	<0.015	<0.015	<0.015	<0.015	<0.015	0.015	0.019	<0.015	<0.015	<0.015
Benzo(e)pyrene	mg/kg dw	-	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.010	<0.010	<0.010	<0.010
Benzo(g,h,i)perylene	mg/kg dw	0.17/3.2 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Benzo(k)fluoranthene	mg/kg dw	0.24/13.4 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Chrysene	mg/kg dw	0.0571/0.862 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	0.016	0.019	0.010	0.011	<0.010
Dibenz(a,h)anthracene	mg/kg dw	0.00622/0.135 ^b	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Fluoranthene	mg/kg dw	0.111/2.355 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	0.013	0.014	<0.010	0.011	<0.010
Fluorene	mg/kg dw	0.021/0.144 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Indeno(1,2,3-c,d)pyrene	mg/kg dw	0.2/3.2 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
1-Methylnaphthalene	mg/kg dw	-	<0.010	<0.010	<0.010	<0.010	<0.010	0.026	0.030	0.018	0.017	0.016
2-Methylnaphthalene	mg/kg dw	0.0202/0.201 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	0.045	0.050	0.029	0.027	0.027
Naphthalene	mg/kg dw	0.0346/0.391 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	0.019	0.020	0.013	0.013	0.014
Perylene	mg/kg dw	-	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.010	<0.010	<0.010	<0.010
Phenanthrene	mg/kg dw	0.0419/0.515 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	0.037	0.042	0.023	0.022	0.025
Pyrene	mg/kg dw	0.053/0.875 ^b	<0.010	<0.010	<0.010	<0.010	<0.010	0.011	0.012	<0.010	<0.010	<0.010
Quinoline	mg/kg dw	-	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
d10-Acenaphthene	%	-	73.0	75.0	79.9	79.4	77.2	82.5	81.6	77.0	80.3	85.0
d12-Chrysene	%	-	88.7	89.2	92.9	92.3	89.4	97.6	96.0	94.1	91.9	98.7
d8-Naphthalene	%	-	69.8	73.3	78.2	78.2	77.3	81.8	82.2	75.1	81.5	82.6
d10-Phenanthrene	%	-	86.4	90.3	90.9	92.6	90.4	91.8	90.2	92.9	88.9	100
B(a)P Total Potency Equivalent	mg/kg dw	-	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
IACR (CCME)	mg/kg dw	-	<0.15	<0.15	<0.15	<0.15	<0.15	0.15	0.2	<0.15	<0.15	<0.15

Notes: Shaded values were above the lower guidelines (ISQG^b or LEL^c). No values exceeded the upper (PEL^b or SEL^c) guidelines, "-" indicates no guideline.

^a Working Sediment Quality Guidelines (BC MOE 2015).

^b Interim Sediment Quality Guideline (ISQG; or Threshold Effect Level [LEL]/ Probable Effect Level (PEL).

^c Lowest Effect Level (LEL)/ Severe Effect Level (SEL).

APPENDIX D
PLANTKON

Table D.1: Zooplankton Community Density Data (no. organisms/L), June 2019

Taxa Group	Species	Upstream of Elk River (RG_TN)					Downstream of Elk River (RG_T4)				
		TN-1	TN-2	TN-3	TN-4	TN-5	T4-1	T4-2	T4-3	T4-4	T4-5
Cladocera	<i>Alona sps</i>	0.00588	0.124	0	0	0	0	0	0	0	0
	<i>Bosmina longirostris</i>	0	0	0.00588	0	0.241	43.0	77.1	50.8	38.5	16.9
	<i>Chydorus sps</i>	0	0	0	0	0.0176	0	0	0	0	0
	<i>Daphnia galeata mendotae</i>	0.0618	0	0	0	0.00588	0.622	0.399	0.798	0.0463	0.223
	<i>Daphnia retrocurva</i>	0	0	0	0	0	0.139	0.200	0.0926	0.0926	0.0232
	<i>Daphnia schoedleri</i>	0	0	0	0	0	0.176	0.116	0	0.0695	0.139
	<i>Diaphanosoma leuchtenbergianum</i>	0	0	0	0	0	0	0	0.0232	0	0.0232
	<i>Leptodora kindtii</i>	0	0	0	0	0	0.0463	0.116	0.00221	0.0132	0.00662
Copepoda	<i>Calanoid nauplii</i>	0	0	0	0	0	0.176	0	0	0.706	0.353
	<i>Cyclopid nauplii</i>	0	0	0	0	0.235	4.23	8.29	7.06	6.70	8.29
	<i>Cyclops bicuspidatus</i>	0	0	0	0	0.241	9.89	19.0	15.3	11.7	9.91
	<i>Cyclops capillatus</i>	0	0	0	0	0.00588	0	0	0	0	0
	<i>Cyclops vernalis</i>	0	0	0	0	0	0.176	0	0	0	0
	<i>Diaptomus pallidus</i>	0	0	0	0	0	0.176	0	0	0	0
	<i>Diaptomus tyrrelli</i>	0	0	0	0	0	0.615	0.324	0.723	0.862	1.15
	<i>Epischura nevadensis</i>	0.0118	0	0	0	0	0.208	0.608	0.116	0.116	0.469
<i>Eucyclops agilis</i>	0	0.00588	0.0118	0.0118	0	0	0	0	0	0	
Rotifera	<i>Asplanchna sps</i>	0	0	0	0	0.235	3.71	3.88	1.76	2.82	0.353
	<i>Brachionus sps</i>	0	0	0	0	0	0	0.529	0	0	0.176
	<i>Kellicottia sps</i>	0	0	0	0	0.470	30.9	35.1	36.3	38.1	14.8
	<i>Keratella sp.</i>	0	0	0	0	0.235	1.94	3.88	3.18	2.12	1.24
	<i>Polyarthra sps</i>	0	0	0	0	0	0.529	1.59	0.353	1.06	1.06
	<i>Unknown rotifer</i>	0	0.470	0	0	0	0	0	0	0	0
Total Number of Organisms/L:		0.07939	0.599859	0.017643	0.011762	1.687838	96.55633	151.1369	116.5501	102.8923	55.17157
Total Number of Taxa:		3	3	2	1	9	16	14	13	14	16

Table D.2: Zooplankton Community Density Data (no. organisms/L), August 2019

Taxa Group	Species	Upstream of Elk River (RG_TN)					Downstream of Elk River (RG_T4)				
		TN-1	TN-2	TN-3	TN-4	TN-5	T4-1	T4-2	T4-3	T4-4	T4-5
Cladocera	<i>Bosmina longirostris</i>	0.109	0	0	0	0.109	0.0161	0	0.0161	0.245	0
	<i>Daphnia galeata mendotae</i>	1.75	0.765	0.714	1.66	1.63	0.875	0.982	0.614	0.471	1.51
	<i>Daphnia retrocurva</i>	0.109	0	0	0.109	0.217	0.123	0.245	0	0	0
	<i>Daphnia schoedleri</i>	0.109	0	0	0	0	0	0	0.00153	0	0
	<i>Diaphanosoma leuchtenbergianum</i>	0.00271	0	0	0.00271	0	0	0	0	0	0
	<i>Leptodora kindtii</i>	0	0.00271	0	0.00271	0.00543	0	0.00153	0.00307	0	0.00307
	<i>Scapholeberis kingii</i>	0	0.0285	0.00271	0.0570	0.0163	0	0.123	0	0	0
<i>Sida crystallina</i>	0	0	0.00271	0	0	0	0	0	0.00153	0	
Copepoda	<i>Calanoid nauplii</i>	0.109	0	0.434	0.434	0.543	0.368	0.368	0.859	0	0
	<i>Cyclopoid nauplii</i>	1.95	0.977	2.28	1.09	2.50	3.50	3.19	3.68	1.96	6.38
	<i>Cyclops bicuspidatus</i>	4.86	5.59	3.80	9.23	8.80	4.19	4.08	8.87	11.3	7.63
	<i>Cyclops vernalis</i>	0	0	0	0.109	0	0.0614	0	0	0	0
	<i>Diaptomus pallidus</i>	0.546	0	0.760	0.434	0.217	0.368	0.123	0.245	0.998	0
	<i>Diaptomus tyrrelli</i>	0.194	0.0624	0.0909	0.434	0.394	0.203	0.372	0.227	0.258	0.185
	<i>Epischura nevadensis</i>	0.0163	0.0339	0.0190	0.247	0.171	0.00920	0.0368	0.0322	0.113	0.0805
Rotifera	<i>Gastropus sps</i>	0.109	0	0.326	0.326	0.869	0.307	0.982	0.491	0.491	1.72
	<i>Kellicottia sps</i>	0.434	0.217	0.109	0.543	0.869	1.23	2.33	0.982	0.736	1.72
	<i>Keratella sp.</i>	0.977	0.651	1.52	0.977	0.977	1.66	3.19	1.96	3.93	4.66
	<i>Polyarthra sps</i>	0.760	0.651	1.30	0.869	1.52	0.736	0.368	0.614	0	0.245
	<i>Unknown rotifer</i>	0	0	0	0	0	0	0	0	0.245	0
Total Number of Organisms/L:		12.0	8.98	11.4	16.5	18.8	13.6	16.4	18.6	20.8	24.1
Total Number of Taxa:		15	10	13	16	15	14	14	14	12	10

Table D.6: Relative Density (%) of Zooplankton Species, August 2019

Species	Upstream of Elk River (RG_TN)					Downstream of Elk River (RG_T4)					Summary Statistics									
	TN-1	TN-2	TN-3	TN-4	TN-5	T4-1	T4-2	T4-3	T4-4	T4-5	Minimum		Median		Maximum		Mean		Standard Deviation	
											RG_TN	RG_T4	RG_TN	RG_T4	RG_TN	RG_T4	RG_TN	RG_T4	RG_TN	RG_T4
<i>Acanthocyclops vernalis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Alona sps</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Asplanchna sps</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Bosmina longirostris</i>	0.902	0	0	0	0.576	0.118	0	0.0866	1.18	0	0	0	0	0.0866	0.902	1.18	0.296	0.277	0.421	0.508
<i>Brachionus sps</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Calanoid nauplius</i>	0.902	0	3.82	2.63	2.88	2.70	2.25	4.62	0	0	0	0	2.63	2.25	3.82	4.62	2.05	1.91	1.56	1.96
<i>Calanoid nauplius</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chydorus sps</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Conochilus sps</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Cyclopoid nauplius</i>	16.2	10.9	20.1	6.57	13.3	25.6	19.5	19.8	9.45	26.5	6.57	9.45	13.3	19.8	20.1	26.5	13.4	20.2	5.14	6.80
<i>Cyclops bicuspidatus thomasi</i>	40.4	62.3	33.4	55.9	46.7	30.7	24.9	47.7	54.5	31.6	33.4	24.9	46.7	31.6	62.3	54.5	47.7	37.9	11.6	12.6
<i>Cyclops capillatus</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Cyclops vernalis</i>	0	0	0	0.657	0	0.450	0	0	0	0	0	0	0	0	0.657	0.450	0.131	0.0900	0.294	0.201
<i>Daphnia galeata mendotae</i>	14.5	8.52	6.28	10.0	8.67	6.42	5.99	3.30	2.27	6.24	6.28	2.27	8.67	5.99	14.5	6.42	9.60	4.84	3.05	1.92
<i>Daphnia retrocurva</i>	0.902	0	0	0.657	1.15	0.900	1.50	0	0	0	0	0	0.657	0	1.15	1.50	0.542	0.479	0.525	0.690
<i>Daphnia schoedleri</i>	0.902	0	0	0	0	0	0	0.00825	0	0	0	0	0	0	0.902	0.00825	0.180	0.00165	0.403	0.00369
<i>Diaphanosoma leuchtenbergianum</i>	0.0226	0	0	0.0164	0	0	0	0	0	0	0	0	0	0	0.0226	0	0.00780	0	0.0109	0
<i>Diaptomus pallidus</i>	4.53	0	6.69	2.63	1.15	2.70	0.748	1.32	4.80	0	0	0	2.63	1.32	6.69	4.80	3.00	1.91	2.67	1.89
<i>Diaptomus tyrrelli</i>	1.61	0.695	0.800	2.63	2.09	1.49	2.27	1.22	1.24	0.766	0.695	0.766	1.61	1.24	2.63	2.27	1.57	1.40	0.830	0.553
<i>Epischura nevadensis</i>	0.135	0.378	0.167	1.50	0.908	0.0675	0.225	0.173	0.542	0.334	0.135	0.0675	0.378	0.225	1.50	0.542	0.617	0.268	0.581	0.181
<i>Eucyclops agilis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Gastropus sps</i>	0.902	0	2.87	1.97	4.61	2.25	5.99	2.64	2.36	7.12	0	2.25	1.97	2.64	4.61	7.12	2.07	4.07	1.79	2.31
<i>Holopedium gibberum</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Kellicottia sps</i>	3.61	2.42	0.956	3.29	4.61	9.00	14.2	5.28	3.54	7.12	0.956	3.54	3.29	7.12	4.61	14.2	2.98	7.83	1.38	4.11
<i>Keratella sps</i>	8.12	7.25	13.4	5.92	5.19	12.1	19.5	10.6	18.9	19.3	5.19	10.6	7.25	18.9	13.4	19.5	7.97	16.1	3.23	4.35
<i>Leptodora kindtii</i>	0	0.0302	0	0.0164	0.0288	0	0.00936	0.0165	0	0.0127	0	0	0.0164	0.00936	0.0302	0.0165	0.0151	0.00771	0.0148	0.00748
<i>Polyarthra sps</i>	6.31	7.25	11.5	5.26	8.07	5.40	2.25	3.30	0	1.02	5.26	0	7.25	2.25	11.5	5.40	7.67	2.39	2.37	2.09
<i>Scapholeberis kingii</i>	0	0.317	0.0239	0.345	0.0865	0	0.748	0	0	0	0	0	0.0865	0	0.345	0.748	0.155	0.150	0.165	0.335
<i>Sida crystallina O.F.Mueller</i>	0	0	0.0239	0	0	0	0	0	0.00738	0	0	0	0	0	0.0239	0.00738	0.00478	0.00148	0.0107	0.00330
<i>Synchaeta sps</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Unknown rotifer</i>	0	0	0	0	0	0	0	0	1.18	0	0	0	0	0	0	1.18	0	0.236	0	0.528

Table D.7: Zooplankton Community Biomass Data ($\mu\text{g/L dw}$), June 2019

Taxa Group	Species	Upstream of Elk River (RG_TN)					Downstream of Elk River (RG_T4)				
		TN-1	TN-2	TN-3	TN-4	TN-5	T4-1	T4-2	T4-3	T4-4	T4-5
Cladocera	<i>Alona sps</i>	0.0595	1.25	0	0	0	0	0	0	0	0
	<i>Bosmina longirostris</i>	0	0	0.0971	0	0.475	130	229	140	104	58.8
	<i>Chydorus sps</i>	0	0	0	0	0.187	0	0	0	0	0
	<i>Daphnia galeata mendotae</i>	20.7	0	0	0	1.97	123	16.5	376	8.77	2.50
	<i>Daphnia retrocurva</i>	0	0	0	0	0	13.3	14.6	7.52	10.3	1.54
	<i>Daphnia schoedleri</i>	0	0	0	0	0	19.9	13.0	0	7.83	15.7
	<i>Diaphanosoma leuchtenbergianum</i>	0	0	0	0	0	0	0	0.426	0	0.426
	<i>Leptodora kindtii</i>	0	0	0	0	0	7.94	19.8	0.378	2.27	1.13
Copepoda	<i>Calanoid nauplii</i>	0	0	0	0	0	0.517	0	0	2.07	1.03
	<i>Cyclopoid nauplii</i>	0	0	0	0	0.646	11.6	22.8	19.4	18.4	22.8
	<i>Cyclops bicuspidatus</i>	0	0	0	0	3.81	126	209	220	178	157
	<i>Cyclops capillatus</i>	0	0	0	0	0.367	0	0	0	0	0
	<i>Cyclops vernalis</i>	0	0	0	0	0	0.974	0	0	0	0
	<i>Diaptomus pallidus</i>	0	0	0	0	0	3.23	0	0	0	0
	<i>Diaptomus tyrrelli</i>	0	0	0	0	0	33.1	22.2	34.1	55.9	62.4
	<i>Epischura nevadensis</i>	1.94	0	0	0	0	23.9	66.8	13.4	14.3	43.2
<i>Eucyclops agilis</i>	0	0.104	0.208	0.208	0	0	0	0	0	0	
Rotifera	<i>Asplanchna sps</i>	0	0	0	0	0.353	5.56	5.83	2.65	4.24	0.530
	<i>Brachionus sps</i>	0	0	0	0	0	0	0.333	0	0	0.111
	<i>Kellicottia sps</i>	0	0	0	0	0.101	6.62	7.52	7.79	8.17	3.18
	<i>Keratella sp.</i>	0	0	0	0	0.0370	0.305	0.610	0.499	0.333	0.194
	<i>Polyarthra sps</i>	0	0	0	0	0	0.310	0.930	0.207	0.620	0.620
	<i>Unknown rotifer</i>	0	0.101	0	0	0	0	0	0	0	0
	Total Number of Organisms/L:	22.7	1.45	0.306	0.208	7.95	505	629	822	415	371
Total Number of Taxa:	4	4	3	2	10	17	15	14	15	17	

Table D.8: Zooplankton Community Biomass Data ($\mu\text{g/L dw}$), August 2019

Taxa Group	Species	Upstream of Elk River (RG_TN)					Downstream of Elk River (RG_T4)				
		TN-1	TN-2	TN-3	TN-4	TN-5	T4-1	T4-2	T4-3	T4-4	T4-5
Cladocera	<i>Alona sps</i>	0	0	0	0	0	0	0	0	0	0
	<i>Bosmina longirostris</i>	0.174	0	0	0	0.174	0.266	0	0.0259	4.05	0
	<i>Chydorus sps</i>	0	0	0	0	0	0	0	0	0	0
	<i>Daphnia galeata mendotae</i>	275	85.6	70.8	202	137	101	145	98.3	86.3	355
	<i>Daphnia retrocurva</i>	7.21	0	0	13.6	15.5	11.8	23.5	0	0	0
	<i>Daphnia schoedleri</i>	12.2	0	0	0	0	0	0	0.173	0	0
	<i>Diaphanosoma leuchtenbergianum</i>	0.0499	0	0	0.0499	0	0	0	0	0	0
	<i>Leptodora kindtii</i>	0	0.465	0	0.465	0.931	0	0.263	0.526	0	0.526
	<i>Scapholeberis kingii</i>	0	6.03	0.574	12.1	3.44	0	26.0	0	0	0
<i>Sida crystallina</i>	0	0	0.969	0	0	0	0	0	0.548	0	
Copepoda	<i>Calanoid nauplii</i>	0.318	0	1.27	1.27	1.59	1.08	1.08	2.52	0	0
	<i>Cyclopoid nauplii</i>	5.37	2.68	6.26	2.98	6.86	9.61	8.77	10.1	5.40	17.5
	<i>Cyclops bicuspidatus</i>	54.8	63.2	44.6	106	93.4	42.5	37.6	83.5	110	68.9
	<i>Cyclops capillatus</i>	0	0	0	0	0	0	0	0	0	0
	<i>Cyclops vernalis</i>	0	0	0	0.599	0	0.339	0	0	0	0
	<i>Diaptomus pallidus</i>	8.75	0	18.1	8.70	6.59	4.28	0.802	3.05	17.9	0
	<i>Diaptomus tyrrelli</i>	10.0	4.74	5.57	29.3	22.1	8.71	25.3	11.1	16.9	12.8
	<i>Epischura nevadensis</i>	2.65	2.67	3.37	19.1	29.9	1.59	6.08	5.79	15.8	10.5
<i>Eucyclops agilis</i>	0	0	0	0	0	0	0	0	0	0	
Rotifera	<i>Asplanchna sps</i>	0	0	0	0	0	0	0	0	0	0
	<i>Brachionus sps</i>	0	0	0	0	0	0	0	0	0	0
	<i>Kellicottia sps</i>	0.0931	0.0465	0.0233	0.116	0.186	0.263	0.500	0.210	0.158	0.368
	<i>Kerateila sp.</i>	0.154	0.102	0.239	0.154	0.154	0.260	0.501	0.309	0.617	0.733
	<i>Polyarthra sps</i>	0.445	0.382	0.763	0.509	0.891	0.432	0.216	0.360	0	0.144
	<i>Unknown rotifer</i>	0	0	0	0	0	0	0	0	0.0526	0
Total Number of Organisms/L:		377	166	153	398	319	182	276	216	258	467
Total Number of Taxa:		15	11	13	16	15	14	14	14	12	10

Table D.11: Relative Biomass (%) of Zooplankton Species, June 2019

Species	Upstream of Elk River (RG_TN)					Downstream of Elk River (RG_T4)					Summary Statistics									
	TN-1	TN-2	TN-3	TN-4	TN-5	T4-1	T4-2	T4-3	T4-4	T4-5	Minimum		Median		Maximum		Mean		Standard Deviation	
											RG TN	RG T4	RG TN	RG T4	RG TN	RG T4	RG TN	RG T4	RG TN	RG T4
<i>Acanthocyclops vernalis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Alona sps</i>	7.4	20.6	0	0	0	0	0	0	0	0	0	0	0	0	20.6	0	5.6	0	9.0	0
<i>Ascomorpha ovalis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Asplanchna sps</i>	0	0	0	0	13.9	3.8	2.6	1.5	2.7	0.640	0	0.640	0	2.6	13.9	3.8	2.8	2.3	6.2	1.2
<i>Bosmina longirostris</i>	0	0	33.3	0	14.3	44.6	51.0	43.6	37.4	30.7	0	30.7	0	43.6	33.3	51.0	9.5	41.5	14.7	7.7
<i>Brachionus sps</i>	0	0	0	0	0	0	0.350	0	0	0.320	0	0	0	0	0	0.350	0	0.134	0	0.184
<i>Calanoid copepodids</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Calanoid nauplii</i>	0	0	0	0	0	0.183	0	0	0.686	0.640	0	0	0	0.183	0	0.686	0	0.302	0	0.338
<i>Ceriodaphnia sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chydorus sps</i>	0	0	0	0	1.0	0	0	0	0	0	0	0	0	0	1.0	0	0.209	0	0.467	0
<i>Collotheca</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Conochilus sps</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Cyclopoid copepodids</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Cyclopoid nauplii</i>	0	0	0	0	13.9	4.4	5.5	6.1	6.5	15.0	0	4.4	0	6.1	13.9	15.0	2.8	7.5	6.2	4.3
<i>Cyclops bicuspidatus</i>	0	0	0	0	14.3	10.2	12.6	13.1	11.4	18.0	0	10.2	0	12.6	14.3	18.0	2.9	13.1	6.4	3.0
<i>Cyclops capillatus</i>	0	0	0	0	0.348	0	0	0	0	0	0	0	0	0	0.348	0	0.0697	0	0.156	0
<i>Cyclops vernalis</i>	0	0	0	0	0	0.183	0	0	0	0	0	0	0	0	0.183	0	0.0365	0	0.0817	0
<i>Daphnia galeata mendotae</i>	77.8	0	0	0	0.348	0.644	0.264	0.685	0.0450	0.404	0	0.0450	0	0.404	77.8	0.685	15.6	0.408	34.7	0.267
<i>Daphnia retrocurva</i>	0	0	0	0	0	0.144	0.132	0.0795	0.0900	0.0420	0	0.0420	0	0.0900	0	0.144	0	0.0975	0	0.0413
<i>Daphnia schoedleri</i>	0	0	0	0	0	0.183	0.0766	0	0.0675	0.252	0	0	0	0.0766	0	0.252	0	0.116	0	0.100
<i>Diaphanosoma birgei</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diaphanosoma leuchtenbergianum</i>	0	0	0	0	0	0	0	0.0199	0	0.0420	0	0	0	0	0.0420	0	0.0124	0	0.0187	0
<i>Diaptomus oregonensis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diaptomus pallidus</i>	0	0	0	0	0	0.183	0	0	0	0	0	0	0	0	0.183	0	0.0365	0	0.0817	0
<i>Diaptomus sicilis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diaptomus tyrrelli</i>	0	0	0	0	0	0.637	0.214	0.621	0.838	2.1	0	0.214	0	0.637	0	2.1	0	0.879	0	0.712
<i>Epischura lacustris</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Epischura nevadensis</i>	14.8	0	0	0	0	0.216	0.402	0.0993	0.113	0.849	0	0.0993	0	0.216	14.8	0.849	3.0	0.336	6.6	0.312
<i>Eucyclops agilis</i>	0	0.980	66.7	100	0	0	0	0	0	0	0	0	0.980	0	100	0	33.5	0	47.0	0
<i>Gastropus sps</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Gastropus stylifer</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Holopedium gibberum</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Kellicottia longispina</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Kellicottia sps</i>	0	0	0	0	27.9	32.0	23.2	31.2	37.0	26.9	0	23.2	0	31.2	27.9	37.0	5.6	30.1	12.5	5.3
<i>Keratella cochlearis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Keratella crassa</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Keratella sp.</i>	0	0	0	0	13.9	2.0	2.6	2.7	2.1	2.2	0	2.0	0	2.2	13.9	2.7	2.8	2.3	6.2	0.315
<i>Keratella taurocephala</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Leptodora kindtii</i>	0	0	0	0	0	0.0480	0.0766	0.00189	0.0129	0.0120	0	0.00189	0	0.0129	0	0.0766	0	0.0303	0	0.0312
<i>Monostyla sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Orthocyclops modestus</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Polyarthra remata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Polyarthra sps</i>	0	0	0	0	0	0.548	1.1	0.303	1.0	1.9	0	0.303	0	1.0	0	1.9	0	0.970	0	0.619
<i>Polyarthra vulgaris</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Scapholeberis kingii</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Scapholeberis sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Sida crystallina</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Synchaeta sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Trichocerca (sp 2)</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Trichocerca sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Trichocerca sp. (sp 1)</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Tropocyclops sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Unknown rotifer</i>	0	78.4	0	0	0	0	0	0	0	0	0	0	0	0	78.4	0	15.7	0	35.1	0

Table D.X12: Relative Biomass (%) of Zooplankton Species, August 2019

Species	Upstream of Elk River (RG_TN)					Downstream of Elk River (RG_T4)					Summary Statistics									
	TN-1	TN-2	TN-3	TN-4	TN-5	T4-1	T4-2	T4-3	T4-4	T4-5	Minimum		Median		Maximum		Mean		Standard Deviation	
											RG_TN	RG_T4	RG_TN	RG_T4	RG_TN	RG_T4	RG_TN	RG_T4	RG_TN	RG_T4
<i>Acanthocyclops vernalis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Alona</i> sps	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Ascomorpha ovalis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Asplanchna</i> sps	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Bosmina longirostris</i>	0.902	0	0	0	0.576	0.118	0	0.0866	1.18	0	0	0	0.0866	0.902	1.18	0.296	0.277	0.421	0.508	
<i>Brachionus</i> sps	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Calanoid copepodids</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Calanoid nauplii</i>	0.902	0	3.82	2.63	2.88	2.70	2.25	4.62	0	0	0	0	2.63	2.25	3.82	4.62	2.05	1.91	1.56	1.96
<i>Ceriodaphnia</i> sp.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Chydorus</i> sps	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Collotheca</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Conochilus</i> sps	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Cyclopoid copepodids</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Cyclopoid nauplii</i>	16.2	10.9	20.1	6.57	13.3	25.6	19.5	19.8	9.45	26.5	6.57	9.45	13.3	19.8	20.1	26.5	13.4	20.2	5.14	6.80
<i>Cyclops bicuspidatus</i>	40.4	62.3	33.4	55.9	46.7	30.7	24.9	47.7	54.5	31.6	33.4	24.9	46.7	31.6	62.3	54.5	47.7	37.9	11.6	12.6
<i>Cyclops capillatus</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Cyclops vernalis</i>	0	0	0	0.657	0	0.450	0	0	0	0	0	0	0	0.657	0.450	0.131	0.0900	0.294	0.201	
<i>Daphnia galeata mendotae</i>	14.5	8.52	6.28	10.0	8.67	6.42	5.99	3.30	2.27	6.24	6.28	2.27	8.67	5.99	14.5	6.42	9.60	4.84	3.05	1.92
<i>Daphnia retrocurva</i>	0.902	0	0	0.657	1.15	0.900	1.50	0	0	0	0	0	0.657	0	1.15	1.50	0.542	0.479	0.525	0.690
<i>Daphnia schoedleri</i>	0.902	0	0	0	0	0	0	0.00825	0	0	0	0	0	0	0.902	0.00825	0.180	0.00165	0.403	0.00369
<i>Diaphanosoma birgei</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diaphanosoma leuchtenbergianum</i>	0.0226	0	0	0.0164	0	0	0	0	0	0	0	0	0	0	0.0226	0	0.00780	0	0.0109	0
<i>Diaptomus oregonensis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diaptomus pallidus</i>	4.53	0	6.69	2.63	1.15	2.70	0.748	1.32	4.80	0	0	0	2.63	1.32	6.69	4.80	3.00	1.91	2.67	1.89
<i>Diaptomus sicilis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diaptomus tyrrelli</i>	1.61	0.695	0.800	2.63	2.09	1.49	2.27	1.22	1.24	0.766	0.695	0.766	1.61	1.24	2.63	2.27	1.57	1.40	0.830	0.553
<i>Epischura lacustris</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Epischura nevadensis</i>	0.135	0.378	0.167	1.50	0.908	0.0675	0.225	0.173	0.542	0.334	0.135	0.0675	0.378	0.225	1.50	0.542	0.617	0.268	0.581	0.181
<i>Eucyclops agilis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Gastropus</i> sps	0.902	0	2.87	1.97	4.61	2.25	5.99	2.64	2.36	7.12	0	2.25	1.97	2.64	4.61	7.12	2.07	4.07	1.79	2.31
<i>Gastropus stylifer</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Holopedium gibberum</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Kellicottia longispina</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Kellicottia</i> sps	3.61	2.42	0.956	3.29	4.61	9.00	14.2	5.28	3.54	7.12	0.956	3.54	3.29	7.12	4.61	14.2	2.98	7.83	1.38	4.11
<i>Keratella cochlearis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Keratella crassa</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Keratella</i> sp.	8.12	7.25	13.4	5.92	5.19	12.1	19.5	10.6	18.9	19.3	5.19	10.6	7.25	18.9	13.4	19.5	7.97	16.1	3.23	4.35
<i>Keratella taurocephala</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Leptodora kindtii</i>	0	0.0302	0	0.0164	0.0288	0	0.00936	0.0165	0	0.0127	0	0	0.0164	0.00936	0.0302	0.0165	0.0151	0.00771	0.0148	0.00748
<i>Monostyla</i> sp.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Orthocyclops modestus</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Polyarthra remata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Polyarthra</i> sps	6.31	7.25	11.5	5.26	8.07	5.40	2.25	3.30	0	1.02	5.26	0	7.25	2.25	11.5	5.40	7.67	2.39	2.37	2.09
<i>Polyarthra vulgaris</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Scapholeberis kingii</i>	0	0.317	0.0239	0.345	0.0865	0	0.748	0	0	0	0	0	0.0865	0	0.345	0.748	0.155	0.150	0.165	0.335
<i>Scapholeberis</i> sp.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Sida crystallina</i>	0	0	0.0239	0	0	0	0	0	0.00738	0	0	0	0	0	0.0239	0.00738	0.00478	0.00148	0.0107	0.00330
<i>Synchaeta</i> sp.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Trichocerca</i> (sp 2)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Trichocerca</i> sp.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Trichocerca</i> sp. (sp 1)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Tropocyclops</i> sp.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Unknown rotifer</i>	0	0	0	0	0	0	0	0	1.18	0	0	0	0	0	0	1.18	0	0.236	0	0.528

Table D.13: Summary Statistics for Seasonal Zooplankton Community Endpoints, Koccanusa, 2018 to 2019

Endpoint	Season	Year	Station	N	Mean	Standard Deviation	Standard Error	Minimum	Median	Maximum
Density (#/m ²)	Spring	2018	TN	5	10.5	5.09	2.28	6.34	8.41	19.1
			T4	5	252	63.6	28.4	172	243	331
	2019	TN	5	0.48	0.72	0.32	0.0118	0.0794	1.69	
		T4	5	104	34.7	15.5	55.2	103	151	
	Fall	2018	TN	5	14.3	4.43	1.98	11.6	12.7	22.1
			T4	5	21.4	3.98	1.78	16.3	21.5	26.8
2019	TN	5	13.5	4.02	1.80	8.98	12.0	18.8		
	T4	5	18.7	4.02	1.80	13.6	18.6	24.1		
Biomass (mg/m ³)	Spring	2018	TN	5	463	248	111	211	479	750
			T4	5	1,081	603	270	325	1,161	1,683
	2019	TN	5	6.53	9.60	4.29	0.21	1.45	22.7	
		T4	5	549	182	81.4	371	505	822	
	Fall	2018	TN	5	324	47.3	21.2	259	316	376
			T4	5	195	125	55.8	23.3	163	331
2019	TN	5	282	116	52.0	153	319	398		
	T4	5	280	111	49.5	182	258	467		
LPL Richness (# taxa)	Spring	2018	TN	5	11.4	1.14	0.51	10.0	11.0	13.0
			T4	5	14.6	1.67	0.75	12.0	15.0	16.0
	2019	TN	5	3.60	3.13	1.40	1.00	3.00	9.00	
		T4	5	14.6	1.34	0.60	13.0	14.0	16.0	
	Fall	2018	TN	5	17.0	1.00	0.45	16.0	17.0	18.0
			T4	5	16.0	1.00	0.45	15.0	16.0	17.0
2019	TN	5	13.8	2.39	1.07	10.0	15.0	16.0		
	T4	5	12.8	1.79	0.80	10.0	14.0	14.0		
Cladocera Density (#/L)	Spring	2018	TN	5	5.33	2.99	1.34	2.44	4.40	9.81
			T4	5	17.0	8.32	3.72	8.78	12.3	27.6
	2019	TN	5	0.0923	0.11	0.0486	0	0.0676	0.26	
		T4	5	45.9	22.0	9.82	17.4	44.0	77.9	
	Fall	2018	TN	5	1.08	0.38	0.17	0.62	0.98	1.62
			T4	5	0.89	0.19	0.0856	0.74	0.84	1.22
2019	TN	5	1.48	0.67	0.30	0.72	1.83	2.07		
	T4	5	1.05	0.38	0.17	0.63	1.01	1.51		
Copepoda Density (#/L)	Spring	2018	TN	5	3.24	1.52	0.68	2.02	2.87	5.86
			T4	5	51.3	29.6	13.2	9.10	63.1	83.1
	2019	TN	5	0.10	0.21	0.0944	0.00588	0.0118	0.48	
		T4	5	21.4	4.69	2.10	15.5	20.2	28.2	
	Fall	2018	TN	5	6.30	1.19	0.53	5.14	6.12	8.00
			T4	5	13.3	2.88	1.29	9.68	12.9	16.9
2019	TN	5	9.27	2.80	1.25	6.67	7.68	12.6		
	T4	5	11.9	3.22	1.44	8.17	13.9	14.7		
Rotifera Density (#/L)	Spring	2018	TN	5	1.95	0.96	0.43	1.08	1.57	3.46
			T4	5	183	55.9	25.0	124	190	251
	2019	TN	5	0.28	0.42	0.19	0	0	0.94	
		T4	5	37.1	11.3	5.05	17.6	41.6	45.0	
	Fall	2018	TN	5	6.92	3.78	1.69	3.93	5.41	13.5
			T4	5	7.27	1.09	0.49	5.77	7.25	8.66
2019	TN	5	2.80	1.02	0.46	1.52	2.71	4.23		
	T4	5	5.72	1.89	0.85	3.93	5.40	8.35		
% Cladocera Ind.	Spring	2018	TN	5	0.50	0.11	0.0496	0.31	0.51	0.62
			T4	5	0.0697	0.0367	0.0164	0.0370	0.0511	0.13
	2019	TN	5	0.31	0.33	0.15	0	0.21	0.85	
		T4	5	0.42	0.0776	0.0347	0.31	0.44	0.52	
	Fall	2018	TN	5	0.0838	0.0402	0.0180	0.0282	0.0796	0.14
			T4	5	0.0419	0.00806	0.00361	0.0334	0.0434	0.0527
2019	TN	5	0.11	0.0404	0.0181	0.0633	0.11	0.17		
	T4	5	0.0576	0.0224	0.0100	0.0341	0.0625	0.0824		
% Copepoda Ind.	Spring	2018	TN	5	0.31	0.0469	0.0210	0.26	0.31	0.39
			T4	5	0.20	0.10	0.0455	0.0375	0.20	0.29
	2019	TN	5	0.42	0.41	0.18	0.00980	0.29	1.00	
		T4	5	0.22	0.0821	0.0367	0.16	0.20	0.37	
	Fall	2018	TN	5	0.45	0.0714	0.0319	0.36	0.46	0.52
			T4	5	0.62	0.0262	0.0117	0.59	0.60	0.66
2019	TN	5	0.69	0.0461	0.0206	0.64	0.67	0.74		
	T4	5	0.64	0.0979	0.0438	0.50	0.64	0.75		
% Rotifera Ind.	Spring	2018	TN	5	0.19	0.0652	0.0292	0.12	0.18	0.30
			T4	5	0.73	0.13	0.0574	0.58	0.75	0.91
	2019	TN	5	0.27	0.38	0.17	0	0	0.78	
		T4	5	0.36	0.0519	0.0232	0.30	0.36	0.43	
	Fall	2018	TN	5	0.46	0.10	0.0459	0.34	0.47	0.61
			T4	5	0.34	0.0232	0.0104	0.31	0.35	0.37
2019	TN	5	0.21	0.0506	0.0226	0.16	0.19	0.29		
	T4	5	0.31	0.0785	0.0351	0.22	0.29	0.42		
Cladocera Biomass (ug/L)	Spring	2018	TN	5	389	234	105	133	415	639
			T4	5	568	329	147	257	500	982
	2019	TN	5	4.95	8.91	3.99	0	1.25	20.8	
		T4	5	265	173	77.5	80.0	293	524	
	Fall	2018	TN	5	179	50.7	22.7	124	165	260
			T4	5	71.6	49.4	22.1	0.78	63.2	133
2019	TN	5	169	93.0	41.6	72.4	157	294		
	T4	5	171	111	49.8	90.9	113	356		

Table D.13: Summary Statistics for Seasonal Zooplankton Community Endpoints, Kocanusa, 2018 to 2019

Endpoint	Season	Year	Station	N	Mean	Standard Deviation	Standard Error	Minimum	Median	Maximum
Copepoda Biomass (ug/L)	Spring	2018	TN	5	74.0	24.5	10.9	44.9	68.8	111
			T4	5	481	302	135	43.9	613	811
	2019	TN	5	1.46	2.03	0.91	0.10	0.21	4.82	
		T4	5	273	45.3	20.2	199	286	321	
	Fall	2018	TN	5	143	31.4	14.1	101	143	188
			T4	5	120	78.3	35.0	15.3	98.1	200
2019	TN	5	113	47.4	21.2	73.3	81.9	168		
	T4	5	108	38.2	17.1	68.1	110	166		
Rotifera Biomass (ug/L)	Spring	2018	TN	5	0.39	0.18	0.0790	0.21	0.31	0.66
			T4	5	31.8	10.9	4.88	22.4	26.1	47.9
	2019	TN	5	0.12	0.21	0.0952	0	0	0.49	
		T4	5	11.4	4.07	1.82	4.63	12.8	15.2	
	Fall	2018	TN	5	1.60	0.31	0.14	1.19	1.57	2.01
			T4	5	2.96	2.42	1.08	1.48	1.97	7.25
2019	TN	5	0.92	0.34	0.15	0.53	0.85	1.42		
	T4	5	1.20	0.31	0.14	0.93	1.02	1.61		
% Cladocera Biomass	Spring	2018	TN	5	0.80	0.11	0.0497	0.62	0.85	0.90
			T4	5	0.55	0.15	0.0671	0.43	0.50	0.79
	2019	TN	5	0.48	0.39	0.17	0	0.33	0.91	
		T4	5	0.44	0.18	0.0788	0.22	0.47	0.64	
	Fall	2018	TN	5	0.55	0.0966	0.0432	0.48	0.52	0.72
			T4	5	0.31	0.16	0.0702	0.0334	0.39	0.40
2019	TN	5	0.58	0.12	0.0546	0.47	0.55	0.78		
	T4	5	0.58	0.17	0.0766	0.35	0.62	0.76		
% Copepoda Biomass	Spring	2018	TN	5	0.20	0.11	0.0494	0.10	0.15	0.38
			T4	5	0.41	0.16	0.0733	0.14	0.48	0.53
	2019	TN	5	0.49	0.40	0.18	0.0717	0.61	1.00	
		T4	5	0.53	0.18	0.0787	0.35	0.51	0.77	
	Fall	2018	TN	5	0.45	0.0970	0.0434	0.28	0.47	0.52
			T4	5	0.62	0.0338	0.0151	0.59	0.60	0.66
2019	TN	5	0.42	0.12	0.0539	0.22	0.44	0.52		
	T4	5	0.42	0.17	0.0767	0.23	0.37	0.64		
% Rotifera Biomass	Spring	2018	TN	5	0.00102	0.000642	0.000287	0.000471	0.000885	0.00211
			T4	5	0.0391	0.0236	0.0105	0.0138	0.0413	0.0751
	2019	TN	5	0.0262	0.0360	0.0161	0	0	0.0693	
		T4	5	0.0215	0.00836	0.00374	0.0125	0.0242	0.0321	
	Fall	2018	TN	5	0.00496	0.000707	0.000316	0.00418	0.00464	0.00587
			T4	5	0.0691	0.14	0.0605	0.00558	0.00964	0.31
2019	TN	5	0.00377	0.00215	0.000964	0.00190	0.00320	0.00718		
	T4	5	0.00448	0.000940	0.000420	0.00346	0.00455	0.00560		

APPENDIX E
FISH

Table E.1: Gill Net Records for Fish Caught in Sand Creek, Koocanusa Reservoir, April 2019

Area	Station ID	UTM (NAD83, 11U)		Set Date	Lift Date	Set Time	Lift Time	Effort (Fishing Hours)	Depth Range (m)		Set		Bull Trout			Kokanee			Northern Pikeminnow			Peamouth Chub			Redside Shiner			Westslope Cutthroat Trout						
		Eastings	Northing						Length (ft)	Mesh (inches)	Catch	Mortalities/Sacrificed	CPUE ^a	Catch	Mortalities/Sacrificed	CPUE ^a	Catch	Mortalities/Sacrificed	CPUE ^a	Catch	Mortalities/Sacrificed	CPUE ^a	Catch	Mortalities/Sacrificed	CPUE ^a	Catch	Mortalities/Sacrificed	CPUE ^a	Catch	Mortalities/Sacrificed	CPUE ^a			
Sand Creek	RG_SC-GN-01	625605	5459678	24-Apr-19	24-Apr-19	10:30	10:45	0.25	0	6.0	75	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	RG_SC-GN-02	625470	5459765	24-Apr-19	24-Apr-19	10:40	10:55	0.25	0	2.5	50	2	0	0	0	3	0	12	1	0	4.0	14	14	56	0	0	0	1	0	4.0	1	0	4.0	
	RG_SC-GN-03	625497	5459781	24-Apr-19	24-Apr-19	10:50	11:30	0.67	0	3.0	75	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1.5	0	0	0	0	0	0	
	RG_SC-GN-04	625470	5459765	24-Apr-19	24-Apr-19	11:30	11:45	0.25	0	2.5	50	2	0	0	0	2	0	8.0	0	0	0	1	1	4	0	0	0	1	0	0	1	0	4.0	
	RG_SC-GN-05	625449	5459709	24-Apr-19	24-Apr-19	11:40	12:10	0.50	0	3.0	50	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2.0	0	0	0	0	0	0	
	RG_SC-GN-06	625451	5459610	24-Apr-19	24-Apr-19	13:15	13:40	0.42	0	2.0	75	1	0	0	0	0	0	0	0	0	0	0	2	1	4.8	12	12	29	0	0	0	0	0	
	RG_SC-GN-07	625455	5459698	24-Apr-19	24-Apr-19	13:35	13:50	0.25	0	2.0	75	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2	8.0	0	0	0	0	0		
	RG_SC-GN-08	625451	5459610	24-Apr-19	24-Apr-19	13:45	13:55	0.17	0	2.0	75	1	0	0	0	0	0	0	0	0	0	2	0	12	3	3	18	0	0	0	0	0	0	
	RG_SC-GN-09	625455	5459698	24-Apr-19	24-Apr-19	13:50	14:05	0.25	0	2.0	75	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4.0	0	0	0	0	0	0	
	RG_SC-GN-10	625451	5459610	24-Apr-19	24-Apr-19	14:00	14:10	0.17	0	2.0	75	1	0	0	0	0	0	0	0	0	0	1	0	6	1	1	6.0	0	0	0	0	0	0	
	RG_SC-GN-11	625455	5459698	24-Apr-19	24-Apr-19	14:05	14:15	0.17	0	2.0	75	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	6.0	0	0	0	0	0	0	
	RG_SC-GN-12	625469	5459764	24-Apr-19	24-Apr-19	14:15	14:30	0.25	0	3.0	75	1	0	0	0	0	0	0	0	0	0	2	0	8	4	4	16	0	0	0	0	0	0	
	RG_SC-GN-13	625462	5459733	24-Apr-19	24-Apr-19	14:25	14:35	0.17	0	3.0	75	1	1	0	6.0	0	0	0	0	0	0	0	0	0	2	2	12	0	0	0	0	0	0	
	RG_SC-GN-14	625469	5459764	24-Apr-19	24-Apr-19	14:30	14:40	0.17	0	3.0	75	1	1	0	6.0	0	0	0	0	0	0	2	2	12	2	2	12	0	0	0	0	0	0	
	RG_SC-GN-15	625462	5459733	24-Apr-19	24-Apr-19	14:35	14:50	0.25	0	3.0	75	1	0	0	0	0	0	0	0	0	0	2	0	8.0	0	0	0	0	0	0	0	0	0	
Total								4.17					2	0	0.48 (1.17)	5	0	1.20 (1.99)	1	0	0.24 (0.57)	26	18	6.24 (7.84)	30	30	7.20 (4.64)	2	0	0.48 (0.78)				

^a Total catch-per-unit-effort (CPUE) calculated as the total catch of a single species over the total effort for all the gill net sets in one area with 95% confidence intervals in brackets.

Table E.2: Gill Net Records for Fish Caught in Elk River, Kocanusa Reservoir, April 2019

Area	Station ID	UTM (NAD83, 11U)		Set Date	Lift Date	Set Time	Lift Time	Effort (Fishing Hours)	Depth Range (m)		Set		Kokanee			Longnose Sucker			Northern Pikeminnow		
		Easting	Northing						Length (ft)	Mesh (inches)	Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a		
Elk River	RG_ER-GN-01	626862	5446634	23-Apr-19	23-Apr-19	13:39	13:54	0.25	3.1	5.8	75	2	0	0	0	0	0	0	2	0	8.0
	RG_ER-GN-02	626953	5446742	23-Apr-19	23-Apr-19	15:01	15:16	0.25	2.5	5.5	50	1	0	0	0	0	0	0	3	0	12
	RG_ER-GN-03	626880	5446619	23-Apr-19	23-Apr-19	14:50	15:05	0.25	0	5.8	75	2	0	0	0	0	0	0	2	0	8.0
	RG_ER-GN-04	626953	5446789	23-Apr-19	23-Apr-19	16:04	16:19	0.25	1.3	2.3	50	1	0	0	0	0	0	0	1	0	4.0
	RG_ER-GN-05	626985	5446840	24-Apr-19	24-Apr-19	9:59	10:25	0.43	2.5	2.5	50	1	0	0	0	0	0	0	1	0	2.3
	RG_ER-GN-06	626872	5446642	24-Apr-19	24-Apr-19	12:10	12:25	0.25	4.5	5.9	75	2	2	0	8.0	0	0	0	13	12	52
	RG_ER-GN-07	626953	5446742	24-Apr-19	24-Apr-19	12:15	13:23	1.13	1.5	2.5	50	1	0	0	0	0	0	0	1	0	0.88
	RG_ER-GN-08	628399	5447014	26-Apr-19	26-Apr-19	10:32	10:48	0.27	3.8	4.5	75	2	0	0	0	0	0	0	6	0	23
	RG_ER-GN-09	628399	5447014	26-Apr-19	26-Apr-19	11:10	11:25	0.25	3.8	4.5	75	2	3	0	12	3	0	12	8	0	32
	RG_ER-GN-10	628523	5447167	26-Apr-19	26-Apr-19	12:06	12:23	0.28	3.0	3.0	75	2	0	0	0	0	0	0	2	0	7.1
	RG_ER-GN-11	628523	5447167	26-Apr-19	26-Apr-19	12:35	12:55	0.33	3.0	3.0	75	2	1	0	3.0	0	0	0	6	0	18
	RG_ER-GN-12	626964	5446728	26-Apr-19	26-Apr-19	13:22	13:40	0.30	2.0	3.0	75	2	0	0	0	2	0	6.7	3	0	10
	RG_ER-GN-13	628302	5446669	26-Apr-19	26-Apr-19	14:00	14:20	0.33	4.0	5.0	75	2	0	0	0	0	0	0	3	0	9.0
	RG_ER-GN-14	628477	5447102	26-Apr-19	26-Apr-19	14:30	14:45	0.25	6.0	6.0	75	2	0	0	0	1	0	4.0	1	0	4.0
Total								4.8					6	0	1.24 (2.14)	6	0	1.24 (2.07)	52	0	10.76 (8.05)

^a Total catch-per-unit-effort (CPUE) calculated as the total catch of a single species over the total effort for all the gill net sets in one area with 95% confidence intervals in brackets.

Table E.2: Gill Net Records for Fish Caught in Elk River, Kocanusa Reservoir, April 2019

Area	Station ID	Peamouth Chub			Largescale Sucker			Redside Shiner			Yellow Perch			Mountain Whitefish		
		Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a
Elk River	RG_ER-GN-01	5	5	20	1	0	4.0	0	0	0	0	0	0	0	0	0
	RG_ER-GN-02	4	4	16	1	0	4.0	2	2	8.0	0	0	0	0	0	0
	RG_ER-GN-03	54	5	216	1	0	4.0	0	0	0	0	0	0	0	0	0
	RG_ER-GN-04	12	12	48	0	0	0	11	11	44	0	0	0	0	0	0
	RG_ER-GN-05	23	1	53	0	0	0	2	2	4.6	0	0	0	0	0	0
	RG_ER-GN-06	11	0	44	1	0	4.0	0	0	0	0	0	0	0	0	0
	RG_ER-GN-07	30	0	26	0	0	0	36	21	32	1	1	0.88	4	0	3.5
	RG_ER-GN-08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	RG_ER-GN-09	5	0	20	0	0	0	0	0	0	0	0	0	0	0	0
	RG_ER-GN-10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	RG_ER-GN-11	5	0	15	0	0	0	0	0	0	0	0	0	0	0	0
	RG_ER-GN-12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	RG_ER-GN-13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	RG_ER-GN-14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		149	0	30.83 (32.30)	4	0	0.83 (1.08)	51	36	10.55 (7.96)	1	1	0.21 (0.14)	4	0	0.83 (0.54)

^a Total catch-per-unit-effort (CPUE) calculated as the total catch of a single species over the total effort for all the gill net sets in one area with 95% confidence intervals in brackets.

Table E.3: Gill Net Records for Fish Caught in Gold Creek, Koocanusa Reservoir, April 2019

Area	Station ID	UTM (NAD83, 11U)		Set Date	Lift Date	Set Time	Lift Time	Effort (Fishing Hours)	Depth Range (m)		Set		Bull Trout			Largescale Sucker			Longnose Sucker			Mountain Whitefish			
		Length (ft)	Mesh (inches)								Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a			
Gold Creek	RG_GC-GN-01	629656	5437400	25-Apr-19	25-Apr-19	12:35	12:50	0.25	0	3	75	2	0	0	0	1	0	4.0	0	0	0	0	0	0	
	RG_GC-GN-02	629741	5437353	25-Apr-19	25-Apr-19	12:40	13:00	0.33	0	3	50	1	0	0	0	0	0	0	0	0	0	0	0	0	
	RG_GC-GN-03	629656	5437400	25-Apr-19	25-Apr-19	12:55	13:05	0.17	0	3	75	2	0	0	0	0	0	0	0	0	0	0	0	0	
	RG_GC-GN-04	629741	5437353	25-Apr-19	25-Apr-19	13:05	13:20	0.25	0	3	50	1	0	0	0	0	0	0	0	0	0	0	0	0	
	RG_GC-GN-05	629656	5437400	25-Apr-19	25-Apr-19	13:20	13:35	0.25	0	3	75	2	0	0	0	0	0	0	0	0	0	0	0	0	
	RG_GC-GN-06	629741	5437353	25-Apr-19	25-Apr-19	13:25	13:45	0.33	0	3	75	2	0	0	0	0	0	0	0	0	0	0	0	0	
	RG_GC-GN-07	629656	5437400	25-Apr-19	25-Apr-19	13:40	13:55	0.25	0	3	75	2	0	0	0	0	0	0	0	0	0	0	0	0	
	RG_GC-GN-08	629741	5437353	25-Apr-19	25-Apr-19	13:45	14:05	0.33	0	3	50	1	0	0	0	0	0	0	0	0	0	0	0	0	
	RG_GC-GN-09	629741	5437353	25-Apr-19	25-Apr-19	14:05	14:20	0.25	0	3	50	1	0	0	0	0	0	0	0	0	0	0	0	0	
	RG_GC-GN-10	629614	5437400	26-Apr-19	26-Apr-19	10:20	10:35	0.25	0	3	75	2	0	0	0	0	0	0	0	0	0	0	0	0	
	RG_GC-GN-11	629735	5437351	26-Apr-19	26-Apr-19	10:30	10:45	0.25	0	3	75	2	0	0	0	2	0	8.0	0	0	0	1	0	4.0	
	RG_GC-GN-12	629614	5437400	26-Apr-19	26-Apr-19	10:40	11:00	0.33	0	3	75	2	0	0	0	0	0	0	1	0	3.0	0	0	0	
	RG_GC-GN-13	629735	5437351	26-Apr-19	26-Apr-19	10:55	11:10	0.25	0	3	75	2	0	0	0	0	0	0	0	0	0	0	0	0	
	RG_GC-GN-14	629614	5437400	26-Apr-19	26-Apr-19	11:10	11:27	0.28	0	3	75	2	1	0	3.5	0	0	0	0	0	0	0	0	0	
	RG_GC-GN-15	629735	5437351	26-Apr-19	26-Apr-19	11:25	11:35	0.17	0	3	75	2	0	0	0	1	0	6.0	0	0	0	1	0	6.0	
	RG_GC-GN-16	629753	5457343	26-Apr-19	26-Apr-19	12:00	12:10	0.17	0	3	75	2	0	0	0	0	0	0	0	0	0	1	0	6.0	
	RG_GC-GN-17	630082	5437447	26-Apr-19	26-Apr-19	12:05	12:25	0.33	0	6	75	2	1	0	3.0	0	0	0	0	0	0	0	0	0	
	RG_GC-GN-18	629753	5457343	26-Apr-19	26-Apr-19	12:20	12:35	0.25	0	3	75	2	0	0	0	0	0	0	0	0	0	1	0	4.0	
	RG_GC-GN-19	629856	5437380	26-Apr-19	26-Apr-19	12:35	12:50	0.25	0	2	75	2	0	0	0	2	0	8.0	0	0	0	1	0	4.0	
	RG_GC-GN-20	629753	5457343	26-Apr-19	26-Apr-19	12:55	13:05	0.17	0	3	75	2	0	0	0	0	0	0	0	0	0	0	0	0	
	RG_GC-GN-21	629856	5437380	26-Apr-19	26-Apr-19	13:05	13:20	0.25	0	2	75	2	0	0	0	0	0	0	0	0	0	0	0	0	
	RG_GC-GN-22	629753	5457343	26-Apr-19	26-Apr-19	13:15	13:30	0.25	0	3	75	2	0	0	0	0	0	0	0	0	0	0	0	0	
	RG_GC-GN-23	629856	5437380	26-Apr-19	26-Apr-19	13:20	13:30	0.17	0	2	75	2	0	0	0	0	0	0	0	0	0	0	0	0	
	RG_GC-GN-24	630040	5436821	26-Apr-19	26-Apr-19	13:45	14:05	0.33	0	4	75	2	1	0	3.0	0	0	0	0	0	0	1	0	3.0	
	RG_GC-GN-25	630204	5436861	26-Apr-19	26-Apr-19	13:50	14:05	0.25	0	4	75	2	0	0	0	1	0	4.0	0	0	0	0	0	0	
	RG_GC-GN-26	630040	5436821	26-Apr-19	26-Apr-19	14:05	14:20	0.25	0	4	75	2	0	0	0	0	0	0	0	0	0	0	0	0	
	RG_GC-GN-27	630204	5436861	26-Apr-19	26-Apr-19	14:20	14:40	0.33	0	4	75	2	0	0	0	1	0	3.0	0	0	0	0	0	0	
Total								6.9						3	0	0.43 (0.40)	8	0	1.15 (1.00)	1	0	0.14 (0.23)	6	0	0.86 (0.78)

^a Total catch-per-unit-effort (CPUE) calculated as the total catch of a single species over the total effort for all the gill net sets in one area with 95% confidence intervals in brackets.

Table E.3: Gill Net Records for Fish Caught in Gold Creek, Koocanusa Reservoir, April 2019

Area	Station ID	Northern Pikeminnow			Peamouth Chub			Rainbow Trout			Redside Shiner			Westslope Cutthroat Trout			Yellow Perch		
		Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a
Gold Creek	RG_GC-GN-01	0	0	0	5	5	20	0	0	0	0	0	0	0	0	0	0	0	0
	RG_GC-GN-02	0	0	0	0	0	0	0	0	0	1	1	3.0	0	0	0	0	0	0
	RG_GC-GN-03	0	0	0	5	5	30	0	0	0	0	0	0	1	0	6.0	0	0	0
	RG_GC-GN-04	0	0	0	1	0	4.0	0	0	0	3	3	12	0	0	0	0	0	0
	RG_GC-GN-05	0	0	0	9	9	36	1	0	4.0	0	0	0	0	0	0	0	0	0
	RG_GC-GN-06	0	0	0	3	0	9.0	0	0	0	7	7	21	0	0	0	0	0	0
	RG_GC-GN-07	0	0	0	4	4	16	0	0	0	0	0	0	0	0	0	0	0	0
	RG_GC-GN-08	0	0	0	7	0	21	0	0	0	7	7	21	0	0	0	0	0	0
	RG_GC-GN-09	0	0	0	0	0	0	0	0	0	4	4	16	0	0	0	0	0	0
	RG_GC-GN-10	1	0	4.0	6	1	24	0	0	0	0	0	0	0	0	0	0	0	0
	RG_GC-GN-11	0	0	0	8	2	32	0	0	0	0	0	0	0	0	0	0	0	0
	RG_GC-GN-12	0	0	0	7	0	21	0	0	0	0	0	0	1	0	3.0	0	0	0
	RG_GC-GN-13	0	0	0	7	0	28	1	0	4.0	0	0	0	0	0	0	0	0	0
	RG_GC-GN-14	0	0	0	2	0	7.1	0	0	0	0	0	0	0	0	0	0	0	0
	RG_GC-GN-15	0	0	0	2	0	12	0	0	0	0	0	0	0	0	0	1	1	6.0
	RG_GC-GN-16	0	0	0	5	1	30	0	0	0	0	0	0	0	0	0	0	0	0
	RG_GC-GN-17	0	0	0	17	0	51	0	0	0	0	0	0	0	0	0	0	0	0
	RG_GC-GN-18	1	0	4.0	3	0	12	0	0	0	0	0	0	0	0	0	0	0	0
	RG_GC-GN-19	2	0	8.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	RG_GC-GN-20	0	0	0	1	1	6.0	0	0	0	0	0	0	0	0	0	0	0	0
	RG_GC-GN-21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	RG_GC-GN-22	0	0	0	2	0	8.0	0	0	0	0	0	0	0	0	0	0	0	0
	RG_GC-GN-23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	RG_GC-GN-24	0	0	0	2	0	6.0	0	0	0	0	0	0	1	0	3.0	0	0	0
	RG_GC-GN-25	6	0	24	13	0	52	0	0	0	0	0	0	1	0	4.0	0	0	0
	RG_GC-GN-26	1	0	0	3	0	12	0	0	0	0	0	0	0	0	0	0	0	0
	RG_GC-GN-27	1	0	3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		12	0	1.73 (1.92)	112	28	16.12 (5.99)	2	0	0.29 (0.42)	22	22	3.17 (2.57)	4	0	0.58 (0.60)	1	1	0.14 (0.46)

^a Total catch-per-unit-effort (CPUE) calculated as the total catch of a single species over the total effort for all the gill net sets in one area with 95% confidence intervals in brackets.

Table E.4: Hoop Net Records for Fish Caught in Sand Creek, Koocanusa Reservoir, April 2019

Area	Station ID	Net Size (inches)	UTM (NAD83, 11U)		Set Date	Lift Date	Set Time	Removal Time	Fishing Hours (hrs)	Depth Range (m)		Set Configuration	Effort (Fishing days)	Bull Trout			Eastern Brook Trout			Largescale Sucker			Longnose Sucker		
			Easting	Northing										Catch	Mortalities/Sacrificed	CPUE ^a	Catch	Mortalities/Sacrificed	CPUE ^a	Catch	Mortalities/Sacrificed	CPUE ^a	Catch	Mortalities/Sacrificed	CPUE ^a
Sand Creek	RG_SC-HN-01	2.5	625434	5459613	23-Apr-19	24-Apr-19	14:15	9:00	18.8	0	2.8	Central Lead	0.8	0	0	0	0	0	1	0	1.3	4	0	5.1	
	RG_SC-HN-02	2.5	625600	5459973	23-Apr-19	24-Apr-19	15:00	9:20	18.3	0	6.0	Central Lead	0.8	0	0	0	0	0	0	0	0	0	0	0	
	RG_SC-HN-03	2.5	625434	5459613	24-Apr-19	25-Apr-19	9:15	9:00	23.8	0	4.0	Central Lead	1.0	0	0	0	1	0	1.0	1	0	1.0	2	0	2.0
	RG_SC-HN-04	2.5	625574	5460474	24-Apr-19	25-Apr-19	9:45	9:15	23.5	0	2.0	Central Lead	1.0	1	0	1.0	0	0	0	0	0	0	3	0	3.1
	Total												3.5	1	0	0.28	1	0	0.28	2	0	0.57	9	0	2.6

^aTotal catch-per-unit-effort (CPUE) calculated as the total catch of a single species over the total effort for all the hoop net sets in one area. Confidence intervals not calculated due to small number of sampling events.

Table E.4: Hoop Net Records for Fish Caught in Sand Creek, Kooconusa Reservoir, April 2019

Area	Station ID	Mountain Whitefish			Northern Pikeminnow			Peamouth Chub			Yellow Perch		
		Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a
Sand Creek	RG_SC-HN-01	0	0	0	6	0	7.7	0	0	0	1	1	1.3
	RG_SC-HN-02	0	0	0	2	0	2.6	0	0	0	0	0	0
	RG_SC-HN-03	0	0	0	0	0	0	3	0	3.0	0	0	0
	RG_SC-HN-04	1	1	1.0	2	0	2.0	2	0	2.0	1	1	1.0
	Total	1	1	0.28	10	0	2.8	5	0	1.4	2	2	0.57

^aTotal catch-per-unit-effort (CPUE) calculated as the total catch of a single species over the total effort for all the hoop net sets in one area. Confidence intervals not calculated due to small number of sampling events.

Table E.5: Hoop Net Records for Fish Caught in Elk River, Kooconusa Reservoir, April 2019

Area	Station ID	Net Size (inches)	UTM (NAD83, 11U)		Set Date	Lift Date	Set Time	Removal Time	Fishing Hours (hrs)	Depth Range (m)		Set Configuration	Effort (Fishing days)	Burbot			Largescale Sucker			Longnose Sucker			Northern Pikeminnow			Yellow Perch		
			Easting	Northing										Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a	Catch	Mortalities/ Sacrificed	CPUE ^a
Elk River	RG_ER-HN-01	2.5	627530	5447151	23-Apr-19	24-Apr-19	11:30	10:25	22.9	0	5	Central Lead	1.0	0	0	0	1	0	1.0	0	0	0	3	0	3.1	6	6	6.3
	RG_ER-HN-02	2.5	627842	5447469	23-Apr-19	24-Apr-19	12:30	11:20	22.8	0	5	Central Lead	1.0	1	0	1.1	2	0	2.1	1	0	1.1	3	0	3.2	5	5	5.3
	Total												1.9	1	0	0.52	3	0	1.6	1	0	0.52	6	0	3.1	11	11	5.8

^aTotal catch-per-unit-effort (CPUE) calculated as the total catch of a single species over the total effort for all the hoop net sets in one area. Confidence intervals not calculated due to small number of sampling events.

Table E.6: Hoop Net Records for Fish Caught in Gold Creek, Kocanusa Reservoir, April 2019

Area	Station ID	Net Size (Inches)	UTM (NAD83, 11U)		Set Date	Lift Date	Set Time	Removal Time	Fishing Hours (hrs)	Depth Range (m)		Set Configuration	Effort (Fishing days)	Largescale Sucker			Mountain Whitefish			Peamouth Chub			Westslope Cutthroat Trout			Yellow Perch		
			Easting	Northing						Catch	Mortalities / Sacrificed			CPUE ^a	Catch	Mortalities / Sacrificed	CPUE ^a	Catch	Mortalities / Sacrificed	CPUE ^a	Catch	Mortalities / Sacrificed	CPUE ^a	Catch	Mortalities / Sacrificed	CPUE ^a		
Gold Creek	RG_GC-HN-01	2.5	629420	5437065	25-Apr-19	26-Apr-19	11:45	9:30	21.8	0	1.5	Central Lead	0.91	4	0	4.4	2	0	2.2	1	0	1.1	1	0	1.1	0	0	0
	RG_GC-HN-02	2.5	629595	5437398	25-Apr-19	26-Apr-19	12:00	9:20	21.3	0	4.0	Central Lead	0.89	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1.1
	Total												1.8	4	0	2.2	2	0	1.1	1	0	0.56	1	0	0.56	1	0	0.56

^aTotal catch-per-unit-effort (CPUE) calculated as the total catch of a single species over the total effort for all the hoop net sets in one area. Confidence intervals not calculated due to small number of sampling events.

Table E.7: Seine Net Records for Fish Caught in Kocanusa Reservoir, August 2019

Area	Station ID	UTM (NAD83, 11U)		Date	Time	Net Length (m)	Haul Distance (m)	# of Hauls	Effort [Area Seined (m ²)]	Depth Range (m)		Set		Redside Shiner			Largescale Sucker			Longnose Dace			Northern Pikeminnow		
		Height (m)	Mesh (mm)									Catch	Mortalities/Sacrificed	CPUE ^a	Catch	Mortalities/Sacrificed	CPUE ^a	Catch	Mortalities/Sacrificed	CPUE ^a	Catch	Mortalities/Sacrificed	CPUE ^a		
Sand Creek	RG_SC_SN-01	625631	5459712	20-Aug-19	12:20	25	20	1	500	0	1.0	1.0	5.0	30	3	0.060	6	0	0	0	0	0	0	0	0
	RG_SC-SN-02	625631	5459712	20-Aug-19	13:40	25	30	1	750	0	1.0	1.0	5.0	1,100	10	1.5	50	0	0.067	7	0	0.009	0	0	0
	Total									1,250			1,130	13	0.90	56	0	0	7	0	0.006	0	0	0	
Elk River	RG_ER_SN-01	627913	5448146	22-Aug-19	14:00	25	50	1	1,250	0.5	1.5	1.0	5.0	200	0	0.16	200	0	0.16	11	0	0.009	0	0	0
Gold Creek	RG_GC_SN-01	629115	5436441	21-Aug-19	13:50	25	20	1	500	0.1	1.5	1.5	5.0	29	0	0.06	11	0	0	0	0	0	17	0	0
	RG_GC_SN-02	629115	5436441	21-Aug-19	14:20	25	30	1	750	0.1	1.5	1.5	5.0	250	10	0.33	80	0	0.11	0	0	0	80	0	0.11
	Total									1,250			279	10	0.22	91	0	0.073	0	0	0	97	0	0.078	

^a Total catch-per-unit-effort (CPUE) calculated as the total catch of a single species over the total effort for all the seine net sets in one area. Confidence intervals not calculated due to small number of sampling attempts.

Table E.8: Angling Records for Fish Caught in the Koocanusa Reservoir, August 2019

Area	Station ID	UTM (NAD83, 11U)		Set Date	Removal Date	# of Lines	Kokanee	
		Easting	Northing				Catch	Mortalities/ Sacrificed
Sand Creek	SC_AN_01	625624	5457296	26-Aug-19	26-Aug-19	2	3	0
Elk River	ER_AN_01	627959	5447572	26-Aug-19	26-Aug-19	2	1	0
Gold Creek	GC_AN_01	630926	5436344	26-Aug-19	26-Aug-19	2	0	0

Table E.9: Fish Meristics Data for Peamouth Chub, Koocanusa Reservoir, April 2019

Area	Processing Date	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Age	Sex	Gonad Weight (g)	Liver Weight (g)	Adjusted Body Weight (g) ^b	Fulton's Condition Factor (K)	Gonado-somatic Index	Hepato-somatic Index	DELT (Severe[S]/Minor[M]/Absent[A])				Worm Weight (g)	Tissue Collected	Comment	
														D	E	L	T				
Sand Creek	24-Apr-19	RG_SC_PCC-01	24.1	22.9	101	6	F	7.135	2.291	92	0.84	0.071	0.023	A	A	A	A	-	Muscle, Ovary	-	
	24-Apr-19	RG_SC_PCC-02	25.4	22.7	140	6	F	3.999	2.334	134	1.20	0.029	0.017	A	A	A	A	13.656	Muscle, Ovary	Worms Present	
	24-Apr-19	RG_SC_PCC-03	24.9	22.2	119	6	F	9.907	2.998	106	1.09	0.083	0.025	A	A	A	A	-	Muscle, Ovary	-	
	24-Apr-19	RG_SC_PCC-04	22.5	20.3	100	6	F	7.048	2.818	90	1.20	0.070	0.028	A	A	A	A	-	Muscle, Ovary	-	
	24-Apr-19	RG_SC_PCC-05	24.2	21.9	118	5	F	12.732	2.054	103	1.12	0.108	0.017	A	A	A	A	-	Muscle, Ovary	-	
	24-Apr-19	RG_SC_PCC-06	24.2	21.8	109	7	F	3.471	1.522	104	1.05	0.032	0.014	A	A	A	A	7.540	Muscle, Ovary	Worms Present	
	24-Apr-19	RG_SC_PCC-07	26.4	23.9	153	6	F	5.272	2.417	145	1.12	0.034	0.016	A	A	A	A	17.543	Muscle, Ovary	Worms Present	
	24-Apr-19	RG_SC_PCC-08	27.2	24.6	138	6	F	7.906	2.556	128	0.93	0.057	0.019	A	A	A	A	-	Muscle, Ovary	-	
	24-Apr-19	RG_SC_PCC-09	27.4	24.8	178	6	F	8.325	2.463	167	1.17	0.047	0.014	A	A	A	A	15.684	Muscle, Ovary	Worms Present	
	24-Apr-19	RG_SC_PCC-10	24.3	21.0	100	5	F	5.783	2.152	92	1.08	0.058	0.022	A	A	A	A	-	Muscle, Ovary	-	
total sample size			10	10	10	10	-	10	10	10	10	10	10	-	-	-	-	-	-	-	-
average			25.1	22.6	126	5.9	-	7.158	2.361	116	1.08	0.059	0.019	-	-	-	-	-	-	-	-
median			24.6	22.5	119	6.0	-	7.092	2.376	105	1.10	0.058	0.018	-	-	-	-	-	-	-	-
standard deviation			1.55	1.48	26.1	0.568	-	2.78	0.410	26.2	0.115	0.0251	0.00485	-	-	-	-	-	-	-	-
standard error			0.489	0.469	8.27	0.180	-	0.879	0.130	8.28	0.0364	0.00793	0.00153	-	-	-	-	-	-	-	-
minimum			22.5	20.3	100	5	-	3.471	1.522	90	0.84	0.029	0.014	-	-	-	-	-	-	-	-
maximum			27.4	24.8	178	7	-	12.732	2.998	167	1.20	0.108	0.028	-	-	-	-	-	-	-	-
Elk River	23-Apr-19	RG_ER_PCC-01	26.5	24	149	6	F	10.739	3.135	135	1.08	0.072	0.021	A	A	A	A	-	Muscle, Ovary	-	
	23-Apr-19	RG_ER_PCC-02	26.9	23.6	137	6	F	13.119	0.369	124	1.04	0.096	0.003	A	A	A	A	-	Muscle, Ovary	-	
	23-Apr-19	RG_ER_PCC-03	26.2	23.4	149	7	F	14.321	3.215	131	1.16	0.096	0.022	A	A	A	A	-	Muscle, Ovary	-	
	23-Apr-19	RG_ER_PCC-04	23.5	21.2	117	6	F	10.72	3.400	103	1.23	0.092	0.029	A	A	A	A	-	Muscle, Ovary	-	
	23-Apr-19	RG_ER_PCC-05	24.1	22.2	120	6	F	8.019	2.221	110	1.10	0.067	0.019	A	A	A	A	-	Muscle, Ovary	-	
	23-Apr-19	RG_ER_PCC-06	23.6	21.1	108	6	F	8.222	3.776	96	1.15	0.076	0.035	A	A	A	A	-	Muscle, Ovary	-	
	24-Apr-19	RG_ER_PCC-07	24.3	21.2	120	6	F	9.428	2.697	108	1.26	0.079	0.022	A	A	A	A	-	Muscle, Ovary	-	
	24-Apr-19	RG_ER_PCC-08	25.8	23.2	152	6	F	17.426	4.478	130	1.22	0.115	0.029	A	A	A	A	-	Muscle, Ovary	-	
	24-Apr-19	RG_ER_PCC-09	26.3	23.6	159	7	F	9.339	4.082	146	1.21	0.059	0.026	A	A	A	A	-	Muscle, Ovary	-	
	24-Apr-19	RG_ER_PCC-10	26.5	24	172	6	F	9.902	3.126	159	1.24	0.058	0.018	A	A	A	A	16.596	Muscle, Ovary	Worms Present	
total sample size			10	10	10	10	-	10	10	10	10	10	10	-	-	-	-	-	-	-	-
average			25.4	22.8	138	6.2	-	11.124	3.050	124	1.17	0.081	0.022	-	-	-	-	-	-	-	-
median			26.0	23.3	143	6.0	-	10.311	3.175	127	1.19	0.077	0.022	-	-	-	-	-	-	-	-
standard deviation			1.33	1.20	21.1	0.422	-	2.98	1.14	20.0	0.0755	0.0184	0.00873	-	-	-	-	-	-	-	-
standard error			0.422	0.380	6.69	0.133	-	0.942	0.362	6.32	0.0239	0.00582	0.00276	-	-	-	-	-	-	-	-
minimum			23.5	21.1	108	6	-	8.019	0.369	96	1.04	0.058	0.003	-	-	-	-	-	-	-	-
maximum			26.9	24	172	7	-	17.426	4.478	159	1.26	0.115	0.035	-	-	-	-	-	-	-	-
Gold Creek	25-Apr-19	RG_GC_PCC-01	23	20.7	102	8	F	3.482	1.432	97	1.15	0.034	0.014	A	A	A	A	10.534	Muscle, Ovary	Worms Present	
	25-Apr-19	RG_GC_PCC-02	29.9	27	215	15	F	18.018	5.434	192	1.09	0.084	0.025	A	A	A	A	-	Muscle, Ovary	-	
	25-Apr-19	RG_GC_PCC-03	27.9	24.9	164	6	F	12.507	3.306	148	1.06	0.076	0.020	A	A	A	A	-	Muscle, Ovary	-	
	25-Apr-19	RG_GC_PCC-04	27.4	25.8	169	7	F	4.959	2.798	161	0.98	0.029	0.017	A	A	A	A	28.102	Muscle, Ovary	Worms Present	
	25-Apr-19	RG_GC_PCC-05	25	23.5	122	6	F	4.594	2.127	115	0.94	0.038	0.017	M	A	A	A	12.355	Muscle, Ovary	Worms Present, Operculum Damaged	
	25-Apr-19	RG_GC_PCC-06	25.6	23	135	6	F	6.628	3.013	125	1.11	0.049	0.022	A	A	A	A	14.031	Muscle, Ovary	Worms Present	
	25-Apr-19	RG_GC_PCC-07	25.1	22.7	120	6	F	1.446	2.014	117	1.03	0.012	0.017	A	A	A	A	13.624	Muscle, Ovary	Worms Present	
	25-Apr-19	RG_GC_PCC-08	26	23.2	145	6	F	5.395	2.256	137	1.16	0.037	0.016	A	A	A	A	10.131	Muscle, Ovary	Worms Present	
	25-Apr-19	RG_GC_PCC-09	24	21.2	99	5	F	1.625	1.575	96	1.04	0.016	0.016	A	A	A	A	3.968	Muscle, Ovary	Worms Present	
	25-Apr-19	RG_GC_PCC-10	24.9	22.2	106	6	F	1.862	1.44	103	0.97	0.018	0.014	A	A	A	A	6.157	Muscle, Ovary	Worms Present	
total sample size			10	10	10	10	-	10	10	10	10	10	10	-	-	-	-	-	-	-	-
average			25.9	23.4	138	7.1	-	6.052	2.540	129	1.05	0.039	0.018	-	-	-	-	-	-	-	-
median			25.4	23.1	129	6.0	-	4.777	2.192	121	1.05	0.036	0.017	-	-	-	-	-	-	-	-
standard deviation			2.02	1.98	36.6	2.88	-	5.31	1.21	30.8	0.0756	0.0243	0.00373	-	-	-	-	-	-	-	-
standard error			0.640	0.626	11.6	0.912	-	1.68	0.382	9.75	0.0239	0.00768	0.00118	-	-	-	-	-	-	-	-
minimum			23	20.7	99	5	-	1.446	1.432	96	0.94	0.012	0.014	-	-	-	-	-	-	-	-
maximum			29.9	27	215	15	-	18.018	5.434	192	1.16	0.084	0.025	-	-	-	-	-	-	-	-

Notes: D - deformities, E - erosion, L - lesions, T - tumors, "-" data not applicable.

^a Age structures collected: sc - scales, oto - otoliths.

^b Adjusted Body Weight = Body Weight - Liver Weight - Gonad Weight.

Table E.10: Fish Meristics Data for Redside Shiners, Kocanusa Reservoir, April 2019

Area	Processing Date	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Age Structure Collected ^a	Age	Sex	Gonad Weight (g)	Liver Weight (g)	Adjusted Body Weight (g) ^b	Fulton's Condition Factor (K)	Gonado-somatic Index	Hepato-somatic Index	DELT (Severe[S]/Minor[M]/Absent[A])				Worm Weight (g)	Tissue Collected	Comment
															D	E	L	T			
Sand Creek	24-Apr-19	RG_SC_RSC-01	11.5	10	13.5	oto	2	F	0.635	0.286	12.6	1.35	0.047	0.021	A	A	A	A	-	Muscle, Ovary	-
	24-Apr-19	RG_SC_RSC-02	11.1	9.9	13.0	oto	3	F	0.683	0.285	12.0	1.34	0.053	0.022	A	A	A	A	-	Muscle, Ovary	-
	24-Apr-19	RG_SC_RSC-03	10.5	9.9	9.9	oto	2	F	0.366	0.173	9.4	1.02	0.037	0.017	A	A	A	A	-	Muscle, Ovary	-
	24-Apr-19	RG_SC_RSC-04	10.7	9.4	10.0	oto	3	F	0.449	0.168	9.4	1.20	0.045	0.017	A	A	A	A	0.028	Muscle, Ovary	Worms Present
	24-Apr-19	RG_SC_RSC-05	10.3	9.0	9.1	oto	3	F	0.258	0.136	8.7	1.25	0.028	0.015	A	A	A	A	-	Muscle, Ovary	-
	24-Apr-19	RG_SC_RSC-06	11.5	9.6	12.0	oto	3	F	0.553	0.284	11.2	1.36	0.046	0.024	A	A	A	A	-	Muscle, Ovary	-
	24-Apr-19	RG_SC_RSC-07	10.4	9.2	9.9	oto	3	F	0.477	0.236	9.2	1.27	0.048	0.024	A	A	A	A	-	Muscle, Ovary	-
	24-Apr-19	RG_SC_RSC-08	11.4	9.9	11.5	oto	2	F	0.460	0.196	10.8	1.19	0.040	0.017	A	A	A	A	-	Muscle, Ovary	-
	24-Apr-19	RG_SC_RSC-09	9.5	8.5	8.2	oto	2	F	0.615	0.228	7.4	1.34	0.075	0.028	A	A	A	A	-	Muscle, Ovary	-
	24-Apr-19	RG_SC_RSC-10	9.8	8.6	8.5	oto	2	F	0.344	0.117	8.0	1.34	0.040	0.014	A	A	A	A	-	Muscle, Ovary	-
total sample size			10	10	10	-	10	-	10	10	10	10	10	10	-	-	-	-	-	-	-
average			10.7	9.4	10.6	-	2.5	-	0.484	0.211	9.9	1.26	0.046	0.020	-	-	-	-	-	-	-
median			10.6	9.5	9.95	-	2.5	-	0.469	0.212	9.4	1.30	0.045	0.019	-	-	-	-	-	-	-
standard deviation			0.704	0.558	1.85	-	0.527	-	0.138	0.0626	1.72	0.106	0.012	0.005	-	-	-	-	-	-	-
standard error			0.223	0.176	0.584	-	0.167	-	0.0436	0.0198	0.544	0.034	0.004	0.001	-	-	-	-	-	-	-
minimum			9.5	8.5	8.2	-	2	-	0.258	0.117	7	1.02	0.028	0.014	-	-	-	-	-	-	-
maximum			11.5	10	13.5	-	3	-	0.683	0.286	13	1.36	0.075	0.028	-	-	-	-	-	-	-
Elk River	23-Apr-19	RG_ER_RSC-01	9.9	8.6	7.9	oto	3	F	0.348	0.173	7.38	1.24	0.0441	0.0219	A	A	A	A	-	Muscle, Ovary	-
	23-Apr-19	RG_ER_RSC-02	10.5	9.2	8.5	oto	2	F	0.237	0.078	8.19	1.09	0.0279	0.0092	A	A	A	A	-	Muscle, Ovary	-
	23-Apr-19	RG_ER_RSC-03	10.1	9.4	9.3	oto	2	F	0.327	0.083	8.84	1.11	0.0354	0.0090	A	A	A	A	-	Muscle, Ovary	-
	23-Apr-19	RG_ER_RSC-04	11.1	9.9	11.0	oto	2	F	0.385	0.154	10.51	1.14	0.0349	0.0139	A	A	A	A	0.019	Muscle, Ovary	Worms Present
	23-Apr-19	RG_ER_RSC-05	10.8	9.5	10.0	oto	2	F	0.288	0.168	9.54	1.17	0.0288	0.0168	A	A	A	A	0.438	Muscle, Ovary	Worms Present
	23-Apr-19	RG_ER_RSC-06	12.0	10.3	13.3	oto	3	F	0.572	0.205	12.47	1.21	0.0432	0.0155	A	A	A	A	-	Muscle, Ovary	-
	23-Apr-19	RG_ER_RSC-07	10.7	9.6	10.0	oto	2	F	0.444	0.112	9.44	1.13	0.0444	0.0112	A	A	A	A	-	Muscle, Ovary	-
	23-Apr-19	RG_ER_RSC-08	9.5	8.4	6.8	oto	2	F	0.304	0.08	6.37	1.14	0.0450	0.0119	A	A	A	A	-	Muscle, Ovary	-
	24-Apr-19	RG_ER_RSC-09	13.2	11.3	16.0	oto	3	F	0.763	0.461	14.78	1.11	0.0477	0.0288	A	A	A	A	-	Muscle, Ovary	-
	24-Apr-19	RG_ER_RSC-10	10.3	9.3	9.5	oto	2	F	0.336	0.062	9.10	1.18	0.0354	0.0065	A	A	A	A	-	Muscle, Ovary	-
total sample size			10	10	10	-	10	-	10	10	10	10	10	10	-	-	-	-	-	-	-
average			10.8	9.6	10.2	-	2.3	-	0.400	0.158	9.7	1.15	0.039	0.014	-	-	-	-	-	-	-
median			10.6	9.5	9.8	-	2.0	-	0.342	0.133	9.3	1.14	0.039	0.013	-	-	-	-	-	-	-
standard deviation			1.09	0.829	2.69	-	0.483	-	0.158	0.117	2.45	0.048	0.007	0.007	-	-	-	-	-	-	-
standard error			0.344	0.262	0.851	-	0.153	-	0.0499	0.0371	0.775	0.015	0.002	0.002	-	-	-	-	-	-	-
minimum			9.5	8.4	6.75	-	2	-	0.237	0.062	6.37	1.09	0.028	0.007	-	-	-	-	-	-	-
maximum			13.2	11.3	16	-	3	-	0.763	0.461	14.78	1.24	0.048	0.029	-	-	-	-	-	-	-
Gold Creek	25-Apr-19	RG_GC_RSC-01	11.2	9.8	10.2	oto	3	F	0.567	0.137	9.50	1.08	0.0556	0.0134	A	A	A	A	-	Muscle, Ovary	-
	25-Apr-19	RG_GC_RSC-02	12.0	10.5	13.0	oto	3	F	0.543	0.109	12.35	1.12	0.0418	0.0084	A	A	A	A	-	Muscle, Ovary	-
	25-Apr-19	RG_GC_RSC-03	11.9	10.3	13.5	oto	3	F	0.53	0.215	12.76	1.24	0.0393	0.0159	A	A	A	A	0.704	Muscle, Ovary	Worms Present
	25-Apr-19	RG_GC_RSC-04	11.4	9.9	10.5	oto	3	F	0.416	0.141	9.94	1.08	0.0396	0.0134	A	A	A	A	-	Muscle, Ovary	-
	25-Apr-19	RG_GC_RSC-05	11.2	9.7	10.0	oto	3	F	0.279	0.136	9.59	1.10	0.0279	0.0136	A	A	A	A	-	Muscle, Ovary	-
	25-Apr-19	RG_GC_RSC-06	11.8	10.4	13.2	oto	3	F	0.787	0.191	12.22	1.17	0.0596	0.0145	A	A	A	A	-	Muscle, Ovary	-
	25-Apr-19	RG_GC_RSC-07	10.9	9.1	8.5	oto	3	F	0.45	0.104	7.95	1.13	0.0529	0.0122	A	A	A	A	-	Muscle, Ovary	-
	25-Apr-19	RG_GC_RSC-08	10.6	9.5	8.5	oto	2	F	0.422	0.115	7.96	0.99	0.0496	0.0135	A	A	A	A	-	Muscle, Ovary	-
	25-Apr-19	RG_GC_RSC-09	11.2	9.8	10.8	oto	3	F	0.56	0.106	10.13	1.15	0.0519	0.0098	A	A	A	A	-	Muscle, Ovary	-
	25-Apr-19	RG_GC_RSC-10	10.4	8.5	8.5	oto	2	F	0.305	0.096	8.10	1.38	0.0359	0.0113	A	A	A	A	-	Muscle, Ovary	-
total sample size			10	10	10	-	10	-	10	10	10	10	10	10	-	-	-	-	-	-	-
average			11.3	9.8	10.7	-	2.8	-	0.486	0.135	10.0	1.14	0.045	0.013	-	-	-	-	-	-	-
median			11.2	9.8	10.4	-	3.0	-	0.490	0.126	9.8	1.13	0.046	0.013	-	-	-	-	-	-	-
standard deviation			0.536	0.611	1.96	-	0.42	-	0.147	0.039	1.84	0.106	0.010	0.002	-	-	-	-	-	-	-
standard error			0.169	0.193	0.621	-	0.13	-	0.046	0.012	0.582	0.0334	0.003	0.001	-	-	-	-	-	-	-
minimum			10.4	8.5	8.5	-	2	-	0.279	0.096	7.95	0.99	0.028	0.008	-	-	-	-	-	-	-
maximum			12.0	10.5	13.5	-	3	-	0.787	0.215	12.76	1.38	0.060	0.016	-	-	-	-	-	-	-

Notes: D - deformities, E - erosion, L - lesions, T - tumors, "-" data not applicable.

^a Age structures collected: sc - scales, oto - otoliths.

^b Adjusted Body Weight = Body Weight - Liver Weight - Gonad Weight.

Table E.11: Sport Fish Meristics Data for the Kooconusa Reservoir, April 2019

Area	Processing Date	Fish Species	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	DELT (Severe[S]/Minor[M]/ Absent[A])				Tissue Collected
							D	E	L	T	
Sand Creek	24-Apr-19	BT	RG_SC_BT-01	71.0	68.0	3,000	A	A	A	A	Muscle
	25-Apr-19	BT	RG_SC_BT-02	61.0	57.9	2,100	A	A	A	A	Muscle
	24-Apr-19	KO	RG_SC_KO-01	27.6	25.5	175	A	A	A	A	Muscle
	24-Apr-19	KO	RG_SC_KO-02	24.5	22.9	115	A	A	A	A	Muscle
	24-Apr-19	KO	RG_SC_KO-03	25.2	23.0	125	A	A	A	A	Muscle
	24-Apr-19	KO	RG_SC_KO-04	26.4	24.3	130	A	A	A	A	Muscle
	24-Apr-19	KO	RG_SC_KO-05	29.8	26.9	192	A	A	A	A	Muscle
	24-Apr-19	WCT	RG_SC_WCT-01	25.1	23.5	135	A	A	A	A	Muscle
Elk River	24-Apr-19	KO	RG_ER_KO-01	24.9	22.6	112	A	A	A	A	Muscle
	24-Apr-19	KO	RG_ER_KO-02	25.4	23.2	125	A	A	A	A	Muscle
	26-Apr-19	KO	RG_ER_KO-03	25.0	23.0	135	A	A	A	A	Muscle
	26-Apr-19	KO	RG_ER_KO-04	23.2	20.8	95	A	A	A	A	Muscle
	26-Apr-19	KO	RG_ER_KO-05	26.5	23.9	140	A	A	A	A	Muscle
	26-Apr-19	KO	RG_ER_KO-06	25.1	22.7	125	A	A	A	A	Muscle
Gold Creek	26-Apr-19	BT	RG_GC_BT-01	56.8	54.3	1,450	A	A	A	A	Muscle
	26-Apr-19	BT	RG_GC_BT-02	55.2	51.0	1,450	A	A	A	A	Muscle
	26-Apr-19	BT	RG_GC_BT-03	61.8	59.0	2,220	A	A	A	A	Muscle
	26-Apr-19	MWF	RG_GC_MWF-01	28.4	25.9	170	A	A	A	A	Muscle
	26-Apr-19	MWF	RG_GC_MWF-02	35.9	32.9	350	A	A	A	A	Muscle
	26-Apr-19	MWF	RG_GC_MWF-03	27.2	24.9	142	A	A	A	A	Muscle
	26-Apr-19	MWF	RG_GC_MWF-04	26.2	23.9	142	A	A	A	A	Muscle
	26-Apr-19	MWF	RG_GC_MWF-05	31.2	28.6	259	A	A	A	A	Muscle
	26-Apr-19	MWF	RG_GC_MWF-06	27.1	24.8	180	A	A	A	A	Muscle
	26-Apr-19	MWF	RG_GC_MWF-07	24.6	22.4	120	A	A	A	A	Muscle
	25-Apr-19	RBT	RG_GC_RBT-01	28.5	26.6	-	A	A	A	A	Muscle
	26-Apr-19	RBT	RG_GC_RBT-02	37.3	34.8	400	A	A	A	A	Muscle
	25-Apr-19	WCT	RG_GC_WCT-01	29.9	27.8	249	A	A	A	A	Muscle
	26-Apr-19	WCT	RG_GC_WCT-02	33.5	30.6	320	A	A	A	A	Muscle
	26-Apr-19	WCT	RG_GC_WCT-03	27.1	25.4	182	A	A	A	A	Muscle
	26-Apr-19	WCT	RG_GC_WCT-04	27.6	25.5	-	A	A	A	A	Muscle
26-Apr-19	WCT	RG_GC_WCT-05	23.2	21.8	112	A	A	A	A	Muscle	

Notes: D - deformities, E - erosion, L - lesions, T - tumors, "-" indicates no data.

Table E.12: Redside Shiner Recruitment Data for Sand Creek, Koocanusa Reservoir, August 2019

Processing Date	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Age Structure Collected ^a	Age	Fulton's Condition Factor (K)	DELT (Severe[S]/Minor[M]/Absent[A])				Tissue Collected	Comment
								D	E	L	T		
20-Aug-19	RG_SC_RSC-01	1.6	1.5	0.024	-	-	0.711	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-02	2.6	2.4	0.134	oto	1	0.969	A	A	A	A	WB	-
20-Aug-19	RG_SC_RSC-03	2.3	2.2	0.053	-	-	0.498	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-04	2.0	1.9	0.060	-	-	0.875	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-05	1.9	1.8	0.027	-	-	0.463	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-06	2.1	1.9	0.067	-	-	0.977	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-07	1.6	1.5	0.031	-	-	0.919	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-08	1.8	1.7	0.043	-	-	0.875	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-09	1.9	1.8	0.062	-	-	1.063	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-10	1.7	1.6	0.026	-	-	0.635	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-11	1.9	1.8	0.062	-	-	1.063	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-12	2.3	2.2	0.067	-	-	0.629	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-13	2.2	2.0	0.080	-	-	1.000	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-14	1.5	1.4	0.021	-	-	0.765	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-15	1.9	1.8	0.031	-	-	0.532	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-16	1.9	1.8	0.037	-	-	0.634	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-17	2.0	1.9	0.043	-	-	0.627	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-18	1.6	1.5	0.029	-	-	0.859	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-19	2.1	2.0	0.058	-	-	0.725	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-20	1.6	1.5	0.030	-	-	0.889	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-21	1.9	1.8	0.058	-	-	0.995	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-22	2.0	1.9	0.063	-	-	0.919	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-23	1.7	1.6	0.057	-	-	1.392	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-24	2.1	1.9	0.041	-	-	0.598	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-25	1.7	1.6	0.033	-	-	0.806	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-26	1.9	1.8	0.046	-	-	0.789	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-27	1.7	1.6	0.037	-	-	0.903	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-28	2.0	1.9	0.039	-	-	0.569	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-29	1.6	1.5	0.032	-	-	0.948	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-30	1.5	1.4	0.028	-	-	1.020	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-31	3.3	3.0	0.286	oto	0	1.059	A	A	A	A	WB	-
20-Aug-19	RG_SC_RSC-32	3.4	3.1	0.271	oto	0	0.910	A	A	A	A	WB	-
20-Aug-19	RG_SC_RSC-33	4.0	3.7	0.515	-	-	1.017	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-34	2.7	2.4	0.103	-	-	0.745	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-35	2.8	2.5	0.097	-	-	0.621	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-36	2.6	2.4	0.101	-	-	0.731	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-37	2.8	2.6	0.134	-	-	0.762	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-38	2.1	1.9	0.065	-	-	0.948	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-39	3.0	2.8	0.219	-	-	0.998	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-40	2.9	2.7	0.163	-	-	0.828	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-41	6.0	5.3	1.674	oto	2	1.124	A	A	A	A	WB	-
20-Aug-19	RG_SC_RSC-42	2.2	2.0	0.053	-	-	0.663	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-43	2.7	2.5	0.143	-	-	0.915	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-44	2.6	2.4	0.117	-	-	0.846	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-45	2.9	2.7	0.200	-	-	1.016	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-46	4.5	4.1	0.665	-	-	0.965	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-47	4.7	4.2	0.755	oto	1	1.019	A	A	A	A	WB	-
20-Aug-19	RG_SC_RSC-48	3.3	3.0	0.251	-	-	0.930	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-49	4.7	4.4	0.722	oto	0	0.848	A	A	A	A	WB	-
20-Aug-19	RG_SC_RSC-50	2.8	2.6	0.097	-	-	0.552	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-51	3.4	3.1	0.301	-	-	1.010	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-52	5.2	4.8	0.939	oto	1	0.849	A	A	A	A	WB	-
20-Aug-19	RG_SC_RSC-53	4.0	3.6	0.497	oto	0	1.065	A	A	A	A	WB	-
20-Aug-19	RG_SC_RSC-54	4.9	4.5	0.940	oto	1	1.032	A	A	A	A	WB	-
20-Aug-19	RG_SC_RSC-55	5.4	4.9	1.370	oto	1	1.164	A	A	A	A	WB	-
20-Aug-19	RG_SC_RSC-56	2.4	2.2	1.017	-	-	9.551	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-57	3.0	2.7	0.179	-	-	0.909	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-58	2.7	2.5	0.129	-	-	0.826	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-59	2.9	2.6	0.157	-	-	0.893	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-60	2.7	2.4	0.161	-	-	1.165	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-61	2.5	2.3	0.121	-	-	0.994	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-62	2.7	2.4	0.133	-	-	0.962	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-63	2.9	2.7	0.206	-	-	1.047	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-64	5.4	5.0	1.368	-	-	1.094	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-65	4.0	3.7	0.537	-	-	1.060	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-66	3.1	2.9	0.224	-	-	0.918	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-67	1.7	1.5	0.041	-	-	1.215	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-68	3.2	2.9	0.269	-	-	1.103	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-69	2.4	2.3	0.103	-	-	0.847	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-70	2.9	2.7	0.180	-	-	0.914	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-71	3.1	2.7	0.187	-	-	0.950	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-72	2.8	2.6	0.184	-	-	1.047	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-73	3.1	2.8	0.194	-	-	0.884	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-74	2.3	2.1	0.123	-	-	1.328	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-75	5.6	4.2	0.702	-	-	0.948	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-76	2.7	2.4	0.177	-	-	1.280	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-77	2.7	2.5	0.198	-	-	1.267	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-78	2.9	2.7	0.203	-	-	1.031	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-79	3.7	3.4	0.402	-	-	1.023	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-80	2.7	2.5	0.142	-	-	0.909	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-81	2.7	2.5	0.138	-	-	0.883	A	A	A	A	-	-

Table E.12: Redside Shiner Recruitment Data for Sand Creek, Koocanusa Reservoir, August 2019

Processing Date	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Age Structure Collected ^a	Age	Fulton's Condition Factor (K)	DELT (Severe[S]/Minor[M]/Absent[A])				Tissue Collected	Comment
								D	E	L	T		
20-Aug-19	RG_SC_RSC-82	2.1	1.9	0.091	-	-	1.327	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-83	2.4	2.2	0.145	-	-	1.362	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-84	3.6	3.4	0.477	-	-	1.214	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-85	2.6	2.4	0.131	-	-	0.948	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-86	3.0	2.7	0.227	-	-	1.153	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-87	2.9	2.6	0.215	-	-	1.223	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-88	3.2	2.9	0.256	-	-	1.050	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-89	3.0	2.8	0.268	-	-	1.221	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-90	2.6	2.4	0.134	-	-	0.969	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-91	3.4	3.1	0.291	-	-	0.977	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-92	2.8	2.6	0.173	-	-	0.984	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-93	3.2	2.9	0.226	-	-	0.927	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-94	2.5	2.3	0.149	-	-	1.225	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-95	3.0	2.7	0.251	-	-	1.275	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-96	3.9	3.5	0.433	-	-	1.010	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-97	3.7	3.3	0.365	-	-	1.016	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-98	2.3	2.1	0.100	-	-	1.080	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-99	3.5	3.1	0.335	-	-	1.125	A	A	A	A	-	-
20-Aug-19	RG_SC_RSC-100	2.8	2.6	0.162	-	-	0.922	A	A	A	A	-	-
total sample size		100	100	100	-	10	100	-	-	-	-	-	-
average		2.8	2.6	0.240	-	0.7	1.033	-	-	-	-	-	-
median		2.7	2.5	0.143	-	1	0.956	-	-	-	-	-	-
standard deviation		0.973	0.850	0.302	-	0.675	0.882	-	-	-	-	-	-
standard error		0.0973	0.0850	0.0302	-	0.213	0.0882	-	-	-	-	-	-
minimum		1.5	1.4	0.021	-	0	0.463	-	-	-	-	-	-
maximum		6.0	5.3	1.674	-	2	9.551	-	-	-	-	-	-

Notes: D - deformity, E - erosion, L - lesion, T - tumor, "-" indicates no data.

^a Age structures collected: oto = otolith extracted from whole body (WB).

Table E.13: Redside Shiner Recruitment Data for Elk River, Kocanusa Reservoir, August 2019

Processing Date	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Age Structure Collected ^a	Age	Fulton's Condition Factor (K)	DELT (Severe[S]/Minor[M]/Absent[A])				Tissue Collected
								D	E	L	T	
22-Aug-19	RG_ER_RSC-01	2.6	2.4	0.097	-	-	0.702	A	A	A	A	-
22-Aug-19	RG_ER_RSC-02	2.9	2.6	0.138	oto	0	0.785	A	A	A	A	WB
22-Aug-19	RG_ER_RSC-03	1.7	1.6	0.034	-	-	0.830	A	A	A	A	-
22-Aug-19	RG_ER_RSC-04	2.5	2.4	0.143	-	-	1.034	A	A	A	A	-
22-Aug-19	RG_ER_RSC-05	2.7	2.6	0.123	-	-	0.700	A	A	A	A	-
22-Aug-19	RG_ER_RSC-06	2.6	2.5	0.124	-	-	0.794	A	A	A	A	-
22-Aug-19	RG_ER_RSC-07	2.7	2.5	0.199	-	-	1.274	A	A	A	A	-
22-Aug-19	RG_ER_RSC-08	3.2	2.9	0.278	oto	0	1.140	A	A	A	A	WB
22-Aug-19	RG_ER_RSC-09	2.5	2.4	0.129	-	-	0.933	A	A	A	A	-
22-Aug-19	RG_ER_RSC-10	2.7	2.5	0.172	oto	0	1.101	A	A	A	A	WB
22-Aug-19	RG_ER_RSC-11	2.1	2.0	0.102	-	-	1.275	A	A	A	A	-
22-Aug-19	RG_ER_RSC-12	2.1	2.0	0.100	-	-	1.250	A	A	A	A	-
22-Aug-19	RG_ER_RSC-13	2.6	2.4	0.169	oto	0	1.223	A	A	A	A	WB
22-Aug-19	RG_ER_RSC-14	3.5	3.2	0.317	oto	0	0.967	A	A	A	A	WB
22-Aug-19	RG_ER_RSC-15	2.6	2.4	0.128	oto	0	0.926	A	A	A	A	WB
22-Aug-19	RG_ER_RSC-16	2.4	2.2	0.115	oto	0	1.080	A	A	A	A	WB
22-Aug-19	RG_ER_RSC-17	2.2	2.0	0.094	oto	0	1.175	A	A	A	A	WB
22-Aug-19	RG_ER_RSC-18	2.6	2.4	0.157	oto	0	1.136	A	A	A	A	WB
22-Aug-19	RG_ER_RSC-19	2.9	2.7	0.191	-	-	0.970	A	A	A	A	-
22-Aug-19	RG_ER_RSC-20	2.5	2.3	0.129	-	-	1.060	A	A	A	A	-
22-Aug-19	RG_ER_RSC-21	2.6	2.5	0.182	-	-	1.165	A	A	A	A	-
22-Aug-19	RG_ER_RSC-22	2.9	2.8	0.079	-	-	0.360	A	A	A	A	-
22-Aug-19	RG_ER_RSC-23	2.9	2.7	0.077	-	-	0.391	A	A	A	A	-
22-Aug-19	RG_ER_RSC-24	3.1	2.8	0.256	-	-	1.166	A	A	A	A	-
22-Aug-19	RG_ER_RSC-25	2.2	2.0	0.104	-	-	1.300	A	A	A	A	-
22-Aug-19	RG_ER_RSC-26	2.0	1.9	0.073	-	-	1.064	A	A	A	A	-
22-Aug-19	RG_ER_RSC-27	2.6	2.4	0.171	-	-	1.237	A	A	A	A	-
22-Aug-19	RG_ER_RSC-28	2.5	2.3	0.159	-	-	1.307	A	A	A	A	-
22-Aug-19	RG_ER_RSC-29	1.9	1.7	0.074	-	-	1.506	A	A	A	A	-
22-Aug-19	RG_ER_RSC-30	2.2	2.1	0.097	-	-	1.047	A	A	A	A	-
22-Aug-19	RG_ER_RSC-31	1.7	1.6	0.063	-	-	1.538	A	A	A	A	-
22-Aug-19	RG_ER_RSC-32	2.5	2.3	0.143	-	-	1.175	A	A	A	A	-
22-Aug-19	RG_ER_RSC-33	2.1	2.0	0.093	-	-	1.163	A	A	A	A	-
22-Aug-19	RG_ER_RSC-34	2.0	1.9	0.067	-	-	0.977	A	A	A	A	-
22-Aug-19	RG_ER_RSC-35	2.6	2.5	0.139	-	-	0.890	A	A	A	A	-
22-Aug-19	RG_ER_RSC-36	2.7	2.5	0.163	-	-	1.043	A	A	A	A	-
22-Aug-19	RG_ER_RSC-37	2.2	2.1	0.119	-	-	1.285	A	A	A	A	-
22-Aug-19	RG_ER_RSC-38	2.1	2.0	0.097	-	-	1.213	A	A	A	A	-
22-Aug-19	RG_ER_RSC-39	2.3	2.2	0.113	-	-	1.061	A	A	A	A	-
22-Aug-19	RG_ER_RSC-40	2.8	2.6	0.209	-	-	1.189	A	A	A	A	-
22-Aug-19	RG_ER_RSC-41	3.0	2.8	0.126	-	-	0.574	A	A	A	A	-
22-Aug-19	RG_ER_RSC-42	2.7	2.5	0.179	-	-	1.146	A	A	A	A	-
22-Aug-19	RG_ER_RSC-43	2.2	2.0	0.121	-	-	1.513	A	A	A	A	-
22-Aug-19	RG_ER_RSC-44	2.4	2.3	0.127	-	-	1.044	A	A	A	A	-
22-Aug-19	RG_ER_RSC-45	1.8	1.7	0.086	-	-	1.750	A	A	A	A	-
22-Aug-19	RG_ER_RSC-46	2.8	2.6	0.178	-	-	1.013	A	A	A	A	-
22-Aug-19	RG_ER_RSC-47	2.2	2.0	0.085	-	-	1.063	A	A	A	A	-
22-Aug-19	RG_ER_RSC-48	2.4	2.5	0.144	-	-	0.922	A	A	A	A	-
22-Aug-19	RG_ER_RSC-49	2.0	1.9	0.079	-	-	1.152	A	A	A	A	-
22-Aug-19	RG_ER_RSC-50	2.0	1.9	0.073	-	-	1.064	A	A	A	A	-
22-Aug-19	RG_ER_RSC-51	2.2	2.0	0.093	-	-	1.163	A	A	A	A	-
22-Aug-19	RG_ER_RSC-52	2.9	2.7	0.157	-	-	0.798	A	A	A	A	-
22-Aug-19	RG_ER_RSC-53	2.6	2.4	0.122	-	-	0.883	A	A	A	A	-
22-Aug-19	RG_ER_RSC-54	2.8	2.6	0.142	-	-	0.808	A	A	A	A	-
22-Aug-19	RG_ER_RSC-55	2.6	2.4	0.156	-	-	1.128	A	A	A	A	-
22-Aug-19	RG_ER_RSC-56	2.8	2.6	0.100	-	-	0.569	A	A	A	A	-
22-Aug-19	RG_ER_RSC-57	2.0	1.9	0.072	-	-	1.050	A	A	A	A	-
22-Aug-19	RG_ER_RSC-58	2.8	2.6	0.159	-	-	0.905	A	A	A	A	-
22-Aug-19	RG_ER_RSC-59	2.1	2.0	0.068	-	-	0.850	A	A	A	A	-
22-Aug-19	RG_ER_RSC-60	3.4	3.0	0.297	-	-	1.100	A	A	A	A	-
22-Aug-19	RG_ER_RSC-61	1.8	1.6	0.067	-	-	1.636	A	A	A	A	-
22-Aug-19	RG_ER_RSC-62	2.1	1.9	0.074	-	-	1.079	A	A	A	A	-
22-Aug-19	RG_ER_RSC-63	2.6	2.4	0.105	-	-	0.760	A	A	A	A	-
22-Aug-19	RG_ER_RSC-64	2.8	2.6	0.152	-	-	0.865	A	A	A	A	-
22-Aug-19	RG_ER_RSC-65	3.3	2.9	0.266	-	-	1.091	A	A	A	A	-
22-Aug-19	RG_ER_RSC-66	3.0	2.7	0.231	-	-	1.174	A	A	A	A	-
22-Aug-19	RG_ER_RSC-67	2.2	2.0	0.072	-	-	0.900	A	A	A	A	-
22-Aug-19	RG_ER_RSC-68	2.3	2.1	0.080	-	-	0.864	A	A	A	A	-
22-Aug-19	RG_ER_RSC-69	2.9	2.6	0.187	-	-	1.064	A	A	A	A	-
22-Aug-19	RG_ER_RSC-70	3.0	2.7	0.238	-	-	1.209	A	A	A	A	-
22-Aug-19	RG_ER_RSC-71	2.2	2.1	0.088	-	-	0.950	A	A	A	A	-
22-Aug-19	RG_ER_RSC-72	4.0	3.5	0.513	oto	0	1.197	A	A	A	A	WB
22-Aug-19	RG_ER_RSC-73	3.0	2.8	0.248	-	-	1.130	A	A	A	A	-
22-Aug-19	RG_ER_RSC-74	2.5	2.3	0.126	-	-	1.036	A	A	A	A	-
22-Aug-19	RG_ER_RSC-75	2.7	2.5	0.171	-	-	1.094	A	A	A	A	-
22-Aug-19	RG_ER_RSC-76	2.3	2.1	0.074	-	-	0.799	A	A	A	A	-
22-Aug-19	RG_ER_RSC-77	2.5	2.2	0.111	-	-	1.042	A	A	A	A	-

Table E.13: Redside Shiner Recruitment Data for Elk River, Kocanusa Reservoir, August 2019

Processing Date	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Age Structure Collected ^a	Age	Fulton's Condition Factor (K)	DELT (Severe[S]/Minor[M]/Absent[A])				Tissue Collected
								D	E	L	T	
22-Aug-19	RG_ER_RSC-78	1.9	1.7	0.066	-	-	1.343	A	A	A	A	-
22-Aug-19	RG_ER_RSC-79	1.6	1.5	0.033	-	-	0.978	A	A	A	A	-
22-Aug-19	RG_ER_RSC-80	2.4	2.3	0.135	-	-	1.110	A	A	A	A	-
22-Aug-19	RG_ER_RSC-81	3.4	3.1	0.281	-	-	0.943	A	A	A	A	-
22-Aug-19	RG_ER_RSC-82	1.9	1.8	0.057	-	-	0.977	A	A	A	A	-
22-Aug-19	RG_ER_RSC-83	3.0	2.6	0.227	-	-	1.292	A	A	A	A	-
22-Aug-19	RG_ER_RSC-84	2.4	2.2	0.076	-	-	0.714	A	A	A	A	-
22-Aug-19	RG_ER_RSC-85	2.7	2.5	0.126	-	-	0.806	A	A	A	A	-
22-Aug-19	RG_ER_RSC-86	2.1	1.9	0.097	-	-	1.414	A	A	A	A	-
22-Aug-19	RG_ER_RSC-87	2.6	2.4	0.171	-	-	1.237	A	A	A	A	-
22-Aug-19	RG_ER_RSC-88	2.1	2.0	0.098	-	-	1.225	A	A	A	A	-
22-Aug-19	RG_ER_RSC-89	2.3	2.1	0.107	-	-	1.155	A	A	A	A	-
22-Aug-19	RG_ER_RSC-90	3.0	2.7	0.192	-	-	0.975	A	A	A	A	-
22-Aug-19	RG_ER_RSC-91	2.5	2.3	0.114	-	-	0.937	A	A	A	A	-
22-Aug-19	RG_ER_RSC-92	1.7	1.6	0.038	-	-	0.928	A	A	A	A	-
22-Aug-19	RG_ER_RSC-93	3.2	3.0	0.250	-	-	0.926	A	A	A	A	-
22-Aug-19	RG_ER_RSC-94	2.6	2.4	0.121	-	-	0.875	A	A	A	A	-
22-Aug-19	RG_ER_RSC-95	2.4	2.2	0.119	-	-	1.118	A	A	A	A	-
22-Aug-19	RG_ER_RSC-96	2.9	2.7	0.174	-	-	0.884	A	A	A	A	-
22-Aug-19	RG_ER_RSC-97	2.5	2.3	0.125	-	-	1.027	A	A	A	A	-
22-Aug-19	RG_ER_RSC-98	2.7	2.5	0.136	-	-	0.870	A	A	A	A	-
22-Aug-19	RG_ER_RSC-99	3.1	2.7	0.226	-	-	1.148	A	A	A	A	-
22-Aug-19	RG_ER_RSC-100	2.8	2.6	0.196	-	-	1.115	A	A	A	A	-
total sample size		100	100	100	-	10	100	-	-	-	-	-
average		2.5	2.3	0.139	-	0	1.048	-	-	-	-	-
median		2.6	2.4	0.126	-	0	1.062	-	-	-	-	-
standard deviation		0.441	0.386	0.0717	-	0.00	0.229	-	-	-	-	-
standard error		0.044	0.039	0.0072	-	0.00	0.023	-	-	-	-	-
minimum		1.6	1.5	0.033	-	0	0.360	-	-	-	-	-
maximum		4.0	3.5	0.513	-	0	1.750	-	-	-	-	-

Notes: D - deformity, E - erosion, L - lesion, T - tumor, "-" indicates no data.

^a Age structures collected: oto = otolith extracted from whole body (WB).

Table E.14: Redside Shiner Recruitment Data for Gold Creek, Koocanusa Reservoir, August 2019

Processing Date	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Age Structure Collected ^a	Age	Fulton's Condition Factor (K)	DELT (Severe[S]/Minor[M]/Absent[A])				Tissue Collected
								D	E	L	T	
21-Aug-19	RG_GC_RSC-01	3.2	3.0	0.286	oto	0	1.059	A	A	A	A	WB
21-Aug-19	RG_GC_RSC-02	2.5	2.2	0.077	-	-	0.723	A	A	A	A	-
21-Aug-19	RG_GC_RSC-03	3.5	3.2	0.172	-	-	0.525	A	A	A	A	-
21-Aug-19	RG_GC_RSC-04	4.4	4.0	0.624	oto	1	0.975	A	A	A	A	WB
21-Aug-19	RG_GC_RSC-05	3.2	3.0	0.271	-	-	1.004	A	A	A	A	-
21-Aug-19	RG_GC_RSC-06	3.8	3.5	0.520	oto	0	1.213	A	A	A	A	WB
21-Aug-19	RG_GC_RSC-07	2.8	2.6	0.166	-	-	0.944	A	A	A	A	-
21-Aug-19	RG_GC_RSC-08	4.3	3.9	0.664	oto	0	1.119	A	A	A	A	WB
21-Aug-19	RG_GC_RSC-09	3.1	2.8	0.286	-	-	1.303	A	A	A	A	-
21-Aug-19	RG_GC_RSC-10	3.5	3.1	0.397	oto	0	1.333	A	A	A	A	WB
21-Aug-19	RG_GC_RSC-11	3.1	2.8	0.236	-	-	1.075	A	A	A	A	-
21-Aug-19	RG_GC_RSC-12	4.0	3.7	0.552	oto	0	1.090	A	A	A	A	WB
21-Aug-19	RG_GC_RSC-13	3.8	3.5	0.381	-	-	0.889	A	A	A	A	-
21-Aug-19	RG_GC_RSC-14	3.7	3.5	0.381	-	-	0.889	A	A	A	A	-
21-Aug-19	RG_GC_RSC-15	4.0	3.7	0.552	oto	0	1.090	A	A	A	A	WB
21-Aug-19	RG_GC_RSC-16	4.1	3.7	0.549	oto	0	1.084	A	A	A	A	WB
21-Aug-19	RG_GC_RSC-17	3.2	3.0	0.241	-	-	0.893	A	A	A	A	-
21-Aug-19	RG_GC_RSC-18	2.7	2.6	0.132	-	-	0.751	A	A	A	A	-
21-Aug-19	RG_GC_RSC-19	3.0	2.8	0.213	-	-	0.970	A	A	A	A	-
21-Aug-19	RG_GC_RSC-20	3.5	3.1	0.297	-	-	0.997	A	A	A	A	-
21-Aug-19	RG_GC_RSC-21	3.2	3.0	0.268	-	-	0.993	A	A	A	A	-
21-Aug-19	RG_GC_RSC-22	2.5	2.5	0.077	-	-	0.493	A	A	A	A	-
21-Aug-19	RG_GC_RSC-23	3.5	3.2	0.172	oto	0	0.525	A	A	A	A	WB
21-Aug-19	RG_GC_RSC-24	4.4	4.0	0.624	-	-	0.975	A	A	A	A	-
21-Aug-19	RG_GC_RSC-25	3.2	3.0	0.271	-	-	1.004	A	A	A	A	-
21-Aug-19	RG_GC_RSC-26	3.8	3.5	0.520	-	-	1.213	A	A	A	A	-
21-Aug-19	RG_GC_RSC-27	2.8	2.6	0.166	-	-	0.944	A	A	A	A	-
21-Aug-19	RG_GC_RSC-28	4.3	3.9	0.664	-	-	1.119	A	A	A	A	-
21-Aug-19	RG_GC_RSC-29	3.1	2.8	0.286	-	-	1.303	A	A	A	A	-
21-Aug-19	RG_GC_RSC-30	3.5	3.1	0.397	-	-	1.333	A	A	A	A	-
21-Aug-19	RG_GC_RSC-31	3.1	2.8	0.236	-	-	1.075	A	A	A	A	-
21-Aug-19	RG_GC_RSC-32	4.0	3.7	0.544	-	-	1.074	A	A	A	A	-
21-Aug-19	RG_GC_RSC-33	3.8	3.5	0.447	-	-	1.043	A	A	A	A	-
21-Aug-19	RG_GC_RSC-34	3.7	3.5	0.381	-	-	0.889	A	A	A	A	-
21-Aug-19	RG_GC_RSC-35	4.0	3.7	0.552	-	-	1.090	A	A	A	A	-
21-Aug-19	RG_GC_RSC-36	4.1	3.7	0.549	-	-	1.084	A	A	A	A	-
21-Aug-19	RG_GC_RSC-37	3.2	3.0	0.241	-	-	0.893	A	A	A	A	-
21-Aug-19	RG_GC_RSC-38	2.7	2.6	0.132	-	-	0.751	A	A	A	A	-
21-Aug-19	RG_GC_RSC-39	3.0	2.8	0.213	-	-	0.970	A	A	A	A	-
21-Aug-19	RG_GC_RSC-40	3.5	3.1	0.297	-	-	0.997	A	A	A	A	-
21-Aug-19	RG_GC_RSC-41	3.7	3.5	0.371	-	-	0.865	A	A	A	A	-
21-Aug-19	RG_GC_RSC-42	4.2	3.8	0.531	oto	0	0.968	A	A	A	A	WB
21-Aug-19	RG_GC_RSC-43	3.1	2.8	0.226	-	-	1.030	A	A	A	A	-
21-Aug-19	RG_GC_RSC-44	2.5	2.3	0.126	-	-	1.036	A	A	A	A	-
21-Aug-19	RG_GC_RSC-45	3.1	2.7	0.271	-	-	1.377	A	A	A	A	-
21-Aug-19	RG_GC_RSC-46	2.9	2.6	0.172	-	-	0.979	A	A	A	A	-
21-Aug-19	RG_GC_RSC-47	2.9	2.7	0.274	-	-	1.392	A	A	A	A	-
21-Aug-19	RG_GC_RSC-48	3.9	3.7	0.417	-	-	0.823	A	A	A	A	-
21-Aug-19	RG_GC_RSC-49	2.3	2.2	0.087	-	-	0.817	A	A	A	A	-
21-Aug-19	RG_GC_RSC-50	3.5	3.2	0.303	-	-	0.925	A	A	A	A	-
21-Aug-19	RG_GC_RSC-51	2.8	2.7	0.159	-	-	0.808	A	A	A	A	-
21-Aug-19	RG_GC_RSC-52	2.7	2.5	0.157	-	-	1.005	A	A	A	A	-
21-Aug-19	RG_GC_RSC-53	3.1	2.8	0.288	-	-	1.312	A	A	A	A	-
21-Aug-19	RG_GC_RSC-54	3.0	2.7	0.194	-	-	0.986	A	A	A	A	-
21-Aug-19	RG_GC_RSC-55	2.7	2.5	0.119	-	-	0.762	A	A	A	A	-
21-Aug-19	RG_GC_RSC-56	2.8	2.6	0.145	-	-	0.825	A	A	A	A	-
21-Aug-19	RG_GC_RSC-57	2.5	2.3	0.123	-	-	1.011	A	A	A	A	-
21-Aug-19	RG_GC_RSC-58	3.1	2.7	0.212	-	-	1.077	A	A	A	A	-
21-Aug-19	RG_GC_RSC-59	3.8	3.5	0.449	-	-	1.047	A	A	A	A	-
21-Aug-19	RG_GC_RSC-60	2.7	2.5	0.186	-	-	1.190	A	A	A	A	-
21-Aug-19	RG_GC_RSC-61	2.6	2.4	0.134	-	-	0.969	A	A	A	A	-
21-Aug-19	RG_GC_RSC-62	2.5	2.3	0.152	-	-	1.249	A	A	A	A	-
21-Aug-19	RG_GC_RSC-63	3.1	3.0	0.226	-	-	0.837	A	A	A	A	-
21-Aug-19	RG_GC_RSC-64	2.4	2.3	0.122	-	-	1.003	A	A	A	A	-
21-Aug-19	RG_GC_RSC-65	2.7	2.5	0.184	-	-	1.178	A	A	A	A	-
21-Aug-19	RG_GC_RSC-66	2.2	2.0	0.070	-	-	0.875	A	A	A	A	-
21-Aug-19	RG_GC_RSC-67	2.4	2.3	0.097	-	-	0.797	A	A	A	A	-
21-Aug-19	RG_GC_RSC-68	3.9	3.5	0.486	-	-	1.134	A	A	A	A	-
21-Aug-19	RG_GC_RSC-69	2.7	2.5	0.158	-	-	1.011	A	A	A	A	-
21-Aug-19	RG_GC_RSC-70	3.1	2.9	0.198	-	-	0.812	A	A	A	A	-
21-Aug-19	RG_GC_RSC-71	2.8	2.6	0.155	-	-	0.882	A	A	A	A	-
21-Aug-19	RG_GC_RSC-72	3.0	2.8	0.205	-	-	0.934	A	A	A	A	-
21-Aug-19	RG_GC_RSC-73	2.8	2.6	0.170	-	-	0.967	A	A	A	A	-
21-Aug-19	RG_GC_RSC-74	2.9	2.7	0.161	-	-	0.818	A	A	A	A	-

Table E.14: Redside Shiner Recruitment Data for Gold Creek, Koocanusa Reservoir, August 2019

Processing Date	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Age Structure Collected ^a	Age	Fulton's Condition Factor (K)	DELT (Severe[S]/Minor[M]/Absent[A])				Tissue Collected
								D	E	L	T	
21-Aug-19	RG_GC_RSC-75	2.8	2.6	0.147	-	-	0.836	A	A	A	A	-
21-Aug-19	RG_GC_RSC-76	2.6	2.5	0.126	-	-	0.806	A	A	A	A	-
21-Aug-19	RG_GC_RSC-77	2.5	2.3	0.116	-	-	0.953	A	A	A	A	-
21-Aug-19	RG_GC_RSC-78	2.9	2.6	0.189	-	-	1.075	A	A	A	A	-
21-Aug-19	RG_GC_RSC-79	2.9	2.8	0.143	-	-	0.651	A	A	A	A	-
21-Aug-19	RG_GC_RSC-80	2.5	2.3	0.124	-	-	1.019	A	A	A	A	-
21-Aug-19	RG_GC_RSC-81	2.3	2.2	0.081	-	-	0.761	A	A	A	A	-
21-Aug-19	RG_GC_RSC-82	2.3	2.1	0.063	-	-	0.680	A	A	A	A	-
21-Aug-19	RG_GC_RSC-83	2.7	2.5	0.158	-	-	1.011	A	A	A	A	-
21-Aug-19	RG_GC_RSC-84	2.5	2.4	0.117	-	-	0.846	A	A	A	A	-
21-Aug-19	RG_GC_RSC-85	4.1	3.8	0.502	-	-	0.915	A	A	A	A	-
21-Aug-19	RG_GC_RSC-86	4.2	3.9	0.537	-	-	0.905	A	A	A	A	-
21-Aug-19	RG_GC_RSC-87	3.1	2.8	0.220	-	-	1.002	A	A	A	A	-
21-Aug-19	RG_GC_RSC-88	3.0	2.7	0.257	-	-	1.306	A	A	A	A	-
21-Aug-19	RG_GC_RSC-89	2.7	2.5	0.181	-	-	1.158	A	A	A	A	-
21-Aug-19	RG_GC_RSC-90	3.2	3.0	0.264	-	-	0.978	A	A	A	A	-
21-Aug-19	RG_GC_RSC-91	2.2	2.0	0.083	-	-	1.038	A	A	A	A	-
21-Aug-19	RG_GC_RSC-92	2.2	2.0	0.078	-	-	0.975	A	A	A	A	-
21-Aug-19	RG_GC_RSC-93	2.9	2.6	0.161	-	-	0.916	A	A	A	A	-
21-Aug-19	RG_GC_RSC-94	3.9	3.5	0.459	-	-	1.071	A	A	A	A	-
21-Aug-19	RG_GC_RSC-95	3.1	2.9	0.221	-	-	0.906	A	A	A	A	-
21-Aug-19	RG_GC_RSC-96	2.6	2.5	0.154	-	-	0.986	A	A	A	A	-
21-Aug-19	RG_GC_RSC-97	3.8	3.4	0.413	-	-	1.051	A	A	A	A	-
21-Aug-19	RG_GC_RSC-98	2.9	2.6	0.186	-	-	1.058	A	A	A	A	-
21-Aug-19	RG_GC_RSC-99	3.2	2.9	0.271	-	-	1.111	A	A	A	A	-
21-Aug-19	RG_GC_RSC-100	3.9	3.5	0.448	-	-	1.045	A	A	A	A	-
total sample size		100	100	100	-	10	100	-	-	-	-	-
average		3.2	2.9	0.271	-	0.1	0.984	-	-	-	-	-
median		3.1	2.8	0.221	-	0	0.989	-	-	-	-	-
standard deviation		0.583	0.521	0.159	-	0.316	0.175	-	-	-	-	-
standard error		0.058	0.052	0.016	-	0.100	0.018	-	-	-	-	-
minimum		2.2	2.0	0.063	-	0	0.493	-	-	-	-	-
maximum		4.4	4.0	0.664	-	1	1.392	-	-	-	-	-

Notes: D - deformity, E - erosion, L - lesion, T - tumor, "-" indicates no data.

^a Age structures collected: oto = otolith extracted from whole body (WB).

Table E.15: Sport Fish Meristics Data for the Kooconusa Reservoir, August 2019

Area	Processing Date	Fish Species	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Sex	DELT (Severe[S]/Minor[M]/Absent[A])				Tissue Collected
								D	E	L	T	
Sand Creek	26-Aug-19	KO	RG_SC_KO-01	24.2	22.2	110	U	A	A	A	A	Muscle
	26-Aug-19	KO	RG_SC_KO-02	25.9	23.6	155	U	A	A	A	A	Muscle
	26-Aug-19	KO	RG_SC_KO-03	25.9	23.4	140	U	A	A	A	A	Muscle
Elk River	26-Aug-19	KO	RG_ER_KO-01	26.4	24.5	145	U	A	A	A	A	Muscle

Notes: D - deformity, E - erosion, L - lesion, T - tumor.

Table E.16: Peamouth Chub Measurements and Observations from Sampling Conducted at the Rexford and Kikomun Areas of Koocanusa Reservoir, 2019

Month	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Liver Weight (g)	Gonad Weight (g)	Fulton's Condition Factor (K)	Age Structure Collected ^a	Age	Sex	Tissue Collected	Muscle Se (mg/kg dw)	Ovary Se (mg/ kg dw)	Abnormalities	Comments
May	Rexford_PCC_01	28.7	25.8	195	3.341	18.144	1.14	oto, sc	7	F	m, o	2.23	5.10	-	duplicate tissue collected
	Rexford_PCC_02	23.6	21.3	120	2.809	13.188	1.24	oto, sc	6	F	m, o	2.38	6.75	-	-
	Rexford_PCC_03	25.0	22.0	130	1.820	19.961	1.22	oto, sc	7	F	m, o	1.91	5.77	-	-
	Rexford_PCC_04	25.0	24.4	128	2.820	10.391	0.881	oto, sc	10	F	m, o	3.38	8.37	-	-
	Rexford_PCC-05	26.6	23.8	130	1.622	6.885	0.964	oto, sc	7	F	m, o	1.96	7.50	worms	-
	Rexford_PCC_06	26.2	23.6	160	2.167	8.841	1.22	oto, sc	6	F	m, o	2.05	9.57	worms	-
	Rexford_PCC_07	23.8	21.5	125	1.483	6.185	1.26	oto, sc	5	F	m, o	2.19	7.87	worms	-
	Rexford_PCC_08	25.2	22.6	145	2.269	21.430	1.26	oto, sc	7	F	m, o	0.332	7.30	-	-
total sample size		8	8	8	8	8	8	-	8	-	-	8	8	-	-
average		25.5	23.1	142	2.291	13.128	1.15	-	7	-	-	2.05	7	-	-
median		25.1	23.1	130	2.218	11.790	1.22	-	7	-	-	2.12	7	-	-
standard deviation		1.65	1.56	25.1	0.653	6.02	0.145	-	1.46	-	-	0.837	1.42	-	-
standard error		0.583	0.551	8.86	0.231	2.13	0.0514	-	0.515	-	-	0.296	0.503	-	-
minimum		23.6	21.3	120	1.483	6.185	0.881	-	5	-	-	0.33	5	-	-
maximum		28.7	25.8	195	3.341	21.430	1.26	-	10	-	-	3.38	10	-	-
September	Rexford_PCC_01	25.9	22.7	125	1.603	1.376	1.07	oto,sc	7	F	m	2.28	-	worms	-
	Rexford_PCC_02	25.5	22.9	126	1.595	3.562	1.05	oto,sc	8	F	m	2.31	-	-	-
	Rexford_PCC_03	25.5	22.9	134	2.300	0.876	1.12	oto,sc	6	F	m	2.10	-	worms	-
	Rexford_PCC_04	24.8	22.2	126	1.264	1.214	1.15	oto,sc	5	F	m	3.25	-	worms	-
	Rexford_PCC-05	24.6	22.0	93	1.038	2.522	0.87	oto,sc	5	F	m	2.12	-	-	-
	Rexford_PCC_06	24.1	21.6	91	0.904	2.592	0.90	oto,sc	6	F	m	2.83	-	-	-
	Rexford_PCC_07	26.0	23.1	130	1.099	1.245	1.05	oto,sc	4	F	m	2.17	-	worms	duplicate tissue collected
	Rexford_PCC_08	23.2	20.6	102	1.051	2.557	1.17	oto,sc	6	F	m	3.67	-	-	-
total sample size		8	8	8	8	8	8	-	8	-	-	8	-	-	-
average		25.0	22.3	116	1.357	1.993	1.05	-	6	-	-	2.59	-	-	-
median		25.2	22.5	126	1.182	1.949	1.06	-	6	-	-	2.30	-	-	-
standard deviation		0.967	0.843	17.5	0.460	0.942	0.108	-	1.25	-	-	0.594	-	-	-
standard error		0.342	0.298	6.20	0.163	0.333	0.0381	-	0.441	-	-	0.210	-	-	-
minimum		23.2	20.6	91	0.904	0.876	0.87	-	4	-	-	2.10	-	-	-
maximum		26.0	23.1	134	2.300	3.562	1.17	-	8	-	-	3.67	-	-	-
September	Kikomun_PCC_01	23.6	21.4	94	1.22	3.06	0.96	oto,sc	6	F	m	2.8	-	-	-
	Kikomun_PCC_02	25.0	22.4	90	2.60	2.43	0.80	oto,sc	7	F	m	2.2	-	-	-
	Kikomun_PCC_03	27.3	24.4	110	1.23	4.86	0.76	oto,sc	8	F	m	2.1	-	-	-
	Kikomun_PCC_04	26.8	24.1	110	1.00	3.22	0.79	oto,sc	6	F	m	2.1	-	worms	-
	Kikomun_PCC_05	26.5	23.4	90	1.05	5.54	0.70	oto,sc	8	F	m	2.3	-	-	-
	Kikomun_PCC_06	26.0	23.5	126	0.55	3.16	0.97	oto,sc	8	F	m	2.2	-	-	-
	Kikomun_PCC_07	27.3	24.4	156	0.51	4.61	1.07	oto,sc	7	F	m	3.4	-	-	-
	Kikomun_PCC_08	29.5	26.4	225	0.45	8.55	1.22	oto,sc	15	F	m	1.7	-	-	duplicate tissue collected
total sample size		8	8	8	8	8	8	-	8	-	-	8	-	-	-
average		26.5	23.8	125	1.074	4.429	0.91	-	8	-	-	2.35	-	-	-
median		26.7	23.8	110	1.022	3.915	0.88	-	8	-	-	2.20	-	-	-
standard deviation		1.74	1.49	46.0	0.693	1.98	0.179	-	2.90	-	-	0.521	-	-	-
standard error		0.616	0.526	16.3	0.245	0.699	0.0633	-	1.03	-	-	0.184	-	-	-
minimum		23.6	21.4	90	0.447	2.428	0.70	-	6	-	-	1.70	-	-	-
maximum		29.5	26.4	225	2.596	8.552	1.22	-	15	-	-	3.40	-	-	-

Notes: Shading indicates wet weight value (mg/kg). "-" no data.

^a Age structures collected: sc - scales, oto - otoliths; ds - dorsal spine; pf - pectoral fin, m - muscle, o - ovary.

Table E.17: Redside Shiner Measurements and Observations from Sampling Conducted at the Rexford Area of Kooconusa Reservoir, 2019

Month	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Liver Weight (g)	Gonad Weight (g)	Fulton's Condition Factor (K)	Age Structure Collected ^a	Age	Sex	Tissue Collected	Muscle Se (mg/kg dw)	Ovary Se (mg/ kg dw)	Abnormalities	Comments
May	Rexford_RSC_01	12.4	10.9	15.783	0.423	0.893	1.22	oto	3	F	m, o	2.46	19.7	-	-
	Rexford_RSC_02	11.2	9.7	11.597	0.201	0.557	1.27	oto	3	F	m, o	2.19	16.5	-	-
	Rexford_RSC_03	10.9	9.5	9.634	0.141	0.597	1.12	oto	3	F	m, o	2.95	5.71	-	-
	Rexford_RSC_04	10.8	9.4	10.500	0.104	0.413	1.26	oto	3	F	m, o	1.98	12.4	Worms	-
	Rexford_RSC_05	10.3	9.2	9.500	0.143	0.444	1.22	oto	3	F	m, o	1.94	3.54	-	-
	Rexford_RSC_06	10.2	9.1	7.680	0.099	0.196	1.02	oto	3	F	m, o	2.39	3.55	-	DUP
	Rexford_RSC_07	10.0	8.8	7.610	0.105	0.324	1.12	oto	2	F	m, o	0.615	3.38	-	-
	Rexford_RSC_08	8.9	7.9	5.150	0.050	0.155	1.04	oto	2	F	m, o	2.76	3.83	-	-
total sample size		8	8	8	8	8	8	-	8	-	-	8	8	-	-
average		10.6	9.3	9.682	0.158	0.447	1.16	-	3	-	-	2.16	8.58	-	-
median		10.6	9.3	9.567	0.123	0.429	1.17	-	3	-	-	2.29	4.77	-	-
standard deviation		1.02	0.848	3.17	0.116	0.238	0.0975	-	0.46	-	-	0.717	6.65	-	-
standard error		0.359	0.300	1.12	0.0409	0.0843	0.0345	-	0.16	-	-	0.253	2.35	-	-
minimum		8.9	7.9	5.150	0.050	0.155	1.02	-	2	-	-	0.615	3.38	-	-
maximum		12.4	10.9	15.783	0.423	0.893	1.27	-	3	-	-	2.95	19.7	-	-

Notes: Shading indicates wet weight value (mg/kg). "-" no data.

^a Age structures collected: sc - scales, oto - otoliths; ds - dorsal spine; pf - pectoral fin, m - muscle, o - ovary.

Table E.18: Bull Trout Measurements and Observations from Sampling Conducted at the Rexford Area of Koocanusa Reservoir, 2019

Month	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Liver Weight (g)	Gonad Weight (g)	Fulton's Condition Factor (K)	Age Structure Collected ^a	Age	Sex	Tissue Collected	Muscle Se (mg/kg dw)	Abnormalities	Comments
May	Rexford_BT_01	65.0	62.3	2,362	27.09	-	0.977	oto, sc	7	U	m	2.16	-	duplicate tissue collected
	Rexford_BT_02	58.0	55.1	2,130	19.66	-	1.27	oto, sc	4	U	m	1.65	fully belly	-
	Rexford_BT_03	30.4	29.0	238	1.78	0.72	0.976	oto, sc	7	F	m	1.72	-	-
	Rexford_BT_04	64.6	61.0	2,596	35.80	22.72	1.14	oto, sc	5	F	m	1.55	-	-
	Rexford_BT_05	49.2	46.5	1,246	26.64	9.40	1.24	oto, sc	7	F	m	1.74	fully belly	-
	Rexford_BT_06	39.0	37.3	554	6.57	2.14	1.07	oto, sc	5	F	m	1.67	worms	-
	Rexford_BT_07	64.0	61.5	3,122	29.21	-	1.34	oto, sc	7	U	m	1.82	full belly	-
	Rexford_BT_08	32.7	31.5	248	2.14	0.42	0.793	oto, sc	5	F	m	1.40	-	-
total sample size		8	8	8	8	5	8	-	8	-	-	8	-	-
average		50.4	48.0	1,562	18.61	7.08	1.10	-	5.9	-	-	1.71	-	-
median		53.6	50.8	1,688	23.15	2.14	1.11	-	6.0	-	-	1.70	-	-
standard deviation		14.6	13.9	1,138	13.3	9.48	0.183	-	1.25	-	-	0.221	-	-
standard error		5.18	4.92	402	4.71	4.24	0.0649	-	0.441	-	-	0.0782	-	-
minimum		30.4	29.0	238	1.78	0.42	0.793	-	4	-	-	1.40	-	-
maximum		65.0	62.3	3,122	35.80	22.72	1.34	-	7	-	-	2.16	-	-

Note: "-" no data.

^a Age structures collected: sc - scales, oto - otoliths; ds - dorsal spine; pf - pectoral fin, m - muscle, o - ovary.

Table E.19: Largescale Sucker Measurements and Observations from Sampling Conducted at the Rexford and Kikomun Areas of Koocanusa Reservoir, 2019

Month	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Liver Weight (g)	Gonad Weight (g)	Fulton's Condition Factor (K)	Age Structure Collected ^a	Age	Sex	Tissue Collected	Muscle Se (mg/kg dw)	Ovary Se (mg/ kg dw)	Abnormalities	Comments
May	Rexford_CSU_01	48.3	45.4	1,060	20.324	75.583	1.13	pf, sc	15	F	m,o	4.08	5.54	-	duplicate tissue collected
	Rexford_CSU_02	46.0	43.4	900	13.779	48.253	1.10	pf, sc	16	F	m,o	3.71	5.05	worms	-
	Rexford_CSU_03	42.2	40.1	790	15.858	66.026	1.23	pf, sc	11	F	m,o	4.99	5.99	worms	-
	Rexford_CSU_04	44.1	41.6	800	14.255	49.898	1.11	pf, sc	12	F	m,o	3.63	5.68	-	-
	Rexford_CSU_05	45.1	42.0	770	9.083	5.521	1.04	pf, sc	12	F	m,o	4.09	5.97	not fully developed	-
	Rexford_CSU_06	45.6	43.0	980	20.498	60.576	1.23	pf, sc	11	F	m,o	4.86	5.56	-	-
	Rexford_CSU_07	46.2	43.2	910	18.967	82.223	1.13	pf, sc	12	F	m,o	4.46	5.07	-	-
	Rexford_CSU_08	45.6	42.8	910	15.592	114.504	1.16	pf, sc	11	F	m,o	1.84	2.49	-	Gonad subsample half weight
total sample size		8	8	8	8	8	8	-	8	-	-	8	8	-	-
average		45.4	42.7	890	16.045	62.823	1.14	-	13	-	-	3.96	5.17	-	-
median		45.6	42.9	905	15.725	63.301	1.13	-	12	-	-	4.09	5.55	-	-
standard deviation		1.75	1.54	100	3.85	31.4	0.0643	-	1.93	-	-	0.99	1.14	-	-
standard error		0.620	0.544	35.5	1.36	11.1	0.0227	-	0.681	-	-	0.349	0.402	-	-
minimum		42.2	40.1	770	9.08	5.521	1.04	-	11	-	-	1.84	2.49	-	-
maximum		48.3	45.4	1,060	20.50	114.504	1.23	-	16	-	-	4.99	5.99	-	-
September	Rexford_CSU_01	36.2	33.8	385	3.583	-	1.00	oto, pf, sc	6	U	m	3.81	-	-	-
	Rexford_CSU_02	36.0	33.5	365	3.333	0.242	0.971	oto, pf, sc	6	M	m	2.54	-	-	-
	Rexford_CSU_03	33.5	31.4	310	1.985	2.077	1.00	oto, pf, sc	6	F	m	2.92	-	-	-
	Rexford_CSU_04	33.5	31.3	325	3.190	0.475	1.06	pf, sc	5	M	m	4.41	-	-	duplicate tissue collected
	Rexford_CSU_05	31.3	29.1	262	1.860	1.285	1.06	oto, pf, sc	3	F	m	2.96	-	-	-
	Rexford_CSU_06	31.1	28.8	260	1.428	1.243	1.09	oto, pf, sc	5	F	m	5.27	-	-	-
	Rexford_CSU_07	29.8	27.7	227	1.648	1.251	1.07	oto, pf, sc	3	F	m	5.39	-	-	-
total sample size		7	7	7	7	6	7	-	7	-	-	7	-	-	-
average		33.1	30.8	305	2.432	1.096	1.04	-	5	-	-	3.90	-	-	-
median		33.5	31.3	310	1.985	1.247	1.06	-	5	-	-	3.81	-	-	-
standard deviation		2.46	2.36	58.3	0.900	0.657	0.0448	-	1.35	-	-	1.16	-	-	-
standard error		0.932	0.892	22.0	0.340	0.268	0.0169	-	0.508	-	-	0.438	-	-	-
minimum		29.8	27.7	227	1.428	0.242	0.971	-	3	-	-	2.54	-	-	-
maximum		36.2	33.8	385	3.583	2.077	1.09	-	6	-	-	5.39	-	-	-
September	Kikomun_CSU_01	37.8	35.0	495	3.296	-	1.15	oto, pf, sc	7	U	m	3.90	-	-	-
	Kikomun_CSU_02	41.7	39.2	625	5.754	-	1.04	oto, pf, sc	5	U	m	1.70	-	-	-
	Kikomun_CSU_03	33.9	31.4	350	2.256	-	1.13	oto, pf, sc	5	U	m	3.40	-	-	-
	Kikomun_CSU_04	46.4	43.4	900	5.927	35.361	1.10	oto, pf, sc	1	F	m	2.20	-	-	-
	Kikomun_CSU_05	46.8	44.1	800	5.395	38.916	0.933	oto, pf, sc	10	M	m	2.60	-	-	-
	Kikomun_CSU_06	35.4	33.0	385	3.027	2.722	1.07	oto, pf, sc	6	F	m	5.80	-	-	-
	Kikomun_CSU_07	31.5	29.3	275	1.378	-	1.09	oto, pf, sc	4	U	m	2.70	-	-	-
	Kikomun_CSU_08	33.8	31.4	345	10.195	1.266	1.11	oto, pf, sc	4	F	m	1.30	-	-	-
total sample size		8	8	8	8	4	8	-	8	-	-	8	-	-	-
average		38.4	35.9	522	4.654	19.566	1.08	-	5	-	-	2.95	-	-	-
median		36.6	34.0	440	4.346	19.042	1.10	-	5	-	-	2.65	-	-	-
standard deviation		5.90	5.70	231	2.80	20.4	0.0691	-	2.60	-	-	1.43	-	-	-
standard error		2.09	2.02	81.5	0.992	10.2	0.0244	-	0.921	-	-	0.505	-	-	-
minimum		31.5	29.3	275	1.378	1.266	0.933	-	1	-	-	1.30	-	-	-
maximum		46.8	44.1	900	10.195	38.916	1.15	-	10	-	-	5.80	-	-	-

Note: "-" no data.

^a Age structures collected: sc - scales, oto - otoliths; ds - dorsal spine; pf - pectoral fin, m - muscle, o - ovary.

Table E.20: Kokanee Salmon Measurements and Observations from Sampling Conducted at the Rexford and Kikomun Areas of Kocanusa Reservoir, 2019

Month	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Liver Weight (g)	Gonad Weight (g)	Fulton's Condition Factor (K)	Age Structure Collected ^a	Age	Sex	Tissue Collected	Muscle Se (mg/kg dw)	Ovary Se (mg/ kg dw)	Abnormalities	Comments
May	Rexford_KO_01	24.1	22.1	104	0.88	1.20	0.964	oto	2	F	m	1.65	-	-	duplicate tissue collected
	Rexford_KO_02	23.5	21.6	102	0.79	0.76	1.01	oto, sc	2	F	m	2.00	-	-	-
	Rexford_KO_03	25.0	22.7	120	0.83	-	1.03	oto, sc	2	U	m	1.81	-	-	-
	Rexford_KO_04	24.2	22.3	100	0.79	0.26	0.902	oto, sc	2	F	m	2.10	-	-	-
	Rexford_KO_05	23.8	22.1	104	0.64	-	0.964	oto, sc	2	U	m	1.66	-	-	-
	Rexford_KO_06	26.9	24.9	144	1.17	0.99	0.933	oto, sc	2	F	m	0.749	-	-	-
	Rexford_KO_07	24.2	22.6	116	0.87	-	1.00	sc	2	U	m	1.20	-	-	-
total sample size		7	7	7	7	4	7	-	7	-	-	7	-	-	-
average		24.5	22.6	113	0.85	0.80	0.972	-	2	-	-	1.60	-	-	-
median		24.2	22.3	104	0.83	0.88	0.964	-	2	-	-	1.66	-	-	-
standard deviation		1.14	1.07	15.7	0.161	0.4	0.0451	-	0	-	-	0.473	-	-	-
standard error		0.432	0.405	5.92	0.0608	0.20	0.0171	-	0	-	-	0.179	-	-	-
minimum		23.5	21.6	100	0.64	0.26	0.902	-	2	-	-	0.75	-	-	-
maximum		26.9	24.9	144	1.17	1.20	1.03	-	2	-	-	2.10	-	-	-
September	Rexford_KO_01	26.3	24.3	138	1.52	14.28	0.962	pf	2	F	m, o	1.93	1.42	-	-
	Rexford_KO_02	26.8	24.4	158	1.67	12.45	1.09	pf	2	F	m, o	2.00	4.12	-	-
	Rexford_KO_03	26.0	24.2	130	2.23	13.44	0.917	pf,oto	2	F	m, o	1.90	3.65	-	-
	Rexford_KO_04	25.3	23.7	115	1.54	12.44	0.864	pf	2	F	m, o	1.93	1.09	-	-
	Rexford_KO_05	25.0	23.1	130	1.94	12.48	1.05	pf	1	F	m, o	2.03	5.40	-	-
	Rexford_KO_06	26.9	24.4	146	2.39	15.75	1.01	pf	2	F	m, o	1.85	3.90	-	-
	Rexford_KO_07	27.8	26.0	180	2.27	22.48	1.02	pf	3	F	m, o	2.07	4.20	-	duplicate tissue collected
	Rexford_KO_08	25.8	23.6	144	1.11	21.47	1.10	pf	2	F	m, o	1.96	4.29	-	-
total sample size		8	8	8	8	8	8	-	8	-	-	8	8	-	-
average		26.2	24.2	143	1.83	15.60	1.00	-	2	-	-	1.96	3.51	-	-
median		26.2	24.3	141	1.80	13.86	1.01	-	2	-	-	1.95	4.01	-	-
standard deviation		0.915	0.858	19.8	0.447	4.10	0.0821	-	0.535	-	-	0.0718	1.48	-	-
standard error		0.323	0.303	7.01	0.158	1.45	0.0290	-	0.189	-	-	0.0254	0.525	-	-
minimum		25.0	23.1	115	1.11	12.44	0.864	-	1	-	-	1.85	1.09	-	-
maximum		27.8	26.0	180	2.39	22.48	1.10	-	3	-	-	2.07	5.40	-	-
September	Kikomun_KO_01	26.5	24.6	126	1.63	8.23	0.846	oto, pf	2	F	m, o	2.20	3.80	-	-
	Kikomun_KO_02	27.0	25.1	142	2.11	21.17	0.898	oto, pf	3	F	m, o	1.80	3.80	-	duplicate tissue collected
	Kikomun_KO_03	24.5	26.6	148	1.95	12.05	0.786	oto, pf	2	F	m, o	1.90	4.90	-	-
	Kikomun_KO_04	25.4	23.6	134	1.58	12.52	1.02	oto, pf	2	F	m, o	1.90	4.90	-	-
	Kikomun_KO_05	26.0	24.9	155	2.12	19.64	1.00	oto, pf	1	F	m, o	2.00	4.40	-	-
	Kikomun_KO_06	26.4	24.4	172	2.80	26.33	1.18	oto, pf	2	F	m, o	2.20	5.00	-	-
	Kikomun_KO_07	26.5	24.3	160	1.85	19.64	1.12	oto, pf	2	F	m, o	2.00	5.60	-	-
	Kikomun_KO_08	26.1	24.2	145	2.00	16.25	1.02	oto, pf	2	F	m, o	2.00	4.70	-	-
total sample size		8	8	8	8	8	8	-	8	-	-	8	8	-	-
average		26.1	24.7	148	2.00	16.98	0.98	-	2	-	-	2.00	4.64	-	-
median		26.3	24.5	147	1.98	17.95	1.01	-	2	-	-	2.00	4.80	-	-
standard deviation		0.8	0.9	14.6	0.379	5.86	0.134	-	0.535	-	-	0.141	0.616	-	-
standard error		0.28	0.31	5.16	0.134	2.07	0.0474	-	0.189	-	-	0.0500	0.218	-	-
minimum		24.5	23.6	126	1.58	8.23	0.786	-	1	-	-	1.80	3.80	-	-
maximum		27.0	26.6	172	2.80	26.33	1.18	-	3	-	-	2.20	5.60	-	-

Note: "-" no data.

^a Age structures collected: sc - scales, oto - otoliths; ds - dorsal spine; pf - pectoral fin, m - muscle, o - ovary.

Table E.21: Mountain Whitefish Measurements and Observations from Sampling Conducted at the Rexford and Kikomun Areas of Kocanusa Reservoir, 2019

Month	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Liver Weight (g)	Gonad Weight (g)	Fulton's Condition Factor (K)	Age Structure Collected ^a	Age	Sex	Tissue Collected	Muscle Se (mg/kg dw)	Ovary Se (mg/ kg dw)	Abnormalities	Comments
May	Rexford_MWF_01	30.1	27.4	245	1.863	1.138	1.19	sc, ot	5	F	m	3.19	-	-	-
	Rexford_MWF_02	26.7	24.9	140	0.611	0.292	0.907	sc, ot	3	F	m	2.41	-	-	-
total sample size		2	2	2	2	2	2	-	2	-	-	2	-	-	-
average		28.4	26.2	193	1.237	0.715	1.05	-	4	-	-	2.80	-	-	-
median		28.4	26.2	193	1.237	0.715	1.05	-	4	-	-	2.80	-	-	-
standard deviation		2.40	1.77	74.2	0.885	0.598	0.201	-	1.41	-	-	0.552	-	-	-
standard error		1.70	1.25	52.5	0.626	0.423	0.142	-	1.00	-	-	0.390	-	-	-
minimum		26.7	24.9	140	0.611	0.292	0.907	-	3	-	-	2.41	-	-	-
maximum		30.1	27.4	245	1.863	1.138	1.19	-	5	-	-	3.19	-	-	-
September	Kikomun_MWF_01	28.9	26.3	213	2.158	2.035	1.17	pf, sc	2	F	m, o	2.10	6.70	-	-
	Kikomun_MWF_02	25.0	23.2	118	1.949	12.255	0.945	pf, sc	2	F	m, o	1.80	4.20	-	-
	Kikomun_MWF_03	25.7	23.7	147	2.229	16.219	1.10	pf, sc	2	F	m, o	2.00	4.00	-	-
	Kikomun_MWF_04	26.0	23.8	134	1.920	12.095	0.994	pf, sc	2	F	m, o	1.80	5.90	-	-
	Kikomun_MWF_05	25.4	23.4	122	1.869	14.430	0.952	pf, sc	2	F	m, o	1.80	4.00	-	-
	Kikomun_MWF_06	25.7	23.5	120	1.551	15.320	0.925	pf, sc	2	F	m, o	1.80	4.20	-	-
	Kikomun_MWF_07	25.5	23.4	142	2.006	15.938	1.11	pf, sc	1	F	m, o	1.80	4.20	-	-
total sample size		7	7	7	7	7	7	-	7	-	-	7	7	-	-
average		26.0	23.9	142	1.955	12.613	1.03	-	2	-	-	1.87	4.74	-	-
median		25.7	23.5	134	1.949	14.430	0.994	-	2	-	-	1.80	4.20	-	-
standard deviation		1.30	1.08	33.1	0.220	4.95	0.098	-	0.378	-	-	0.125	1.09	-	-
standard error		0.493	0.407	12.5	0.0832	1.87	0.0369	-	0.143	-	-	0.0474	0.413	-	-
minimum		25.0	23.2	118	1.551	2.035	0.925	-	1	-	-	1.80	4.00	-	-
maximum		28.9	26.3	213	2.229	16.219	1.17	-	2	-	-	2.10	6.70	-	-

Note: "-" no data.

^a Age structures collected: sc - scales, oto - otoliths; ds - dorsal spine; pf - pectoral fin, m - muscle, o - ovary.

Table E.22: Northern Pike Minnow Measurements and Observations from Sampling Conducted at the Rexford and Kikomun Areas of Kooconusa Reservoir, 2019

Month	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Liver Weight (g)	Gonad Weight (g)	Fulton's Condition Factor (K)	Age Structure Collected ^a	Age	Sex	Tissue Collected	Muscle Se (mg/kg dw)	Ovary Se (mg/ kg dw)	Abnormalities	Additional Comments
May	Rexford_NSC_01	40.5	37.0	540	7.400	5.320	1.07	oto, sc	15	F	m, o	1.65	3.89	none observed	-
	Rexford_NSC_02	54.5	50.3	1,785	32.040	49.720	1.40	oto, sc	16	F	m, o	1.03	2.45	none observed	-
	Rexford_NSC_03	39.9	36.2	495	7.740	3.090	1.04	oto, sc	10	F	m, o	1.50	5.11	none observed	-
	Rexford_NSC_04	50.3	46.0	1,500	29.007	40.960	1.54	oto, sc	12	F	m, o	1.17	2.24	none observed	duplicate tissue sample taken
	Rexford_NSC_05	60.3	54.8	2,060	29.690	68.170	1.25	oto, sc	14	F	m, o	1.05	1.81	none observed	-
	Rexford_NSC_06	42.6	38.8	760	27.710	5.530	1.30	oto, sc	13	F	m, o	1.43	3.49	none observed	-
	Rexford_NSC_07	46.9	42.5	1,070	20.160	7.080	1.39	oto, sc	10	F	m, o	1.32	3.21	none observed	-
	Rexford_NSC_08	40.9	36.4	610	13.940	4.840	1.26	oto, sc	13	F	m, o	1.39	3.52	none observed	-
	Rexford_NSC_09	56.1	51.3	1,620	28.730	60.278	1.20	oto, sc	14	F	m, o	0.803	2.59	none observed	-
	Rexford_NSC_10	49.9	44.9	1,200	14.030	30.940	1.33	oto, sc	15	F	m, o	1.11	1.99	none observed	-
	Rexford_NSC_11	37.4	33.5	475	7.270	4.720	1.26	oto, sc	10	F	m, o	1.56	9.46	none observed	-
	Rexford_NSC_12	46.7	42.0	940	16.070	10.820	1.27	oto, sc	13	F	m, o	1.04	5.13	none observed	-
	Rexford_NSC_13	44.4	40.1	890	22.170	13.141	1.38	oto, sc	13	F	m, o	1.03	1.95	none observed	-
	Rexford_NSC_14	51.4	47.2	1,540	20.822	42.365	1.46	oto, sc	15	F	m, o	0.930	2.78	none observed	-
	Rexford_NSC_15	54.0	49.3	1,490	21.269	53.897	1.24	oto, sc	16	F	m, o	0.925	2.20	none observed	-
total sample size		15	15	15	15	15	15	-	15	-	-	15	15	-	-
average		47.7	43.4	1,132	19.870	26.725	1.29	-	13	-	-	1.20	3.45	-	-
median		46.9	42.5	1,070	20.822	13.141	1.27	-	13	-	-	1.11	2.78	-	-
standard deviation		6.78	6.40	511	8.54	23.6	0.134	-	2.05	-	-	0.260	1.97	-	-
standard error		1.75	1.65	132	2.21	6.11	0.0346	-	0.530	-	-	0.0671	0.508	-	-
minimum		37.4	33.5	475	7.270	3.090	1.04	-	10	-	-	0.803	1.81	-	-
maximum		60.3	54.8	2,060	32.040	68.170	1.54	-	16	-	-	1.65	9.46	-	-
September	Rexford_NSC_01	33.0	28.0	280	2.461	1.410	1.28	oto, sc	7	F	m	3.01	-	none observed	-
	Rexford_NSC_02	34.6	31.8	360	2.911	2.363	1.12	oto, sc	7	F	m	1.79	-	none observed	-
	Rexford_NSC_03	35.4	32.5	370	3.152	2.904	1.08	oto, sc	10	F	m	2.50	-	none observed	-
	Rexford_NSC_04	40.0	36.6	525	6.402	3.584	1.07	oto, sc	7	F	m	2.24	-	none observed	-
	Rexford_NSC_05	35.3	31.2	325	3.805	1.964	1.07	oto, sc	7	F	m	1.75	-	none observed	-
	Rexford_NSC_06	47.6	43.4	1,200	24.018	5.877	1.47	oto, sc	14	F	m	1.73	-	none observed	duplicate tissue sample taken
	Rexford_NSC_07	39.9	36.7	530	8.850	4.109	1.07	oto, sc	10	F	m	1.87	-	none observed	-
	Rexford_NSC_08	53.7	49.0	1,580	26.056	41.373	1.34	oto, sc	18	F	m	1.53	-	none observed	-
total sample size		8	8	8	8	8	8	-	8	-	-	8	-	-	-
average		39.9	36.2	646	9.707	7.948	1.19	-	10	-	-	2.05	-	-	-
median		37.7	34.6	448	5.104	3.244	1.10	-	9	-	-	1.83	-	-	-
standard deviation		7.24	6.98	478	9.71	13.6	0.155	-	4.07	-	-	0.496	-	-	-
standard error		2.56	2.47	169	3.43	4.80	0.0548	-	1.44	-	-	0.175	-	-	-
minimum		33.0	28.0	280	2.461	1.410	1.07	-	7	-	-	1.53	-	-	-
maximum		53.7	49.0	1,580	26.056	41.373	1.47	-	18	-	-	3.01	-	-	-
September	Kikomun_NSC_01	34.5	31.5	320	1.470	1.838	1.02	oto, sc	7	F	m	1.8	-	worms	-
	Kikomun_NSC_02	54.5	49.5	1,600	4.359	32.133	1.32	oto, sc	13	F	m	2.0	-	none observed	duplicate tissue collected
	Kikomun_NSC_03	41.3	37.2	600	1.049	7.515	1.17	oto, sc	14	F	m	1.9	-	none observed	-
	Kikomun_NSC_04	49.9	45.4	1,200	3.423	20.202	1.28	oto, sc	17	F	m	1.2	-	none observed	-
	Kikomun_NSC_05	36.0	32.3	350	0.622	2.850	1.04	oto, sc	12	F	m	2.2	-	none observed	-
	Kikomun_NSC_06	42.9	38.8	650	2.122	12.151	1.11	oto, sc	12	F	m	2.9	-	none observed	-
	Kikomun_NSC_07	43.0	39.1	950	17.893	8.769	1.59	oto, sc	11	F	m	1.2	-	none observed	-
	Kikomun_NSC_08	53.1	48.1	1,350	16.534	23.607	1.21	oto, sc	14	F	m	1.4	-	none observed	-
total sample size		8	8	8	8	8	8	-	8	-	-	8	-	-	-
average		44.4	40.2	878	5.934	13.633	1.22	-	13	-	-	2	-	-	-
median		43.0	39.0	800	2.773	10.460	1.19	-	13	-	-	2	-	-	-
standard deviation		7.47	6.83	474	7.08	10.7	0.184	-	2.88	-	-	0.573	-	-	-
standard error		2.64	2.41	168	2.50	3.79	0.065	-	1.02	-	-	0.202	-	-	-
minimum		34.5	31.5	320	0.622	1.838	1.02	-	7	-	-	1	-	-	-
maximum		54.5	49.5	1,600	17.893	32.133	1.59	-	17	-	-	3	-	-	-

Note: "-" no data.

^a Age structures collected: sc - scales, oto - otoliths; ds - dorsal spine; pf - pectoral fin, m - muscle, o - ovary.

Table E.23: Rainbow Trout Measurements and Observations from Sampling Conducted at the Rexford and Kikomun Areas of Kocanusa Reservoir, 2019

Month	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Liver Weight (g)	Gonad Weight (g)	Fulton's Condition Factor (K)	Age Structure Collected ^a	Age	Sex	Tissue Collected	Muscle Se (mg/kg dw)	Abnormalities	Comments
September	Rexford_RBT_01	31.1	28.4	245	2.366	1.765	1.07	pf, sc	2	M	m	1.75	-	-
	Rexford_RBT_02	42.5	39.1	385	2.709	1.405	0.644	pf, sc	2	M	m	1.61	-	duplicate tissue collected
	Rexford_RBT_03	32.2	30.3	310	1.730	5.779	1.11	pf, sc	2	M	m	2.63	-	-
	Rexford_RBT_04	20.6	19.0	79	0.640	0.098	1.15	pf, sc	1	M	m	1.55	-	-
	Rexford_RBT_05	21.5	20.4	94	1.009	0.136	1.11	pf, sc	1	M	m	1.32	-	-
total sample size		5	5	5	5	5	5	-	5	-	-	5	-	-
average		29.6	27.4	223	1.691	1.837	1.02	-	2	-	-	1.77	-	-
median		31.1	28.4	245	1.730	1.405	1.11	-	2	-	-	1.61	-	-
standard deviation		8.97	8.15	134	0.875	2.33	0.211	-	0.548	-	-	0.504	-	-
standard error		4.01	3.65	59.9	0.391	1.04	0.0942	-	0.245	-	-	0.225	-	-
minimum		20.6	19.0	79	0.640	0.098	0.644	-	1	-	-	1.32	-	-
maximum		42.5	39.1	385	2.709	5.779	1.15	-	2	-	-	2.63	-	-
September	Kikomun_RBT_01	31.7	29.4	290	2.940	6.686	1.14	pf, sc	3	F	m	2.50	-	-
	Kikomun_RBT_02	31.2	28.8	258	2.003	0.319	1.08	pf, sc	2	F	m	2.50	-	-
	Kikomun_RBT_03	35.7	32.8	385	3.320	8.195	1.09	pf, sc	1	M	m	5.10	-	-
	Kikomun_RBT_04	32.0	29.6	255	2.028	0.053	0.983	pf, sc	2	F	m	2.10	-	-
	Kikomun_RBT_05	32.5	30.6	315	3.672	0.281	1.10	pf, sc	2	F	m	4.80	-	-
	Kikomun_RBT_06	31.0	28.8	255	2.223	3.228	1.07	pf, sc	3	F	m	4.40	-	duplicate tissue collected
	Kikomun_RBT_07	35.1	32.7	315	3.289	4.883	0.901	pf, sc	2	F	m	1.90	-	-
	Kikomun_RBT_08	34.6	32.0	320	3.089	0.338	0.977	pf, sc	4	M	m	1.20	-	-
total sample size		8	8	8	8	8	8	-	8	-	-	8	-	-
average		33.0	30.6	299	2.821	2.998	1.04	-	2	-	-	3.06	-	-
median		32.3	30.1	303	3.015	1.783	1.07	-	2	-	-	2.50	-	-
standard deviation		1.87	1.70	44.7	0.647	3.26	0.0804	-	0.916	-	-	1.48	-	-
standard error		0.661	0.600	15.8	0.229	1.15	0.0284	-	0.324	-	-	0.523	-	-
minimum		31.0	28.8	255	2.003	0.053	0.901	-	1	-	-	1.20	-	-
maximum		35.7	32.8	385	3.672	8.195	1.14	-	4	-	-	5.10	-	-

Note: "-" no data.

^a Age structures collected: sc - scales, oto - otoliths; ds - dorsal spine; pf - pectoral fin, m - muscle, o - ovary.

Table E.24: Cutthroat Trout Measurements and Observations from Sampling Conducted at the Rexford Area of Kocanusa Reservoir, 2019

Month	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Liver Weight (g)	Gonad Weight (g)	Fulton's Condition Factor (K)	Age Structure Collected ^a	Age	Sex	Tissue Collected	Muscle Se (mg/kg dw)	Ovary Se (mg/ kg dw)	Abnormalities	Comments
May	Rexford_WCT_01	33.8	32.0	394	4.290	42.814	1.20	oto, sc	7	F	m, o	7.43	11.9	-	-
total sample size		1	1	1	1	1	1	-	1	-	-	1	1	-	-
average		33.8	32.0	394	4.290	42.814	1.20	-	7	-	-	7.43	11.9	-	-
median		33.8	32.0	394	4.290	42.814	1.20	-	7	-	-	7.43	11.9	-	-
standard deviation		-	-	-	-	-	-	-	-	-	-	-	-	-	-
standard error		-	-	-	-	-	-	-	-	-	-	-	-	-	-
minimum		33.8	32.0	394	4.290	42.814	1.20	-	7	-	-	7.43	11.9	-	-
maximum		33.8	32.0	394	4.290	42.814	1.20	-	7	-	-	7.43	11.9	-	-

Note: "-" no data.

^a Age structures collected: sc - scales, oto - otoliths; ds - dorsal spine; pf - pectoral fin, m - muscle, o - ovary.

Table E.25: Yellow Perch Measurements and Observations from Sampling Conducted at the Rexford and Kikomun Areas of Kooconusa Reservoir, 2019

Month	Fish ID	Total Length (cm)	Fork Length (cm)	Body Weight (g)	Liver Weight (g)	Gonad Weight (g)	Fulton's Condition Factor (K)	Age Structure Collected ^a	Age	Sex	Tissue Collected	Muscle Se (mg/kg dw)	Ovary Se (mg/ kg dw)	Abnormalities	Comments
May	Rexford_YP_01	25.1	23.3	190	2.448	43.302	1.50	sc, ot	4	F	m, o	1.32	1.80	-	-
	Rexford_YP_02	25.2	24.0	170	2.945	2.383	1.23	sc, ot	6	M	m	3.12	-	-	-
	Rexford_YP_03	29.0	27.5	260	4.242	6.973	1.25	sc, ds	5	F	m, o	3.34	4.96	underdeveloped	-
	Rexford_YP_04	21.0	19.9	105	1.438	1.483	1.33	sc, ds	5	M	m	2.72	-	worms	-
total sample size		4	4	4	4	4	4	-	4	-	-	4	2	-	-
average		25.1	23.7	181	2.768	13.535	1.33	-	5	-	-	2.63	3.38	-	-
median		25.2	23.7	180	2.697	4.678	1.29	-	5	-	-	2.92	3.38	-	-
standard deviation		3.27	3.12	63.8	1.17	19.99	0.124	-	0.816	-	-	0.907	2.23	-	-
standard error		1.63	1.56	31.9	0.583	9.99	0.0619	-	0.408	-	-	0.454	1.58	-	-
minimum		21.0	19.9	105	1.44	1.48	1.23	-	4	-	-	1.32	1.80	-	-
maximum		29.0	27.5	260	4.24	43.30	1.50	-	6	-	-	3.34	4.96	-	-
September	Kikomun_YP_01	17.1	16.2	63	0.637	1.05	1.48	sc, ot	2	M	m	2.80	-	-	-
	Kikomun_YP_02	25.0	24.8	202	2.358	3.45	1.32	sc, ot	3	F	m	2.20	-	-	-
total sample size		2	2	2	2	2	2	-	2	-	-	2	-	-	-
average		21.1	20.5	133	1.498	2.248	1.40	-	3	-	-	2.50	-	-	-
median		21.1	20.5	133	1.498	2.248	1.40	-	3	-	-	2.50	-	-	-
standard deviation		5.59	6.08	98.3	1.22	1.69	0.111	-	0.707	-	-	0.424	-	-	-
standard error		3.95	4.30	69.50	0.861	1.20	0.0787	-	0.500	-	-	0.300	-	-	-
minimum		17.1	16.2	63	0.637	1.050	1.32	-	2	-	-	2.20	-	-	-
maximum		25.0	24.8	202	2.358	3.446	1.48	-	3	-	-	2.80	-	-	-

Note: "-" no data.

^a Age structures collected: sc - scales, oto - otoliths; ds - dorsal spine; pf - pectoral fin, m - muscle, o - ovary.

APPENDIX F
TISSUE

Table F.1: Benthic Invertebrate Tissue Sampling Locations, Kooconusa Reservoir, 2019

Station Identifier		Comment	UTM (NAD 83, Zone 11U)				Average Station Depth (m)	Average Ponar Fullness (%)	Sample Texture	Macrophytes in Sample	Algae in Sample	Dominant Taxa
			Start		End							
			Easting	Northing	Easting	Northing						
April	RG-TN	New TN-3 coordinates; Plenty of large chironomids.	627394	5453542	627175	5453986	1.5	75% - 100%	100% sand and finer	NA	NA	chironomids
	RG-T4	Plenty of large chironomids	630074	5441765	629460	5441543	14	75% - 100%	100% sand and finer	NA	NA	chironomids
August	RG-TN	Benthic sample very sparse compared to April. Very few chironomids, lots of large horsehair worms	627394	5453542	627175	5453986	13	75% - 100%	100% sand and finer	NA	NA	horsehair worms
	RG-T4	Benthic sample sparse. Primarily clams and chironomids	630074	5441765	629460	5441543	24	75% - 100%	100% sand and finer	NA	NA	chironomids

Table F.2: Metal Concentrations ($\mu\text{g/g}$ dry weight) in Zooplankton and Benthic Invertebrates Collected in Koocanusa Reservoir, 2019

Tissue Type	Area	Month	Sample ID	Moisture	Aluminum	Antimony	Arsenic	Barium	Beryllium	Boron	Cadmium	Chromium	Cobalt
				%	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$
Zooplankton ^a	RG_TN	August	RG_TN-1-ZOOT_20190822	99.8	1,300	0.2	2.7	43	0.05	<5	1.3	1.7	0.7
			RG_TN-2-ZOOT_20190822	99.8	1,400	0.2	2.4	46	0.05	<5	1.2	1.8	0.7
			RG_TN-3-ZOOT_20190822	99.9	2,100	0.1	2.8	62	0.09	<50	1.3	<5	<5
			RG_TN-4-ZOOT_20190822	99.8	1,100	0.1	2.6	38	0.04	<5	1.4	1.3	0.7
			RG_TN-5-ZOOT_20190822	99.8	1,100	<0.1	2.6	39	0.06	<50	1.2	<5	<5
	RG_T4	June	RG_T4-1_ZOOT_20190614	92.2	1,400	0.1	2.9	25	0.05	<2	0.5	2	1.2
			RG_T4-2_ZOOT_20190614	92.0	1,500	0.1	2.6	19	0.05	1	0.5	1.8	1.1
			RG_T4-3_ZOOT_20190614	92.1	1,600	0.1	2.6	22	0.06	1	0.6	1.9	1.0
			RG_T4-4_ZOOT_20190614	93.6	1,300	0.1	2.7	20	0.05	1	0.6	1.5	0.9
			RG_T4-5_ZOOT_20190614	91.5	1,500	0.2	2.6	44	0.07	3	0.6	1.9	1.5
		August	RG_T4-1-ZOOT_20190821	99.8	2,200	0.2	3.0	51	0.08	<5	1.3	2.4	1
			RG_T4-2-ZOOT_20190821	99.7	1,700	0.1	3.1	41	0.07	<5	1.3	1.9	0.9
			RG_T4-3-ZOOT_20190821	99.6	1,600	0.1	3.4	42	0.06	<5	1.4	1.8	0.9
			RG_T4-4-ZOOT_20190821	99.5	1,200	0.1	3.2	36	0.05	<5	1.3	1.4	0.8
			RG_T4-5-ZOOT_20190821	99.5	1,100	0.1	3.1	35	0.04	<5	1.5	1.5	0.7
Benthic Invertebrates	RG_TN	April	RG_TN-INV_20190425	84.9	2,000	<0.1	3.0	17	0.06	<50	1.6	<5	<5
		August	RG_TN_INV_20190822	86.3	3,700	0.2	10	40	0.16	<50	0.23	<5	<5
	RG_T4	April	RG_T4-INV_20190425	81.6	7,400	0.16	6.0	78	0.29	8	1.7	9.8	3.6
		August	RG_T4_INV_20190821	42.4	820	<0.1	12	26	0.03	<50	0.3	<5	<5

^a Zooplankton were absent from samples collected from RG_TN in June.

Table F.2: Metal Concentrations ($\mu\text{g/g}$ dry weight) in Zooplankton and Benthic Invertebrates Collected in Koocanusa Reservoir, 2019

Tissue Type	Area	Month	Sample ID	Copper	Iron	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Strontium
				$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$
Zooplankton ^a	RG_TN	August	RG_TN-1-ZOOT_20190822	8.7	950	1.8	58	0.04	0.4	2	3.1	0.04	108
			RG_TN-2-ZOOT_20190822	8.2	990	1.5	64	0.03	0.7	7.1	3.0	0.04	96
			RG_TN-3-ZOOT_20190822	9.0	1,600	2.4	84	0.02	<0.5	12	3.1	0.03	130
			RG_TN-4-ZOOT_20190822	7.5	940	1.4	62	0.03	0.5	1.7	3.1	0.03	91
			RG_TN-5-ZOOT_20190822	7.0	1,200	1.2	60	0.03	<0.5	<5	3.1	0.03	97
	RG_T4	June	RG_T4-1_ZOOT_20190614	7.8	1,400	6.9	84	0.04	0.3	2.2	3.4	0.03	18
			RG_T4-2_ZOOT_20190614	6.7	1,300	2.9	67	0.04	0.3	1.9	3.0	0.02	18
			RG_T4-3_ZOOT_20190614	7.0	1,300	2.0	73	0.05	0.3	1.7	2.9	0.03	22
			RG_T4-4_ZOOT_20190614	8.5	1,200	1.6	71	0.04	0.3	1.6	2.9	0.02	21
			RG_T4-5_ZOOT_20190614	9.1	2,200	2.1	127	0.04	0.3	4	3.1	0.03	39
		August	RG_T4-1-ZOOT_20190821	9.1	1,700	2.0	96	0.03	0.5	2.7	3.5	0.04	90
			RG_T4-2-ZOOT_20190821	10	1,200	1.3	78	0.03	0.4	2.8	3.4	0.04	77
			RG_T4-3-ZOOT_20190821	10	1,100	1.5	77	0.04	0.4	2.4	3.7	0.04	73
			RG_T4-4-ZOOT_20190821	9.0	940	2.1	66	0.04	0.4	2	3.6	0.04	70
			RG_T4-5-ZOOT_20190821	9.2	860	10.0	65	0.04	0.4	2.2	3.6	0.08	71
Benthic Invertebrates	RG_TN	April	RG_TN-INV_20190425	20	3,600	4.0	85	0.04	<0.5	<5	5.2	<0.02	30
		August	RG_TN_INV_20190822	22	5,200	8.0	96	0.05	<0.5	<5	2.9	0.06	44
	RG_T4	April	RG_T4-INV_20190425	20	10,200	6.8	220	0.04	0.5	9.1	8.0	0.08	73
		August	RG_T4_INV_20190821	18	5,000	0.7	45	<0.02	<0.5	<5	1.5	0.06	230

^a Zooplankton were absent from samples collected from RG_TN in June.

Table F.2: Metal Concentrations ($\mu\text{g/g}$ dry weight) in Zooplankton and Benthic Invertebrates Collected in Koocanusa Reservoir, 2019

Tissue Type	Area	Month	Sample ID	Thallium	Tin	Titanium	Uranium	Vanadium	Zinc
				$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$
Zooplankton ^a	RG_TN	August	RG_TN-1-ZOOT_20190822	0.050	1.1	22	0.31	1.7	100
			RG_TN-2-ZOOT_20190822	0.050	0.6	28	0.36	1.8	100
			RG_TN-3-ZOOT_20190822	<0.1	<2	36	0.50	3.0	120
			RG_TN-4-ZOOT_20190822	0.040	0.4	16	0.35	1.4	93
			RG_TN-5-ZOOT_20190822	<0.1	<2	120	0.30	2.0	80
	RG_T4	June	RG_T4-1_ZOOT_20190614	0.04	0.3	21	0.08	2.0	150
			RG_T4-2_ZOOT_20190614	0.032	0.2	16	0.07	2.0	140
			RG_T4-3_ZOOT_20190614	0.036	0.2	18	0.07	2.2	130
			RG_T4-4_ZOOT_20190614	0.035	0.3	13	0.07	1.8	150
			RG_T4-5_ZOOT_20190614	0.065	0.2	22	0.56	2.5	120
		August	RG_T4-1-ZOOT_20190821	0.070	0.4	46	0.33	2.8	110
			RG_T4-2-ZOOT_20190821	0.060	0.3	34	0.23	2.2	100
			RG_T4-3-ZOOT_20190821	0.060	0.4	27	0.21	2.1	100
			RG_T4-4-ZOOT_20190821	0.050	0.4	21	0.18	1.7	100
			RG_T4-5-ZOOT_20190821	0.050	1.6	22	0.20	1.6	130
Benthic Invertebrates	RG_TN	April	RG_TN-INV_20190425	<0.1	<2	50	0.30	3.0	100
		August	RG_TN_INV_20190822	<0.1	<2	60	0.50	5.0	110
	RG_T4	April	RG_T4-INV_20190425	0.140	0.2	87	0.39	13.0	110
		August	RG_T4_INV_20190821	<0.1	<2	9	<0.1	2.0	<50

^a Zooplankton were absent from samples collected from RG_TN in June.

Table F.3: Metal Concentrations (µg/g dry weight) in Fish Muscle Collected in Koocanusa Reservoir, 2019

Species	Area	Sample ID	Moisture	Aluminum	Antimony	Arsenic	Barium	Beryllium	Boron	Cadmium
			%	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw
PCC	RG_SC	RG_SC_PCC-01-M_20190424	78.5	<2	<0.01	0.2	1.0	<0.01	<1	<0.01
		RG_SC_PCC-02-M_20190424	77.8	6	<0.01	0.1	0.8	<0.01	<1	<0.01
		RG_SC_PCC-03-M_20190424	78.1	24	0.02	0.2	1.3	<0.01	<1	<0.01
		RG_SC_PCC-04-M_20190424	77.8	<2	<0.01	0.1	0.6	<0.01	<1	<0.01
		RG_SC_PCC-05-M_20190424	76.5	8	<0.01	0.1	0.8	<0.01	<1	<0.01
		RG_SC_PCC-06-M_20190424	77.0	6	0.02	0.2	1.5	<0.01	<1	<0.01
		RG_SC_PCC-07-M_20190424	77.5	5	<0.01	0.1	1.6	<0.01	<1	<0.01
		RG_SC_PCC-08-M_20190424	79.5	4	<0.01	0.1	1.9	<0.01	<1	0.01
		RG_SC_PCC-09-M_20190424	78.4	2	0.01	0.1	1.1	<0.01	<1	<0.01
	RG_SC_PCC-10-M_20190424	78.3	2	<0.01	0.1	0.8	<0.01	<1	<0.01	
	RG_ER	RG_ER_PCC-01-M_20190423	77.7	12	<0.01	0.1	0.9	<0.01	<1	0.02
		RG_ER_PCC-02-M_20190423	77.6	3	<0.01	0.1	0.6	<0.01	<1	<0.01
		RG_ER_PCC-03-M_20190424	78.3	<2	<0.01	0.1	0.7	<0.01	<1	<0.01
		RG_ER_PCC-04-M_20190423	77.5	<2	<0.01	0.2	0.6	<0.01	<1	<0.01
		RG_ER_PCC-05-M_20190423	75.7	18	<0.01	0.2	1.9	<0.01	<1	0.01
		RG_ER_PCC-06-M_20190423	77.4	12	<0.01	0.1	1.2	<0.01	<1	<0.01
		RG_ER_PCC-07-M_20190424	78.3	<2	<0.01	0.3	1.1	<0.01	<1	<0.01
		RG_ER_PCC-08-M_20190424	77.3	8	<0.01	0.2	0.6	<0.01	<1	<0.01
		RG_ER_PCC-09-M_20190424	76.6	<2	<0.01	0.2	0.7	<0.01	<1	<0.01
	RG_ER_PCC-10-M_20190424	77.9	5	<0.01	0.1	0.8	<0.01	<1	<0.01	
	RG_GC	RG_GC_PCC-01-M_20190425	78.0	4	<0.01	0.1	2.8	<0.01	<1	<0.01
		RG_GC_PCC-02-M_20190425	77.5	3	<0.01	0.1	1.1	<0.01	<1	<0.01
		RG_GC_PCC-03-M_20190425	77.6	<2	<0.01	0.2	0.5	<0.01	<1	<0.01
		RG_GC_PCC-04-M_20190425	79.1	4	<0.01	0.1	0.7	<0.01	<1	<0.01
		RG_GC_PCC-05-M_20190425	74.0	3	<0.01	0.2	2.4	<0.01	<1	<0.01
		RG_GC_PCC-06-M_20190425	76.1	9	<0.01	0.1	1.9	<0.01	<1	<0.01
		RG_GC_PCC-07-M_20190425	78.4	4	<0.01	0.1	1.2	<0.01	<1	<0.01
		RG_GC_PCC-08-M_20190425	77.4	4	<0.01	0.1	1.6	<0.01	<1	<0.01
		RG_GC_PCC-09-M_20190425	77.3	<2	<0.01	0.1	1.0	<0.01	<1	<0.01
	RG_GC_PCC-10-M_20190425	78.3	<2	<0.01	0.1	2.0	<0.01	<1	<0.01	
RSC	RG_SC	RG_SC_RSC-01-M_20190424	76.9	<5	<0.02	0.1	0.6	<0.02	<2	<0.02
		RG_SC_RSC-02-M_20190424	76.0	<5	<0.02	0.1	1.4	<0.02	<5	<0.02
		RG_SC_RSC-03-M_20190424	77.3	10	<0.02	0.1	0.8	<0.02	<5	<0.02
		RG_SC_RSC-04-M_20190424	77.3	<5	<0.02	0.1	0.8	<0.02	<2	<0.02
		RG_SC_RSC-05-M_20190424	78.2	<5	<0.02	0.1	0.3	<0.02	<2	<0.02
		RG_SC_RSC-06-M_20190424	76.8	5	<0.02	0.1	1.0	<0.02	<2	<0.02
		RG_SC_RSC-07-M_20190424	76.3	10	<0.02	0.1	0.5	<0.02	<2	<0.02
		RG_SC_RSC-08-M_20190424	77.8	<5	<0.02	0.1	0.5	<0.02	<2	<0.02
		RG_SC_RSC-09-M_20190424	76.6	8	<0.02	0.1	0.5	<0.02	<5	<0.02
	RG_SC_RSC-10-M_20190424	75.7	<5	0.02	0.1	1.5	<0.02	<2	<0.02	
	RG_ER	RG_ER_RSC-01-M_20190423	76.5	<5	<0.02	0.1	<0.5	<0.02	<5	<0.02
		RG_ER_RSC-02-M_20190423	76.2	5	<0.02	0.2	0.6	<0.02	<5	<0.02
		RG_ER_RSC-03-M_20190423	72.6	37	<0.02	0.2	2.5	<0.02	<5	0.02
		RG_ER_RSC-04-M_20190424	76.3	<5	<0.02	0.1	0.6	<0.02	<5	<0.02
		RG_ER_RSC-05-M_20190424	76.1	18	<0.02	0.2	2.0	<0.02	<5	<0.02
		RG_ER_RSC-06-M_20190424	76.9	7	<0.02	0.2	0.5	<0.02	<5	<0.02
		RG_ER_RSC-07-M_20190424	76.8	<5	<0.02	0.1	<0.5	<0.02	<5	<0.02
		RG_ER_RSC-08-M_20190424	76.6	32	<0.02	0.1	1.3	<0.02	<5	<0.02
		RG_ER_RSC-09-M_20190424	77.8	<5	<0.02	0.1	1.4	<0.02	<5	<0.02
	RG_ER_RSC-10-M_20190424	78.0	<5	<0.02	<0.02	<0.05	<0.02	<2	<0.02	
	RG_GC	RG_GC_RSC-01-M_20190425	77.4	<5	<0.02	0.1	1.5	<0.02	<5	<0.02
		RG_GC_RSC-02-M_20190425	76.3	<5	<0.02	0.1	<0.5	<0.02	<5	<0.02
		RG_GC_RSC-03-M_20190425	76.3	<5	<0.02	0.1	2.3	<0.02	<2	<0.02
		RG_GC_RSC-04-M_20190425	77.9	<5	<0.02	0.1	1.2	<0.02	<2	<0.02
		RG_GC_RSC-05-M_20190425	77.3	<5	<0.02	<0.05	1.9	<0.02	<5	<0.02
		RG_GC_RSC-06-M_20190425	76.8	<5	<0.02	0.1	1.3	<0.02	<5	<0.02
		RG_GC_RSC-07-M_20190425	77.2	<5	<0.02	0.1	1.0	<0.02	<5	<0.02
		RG_GC_RSC-08-M_20190425	76.4	<5	<0.02	0.1	2.4	<0.02	<2	<0.02
		RG_GC_RSC-09-M_20190425	77.2	<5	<0.02	0.1	1.4	<0.02	<5	<0.02
	RG_GC_RSC-10-M_20190425	76.9	8	0.03	0.1	1.0	<0.02	<2	<0.02	
BT	RG_SC	RG_SC-BT-01-M_20190424	85.0	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_SC-BT-02-M_20190425	76.0	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
	RG_GC	RG_GC-BT-01-M_20190426	80.5	<50	<0.10	<0.5	<5.0	<0.02	<50	0.03
		RG_GC-BT-02-M_20190426	82.5	<50	<0.10	<0.5	<5.0	<0.02	<50	0.05
		RG_GC-BT-03-M_20190426	91.0	620	<0.10	<0.5	<5.0	<0.02	<50	<0.02
KO	RG_SC	RG_SC-KO-01-M_20190424	74.9	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_SC-KO-02-M_20190424	75.0	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_SC-KO-03-M_20190424	75.0	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_SC-KO-04-M_20190424	71.2	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_SC-KO-05-M_20190424	74.5	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_SC-KO-01_M_20190826	57.8	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
	RG_ER	RG_SC-KO-02_M_20190826	74.4	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_SC-KO-03_M_20190826	74.0	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_ER-KO-01-M_20190424	70.0	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_ER-KO-02-M_20190424	75.5	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_ER-KO-03-M_20190426	72.8	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_ER-KO-04-M_20190426	72.7	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
MWF	RG_GC	RG_ER-KO-05-M_20190426	67.1	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_ER-KO-06-M_20190426	59.7	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_ER-KO-01_M_20190826	73.8	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_GC-MWF-01-M_20190425	79.3	36	<0.02	1.0	<0.5	<0.02	<5	<0.02
		RG_GC-MWF-02-M_20190426	79.8	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_GC-MWF-03-M_20190426	78.9	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_GC-MWF-04-M_20190426	78.0	<50	<0.10	0.6	<5.0	<0.02	<50	<0.02
RBT	RG_GC	RG_GC-MWF-05-M_20190426	73.4	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_GC-MWF-06-M_20190426	66.5	<50	<0.10	0.5	<5.0	<0.02	<50	<0.02
WCT	RG_SC	RG_GC-MWF-07-M_20190426	80.3	<50	<0.10	0.6	<5.0	<0.02	<50	<0.02
		RG_GC-RBT-01-M_20190425	74.0	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
	RG_GC	RG_GC-RBT-02-M_20190426	78.7	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_SC-WCT-01-M_20190424	79.5	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_GC-WCT-01-M_20190425	74.5	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
WCT	RG_GC	RG_GC-WCT-02-M_20190426	73.8	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_GC-WCT-03-M_20190426	79.5	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_GC-WCT-04-M_20190426	77.3	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02
		RG_GC-WCT-05-M_20190426	75.9	<50	<0.10	<0.5	<5.0	<0.02	<50	<0.02

Notes: PCC - Peamouth Chub, RSC - Redside Shiner, BT - Bull Trout, KO - Kokanee, MWF - Mountain Whitefish, RBT - Rainbow Trout, WCT - Westslope Cutthroat Trout.

Table F.3: Metal Concentrations ($\mu\text{g/g}$ dry weight) in Fish Muscle Collected in Koocanusa Reservoir, 2019

Species	Area	Sample ID	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Mercury	Molybdenum
			$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$
PCC	RG_SC	RG_SC_PCC-01-M_20190424	<0.05	0.02	1.0	10	0.01	1.0	0.55	<0.02
		RG_SC_PCC-02-M_20190424	0.08	0.02	1.1	19	0.06	0.9	0.31	<0.02
		RG_SC_PCC-03-M_20190424	0.06	0.04	2.1	33	0.07	2.2	0.27	<0.02
		RG_SC_PCC-04-M_20190424	<0.05	0.01	0.9	7	0.01	1.0	0.34	<0.02
		RG_SC_PCC-05-M_20190424	0.09	0.02	1.0	14	0.05	1.4	0.50	<0.02
		RG_SC_PCC-06-M_20190424	<0.05	0.03	1.8	16	0.07	1.3	0.56	<0.02
		RG_SC_PCC-07-M_20190424	<0.05	0.03	1.0	13	0.03	1.8	0.43	<0.02
		RG_SC_PCC-08-M_20190424	<0.05	0.02	1.3	24	0.04	0.6	0.87	<0.02
		RG_SC_PCC-09-M_20190424	<0.05	0.02	0.9	10	0.02	0.9	0.41	<0.02
		RG_SC_PCC-10-M_20190424	<0.05	0.02	0.8	7	0.03	1.2	0.57	<0.02
	RG_ER	RG_ER_PCC-01-M_20190423	0.08	0.02	1.0	18	0.19	1.2	0.50	<0.02
		RG_ER_PCC-02-M_20190423	<0.05	0.01	1.0	10	0.01	0.8	0.35	<0.02
		RG_ER_PCC-03-M_20190424	<0.05	0.02	0.9	8	0.01	0.9	0.52	<0.02
		RG_ER_PCC-04-M_20190423	<0.05	0.01	1.0	10	0.01	0.9	0.53	<0.02
		RG_ER_PCC-05-M_20190423	0.06	0.03	2.0	35	0.11	1.5	0.51	<0.02
		RG_ER_PCC-06-M_20190423	0.05	0.02	0.9	15	0.03	1.4	0.20	<0.02
		RG_ER_PCC-07-M_20190424	<0.05	0.01	1.0	10	<0.01	1.0	0.48	<0.02
		RG_ER_PCC-08-M_20190424	<0.05	0.02	0.9	20	0.02	1.4	0.51	<0.02
		RG_ER_PCC-09-M_20190424	<0.05	0.02	1.7	16	<0.01	0.7	0.43	<0.02
		RG_ER_PCC-10-M_20190424	<0.05	0.01	0.9	15	0.02	1.0	0.38	<0.02
	RG_GC	RG_GC_PCC-01-M_20190425	<0.05	0.04	1.6	26	<0.05	1.6	0.66	<0.02
		RG_GC_PCC-02-M_20190425	<0.05	<0.01	1.4	12	<0.01	0.7	1.20	<0.02
		RG_GC_PCC-03-M_20190425	<0.05	<0.01	1.5	15	<0.01	0.4	0.55	<0.02
		RG_GC_PCC-04-M_20190425	<0.05	0.02	1.1	15	<0.01	0.9	0.50	<0.02
		RG_GC_PCC-05-M_20190425	0.07	0.03	2.2	20	<0.01	1.4	0.39	<0.02
		RG_GC_PCC-06-M_20190425	<0.05	0.03	1.0	18	0.03	1.3	0.45	<0.02
		RG_GC_PCC-07-M_20190425	<0.05	0.01	0.8	9	<0.01	0.9	0.44	<0.02
		RG_GC_PCC-08-M_20190425	<0.05	0.03	1.5	15	<0.01	1.0	0.45	<0.02
		RG_GC_PCC-09-M_20190425	<0.05	0.02	1.1	11	<0.01	0.8	0.47	<0.02
		RG_GC_PCC-10-M_20190425	0.08	0.02	0.7	9	<0.01	1.5	0.46	<0.02
RSC	RG_SC	RG_SC_RSC-01-M_20190424	<0.1	0.04	1.8	18	<0.02	1.0	0.40	<0.05
		RG_SC_RSC-02-M_20190424	<0.5	<0.5	2.6	27	0.05	1.8	0.41	<0.05
		RG_SC_RSC-03-M_20190424	<0.5	<0.5	1.1	22	0.1	2.5	0.31	<0.05
		RG_SC_RSC-04-M_20190424	<0.1	<0.02	1.7	17	<0.02	1.5	0.30	<0.05
		RG_SC_RSC-05-M_20190424	<0.1	0.02	0.9	10	<0.02	1.4	0.30	<0.05
		RG_SC_RSC-06-M_20190424	0.7	<0.02	1.5	19	<0.02	1.7	0.50	<0.05
		RG_SC_RSC-07-M_20190424	1.8	<0.02	1.3	27	<0.02	1.9	0.34	<0.05
		RG_SC_RSC-08-M_20190424	0.3	<0.02	1.2	12	<0.02	1.5	0.38	<0.05
		RG_SC_RSC-09-M_20190424	1.7	<0.5	1.0	20	<0.05	1.5	0.37	<0.05
		RG_SC_RSC-10-M_20190424	<0.1	<0.02	2.3	23	<0.02	1.8	0.40	<0.05
	RG_ER	RG_ER_RSC-01-M_20190423	<0.5	<0.5	1.2	10	<0.05	1.5	0.28	<0.05
		RG_ER_RSC-02-M_20190423	<0.5	<0.5	1.2	13	<0.05	1.2	0.38	<0.05
		RG_ER_RSC-03-M_20190423	<0.5	<0.5	3.2	73	0.22	3.0	0.27	<0.05
		RG_ER_RSC-04-M_20190424	<0.5	<0.5	1.1	11	<0.05	1.3	0.28	<0.05
		RG_ER_RSC-05-M_20190424	<0.5	<0.5	2.8	54	0.09	2.1	0.33	<0.05
		RG_ER_RSC-06-M_20190424	<0.5	<0.5	1.0	18	<0.05	1.6	0.32	<0.05
		RG_ER_RSC-07-M_20190424	<0.5	<0.5	0.9	12	<0.05	1.3	0.24	<0.05
		RG_ER_RSC-08-M_20190424	<0.5	<0.5	2.7	62	0.10	2.3	0.29	<0.05
		RG_ER_RSC-09-M_20190424	<0.5	<0.5	1.6	22	<0.05	1.6	0.38	<0.05
		RG_ER_RSC-10-M_20190424	0.3	0.14	<0.1	<5	<0.02	<0.2	<0.01	<0.05
	RG_GC	RG_GC_RSC-01-M_20190425	<0.5	<0.5	2.0	19	<0.05	0.8	0.54	<0.05
		RG_GC_RSC-02-M_20190425	<0.5	<0.5	0.8	12	<0.05	1.2	0.36	<0.05
		RG_GC_RSC-03-M_20190425	<0.1	0.05	3.6	38	<0.02	1.8	0.37	<0.05
		RG_GC_RSC-04-M_20190425	<0.1	0.02	2.0	20	0.03	1.2	0.38	<0.05
		RG_GC_RSC-05-M_20190425	<0.5	<0.5	4.6	19	<0.05	1.8	0.32	<0.05
		RG_GC_RSC-06-M_20190425	<0.5	<0.5	2.9	27	<0.05	1.5	0.39	<0.05
		RG_GC_RSC-07-M_20190425	<0.5	<0.5	1.0	17	<0.05	2.0	0.55	<0.05
		RG_GC_RSC-08-M_20190425	<0.1	0.02	3.2	33	<0.02	1.4	0.32	<0.05
		RG_GC_RSC-09-M_20190425	<0.5	<0.5	2.1	22	<0.05	1.7	0.49	<0.05
		RG_GC_RSC-10-M_20190425	<0.1	0.02	1.6	23	0.04	1.0	0.28	<0.05
BT	RG_SC	RG_SC-BT-01-M_20190424	<5.0	<5.0	<5.0	<50	<5.0	<5.0	1.90	<0.5
		RG_SC-BT-02-M_20190425	<5.0	<5.0	<5.0	<50	<5.0	<5.0	1.20	<0.5
	RG_GC	RG_GC-BT-01-M_20190426	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.80	<0.5
		RG_GC-BT-02-M_20190426	<5.0	<5.0	<5.0	60	<5.0	<5.0	1.10	<0.5
		RG_GC-BT-03-M_20190426	<5.0	<5.0	<5.0	640	3.1	6.0	1.00	<0.5
KO	RG_SC	RG_SC-KO-01-M_20190424	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.29	<0.5
		RG_SC-KO-02-M_20190424	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.20	<0.5
		RG_SC-KO-03-M_20190424	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.22	<0.5
		RG_SC-KO-04-M_20190424	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.19	<0.5
		RG_SC-KO-05-M_20190424	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.25	<0.5
		RG_SC-KO-01_M_20190826	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.18	<0.5
		RG_SC-KO-02_M_20190826	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.15	<0.5
	RG_ER	RG_SC-KO-03_M_20190826	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.16	<0.5
		RG_ER-KO-01-M_20190424	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.21	<0.5
		RG_ER-KO-02-M_20190424	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.26	<0.5
		RG_ER-KO-03-M_20190426	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.22	<0.5
		RG_ER-KO-04-M_20190426	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.20	<0.5
		RG_ER-KO-05-M_20190426	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.12	<0.5
		RG_ER-KO-06-M_20190426	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.16	<0.5
		RG_ER-KO-01_M_20190826	<5.0	<5.0	<5.0	<50	<5.0	0.18	<0.5	
MWF	RG_GC	RG_GC-MWF-01-M_20190425	<0.5	<0.5	1.2	43	0.09	1.6	0.13	<0.05
		RG_GC-MWF-02-M_20190426	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.29	<0.5
		RG_GC-MWF-03-M_20190426	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.21	<0.5
		RG_GC-MWF-04-M_20190426	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.16	<0.5
		RG_GC-MWF-05-M_20190426	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.12	<0.5
		RG_GC-MWF-06-M_20190426	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.20	<0.5
		RG_GC-MWF-07-M_20190426	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.15	<0.5
RBT	RG_GC	RG_GC-RBT-01-M_20190425	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.14	<0.5
		RG_GC-RBT-02-M_20190426	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.20	<0.5
WCT	RG_SC	RG_SC-WCT-01-M_20190424	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.15	<0.5
		RG_GC-WCT-01-M_20190425	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.13	<0.5
	RG_GC	RG_GC-WCT-02-M_20190426	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.30	<0.5
		RG_GC-WCT-03-M_20190426	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.06	<0.5
		RG_GC-WCT-04-M_20190426	<5.0	<5.0	<5.0	<50	<5.0	<5.0	0.15	<0.5
		RG_GC-WCT-05-M_20190426	<5.0	<5.0	<5.0	70	<5.0	<5.0	0.24	<0.5

Notes: PCC - Peamouth Chub, RSC - Redside Shiner, BT - Bull Trout, KO - Kokanee, MWF - Mountain Whitefish, RBT - Rainbow Trout, WCT - Westslope Cutthroat Trout.

Table F.3: Metal Concentrations (µg/g dry weight) in Fish Muscle Collected in Koocanusa Reservoir, 2019

Species	Area	Sample ID	Nickel	Selenium	Silver	Strontium	Thallium	Tin	Titanium	Uranium
			µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw
PCC	RG_SC	RG_SC_PCC-01-M_20190424	<0.05	2.2	<0.01	2.9	0.014	<0.05	<0.2	<0.005
		RG_SC_PCC-02-M_20190424	<0.05	2.3	<0.01	3.2	0.018	<0.05	0.2	<0.005
		RG_SC_PCC-03-M_20190424	0.1	1.8	<0.01	4.0	0.011	<0.05	0.5	<0.005
		RG_SC_PCC-04-M_20190424	<0.05	3.0	<0.01	2.3	0.010	<0.05	<0.2	<0.005
		RG_SC_PCC-05-M_20190424	0.05	1.8	<0.01	4.5	0.022	<0.05	0.2	<0.005
		RG_SC_PCC-06-M_20190424	0.13	1.7	<0.01	5.7	0.030	<0.05	<0.2	<0.005
		RG_SC_PCC-07-M_20190424	<0.05	2.4	<0.01	8.8	0.015	<0.05	<0.2	<0.005
		RG_SC_PCC-08-M_20190424	<0.05	2.9	<0.01	1.2	<0.005	<0.05	<0.2	<0.005
		RG_SC_PCC-09-M_20190424	<0.05	1.8	<0.01	3.9	0.012	<0.05	<0.2	<0.005
		RG_SC_PCC-10-M_20190424	<0.05	1.2	<0.01	5.1	0.012	<0.05	<0.2	<0.005
	RG_ER	RG_ER_PCC-01-M_20190423	0.12	1.2	<0.01	5.0	0.021	<0.05	0.5	<0.005
		RG_ER_PCC-02-M_20190423	<0.05	2.1	0.01	2.3	0.012	<0.05	<0.2	<0.005
		RG_ER_PCC-03-M_20190424	<0.05	1.9	<0.01	4.1	0.016	<0.05	<0.2	<0.005
		RG_ER_PCC-04-M_20190423	<0.05	2.8	<0.01	2.0	0.013	<0.05	<0.2	<0.005
		RG_ER_PCC-05-M_20190423	0.09	2.2	<0.01	4.3	0.017	<0.05	0.6	<0.005
		RG_ER_PCC-06-M_20190423	<0.05	3.3	<0.01	3.8	0.008	<0.05	0.2	<0.005
		RG_ER_PCC-07-M_20190424	<0.05	2.0	<0.01	3.3	0.014	<0.05	<0.2	<0.005
		RG_ER_PCC-08-M_20190424	<0.05	1.6	<0.01	4.6	0.014	<0.05	<0.2	<0.005
		RG_ER_PCC-09-M_20190424	<0.05	2.0	<0.01	2.6	0.018	<0.05	<0.2	<0.005
		RG_ER_PCC-10-M_20190424	<0.05	1.8	<0.01	4.0	0.016	<0.05	<0.2	<0.005
	RG_GC	RG_GC_PCC-01-M_20190425	<0.05	3.7	<0.01	8.4	0.009	<0.05	<0.2	<0.005
		RG_GC_PCC-02-M_20190425	<0.05	2.7	<0.01	2.6	0.013	<0.05	<0.2	<0.005
		RG_GC_PCC-03-M_20190425	<0.05	2.0	<0.01	0.4	0.023	<0.05	<0.2	<0.005
		RG_GC_PCC-04-M_20190425	<0.05	2.0	<0.01	2.7	0.019	<0.05	<0.2	<0.005
		RG_GC_PCC-05-M_20190425	<0.05	1.7	<0.01	7.2	0.039	<0.05	<0.2	<0.005
		RG_GC_PCC-06-M_20190425	<0.05	2.1	<0.01	8.4	0.033	<0.05	0.3	<0.005
		RG_GC_PCC-07-M_20190425	<0.05	1.9	<0.01	3.5	0.014	<0.05	<0.2	<0.005
		RG_GC_PCC-08-M_20190425	<0.05	2.0	<0.01	5.8	0.030	<0.05	<0.2	<0.005
		RG_GC_PCC-09-M_20190425	<0.05	1.8	<0.01	3.2	0.024	<0.05	<0.2	<0.005
		RG_GC_PCC-10-M_20190425	<0.05	3.3	<0.01	7.5	0.019	<0.05	<0.2	0.007
RSC	RG_SC	RG_SC_RSC-01-M_20190424	<0.1	1.3	<0.02	1.1	0.010	<0.1	<0.5	<0.01
		RG_SC_RSC-02-M_20190424	<0.5	1.4	<0.02	3.3	0.020	<0.2	<0.5	<0.02
		RG_SC_RSC-03-M_20190424	<0.5	1.5	<0.02	5.3	0.010	<0.2	0.6	<0.02
		RG_SC_RSC-04-M_20190424	<0.1	3.2	<0.02	0.8	0.020	<0.1	<0.5	<0.01
		RG_SC_RSC-05-M_20190424	<0.1	1.5	<0.02	2.4	0.020	<0.1	<0.5	<0.01
		RG_SC_RSC-06-M_20190424	0.3	2.0	<0.02	3.0	0.020	<0.1	<0.5	<0.01
		RG_SC_RSC-07-M_20190424	0.7	1.5	<0.02	2.4	0.020	<0.1	0.5	<0.01
		RG_SC_RSC-08-M_20190424	0.1	1.8	<0.02	2.2	0.020	<0.1	<0.5	<0.01
		RG_SC_RSC-09-M_20190424	0.8	2.0	<0.02	2.2	0.020	<0.2	<0.5	<0.02
		RG_SC_RSC-10-M_20190424	<0.1	1.7	<0.02	3.7	0.020	<0.1	<0.5	<0.01
	RG_ER	RG_ER_RSC-01-M_20190423	<0.5	1.8	<0.02	1.5	0.010	<0.2	<0.5	<0.02
		RG_ER_RSC-02-M_20190423	<0.5	1.6	<0.02	1.2	<0.010	<0.2	<0.5	<0.02
		RG_ER_RSC-03-M_20190423	<0.5	2.6	<0.02	3.3	<0.010	<0.2	1.1	<0.02
		RG_ER_RSC-04-M_20190424	<0.5	1.5	<0.02	2.8	<0.010	<0.2	<0.5	<0.02
		RG_ER_RSC-05-M_20190424	<0.5	1.8	<0.02	3.2	0.010	<0.2	0.7	<0.02
		RG_ER_RSC-06-M_20190424	<0.5	2.3	<0.02	2.1	<0.010	<0.2	<0.5	<0.02
		RG_ER_RSC-07-M_20190424	<0.5	1.8	<0.02	1.6	<0.010	<0.2	<0.5	<0.02
		RG_ER_RSC-08-M_20190424	<0.5	1.8	<0.02	2.7	<0.010	<0.2	1.4	<0.02
		RG_ER_RSC-09-M_20190424	<0.5	1.6	<0.02	5.3	0.020	<0.2	<0.5	<0.02
		RG_ER_RSC-10-M_20190424	<0.1	0.02	<0.02	<0.1	<0.010	<0.1	<0.5	<0.01
	RG_GC	RG_GC_RSC-01-M_20190425	<0.5	3.2	<0.02	0.6	0.020	<0.2	<0.5	<0.02
		RG_GC_RSC-02-M_20190425	<0.5	1.6	<0.02	2.0	0.010	<0.2	<0.5	<0.02
		RG_GC_RSC-03-M_20190425	<0.1	2.2	<0.02	3.2	0.020	<0.1	<0.5	<0.01
		RG_GC_RSC-04-M_20190425	<0.1	2.5	<0.02	2.0	<0.010	<0.1	<0.5	<0.01
		RG_GC_RSC-05-M_20190425	<0.5	2.6	<0.02	4.4	0.020	<0.2	<0.5	<0.02
		RG_GC_RSC-06-M_20190425	<0.5	3.5	<0.02	5.0	0.020	<0.2	<0.5	<0.02
		RG_GC_RSC-07-M_20190425	<0.5	1.9	<0.02	8.0	0.020	<0.2	<0.5	<0.02
		RG_GC_RSC-08-M_20190425	<0.1	1.8	<0.02	4.4	0.040	<0.1	<0.5	<0.01
		RG_GC_RSC-09-M_20190425	<0.5	2.3	<0.02	6.7	0.020	<0.2	<0.5	<0.02
		RG_GC_RSC-10-M_20190425	<0.1	1.6	<0.02	1.9	0.030	<0.1	<0.5	<0.01
BT	RG_SC	RG_SC-BT-01-M_20190424	<5.0	1.7	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
		RG_SC-BT-02-M_20190425	<5.0	1.9	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
	RG_GC	RG_GC-BT-01-M_20190426	<5.0	1.8	<0.02	1.0	<0.100	<2.0	<5.0	<0.1
		RG_GC-BT-02-M_20190426	<5.0	1.7	<0.02	1.0	<0.100	<2.0	<5.0	<0.1
KO	RG_SC	RG_SC-KO-01-M_20190424	<5.0	1.7	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
		RG_SC-KO-02-M_20190424	<5.0	1.5	<0.02	<1.0	0.100	<2.0	<5.0	<0.1
		RG_SC-KO-03-M_20190424	<5.0	1.9	<0.02	<1.0	0.100	<2.0	<5.0	<0.1
		RG_SC-KO-04-M_20190424	<5.0	1.4	<0.02	<1.0	0.100	<2.0	<5.0	<0.1
		RG_SC-KO-05-M_20190424	<5.0	1.6	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
		RG_SC-KO-01_M_20190826	<5.0	1.6	<0.02	2.0	<0.100	<2.0	<5.0	<0.1
		RG_SC-KO-02_M_20190826	<5.0	1.6	<0.02	1.0	<0.100	<2.0	<5.0	<0.1
	RG_SC-KO-03_M_20190826	<5.0	1.6	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1	
	RG_ER	RG_ER-KO-01-M_20190424	<5.0	1.4	<0.02	2.0	<0.100	<2.0	<5.0	<0.1
		RG_ER-KO-02-M_20190424	<5.0	1.6	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
RG_ER-KO-03-M_20190426		<5.0	1.4	<0.02	<1.0	0.100	<2.0	<5.0	<0.1	
MWF	RG_GC	RG_GC-MWF-01-M_20190425	<5.0	3.6	<0.02	1.4	0.050	<0.2	1.2	<0.02
		RG_GC-MWF-02-M_20190426	<5.0	1.5	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
		RG_GC-MWF-03-M_20190426	<5.0	2.3	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
		RG_GC-MWF-04-M_20190426	<5.0	2.3	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
		RG_GC-MWF-05-M_20190426	<5.0	4.2	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
		RG_GC-MWF-06-M_20190426	<5.0	1.8	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
		RG_GC-MWF-07-M_20190426	<5.0	2.0	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
RBT	RG_GC	RG_GC-RBT-01-M_20190425	<5.0	0.8	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
		RG_GC-RBT-02-M_20190426	<5.0	1.2	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
WCT	RG_SC	RG_SC-WCT-01-M_20190424	<5.0	2.8	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
		RG_GC-WCT-01-M_20190425	<5.0	3.6	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
	RG_GC	RG_GC-WCT-02-M_20190426	<5.0	4.0	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
		RG_GC-WCT-03-M_20190426	<5.0	2.1	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
		RG_GC-WCT-04-M_20190426	<5.0	3.4	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
		RG_GC-WCT-05-M_20190426	<5.0	2.1	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1

Notes: PCC - Peamouth Chub, RSC - Redside Shiner, BT - Bull Trout, KO - Kokanee, MWF - Mountain Whitefish, RBT - Rainbow Trout, WCT - Westslope Cutthroat Trout.

Table F.3: Metal Concentrations ($\mu\text{g/g}$ dry weight) in Fish Muscle Collected in Koocanusa Reservoir, 2019

Species	Area	Sample ID	Vanadium	Zinc
			$\mu\text{g/g dw}$	$\mu\text{g/g dw}$
PCC	RG_SC	RG_SC_PCC-01-M_20190424	<0.1	23
		RG_SC_PCC-02-M_20190424	<0.1	19
		RG_SC_PCC-03-M_20190424	<0.1	41
		RG_SC_PCC-04-M_20190424	<0.1	23
		RG_SC_PCC-05-M_20190424	<0.1	17
		RG_SC_PCC-06-M_20190424	<0.1	43
		RG_SC_PCC-07-M_20190424	<0.1	24
		RG_SC_PCC-08-M_20190424	<0.1	32
		RG_SC_PCC-09-M_20190424	<0.1	23
		RG_SC_PCC-10-M_20190424	<0.1	26
	RG_ER	RG_ER_PCC-01-M_20190423	<0.1	22
		RG_ER_PCC-02-M_20190423	<0.1	20
		RG_ER_PCC-03-M_20190424	<0.1	19
		RG_ER_PCC-04-M_20190423	<0.1	20
		RG_ER_PCC-05-M_20190423	<0.1	41
		RG_ER_PCC-06-M_20190423	<0.1	18
		RG_ER_PCC-07-M_20190424	<0.1	32
		RG_ER_PCC-08-M_20190424	<0.1	22
		RG_ER_PCC-09-M_20190424	<0.1	36
		RG_ER_PCC-10-M_20190424	<0.1	23
	RG_GC	RG_GC_PCC-01-M_20190425	<0.1	37
		RG_GC_PCC-02-M_20190425	<0.1	15
		RG_GC_PCC-03-M_20190425	<0.1	25
		RG_GC_PCC-04-M_20190425	<0.1	22
		RG_GC_PCC-05-M_20190425	<0.1	47
		RG_GC_PCC-06-M_20190425	<0.1	27
		RG_GC_PCC-07-M_20190425	<0.1	23
		RG_GC_PCC-08-M_20190425	<0.1	34
		RG_GC_PCC-09-M_20190425	<0.1	31
		RG_GC_PCC-10-M_20190425	<0.1	18
RSC	RG_SC	RG_SC_RSC-01-M_20190424	<0.2	48
		RG_SC_RSC-02-M_20190424	<0.2	70
		RG_SC_RSC-03-M_20190424	<0.2	28
		RG_SC_RSC-04-M_20190424	<0.2	58
		RG_SC_RSC-05-M_20190424	<0.2	27
		RG_SC_RSC-06-M_20190424	<0.2	38
		RG_SC_RSC-07-M_20190424	<0.2	47
		RG_SC_RSC-08-M_20190424	<0.2	35
		RG_SC_RSC-09-M_20190424	<0.2	36
		RG_SC_RSC-10-M_20190424	<0.2	82
	RG_ER	RG_ER_RSC-01-M_20190423	<0.2	38
		RG_ER_RSC-02-M_20190423	<0.2	21
		RG_ER_RSC-03-M_20190423	<0.2	88
		RG_ER_RSC-04-M_20190424	<0.2	25
		RG_ER_RSC-05-M_20190424	<0.2	62
		RG_ER_RSC-06-M_20190424	<0.2	40
		RG_ER_RSC-07-M_20190424	<0.2	18
		RG_ER_RSC-08-M_20190424	<0.2	54
		RG_ER_RSC-09-M_20190424	<0.2	55
		RG_ER_RSC-10-M_20190424	<0.2	<1
	RG_GC	RG_GC_RSC-01-M_20190425	<0.2	68
		RG_GC_RSC-02-M_20190425	<0.2	19
		RG_GC_RSC-03-M_20190425	<0.2	100
		RG_GC_RSC-04-M_20190425	<0.2	64
		RG_GC_RSC-05-M_20190425	<0.2	35
		RG_GC_RSC-06-M_20190425	<0.2	67
		RG_GC_RSC-07-M_20190425	<0.2	38
		RG_GC_RSC-08-M_20190425	<0.2	100
		RG_GC_RSC-09-M_20190425	<0.2	70
		RG_GC_RSC-10-M_20190425	<0.2	54
BT	RG_SC	RG_SC-BT-01-M_20190424	<1.0	<50
		RG_SC-BT-02-M_20190425	<1.0	<50
	RG_GC	RG_GC-BT-01-M_20190426	<1.0	<50
		RG_GC-BT-03-M_20190426	<1.0	<50
KO	RG_SC	RG_SC-KO-01-M_20190424	<1.0	<50
		RG_SC-KO-02-M_20190424	<1.0	<50
		RG_SC-KO-03-M_20190424	<1.0	<50
		RG_SC-KO-04-M_20190424	<1.0	<50
		RG_SC-KO-05-M_20190424	<1.0	<50
		RG_SC-KO-01_M_20190826	<1.0	110
		RG_SC-KO-02_M_20190826	<1.0	130
	RG_SC-KO-03_M_20190826	<1.0	120	
	RG_ER	RG_ER-KO-01-M_20190424	<1.0	<50
		RG_ER-KO-02-M_20190424	<1.0	<50
		RG_ER-KO-03-M_20190426	<1.0	<50
		RG_ER-KO-04-M_20190426	<1.0	<50
		RG_ER-KO-05-M_20190426	<1.0	<50
		RG_ER-KO-06-M_20190426	<1.0	<50
RG_ER-KO-01_M_20190826		<1.0	170	
MWF	RG_GC	RG_GC-MWF-01-M_20190425	<0.2	22
		RG_GC-MWF-02-M_20190426	<1.0	<50
		RG_GC-MWF-03-M_20190426	<1.0	<50
		RG_GC-MWF-04-M_20190426	<1.0	<50
		RG_GC-MWF-05-M_20190426	<1.0	<50
		RG_GC-MWF-06-M_20190426	<1.0	<50
		RG_GC-MWF-07-M_20190426	<1.0	<50
RBT	RG_GC	RG_GC-RBT-01-M_20190425	<1.0	50
		RG_GC-RBT-02-M_20190426	<1.0	<50
WCT	RG_SC	RG_SC-WCT-01-M_20190424	<1.0	<50
		RG_GC-WCT-01-M_20190425	<1.0	<50
	RG_GC	RG_GC-WCT-02-M_20190426	<1.0	<50
		RG_GC-WCT-03-M_20190426	<1.0	<50
		RG_GC-WCT-04-M_20190426	<1.0	<50
		RG_GC-WCT-05-M_20190426	<1.0	<50

Notes: PCC - Peamouth Chub, RSC - Redside Shiner, BT - Bull Trout, KO - Kokanee, MWF - Mountain Whitefish, RBT - Rainbow Trout, WCT - Westslope Cutthroat Trout.

Table F.4: Metal Concentrations (µg/g dry weight) in Fish Ovaries Collected in Koocanusa Reservoir, 2019

Species	Area	Sample ID	Moisture	Aluminum	Antimony	Arsenic	Barium	Beryllium
			%	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw
PCC	RG_SC	RG_SC_PCC-01-O_20190424	64.6	160	0.02	0.3	4.3	<0.01
		RG_SC_PCC-02-O_20190424	69.5	8	<0.01	0.4	1.5	<0.01
		RG_SC_PCC-03-O_20190424	62.7	140	0.01	0.3	2.6	<0.01
		RG_SC_PCC-04-O_20190424	62.4	6	<0.01	0.2	0.9	<0.01
		RG_SC_PCC-05-O_20190424	60.8	3	<0.01	0.3	0.8	<0.01
		RG_SC_PCC-06-O_20190424	73.0	96	0.02	0.3	2.6	<0.01
		RG_SC_PCC-07-O_20190424	72.3	8	<0.01	0.1	0.8	<0.01
		RG_SC_PCC-08-O_20190424	69.5	6	<0.01	0.1	3.2	<0.01
		RG_SC_PCC-09-O_20190424	66.6	13	0.01	0.3	1.5	<0.01
		RG_SC_PCC-10-O_20190424	67.3	13	<0.01	0.5	1.0	<0.01
	RG_ER	RG_ER_PCC-01-O_20190423	60.4	4	<0.01	0.5	0.8	<0.01
		RG_ER_PCC-02-O_20190423	62.4	5	<0.01	0.3	0.5	<0.01
		RG_ER_PCC-03-O_20190425	60.4	3	<0.01	0.5	0.7	<0.01
		RG_ER_PCC-04-O_20190423	62.2	4	<0.01	0.2	0.8	<0.01
		RG_ER_PCC-05-O_20190423	63.7	9	<0.01	0.3	0.7	<0.01
		RG_ER_PCC-06-O_20190423	61.2	6	<0.01	0.2	1.0	<0.01
		RG_ER_PCC-07-O_20190424	63.2	<2	<0.01	0.4	1.0	<0.01
		RG_ER_PCC-08-O_20190424	60.2	<2	<0.01	0.4	0.4	<0.01
		RG_ER_PCC-09-O_20190424	65.4	7	<0.01	0.3	0.9	<0.01
		RG_ER_PCC-10-O_20190424	63.2	4	<0.01	0.4	0.7	<0.01
	RG_GC	RG_GC_PCC-01-O_20190425	74.2	8	<0.01	0.1	0.5	<0.01
		RG_GC_PCC-02-O_20190425	64.1	3	<0.01	0.2	1.9	<0.01
		RG_GC_PCC-03-O_20190425	63.4	7	<0.01	0.4	0.8	<0.01
		RG_GC_PCC-04-O_20190425	74.8	6	<0.01	0.2	1.8	<0.01
		RG_GC_PCC-05-O_20190425	70.8	6	<0.01	0.4	1.0	<0.01
		RG_GC_PCC-06-O_20190425	67.7	2	<0.01	0.2	0.8	<0.01
		RG_GC_PCC-07-O_20190425	76.0	12	<0.01	0.7	8.5	<0.01
		RG_GC_PCC-08-O_20190425	67.4	4	<0.01	0.4	1.3	<0.01
		RG_GC_PCC-09-O_20190425	74.8	9	<0.01	0.5	1.4	<0.01
		RG_GC_PCC-10-O_20190425	78.8	11	<0.01	0.4	3.7	<0.01
RSC	RG_SC	RG_SC_RSC-01-O_20190424	75.0	5	<0.02	0.2	1.2	<0.02
		RG_SC_RSC-02-O_20190424	72.8	6	<0.02	0.2	0.4	<0.02
		RG_SC_RSC-03-O_20190424	75.5	18	<0.02	0.3	1.2	<0.02
		RG_SC_RSC-04-O_20190424	75.2	6	<0.02	0.2	1.0	<0.02
		RG_SC_RSC-05-O_20190424	74.5	28	<0.02	0.4	1.6	<0.02
		RG_SC_RSC-06-O_20190424	74.0	44	<0.02	0.4	2.0	<0.02
		RG_SC_RSC-07-O_20190424	73.5	12	<0.02	0.3	0.6	<0.02
		RG_SC_RSC-08-O_20190424	74.4	<5	<0.02	0.3	0.6	<0.02
		RG_SC_RSC-09-O_20190424	67.1	<50	<0.1	<0.5	<5	<0.02
		RG_SC_RSC-10-O_20190424	75.5	16	<0.02	0.2	0.8	<0.02
	RG_ER	RG_ER_RSC-01-O_20190423	71.4	51	<0.02	0.7	2.4	<0.02
		RG_ER_RSC-02-O_20190423	77.0	17	<0.02	0.3	1.6	<0.02
		RG_ER_RSC-03-O_20190423	71.0	17	<0.02	0.6	1.6	<0.02
		RG_ER_RSC-04-O_20190423	75.4	13	<0.02	0.3	1.3	<0.02
		RG_ER_RSC-05-O_20190424	74.8	21	0.06	0.4	1.3	<0.02
		RG_ER_RSC-06-O_20190424	74.7	16	0.03	0.2	1.7	<0.02
		RG_ER_RSC-07-O_20190424	75.4	8	<0.02	0.3	1.2	<0.02
		RG_ER_RSC-08-O_20190424	75.4	8	<0.02	0.3	1.4	<0.02
		RG_ER_RSC-09-O_20190424	74.9	<5	<0.02	0.2	3.4	<0.02
		RG_ER_RSC-10-O_20190424	75.8	35	0.02	0.3	1.9	<0.02
	RG_GC	RG_GC_RSC-01-O_20190425	74.3	<5	<0.02	0.1	1.2	<0.02
		RG_GC_RSC-02-O_20190425	75.3	110	<0.02	0.2	1.6	<0.02
		RG_GC_RSC-03-O_20190425	75.4	7	<0.02	0.1	0.4	<0.02
		RG_GC_RSC-04-O_20190425	75.8	<5	<0.02	0.1	0.9	<0.02
		RG_GC_RSC-05-O_20190425	75.3	20	<0.02	0.3	3.7	<0.02
		RG_GC_RSC-06-O_20190425	75.3	<5	<0.02	0.2	1.4	<0.02
		RG_GC_RSC-07-O_20190425	75.6	8	<0.02	0.2	1.7	<0.02
		RG_GC_RSC-08-O_20190425	75.3	17	<0.02	0.2	0.8	<0.02
		RG_GC_RSC-09-O_20190425	74.7	7	<0.02	0.3	1.6	<0.02
		RG_GC_RSC-10-O_20190425	71.7	<5	<0.02	0.7	1.9	<0.02

Notes: PCC - Peamouth Chub and RSC - Redside Shiner.

Table F.4: Metal Concentrations (µg/g dry weight) in Fish Ovaries Collected in Koocanusa Reservoir, 2019

Species	Area	Sample ID	Boron	Cadmium	Chromium	Cobalt	Copper	Iron
			µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw
PCC	RG_SC	RG_SC_PCC-01-O_20190424	<1	0.1	0.2	0.11	4.4	180
		RG_SC_PCC-02-O_20190424	<1	0.02	0.06	0.08	2.9	75
		RG_SC_PCC-03-O_20190424	<1	<0.01	0.17	0.11	3.7	140
		RG_SC_PCC-04-O_20190424	<1	0.03	<0.05	0.06	3.1	35
		RG_SC_PCC-05-O_20190424	<1	<0.01	<0.05	0.05	2.9	36
		RG_SC_PCC-06-O_20190424	<1	0.02	0.17	0.1	4.0	160
		RG_SC_PCC-07-O_20190424	<1	0.02	<0.05	0.09	3.5	100
		RG_SC_PCC-08-O_20190424	<1	0.03	<0.05	0.07	2.1	110
		RG_SC_PCC-09-O_20190424	<1	0.02	0.06	0.09	4.1	100
		RG_SC_PCC-10-O_20190424	<1	0.01	<0.05	0.05	2.7	68
	RG_ER	RG_ER_PCC-01-O_20190423	<1	<0.01	<0.05	0.05	3.0	45
		RG_ER_PCC-02-O_20190423	<1	<0.01	<0.05	0.06	2.9	52
		RG_ER_PCC-03-O_20190425	<1	<0.01	<0.05	0.05	2.6	50
		RG_ER_PCC-04-O_20190423	<1	<0.01	<0.05	0.07	2.9	53
		RG_ER_PCC-05-O_20190423	<1	<0.01	<0.05	0.07	3.3	63
		RG_ER_PCC-06-O_20190423	<1	<0.01	<0.05	0.07	2.8	48
		RG_ER_PCC-07-O_20190424	<1	0.01	<0.05	0.05	2.6	47
		RG_ER_PCC-08-O_20190424	<1	<0.01	<0.05	0.06	2.7	41
		RG_ER_PCC-09-O_20190424	<1	0.01	<0.05	0.05	2.1	57
		RG_ER_PCC-10-O_20190424	<1	0.01	<0.05	0.05	2.6	54
	RG_GC	RG_GC_PCC-01-O_20190425	<1	0.02	0.44	0.28	2.2	170
		RG_GC_PCC-02-O_20190425	<1	<0.01	<0.05	0.05	3.7	66
		RG_GC_PCC-03-O_20190425	<1	0.03	<0.05	0.05	2.8	55
		RG_GC_PCC-04-O_20190425	<1	0.04	<0.05	0.1	4.2	110
		RG_GC_PCC-05-O_20190425	<1	0.02	0.09	0.07	3.4	74
		RG_GC_PCC-06-O_20190425	<1	<0.01	<0.05	0.06	3.0	69
		RG_GC_PCC-07-O_20190425	<1	0.09	0.15	0.07	3.3	150
		RG_GC_PCC-08-O_20190425	<1	0.03	0.15	0.09	3.1	75
		RG_GC_PCC-09-O_20190425	<1	0.02	<0.05	0.06	3.7	110
		RG_GC_PCC-10-O_20190425	<1	0.06	0.17	0.11	5.4	120
RSC	RG_SC	RG_SC_RSC-01-O_20190424	<2	0.02	<0.1	0.11	6.2	98
		RG_SC_RSC-02-O_20190424	<2	<0.02	<0.1	0.07	5.5	110
		RG_SC_RSC-03-O_20190424	<5	0.02	<0.5	<0.5	6.5	140
		RG_SC_RSC-04-O_20190424	<5	0.02	<0.5	<0.5	5.9	120
		RG_SC_RSC-05-O_20190424	<5	<0.02	2.6	<0.5	7.4	160
		RG_SC_RSC-06-O_20190424	<5	0.05	1.4	<0.5	6.5	170
		RG_SC_RSC-07-O_20190424	<2	<0.02	2.6	0.11	6.6	120
		RG_SC_RSC-08-O_20190424	<5	<0.02	<0.5	<0.5	5.4	130
		RG_SC_RSC-09-O_20190424	<50	<0.02	<5	<5	5.0	150
		RG_SC_RSC-10-O_20190424	<5	0.02	0.9	<0.5	7.2	140
	RG_ER	RG_ER_RSC-01-O_20190423	<5	0.06	0.5	<0.5	7.5	180
		RG_ER_RSC-02-O_20190423	<5	0.04	<0.5	<0.5	7.3	120
		RG_ER_RSC-03-O_20190423	<5	0.08	<0.5	<0.5	6.1	110
		RG_ER_RSC-04-O_20190423	<5	0.03	<0.5	<0.5	6.1	140
		RG_ER_RSC-05-O_20190424	<5	<0.02	<0.5	<0.5	5.2	150
		RG_ER_RSC-06-O_20190424	<2	0.03	0.1	0.14	4.6	130
		RG_ER_RSC-07-O_20190424	<5	<0.02	<0.5	<0.5	5.3	110
		RG_ER_RSC-08-O_20190424	<5	0.02	<0.5	<0.5	5.9	110
		RG_ER_RSC-09-O_20190424	<2	0.05	<0.1	0.09	6.2	130
		RG_ER_RSC-10-O_20190424	<5	0.08	<0.5	<0.5	6.0	140
	RG_GC	RG_GC_RSC-01-O_20190425	<2	0.03	<0.1	0.08	6.7	150
		RG_GC_RSC-02-O_20190425	<2	0.02	0.2	0.11	4.7	300
		RG_GC_RSC-03-O_20190425	<2	<0.02	0.2	0.11	5.9	140
		RG_GC_RSC-04-O_20190425	<5	0.02	<0.5	<0.5	4.0	170
		RG_GC_RSC-05-O_20190425	<5	0.14	0.6	<0.5	6.5	230
		RG_GC_RSC-06-O_20190425	<2	0.06	<0.1	0.09	7.0	120
		RG_GC_RSC-07-O_20190425	<5	0.02	<0.5	<0.5	6.0	130
		RG_GC_RSC-08-O_20190425	<5	0.03	<0.5	<0.5	5.0	160
		RG_GC_RSC-09-O_20190425	<2	0.05	<0.1	0.09	6.0	130
		RG_GC_RSC-10-O_20190425	<5	0.03	<0.5	<0.5	5.6	97

Notes: PCC - Peamouth Chub and RSC - Redside Shiner.

Table F.4: Metal Concentrations (µg/g dry weight) in Fish Ovaries Collected in Koocanusa Reservoir, 2019

Species	Area	Sample ID	Lead	Manganese	Mercury	Molybdenum	Nickel	Selenium
			ug/g	ug/g	ug/g	µg/g dw	µg/g dw	µg/g dw
PCC	RG_SC	RG_SC_PCC-01-O_20190424	0.18	9.1	0.025	0.10	0.19	10
		RG_SC_PCC-02-O_20190424	0.08	11	0.035	0.20	<0.05	21
		RG_SC_PCC-03-O_20190424	0.12	9.5	0.012	0.09	0.14	7.3
		RG_SC_PCC-04-O_20190424	0.03	4.2	0.014	0.10	<0.05	12
		RG_SC_PCC-05-O_20190424	0.02	5.0	0.013	0.08	<0.05	12
		RG_SC_PCC-06-O_20190424	0.14	13	0.052	0.21	0.25	13
		RG_SC_PCC-07-O_20190424	0.03	8.1	0.035	0.23	<0.05	16
		RG_SC_PCC-08-O_20190424	0.06	5.4	0.049	0.14	<0.05	12
		RG_SC_PCC-09-O_20190424	0.05	7.5	0.034	0.15	0.29	8.8
		RG_SC_PCC-10-O_20190424	0.04	4.8	0.030	0.15	<0.05	11
	RG_ER	RG_ER_PCC-01-O_20190423	0.03	3.6	0.016	0.09	0.12	5.4
		RG_ER_PCC-02-O_20190423	0.05	4.7	0.014	0.08	0.2	7.4
		RG_ER_PCC-03-O_20190425	0.02	5.2	0.021	0.08	<0.05	6.1
		RG_ER_PCC-04-O_20190423	0.01	4.8	0.021	0.08	<0.05	11.2
		RG_ER_PCC-05-O_20190423	0.05	5.6	0.018	0.10	<0.05	8.3
		RG_ER_PCC-06-O_20190423	0.03	3.5	0.007	0.07	<0.05	9.5
		RG_ER_PCC-07-O_20190424	<0.01	3.1	0.025	0.08	<0.05	6.5
		RG_ER_PCC-08-O_20190424	<0.01	4.3	0.019	0.07	<0.05	6.0
		RG_ER_PCC-09-O_20190424	0.02	7.0	0.024	0.12	<0.05	6.4
		RG_ER_PCC-10-O_20190424	<0.01	4.5	0.017	0.11	<0.05	8.3
	RG_GC	RG_GC_PCC-01-O_20190425	0.03	4.7	0.045	0.27	0.1	18
		RG_GC_PCC-02-O_20190425	<0.01	5.6	0.051	0.09	<0.05	12
		RG_GC_PCC-03-O_20190425	<0.01	5.1	0.027	0.10	<0.05	6.5
		RG_GC_PCC-04-O_20190425	<0.01	15	0.064	0.24	<0.05	12
		RG_GC_PCC-05-O_20190425	0.01	14	0.040	0.17	<0.05	14
		RG_GC_PCC-06-O_20190425	<0.01	5.7	0.028	0.12	<0.05	10
		RG_GC_PCC-07-O_20190425	0.02	7.6	0.042	0.19	<0.05	14
		RG_GC_PCC-08-O_20190425	<0.01	7.3	0.035	0.16	<0.05	9.3
		RG_GC_PCC-09-O_20190425	0.02	13	0.044	0.16	<0.05	18
		RG_GC_PCC-10-O_20190425	0.11	18	0.057	0.21	0.08	23
RSC	RG_SC	RG_SC_RSC-01-O_20190424	0.07	11	0.03	0.19	<0.1	20
		RG_SC_RSC-02-O_20190424	0.03	10	0.03	0.14	<0.1	7.6
		RG_SC_RSC-03-O_20190424	0.19	4.9	0.04	0.17	<0.5	17
		RG_SC_RSC-04-O_20190424	<0.05	10	0.03	0.15	<0.5	15
		RG_SC_RSC-05-O_20190424	<0.05	5.8	0.03	0.15	1	12
		RG_SC_RSC-06-O_20190424	<0.05	6.4	0.04	0.16	0.7	12
		RG_SC_RSC-07-O_20190424	<0.02	11	0.03	0.18	1.1	16
		RG_SC_RSC-08-O_20190424	<0.05	8.2	0.03	0.16	<0.5	8.4
		RG_SC_RSC-09-O_20190424	<0.5	9	0.05	<0.5	<5.0	17
		RG_SC_RSC-10-O_20190424	<0.05	10	0.04	0.15	<0.5	8.8
	RG_ER	RG_ER_RSC-01-O_20190423	0.10	9.3	0.03	0.18	<0.5	11
		RG_ER_RSC-02-O_20190423	<0.05	8.7	0.03	0.21	<0.5	18
		RG_ER_RSC-03-O_20190423	0.05	6.1	0.03	0.10	<0.5	22
		RG_ER_RSC-04-O_20190423	<0.05	6.6	0.03	0.16	<0.5	8.6
		RG_ER_RSC-05-O_20190424	0.10	8.2	0.03	0.19	<0.5	11
		RG_ER_RSC-06-O_20190424	0.04	8.5	0.02	0.15	<0.1	15
		RG_ER_RSC-07-O_20190424	<0.05	14	0.02	0.20	<0.5	11
		RG_ER_RSC-08-O_20190424	<0.05	15	0.03	0.16	<0.5	18
		RG_ER_RSC-09-O_20190424	0.02	7.8	0.03	0.15	<0.1	9.4
		RG_ER_RSC-10-O_20190424	0.07	8.6	0.03	0.14	<0.5	13
	RG_GC	RG_GC_RSC-01-O_20190425	<0.02	8.5	0.03	0.14	0.3	17
		RG_GC_RSC-02-O_20190425	<0.02	7.8	0.04	0.18	<0.1	18
		RG_GC_RSC-03-O_20190425	0.04	5.3	0.02	0.18	<0.1	33
		RG_GC_RSC-04-O_20190425	<0.05	6.0	0.02	0.2	<0.5	12
		RG_GC_RSC-05-O_20190425	0.12	10	0.04	0.21	<0.5	20
		RG_GC_RSC-06-O_20190425	0.02	5.6	0.02	0.18	<0.1	14
		RG_GC_RSC-07-O_20190425	<0.05	6.9	0.04	0.15	<0.5	28
		RG_GC_RSC-08-O_20190425	<0.05	11	0.02	0.20	<0.5	11
		RG_GC_RSC-09-O_20190425	0.02	6.0	0.02	0.18	<0.1	8.3
		RG_GC_RSC-10-O_20190425	<0.05	7.5	0.02	0.19	<0.5	7.5

Notes: PCC - Peamouth Chub and RSC - Redside Shiner.

Table F.4: Metal Concentrations (µg/g dry weight) in Fish Ovaries Collected in Kooconusa Reservoir, 2019

Species	Area	Sample ID	Silver	Strontium	Thallium	Tin	Titanium	Uranium
			µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw
PCC	RG_SC	RG_SC_PCC-01-O_20190424	0.04	1.6	0.016	<0.05	2.7	0.009
		RG_SC_PCC-02-O_20190424	0.02	0.5	0.021	<0.05	0.3	<0.005
		RG_SC_PCC-03-O_20190424	0.02	1.4	0.005	<0.05	2.3	0.006
		RG_SC_PCC-04-O_20190424	0.03	0.3	0.008	<0.05	<0.2	<0.005
		RG_SC_PCC-05-O_20190424	0.01	0.3	0.014	<0.05	<0.2	<0.005
		RG_SC_PCC-06-O_20190424	0.02	1.3	0.032	<0.05	1.7	<0.005
		RG_SC_PCC-07-O_20190424	0.02	0.5	0.021	<0.05	0.2	<0.005
		RG_SC_PCC-08-O_20190424	0.03	0.4	<0.005	<0.05	<0.2	0.009
		RG_SC_PCC-09-O_20190424	0.02	0.5	0.010	<0.05	0.3	<0.005
		RG_SC_PCC-10-O_20190424	0.02	0.6	0.016	<0.05	0.2	<0.005
	RG_ER	RG_ER_PCC-01-O_20190423	0.01	0.3	0.006	<0.05	<0.2	<0.005
		RG_ER_PCC-02-O_20190423	0.02	0.2	0.008	<0.05	0.3	<0.005
		RG_ER_PCC-03-O_20190425	0.01	0.2	0.010	<0.05	<0.2	<0.005
		RG_ER_PCC-04-O_20190423	0.02	0.2	0.008	<0.05	<0.2	<0.005
		RG_ER_PCC-05-O_20190423	0.02	0.3	0.010	<0.05	0.3	<0.005
		RG_ER_PCC-06-O_20190423	0.02	0.2	0.006	<0.05	<0.2	<0.005
		RG_ER_PCC-07-O_20190424	0.01	0.4	0.010	<0.05	<0.2	<0.005
		RG_ER_PCC-08-O_20190424	0.01	0.2	0.007	<0.05	<0.2	<0.005
		RG_ER_PCC-09-O_20190424	<0.01	0.3	0.014	<0.05	<0.2	<0.005
		RG_ER_PCC-10-O_20190424	0.01	0.3	0.012	<0.05	<0.2	<0.005
	RG_GC	RG_GC_PCC-01-O_20190425	0.02	0.4	0.006	<0.05	<0.2	<0.005
		RG_GC_PCC-02-O_20190425	0.02	0.3	0.012	<0.05	<0.2	<0.005
		RG_GC_PCC-03-O_20190425	0.01	0.3	0.017	<0.05	0.2	<0.005
		RG_GC_PCC-04-O_20190425	0.02	0.5	0.045	<0.05	<0.2	<0.005
		RG_GC_PCC-05-O_20190425	<0.01	0.4	0.024	<0.05	0.3	<0.005
		RG_GC_PCC-06-O_20190425	0.01	0.3	0.014	<0.05	<0.2	<0.005
		RG_GC_PCC-07-O_20190425	0.02	0.6	0.034	<0.05	0.3	<0.005
		RG_GC_PCC-08-O_20190425	0.01	0.4	0.022	<0.05	0.5	<0.005
		RG_GC_PCC-09-O_20190425	0.01	0.5	0.044	<0.05	0.3	<0.005
		RG_GC_PCC-10-O_20190425	0.02	0.6	0.047	<0.05	0.3	<0.005
RSC	RG_SC	RG_SC_RSC-01-O_20190424	0.02	0.6	0.020	<0.1	<0.5	<0.01
		RG_SC_RSC-02-O_20190424	<0.02	0.5	0.020	<0.1	<0.5	<0.01
		RG_SC_RSC-03-O_20190424	0.03	0.7	0.020	<0.2	1.1	<0.02
		RG_SC_RSC-04-O_20190424	0.04	0.5	0.030	<0.2	<0.5	<0.02
		RG_SC_RSC-05-O_20190424	0.02	0.7	0.030	<0.2	0.5	<0.02
		RG_SC_RSC-06-O_20190424	0.02	1.2	0.030	<0.2	0.6	<0.02
		RG_SC_RSC-07-O_20190424	0.03	0.5	0.020	<0.1	0.5	<0.01
		RG_SC_RSC-08-O_20190424	0.03	0.5	0.030	<0.2	<0.5	<0.02
		RG_SC_RSC-09-O_20190424	<0.02	<1.0	<0.100	<2.0	<5.0	<0.1
		RG_SC_RSC-10-O_20190424	0.03	0.7	0.020	<0.2	<0.5	<0.02
	RG_ER	RG_ER_RSC-01-O_20190423	0.02	0.9	0.020	<0.2	3.1	<0.02
		RG_ER_RSC-02-O_20190423	0.04	0.6	0.010	<0.2	<0.5	<0.02
		RG_ER_RSC-03-O_20190423	0.03	1.0	0.020	<0.2	1.2	<0.02
		RG_ER_RSC-04-O_20190423	0.02	0.9	0.020	<0.2	<0.5	<0.02
		RG_ER_RSC-05-O_20190424	<0.02	0.8	0.020	<0.2	3.8	<0.02
		RG_ER_RSC-06-O_20190424	0.02	0.7	0.030	<0.1	<0.5	<0.01
		RG_ER_RSC-07-O_20190424	0.02	0.6	0.020	<0.2	<0.5	<0.02
		RG_ER_RSC-08-O_20190424	0.02	0.6	0.010	<0.2	<0.5	<0.02
		RG_ER_RSC-09-O_20190424	0.04	1.0	0.020	<0.1	<0.5	<0.01
		RG_ER_RSC-10-O_20190424	0.02	0.8	0.020	<0.2	5.4	<0.02
	RG_GC	RG_GC_RSC-01-O_20190425	0.06	0.6	0.040	<0.1	<0.5	<0.01
		RG_GC_RSC-02-O_20190425	<0.02	1.2	0.030	<0.1	3.8	<0.01
		RG_GC_RSC-03-O_20190425	0.02	0.6	0.030	<0.1	<0.5	<0.01
		RG_GC_RSC-04-O_20190425	<0.02	0.5	0.020	<0.2	<0.5	<0.02
		RG_GC_RSC-05-O_20190425	0.02	8.7	0.040	<0.2	0.8	<0.02
		RG_GC_RSC-06-O_20190425	0.03	0.6	0.040	<0.1	<0.5	<0.01
		RG_GC_RSC-07-O_20190425	<0.02	0.6	0.040	<0.2	<0.5	<0.02
		RG_GC_RSC-08-O_20190425	<0.02	0.6	0.040	<0.2	0.7	<0.02
		RG_GC_RSC-09-O_20190425	0.05	0.5	0.040	<0.1	<0.5	<0.01
		RG_GC_RSC-10-O_20190425	<0.02	0.5	0.040	<0.2	<0.5	<0.02

Notes: PCC - Peamouth Chub and RSC - Redside Shiner.

Table F.4: Metal Concentrations ($\mu\text{g/g}$ dry weight) in Fish Ovaries Collected in Kooconusa Reservoir, 2019

Species	Area	Sample ID	Vanadium	Zinc
			$\mu\text{g/g dw}$	$\mu\text{g/g dw}$
PCC	RG_SC	RG_SC_PCC-01-O_20190424	0.2	110
		RG_SC_PCC-02-O_20190424	<0.1	110
		RG_SC_PCC-03-O_20190424	0.2	99
		RG_SC_PCC-04-O_20190424	<0.1	90
		RG_SC_PCC-05-O_20190424	<0.1	81
		RG_SC_PCC-06-O_20190424	0.1	170
		RG_SC_PCC-07-O_20190424	<0.1	150
		RG_SC_PCC-08-O_20190424	<0.1	120
		RG_SC_PCC-09-O_20190424	<0.1	120
		RG_SC_PCC-10-O_20190424	<0.1	120
	RG_ER	RG_ER_PCC-01-O_20190423	<0.1	100
		RG_ER_PCC-02-O_20190423	<0.1	86
		RG_ER_PCC-03-O_20190425	<0.1	88
		RG_ER_PCC-04-O_20190423	<0.1	100
		RG_ER_PCC-05-O_20190423	<0.1	100
		RG_ER_PCC-06-O_20190423	<0.1	86
		RG_ER_PCC-07-O_20190424	<0.1	100
		RG_ER_PCC-08-O_20190424	<0.1	86
		RG_ER_PCC-09-O_20190424	<0.1	120
		RG_ER_PCC-10-O_20190424	<0.1	88
	RG_GC	RG_GC_PCC-01-O_20190425	<0.1	160
		RG_GC_PCC-02-O_20190425	<0.1	86
		RG_GC_PCC-03-O_20190425	<0.1	100
		RG_GC_PCC-04-O_20190425	<0.1	130
		RG_GC_PCC-05-O_20190425	<0.1	120
		RG_GC_PCC-06-O_20190425	<0.1	94
		RG_GC_PCC-07-O_20190425	<0.1	280
		RG_GC_PCC-08-O_20190425	<0.1	120
		RG_GC_PCC-09-O_20190425	<0.1	200
		RG_GC_PCC-10-O_20190425	<0.1	210
RSC	RG_SC	RG_SC_RSC-01-O_20190424	<0.2	230
		RG_SC_RSC-02-O_20190424	<0.2	150
		RG_SC_RSC-03-O_20190424	<0.2	210
		RG_SC_RSC-04-O_20190424	<0.2	200
		RG_SC_RSC-05-O_20190424	<0.2	250
		RG_SC_RSC-06-O_20190424	<0.2	240
		RG_SC_RSC-07-O_20190424	<0.2	160
		RG_SC_RSC-08-O_20190424	<0.2	190
		RG_SC_RSC-09-O_20190424	<1.0	240
		RG_SC_RSC-10-O_20190424	<0.2	140
	RG_ER	RG_ER_RSC-01-O_20190423	0.2	280
		RG_ER_RSC-02-O_20190423	<0.2	280
		RG_ER_RSC-03-O_20190423	<0.2	260
		RG_ER_RSC-04-O_20190423	<0.2	230
		RG_ER_RSC-05-O_20190424	<0.2	220
		RG_ER_RSC-06-O_20190424	<0.2	260
		RG_ER_RSC-07-O_20190424	<0.2	240
		RG_ER_RSC-08-O_20190424	<0.2	240
		RG_ER_RSC-09-O_20190424	<0.2	220
		RG_ER_RSC-10-O_20190424	<0.2	270
	RG_GC	RG_GC_RSC-01-O_20190425	<0.2	200
		RG_GC_RSC-02-O_20190425	0.3	270
		RG_GC_RSC-03-O_20190425	<0.2	180
		RG_GC_RSC-04-O_20190425	<0.2	250
		RG_GC_RSC-05-O_20190425	<0.2	250
		RG_GC_RSC-06-O_20190425	<0.2	220
		RG_GC_RSC-07-O_20190425	<0.2	240
		RG_GC_RSC-08-O_20190425	<0.2	180
		RG_GC_RSC-09-O_20190425	<0.2	230
		RG_GC_RSC-10-O_20190425	<0.2	230

Notes: PCC - Peamouth Chub and RSC - Redside Shiner.

Table F.5: Selenium Concentrations (mg/kg wet weight) in Benthic Invertebrates Collected from Montana, 2019

Area	Month	Station ID	Selenium
			mg/kg ww
Rexford	May	RG_RFBL	2.00
		RG_RFDO	1.95
		RG_RFMSO	1.45
		RG_RFMU	0.901
		RG_RFNSO	1.20
		RG_RFTO	1.83
		RG_RFTON	2.62
		RG_RFYO	2.89
	September	Rexford Surface Tow	0.071
		RG_RFBL	0.667
		RG_RFDO	1.11
		RG_RFMSO	0.839
		RG_RFMU	0.561
		RG_RFNSO	1.07
		RG_RFTO	3.30
RG_RFTON	0.431		
RG_RFYO	1.66		
Tenmile	May	RG_TMBA	3.58
		RG_TMBB	1.98
		RG_TMCA	0.892
		RG_TMJA	1.41
		RG_TMNB	2.21
		RG_TMSB	2.54
		RG_TMSP	1.16
		RG_TMWA	1.05

Table F.6: Metal Concentrations (µg/g dry weight) in Fish Muscle Collected at Rexford Area, 2019

Species	Month	Sample ID	Total Solids	Aluminum	Antimony	Arsenic	Barium	Beryllium	Boron	Cadmium	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Mercury	Molybdenum
			%	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw
Bull Trout	May	Rexford-BT-01	24.5	1.93	≤ 0.022	0.142	0.057	≤ 0.057	≤ 3.72	≤ 0.0080	≤ 0.176	≤ 0.020	0.909	14.8	≤ 0.018	0.271	1.13	≤ 0.016
		Rexford-BT-02	24.6	1.71	≤ 0.022	0.936	0.040	≤ 0.057	≤ 3.72	≤ 0.0080	≤ 0.176	0.062	1.29	12.2	≤ 0.018	0.269	0.501	≤ 0.016
		Rexford-BT-03	14.4	3.54	≤ 0.037	0.331	0.146	≤ 0.097	≤ 6.35	≤ 0.013	≤ 0.301	≤ 0.033	1.26	20.00	≤ 0.030	0.474	0.217	≤ 0.027
		Rexford-BT-04	24.6	2.15	≤ 0.019	0.217	0.082	≤ 0.051	≤ 3.33	≤ 0.0070	≤ 1.16	0.033	1.04	22.2	≤ 0.016	0.390	0.581	≤ 0.014
		Rexford-BT-05	25.6	4.12	≤ 0.020	0.505	0.061	≤ 0.052	≤ 3.39	≤ 0.0070	≤ 0.161	0.022	1.50	16.7	≤ 0.016	0.415	0.364	≤ 0.014
		Rexford-BT-06	23.8	1.77	≤ 0.023	0.211	≤ 0.038	≤ 0.061	≤ 3.99	≤ 0.0080	≤ 0.189	0.023	1.39	12.9	≤ 0.019	0.289	0.373	≤ 0.017
		Rexford-BT-07	23.4	2.65	≤ 0.022	0.144	0.071	≤ 0.057	≤ 3.76	≤ 0.0080	≤ 0.178	≤ 0.020	0.795	10.3	≤ 0.018	0.280	0.709	≤ 0.016
		Rexford-BT-08	21.1	1.56	≤ 0.025	0.351	≤ 0.040	≤ 0.065	≤ 4.24	≤ 0.0090	≤ 0.201	0.027	0.844	11.9	≤ 0.020	0.336	0.471	≤ 0.018
Largescale Sucker	May	Rexford-CSU-01	19.9	4.90	≤ 0.026	0.298	0.336	≤ 0.069	≤ 4.53	0.035	≤ 0.214	0.040	2.66	25.4	≤ 0.021	0.456	0.480	≤ 0.019
		Rexford-CSU-02	19.7	3.98	≤ 0.025	0.295	1.20	≤ 0.065	≤ 4.24	0.012	≤ 0.201	0.040	1.57	16.7	0.032	2.05	1.03	≤ 0.018
		Rexford-CSU-03	18.7	4.10	≤ 0.027	0.207	0.229	≤ 0.071	≤ 4.66	0.013	≤ 0.221	0.040	1.31	12.9	≤ 0.022	0.532	0.746	≤ 0.020
		Rexford-CSU-04	16.7	5.42	≤ 0.027	0.366	0.683	≤ 0.072	≤ 4.70	≤ 0.010	≤ 0.223	0.035	1.19	13.9	≤ 0.022	0.974	0.937	≤ 0.020
		Rexford-CSU-05	19.2	6.35	≤ 0.027	0.224	0.241	≤ 0.071	≤ 4.65	≤ 0.010	≤ 0.220	0.035	1.17	14.3	≤ 0.022	0.401	0.881	≤ 0.020
		Rexford-CSU-06	20.5	8.89	≤ 0.024	0.371	0.813	≤ 0.062	≤ 4.08	0.018	≤ 0.193	0.048	1.41	25.9	0.041	1.58	0.620	≤ 0.017
		Rexford-CSU-07	18.2	20.80	≤ 0.027	0.408	1.49	≤ 0.072	≤ 4.69	0.017	≤ 0.222	0.073	2.38	53.2	0.054	2.76	0.486	≤ 0.020
		Rexford-CSU-08	18.3	6.72	≤ 0.028	0.218	0.703	≤ 0.073	≤ 4.76	≤ 0.010	≤ 0.225	0.027	0.956	18.9	0.028	1.23	0.919	≤ 0.020
	September	RG_REX_CSU-M-01	19.6	1.93	≤ 0.028	0.080	2.82	≤ 0.074	≤ 4.85	≤ 0.010	≤ 0.230	0.030	1.15	1.15	0.029	3.51	0.551	≤ 0.036
		RG_REX_CSU-M-02	18.2	1.71	≤ 0.030	0.118	1.28	≤ 0.079	≤ 5.18	≤ 0.011	≤ 0.246	0.037	1.46	1.46	≤ 0.025	2.75	0.451	≤ 0.038
		RG_REX_CSU-M-03	16.8	3.54	≤ 0.032	0.162	1.68	≤ 0.084	≤ 5.49	≤ 0.012	≤ 0.260	0.045	1.31	1.31	≤ 0.026	2.32	0.843	≤ 0.040
		RG_REX_CSU-M-04	16.5	2.15	≤ 0.033	0.185	0.364	≤ 0.087	≤ 5.69	≤ 0.012	≤ 0.269	0.052	1.71	1.71	≤ 0.027	0.820	0.442	≤ 0.042
		RG_REX_CSU-M-05	17.8	4.12	≤ 0.030	0.080	0.365	≤ 0.080	≤ 5.24	≤ 0.011	≤ 0.248	≤ 0.028	1.23	1.23	≤ 0.025	0.801	0.400	≤ 0.039
		RG_REX_CSU-M-06	18.2	1.77	≤ 0.030	0.139	1.09	≤ 0.079	≤ 5.21	≤ 0.011	≤ 0.247	0.034	0.909	0.909	≤ 0.025	2.14	0.409	≤ 0.038
RG_REX_CSU-M-07		18.9	2.65	≤ 0.028	0.246	0.358	≤ 0.075	≤ 4.89	≤ 0.010	≤ 0.232	0.033	1.48	1.48	≤ 0.023	0.834	0.220	≤ 0.036	
Kokanee	May	Rexford-KO-01	25.0	3.19	≤ 0.035	0.153	0.091	≤ 0.093	≤ 6.12	≤ 0.013	≤ 0.290	≤ 0.032	0.813	7.20	≤ 0.029	0.173	-	≤ 0.026
		Rexford-KO-02	24.6	9.40	≤ 0.044	0.214	0.214	≤ 0.116	≤ 7.63	≤ 0.016	≤ 0.361	≤ 0.040	1.28	15.0	0.042	0.545	-	≤ 0.032
		Rexford-KO-03	24.7	3.92	≤ 0.036	0.155	0.177	≤ 0.095	≤ 6.22	≤ 0.013	≤ 0.295	≤ 0.033	1.05	11.4	≤ 0.029	0.287	-	≤ 0.026
		Rexford-KO-04	21.5	5.88	≤ 0.046	0.129	0.149	≤ 0.120	≤ 7.87	≤ 0.017	≤ 0.373	≤ 0.041	1.43	13.6	≤ 0.037	0.280	-	≤ 0.033
		Rexford-KO-05	20.4	4.07	≤ 0.049	0.126	0.240	≤ 0.130	≤ 8.51	≤ 0.018	≤ 0.403	≤ 0.045	1.09	12.6	≤ 0.040	0.303	-	≤ 0.036
		Rexford-KO-06	43.8	2.78	≤ 0.025	0.084	0.055	≤ 0.065	≤ 4.26	≤ 0.009	≤ 0.202	≤ 0.022	0.385	5.32	≤ 0.020	0.089	-	≤ 0.018
		Rexford-KO-07	36.8	3.07	≤ 0.026	0.144	0.242	≤ 0.070	≤ 4.57	≤ 0.010	≤ 0.217	≤ 0.024	0.980	11.1	≤ 0.022	0.155	-	≤ 0.019
	September	RG_REX_KO-M-01	19.0	4.90	≤ 0.010	0.118	0.188	≤ 0.064	≤ 33.0	≤ 0.008	≤ 0.018	0.032	2.14	42.0	≤ 4.9	0.488	0.283	≤ 0.046
		RG_REX_KO-M-02	18.4	3.98	≤ 0.029	0.172	0.086	≤ 0.077	≤ 5.04	≤ 0.011	≤ 0.239	≤ 0.027	2.86	27.4	≤ 0.024	0.390	0.240	0.027
		RG_REX_KO-M-03	20.9	4.10	≤ 0.025	0.115	≤ 0.041	≤ 0.067	≤ 4.38	≤ 0.009	≤ 0.207	≤ 0.023	1.90	14.3	≤ 0.021	0.236	0.258	≤ 0.032
		RG_REX_KO-M-04	18.9	5.42	≤ 0.029	0.183	0.226	≤ 0.076	≤ 5.00	≤ 0.011	≤ 0.237	0.036	2.48	26.0	≤ 0.024	0.408	0.267	0.023
		RG_REX_KO-M-05	22.2	6.35	≤ 0.024	0.118	0.072	≤ 0.063	≤ 4.14	≤ 0.009	≤ 0.196	0.023	1.66	17.9	≤ 0.020	0.235	0.269	≤ 0.030
		RG_REX_KO-M-06	21.3	8.89	≤ 0.025	0.242	≤ 0.041	≤ 0.066	≤ 4.33	≤ 0.009	≤ 0.205	0.028	3.46	26.5	≤ 0.021	0.239	0.219	≤ 0.032
		RG_REX_KO-M-07	21.6	20.8	≤ 0.025	0.103	0.084	≤ 0.067	≤ 4.37	≤ 0.009	≤ 0.207	≤ 0.023	1.45	15.4	≤ 0.021	0.281	0.303	≤ 0.032
RG_REX_KO-M-08	19.6	6.72	≤ 0.028	0.157	≤ 0.045	≤ 0.073	≤ 4.79	≤ 0.01	≤ 0.227	0.026	4.22	29.8	≤ 0.023	0.289	0.267	0.021		
Mountain Whitefish	May	Rexford-MF-01	21.8	3.54	≤ 0.024	0.644	0.175	≤ 0.063	≤ 4.10	≤ 0.0090	≤ 0.194	≤ 0.022	0.982	11.5	≤ 0.019	0.558	0.230	≤ 0.017
		Rexford-MF-02	20.8	4.73	≤ 0.051	0.861	0.102	≤ 0.135	≤ 8.84	≤ 0.0190	≤ 0.419	0.058	1.40	14.3	≤ 0.042	0.486	0.165	≤ 0.037
Northern Pikeminnow	May	Rexford-NSC-01	19.6	3.43	≤ 0.024	0.127	0.210	≤ 0.063	≤ 4.14	≤ 0.0090	≤ 0.196	≤ 0.022	0.704	11.7	≤ 0.02	0.567	1.44	≤ 0.017
		Rexford-NSC-02	21.8	4.77	≤ 0.022	0.265	0.264	≤ 0.058	≤ 3.82	≤ 0.0080	≤ 0.181	≤ 0.020	0.905	11.9	0.029	0.199	1.33	≤ 0.016
		Rexford-NSC-03	17.7	4.15	≤ 0.028	0.194	0.325	≤ 0.074	≤ 4.87	≤ 0.0100	≤ 0.231	≤ 0.026	0.931	13.0	≤ 0.023	0.486	1.08	≤ 0.021
		Rexford-NSC-04	18.4	3.69	≤ 0.028	0.289	0.134	≤ 0.074	≤ 4.84	≤ 0.0100	≤ 0.229	≤ 0.025	0.782	11.8	≤ 0.023	0.266	1.17	≤ 0.02
		Rexford-NSC-05	22.3	2.63	≤ 0.023	0.268	0.141	≤ 0.062	≤ 4.04	≤ 0.0080	≤ 0.191	≤ 0.021	0.748	6.42	≤ 0.019	0.169	1.59	≤ 0.017
		Rexford-NSC-06	21.7	2.25	≤ 0.024	0.158	0.488	≤ 0.063	≤ 4.13	≤ 0.0090	≤ 0.196	≤ 0.022	0.892	8.32	≤ 0.02	0.705	1.10	≤ 0.017
		Rexford-NSC-07	21.4	3.6	≤ 0.024	0.127	0.124	≤ 0.064	≤ 4.21	≤ 0.0090	≤ 0.199	≤ 0.022	0.923	10.6	≤ 0.02	0.299	1.21	≤ 0.018
		Rexford-NSC-08	17.9	4.57	≤ 0.029	0.240	0.255	≤ 0.078	≤ 5.09	≤ 0.0110	≤ 0.241	≤ 0.027	0.981	13.1	≤ 0.024	0.645	0.886	≤ 0.021
		Rexford-NSC-09	25.4	3.37	≤ 0.02	0.385	0.180	≤ 0.052	≤ 3.41	≤ 0.0070	≤ 0.162	≤ 0.018	1.61	13.7	≤ 0.016	0.310	0.901	≤ 0.014
		Rexford-NSC-10	23.5	2.86	≤ 0.022	0.193	0.257	≤ 0.058	≤ 3.82	≤ 0.0080	≤ 0.181	≤ 0.020	0.795	12.1	≤ 0.018	0.219	1.16	≤ 0.016

Table F.6: Metal Concentrations (µg/g dry weight) in Fish Muscle Collected at Rexford Area, 2019

Species	Month	Sample ID	Total Solids	Aluminum	Antimony	Arsenic	Barium	Beryllium	Boron	Cadmium	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Mercury	Molybdenum
			%	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw
Northern Pike/minnow	May	Rexford-NSC-11	18.0	5.59	≤ 0.027	0.199	0.267	≤ 0.071	≤ 4.67	≤ 0.0100	≤ 0.221	≤ 0.025	1.32	15.7	0.024	0.327	1.04	≤ 0.020
		Rexford-NSC-12	20.9	5.44	≤ 0.025	0.164	0.262	≤ 0.067	≤ 4.40	≤ 0.0090	≤ 0.208	≤ 0.023	1.23	14.6	≤ 0.021	0.295	0.886	≤ 0.019
		Rexford-NSC-13	21.9	2.25	≤ 0.023	0.274	0.669	≤ 0.060	≤ 3.95	≤ 0.0080	≤ 0.187	≤ 0.021	2.19	19.2	≤ 0.019	0.926	0.882	≤ 0.017
		Rexford-NSC-14	25.0	2.96	≤ 0.021	0.269	0.191	≤ 0.056	≤ 3.64	≤ 0.0080	≤ 0.173	≤ 0.019	1.33	15.2	≤ 0.017	0.191	1.17	≤ 0.015
		Rexford-NSC-15	24.7	3.76	≤ 0.019	0.303	0.159	≤ 0.051	≤ 3.33	≤ 0.0070	≤ 0.158	≤ 0.018	1.07	12.0	≤ 0.016	0.180	1.38	≤ 0.014
	September	RG_REX_NSC-M-01	18.7	9.40	≤ 0.029	0.033	0.510	≤ 0.076	≤ 5.00	≤ 0.011	≤ 0.237	≤ 0.026	1.52	1.52	≤ 0.024	0.507	1.37	≤ 0.037
		RG_REX_NSC-M-02	18.1	3.92	≤ 0.030	0.040	0.861	≤ 0.079	≤ 5.20	≤ 0.011	≤ 0.246	≤ 0.027	1.62	1.62	≤ 0.025	0.747	0.625	≤ 0.038
		RG_REX_NSC-M-03	18.5	5.88	0.030	0.055	1.70	≤ 0.078	≤ 5.10	≤ 0.011	≤ 0.242	≤ 0.027	1.87	1.87	≤ 0.024	1.84	0.799	≤ 0.038
		RG_REX_NSC-M-04	19.1	4.07	≤ 0.028	0.071	1.18	≤ 0.075	≤ 4.92	≤ 0.010	≤ 0.233	≤ 0.026	2.10	2.10	≤ 0.023	1.04	1.05	≤ 0.036
		RG_REX_NSC-M-05	19.7	2.78	≤ 0.027	0.044	0.629	≤ 0.072	≤ 4.70	≤ 0.010	≤ 0.223	≤ 0.025	1.84	1.84	≤ 0.022	0.692	0.623	≤ 0.035
		RG_REX_NSC-M-06	19.5	3.07	≤ 0.028	0.131	2.26	≤ 0.073	≤ 4.82	≤ 0.010	≤ 0.228	≤ 0.025	2.72	2.72	≤ 0.023	1.74	1.65	≤ 0.035
		RG_REX_NSC-M-07	19.5	3.54	≤ 0.028	0.081	0.162	≤ 0.073	≤ 4.80	≤ 0.010	≤ 0.227	≤ 0.025	2.65	2.65	≤ 0.023	0.374	0.964	≤ 0.035
	RG_REX_NSC-M-08	21.2	4.73	≤ 0.026	0.033	0.0890	≤ 0.068	≤ 4.43	≤ 0.009	≤ 0.210	≤ 0.023	1.04	1.04	≤ 0.021	0.122	2.18	≤ 0.033	
	Peamouth Chub	May	Rexford-PCC-01	18.5	10.1	≤ 0.048	0.185	1.38	≤ 0.127	≤ 8.32	≤ 0.018	≤ 0.394	≤ 0.044	1.04	15.3	≤ 0.039	1.57	-
Rexford-PCC-02			13.2	13.6	≤ 0.073	0.170	0.396	≤ 0.191	≤ 12.5	≤ 0.026	≤ 0.594	≤ 0.066	0.953	16.6	≤ 0.059	0.65	-	≤ 0.053
Rexford-PCC-03			19.7	17.9	≤ 0.047	0.256	1.35	≤ 0.123	≤ 8.05	≤ 0.017	≤ 0.381	≤ 0.042	2.22	31.4	≤ 0.038	1.54	-	≤ 0.034
Rexford-PCC-04			19.7	9.73	≤ 0.052	0.168	1.30	≤ 0.136	≤ 8.92	≤ 0.019	≤ 0.423	≤ 0.047	1.72	22.1	≤ 0.042	0.661	-	≤ 0.038
Rexford-PCC-05			17.8	7.45	≤ 0.050	0.188	0.759	≤ 0.131	≤ 8.60	≤ 0.018	≤ 0.407	≤ 0.045	0.868	12.8	≤ 0.041	0.681	0.237	≤ 0.036
Rexford-PCC-06			18.1	18.8	≤ 0.053	0.181	0.733	≤ 0.139	≤ 9.09	≤ 0.019	≤ 0.430	≤ 0.048	0.844	15.5	0.075	0.727	-	≤ 0.038
Rexford-PCC-07			17.1	12.0	≤ 0.054	0.260	2.30	≤ 0.141	≤ 9.24	≤ 0.019	≤ 0.438	≤ 0.049	1.83	28.3	≤ 0.044	2.26	0.269	≤ 0.039
Rexford-PCC-08			-	0.990	≤ 0.009	0.039	0.069	≤ 0.024	≤ 1.58	≤ 0.003	≤ 0.075	≤ 0.008	0.210	2.86	≤ 0.008	0.112	-	≤ 0.007
September		RG_REX_PCC-M-01	18.1	4.77	≤ 0.029	0.060	1.74	≤ 0.076	≤ 5.00	≤ 0.011	≤ 0.237	≤ 0.026	1.05	1.05	0.028	1.17	0.607	≤ 0.037
		RG_REX_PCC-M-02	17.8	4.15	≤ 0.030	0.291	1.87	≤ 0.078	≤ 5.12	≤ 0.011	≤ 0.243	≤ 0.027	1.17	1.17	≤ 0.024	0.793	0.686	≤ 0.038
		RG_REX_PCC-M-03	18.3	3.69	≤ 0.028	0.120	3.14	≤ 0.074	≤ 4.85	≤ 0.010	≤ 0.230	≤ 0.026	1.13	1.13	≤ 0.023	1.31	0.496	≤ 0.036
		RG_REX_PCC-M-04	17.9	2.63	≤ 0.029	0.176	3.28	≤ 0.077	≤ 5.04	≤ 0.011	≤ 0.239	≤ 0.027	1.22	1.22	≤ 0.024	2.08	0.726	≤ 0.037
		RG_REX_PCC-M-05	17.3	2.25	≤ 0.031	0.096	1.48	≤ 0.081	≤ 5.31	≤ 0.011	≤ 0.252	≤ 0.028	1.61	1.61	≤ 0.025	0.825	0.647	≤ 0.039
		RG_REX_PCC-M-06	18.5	3.60	≤ 0.025	0.248	2.45	≤ 0.066	≤ 4.30	0.010	≤ 0.204	≤ 0.023	1.15	1.15	≤ 0.020	1.42	0.662	≤ 0.032
Redside Shiner	May	Rexford-RSC-01	22.2	34.6	≤ 0.046	0.182	1.19	≤ 0.122	≤ 8.00	0.021	≤ 0.379	≤ 0.042	2.13	30.8	0.141	1.39	-	≤ 0.034
		Rexford-RSC-02	27.6	29.4	≤ 0.037	0.159	1.69	≤ 0.099	≤ 6.47	≤ 0.014	≤ 0.306	0.058	2.28	27.6	0.120	1.28	-	≤ 0.027
		Rexford-RSC-03	22.4	80.4	≤ 0.046	0.225	2.29	≤ 0.122	≤ 8.00	≤ 0.017	≤ 0.379	≤ 0.042	2.72	34.8	0.115	2.02	-	≤ 0.034
		Rexford-RSC-04	17.8	20.8	≤ 0.059	0.179	0.882	≤ 0.157	≤ 10.3	≤ 0.022	≤ 0.486	≤ 0.054	1.37	19.2	0.094	1.03	-	≤ 0.043
		Rexford-RSC-05	21.5	15.7	≤ 0.050	0.173	0.532	≤ 0.131	≤ 8.57	≤ 0.018	≤ 0.406	≤ 0.045	1.20	13.1	≤ 0.041	0.931	-	≤ 0.036
		Rexford-RSC-06	17.8	67.2	≤ 0.057	0.137	2.33	≤ 0.151	≤ 9.89	0.024	≤ 0.468	≤ 0.052	2.60	63.6	0.086	1.46	-	≤ 0.042
		Rexford-RSC-07	-	6.88	≤ 0.012	0.039	0.516	≤ 0.031	≤ 2.05	≤ 0.004	≤ 0.097	≤ 0.011	0.546	8.12	0.020	0.605	-	≤ 0.009
		Rexford-RSC-08	22.0	35.7	≤ 0.047	0.163	2.05	≤ 0.124	≤ 8.14	0.023	≤ 0.386	≤ 0.043	2.48	42.6	0.068	1.88	-	≤ 0.034
Rainbow Trout	September	RG_REX_RBT-M-01	22.7	5.59	≤ 0.024	0.055	0.042	≤ 0.063	≤ 4.15	≤ 0.009	≤ 0.197	≤ 0.022	1.98	1.98	≤ 0.020	0.259	0.294	≤ 0.031
		RG_REX_RBT-M-02	17.8	5.44	0.031	0.064	0.070	≤ 0.081	≤ 5.29	≤ 0.011	≤ 0.251	≤ 0.028	1.15	1.15	≤ 0.025	0.217	0.926	≤ 0.039
		RG_REX_RBT-M-03	22.9	2.25	≤ 0.023	0.067	0.041	≤ 0.062	≤ 4.05	≤ 0.009	≤ 0.192	0.038	2.13	2.13	≤ 0.019	0.332	0.130	≤ 0.030
		RG_REX_RBT-M-04	22.6	2.96	0.024	0.075	0.134	≤ 0.064	≤ 4.20	≤ 0.009	≤ 0.199	≤ 0.022	1.41	1.41	≤ 0.020	0.418	0.204	≤ 0.031
		RG_REX_RBT-M-05	22.5	3.76	≤ 0.024	0.509	0.048	≤ 0.064	≤ 4.21	≤ 0.009	≤ 0.199	0.041	2.25	2.25	≤ 0.020	0.558	0.095	≤ 0.031
Westslope Cutthroat Trout	May	Rexford-WCT-01	21.0	4.53	≤ 0.026	0.215	0.103	≤ 0.068	≤ 4.45	≤ 0.009	≤ 0.211	0.033	1.39	17.9	0.023	0.350	0.166	≤ 0.019
Yellow Perch	May	Rexford-YP-01	17.4	6.05	≤ 0.057	0.081	0.296	≤ 0.151	≤ 9.90	≤ 0.021	≤ 0.469	≤ 0.052	0.831	10.3	≤ 0.047	0.482	0.0145	≤ 0.042
		Rexford-YP-02	20.2	6.61	≤ 0.026	0.022	0.238	≤ 0.069	≤ 4.52	≤ 0.010	≤ 0.214	≤ 0.024	1.63	12.8	≤ 0.021	0.676	0.776	≤ 0.019
		Rexford-YP-03	17.8	5.70	≤ 0.049	0.071	0.191	≤ 0.130	≤ 8.50	≤ 0.018	≤ 0.403	≤ 0.045	0.793	10.1	≤ 0.040	0.545	0.948	≤ 0.036
		Rexford-YP-04	19.0	7.06	≤ 0.053	0.098	0.209	≤ 0.140	≤ 9.18	≤ 0.019	≤ 0.435	≤ 0.048	0.643	9.9	≤ 0.043	0.503	0.610	≤ 0.039

Notes: BT = Bull Trout, CSU = Largescale Sucker, KO = Kokanee, MWF = Mountain Whitefish, NSC = Northern Pike/minnow, PCC = Peamouth Chub, RSC = Redside Shiner, RBT = Rainbow Trout, WCT = Westslope Cutthroat Trout, YP = Yellow Perch, "-" indicates no data available.

Table F.6: Metal Concentrations ($\mu\text{g/g}$ dry weight) in Fish Muscle Collected at Rexford Area, 2019

Species	Month	Sample ID	Nickel	Selenium	Silver	Strontium	Thallium	Tin	Titanium	Uranium	Vanadium	Zinc
			$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$
Bull Trout	May	Rexford-BT-01	≤ 0.049	2.16	≤ 0.0060	≤ 0.114	0.082	0.061	0.077	≤ 0.00040	≤ 0.016	14.0
		Rexford-BT-02	≤ 0.049	1.65	≤ 0.0060	≤ 0.114	0.073	0.049	0.057	≤ 0.00040	≤ 0.016	13.2
		Rexford-BT-03	≤ 0.084	1.72	≤ 0.010	0.338	0.102	0.072	0.099	≤ 0.00070	≤ 0.027	22.4
		Rexford-BT-04	1.17	1.55	≤ 0.0050	≤ 0.102	0.075	0.049	0.065	≤ 0.00040	≤ 0.016	12.5
		Rexford-BT-05	≤ 0.045	1.74	≤ 0.0050	0.135	0.054	0.043	0.127	≤ 0.00040	≤ 0.014	15.5
		Rexford-BT-06	≤ 0.052	1.67	≤ 0.0060	≤ 0.122	0.154	0.050	0.062	≤ 0.00040	≤ 0.017	15.0
		Rexford-BT-07	≤ 0.050	1.82	≤ 0.0060	≤ 0.115	0.083	0.090	0.066	0.0030	≤ 0.016	11.5
		Rexford-BT-08	≤ 0.056	1.40	≤ 0.0070	0.200	0.091	0.056	0.046	≤ 0.00040	≤ 0.018	16.5
Largescale Sucker	May	Rexford-CSU-01	≤ 0.060	4.08	0.020	0.299	0.033	≤ 0.033	0.098	≤ 0.00050	≤ 0.019	23.8
		Rexford-CSU-02	≤ 0.056	3.71	≤ 0.0070	1.92	0.019	≤ 0.031	0.086	≤ 0.00040	≤ 0.018	27.2
		Rexford-CSU-03	≤ 0.061	4.99	≤ 0.0070	0.258	≤ 0.017	≤ 0.034	0.078	0.0010	≤ 0.020	27.8
		Rexford-CSU-04	≤ 0.062	3.63	≤ 0.0070	0.912	0.030	≤ 0.035	0.094	0.0040	≤ 0.020	23.6
		Rexford-CSU-05	≤ 0.061	4.09	≤ 0.0070	0.368	0.020	≤ 0.034	0.110	0.0010	≤ 0.020	28.1
		Rexford-CSU-06	≤ 0.054	4.86	≤ 0.0060	1.32	0.016	≤ 0.030	0.141	≤ 0.00040	≤ 0.017	20.9
		Rexford-CSU-07	0.066	4.46	≤ 0.0070	1.81	0.031	≤ 0.035	0.272	0.0020	0.025	27.2
		Rexford-CSU-08	≤ 0.063	1.84	≤ 0.0080	1.42	≤ 0.018	≤ 0.035	0.112	≤ 0.00050	≤ 0.020	27.5
	September	RG_REX_CSU-M-01	≤ 0.064	3.81	≤ 0.0080	5.25	≤ 0.018	0.067	0.113	0.0020	≤ 0.020	34.1
		RG_REX_CSU-M-02	≤ 0.068	2.54	≤ 0.0080	2.96	≤ 0.019	0.072	0.077	0.00060	≤ 0.022	20.6
		RG_REX_CSU-M-03	≤ 0.072	2.92	≤ 0.0090	2.33	0.028	0.099	0.072	0.0010	≤ 0.023	25.3
		RG_REX_CSU-M-04	≤ 0.075	4.41	≤ 0.0090	0.525	0.027	0.120	0.078	≤ 0.00060	≤ 0.024	26.7
		RG_REX_CSU-M-05	≤ 0.069	2.96	≤ 0.0080	0.636	≤ 0.019	0.131	0.073	≤ 0.00060	≤ 0.022	19.3
		RG_REX_CSU-M-06	≤ 0.069	5.27	≤ 0.0080	2.81	≤ 0.019	0.061	0.181	0.00080	≤ 0.022	21.0
RG_REX_CSU-M-07		≤ 0.064	5.39	≤ 0.0080	1.17	0.021	≤ 0.036	0.104	≤ 0.00050	≤ 0.021	26.1	
Kokanee	May	Rexford-KO-01	≤ 0.081	1.65	≤ 0.010	0.262	0.081	≤ 0.045	0.069	≤ 0.00060	≤ 0.026	11.8
		Rexford-KO-02	≤ 0.100	2.00	≤ 0.012	0.775	0.131	≤ 0.056	0.182	≤ 0.00080	≤ 0.032	18.2
		Rexford-KO-03	≤ 0.082	1.81	≤ 0.010	0.352	0.101	≤ 0.046	0.199	0.0010	≤ 0.026	20.4
		Rexford-KO-04	≤ 0.104	2.10	≤ 0.012	0.474	0.086	≤ 0.058	0.113	0.0020	≤ 0.033	23.6
		Rexford-KO-05	≤ 0.112	1.66	≤ 0.013	0.709	0.081	≤ 0.063	0.141	0.0030	≤ 0.036	16.8
		Rexford-KO-06	≤ 0.056	0.749	≤ 0.007	0.196	0.044	≤ 0.031	0.076	≤ 0.00040	≤ 0.018	7.34
		Rexford-KO-07	≤ 0.060	1.20	≤ 0.007	0.366	0.063	≤ 0.034	0.077	0.0010	≤ 0.019	15.8
	September	RG_REX_KO-M-01	0.117	1.93	≤ 1.60	0.339	0.076	≤ 0.026	0.085	0.00090	≤ 0.049	18.4
		RG_REX_KO-M-02	≤ 0.066	2.00	≤ 0.0080	0.292	0.100	≤ 0.037	0.079	0.00070	≤ 0.021	27.0
		RG_REX_KO-M-03	≤ 0.058	1.90	≤ 0.0070	≤ 0.134	0.081	≤ 0.032	0.043	≤ 0.00050	≤ 0.018	≤ 17.4
		RG_REX_KO-M-04	≤ 0.066	1.93	≤ 0.0080	0.834	0.092	≤ 0.037	0.057	≤ 0.00050	≤ 0.021	25.1
		RG_REX_KO-M-05	≤ 0.054	2.03	≤ 0.0070	0.260	0.087	≤ 0.030	0.045	≤ 0.00040	≤ 0.017	17.2
		RG_REX_KO-M-06	≤ 0.057	1.85	≤ 0.0070	0.149	0.090	≤ 0.032	0.062	≤ 0.00050	≤ 0.018	20.8
		RG_REX_KO-M-07	≤ 0.058	2.07	≤ 0.0070	0.501	0.083	≤ 0.032	0.043	≤ 0.00050	≤ 0.018	17.7
RG_REX_KO-M-08	≤ 0.063	1.96	≤ 0.0080	≤ 0.146	0.077	≤ 0.035	0.042	≤ 0.00050	≤ 0.020	32.7		
Mountain Whitefish	May	Rexford-MF-01	≤ 0.054	3.19	≤ 0.0060	0.586	0.108	≤ 0.030	0.066	≤ 0.0010	≤ 0.017	14.4
		Rexford-MF-02	≤ 0.116	2.41	≤ 0.014	≤ 0.270	0.079	0.071	0.104	≤ 0.0009	≤ 0.037	13.9
Northern Pikeminnow	May	Rexford-NSC-01	≤ 0.054	1.65	≤ 0.0070	0.261	0.021	0.060	0.077	0.0008	≤ 0.017	18.0
		Rexford-NSC-02	≤ 0.050	1.03	≤ 0.0060	0.352	0.018	0.063	0.101	0.0008	≤ 0.016	22.3
		Rexford-NSC-03	≤ 0.064	1.50	≤ 0.0080	0.565	0.050	0.108	0.085	0.0040	≤ 0.021	33.4
		Rexford-NSC-04	0.214	1.17	≤ 0.0080	0.256	0.022	0.059	0.081	≤ 0.0005	≤ 0.020	16.2
		Rexford-NSC-05	≤ 0.053	1.05	≤ 0.0060	0.393	0.019	0.053	0.069	0.0010	≤ 0.017	12.9
		Rexford-NSC-06	≤ 0.054	1.43	≤ 0.0070	1.95	0.054	0.052	0.059	0.0010	≤ 0.017	21.9
		Rexford-NSC-07	≤ 0.055	1.32	≤ 0.0070	0.275	0.024	0.055	0.062	0.0030	≤ 0.018	18.0
		Rexford-NSC-08	0.212	1.39	≤ 0.0080	0.674	0.066	0.079	0.104	0.0010	0.028	22.5
		Rexford-NSC-09	≤ 0.045	0.803	≤ 0.0050	0.147	0.024	0.062	0.116	≤ 0.0004	0.020	17.4
		Rexford-NSC-10	≤ 0.050	1.11	≤ 0.0060	0.228	0.021	0.061	0.080	≤ 0.0004	≤ 0.016	15.2

Table F.6: Metal Concentrations (µg/g dry weight) in Fish Muscle Collected at Rexford Area, 2019

Species	Month	Sample ID	Nickel	Selenium	Silver	Strontium	Thallium	Tin	Titanium	Uranium	Vanadium	Zinc
			µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw
Northern Pike minnow	May	Rexford-NSC-11	≤ 0.062	1.56	≤ 0.0070	0.288	0.073	≤ 0.034	0.095	≤ 0.0005	≤ 0.020	21.7
		Rexford-NSC-12	≤ 0.058	1.04	≤ 0.0070	0.335	0.023	≤ 0.032	0.082	≤ 0.0005	≤ 0.019	16.4
		Rexford-NSC-13	≤ 0.052	1.03	≤ 0.0060	2.48	0.045	≤ 0.029	0.064	0.0020	≤ 0.017	21.1
		Rexford-NSC-14	≤ 0.048	0.930	≤ 0.0060	0.241	0.020	≤ 0.027	0.061	0.0007	≤ 0.015	13.9
		Rexford-NSC-15	≤ 0.044	0.925	≤ 0.0050	0.225	≤ 0.012	≤ 0.025	0.061	0.0040	≤ 0.014	15.0
	September	RG_REX_NSC-M-01	≤ 0.066	3.01	≤ 0.0080	1.63	≤ 0.018	≤ 0.037	0.083	0.0030	≤ 0.021	23.7
		RG_REX_NSC-M-02	≤ 0.068	1.79	≤ 0.0080	2.49	≤ 0.019	≤ 0.038	0.064	≤ 0.00050	≤ 0.022	26.9
		RG_REX_NSC-M-03	≤ 0.067	2.50	≤ 0.0080	5.14	≤ 0.019	≤ 0.038	0.076	0.0010	≤ 0.021	30.5
		RG_REX_NSC-M-04	≤ 0.065	2.24	≤ 0.0080	5.58	≤ 0.018	≤ 0.036	0.090	0.00060	≤ 0.021	31.3
		RG_REX_NSC-M-05	≤ 0.062	1.75	≤ 0.0070	1.66	≤ 0.017	≤ 0.035	0.078	≤ 0.00050	≤ 0.020	21.1
		RG_REX_NSC-M-06	≤ 0.063	1.73	≤ 0.0080	7.14	≤ 0.018	≤ 0.035	0.075	0.0020	≤ 0.020	30.8
		RG_REX_NSC-M-07	≤ 0.063	1.87	≤ 0.0080	0.382	≤ 0.018	≤ 0.035	0.087	≤ 0.00050	≤ 0.020	21.2
		RG_REX_NSC-M-08	≤ 0.058	1.53	≤ 0.0070	0.448	≤ 0.016	≤ 0.033	0.069	≤ 0.00050	≤ 0.019	14.5
Peamouth Chub	May	Rexford-PCC-01	≤ 0.110	2.23	≤ 0.013	5.77	≤ 0.031	≤ 0.061	0.172	0.0020	≤ 0.035	21.2
		Rexford-PCC-02	≤ 0.165	2.38	≤ 0.020	0.921	≤ 0.046	≤ 0.092	0.244	0.0030	≤ 0.053	30.3
		Rexford-PCC-03	≤ 0.106	1.91	≤ 0.013	2.89	≤ 0.034	≤ 0.059	1.62	0.0080	≤ 0.034	45.7
		Rexford-PCC-04	≤ 0.117	3.38	≤ 0.014	1.34	≤ 0.033	≤ 0.066	0.175	≤ 0.0009	≤ 0.038	22.0
		Rexford-PCC-05	≤ 0.113	1.96	≤ 0.014	1.5	≤ 0.032	≤ 0.063	0.157	0.0020	≤ 0.036	19.7
		Rexford-PCC-06	≤ 0.120	2.05	≤ 0.014	1.28	≤ 0.033	≤ 0.067	0.256	0.0040	≤ 0.038	32.1
		Rexford-PCC-07	≤ 0.122	2.19	≤ 0.015	5.89	≤ 0.034	≤ 0.068	0.206	≤ 0.0010	≤ 0.039	36.0
		Rexford-PCC-08	≤ 0.021	0.332	≤ 0.0030	0.126	≤ 0.006	≤ 0.012	0.023	0.0010	≤ 0.0070	3.36
	September	RG_REX_PCC-M-01	0.080	2.28	≤ 0.0080	3.44	≤ 0.018	≤ 0.037	0.158	0.0010	≤ 0.021	23.5
		RG_REX_PCC-M-02	≤ 0.067	2.31	≤ 0.0080	2.36	≤ 0.019	≤ 0.038	0.085	0.0020	≤ 0.022	32.5
		RG_REX_PCC-M-03	≤ 0.064	2.10	≤ 0.0080	4.31	≤ 0.018	≤ 0.036	0.099	0.0010	≤ 0.020	28.8
		RG_REX_PCC-M-04	≤ 0.066	3.25	≤ 0.0080	5.40	≤ 0.019	≤ 0.037	0.084	0.0020	≤ 0.021	34.7
		RG_REX_PCC-M-05	≤ 0.070	2.12	≤ 0.0080	3.02	≤ 0.020	≤ 0.039	0.073	0.0010	≤ 0.022	38.4
		RG_REX_PCC-M-06	≤ 0.057	2.83	≤ 0.0070	3.94	≤ 0.016	≤ 0.032	0.090	0.0010	≤ 0.018	31.2
		RG_REX_PCC-M-07	≤ 0.067	2.17	≤ 0.0080	5.94	≤ 0.019	≤ 0.038	0.098	0.0010	0.023	30.3
		RG_REX_PCC-M-08	≤ 0.069	3.67	≤ 0.0080	1.92	≤ 0.019	≤ 0.038	0.069	0.0007	≤ 0.022	33.5
Redside Shiner	May	Rexford-RSC-01	0.188	2.46	≤ 0.013	1.82	≤ 0.029	≤ 0.059	0.713	0.0020	≤ 0.034	71.4
		Rexford-RSC-02	1.54	2.19	≤ 0.010	1.74	0.027	≤ 0.048	0.384	0.0020	≤ 0.027	77.8
		Rexford-RSC-03	≤ 0.105	2.95	≤ 0.013	3.38	≤ 0.029	≤ 0.059	0.832	0.0070	≤ 0.034	108
		Rexford-RSC-04	≤ 0.135	1.98	≤ 0.016	1.50	≤ 0.038	≤ 0.076	0.394	≤ 0.0010	≤ 0.043	33.8
		Rexford-RSC-05	≤ 0.113	1.94	≤ 0.014	0.953	≤ 0.032	≤ 0.063	0.270	0.0030	≤ 0.036	43.5
		Rexford-RSC-06	0.400	2.39	≤ 0.016	1.99	≤ 0.036	≤ 0.073	0.789	0.0220	0.052	86.5
		Rexford-RSC-07	≤ 0.027	0.615	≤ 0.0030	0.728	≤ 0.008	≤ 0.015	0.094	≤ 0.0002	≤ 0.009	18.5
		Rexford-RSC-08	0.222	2.76	≤ 0.013	2.01	≤ 0.030	≤ 0.060	0.380	0.0030	≤ 0.034	111
Rainbow Trout	September	RG_REX_RBT-M-01	≤ 0.055	1.75	≤ 0.0070	0.197	0.025	≤ 0.031	0.04	≤ 0.00040	≤ 0.017	19.9
		RG_REX_RBT-M-02	≤ 0.070	1.61	≤ 0.0080	0.344	0.053	≤ 0.039	0.06	0.0040	≤ 0.022	21.8
		RG_REX_RBT-M-03	≤ 0.053	2.63	≤ 0.0060	0.150	0.017	≤ 0.030	0.04	≤ 0.00040	≤ 0.017	17.4
		RG_REX_RBT-M-04	≤ 0.055	1.55	≤ 0.0070	0.645	0.018	≤ 0.031	0.08	0.00080	≤ 0.018	18.9
		RG_REX_RBT-M-05	≤ 0.055	1.32	≤ 0.0070	≤ 0.128	≤ 0.016	0.032	0.04	≤ 0.00040	≤ 0.018	20.5
Westslope Cutthroat Trout	May	Rexford-WCT-01	≤ 0.059	7.43	≤ 0.0070	0.328	0.026	≤ 0.033	0.082	0.00090	≤ 0.019	15.2
Yellow Perch	May	Rexford-YP-01	≤ 0.13	1.32	≤ 0.016	≤ 0.302	0.058	≤ 0.073	0.171	≤ 0.0010	≤ 0.042	24.8
		Rexford-YP-02	≤ 0.060	3.12	≤ 0.0070	0.740	0.043	0.035	0.130	≤ 0.0010	≤ 0.019	23.8
		Rexford-YP-03	≤ 0.112	3.34	≤ 0.013	≤ 0.260	0.054	≤ 0.063	0.112	0.0020	≤ 0.036	20.5
		Rexford-YP-04	≤ 0.121	2.72	≤ 0.014	≤ 0.280	0.036	≤ 0.068	0.145	≤ 0.0010	≤ 0.039	22.5

Notes: BT = Bull Trout, CSU = Largescale Sucker, KO = Kokanee, MWF = Mountain Whitefish, NSC = Northern Pike minnow, PCC = Peamouth Chub, RSC = Redside Shiner, RBT = Rainbow Trout, WCT = Westslope Cutthroat Trout, YP = Yellow Perch, "-" indicates no data available.

Table F.7: Metal Concentrations (µg/g dry weight) in Fish Ovaries Collected at Rexford Area, 2019

Species	Month	Sample ID	Total Solids	Aluminum	Antimony	Arsenic	Barium	Beryllium	Boron	Cadmium	Chromium	Cobalt	Copper	Iron	Lead	Manganese
			%	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw
Largescale Sucker	May	Rexford-CSU-01	35.1	1.35	≤ 0.015	0.172	1.34	≤ 0.04	≤ 2.63	0.011	≤ 0.125	0.124	4.13	44.2	≤ 0.012	7.22
		Rexford-CSU-02	32.0	1.28	≤ 0.017	0.185	0.648	≤ 0.044	≤ 2.9	0.029	≤ 0.137	0.122	6.88	59	≤ 0.014	20.0
		Rexford-CSU-03	35.2	1.82	≤ 0.013	0.129	0.798	≤ 0.034	≤ 2.23	0.015	≤ 0.106	0.144	3.72	44.8	≤ 0.011	12.2
		Rexford-CSU-04	33.6	1.35	≤ 0.016	0.213	0.820	≤ 0.042	≤ 2.74	0.017	≤ 0.130	0.175	4.26	64.7	≤ 0.013	19.8
		Rexford-CSU-05	18.9	34.3	≤ 0.055	0.280	5.19	≤ 0.144	≤ 9.43	0.719	≤ 0.447	0.243	39.9	278	0.172	12.0
		Rexford-CSU-06	36.0	3.44	≤ 0.014	0.246	0.687	≤ 0.037	≤ 2.44	0.020	≤ 0.116	0.218	4.27	41.4	≤ 0.012	11.2
		Rexford-CSU-07	36.0	4.15	≤ 0.013	0.224	1.070	≤ 0.035	≤ 2.31	0.018	≤ 0.110	0.155	5.03	41.1	0.016	13.4
		Rexford-CSU-08	37.7	1.40	≤ 0.013	0.092	0.670	≤ 0.034	≤ 2.23	≤ 0.005	≤ 0.106	0.075	2.61	24.6	≤ 0.011	8.32
Northern Pikeminnow	May	Rexford-NSC-01	27.6	3.27	≤ 0.018	0.129	0.139	≤ 0.049	≤ 3.18	0.018	≤ 0.151	0.054	3.31	166	0.017	1.70
		Rexford-NSC-02	27.1	1.31	≤ 0.020	0.115	0.112	≤ 0.053	≤ 3.44	≤ 0.007	≤ 0.163	0.040	3.36	68.2	≤ 0.016	1.06
		Rexford-NSC-03	24.3	3.14	≤ 0.041	0.225	0.153	≤ 0.109	≤ 7.14	≤ 0.015	≤ 0.338	≤ 0.038	3.79	133	0.045	1.42
		Rexford-NSC-04	31.4	1.39	≤ 0.016	0.146	0.112	≤ 0.043	≤ 2.79	≤ 0.006	≤ 0.132	0.035	3.25	58.7	≤ 0.013	0.805
		Rexford-NSC-05	24.4	1.39	≤ 0.019	0.168	0.096	≤ 0.049	≤ 3.20	≤ 0.007	≤ 0.152	0.036	3.01	67.5	≤ 0.015	0.616
		Rexford-NSC-06	24.7	2.33	≤ 0.022	0.137	0.076	≤ 0.057	≤ 3.74	0.011	≤ 0.177	0.034	2.99	178	0.029	1.28
		Rexford-NSC-07	24.9	3.45	≤ 0.021	0.316	0.145	≤ 0.056	≤ 3.66	0.009	≤ 0.173	0.034	3.27	122	≤ 0.017	2.14
		Rexford-NSC-08	22.1	4.06	≤ 0.046	0.154	0.264	≤ 0.122	≤ 8.01	≤ 0.017	≤ 0.379	0.048	3.54	131	≤ 0.038	1.57
		Rexford-NSC-09	26.1	2.25	≤ 0.018	0.268	0.108	≤ 0.049	≤ 3.19	≤ 0.007	≤ 0.151	0.037	3.51	82.6	≤ 0.015	2.40
		Rexford-NSC-10	25.4	3.00	≤ 0.020	0.117	0.096	≤ 0.053	≤ 3.49	≤ 0.007	≤ 0.165	0.033	2.84	118	≤ 0.017	1.21
		Rexford-NSC-11	18.6	8.67	≤ 0.027	0.264	0.226	≤ 0.071	≤ 4.67	0.014	≤ 0.221	0.049	3.79	180	0.039	1.77
		Rexford-NSC-12	21.1	7.04	≤ 0.026	0.179	0.187	≤ 0.069	≤ 4.51	0.012	≤ 0.214	0.042	3.90	137	0.031	2.09
		Rexford-NSC-13	23.7	4.19	≤ 0.023	0.183	0.090	≤ 0.061	≤ 3.99	≤ 0.008	≤ 0.189	0.045	3.39	122	≤ 0.019	4.01
		Rexford-NSC-14	29.5	2.15	≤ 0.018	0.211	0.124	≤ 0.047	≤ 3.05	≤ 0.006	≤ 0.144	0.038	2.99	67.7	≤ 0.014	1.00
		Rexford-NSC-15	24.6	1.86	≤ 0.022	0.110	0.073	≤ 0.057	≤ 3.76	≤ 0.008	≤ 0.178	0.044	3.62	69.3	≤ 0.018	1.37
Peamouth Chub	May	Rexford-PCC-01	35.4	5.4	≤ 0.030	0.263	0.586	≤ 0.078	≤ 5.1	0.013	≤ 0.241	0.054	3.23	53.7	≤ 0.024	7.38
		Rexford-PCC-02	38.3	4.62	≤ 0.014	0.162	0.549	≤ 0.037	≤ 2.42	0.011	≤ 0.114	0.053	3.55	54.6	≤ 0.011	4.28
		Rexford-PCC-03	38.1	1.17	≤ 0.013	0.182	0.552	≤ 0.033	≤ 2.17	0.010	≤ 0.103	0.057	3.79	45.5	≤ 0.010	3.98
		Rexford-PCC-04	34.9	2.55	≤ 0.026	0.147	1.14	≤ 0.069	≤ 4.50	0.021	≤ 0.213	0.085	2.81	59.7	≤ 0.021	7.48
		Rexford-PCC-05	32.4	13.3	≤ 0.031	0.348	1.70	≤ 0.083	≤ 5.44	0.023	≤ 0.257	0.060	4.15	90.1	0.031	10.0
		Rexford-PCC-06	33.4	3.11	≤ 0.028	0.200	0.701	≤ 0.075	≤ 4.91	≤ 0.010	≤ 0.232	0.070	3.25	72.2	0.030	6.13
		Rexford-PCC-07	32.5	7.22	≤ 0.032	0.331	0.766	≤ 0.085	≤ 5.57	≤ 0.012	≤ 0.264	0.058	4.02	63.9	≤ 0.026	6.33
		Rexford-PCC-08	38.8	1.22	≤ 0.012	0.163	0.721	≤ 0.032	≤ 2.09	0.008	≤ 0.099	0.050	3.37	47.0	≤ 0.01	4.42
Redside Shiner	May	Rexford-RSC-01	27.0	8.57	≤ 0.039	0.279	1.08	≤ 0.102	≤ 6.66	0.068	≤ 0.316	0.077	5.95	95.5	0.042	10.1
		Rexford-RSC-02	39.9	16.2	≤ 0.026	0.154	0.739	≤ 0.068	≤ 4.47	0.032	≤ 0.212	0.079	5.48	155	0.087	10.7
		Rexford-RSC-03	-	2.09	≤ 0.011	0.077	0.406	≤ 0.028	≤ 1.85	0.016	≤ 0.088	0.032	1.61	38.6	0.013	4.43
		Rexford-RSC-04	29.2	9.75	≤ 0.037	0.154	1.00	≤ 0.098	≤ 6.45	0.020	≤ 0.306	0.089	5.66	128	0.064	6.20
		Rexford-RSC-05	-	4.31	≤ 0.011	0.094	0.265	≤ 0.028	≤ 1.86	0.011	≤ 0.088	0.029	2.68	52.7	0.024	3.20
		Rexford-RSC-06	-	2.96	≤ 0.066	0.112	0.528	≤ 0.175	≤ 11.4	0.149	≤ 0.542	≤ 0.060	1.58	31.2	≤ 0.054	4.00
		Rexford-RSC-07	-	2.62	≤ 0.023	0.117	0.692	≤ 0.061	≤ 4.03	0.027	≤ 0.191	0.040	2.35	53.0	0.034	5.26
		Rexford-RSC-08	-	1.49	≤ 0.026	0.067	0.406	≤ 0.067	≤ 4.42	0.032	≤ 0.209	0.027	2.23	39.9	≤ 0.021	1.92
Westslope Cutthroat Trout	May	Rexford-WCT-01	40.1	0.800	≤ 0.012	0.241	0.543	≤ 0.031	≤ 2.00	0.005	≤ 0.095	0.139	7.77	50.8	≤ 0.009	1.54

Table F.7: Metal Concentrations ($\mu\text{g/g}$ dry weight) in Fish Ovaries Collected at Rexford Area, 2019

Species	Month	Sample ID	Total Solids	Aluminum	Antimony	Arsenic	Barium	Beryllium	Boron	Cadmium	Chromium	Cobalt	Copper	Iron	Lead	Manganese
			%	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$	$\mu\text{g/g dw}$
Yellow Perch	May	Rexford-YP-01	17.0	\leq 1.17	\leq 0.030	0.045	0.247	\leq 0.079	\leq 5.18	\leq 0.011	\leq 0.246	0.030	2.80	30.3	\leq 0.025	1.95
		Rexford-YP-03	14.4	16.5	\leq 0.060	0.122	0.208	\leq 0.157	\leq 10.3	\leq 0.022	\leq 0.487	0.068	3.27	73.2	\leq 0.049	1.28
Kokanee	September	RG_REX_KO-O-01	38.5	1.35	\leq 0.014	0.017	0.222	\leq 0.037	\leq 2.43	\leq 0.005	\leq 0.115	\leq 0.013	0.778	7.89	\leq 0.011	0.222
		RG_REX_KO-O-02	37.7	1.28	\leq 0.015	0.113	0.414	\leq 0.038	\leq 2.52	\leq 0.005	\leq 0.119	0.042	31.3	31.2	\leq 0.012	1.99
		RG_REX_KO-O-03	39.7	1.82	\leq 0.014	0.133	0.422	\leq 0.036	\leq 2.39	\leq 0.005	\leq 0.113	0.042	31.2	46.9	\leq 0.011	2.70
		RG_REX_KO-O-04	38.1	1.35	\leq 0.014	0.025	0.345	\leq 0.038	\leq 2.47	\leq 0.005	\leq 0.117	\leq 0.013	0.789	7.83	\leq 0.012	0.365
		RG_REX_KO-O-05	40.3	34.3	\leq 0.013	0.187	0.392	\leq 0.035	\leq 2.30	0.036	\leq 0.109	0.090	36.1	62.9	\leq 0.011	3.35
		RG_REX_KO-O-06	39.9	3.44	\leq 0.014	0.199	0.481	\leq 0.036	\leq 2.34	0.010	\leq 0.111	0.063	29.9	59.8	\leq 0.011	2.79
		RG_REX_KO-O-07	41.3	4.15	\leq 0.013	0.170	0.345	\leq 0.035	\leq 2.29	0.009	\leq 0.108	0.055	33.1	58.1	\leq 0.011	2.11
		RG_REX_KO-O-08	39.2	1.40	\leq 0.014	0.128	0.338	\leq 0.036	\leq 2.34	\leq 0.005	\leq 0.111	0.041	25.6	40.4	\leq 0.011	2.71

Note: CSU = Largescale Sucker, NSC = Northern Pikeminnow, PCC = Peamouth Chub, RSC = Redside Shiner, WCT = Westslope Cutthroat Trout, YP = Yellow Perch, KO = Kokanee, "-" indicates no data available.

Table F.7: Metal Concentrations (µg/g dry weight) in Fish Ovaries Collected at Rexford Area, 2019

Species	Month	Sample ID	Mercury	Molybdenum	Nickel	Selenium	Silver	Strontium	Thallium	Tin	Titanium	Uranium	Vanadium	Zinc
			µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw
Largescale Sucker	May	Rexford-CSU-01	0.0121	0.052	≤ 0.035	5.54	0.049	0.284	0.024	≤ 0.019	0.034	0.0010	≤ 0.011	76.6
		Rexford-CSU-02	0.0212	0.110	0.039	5.05	0.061	0.384	0.015	0.023	0.034	0.0020	≤ 0.012	97.1
		Rexford-CSU-03	0.0131	0.061	0.047	5.99	0.030	0.236	0.013	≤ 0.016	0.038	≤ 0.0002	≤ 0.009	84.5
		Rexford-CSU-04	0.0181	0.067	0.064	5.68	0.022	0.458	0.023	≤ 0.020	0.038	0.0010	≤ 0.012	94.5
		Rexford-CSU-05	-	0.075	0.202	5.97	0.106	10.5	0.039	≤ 0.070	0.560	0.0040	0.060	781
		Rexford-CSU-06	0.0116	0.076	0.065	5.56	0.035	0.278	0.010	≤ 0.018	0.053	0.0010	≤ 0.010	80.4
		Rexford-CSU-07	0.00936	0.057	0.048	5.07	0.065	0.291	0.013	≤ 0.017	0.058	0.0010	≤ 0.010	69.3
		Rexford-CSU-08	0.0144	0.039	≤ 0.029	2.49	0.034	0.212	≤ 0.008	≤ 0.016	0.029	0.0020	≤ 0.009	65.4
Northern Pikeminnow	May	Rexford-NSC-01	0.0782	0.117	≤ 0.042	3.89	≤ 0.005	0.383	0.056	0.048	0.072	0.0010	0.049	315
		Rexford-NSC-02	0.0817	0.118	≤ 0.045	2.45	0.007	0.335	0.028	0.048	0.043	≤ 0.0004	0.027	142
		Rexford-NSC-03	-	0.075	≤ 0.094	5.11	≤ 0.011	0.285	0.101	≤ 0.053	0.121	≤ 0.0008	≤ 0.030	434
		Rexford-NSC-04	0.0694	0.076	≤ 0.037	2.24	0.009	0.254	0.017	0.036	0.039	0.0020	0.022	125
		Rexford-NSC-05	0.169	0.140	≤ 0.042	1.81	0.007	0.374	0.032	0.046	0.045	0.0010	0.042	153
		Rexford-NSC-06	0.101	0.113	≤ 0.049	3.49	≤ 0.006	0.339	0.106	0.071	0.078	0.0020	0.053	320
		Rexford-NSC-07	0.0730	0.097	≤ 0.048	3.21	≤ 0.006	0.487	0.060	0.051	0.067	≤ 0.0004	≤ 0.015	295
		Rexford-NSC-08	-	0.110	≤ 0.105	3.5	≤ 0.013	0.611	0.128	≤ 0.059	0.138	0.0020	≤ 0.034	325
		Rexford-NSC-09	0.125	0.105	≤ 0.042	2.59	0.010	0.308	0.039	0.050	0.056	0.0020	0.033	153
		Rexford-NSC-10	0.114	0.098	≤ 0.046	1.99	0.009	0.428	0.033	≤ 0.026	0.057	0.0010	0.028	148
		Rexford-NSC-11	0.113	0.129	≤ 0.062	9.46	≤ 0.007	0.532	0.160	≤ 0.034	0.120	0.0030	≤ 0.020	370
		Rexford-NSC-12	0.0781	0.141	≤ 0.059	5.13	≤ 0.007	0.700	0.046	≤ 0.033	0.126	0.0030	0.040	269
		Rexford-NSC-13	0.0687	0.126	≤ 0.052	1.95	0.009	0.470	0.064	≤ 0.029	0.076	0.0030	0.040	205
		Rexford-NSC-14	0.0839	0.097	≤ 0.040	2.8	≤ 0.005	0.362	0.025	≤ 0.022	0.044	0.0010	0.031	141
		Rexford-NSC-15	0.170	0.102	≤ 0.050	2.2	0.009	0.328	≤ 0.014	≤ 0.028	0.043	≤ 0.0004	0.035	127
Peamouth Chub	May	Rexford-PCC-01	-	0.097	≤ 0.067	5.1	0.019	0.326	≤ 0.019	≤ 0.038	0.104	0.0010	≤ 0.021	74.5
		Rexford-PCC-02	0.0141	0.076	≤ 0.032	6.75	0.017	0.445	0.013	0.033	0.138	0.0040	0.023	84.8
		Rexford-PCC-03	0.0140	0.069	≤ 0.029	5.77	0.020	0.274	0.015	0.058	0.040	≤ 0.0006	≤ 0.009	76.1
		Rexford-PCC-04	≤ 0.00046	0.090	≤ 0.059	8.37	0.012	0.269	≤ 0.017	≤ 0.033	0.055	≤ 0.0005	≤ 0.019	77.2
		Rexford-PCC-05	-	0.124	≤ 0.072	7.5	0.017	0.483	≤ 0.020	≤ 0.040	0.259	0.0020	0.024	99.8
		Rexford-PCC-06	0.0230	0.122	≤ 0.065	9.57	0.019	0.655	≤ 0.018	≤ 0.036	0.056	0.0030	≤ 0.021	84
		Rexford-PCC-07	-	0.100	≤ 0.073	7.87	0.013	0.385	≤ 0.021	≤ 0.041	0.259	≤ 0.0006	≤ 0.023	86.7
		Rexford-PCC-08	0.0133	0.067	≤ 0.027	7.3	0.017	0.244	≤ 0.008	0.041	0.028	0.0030	≤ 0.009	76.7
Redside Shiner	May	Rexford-RSC-01	-	0.141	≤ 0.088	19.7	0.069	0.500	≤ 0.025	≤ 0.049	0.162	≤ 0.0007	≤ 0.028	153
		Rexford-RSC-02	-	0.170	≤ 0.059	16.5	0.025	0.584	0.047	0.052	0.353	0.0020	0.029	151
		Rexford-RSC-03	-	0.055	≤ 0.024	5.71	0.007	0.312	0.012	≤ 0.014	0.053	≤ 0.0002	≤ 0.008	56.3
		Rexford-RSC-04	-	0.133	≤ 0.085	12.4	0.033	0.711	0.039	≤ 0.048	0.212	0.0020	≤ 0.027	174
		Rexford-RSC-05	-	0.057	≤ 0.024	3.54	0.012	0.185	0.009	≤ 0.014	0.089	0.0004	≤ 0.008	51.1
		Rexford-RSC-06	-	≤ 0.048	≤ 0.151	3.55	≤ 0.018	0.921	≤ 0.042	≤ 0.084	0.191	≤ 0.0010	≤ 0.048	32.9
		Rexford-RSC-07	-	0.074	≤ 0.053	3.38	0.010	0.263	≤ 0.015	≤ 0.030	0.122	≤ 0.0004	≤ 0.017	92.4
		Rexford-RSC-08	-	0.046	≤ 0.058	3.83	0.013	0.385	≤ 0.016	≤ 0.033	0.082	≤ 0.0005	≤ 0.019	62.3
Westslope Cutthroat Trout	May	Rexford-WCT-01	0.0102	0.026	≤ 0.026	11.9	0.027	1.47	≤ 0.007	≤ 0.015	0.030	0.0008	≤ 0.008	90.6

Table F.7: Metal Concentrations (µg/g dry weight) in Fish Ovaries Collected at Rexford Area, 2019

Species	Month	Sample ID	Mercury	Molybdenum	Nickel	Selenium	Silver	Strontium	Thallium	Tin	Titanium	Uranium	Vanadium	Zinc
			µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw	µg/g dw
Yellow Perch	May	Rexford-YP-01	-	0.042	≤ 0.068	1.8	≤ 0.008	1.57	0.028	0.059	0.051	≤ 0.0010	≤ 0.022	81.7
		Rexford-YP-03	0.198	0.057	≤ 0.135	4.96	≤ 0.016	0.638	≤ 0.038	≤ 0.076	0.343	≤ 0.0010	≤ 0.043	151
Kokanee	September	RG_REX_KO-O-01	0.0127	≤ 0.018	≤ 0.032	1.42	≤ 0.004	0.590	≤ 0.009	≤ 0.018	0.040	0.0009	≤ 0.010	11.4
		RG_REX_KO-O-02	0.0135	0.038	≤ 0.033	4.12	0.122	1.90	≤ 0.009	≤ 0.019	0.042	0.0007	≤ 0.011	62.1
		RG_REX_KO-O-03	0.0212	0.022	≤ 0.031	3.65	0.074	1.82	≤ 0.009	≤ 0.018	0.036	0.0005	≤ 0.010	70.4
		RG_REX_KO-O-04	0.0205	≤ 0.018	≤ 0.033	1.09	≤ 0.004	1.40	≤ 0.009	≤ 0.018	0.046	≤ 0.0003	≤ 0.010	12.4
		RG_REX_KO-O-05	0.0195	0.028	≤ 0.03	5.40	0.128	1.71	0.031	≤ 0.017	0.041	0.0006	≤ 0.010	81.2
		RG_REX_KO-O-06	0.0232	0.047	≤ 0.031	3.90	0.130	1.71	≤ 0.009	≤ 0.017	0.036	0.0004	≤ 0.010	81.2
		RG_REX_KO-O-07	0.0257	0.056	≤ 0.03	4.20	0.114	1.66	≤ 0.008	≤ 0.017	0.033	0.0007	≤ 0.010	99.5
		RG_REX_KO-O-08	0.0145	0.041	≤ 0.031	4.29	0.109	1.80	≤ 0.009	≤ 0.017	0.035	0.0004	≤ 0.010	62.5

Note: CSU = Largescale Sucker, NSC = Northern Pikeminnow, PCC = Peamouth Chub, RSC = Redside Shiner, WCT = Westslope Cutthroat Trout, YP = Yellow Perch, KO = Kokanee, "-" indicates no data available.

Table F.8: Tissue Chemistry Results (Dry Weight) for Samples Collected at the Kikomun Creek Area, September 2019

Sample ID	Sample Type	Subject Taxonomic Name	Date	Analyte	Result	Units
RG_CAN_CSU_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	%M	80.27	%
RG_CAN_CSU_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	%M	73.72	%
RG_CAN_CSU_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	%M	81.32	%
RG_CAN_CSU_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	%M	80.44	%
RG_CAN_CSU_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	%M	81.14	%
RG_CAN_CSU_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	%M	83.15	%
RG_CAN_CSU_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	%M	81.33	%
RG_CAN_CSU_M-08_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	%M	80.8	%
RG_CAN_KO_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	81.99	%
RG_CAN_KO_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	81.24	%
RG_CAN_KO_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	81.33	%
RG_CAN_KO_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	80.11	%
RG_CAN_KO_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	78.07	%
RG_CAN_KO_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	77.49	%
RG_CAN_KO_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	79.16	%
RG_CAN_KO_M-08_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	78.92	%
RG_CAN_KO_M-DUP_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	80.26	%
RG_CAN_KO_O-01_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	65.32	%
RG_CAN_KO_O-02_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	59.98	%
RG_CAN_KO_O-03_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	62.44	%
RG_CAN_KO_O-04_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	59.57	%
RG_CAN_KO_O-05_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	65.03	%
RG_CAN_KO_O-06_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	62.19	%
RG_CAN_KO_O-07_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	60.08	%
RG_CAN_KO_O-08_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	59.01	%
RG_CAN_KO_O-DUP_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	%M	57.96	%
RG_CAN_MW_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	%M	78.63	%
RG_CAN_MW_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	%M	77.96	%
RG_CAN_MW_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	%M	77.96	%
RG_CAN_MW_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	%M	78	%
RG_CAN_MW_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	%M	78.44	%
RG_CAN_MW_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	%M	77.79	%
RG_CAN_MW_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	%M	77.73	%
RG_CAN_MW_M-DUP_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	%M	76.14	%
RG_CAN_MW_O-01_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	%M	65.16	%
RG_CAN_MW_O-02_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	%M	60.3	%
RG_CAN_MW_O-03_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	%M	56.02	%
RG_CAN_MW_O-04_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	%M	60.06	%
RG_CAN_MW_O-05_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	%M	58.27	%
RG_CAN_MW_O-06_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	%M	58.33	%
RG_CAN_MW_O-07_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	%M	58.7	%
RG_CAN_MW_O-DUP_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	%M	55.9	%
RG_CAN_NSC_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	%M	79.83	%
RG_CAN_NSC_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	%M	80.4	%
RG_CAN_NSC_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	%M	79.04	%
RG_CAN_NSC_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	%M	72.44	%
RG_CAN_NSC_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	%M	80.57	%
RG_CAN_NSC_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	%M	78.73	%
RG_CAN_NSC_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	%M	77.56	%
RG_CAN_NSC_M-08_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	%M	79.32	%
RG_CAN_NSC_M-DUP_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	%M	74.17	%
RG_CAN_PCC_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	%M	80.5	%
RG_CAN_PCC_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	%M	77.8	%
RG_CAN_PCC_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	%M	79.78	%
RG_CAN_PCC_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	%M	81.07	%
RG_CAN_PCC_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	%M	80.1	%
RG_CAN_PCC_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	%M	83.15	%
RG_CAN_PCC_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	%M	78.03	%
RG_CAN_PCC_M-08_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	%M	79.95	%
RG_CAN_PCC_M-DUP_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	%M	80.5	%
RG_CAN_RBT_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	%M	96.42	%
RG_CAN_RBT_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	%M	95.43	%
RG_CAN_RBT_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	%M	97.49	%
RG_CAN_RBT_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	%M	80.5	%
RG_CAN_RBT_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	%M	76.46	%
RG_CAN_RBT_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	%M	78.52	%
RG_CAN_RBT_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	%M	76.46	%
RG_CAN_RBT_M-08_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	%M	77.32	%
RG_CAN_RBT_M-DUP_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	%M	78.11	%
RG_CAN_YP_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Perca flavescens</i>	17-Sep-19	%M	78.43	%
RG_CAN_YP_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Perca flavescens</i>	17-Sep-19	%M	78.68	%

Table F.8: Tissue Chemistry Results (Dry Weight) for Samples Collected at the Kikomun Creek Area, September 2019

Sample ID	Sample Type	Subject Taxonomic Name	Date	Analyte	Result	Units
RG_CAN_CSU_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	Cu	1.4	µg/g dw
RG_CAN_CSU_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	Cu	1	µg/g dw
RG_CAN_CSU_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	Cu	0.71	µg/g dw
RG_CAN_CSU_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	Cu	1	µg/g dw
RG_CAN_CSU_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	Cu	2.7	µg/g dw
RG_CAN_CSU_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	Cu	1	µg/g dw
RG_CAN_CSU_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	Cu	0.56	µg/g dw
RG_CAN_CSU_M-08_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	Cu	0.76	µg/g dw
RG_CAN_KO_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	1.4	µg/g dw
RG_CAN_KO_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	1.2	µg/g dw
RG_CAN_KO_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	1.5	µg/g dw
RG_CAN_KO_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	1.9	µg/g dw
RG_CAN_KO_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	1.7	µg/g dw
RG_CAN_KO_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	2.3	µg/g dw
RG_CAN_KO_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	1.7	µg/g dw
RG_CAN_KO_M-08_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	2.4	µg/g dw
RG_CAN_KO_M-DUP_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	1.1	µg/g dw
RG_CAN_KO_O-01_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	23	µg/g dw
RG_CAN_KO_O-02_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	17	µg/g dw
RG_CAN_KO_O-03_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	30	µg/g dw
RG_CAN_KO_O-04_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	23	µg/g dw
RG_CAN_KO_O-05_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	26	µg/g dw
RG_CAN_KO_O-06_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	28	µg/g dw
RG_CAN_KO_O-07_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	33	µg/g dw
RG_CAN_KO_O-08_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	26	µg/g dw
RG_CAN_KO_O-DUP_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Cu	18	µg/g dw
RG_CAN_MW_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Cu	1.1	µg/g dw
RG_CAN_MW_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Cu	0.9	µg/g dw
RG_CAN_MW_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Cu	1.1	µg/g dw
RG_CAN_MW_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Cu	1.1	µg/g dw
RG_CAN_MW_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Cu	1	µg/g dw
RG_CAN_MW_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Cu	1	µg/g dw
RG_CAN_MW_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Cu	1.9	µg/g dw
RG_CAN_MW_M-DUP_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Cu	0.98	µg/g dw
RG_CAN_MW_O-01_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Cu	43	µg/g dw
RG_CAN_MW_O-02_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Cu	37	µg/g dw
RG_CAN_MW_O-03_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Cu	35	µg/g dw
RG_CAN_MW_O-04_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Cu	36	µg/g dw
RG_CAN_MW_O-05_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Cu	26	µg/g dw
RG_CAN_MW_O-06_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Cu	26	µg/g dw
RG_CAN_MW_O-07_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Cu	24	µg/g dw
RG_CAN_MW_O-DUP_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Cu	40	µg/g dw
RG_CAN_NSC_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Cu	0.86	µg/g dw
RG_CAN_NSC_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Cu	1.1	µg/g dw
RG_CAN_NSC_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Cu	1.1	µg/g dw
RG_CAN_NSC_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Cu	1.4	µg/g dw
RG_CAN_NSC_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Cu	0.85	µg/g dw
RG_CAN_NSC_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Cu	1	µg/g dw
RG_CAN_NSC_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Cu	0.84	µg/g dw
RG_CAN_NSC_M-08_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Cu	0.83	µg/g dw
RG_CAN_NSC_M-DUP_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Cu	0.79	µg/g dw
RG_CAN_PCC_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Cu	1	µg/g dw
RG_CAN_PCC_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Cu	1.5	µg/g dw
RG_CAN_PCC_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Cu	1.1	µg/g dw
RG_CAN_PCC_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Cu	1.2	µg/g dw
RG_CAN_PCC_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Cu	1	µg/g dw
RG_CAN_PCC_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Cu	0.7	µg/g dw
RG_CAN_PCC_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Cu	1.1	µg/g dw
RG_CAN_PCC_M-08_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Cu	1.6	µg/g dw
RG_CAN_PCC_M-DUP_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Cu	1.4	µg/g dw
RG_CAN_RBT_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Cu	1.9	µg/g dw
RG_CAN_RBT_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Cu	1.1	µg/g dw
RG_CAN_RBT_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Cu	1.8	µg/g dw
RG_CAN_RBT_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Cu	0.81	µg/g dw
RG_CAN_RBT_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Cu	1.4	µg/g dw
RG_CAN_RBT_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Cu	1.1	µg/g dw
RG_CAN_RBT_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Cu	0.99	µg/g dw
RG_CAN_RBT_M-08_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Cu	0.9	µg/g dw
RG_CAN_RBT_M-DUP_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Cu	1.3	µg/g dw
RG_CAN_YP_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Perca flavescens</i>	17-Sep-19	Cu	0.66	µg/g dw
RG_CAN_YP_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Perca flavescens</i>	17-Sep-19	Cu	0.57	µg/g dw

Table F.8: Tissue Chemistry Results (Dry Weight) for Samples Collected at the Kikomun Creek Area, September 2019

Sample ID	Sample Type	Subject Taxonomic Name	Date	Analyte	Result	Units
RG_CAN_CSU_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	Sr	0.73	µg/g dw
RG_CAN_CSU_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	Sr	0.22	µg/g dw
RG_CAN_CSU_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	Sr	2	µg/g dw
RG_CAN_CSU_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	Sr	0.65	µg/g dw
RG_CAN_CSU_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	Sr	0.24	µg/g dw
RG_CAN_CSU_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	Sr	0.77	µg/g dw
RG_CAN_CSU_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	Sr	1.6	µg/g dw
RG_CAN_CSU_M-08_2019-09-17	Fish Muscle/Muscle Tissue	<i>Catostomus macrocheilus</i>	17-Sep-19	Sr	3.2	µg/g dw
RG_CAN_KO_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	1.3	µg/g dw
RG_CAN_KO_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	0.8	µg/g dw
RG_CAN_KO_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	0.4	µg/g dw
RG_CAN_KO_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	0.2	µg/g dw
RG_CAN_KO_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	1.6	µg/g dw
RG_CAN_KO_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	0.58	µg/g dw
RG_CAN_KO_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	0.51	µg/g dw
RG_CAN_KO_M-08_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	0.27	µg/g dw
RG_CAN_KO_M-DUP_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	0.81	µg/g dw
RG_CAN_KO_O-01_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	1.7	µg/g dw
RG_CAN_KO_O-02_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	1.5	µg/g dw
RG_CAN_KO_O-03_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	1.6	µg/g dw
RG_CAN_KO_O-04_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	1.4	µg/g dw
RG_CAN_KO_O-05_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	2.2	µg/g dw
RG_CAN_KO_O-06_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	1.8	µg/g dw
RG_CAN_KO_O-07_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	2.1	µg/g dw
RG_CAN_KO_O-08_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	2	µg/g dw
RG_CAN_KO_O-DUP_2019-09-17	Fish Ovary/Ovary Tissue	<i>Oncorhynchus nerka</i>	17-Sep-19	Sr	1.6	µg/g dw
RG_CAN_MW_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Sr	0.42	µg/g dw
RG_CAN_MW_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Sr	0.26	µg/g dw
RG_CAN_MW_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Sr	0.51	µg/g dw
RG_CAN_MW_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Sr	0.21	µg/g dw
RG_CAN_MW_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Sr	0.67	µg/g dw
RG_CAN_MW_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Sr	0.82	µg/g dw
RG_CAN_MW_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Sr	0.33	µg/g dw
RG_CAN_MW_M-DUP_2019-09-17	Fish Muscle/Muscle Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Sr	0.6	µg/g dw
RG_CAN_MW_O-01_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Sr	2.4	µg/g dw
RG_CAN_MW_O-02_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Sr	1.8	µg/g dw
RG_CAN_MW_O-03_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Sr	1.2	µg/g dw
RG_CAN_MW_O-04_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Sr	1.4	µg/g dw
RG_CAN_MW_O-05_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Sr	1.3	µg/g dw
RG_CAN_MW_O-06_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Sr	1.4	µg/g dw
RG_CAN_MW_O-07_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Sr	1.4	µg/g dw
RG_CAN_MW_O-DUP_2019-09-17	Fish Ovary/Ovary Tissue	<i>Prosopium williamsoni</i>	17-Sep-19	Sr	1.4	µg/g dw
RG_CAN_NSC_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Sr	1.2	µg/g dw
RG_CAN_NSC_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Sr	0.96	µg/g dw
RG_CAN_NSC_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Sr	0.15	µg/g dw
RG_CAN_NSC_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Sr	0.37	µg/g dw
RG_CAN_NSC_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Sr	1.4	µg/g dw
RG_CAN_NSC_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Sr	0.2	µg/g dw
RG_CAN_NSC_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Sr	0.7	µg/g dw
RG_CAN_NSC_M-08_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Sr	0.31	µg/g dw
RG_CAN_NSC_M-DUP_2019-09-17	Fish Muscle/Muscle Tissue	<i>Ptychocheilus oregonensis</i>	17-Sep-19	Sr	0.14	µg/g dw
RG_CAN_PCC_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Sr	3.8	µg/g dw
RG_CAN_PCC_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Sr	4.8	µg/g dw
RG_CAN_PCC_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Sr	6.2	µg/g dw
RG_CAN_PCC_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Sr	1.8	µg/g dw
RG_CAN_PCC_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Sr	1.4	µg/g dw
RG_CAN_PCC_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Sr	1.8	µg/g dw
RG_CAN_PCC_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Sr	0.95	µg/g dw
RG_CAN_PCC_M-08_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Sr	3.1	µg/g dw
RG_CAN_PCC_M-DUP_2019-09-17	Fish Muscle/Muscle Tissue	<i>Mylocheilus caurinus</i>	17-Sep-19	Sr	0.8	µg/g dw
RG_CAN_RBT_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Sr	0.31	µg/g dw
RG_CAN_RBT_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Sr	0.29	µg/g dw
RG_CAN_RBT_M-03_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Sr	0.25	µg/g dw
RG_CAN_RBT_M-04_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Sr	0.28	µg/g dw
RG_CAN_RBT_M-05_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Sr	0.17	µg/g dw
RG_CAN_RBT_M-06_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Sr	0.62	µg/g dw
RG_CAN_RBT_M-07_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Sr	0.53	µg/g dw
RG_CAN_RBT_M-08_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Sr	0.56	µg/g dw
RG_CAN_RBT_M-DUP_2019-09-17	Fish Muscle/Muscle Tissue	<i>Oncorhynchus mykiss</i>	17-Sep-19	Sr	0.41	µg/g dw
RG_CAN_YP_M-01_2019-09-17	Fish Muscle/Muscle Tissue	<i>Perca flavescens</i>	17-Sep-19	Sr	1.3	µg/g dw
RG_CAN_YP_M-02_2019-09-17	Fish Muscle/Muscle Tissue	<i>Perca flavescens</i>	17-Sep-19	Sr	1.3	µg/g dw

